



September 20, 2010
Project 130274

Mr. Joseph T. Martella, II
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

**Re: Status Report: August 2010 Activities
Former Gorham Manufacturing Facility
333 Adelaide Avenue, Providence, RI
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater in this area. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

FIELD ACTIVITIES

The following field activities were conducted August 30 and 31, 2010.

Monitoring Activities

Field parameters were measured in treatment area wells and compliance wells on August 30 and 31, 2010. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation and light non-aqueous phase liquid (LNAPL) thickness measurements were also collected. During the synchronous gauging, light non-aqueous phase liquid (LNAPL) was detected in MW-221S at a thickness of 1.27 feet. Field parameter and gauging results are presented in Tables 1 and 2.

Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) on August 30 and 31, 2010 from 21 monitoring wells within and around the treatment area, including compliance wells. One duplicate sample was collected from MW-101S (MW-101S DUP) for VOC analysis. One sample was collected for total petroleum hydrocarbon (TPH) analysis (modified EPA Method 8015 B) from monitoring well CW-6. One duplicate sample was collected from CW-6 (CW-6 DUP) for TPH analysis. Samples were collected for lead analysis (EPA Method 6010B) from monitoring wells MW-109D and GZA-3. One duplicate sample was collected from GZA-3 (GZA-3 DUP) for lead analysis. Groundwater samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis.

SUMMARY OF ANALYTICAL DATA

A summary of the analytical data associated with the groundwater sampling conducted in August 2010 is contained in Table 3. Copies of the laboratory analytical reports are attached to this report. The PCE concentration found in well MW-101D was at the treatment goal with a concentration of 7,700 ug/L. The PCE concentration found in well MW-201D was above the treatment goal with a concentration of 11,000 ug/L.

A summary of the compliance well results is contained in Table 4. The results indicate that exceedances above the compliance standard occurred for the Adelaide Avenue wells MW-112, MW-209D, and MW-218D for PCE. The reporting limit for 1, 1-dichloroethene and vinyl chloride exceeded the compliance standard for wells MW-112, MW-209D, and MW-218D.

Mr. Joseph T. Martella, II
September 20, 2010
Page 3 of 4

FUTURE ACTIVITIES

The next sampling event is scheduled for February 2011.

If you have any questions regarding this report, please contact me at (603) 870-4530.

Sincerely,

SHAW ENVIRONMENTAL, INC.

Edward P. Van Doren, PE, LSP
Project Manager

Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

Tables

Table 1 – Summary Field Parameters

Table 2 – Groundwater Elevations

Table 3 – VOCs in Groundwater

Table 4 – Compliance Wells Analytical Results


Laboratory Analytical Reports

cc: Craig Roy, RIDEM OWR
Greg Simpson, Textron
Jamieson Schiff, Textron
Dave Heislein, MACTEC
Thomas Dellar, City of Providence
Jeff Morgan, Stop & Shop
Ronald Ruth, Sherin and Lodgen

CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated September 20, 2010, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren
Project Manager

09/27/2010
Date:

We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.





Gregory L. Simpson
Project Manager

SEPTEMBER 21, 2010
Date:

FIGURES

LEGEND


 MW-101S MONITORING WELL



File: N:\dwg\Gorham\smtgf-02.dwg Layout: SP User: James.O'Donnell Mar 07, 2008 - 10:14am
 1" 1/2" 0" 1"





Shaw Environmental, Inc.



DATE	3/7/08
DWN	J.O'D.
APP	
REV	
PROJECT NO.	101960


FIGURE 1
 TETRON PROVIDENCE
 333 ADELAIDE AVENUE
 PROVIDENCE, RHODE ISLAND
SITE PLAN

File: N:\dwg\Gorham\smtgf-01.dwg Layout: Inj well User: James.O'Donnell Mar 07, 2008 - 10:08am



LEGEND

- MW-101S MONITORING WELL
- SB-2 SOIL BORING
- 04IS01 INJECTION WELL



DATE	3/7/08
DWN	J.O'D.
APP	E.P.V.
REV	
PROJECT NO.	101960

FIGURE 2
TEXTRON PROVIDENCE
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND
INJECTION WELL LOCATIONS

TABLES

Table 1
Summary Field Parameters
August 2010

Former Gorham Manufacturing Facility
Providence, Rhode Island

Well ID	DATE	pH	Temperature (deg. C°)	Conductivity (mS/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)
MW-101D	8/31/2010	5.51	15.95	0.013	5.26	180.2
MW-101S	8/31/2010	6.31	16.78	0.227	0.4	-48.3
MW-112	8/30/2010	5.71	13.53	0.576	5.93	204.4
MW-116D	8/31/2010	6.03	14.22	0.38	3.48	274.3
MW-116S	8/31/2010	5.82	16.55	0.212	7.61	251.7
MW-201D	8/31/2010	6.56	14.84	1.227	0.49	114.9
MW-202D	8/30/2010	6.26	14.91	0.275	0.39	143.1
MW-202S	8/30/2010	6.28	14.77	0.316	0.2	0.8
MW-207D	8/30/2010	6.33	15.24	0.027	5.14	135.5
MW-207S	8/30/2010	6.39	15.54	0.717	0.35	107.3
MW-209D	8/30/2010	7.07	14.41	0.113	3.9	104.8
MW-216D	8/30/2010	6.53	14.31	0.439	0.33	-38.9
MW-216S	8/30/2010	6.65	15.23	0.8	0.65	-125
MW-217D	8/30/2010	6.89	14.29	0.444	0.19	-141
MW-217S	8/30/2010	6.68	13.95	1.242	0.53	-89.4
MW-218D	8/30/2010	6.11	13.7	0.147	0.26	170.6
MW-218S	8/30/2010	6.94	12.92	1.062	0.22	-162.7
Notes:						
C° = degrees Celsius						
mS/cm = millisiemens per centimeter						
mg/L = milligrams per liter						
mV = milli volts						

**Table 2
Groundwater Elevations
August 2010**

**Former Gorham Manufacturing Facility
Providence, Rhode Island**

Well ID	Date	Reference Elevation (Feet)	Depth to Water (Feet)	LNAPL Thickness (Feet)	Groundwater Elevation (Feet)
CW-01	8/31/2010	99.52	25.72	0	73.80
CW-02	8/31/2010	98.86	24.91	0	73.95
CW-06	8/31/2010	99.52	25.11	0	74.41
GZA-3	8/31/2010	NA	17.89	0	NA
MW-101D	8/31/2010	98.91	24.83	0	74.08
MW-101S	8/31/2010	98.90	24.84	0	74.06
MW-109D	8/31/2010	NA	19.27	0	NA
MW-112	8/30/2010	100.63	26.63	0	74.00
MW-116D	8/31/2010	98.92	24.89	0	74.03
MW-116S	8/31/2010	99.40	25.33	0	74.07
MW-201D	8/31/2010	98.80	24.77	0	NA
MW-202D	8/30/2010	98.17	24.13	0	74.04
MW-202S	8/30/2010	98.06	24.05	0	74.01
MW-207D	8/30/2010	98.18	24.19	0	73.99
MW-207S	8/30/2010	98.28	24.27	0	74.01
MW-209D	8/30/2010	99.90	26.32	0	73.58
MW-216D	8/30/2010	98.69	25.57	0	73.12
MW-216S	8/30/2010	99.58	25.58	0	74.00
MW-217D	8/30/2010	98.65	25.03	0	73.62
MW-217S	8/30/2010	98.71	25.07	0	73.64
MW-218D	8/30/2010	99.67	25.60	0	74.07
MW-218S	8/30/2010	99.61	25.50	0	74.11
MW-220S	8/31/2010	99.41	25.47	0	73.94
MW-221S	8/31/2010	98.92	26.83	1.27	73.27
Notes: NM = Not Measured, under snow bank. Groundwater elevations are based on an arbitrary reference datum established for the site.					

Table 3
Groundwater Analytical Results
August 2010
Former Gorham Manufacturing Facility
Providence, Rhode Island

CONSTITUENT	CW-01	CW-02	CW-06	CW-06	GZA-3	GZA-3	MW-101D	MW-101S	MW-101S	MW-109D	MW-112	MW-116D	MW-116S	MW-201D	MW-202D
	8/31/2010 Primary	8/31/2010 Primary	8/31/2010 Primary	8/31/2010 Duplicate 1	8/31/2010 Primary	8/31/2010 Duplicate 1	8/31/2010 Primary	8/31/2010 Primary	8/31/2010 Duplicate 1	8/31/2010 Primary	8/30/2010 Primary	8/31/2010 Primary	8/31/2010 Primary	8/31/2010 Primary	8/30/2010 Primary
VOCs (ug/L)															
1,1-Dichloroethene	170	<1	---	---	1.2	---	<10	<1	<1	<1	<10	<1	<1	<100	<10
1,2,4-Trimethylbenzene	<40	<2	---	---	<2	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
1,3,5-Trimethylbenzene	<40	<2	---	---	<2	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
Acetone	<200	<10	---	---	<10	---	<100	<10	<10	<10	<100	<10	<10	<1000	<100
Benzene	<20	<1	---	---	1	---	<10	<1	<1	<1	<10	<1	<1	<100	<10
Chloroform	<40	<2	---	---	<2	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
cis-1,2-Dichloroethene	320	<2	---	---	42	---	230	4.7	4.1	<2	<20	<2	<2	<200	<20
Dichloromethane	<100	<5	---	---	<5	---	<50	<5	<5	<5	<50	<5	<5	<500	<50
Ethylbenzene	<40	<2	---	---	<2	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
m/p-xylene	<40	<2	---	---	<2	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
Methyltert-butylether	<40	<2	---	---	2.7	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
Naphthalene	<100	<5	---	---	<5	---	<50	<5	<5	<5	<50	<5	<5	<500	<50
o-Xylene	<40	<2	---	---	<2	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
Tetrachloroethene	210	<2	---	---	<2	---	7700	13	15	<2	260	<2	<2	11000	330
Toluene	<40	<2	---	---	<2	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
Trichloroethene	2300	<2	---	---	16	---	170	<2	<2	<2	<20	<2	<2	610	<20
Vinyl chloride	<40	<2	---	---	14	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
Xylene (total)	<40	<2	---	---	<2	---	<20	<2	<2	<2	<20	<2	<2	<200	<20
TPH (mg/L)															
Unidentified TPH	---	---	11	11	---	---	---	---	---	---	---	---	---	---	---
Dissolved Metals (ug/L)															
Lead	---	---	---	---	<13	<13	---	---	---	<13	---	---	---	---	---

Notes:

< = Less than the laboratory reporting limit
ug/L = Micro grams per liter, parts per billion
mg/L = Milligrams per liter, parts per million
TPH = Total Petroleum Hydrocarbons
--- = Not analyzed for.

Table 3
Groundwater Analytical Results
August 2010
Former Gorham Manufacturing Facility
Providence, Rhode Island

CONSTITUENT	MW-202S	MW-207D	MW-207S	MW-209D	MW-216D	MW-216S	MW-217D	MW-217S	MW-218D	MW-218S
	8/30/2010	8/30/2010	8/30/2010	8/30/2010	8/30/2010	8/30/2010	8/30/2010	8/30/2010	8/30/2010	8/30/2010
	Primary	Primary	Primary	Primary	Primary	Primary	Primary	Primary	Primary	Primary
VOCs (ug/L)										
1,1-Dichloroethene	<1	<1	<100	<10	<1	<1	<1	<1	<10	<1
1,2,4-Trimethylbenzene	<2	<2	<200	<20	<2	15	<2	<2	<20	<2
1,3,5-Trimethylbenzene	<2	<2	<200	<20	<2	12	<2	<2	<20	<2
Acetone	<10	<10	<1000	<100	<10	<10	<10	<10	<100	26
Benzene	<1	<1	<100	<10	<1	<1	<1	<1	<10	<1
Chloroform	7	<2	<200	<20	<2	<2	<2	<2	36	14
cis-1,2-Dichloroethene	75	22	<200	<20	<2	49	63	31	<20	<2
Dichloromethane	<5	<5	<500	<50	<5	<5	<5	<5	<50	8.6
Ethylbenzene	<2	<2	<200	<20	<2	3.4	<2	<2	<20	<2
m/p-xylene	<2	<2	<200	<20	<2	8.6	<2	<2	<20	<2
Methyltert-butylether	<2	<2	<200	<20	<2	<2	2.1	<2	<20	<2
Naphthalene	<5	<5	<500	<50	<5	21	<5	<5	<50	<5
o-Xylene	<2	<2	<200	<20	<2	12	<2	<2	<20	<2
Tetrachloroethene	91	4100	3900	620	<2	<2	<2	16	400	<2
Toluene	<2	<2	<200	<20	<2	2.8	<2	<2	<20	<2
Trichloroethene	3.7	16	<200	71	2.3	<2	8	<2	29	<2
Vinyl chloride	<2	2	<200	<20	<2	<2	<2	11	<20	<2
Xylene (total)	<2	<2	<200	<20	<2	21	<2	<2	<20	<2
TPH (mg/L)										
Unidentified TPH	---	---	---	---	---	---	---	---	---	---
Dissolved Metals (ug/L)										
Lead	---	---	---	---	---	---	---	---	---	---

Notes:

< = Less than the laboratory reporting limit
ug/L = Micro grams per liter, parts per billion
mg/L = Milligrams per liter, parts per million
TPH = Total Petroleum Hydrocarbons
--- = Not analyzed for.

**Table 4
Compliance Wells Analytical Results
August 2010**

**Former Gorham Manufacturing Facility
Providence, Rhode Island**

Mashapaug Pond Compliance Wells				
Sample ID Date Collected CONSTITUENT	GZA-3 8/31/2010	GZA-3 8/31/2010 Duplicate	MW-109D 8/31/2010	Compliance Standard¹
Metals (mg/L)				
Lead	<0.013	<0.013	<0.013	0.03
VOCs (ug/L)				
1,1-Dichloroethane	<2	NA	<2	50,000
1,1-Dichloroethene	1.2	NA	<1	50,000
cis-1,2-Dichloroethene	42	NA	<2	50,000
Tetrachloroethene	<2	NA	<2	5,000
Trichloroethene	16	NA	<2	20,000
Vinyl chloride	<2	NA	<2	1,200

TPH Remediation Area Well			
Sample ID Date Collected CONSTITUENT	CW-6 8/31/2010	CW-6 8/31/2010 Duplicate	Compliance Standard¹
TPH (mg/L)	11	11	20

Sewer Interceptor Area Wells			
Sample ID Date Collected CONSTITUENT	CW-1 8/31/2010	CW-2 8/31/2010	Compliance Standard²
VOCs (ug/L)			
1,1-Dichloroethane	<40	<2	120,000
1,1-Dichloroethene	170	<1	23,000
cis-1,2-Dichloroethene	320	<2	69,000
trans-1,2-Dichloroethene	<40	<2	79,000
Tetrachloroethene	210	<2	NS
Trichloroethene	2,300	<2	87,000

Adelaide Avenue Wells					
Sample ID Date Collected CONSTITUENT	MW-112 8/30/2010	MW-209D 8/30/2010	MW-218D 8/2010	MW-218S 8/2010	Compliance Standard³
VOCs (ug/L)					
cis-1,2-Dichloroethene	<20	<20	<20	<2	2,400
1,1-Dichloroethene	<10	<10	<10	<1	7
Benzene	<10	<10	<10	<1	140
Chloroform	<20	<20	36	14	1,900
Methyl tert-butyl ether	<20	<20	<20	<2	5,000
Tetrachloroethene	260	620	400	<2	150
Trichloroethene	<20	71	29	<2	540
Vinyl chloride	<20	<20	<20	<2	2

Notes:

1. These Site specific compliance standards were taken from the approved RAWP dated April 1, 2001 and/or the RIDEM Remediation Regulations.
 2. These compliance standards taken from Table 5 - Upper Concentration Limits for GB Groundwater, RIDEM Remediation Regulations.
 3. These compliance standards taken from Table 4 -GB Groundwater Objectives of the RIDEM Remediation Regulations or in the case of vinyl chloride the compliance standard was taken from Table 3 of the Remediation Regulations and for chloroform the compliance standard was calculated from the algorithm in Appendix F of the Remediation Regulations (calculations attached as Appendix C of Status Report dated September 18, 2007).
- mg/L - milligrams per liter
ug/L - micrograms per liter
< - compound was not detected below the laboratory reporting limit, concentration shown is the reporting limit.
VOCs - volatile organic compounds
TPH - total petroleum hydrocarbons
NA - Indicates that the analysis was not performed.
NS - Indicates that no applicable standard exists. Compound does not have a lower explosive limit (LEL).

ATTACHMENT 1



111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

September 20, 2010

ANALYTICAL TEST RESULTS

Ed VanDoren
Shaw Environmental & Infrastructure, Inc.
11 Northeastern Boulevard
Salem, NH 030791953
TEL: (603) 870-4530
FAX: (603) 870-4501

Subject: 130274 Textron Gorham

Workorder No.: 1009004

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 26 samples on 9/1/2010 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 113 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001.

Hard copy of the State Certification is available upon request.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 1009004
Date Received: 9/1/2010

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
1009004-01A	MW-112	8/30/2010	10:30 AM
1009004-02A	MW-202 D	8/30/2010	2:30 PM
1009004-03A	MW-202 S	8/30/2010	2:00 PM
1009004-04A	MW-207 D	8/30/2010	1:00 PM
1009004-05A	MW-207 S	8/30/2010	1:30 PM
1009004-06A	MW-209 D	8/30/2010	10:00 AM
1009004-07A	MW-216 D	8/30/2010	7:30 AM
1009004-08A	MW-216 S	8/30/2010	7:00 AM
1009004-09A	MW-217 D	8/30/2010	8:30 AM
1009004-10A	MW-217 S	8/30/2010	9:00 AM
1009004-11A	MW-218 D	8/30/2010	12:00 PM
1009004-12A	MW-218 S	8/30/2010	11:30 AM
1009004-13A	MW-101 D	8/31/2010	6:30 AM
1009004-14A	MW-101 S	8/31/2010	6:00 AM
1009004-15A	MW-101 S Dup	8/31/2010	6:00 AM
1009004-16A	MW-116 D	8/31/2010	10:00 AM
1009004-17A	MW-116 S	8/31/2010	9:30 AM
1009004-18A	MW-201 D	8/31/2010	7:30 AM
1009004-19A	CW-2	8/31/2010	8:30 AM
1009004-20A	CW-1	8/31/2010	9:00 AM
1009004-21A	MW-109 D	8/31/2010	12:30 PM
1009004-21B	MW-109 D	8/31/2010	12:30 PM
1009004-22A	GZA-3	8/31/2010	12:00 PM
1009004-22B	GZA-3	8/31/2010	12:00 PM
1009004-23A	GZA-3 Dup	8/31/2010	12:00 PM
1009004-24A	CW-6	8/31/2010	11:00 AM
1009004-25A	CW-6 Dup	8/31/2010	11:00 AM
1009004-26A	Trip Blank	8/31/2010	12:00 AM

AMRO Environmental Laboratories Corp.

16-Sep-10

DATES REPORT

Lab Order: 1009004

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
1009004-01A	MW-112	8/30/2010 10:30:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	8/30/2010	R45384	9/9/2010	
1009004-02A	MW-202 D	8/30/2010 2:30:00 PM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-03A	MW-202 S	8/30/2010 2:00:00 PM		EPA 8260B VOLATILES by GC/MS		8/30/2010	R45389	9/9/2010	
1009004-04A	MW-207 D	8/30/2010 1:00:00 PM		EPA 8260B VOLATILES by GC/MS		8/30/2010	R45389	9/9/2010	
				EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-05A	MW-207 S	8/30/2010 1:30:00 PM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-06A	MW-209 D	8/30/2010 10:00:00 AM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-07A	MW-216 D	8/30/2010 7:30:00 AM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-08A	MW-216 S	8/30/2010 7:00:00 AM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45415	9/13/2010	
1009004-09A	MW-217 D	8/30/2010 8:30:00 AM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-10A	MW-217 S	8/30/2010 9:00:00 AM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45415	9/13/2010	
1009004-11A	MW-218 D	8/30/2010 12:00:00 PM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	

AMRO Environmental Laboratories Corp.

16-Sep-10

DATES REPORT

Lab Order: 1009004
Client: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
1009004-12A	MW-218 S	8/30/2010 11:30:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	8/30/2010	R45384	9/9/2010	
1009004-13A	MW-101 D	8/31/2010 6:30:00 AM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45415	9/13/2010	
				EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-14A	MW-101 S	8/31/2010 6:00:00 AM		EPA 8260B VOLATILES by GC/MS		8/30/2010	R45384	9/9/2010	
1009004-15A	MW-101 S Dup			EPA 8260B VOLATILES by GC/MS		8/30/2010	R45384	9/9/2010	
1009004-16A	MW-116 D	8/31/2010 10:00:00 AM		EPA 8260B VOLATILES by GC/MS		8/30/2010	R45384	9/9/2010	
1009004-17A	MW-116 S	8/31/2010 9:30:00 AM		EPA 8260B VOLATILES by GC/MS		8/30/2010	R45384	9/9/2010	
1009004-18A	MW-201 D	8/31/2010 7:30:00 AM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-19A	CW-2	8/31/2010 8:30:00 AM		EPA 8260B VOLATILES by GC/MS		8/30/2010	R45384	9/9/2010	
1009004-20A	CW-1	8/31/2010 9:00:00 AM		EPA 8260B VOLATILES by GC/MS		8/31/2010	R45405	9/11/2010	
1009004-21A	MW-109 D	8/31/2010 12:30:00 PM		EPA 8260B VOLATILES by GC/MS		8/30/2010	R45384	9/9/2010	
1009004-21B				EPA 6010B ICP METALS, DISSOLVED		9/11/2010	20580	9/2/2010	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA		9/11/2010		20580	

AMRO Environmental Laboratories Corp.

16-Sep-10

Lab Order: 1009004
Client: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Prep Date	Analysis Date	TCLP Date
1009004-22A	GZA-3	8/31/2010 12:00:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS	8/30/2010	9/9/2010	
				EPA 5030B		R45384	
1009004-22B				EPA 6010B ICP METALS, DISSOLVED		9/2/2010	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	9/1/2010	20580	
1009004-23A	GZA-3 Dup			EPA 6010B ICP METALS, DISSOLVED	9/1/2010	20580	
1009004-24A	CW-6	8/31/2010 11:00:00 AM		TPH by GC/FID (modified 8015B)		9/3/2010	
				AQPREP SEP FUNNEL: FING	9/3/2010	20589	
1009004-25A	CW-6 Dup			TPH by GC/FID (modified 8015B)		9/3/2010	
					9/3/2010	20589	
1009004-26A	Trip Blank	8/31/2010		EPA 8260B VOLATILES by GC/MS		9/11/2010	
				EPA 5030B	8/31/2010	R45405	

AMRO Environmental Laboratories Corporation
 111 Herrick Street
 Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

58973

Office: (603) 424-2022
 Fax: (603) 429-8496
 web: www.amrolabs.com

Project No.: 130274	Project Name: Textron Gorham	Project Manager: Ed VanDoren	Project State: RI	Project Turnaround Time Authorization	AMRO Project No.: 1009004
P.O.#: 157431	Results Needed by: Standard TAT Seal Intact? Yes No N/A	Requested Analyses	Requested Analyses	Requested Analyses	Remarks
QUOTE #:	Date/Time Sampled	Matrix	Total # of Cont. & Size	Grab	
Sample ID.:				Comp	
MW-112	8:30/10	GW	2	✓	
MW-202D	1430		2	✓	
MW-202S	1400		2	✓	
MW-207D	1300		2	✓	
MW-207S	1330		2	✓	
MW-209D	1000		2	✓	
MW-216D	0730		2	✓	
MW-216S	0700		2	✓	
MW-217D	0830		2	✓	
MW-217S	0900		2	✓	
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O-Other					
Send Results To: Ed VanDoren					
Shaw Environmental, Inc.					
11 Northeastern Blvd.					
Salem, NH 03079-1953					
PHONE #: 603-870-4530					
E-mail: Edward.Vandoren@Shawgrp.com					
Relinquished By: <i>Edward Vandoren</i>					
Date/Time: 8/7/10					
Received By: <i>Ed VanDoren</i>					
Date/Time: 9/1/10 1030					
Received By: <i>Ed VanDoren</i>					
Date/Time: 9/1/10 1200					
Received By: <i>Ed VanDoren</i>					
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.					
White: Lab Copy Yellow: Client Copy					
AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.					
AMROCC2004, Rev.3 08/18/04					

Project No.: 130274	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed VanDoren	Samplers (Signature): <i>Ed VanDoren</i>	AMRO Project No.: 1007004
P.O.#: 157431	Results Needed by: Standard	RI	REQUESTED ANALYSES		
QUOTE #:	TAT Seal Intact? Yes No N/A	Comp	REMARKS		
Sample ID:	Date/Time Sampled	Total # of Cont. & Size	Matrix	TPH	
MW-218D	8.30.10 1200	2	GW	Dissolved Lead	
MW-218S	8.30.10 1130	2			
MW-101D	8.31.10 0630	2			
MW-101S	0600	2			
MW-101S Dup	0600	2			
MW-116D	1000	2			
MW-116S	0930	2			
MW-201D	0730	2			
CW-2	0830	2			
CW-1	0900	2			
Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other					
Send Results To: Ed VanDoren					
Shaw Environmental, Inc.					
11 Northeastern Blvd.					
Salem, NH 03079-1953					
PHONE #: 603-870-4530 FAX #: 603-870-4501					
E-mail: <i>Ed VanDoren</i>					
Relinquished By: <i>Ed VanDoren</i>					
Date/Time: 8.31.10					
9/1/10					
9/1/10					
9/1/10					
Received By: <i>Suzanne Swartz</i>					
Date/Time: 8/31/10					
9/1/10					
9/1/10					
9/1/10					
MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/>					
MCP Methods Needed: YES <input type="checkbox"/> NO <input type="checkbox"/>					
AMRO report package level needed: YES <input type="checkbox"/> NO <input type="checkbox"/>					
EDD required: YES <input type="checkbox"/> NO <input type="checkbox"/>					
GI/Key Format					
Required Reporting Limits: S-1 <input type="checkbox"/> GW-1 <input type="checkbox"/>					
S-2 <input type="checkbox"/> GW-2 <input type="checkbox"/>					
S-3 <input type="checkbox"/> GW-3 <input type="checkbox"/>					
Other: <input type="checkbox"/>					
AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.					
AMROCC2004, Rev.3 08/18/04					

AMRO Environmental Laboratories Corporation
111 Herrick Street
Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

60354

Office: (603) 424-2022
Fax: (603) 429-8496
web: www.amrolabs.com

Project No:	Project Name:	Project State:	Project Manager:	AMRO Project No.:
P.O.#:	Results Needed by:	Total # of Cont. & Size	REQUESTED ANALYSES	Remarks
157431	Standard TAT Seal Intact? Yes No N/A	Comp.		
QUOTE #:	Date/Time Sampled	Matrix	Sampplers (Signature):	
			Paul Healey	
Sample ID:				
CW-6	8-31-10 1100	GW		
MW-109D	1230			
GZA-3	1200			
CW-6 Duf	1100			
GZA-3 Duf	1200			

Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other

Send Results To: Ed Vandoren

Shaw Environmental, Inc.

11 Northeastern Blvd.

Salem, NH 03079-1953

PHONE #: 603-870-4530

FAX #: 603-870-4501

E-mail:

PRIORITY TURNAROUND TIME AUTHORIZATION

Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER

AUTHORIZATION No.: BY:

METALS 8 RCRA 13 PP 23 TAL 14 MCP

Method: 6010 200.7 Other Metals:

Dissolved Metals Field Filtered? YES NO

MCP Presumptive Certainty Required? YES NO

MCP Methods Needed: YES NO

AMRO report package level needed: YES NO

EDD required: YES NO

GISKey Format

Required Reporting Limits: S-1 GW-1 S-2 GW-2 S-3 GW-3 Other:

Received By: Sicone Steve 8-31-10

WJA [Signature]

AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.

AMROCC2004, Rev3 08/18/04

White: Lab Copy Yellow: Client Copy

SAMPLE RECEIPT CHECKLIST

Client: SHAW AMRO ID: 1009004
 Project Name: 130274 TEXTRON GORHAM Date Rec.: 9-1-10
 Ship via: (circle one) Fed Ex., UPS, AMRO Courier, Date Due: 9-9-10
 Hand Del., Other Courier, Other:

Items to be Checked Upon Receipt	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature.				
Samples rec. with ice <input checked="" type="checkbox"/> ice packs <input checked="" type="checkbox"/> neither <u>TEMP = 30</u>				
8. Were samples received the same day they were sampled?		✓		
Is client temperature = or <6°C?	✓			
If no obtain authorization from the client for the analyses.				
Client authorization from: Date: Obtained by:				
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓			
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?	✓			
14. Were proper sample containers used?	✓			
15. Were all samples received intact? (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?	✓			
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			

19. VPH and VOA Soils only:

Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)
 Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk
 If M or SB:
 Does preservative cover the soil? If NO then client must be faxed.
 Does preservation level come close to the fill line on the vial? If NO then client must be faxed.
 Were vials provided by AMRO? If NO then weights MUST be obtained from client
 Was dry weight aliquot provided? If NO then fax client and inform the VOA lab ASAP.

20. Subcontracted Samples:

What samples sent: _____
 Where sent: _____
 Date: _____
 Analysis: _____
 TAT: _____

21. Information entered into:

Internal Tracking Log?
 Dry Weight Log? _____
 Client Log? _____
 Composite Log? _____
 Filtration Log?

Received By: MG Date: 9-1-10 Logged in By: MG Date: 9-1-10
 Labeled By: MM Date: 9-1-10 Checked By: MG Date: 9-1-10

Please Circle if:
Sample= Soil
Sample= Waste

AMRO ID: 1009004

Sample ID	Analysis	Volume Sample	Preserv. Listed	Initial pH*	Acceptable? Y or N	List Preserv. Added by AMRO	Solution ID # of Preserv.	Volume Preservative Added	Final adjusted pH	Final adjusted pH (after 16 or 24 hours)
01A-22A	UOL	2-40mL	HCL	—	—					
26A (TB)	UOL	1-40mL	HCL	—	—					
21B-22B	Pb	500mL	HNO3	6.2	X					
23A	Pb	500mL	HNO3	6.2	X					
24A-25A	TPH	2-1L Am	H2SO4	6.2	X					

* = if the laboratory preserves the drinking water sample (s) for EPA Method 200 series, sample (s) should be held at least 16 hours prior to analysis or 24 hours for water sample (s).

pH Checked By: RG Date: 9-1-10 pH adjusted By: _____ Date: _____

pH Checked By: _____ Date: _____ pH adj. (16 or 24hrs) By: _____ Date: _____

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 1009004

CASE NARRATIVE

GC/MS VOLATILES:

1. A Laboratory Control Sample (LCS) was performed on 09/09/10 (Batch ID:R45389).

1.1 The % Recovery for 5 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

2. A Laboratory Control Sample (LCS) was performed on 09/11/10 (Batch ID:R45405).

2.1 The % Recovery for 2 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

3. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample 216D (1009004-07) Batch ID: R45405.

3.1 The % Recovery for 1 analyte out of 67 analytes in the MS was outside the laboratory control limits.

3.2 The % Recovery for 1 analyte out of 67 analytes in the MSD was outside the laboratory control limits.

4. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample 217S (1009004-10) Batch ID: R45415.

4.1 The % Recovery for 1 analyte out of 67 analytes in the MS was outside the laboratory control limits.

TPH by GC/FID:

1. No QC deviations were noted.

METALS:

1. No QC deviations were noted.

DATA COMMENT PAGE

Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

Micro Data Qualifiers

TNTC	Too numerous to count
------	-----------------------

Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-01A

Client Sample ID: MW-112
Collection Date: 8/30/2010 10:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	9/9/2010 6:35:00 PM
Chloromethane	ND	50		µg/L	10	9/9/2010 6:35:00 PM
Vinyl chloride	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Chloroethane	ND	50		µg/L	10	9/9/2010 6:35:00 PM
Bromomethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Diethyl ether	ND	50		µg/L	10	9/9/2010 6:35:00 PM
Acetone	ND	100		µg/L	10	9/9/2010 6:35:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	9/9/2010 6:35:00 PM
Carbon disulfide	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Methylene chloride	ND	50		µg/L	10	9/9/2010 6:35:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	9/9/2010 6:35:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
2-Butanone	ND	100		µg/L	10	9/9/2010 6:35:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Chloroform	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Tetrahydrofuran	ND	100		µg/L	10	9/9/2010 6:35:00 PM
Bromochloromethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Carbon tetrachloride	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Benzene	ND	10		µg/L	10	9/9/2010 6:35:00 PM
Trichloroethene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Bromodichloromethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Dibromomethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	9/9/2010 6:35:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	9/9/2010 6:35:00 PM
Toluene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	9/9/2010 6:35:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
2-Hexanone	ND	100		µg/L	10	9/9/2010 6:35:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Tetrachloroethene	260	20		µg/L	10	9/9/2010 6:35:00 PM
Dibromochloromethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-01A

Client Sample ID: MW-112
Collection Date: 8/30/2010 10:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Ethylbenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
m,p-Xylene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
o-Xylene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Styrene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Bromoform	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Isopropylbenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Bromobenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
n-Propylbenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
2-Chlorotoluene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
4-Chlorotoluene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
tert-Butylbenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
sec-Butylbenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
n-Butylbenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	9/9/2010 6:35:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Naphthalene	ND	50		µg/L	10	9/9/2010 6:35:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	9/9/2010 6:35:00 PM
Surr: Dibromofluoromethane	90.7	82-122		%REC	10	9/9/2010 6:35:00 PM
Surr: 1,2-Dichloroethane-d4	99.4	73-135		%REC	10	9/9/2010 6:35:00 PM
Surr: Toluene-d8	103	82-117		%REC	10	9/9/2010 6:35:00 PM
Surr: 4-Bromofluorobenzene	93.4	77-119		%REC	10	9/9/2010 6:35:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-02A

Client Sample ID: MW-202 D
Collection Date: 8/30/2010 2:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	9/11/2010 4:55:00 PM
Chloromethane	ND	50		µg/L	10	9/11/2010 4:55:00 PM
Vinyl chloride	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Chloroethane	ND	50		µg/L	10	9/11/2010 4:55:00 PM
Bromomethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Diethyl ether	ND	50		µg/L	10	9/11/2010 4:55:00 PM
Acetone	ND	100		µg/L	10	9/11/2010 4:55:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	9/11/2010 4:55:00 PM
Carbon disulfide	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Methylene chloride	ND	50		µg/L	10	9/11/2010 4:55:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	9/11/2010 4:55:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
2-Butanone	ND	100		µg/L	10	9/11/2010 4:55:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Chloroform	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Tetrahydrofuran	ND	100		µg/L	10	9/11/2010 4:55:00 PM
Bromochloromethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Carbon tetrachloride	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Benzene	ND	10		µg/L	10	9/11/2010 4:55:00 PM
Trichloroethene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Bromodichloromethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Dibromomethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	9/11/2010 4:55:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	9/11/2010 4:55:00 PM
Toluene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	9/11/2010 4:55:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
2-Hexanone	ND	100		µg/L	10	9/11/2010 4:55:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Tetrachloroethene	330	20		µg/L	10	9/11/2010 4:55:00 PM
Dibromochloromethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-02A

Client Sample ID: MW-202 D
Collection Date: 8/30/2010 2:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Ethylbenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
m,p-Xylene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
o-Xylene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Styrene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Bromoform	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Isopropylbenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Bromobenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
n-Propylbenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
2-Chlorotoluene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
4-Chlorotoluene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
tert-Butylbenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
sec-Butylbenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
n-Butylbenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	9/11/2010 4:55:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Naphthalene	ND	50		µg/L	10	9/11/2010 4:55:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	9/11/2010 4:55:00 PM
Surr: Dibromofluoromethane	100	82-122		%REC	10	9/11/2010 4:55:00 PM
Surr: 1,2-Dichloroethane-d4	108	73-135		%REC	10	9/11/2010 4:55:00 PM
Surr: Toluene-d8	107	82-117		%REC	10	9/11/2010 4:55:00 PM
Surr: 4-Bromofluorobenzene	94.3	77-119		%REC	10	9/11/2010 4:55:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-03A

Client Sample ID: MW-202 S
Collection Date: 8/30/2010 2:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 2:48:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 2:48:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 2:48:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 2:48:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 2:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 2:48:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 2:48:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 2:48:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
cis-1,2-Dichloroethene	75	2.0		µg/L	1	9/9/2010 2:48:00 PM
Chloroform	7.0	2.0		µg/L	1	9/9/2010 2:48:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 2:48:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 2:48:00 PM
Trichloroethene	3.7	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 2:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 2:48:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 2:48:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 2:48:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Tetrachloroethene	91	2.0		µg/L	1	9/9/2010 2:48:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-03A

Client Sample ID: MW-202 S
Collection Date: 8/30/2010 2:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 2:48:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 2:48:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:48:00 PM
Surr: Dibromofluoromethane	95.6	82-122		%REC	1	9/9/2010 2:48:00 PM
Surr: 1,2-Dichloroethane-d4	95.3	73-135		%REC	1	9/9/2010 2:48:00 PM
Surr: Toluene-d8	89.1	82-117		%REC	1	9/9/2010 2:48:00 PM
Surr: 4-Bromofluorobenzene	89.1	77-119		%REC	1	9/9/2010 2:48:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-04A

Client Sample ID: MW-207 D
Collection Date: 8/30/2010 1:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 3:23:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 3:23:00 PM
Vinyl chloride	2.0	2.0		µg/L	1	9/9/2010 3:23:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 3:23:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 3:23:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 3:23:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 3:23:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 3:23:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 3:23:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
cis-1,2-Dichloroethene	22	2.0		µg/L	1	9/9/2010 3:23:00 PM
Chloroform	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 3:23:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 3:23:00 PM
Trichloroethene	16	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 3:23:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 3:23:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 3:23:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 3:23:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Tetrachloroethene	4,100	200		µg/L	100	9/11/2010 4:19:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-04A

Client Sample ID: MW-207 D
Collection Date: 8/30/2010 1:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 3:23:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 3:23:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:23:00 PM
Surr: Dibromofluoromethane	92.2	82-122		%REC	1	9/9/2010 3:23:00 PM
Surr: 1,2-Dichloroethane-d4	94.2	73-135		%REC	1	9/9/2010 3:23:00 PM
Surr: Toluene-d8	92.3	82-117		%REC	1	9/9/2010 3:23:00 PM
Surr: 4-Bromofluorobenzene	87.2	77-119		%REC	1	9/9/2010 3:23:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-05A

Client Sample ID: MW-207 S
Collection Date: 8/30/2010 1:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	9/11/2010 7:56:00 PM
Chloromethane	ND	500		µg/L	100	9/11/2010 7:56:00 PM
Vinyl chloride	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Chloroethane	ND	500		µg/L	100	9/11/2010 7:56:00 PM
Bromomethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Diethyl ether	ND	500		µg/L	100	9/11/2010 7:56:00 PM
Acetone	ND	1,000		µg/L	100	9/11/2010 7:56:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	9/11/2010 7:56:00 PM
Carbon disulfide	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Methylene chloride	ND	500		µg/L	100	9/11/2010 7:56:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	9/11/2010 7:56:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
2-Butanone	ND	1,000		µg/L	100	9/11/2010 7:56:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Chloroform	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	9/11/2010 7:56:00 PM
Bromochloromethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Carbon tetrachloride	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Benzene	ND	100		µg/L	100	9/11/2010 7:56:00 PM
Trichloroethene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Bromodichloromethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Dibromomethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	9/11/2010 7:56:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	9/11/2010 7:56:00 PM
Toluene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	9/11/2010 7:56:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
2-Hexanone	ND	1,000		µg/L	100	9/11/2010 7:56:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Tetrachloroethene	3,900	200		µg/L	100	9/11/2010 7:56:00 PM
Dibromochloromethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-05A

Client Sample ID: MW-207 S
Collection Date: 8/30/2010 1:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Ethylbenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
m,p-Xylene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
o-Xylene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Styrene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Bromoform	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Isopropylbenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Bromobenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
n-Propylbenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
2-Chlorotoluene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
4-Chlorotoluene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
tert-Butylbenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
sec-Butylbenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
n-Butylbenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	9/11/2010 7:56:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Naphthalene	ND	500		µg/L	100	9/11/2010 7:56:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	9/11/2010 7:56:00 PM
Surr: Dibromofluoromethane	91.4	82-122		%REC	100	9/11/2010 7:56:00 PM
Surr: 1,2-Dichloroethane-d4	103	73-135		%REC	100	9/11/2010 7:56:00 PM
Surr: Toluene-d8	100	82-117		%REC	100	9/11/2010 7:56:00 PM
Surr: 4-Bromofluorobenzene	95.6	77-119		%REC	100	9/11/2010 7:56:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-06A

Client Sample ID: MW-209 D
Collection Date: 8/30/2010 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	9/11/2010 5:30:00 PM
Chloromethane	ND	50		µg/L	10	9/11/2010 5:30:00 PM
Vinyl chloride	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Chloroethane	ND	50		µg/L	10	9/11/2010 5:30:00 PM
Bromomethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Diethyl ether	ND	50		µg/L	10	9/11/2010 5:30:00 PM
Acetone	ND	100		µg/L	10	9/11/2010 5:30:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	9/11/2010 5:30:00 PM
Carbon disulfide	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Methylene chloride	ND	50		µg/L	10	9/11/2010 5:30:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	9/11/2010 5:30:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
2-Butanone	ND	100		µg/L	10	9/11/2010 5:30:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Chloroform	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Tetrahydrofuran	ND	100		µg/L	10	9/11/2010 5:30:00 PM
Bromochloromethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Carbon tetrachloride	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Benzene	ND	10		µg/L	10	9/11/2010 5:30:00 PM
Trichloroethene	71	20		µg/L	10	9/11/2010 5:30:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Bromodichloromethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Dibromomethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	9/11/2010 5:30:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	9/11/2010 5:30:00 PM
Toluene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	9/11/2010 5:30:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
2-Hexanone	ND	100		µg/L	10	9/11/2010 5:30:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Tetrachloroethene	620	20		µg/L	10	9/11/2010 5:30:00 PM
Dibromochloromethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-06A

Client Sample ID: MW-209 D
Collection Date: 8/30/2010 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Ethylbenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
m,p-Xylene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
o-Xylene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Styrene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Bromoform	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Isopropylbenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Bromobenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
n-Propylbenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
2-Chlorotoluene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
4-Chlorotoluene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
tert-Butylbenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
sec-Butylbenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
n-Butylbenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	9/11/2010 5:30:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Naphthalene	ND	50		µg/L	10	9/11/2010 5:30:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	9/11/2010 5:30:00 PM
Surr: Dibromofluoromethane	91.9	82-122		%REC	10	9/11/2010 5:30:00 PM
Surr: 1,2-Dichloroethane-d4	90.0	73-135		%REC	10	9/11/2010 5:30:00 PM
Surr: Toluene-d8	101	82-117		%REC	10	9/11/2010 5:30:00 PM
Surr: 4-Bromofluorobenzene	96.4	77-119		%REC	10	9/11/2010 5:30:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-07A

Client Sample ID: MW-216 D
Collection Date: 8/30/2010 7:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/11/2010 3:01:00 PM
Chloromethane	ND	5.0		µg/L	1	9/11/2010 3:01:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Chloroethane	ND	5.0		µg/L	1	9/11/2010 3:01:00 PM
Bromomethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/11/2010 3:01:00 PM
Acetone	ND	10		µg/L	1	9/11/2010 3:01:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/11/2010 3:01:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/11/2010 3:01:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
2-Butanone	ND	10		µg/L	1	9/11/2010 3:01:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Chloroform	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/11/2010 3:01:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Benzene	ND	1.0		µg/L	1	9/11/2010 3:01:00 PM
Trichloroethene	2.3	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/11/2010 3:01:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/11/2010 3:01:00 PM
Toluene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/11/2010 3:01:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
2-Hexanone	ND	10		µg/L	1	9/11/2010 3:01:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-07A

Client Sample ID: MW-216 D
Collection Date: 8/30/2010 7:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
o-Xylene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Styrene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Bromoform	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/11/2010 3:01:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Naphthalene	ND	5.0		µg/L	1	9/11/2010 3:01:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:01:00 PM
Surr: Dibromofluoromethane	95.1	82-122		%REC	1	9/11/2010 3:01:00 PM
Surr: 1,2-Dichloroethane-d4	99.4	73-135		%REC	1	9/11/2010 3:01:00 PM
Surr: Toluene-d8	108	82-117		%REC	1	9/11/2010 3:01:00 PM
Surr: 4-Bromofluorobenzene	92.5	77-119		%REC	1	9/11/2010 3:01:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-08A

Client Sample ID: MW-216 S
Collection Date: 8/30/2010 7:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/13/2010 2:12:00 PM
Chloromethane	ND	5.0		µg/L	1	9/13/2010 2:12:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Chloroethane	ND	5.0		µg/L	1	9/13/2010 2:12:00 PM
Bromomethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/13/2010 2:12:00 PM
Acetone	ND	10		µg/L	1	9/13/2010 2:12:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/13/2010 2:12:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/13/2010 2:12:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
2-Butanone	ND	10		µg/L	1	9/13/2010 2:12:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
cis-1,2-Dichloroethene	49	2.0		µg/L	1	9/13/2010 2:12:00 PM
Chloroform	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/13/2010 2:12:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Benzene	ND	1.0		µg/L	1	9/13/2010 2:12:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/13/2010 2:12:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/13/2010 2:12:00 PM
Toluene	2.8	2.0		µg/L	1	9/13/2010 2:12:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/13/2010 2:12:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
2-Hexanone	ND	10		µg/L	1	9/13/2010 2:12:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-08A

Client Sample ID: MW-216 S
Collection Date: 8/30/2010 7:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Ethylbenzene	3.4	2.0		µg/L	1	9/13/2010 2:12:00 PM
m,p-Xylene	8.6	2.0		µg/L	1	9/13/2010 2:12:00 PM
o-Xylene	12	2.0		µg/L	1	9/13/2010 2:12:00 PM
Styrene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Bromoform	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,3,5-Trimethylbenzene	12	2.0		µg/L	1	9/13/2010 2:12:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,2,4-Trimethylbenzene	15	2.0		µg/L	1	9/13/2010 2:12:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/13/2010 2:12:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Naphthalene	21	5.0		µg/L	1	9/13/2010 2:12:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/13/2010 2:12:00 PM
Surr: Dibromofluoromethane	90.6	82-122		%REC	1	9/13/2010 2:12:00 PM
Surr: 1,2-Dichloroethane-d4	90.2	73-135		%REC	1	9/13/2010 2:12:00 PM
Surr: Toluene-d8	98.8	82-117		%REC	1	9/13/2010 2:12:00 PM
Surr: 4-Bromofluorobenzene	97.2	77-119		%REC	1	9/13/2010 2:12:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-09A

Client Sample ID: MW-217 D
Collection Date: 8/30/2010 8:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/11/2010 3:43:00 PM
Chloromethane	ND	5.0		µg/L	1	9/11/2010 3:43:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Chloroethane	ND	5.0		µg/L	1	9/11/2010 3:43:00 PM
Bromomethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/11/2010 3:43:00 PM
Acetone	ND	10		µg/L	1	9/11/2010 3:43:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/11/2010 3:43:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/11/2010 3:43:00 PM
Methyl tert-butyl ether	2.1	2.0		µg/L	1	9/11/2010 3:43:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
2-Butanone	ND	10		µg/L	1	9/11/2010 3:43:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
cis-1,2-Dichloroethene	63	2.0		µg/L	1	9/11/2010 3:43:00 PM
Chloroform	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/11/2010 3:43:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Benzene	ND	1.0		µg/L	1	9/11/2010 3:43:00 PM
Trichloroethene	8.0	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/11/2010 3:43:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/11/2010 3:43:00 PM
Toluene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/11/2010 3:43:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
2-Hexanone	ND	10		µg/L	1	9/11/2010 3:43:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-09A

Client Sample ID: MW-217 D
Collection Date: 8/30/2010 8:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
o-Xylene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Styrene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Bromoform	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/11/2010 3:43:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Naphthalene	ND	5.0		µg/L	1	9/11/2010 3:43:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/11/2010 3:43:00 PM
Surr: Dibromofluoromethane	94.2	82-122		%REC	1	9/11/2010 3:43:00 PM
Surr: 1,2-Dichloroethane-d4	101	73-135		%REC	1	9/11/2010 3:43:00 PM
Surr: Toluene-d8	106	82-117		%REC	1	9/11/2010 3:43:00 PM
Surr: 4-Bromofluorobenzene	93.9	77-119		%REC	1	9/11/2010 3:43:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-10A

Client Sample ID: MW-217 S
Collection Date: 8/30/2010 9:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/13/2010 1:37:00 PM
Chloromethane	ND	5.0		µg/L	1	9/13/2010 1:37:00 PM
Vinyl chloride	11	2.0		µg/L	1	9/13/2010 1:37:00 PM
Chloroethane	ND	5.0		µg/L	1	9/13/2010 1:37:00 PM
Bromomethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/13/2010 1:37:00 PM
Acetone	ND	10		µg/L	1	9/13/2010 1:37:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/13/2010 1:37:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/13/2010 1:37:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
2-Butanone	ND	10		µg/L	1	9/13/2010 1:37:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
cis-1,2-Dichloroethene	31	2.0		µg/L	1	9/13/2010 1:37:00 PM
Chloroform	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/13/2010 1:37:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Benzene	ND	1.0		µg/L	1	9/13/2010 1:37:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/13/2010 1:37:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/13/2010 1:37:00 PM
Toluene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/13/2010 1:37:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
2-Hexanone	ND	10		µg/L	1	9/13/2010 1:37:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Tetrachloroethene	16	2.0		µg/L	1	9/13/2010 1:37:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-10A

Client Sample ID: MW-217 S
Collection Date: 8/30/2010 9:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
o-Xylene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Styrene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Bromoform	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/13/2010 1:37:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Naphthalene	ND	5.0		µg/L	1	9/13/2010 1:37:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/13/2010 1:37:00 PM
Surr: Dibromofluoromethane	95.8	82-122		%REC	1	9/13/2010 1:37:00 PM
Surr: 1,2-Dichloroethane-d4	101	73-135		%REC	1	9/13/2010 1:37:00 PM
Surr: Toluene-d8	100	82-117		%REC	1	9/13/2010 1:37:00 PM
Surr: 4-Bromofluorobenzene	96.6	77-119		%REC	1	9/13/2010 1:37:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-11A

Client Sample ID: MW-218 D
Collection Date: 8/30/2010 12:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	50		µg/L	10	9/11/2010 6:08:00 PM
Chloromethane	ND	50		µg/L	10	9/11/2010 6:08:00 PM
Vinyl chloride	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Chloroethane	ND	50		µg/L	10	9/11/2010 6:08:00 PM
Bromomethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Diethyl ether	ND	50		µg/L	10	9/11/2010 6:08:00 PM
Acetone	ND	100		µg/L	10	9/11/2010 6:08:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	9/11/2010 6:08:00 PM
Carbon disulfide	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Methylene chloride	ND	50		µg/L	10	9/11/2010 6:08:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	9/11/2010 6:08:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
2-Butanone	ND	100		µg/L	10	9/11/2010 6:08:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Chloroform	36	20		µg/L	10	9/11/2010 6:08:00 PM
Tetrahydrofuran	ND	100		µg/L	10	9/11/2010 6:08:00 PM
Bromochloromethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Carbon tetrachloride	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Benzene	ND	10		µg/L	10	9/11/2010 6:08:00 PM
Trichloroethene	29	20		µg/L	10	9/11/2010 6:08:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Bromodichloromethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Dibromomethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	9/11/2010 6:08:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	9/11/2010 6:08:00 PM
Toluene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	9/11/2010 6:08:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
2-Hexanone	ND	100		µg/L	10	9/11/2010 6:08:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Tetrachloroethene	400	20		µg/L	10	9/11/2010 6:08:00 PM
Dibromochloromethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-11A

Client Sample ID: MW-218 D
Collection Date: 8/30/2010 12:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Ethylbenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
m,p-Xylene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
o-Xylene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Styrene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Bromoform	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Isopropylbenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Bromobenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
n-Propylbenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
2-Chlorotoluene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
4-Chlorotoluene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
tert-Butylbenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
sec-Butylbenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
n-Butylbenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	9/11/2010 6:08:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Naphthalene	ND	50		µg/L	10	9/11/2010 6:08:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	9/11/2010 6:08:00 PM
Surr: Dibromofluoromethane	85.6	82-122		%REC	10	9/11/2010 6:08:00 PM
Surr: 1,2-Dichloroethane-d4	91.6	73-135		%REC	10	9/11/2010 6:08:00 PM
Surr: Toluene-d8	97.9	82-117		%REC	10	9/11/2010 6:08:00 PM
Surr: 4-Bromofluorobenzene	92.6	77-119		%REC	10	9/11/2010 6:08:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-12A

Client Sample ID: MW-218 S
Collection Date: 8/30/2010 11:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 1:48:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 1:48:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 1:48:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 1:48:00 PM
Acetone	26	10		µg/L	1	9/9/2010 1:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 1:48:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Methylene chloride	8.6	5.0		µg/L	1	9/9/2010 1:48:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 1:48:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Chloroform	14	2.0		µg/L	1	9/9/2010 1:48:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 1:48:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 1:48:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 1:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 1:48:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 1:48:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 1:48:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-12A

Client Sample ID: MW-218 S
Collection Date: 8/30/2010 11:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 1:48:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 1:48:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 1:48:00 PM
Surr: Dibromofluoromethane	97.6	82-122		%REC	1	9/9/2010 1:48:00 PM
Surr: 1,2-Dichloroethane-d4	104	73-135		%REC	1	9/9/2010 1:48:00 PM
Surr: Toluene-d8	105	82-117		%REC	1	9/9/2010 1:48:00 PM
Surr: 4-Bromofluorobenzene	97.4	77-119		%REC	1	9/9/2010 1:48:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-13A

Client Sample ID: MW-101 D
Collection Date: 8/31/2010 6:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	9/11/2010 6:44:00 PM
Chloromethane	ND	50		µg/L	10	9/11/2010 6:44:00 PM
Vinyl chloride	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Chloroethane	ND	50		µg/L	10	9/11/2010 6:44:00 PM
Bromomethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Diethyl ether	ND	50		µg/L	10	9/11/2010 6:44:00 PM
Acetone	ND	100		µg/L	10	9/11/2010 6:44:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	9/11/2010 6:44:00 PM
Carbon disulfide	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Methylene chloride	ND	50		µg/L	10	9/11/2010 6:44:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	9/11/2010 6:44:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
2-Butanone	ND	100		µg/L	10	9/11/2010 6:44:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
cis-1,2-Dichloroethene	230	20		µg/L	10	9/11/2010 6:44:00 PM
Chloroform	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Tetrahydrofuran	ND	100		µg/L	10	9/11/2010 6:44:00 PM
Bromochloromethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Carbon tetrachloride	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Benzene	ND	10		µg/L	10	9/11/2010 6:44:00 PM
Trichloroethene	170	20		µg/L	10	9/11/2010 6:44:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Bromodichloromethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Dibromomethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	9/11/2010 6:44:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	9/11/2010 6:44:00 PM
Toluene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	9/11/2010 6:44:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
2-Hexanone	ND	100		µg/L	10	9/11/2010 6:44:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Tetrachloroethene	7,700	200		µg/L	100	9/13/2010 1:01:00 PM
Dibromochloromethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-13A

Client Sample ID: MW-101 D
Collection Date: 8/31/2010 6:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Ethylbenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
m,p-Xylene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
o-Xylene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Styrene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Bromoform	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Isopropylbenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Bromobenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
n-Propylbenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
2-Chlorotoluene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
4-Chlorotoluene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
tert-Butylbenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
sec-Butylbenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
n-Butylbenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	9/11/2010 6:44:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Naphthalene	ND	50		µg/L	10	9/11/2010 6:44:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	9/11/2010 6:44:00 PM
Surr: Dibromofluoromethane	94.4	82-122		%REC	10	9/11/2010 6:44:00 PM
Surr: 1,2-Dichloroethane-d4	93.3	73-135		%REC	10	9/11/2010 6:44:00 PM
Surr: Toluene-d8	101	82-117		%REC	10	9/11/2010 6:44:00 PM
Surr: 4-Bromofluorobenzene	93.4	77-119		%REC	10	9/11/2010 6:44:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-14A

Client Sample ID: MW-101 S
Collection Date: 8/31/2010 6:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 2:24:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 2:24:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 2:24:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 2:24:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 2:24:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 2:24:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 2:24:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 2:24:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
cis-1,2-Dichloroethene	4.7	2.0		µg/L	1	9/9/2010 2:24:00 PM
Chloroform	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 2:24:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 2:24:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 2:24:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 2:24:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 2:24:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 2:24:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Tetrachloroethene	13	2.0		µg/L	1	9/9/2010 2:24:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-14A

Client Sample ID: MW-101 S
Collection Date: 8/31/2010 6:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 2:24:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 2:24:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 2:24:00 PM
Surr: Dibromofluoromethane	90.1	82-122		%REC	1	9/9/2010 2:24:00 PM
Surr: 1,2-Dichloroethane-d4	95.4	73-135		%REC	1	9/9/2010 2:24:00 PM
Surr: Toluene-d8	100	82-117		%REC	1	9/9/2010 2:24:00 PM
Surr: 4-Bromofluorobenzene	97.6	77-119		%REC	1	9/9/2010 2:24:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-15A

Client Sample ID: MW-101 S Dup
Collection Date: 8/31/2010 6:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 3:00:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 3:00:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 3:00:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 3:00:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 3:00:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 3:00:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 3:00:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 3:00:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
cis-1,2-Dichloroethene	4.1	2.0		µg/L	1	9/9/2010 3:00:00 PM
Chloroform	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 3:00:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 3:00:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 3:00:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 3:00:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 3:00:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 3:00:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Tetrachloroethene	15	2.0		µg/L	1	9/9/2010 3:00:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-15A

Client Sample ID: MW-101 S Dup
Collection Date: 8/31/2010 6:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 3:00:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 3:00:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:00:00 PM
Surr: Dibromofluoromethane	91.2	82-122		%REC	1	9/9/2010 3:00:00 PM
Surr: 1,2-Dichloroethane-d4	104	73-135		%REC	1	9/9/2010 3:00:00 PM
Surr: Toluene-d8	102	82-117		%REC	1	9/9/2010 3:00:00 PM
Surr: 4-Bromofluorobenzene	101	77-119		%REC	1	9/9/2010 3:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-16A

Client Sample ID: MW-116 D
Collection Date: 8/31/2010 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 3:35:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 3:35:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 3:35:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 3:35:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 3:35:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 3:35:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 3:35:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 3:35:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Chloroform	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 3:35:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 3:35:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 3:35:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 3:35:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 3:35:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 3:35:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-16A

Client Sample ID: MW-116 D
Collection Date: 8/31/2010 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 3:35:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 3:35:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 3:35:00 PM
Surr: Dibromofluoromethane	98.8	82-122		%REC	1	9/9/2010 3:35:00 PM
Surr: 1,2-Dichloroethane-d4	98.5	73-135		%REC	1	9/9/2010 3:35:00 PM
Surr: Toluene-d8	108	82-117		%REC	1	9/9/2010 3:35:00 PM
Surr: 4-Bromofluorobenzene	98.9	77-119		%REC	1	9/9/2010 3:35:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-17A

Client Sample ID: MW-116 S
Collection Date: 8/31/2010 9:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 4:11:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 4:11:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 4:11:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 4:11:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 4:11:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 4:11:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 4:11:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 4:11:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Chloroform	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 4:11:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 4:11:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 4:11:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 4:11:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 4:11:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 4:11:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-17A

Client Sample ID: MW-116 S
Collection Date: 8/31/2010 9:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 4:11:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 4:11:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:11:00 PM
Surr: Dibromofluoromethane	99.2	82-122		%REC	1	9/9/2010 4:11:00 PM
Surr: 1,2-Dichloroethane-d4	100	73-135		%REC	1	9/9/2010 4:11:00 PM
Surr: Toluene-d8	108	82-117		%REC	1	9/9/2010 4:11:00 PM
Surr: 4-Bromofluorobenzene	97.0	77-119		%REC	1	9/9/2010 4:11:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-18A

Client Sample ID: MW-201 D
Collection Date: 8/31/2010 7:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	9/11/2010 8:32:00 PM
Chloromethane	ND	500		µg/L	100	9/11/2010 8:32:00 PM
Vinyl chloride	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Chloroethane	ND	500		µg/L	100	9/11/2010 8:32:00 PM
Bromomethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Diethyl ether	ND	500		µg/L	100	9/11/2010 8:32:00 PM
Acetone	ND	1,000		µg/L	100	9/11/2010 8:32:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	9/11/2010 8:32:00 PM
Carbon disulfide	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Methylene chloride	ND	500		µg/L	100	9/11/2010 8:32:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	9/11/2010 8:32:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
2-Butanone	ND	1,000		µg/L	100	9/11/2010 8:32:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Chloroform	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	9/11/2010 8:32:00 PM
Bromochloromethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Carbon tetrachloride	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Benzene	ND	100		µg/L	100	9/11/2010 8:32:00 PM
Trichloroethene	610	200		µg/L	100	9/11/2010 8:32:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Bromodichloromethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Dibromomethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	9/11/2010 8:32:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	9/11/2010 8:32:00 PM
Toluene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	9/11/2010 8:32:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
2-Hexanone	ND	1,000		µg/L	100	9/11/2010 8:32:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Tetrachloroethene	11,000	200		µg/L	100	9/11/2010 8:32:00 PM
Dibromochloromethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-18A

Client Sample ID: MW-201 D
Collection Date: 8/31/2010 7:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Ethylbenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
m,p-Xylene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
o-Xylene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Styrene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Bromoform	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Isopropylbenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Bromobenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
n-Propylbenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
2-Chlorotoluene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
4-Chlorotoluene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
tert-Butylbenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
sec-Butylbenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
n-Butylbenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	9/11/2010 8:32:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Naphthalene	ND	500		µg/L	100	9/11/2010 8:32:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	9/11/2010 8:32:00 PM
Surr: Dibromofluoromethane	96.8	82-122		%REC	100	9/11/2010 8:32:00 PM
Surr: 1,2-Dichloroethane-d4	108	73-135		%REC	100	9/11/2010 8:32:00 PM
Surr: Toluene-d8	108	82-117		%REC	100	9/11/2010 8:32:00 PM
Surr: 4-Bromofluorobenzene	95.4	77-119		%REC	100	9/11/2010 8:32:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-19A

Client Sample ID: CW-2
Collection Date: 8/31/2010 8:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 4:48:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 4:48:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 4:48:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 4:48:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 4:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 4:48:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 4:48:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 4:48:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Chloroform	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 4:48:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 4:48:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 4:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 4:48:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 4:48:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 4:48:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-19A

Client Sample ID: CW-2
Collection Date: 8/31/2010 8:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 4:48:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 4:48:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 4:48:00 PM
Surr: Dibromofluoromethane	91.0	82-122		%REC	1	9/9/2010 4:48:00 PM
Surr: 1,2-Dichloroethane-d4	103	73-135		%REC	1	9/9/2010 4:48:00 PM
Surr: Toluene-d8	101	82-117		%REC	1	9/9/2010 4:48:00 PM
Surr: 4-Bromofluorobenzene	96.5	77-119		%REC	1	9/9/2010 4:48:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-20A

Client Sample ID: CW-1
Collection Date: 8/31/2010 9:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	100		µg/L	20	9/11/2010 7:20:00 PM
Chloromethane	ND	100		µg/L	20	9/11/2010 7:20:00 PM
Vinyl chloride	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Chloroethane	ND	100		µg/L	20	9/11/2010 7:20:00 PM
Bromomethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Trichlorofluoromethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Diethyl ether	ND	100		µg/L	20	9/11/2010 7:20:00 PM
Acetone	ND	200		µg/L	20	9/11/2010 7:20:00 PM
1,1-Dichloroethene	170	20		µg/L	20	9/11/2010 7:20:00 PM
Carbon disulfide	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Methylene chloride	ND	100		µg/L	20	9/11/2010 7:20:00 PM
Methyl tert-butyl ether	ND	40		µg/L	20	9/11/2010 7:20:00 PM
trans-1,2-Dichloroethene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,1-Dichloroethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
2-Butanone	ND	200		µg/L	20	9/11/2010 7:20:00 PM
2,2-Dichloropropane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
cis-1,2-Dichloroethene	320	40		µg/L	20	9/11/2010 7:20:00 PM
Chloroform	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Tetrahydrofuran	ND	200		µg/L	20	9/11/2010 7:20:00 PM
Bromochloromethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,1,1-Trichloroethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,1-Dichloropropene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Carbon tetrachloride	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,2-Dichloroethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Benzene	ND	20		µg/L	20	9/11/2010 7:20:00 PM
Trichloroethene	2,300	40		µg/L	20	9/11/2010 7:20:00 PM
1,2-Dichloropropane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Bromodichloromethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Dibromomethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
4-Methyl-2-pentanone	ND	200		µg/L	20	9/11/2010 7:20:00 PM
cis-1,3-Dichloropropene	ND	20		µg/L	20	9/11/2010 7:20:00 PM
Toluene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
trans-1,3-Dichloropropene	ND	20		µg/L	20	9/11/2010 7:20:00 PM
1,1,2-Trichloroethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,2-Dibromoethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
2-Hexanone	ND	200		µg/L	20	9/11/2010 7:20:00 PM
1,3-Dichloropropane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Tetrachloroethene	210	40		µg/L	20	9/11/2010 7:20:00 PM
Dibromochloromethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-20A

Client Sample ID: CW-1
Collection Date: 8/31/2010 9:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,1,1,2-Tetrachloroethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Ethylbenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
m,p-Xylene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
o-Xylene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Styrene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Bromoform	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Isopropylbenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,1,2,2-Tetrachloroethane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,2,3-Trichloropropane	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Bromobenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
n-Propylbenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
2-Chlorotoluene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
4-Chlorotoluene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,3,5-Trimethylbenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
tert-Butylbenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,2,4-Trimethylbenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
sec-Butylbenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
4-Isopropyltoluene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,3-Dichlorobenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,4-Dichlorobenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
n-Butylbenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,2-Dichlorobenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	20	9/11/2010 7:20:00 PM
1,2,4-Trichlorobenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Hexachlorobutadiene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Naphthalene	ND	100		µg/L	20	9/11/2010 7:20:00 PM
1,2,3-Trichlorobenzene	ND	40		µg/L	20	9/11/2010 7:20:00 PM
Surr: Dibromofluoromethane	99.6	82-122		%REC	20	9/11/2010 7:20:00 PM
Surr: 1,2-Dichloroethane-d4	107	73-135		%REC	20	9/11/2010 7:20:00 PM
Surr: Toluene-d8	105	82-117		%REC	20	9/11/2010 7:20:00 PM
Surr: 4-Bromofluorobenzene	97.6	77-119		%REC	20	9/11/2010 7:20:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-21A

Client Sample ID: MW-109 D
Collection Date: 8/31/2010 12:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 5:24:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 5:24:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 5:24:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 5:24:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 5:24:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/9/2010 5:24:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 5:24:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 5:24:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Chloroform	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 5:24:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Benzene	ND	1.0		µg/L	1	9/9/2010 5:24:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 5:24:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 5:24:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 5:24:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 5:24:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-21A

Client Sample ID: MW-109 D
Collection Date: 8/31/2010 12:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 5:24:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 5:24:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:24:00 PM
Surr: Dibromofluoromethane	92.6	82-122		%REC	1	9/9/2010 5:24:00 PM
Surr: 1,2-Dichloroethane-d4	96.9	73-135		%REC	1	9/9/2010 5:24:00 PM
Surr: Toluene-d8	99.8	82-117		%REC	1	9/9/2010 5:24:00 PM
Surr: 4-Bromofluorobenzene	96.5	77-119		%REC	1	9/9/2010 5:24:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-22A

Client Sample ID: GZA-3
Collection Date: 8/31/2010 12:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/9/2010 5:59:00 PM
Chloromethane	ND	5.0		µg/L	1	9/9/2010 5:59:00 PM
Vinyl chloride	14	2.0		µg/L	1	9/9/2010 5:59:00 PM
Chloroethane	ND	5.0		µg/L	1	9/9/2010 5:59:00 PM
Bromomethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/9/2010 5:59:00 PM
Acetone	ND	10		µg/L	1	9/9/2010 5:59:00 PM
1,1-Dichloroethene	1.2	1.0		µg/L	1	9/9/2010 5:59:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/9/2010 5:59:00 PM
Methyl tert-butyl ether	2.7	2.0		µg/L	1	9/9/2010 5:59:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
2-Butanone	ND	10		µg/L	1	9/9/2010 5:59:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
cis-1,2-Dichloroethene	42	2.0		µg/L	1	9/9/2010 5:59:00 PM
Chloroform	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/9/2010 5:59:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Benzene	1.0	1.0		µg/L	1	9/9/2010 5:59:00 PM
Trichloroethene	16	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/9/2010 5:59:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 5:59:00 PM
Toluene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/9/2010 5:59:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
2-Hexanone	ND	10		µg/L	1	9/9/2010 5:59:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-22A

Client Sample ID: GZA-3
Collection Date: 8/31/2010 12:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
o-Xylene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Styrene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Bromoform	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/9/2010 5:59:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Naphthalene	ND	5.0		µg/L	1	9/9/2010 5:59:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/9/2010 5:59:00 PM
Surr: Dibromofluoromethane	100	82-122		%REC	1	9/9/2010 5:59:00 PM
Surr: 1,2-Dichloroethane-d4	103	73-135		%REC	1	9/9/2010 5:59:00 PM
Surr: Toluene-d8	109	82-117		%REC	1	9/9/2010 5:59:00 PM
Surr: 4-Bromofluorobenzene	93.2	77-119		%REC	1	9/9/2010 5:59:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-26A

Client Sample ID: Trip Blank
Collection Date: 8/31/2010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	9/11/2010 1:41:00 PM
Chloromethane	ND	5.0		µg/L	1	9/11/2010 1:41:00 PM
Vinyl chloride	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Chloroethane	ND	5.0		µg/L	1	9/11/2010 1:41:00 PM
Bromomethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Diethyl ether	ND	5.0		µg/L	1	9/11/2010 1:41:00 PM
Acetone	ND	10		µg/L	1	9/11/2010 1:41:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/11/2010 1:41:00 PM
Carbon disulfide	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Methylene chloride	ND	5.0		µg/L	1	9/11/2010 1:41:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
2-Butanone	ND	10		µg/L	1	9/11/2010 1:41:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Chloroform	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Tetrahydrofuran	ND	10		µg/L	1	9/11/2010 1:41:00 PM
Bromochloromethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Benzene	ND	1.0		µg/L	1	9/11/2010 1:41:00 PM
Trichloroethene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Dibromomethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/11/2010 1:41:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/11/2010 1:41:00 PM
Toluene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/11/2010 1:41:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
2-Hexanone	ND	10		µg/L	1	9/11/2010 1:41:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 1009004
Project: 130274 Textron Gorham
Lab ID: 1009004-26A

Client Sample ID: Trip Blank
Collection Date: 8/31/2010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Ethylbenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
m,p-Xylene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
o-Xylene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Styrene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Bromoform	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Bromobenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	9/11/2010 1:41:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Naphthalene	ND	5.0		µg/L	1	9/11/2010 1:41:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	9/11/2010 1:41:00 PM
Surr: Dibromofluoromethane	92.4	82-122		%REC	1	9/11/2010 1:41:00 PM
Surr: 1,2-Dichloroethane-d4	98.0	73-135		%REC	1	9/11/2010 1:41:00 PM
Surr: Toluene-d8	106	82-117		%REC	1	9/11/2010 1:41:00 PM
Surr: 4-Bromofluorobenzene	91.5	77-119		%REC	1	9/11/2010 1:41:00 PM

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-09/09/10 Batch ID: R45384 Test Code: SW8260B Units: µg/L Analysis Date 9/9/2010 11:24:00 AM Prep Date: 9/9/2010
 Client ID: Run ID: V-2_100909A SeqNo: 754487

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	SeqNo	Original Sample or MS Result	%RPD	RPDLimit	Qu
Dichlorodifluoromethane	ND	5.0	µg/L										
Chloromethane	ND	5.0	µg/L										
Vinyl chloride	ND	2.0	µg/L										
Chloroethane	ND	5.0	µg/L										
Bromomethane	ND	2.0	µg/L										
Trichlorofluoromethane	ND	2.0	µg/L										
Diethyl ether	ND	5.0	µg/L										
Acetone	ND	10	µg/L										
1,1-Dichloroethene	ND	1.0	µg/L										
Carbon disulfide	ND	2.0	µg/L										
Methylene chloride	ND	5.0	µg/L										
Methyl tert-butyl ether	ND	2.0	µg/L										
trans-1,2-Dichloroethene	ND	2.0	µg/L										
1,1-Dichloroethane	ND	2.0	µg/L										
2-Butanone	ND	10	µg/L										
2,2-Dichloropropane	ND	2.0	µg/L										
cis-1,2-Dichloroethene	ND	2.0	µg/L										
Chloroform	ND	2.0	µg/L										
Tetrahydrofuran	ND	10	µg/L										
Bromochloromethane	ND	2.0	µg/L										
1,1,1-Trichloroethane	ND	2.0	µg/L										
1,1-Dichloropropene	ND	2.0	µg/L										
Carbon tetrachloride	ND	2.0	µg/L										
1,2-Dichloroethane	ND	2.0	µg/L										
Benzene	ND	1.0	µg/L										

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

QC SUMMARY REPORT Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 1009004

Project: 130274 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
sec-Butylbenzene	ND	2.0	0	0	
4-Isopropyltoluene	ND	2.0	0	0	
1,3-Dichlorobenzene	ND	2.0	0	0	
1,4-Dichlorobenzene	ND	2.0	0	0	
n-Butylbenzene	ND	2.0	0	0	
1,2-Dichlorobenzene	ND	2.0	0	0	
1,2-Dibromo-3-chloropropane	ND	5.0	0	0	
1,2,4-Trichlorobenzene	ND	2.0	0	0	
Hexachlorobutadiene	ND	2.0	0	0	
Naphthalene	ND	5.0	0	0	
1,2,3-Trichlorobenzene	ND	2.0	0	0	
Surr: Dibromofluoromethane	25.04	2.0	25	100	82
Surr: 1,2-Dichloroethane-d4	25.76	2.0	25	103	73
Surr: Toluene-d8	27.8	2.0	25	111	82
Surr: 4-Bromofluorobenzene	24.48	2.0	25	97.9	77

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-09/09/10 Batch ID: R45389 Test Code: SW8260B Units: µg/L Analysis Date 9/9/2010 10:48:00 AM Prep Date: 9/9/2010
 Client ID: Run ID: V-3_100909B SeqNo: 754615

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 1009004

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration	Recovery Status
Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 1009004

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits (%)	Outside Accepted Recovery Limits (%)	Method Blank
sec-Butylbenzene	ND	2.0				
4-Isopropyltoluene	ND	2.0				
1,3-Dichlorobenzene	ND	2.0				
1,4-Dichlorobenzene	ND	2.0				
n-Butylbenzene	ND	2.0				
1,2-Dichlorobenzene	ND	2.0				
1,2-Dibromo-3-chloropropane	ND	5.0				
1,2,4-Trichlorobenzene	ND	2.0				
Hexachlorobutadiene	ND	2.0				
Naphthalene	ND	5.0				
1,2,3-Trichlorobenzene	ND	2.0				
Surr: Dibromofluoromethane	23.74	2.0	25	0	95	122
Surr: 1,2-Dichloroethane-d4	24.02	2.0	25	0	96.1	135
Surr: Toluene-d8	22.71	2.0	25	0	90.8	117
Surr: 4-Bromofluorobenzene	23.13	2.0	25	0	92.5	119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-09/11/10 Batch ID: R45405 Test Code: SW8260B Units: µg/L Analysis Date 9/11/2010 1:02:00 PM Prep Date: 9/11/2010
 Client ID: Run ID: V-2_100911A SeqNo: 754812 Original Sample

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	%RPD	RPDLimit	QC
Dichlorodifluoromethane	ND	5.0	µg/L								
Chloromethane	ND	5.0	µg/L								
Vinyl chloride	ND	2.0	µg/L								
Chloroethane	ND	5.0	µg/L								
Bromomethane	ND	2.0	µg/L								
Trichlorofluoromethane	ND	2.0	µg/L								
Diethyl ether	ND	5.0	µg/L								
Acetone	ND	10	µg/L								
1,1-Dichloroethene	ND	1.0	µg/L								
Carbon disulfide	ND	2.0	µg/L								
Methylene chloride	ND	5.0	µg/L								
Methyl tert-butyl ether	ND	2.0	µg/L								
trans-1,2-Dichloroethene	ND	2.0	µg/L								
1,1-Dichloroethane	ND	2.0	µg/L								
2-Butanone	ND	10	µg/L								
2,2-Dichloropropane	ND	2.0	µg/L								
cis-1,2-Dichloroethene	ND	2.0	µg/L								
Chloroform	ND	2.0	µg/L								
Tetrahydrofuran	ND	10	µg/L								
Bromochloromethane	ND	2.0	µg/L								
1,1,1-Trichloroethane	ND	2.0	µg/L								
1,1-Dichloropropene	ND	2.0	µg/L								
Carbon tetrachloride	ND	2.0	µg/L								
1,2-Dichloroethane	ND	2.0	µg/L								
Benzene	ND	1.0	µg/L								

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance Criteria
sec-Butylbenzene	ND	2.0		µg/L
4-Isopropyltoluene	ND	2.0		µg/L
1,3-Dichlorobenzene	ND	2.0		µg/L
1,4-Dichlorobenzene	ND	2.0		µg/L
n-Butylbenzene	ND	2.0		µg/L
1,2-Dichlorobenzene	ND	2.0		µg/L
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L
1,2,4-Trichlorobenzene	ND	2.0		µg/L
Hexachlorobutadiene	ND	2.0		µg/L
Naphthalene	ND	5.0		µg/L
1,2,3-Trichlorobenzene	ND	2.0		µg/L
Surr: Dibromofluoromethane	22.05	2.0	25	0 88.2 122 0
Surr: 1,2-Dichloroethane-d4	24.09	2.0	25	0 96.4 135 0
Surr: Toluene-d8	26.16	2.0	25	0 105 117 0
Surr: 4-Bromofluorobenzene	23.14	2.0	25	0 92.6 119 0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-09/13/10 Batch ID: R45415 Test Code: SW8260B Units: µg/L Analysis Date 9/13/2010 11:49:00 AM Prep Date: 9/13/2010
 Client ID: Run ID: V-2_100913A SeqNo: 754977

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
sec-Butylbenzene	ND	2.0			
4-Isopropyltoluene	ND	2.0			
1,3-Dichlorobenzene	ND	2.0			
1,4-Dichlorobenzene	ND	2.0			
n-Butylbenzene	ND	2.0			
1,2-Dichlorobenzene	ND	2.0			
1,2-Dibromo-3-chloropropane	ND	5.0			
1,2,4-Trichlorobenzene	ND	2.0			
Hexachlorobutadiene	ND	2.0			
Naphthalene	ND	5.0			
1,2,3-Trichlorobenzene	ND	2.0			
Surr: Dibromofluoromethane	23.47	2.0	93.9	0	82
Surr: 1,2-Dichloroethane-d4	22.2	2.0	88.8	0	73
Surr: Toluene-d8	25.02	2.0	100	0	82
Surr: 4-Bromofluorobenzene	24.56	2.0	98.2	0	77
					122
					135
					117
					119
					0
					0
					0
					0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Tectron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: Ics-09/09/10 **Batch ID:** R45384 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 9/9/2010 9:00:00 AM **Prep Date:** 9/9/2010
Client ID: **Run ID:** V-2_100909A **SeqNo:** 754491

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	11.45	5.0	µg/L	20	0	57.2	10	150	0			
Chloromethane	14.24	5.0	µg/L	20	0	71.2	37	150	0			
Vinyl chloride	15	2.0	µg/L	20	0	75	48	150	0			
Chloroethane	15.6	5.0	µg/L	20	0	78	54	142	0			
Bromomethane	13.95	2.0	µg/L	20	0	69.8	51	137	0			
Trichlorofluoromethane	17.4	2.0	µg/L	20	0	87	62	141	0			
Diethyl ether	19.46	5.0	µg/L	20	0	97.3	68	134	0			
Acetone	19.36	10	µg/L	20	0	96.8	9	150	0			
1,1-Dichloroethene	20.6	1.0	µg/L	20	0	103	68	146	0			
Carbon disulfide	12.96	2.0	µg/L	20	0	64.8	52	131	0			
Methylene chloride	20.58	5.0	µg/L	20	0	103	67	138	0			
Methyl tert-butyl ether	20.4	2.0	µg/L	20	0	102	63	139	0			
trans-1,2-Dichloroethene	20.63	2.0	µg/L	20	0	103	81	126	0			
1,1-Dichloroethane	19.98	2.0	µg/L	20	0	99.9	78	124	0			
2-Butanone	18.21	10	µg/L	20	0	91	41	150	0			
2,2-Dichloropropane	19.62	2.0	µg/L	20	0	98.1	71	150	0			
cis-1,2-Dichloroethene	20.51	2.0	µg/L	20	0	103	78	121	0			
Chloroform	20.41	2.0	µg/L	20	0	102	82	123	0			
Tetrahydrofuran	20.33	10	µg/L	20	0	102	51	146	0			
Bromochloromethane	20.96	2.0	µg/L	20	0	105	77	131	0			
1,1,1-Trichloroethane	17.07	2.0	µg/L	20	0	85.4	81	127	0			
1,1-Dichloropropene	20.17	2.0	µg/L	20	0	101	76	119	0			
Carbon tetrachloride	15.25	2.0	µg/L	20	0	76.2	76	129	0			
1,2-Dichloroethane	19.63	2.0	µg/L	20	0	98.2	76	127	0			
Benzene	19.19	1.0	µg/L	20	0	96	81	118	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Tectron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance	Recovery (%)	Acceptance	Recovery (%)	Acceptance
Trichloroethene	21.12	2.0	106	0	81	119	0	0	0	0
1,2-Dichloropropane	20.72	2.0	104	0	79	120	0	0	0	0
Bromodichloromethane	15.92	2.0	79.6	0	77	131	0	0	0	0
Dibromomethane	22.55	2.0	113	0	76	128	0	0	0	0
4-Methyl-2-pentanone	18.7	10	93.5	0	51	141	0	0	0	0
cis-1,3-Dichloropropene	16.18	1.0	80.9	0	76	120	0	0	0	0
Toluene	20.83	2.0	104	0	83	119	0	0	0	0
trans-1,3-Dichloropropene	15.47	1.0	77.4	0	66	128	0	0	0	0
1,1,2-Trichloroethane	21.56	2.0	108	0	74	123	0	0	0	0
1,2-Dibromoethane	22.62	2.0	113	0	72	128	0	0	0	0
2-Hexanone	17.75	10	88.8	0	31	148	0	0	0	0
1,3-Dichloropropane	20	2.0	100	0	76	122	0	0	0	0
Tetrachloroethene	21.18	2.0	106	0	81	124	0	0	0	0
Dibromochloromethane	15.84	2.0	79.2	0	63	126	0	0	0	0
Chlorobenzene	21	2.0	105	0	84	113	0	0	0	0
1,1,1,2-Tetrachloroethane	15.94	2.0	79.7	0	73	124	0	0	0	0
Ethylbenzene	20.48	2.0	102	0	83	118	0	0	0	0
m,p-Xylene	41.53	2.0	104	0	85	116	0	0	0	0
o-Xylene	20.69	2.0	103	0	84	115	0	0	0	0
Styrene	20.7	2.0	104	0	81	118	0	0	0	0
Bromoform	17.01	2.0	85	0	55	126	0	0	0	0
Isopropylbenzene	21.41	2.0	107	0	77	125	0	0	0	0
1,1,2,2-Tetrachloroethane	19.48	2.0	97.4	0	62	134	0	0	0	0
1,2,3-Trichloropropane	18.86	2.0	94.3	0	62	132	0	0	0	0
Bromobenzene	19.32	2.0	96.6	0	78	119	0	0	0	0
n-Propylbenzene	19.92	2.0	99.6	0	77	127	0	0	0	0
2-Chlorotoluene	19.47	2.0	97.4	0	78	118	0	0	0	0
4-Chlorotoluene	19.53	2.0	97.6	0	77	119	0	0	0	0
1,3,5-Trimethylbenzene	19.81	2.0	99	0	80	120	0	0	0	0
tert-Butylbenzene	19.52	2.0	97.6	0	81	120	0	0	0	0
1,2,4-Trimethylbenzene	20.65	2.0	103	0	80	118	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits (%)	Recovery Status	Sample ID
sec-Butylbenzene	20.5	2.0	20	0	123
4-Isopropyltoluene	20.27	2.0	20	0	126
1,3-Dichlorobenzene	20.89	2.0	20	0	115
1,4-Dichlorobenzene	20.64	2.0	20	0	117
n-Butylbenzene	20.89	2.0	20	0	128
1,2-Dichlorobenzene	19.84	2.0	20	0	117
1,2-Dibromo-3-chloropropane	13.97	5.0	20	0	136
1,2,4-Trichlorobenzene	21.77	2.0	20	0	126
Hexachlorobutadiene	19.2	2.0	20	0	134
Naphthalene	19.53	5.0	20	0	138
1,2,3-Trichlorobenzene	21.6	2.0	20	0	124
Surr: Dibromofluoromethane	24.57	2.0	25	0	122
Surr: 1,2-Dichloroethane-d4	24.02	2.0	25	0	135
Surr: Toluene-d8	26.18	2.0	25	0	117
Surr: 4-Bromofluorobenzene	26.04	2.0	25	0	119

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID: Icsd-09/09/10 Batch ID: R45384 Test Code: SW8260B Units: µg/L Analysis Date 9/9/2010 9:35:00 AM Prep Date: 9/9/2010
 Client ID: Run ID: V-2_100909A SeqNo: 754489

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qu
Dichlorodifluoromethane	12.04	5.0	µg/L	20	0	60.2	10	150	11.45	5.02	20	
Chloromethane	15.15	5.0	µg/L	20	0	75.8	37	150	14.24	6.19	20	
Vinyl chloride	15.73	2.0	µg/L	20	0	78.7	48	150	15	4.75	20	
Chloroethane	16.31	5.0	µg/L	20	0	81.6	54	142	15.6	4.45	20	
Bromomethane	14.47	2.0	µg/L	20	0	72.4	51	137	13.95	3.66	20	
Trichlorofluoromethane	17.82	2.0	µg/L	20	0	89.1	62	141	17.4	2.39	20	
Diethyl ether	19.44	5.0	µg/L	20	0	97.2	68	134	19.46	0.103	20	
Acetone	19.12	10	µg/L	20	0	95.6	9	150	19.36	1.25	20	
1,1-Dichloroethene	20.53	1.0	µg/L	20	0	103	68	146	20.6	0.34	20	
Carbon disulfide	12.91	2.0	µg/L	20	0	64.6	52	131	12.96	0.387	20	
Methylene chloride	20.88	5.0	µg/L	20	0	104	67	138	20.58	1.45	20	
Methyl tert-butyl ether	21.75	2.0	µg/L	20	0	109	63	139	20.4	6.41	20	
trans-1,2-Dichloroethene	21.9	2.0	µg/L	20	0	110	81	126	20.63	5.97	20	
1,1-Dichloroethane	20.39	2.0	µg/L	20	0	102	78	124	19.98	2.03	20	
2-Butanone	18.05	10	µg/L	20	0	90.2	41	150	18.21	0.883	20	
2,2-Dichloropropane	18.9	2.0	µg/L	20	0	94.5	71	150	19.62	3.74	20	
cis-1,2-Dichloroethene	20.57	2.0	µg/L	20	0	103	78	121	20.51	0.292	20	
Chloroform	20.78	2.0	µg/L	20	0	104	82	123	20.41	1.8	20	
Tetrahydrofuran	20.31	10	µg/L	20	0	102	51	146	20.33	0.0984	20	
Bromochloromethane	22.01	2.0	µg/L	20	0	110	77	131	20.96	4.89	20	
1,1,1-Trichloroethane	18.09	2.0	µg/L	20	0	90.4	81	127	17.07	5.8	20	
1,1-Dichloropropene	19.79	2.0	µg/L	20	0	99	76	119	20.17	1.9	20	
Carbon tetrachloride	16.27	2.0	µg/L	20	0	81.4	76	129	15.25	6.47	20	
1,2-Dichloroethane	20.48	2.0	µg/L	20	0	102	76	127	19.63	4.24	20	
Benzene	19.51	1.0	µg/L	20	0	97.6	81	118	19.19	1.65	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Compound	22.14	2.0	µg/L	20	0	111	81	119	21.12	4.72	20
Trichloroethene	22.14	2.0	µg/L	20	0	111	81	119	21.12	4.72	20
1,2-Dichloropropane	22.1	2.0	µg/L	20	0	110	79	120	20.72	6.45	20
Bromodichloromethane	16.39	2.0	µg/L	20	0	82	77	131	15.92	2.91	20
Dibromomethane	22.49	2.0	µg/L	20	0	112	76	128	22.55	0.266	20
4-Methyl-2-pentanone	18.73	10	µg/L	20	0	93.6	51	141	18.7	0.16	20
cis-1,3-Dichloropropene	16.26	1.0	µg/L	20	0	81.3	76	120	16.18	0.493	20
Toluene	21.17	2.0	µg/L	20	0	106	83	119	20.83	1.62	20
trans-1,3-Dichloropropene	15.11	1.0	µg/L	20	0	75.6	66	128	15.47	2.35	20
1,1,2-Trichloroethane	21.56	2.0	µg/L	20	0	108	74	123	21.56	0	20
1,2-Dibromoethane	22.25	2.0	µg/L	20	0	111	72	128	22.62	1.65	20
2-Hexanone	16.81	10	µg/L	20	0	84	31	148	17.75	5.44	20
1,3-Dichloropropane	19.99	2.0	µg/L	20	0	100	76	122	20	0.05	20
Tetrachloroethene	21.38	2.0	µg/L	20	0	107	81	124	21.18	0.94	20
Dibromochloromethane	15.71	2.0	µg/L	20	0	78.6	63	126	15.84	0.824	20
Chlorobenzene	21.19	2.0	µg/L	20	0	106	84	113	21	0.901	20
1,1,1,2-Tetrachloroethane	15.62	2.0	µg/L	20	0	78.1	73	124	15.94	2.03	20
Ethylbenzene	20.5	2.0	µg/L	20	0	103	83	118	20.48	0.0976	20
m,p-Xylene	41.82	2.0	µg/L	40	0	105	85	116	41.53	0.696	20
o-Xylene	21.08	2.0	µg/L	20	0	105	84	115	20.69	1.87	20
Styrene	21.46	2.0	µg/L	20	0	107	81	118	20.7	3.61	20
Bromoform	16.13	2.0	µg/L	20	0	80.6	55	126	17.01	5.31	20
Isopropylbenzene	21.92	2.0	µg/L	20	0	110	77	125	21.41	2.35	20
1,1,2,2-Tetrachloroethane	19.93	2.0	µg/L	20	0	99.7	62	134	19.48	2.28	20
1,2,3-Trichloropropane	19.64	2.0	µg/L	20	0	98.2	62	132	18.86	4.05	20
Bromobenzene	19.65	2.0	µg/L	20	0	98.2	78	119	19.32	1.69	20
n-Propylbenzene	20.36	2.0	µg/L	20	0	102	77	127	19.92	2.18	20
2-Chlorotoluene	19.48	2.0	µg/L	20	0	97.4	78	118	19.47	0.0513	20
4-Chlorotoluene	19.95	2.0	µg/L	20	0	99.8	77	119	19.53	2.13	20
1,3,5-Trimethylbenzene	20.34	2.0	µg/L	20	0	102	80	120	19.81	2.64	20
tert-Butylbenzene	19.91	2.0	µg/L	20	0	99.6	81	120	19.52	1.98	20
1,2,4-Trimethylbenzene	20.69	2.0	µg/L	20	0	103	80	118	20.65	0.194	20

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 1009004
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Compound	21.18	2.0	µg/L	20	0	106	82	123	20.5	3.26	20
sec-Butylbenzene	21.18	2.0	µg/L	20	0	106	82	123	20.5	3.26	20
4-Isopropyltoluene	20.51	2.0	µg/L	20	0	103	80	126	20.27	1.18	20
1,3-Dichlorobenzene	20.91	2.0	µg/L	20	0	105	84	115	20.89	0.0957	20
1,4-Dichlorobenzene	21	2.0	µg/L	20	0	105	79	117	20.64	1.73	20
n-Butylbenzene	20.84	2.0	µg/L	20	0	104	76	128	20.89	0.24	20
1,2-Dichlorobenzene	19.74	2.0	µg/L	20	0	98.7	81	117	19.84	0.505	20
1,2-Dibromo-3-chloropropane	14.32	5.0	µg/L	20	0	71.6	47	136	13.97	2.47	20
1,2,4-Trichlorobenzene	22.45	2.0	µg/L	20	0	112	73	126	21.77	3.08	20
Hexachlorobutadiene	19.47	2.0	µg/L	20	0	97.4	77	134	19.2	1.4	20
Naphthalene	19.84	5.0	µg/L	20	0	99.2	58	138	19.53	1.57	20
1,2,3-Trichlorobenzene	21.82	2.0	µg/L	20	0	109	76	124	21.6	1.01	20
Surr: Dibromofluoromethane	24.51	2.0	µg/L	25	0	98	82	122	0	0	0
Surr: 1,2-Dichloroethane-d4	23	2.0	µg/L	25	0	92	73	135	0	0	0
Surr: Toluene-d8	25.71	2.0	µg/L	25	0	103	82	117	0	0	0
Surr: 4-Bromofluorobenzene	25.33	2.0	µg/L	25	0	101	77	119	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 1009004

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: lcs-09/09/10 Batch ID: R45389 Test Code: SW8260B Units: µg/L Analysis Date 9/9/2010 9:07:00 AM Prep Date: 9/9/2010

Client ID: Run ID: V-3_100909B SeqNo: 754616

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	7.35	5.0	µg/L	20	0	36.8	10	150	0	0	0	
Chloromethane	10.81	5.0	µg/L	20	0	54	37	150	0	0	0	
Vinyl chloride	10.86	2.0	µg/L	20	0	54.3	48	150	0	0	0	
Chloroethane	14.38	5.0	µg/L	20	0	71.9	54	142	0	0	0	
Bromomethane	10.36	2.0	µg/L	20	0	51.8	51	137	0	0	0	
Trichlorofluoromethane	12.06	2.0	µg/L	20	0	60.3	62	141	0	0	0	
Diethyl ether	18.02	5.0	µg/L	20	0	90.1	68	134	0	0	0	
Acetone	16.76	10	µg/L	20	0	83.8	9	150	0	0	0	
1,1-Dichloroethene	16	1.0	µg/L	20	0	80	68	146	0	0	0	
Carbon disulfide	12.84	2.0	µg/L	20	0	64.2	52	131	0	0	0	
Methylene chloride	15.97	5.0	µg/L	20	0	79.8	67	138	0	0	0	
Methyl tert-butyl ether	17.37	2.0	µg/L	20	0	86.8	63	139	0	0	0	
trans-1,2-Dichloroethene	18.74	2.0	µg/L	20	0	93.7	81	126	0	0	0	
1,1-Dichloroethane	17.17	2.0	µg/L	20	0	85.8	78	124	0	0	0	
2-Butanone	17.89	10	µg/L	20	0	89.4	41	150	0	0	0	
2,2-Dichloropropane	15.16	2.0	µg/L	20	0	75.8	71	150	0	0	0	
cis-1,2-Dichloroethene	17.35	2.0	µg/L	20	0	86.8	78	121	0	0	0	
Chloroform	17.52	2.0	µg/L	20	0	87.6	82	123	0	0	0	
Tetrahydrofuran	18.61	10	µg/L	20	0	93	51	146	0	0	0	
Bromochloromethane	18.7	2.0	µg/L	20	0	93.5	77	131	0	0	0	
1,1,1-Trichloroethane	16.56	2.0	µg/L	20	0	82.8	81	127	0	0	0	
1,1-Dichloropropene	16.12	2.0	µg/L	20	0	80.6	76	119	0	0	0	
Carbon tetrachloride	14.45	2.0	µg/L	20	0	72.3	76	129	0	0	0	
1,2-Dichloroethane	17.5	2.0	µg/L	20	0	87.5	76	127	0	0	0	S
Benzene	19.04	1.0	µg/L	20	0	95.2	81	118	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration	Recovery	Accepted Recovery Limits	Spikes	Spikes	Spikes	Spikes	Spikes	Spikes
Trichloroethene	18.8	2.0	µg/L	20	0	94	81	119	0	0
1,2-Dichloropropane	19.23	2.0	µg/L	20	0	96.2	79	120	0	0
Bromodichloromethane	16.78	2.0	µg/L	20	0	83.9	77	131	0	0
Dibromomethane	18.76	2.0	µg/L	20	0	93.8	76	128	0	0
4-Methyl-2-pentanone	17.93	10	µg/L	20	0	89.7	51	141	0	0
cis-1,3-Dichloropropene	15.12	1.0	µg/L	20	0	75.6	76	120	0	0
Toluene	18.04	2.0	µg/L	20	0	90.2	83	119	0	0
trans-1,3-Dichloropropene	14.83	1.0	µg/L	20	0	74.2	66	128	0	0
1,1,2-Trichloroethane	19.53	2.0	µg/L	20	0	97.6	74	123	0	0
1,2-Dibromoethane	19.05	2.0	µg/L	20	0	95.2	72	128	0	0
2-Hexanone	21.66	10	µg/L	20	0	108	31	148	0	0
1,3-Dichloropropane	22.29	2.0	µg/L	20	0	111	76	122	0	0
Tetrachloroethene	23.11	2.0	µg/L	20	0	116	81	124	0	0
Dibromochloromethane	17.09	2.0	µg/L	20	0	85.4	63	126	0	0
Chlorobenzene	21.42	2.0	µg/L	20	0	107	84	113	0	0
1,1,1,2-Tetrachloroethane	19.93	2.0	µg/L	20	0	99.7	73	124	0	0
Ethylbenzene	20.78	2.0	µg/L	20	0	104	83	118	0	0
m,p-Xylene	42.73	2.0	µg/L	40	0	107	85	116	0	0
o-Xylene	20.69	2.0	µg/L	20	0	103	84	115	0	0
Styrene	20.84	2.0	µg/L	20	0	104	81	118	0	0
Bromoform	20.52	2.0	µg/L	20	0	103	55	126	0	0
Isopropylbenzene	24.61	2.0	µg/L	20	0	123	77	125	0	0
1,1,2,2-Tetrachloroethane	24.52	2.0	µg/L	20	0	123	62	134	0	0
1,2,3-Trichloropropane	23.09	2.0	µg/L	20	0	115	62	132	0	0
Bromobenzene	22.58	2.0	µg/L	20	0	113	78	119	0	0
n-Propylbenzene	22.51	2.0	µg/L	20	0	113	77	127	0	0
2-Chlorotoluene	22.31	2.0	µg/L	20	0	112	78	118	0	0
4-Chlorotoluene	21.94	2.0	µg/L	20	0	110	77	119	0	0
1,3,5-Trimethylbenzene	22.18	2.0	µg/L	20	0	111	80	120	0	0
tert-Butylbenzene	22.42	2.0	µg/L	20	0	112	81	120	0	0
1,2,4-Trimethylbenzene	22.96	2.0	µg/L	20	0	115	80	118	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits (%)	Recovery Status	Method
sec-Butylbenzene	22.61	2.0	0	0-113	0	123
4-Isopropyltoluene	21.66	2.0	0	0-108	0	126
1,3-Dichlorobenzene	23.17	2.0	0	0-116	0	115
1,4-Dichlorobenzene	23.57	2.0	0	0-118	0	117
n-Butylbenzene	22.26	2.0	0	0-111	0	128
1,2-Dichlorobenzene	23.25	2.0	0	0-116	0	117
1,2-Dibromo-3-chloropropane	20.84	5.0	0	0-104	0	136
1,2,4-Trichlorobenzene	24.44	2.0	0	0-122	0	126
Hexachlorobutadiene	23.38	2.0	0	0-117	0	134
Naphthalene	23.18	5.0	0	0-116	0	138
1,2,3-Trichlorobenzene	24.33	2.0	0	0-122	0	124
Surr: Dibromofluoromethane	22.16	2.0	0	0-88.6	0	122
Surr: 1,2-Dichloroethane-d4	22.39	2.0	0	0-89.6	0	135
Surr: Toluene-d8	22.85	2.0	0	0-91.4	0	117
Surr: 4-Bromofluorobenzene	23.57	2.0	0	0-94.3	0	119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 1009004

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: Ics-09/1/10 Batch ID: R45405 Test Code: SW8260B Units: µg/L Analysis Date 9/11/2010 11:12:00 AM Prep Date: 9/11/2010
 Client ID: Run ID: V-2_100911A SeqNo: 754813

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	17.28	5.0	µg/L	20	0	86.4	10	150	0	0		
Chloromethane	18.3	5.0	µg/L	20	0	91.5	37	150	0	0		
Vinyl chloride	19.85	2.0	µg/L	20	0	99.2	48	150	0	0		
Chloroethane	18.9	5.0	µg/L	20	0	94.5	54	142	0	0		
Bromomethane	16.4	2.0	µg/L	20	0	82	51	137	0	0		
Trichlorofluoromethane	22.52	2.0	µg/L	20	0	113	62	141	0	0		
Diethyl ether	19.08	5.0	µg/L	20	0	95.4	68	134	0	0		
Acetone	17.54	10	µg/L	20	0	87.7	9	150	0	0		
1,1-Dichloroethene	21	1.0	µg/L	20	0	105	68	146	0	0		
Carbon disulfide	13.28	2.0	µg/L	20	0	66.4	52	131	0	0		
Methylene chloride	20.24	5.0	µg/L	20	0	101	67	138	0	0		
Methyl tert-butyl ether	20.91	2.0	µg/L	20	0	105	63	139	0	0		
trans-1,2-Dichloroethene	20.51	2.0	µg/L	20	0	103	81	126	0	0		
1,1-Dichloroethane	19.79	2.0	µg/L	20	0	99	78	124	0	0		
2-Butanone	18.33	10	µg/L	20	0	91.7	41	150	0	0		
2,2-Dichloropropane	19.77	2.0	µg/L	20	0	98.8	71	150	0	0		
cis-1,2-Dichloroethene	19.63	2.0	µg/L	20	0	98.2	78	121	0	0		
Chloroform	20.56	2.0	µg/L	20	0	103	82	123	0	0		
Tetrahydrofuran	21.33	10	µg/L	20	0	107	51	146	0	0		
Bromochloromethane	20.9	2.0	µg/L	20	0	104	77	131	0	0		
1,1,1-Trichloroethane	18.24	2.0	µg/L	20	0	91.2	81	127	0	0		
1,1-Dichloropropene	22.13	2.0	µg/L	20	0	111	76	119	0	0		
Carbon tetrachloride	16.94	2.0	µg/L	20	0	84.7	76	129	0	0		
1,2-Dichloroethane	21.07	2.0	µg/L	20	0	105	76	127	0	0		
Benzene	20.93	1.0	µg/L	20	0	105	81	118	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

QC Sample Result

%REC

LowLimit

HighLimit

Original Sample or MS Result

%RPD

RPDLimit

Que

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
Trichloroethene	21.26	2.0	119	0	
1,2-Dichloropropane	21.02	2.0	120	0	
Bromodichloromethane	14.76	2.0	131	0	S
Dibromomethane	21.62	2.0	128	0	
4-Methyl-2-pentanone	18.09	10	141	0	
cis-1,3-Dichloropropene	15.47	1.0	120	0	
Toluene	21.05	2.0	119	0	
trans-1,3-Dichloropropene	14.68	1.0	128	0	
1,1,2-Trichloroethane	20.18	2.0	123	0	
1,2-Dibromoethane	20.75	2.0	128	0	
2-Hexanone	16.55	10	148	0	
1,3-Dichloropropane	19.66	2.0	122	0	
Tetrachloroethene	21.9	2.0	124	0	
Dibromochloromethane	14.24	2.0	126	0	
Chlorobenzene	20.75	2.0	113	0	
1,1,1,2-Tetrachloroethane	14.44	2.0	124	0	S
Ethylbenzene	20.16	2.0	118	0	
m,p-Xylene	40.57	2.0	116	0	
o-Xylene	20.81	2.0	115	0	
Styrene	19.73	2.0	118	0	
Bromoform	14.51	2.0	126	0	
Isopropylbenzene	20.66	2.0	125	0	
1,1,2,2-Tetrachloroethane	17.05	2.0	134	0	
1,2,3-Trichloropropane	17.38	2.0	132	0	
Bromobenzene	17.79	2.0	119	0	
n-Propylbenzene	18.88	2.0	127	0	
2-Chlorotoluene	17.79	2.0	118	0	
4-Chlorotoluene	17.79	2.0	119	0	
1,3,5-Trimethylbenzene	18.62	2.0	120	0	
tert-Butylbenzene	18.87	2.0	120	0	
1,2,4-Trimethylbenzene	18.93	2.0	118	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	20	2.0	µg/L	20	0	100	82	123	0
sec-Butylbenzene	19.36	2.0	µg/L	20	0	96.8	80	126	0
4-Isopropyltoluene	19.37	2.0	µg/L	20	0	96.8	84	115	0
1,3-Dichlorobenzene	19.05	2.0	µg/L	20	0	95.2	79	117	0
1,4-Dichlorobenzene	19.66	2.0	µg/L	20	0	98.3	76	128	0
n-Butylbenzene	17.93	2.0	µg/L	20	0	89.7	81	117	0
1,2-Dichlorobenzene	11.07	5.0	µg/L	20	0	55.4	47	136	0
1,2-Dibromo-3-chloropropane	19.82	2.0	µg/L	20	0	99.1	73	126	0
1,2,4-Trichlorobenzene	18.09	2.0	µg/L	20	0	90.4	77	134	0
Hexachlorobutadiene	17.62	5.0	µg/L	20	0	88.1	58	138	0
Naphthalene	19.31	2.0	µg/L	20	0	96.6	76	124	0
1,2,3-Trichlorobenzene	22.98	2.0	µg/L	25	0	91.9	82	122	0
Surr: Dibromofluoromethane	23.06	2.0	µg/L	25	0	92.2	73	135	0
Surr: 1,2-Dichloroethane-d4	24.86	2.0	µg/L	25	0	99.4	82	117	0
Surr: Toluene-d8	24.99	2.0	µg/L	25	0	100	77	119	0
Surr: 4-Bromofluorobenzene									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Tectron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: Ics-09/13/10 Batch ID: R45415 Test Code: SW8260B Units: µg/L Analysis Date 9/13/2010 8:54:00 AM Prep Date: 9/13/2010
 Client ID: Run ID: V-2_100913A SeqNo: 754979

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	15.53	5.0	µg/L	20	0	77.7	10	150	0	0		
Chloromethane	18.55	5.0	µg/L	20	0	92.8	37	150	0	0		
Vinyl chloride	18.94	2.0	µg/L	20	0	94.7	48	150	0	0		
Chloroethane	19.91	5.0	µg/L	20	0	99.6	54	142	0	0		
Bromomethane	18.71	2.0	µg/L	20	0	93.6	51	137	0	0		
Trichlorofluoromethane	22.21	2.0	µg/L	20	0	111	62	141	0	0		
Diethyl ether	20.62	5.0	µg/L	20	0	103	68	134	0	0		
Acetone	20.63	10	µg/L	20	0	103	9	150	0	0		
1,1-Dichloroethene	22.9	1.0	µg/L	20	0	114	68	146	0	0		
Carbon disulfide	16.97	2.0	µg/L	20	0	84.8	52	131	0	0		
Methylene chloride	21.56	5.0	µg/L	20	0	108	67	138	0	0		
Methyl tert-butyl ether	22.05	2.0	µg/L	20	0	110	63	139	0	0		
trans-1,2-Dichloroethene	22.69	2.0	µg/L	20	0	113	81	126	0	0		
1,1-Dichloroethane	21.65	2.0	µg/L	20	0	108	78	124	0	0		
2-Butanone	20.17	10	µg/L	20	0	101	41	150	0	0		
2,2-Dichloropropane	20.8	2.0	µg/L	20	0	104	71	150	0	0		
cis-1,2-Dichloroethene	20.25	2.0	µg/L	20	0	101	78	121	0	0		
Chloroform	21.74	2.0	µg/L	20	0	109	82	123	0	0		
Tetrahydrofuran	23.03	10	µg/L	20	0	115	51	146	0	0		
Bromochloromethane	22.15	2.0	µg/L	20	0	111	77	131	0	0		
1,1,1-Trichloroethane	20.7	2.0	µg/L	20	0	104	81	127	0	0		
1,1-Dichloropropene	22.32	2.0	µg/L	20	0	112	76	119	0	0		
Carbon tetrachloride	18.93	2.0	µg/L	20	0	94.6	76	129	0	0		
1,2-Dichloroethane	20.1	2.0	µg/L	20	0	100	76	127	0	0		
Benzene	20.13	1.0	µg/L	20	0	101	81	118	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Trichloroethene	22.78	2.0	µg/L	20	0	114	81	119	0
1,2-Dichloropropane	22.26	2.0	µg/L	20	0	111	79	120	0
Bromodichloromethane	17.75	2.0	µg/L	20	0	88.8	77	131	0
Dibromomethane	23.6	2.0	µg/L	20	0	118	76	128	0
4-Methyl-2-pentanone	19.5	10	µg/L	20	0	97.5	51	141	0
cis-1,3-Dichloropropene	18.26	1.0	µg/L	20	0	91.3	76	120	0
Toluene	22.06	2.0	µg/L	20	0	110	83	119	0
trans-1,3-Dichloropropene	17.56	1.0	µg/L	20	0	87.8	66	128	0
1,1,2-Trichloroethane	22.08	2.0	µg/L	20	0	110	74	123	0
1,2-Dibromoethane	22.94	2.0	µg/L	20	0	115	72	128	0
2-Hexanone	18.72	10	µg/L	20	0	93.6	31	148	0
1,3-Dichloropropane	19.94	2.0	µg/L	20	0	99.7	76	122	0
Tetrachloroethene	21.76	2.0	µg/L	20	0	109	81	124	0
Dibromochloromethane	16.96	2.0	µg/L	20	0	84.8	63	126	0
Chlorobenzene	20.69	2.0	µg/L	20	0	103	84	113	0
1,1,1,2-Tetrachloroethane	16.15	2.0	µg/L	20	0	80.8	73	124	0
Ethylbenzene	20.03	2.0	µg/L	20	0	100	83	118	0
m,p-Xylene	40.59	2.0	µg/L	40	0	101	85	116	0
o-Xylene	20.59	2.0	µg/L	20	0	103	84	115	0
Styrene	20.47	2.0	µg/L	20	0	102	81	118	0
Bromoform	16.97	2.0	µg/L	20	0	84.8	55	126	0
Isopropylbenzene	19.76	2.0	µg/L	20	0	98.8	77	125	0
1,1,2,2-Tetrachloroethane	18.04	2.0	µg/L	20	0	90.2	62	134	0
1,2,3-Trichloropropane	18.27	2.0	µg/L	20	0	91.4	62	132	0
Bromobenzene	17.72	2.0	µg/L	20	0	88.6	78	119	0
n-Propylbenzene	18.65	2.0	µg/L	20	0	93.3	77	127	0
2-Chlorotoluene	17.78	2.0	µg/L	20	0	88.9	78	118	0
4-Chlorotoluene	17.83	2.0	µg/L	20	0	89.2	77	119	0
1,3,5-Trimethylbenzene	18.5	2.0	µg/L	20	0	92.5	80	120	0
tert-Butylbenzene	18.01	2.0	µg/L	20	0	90	81	120	0
1,2,4-Trimethylbenzene	18.81	2.0	µg/L	20	0	94.1	80	118	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Reporting Limit (µg/L)	Concentration (µg/L)	Recovery (%)	Acceptance	Reporting Limit (µg/L)
sec-Butylbenzene	19.04	2.0	20	0	95.2	82	123	0
4-Isopropyltoluene	18.32	2.0	20	0	91.6	80	126	0
1,3-Dichlorobenzene	18.76	2.0	20	0	93.8	84	115	0
1,4-Dichlorobenzene	19.79	2.0	20	0	99	79	117	0
n-Butylbenzene	19.05	2.0	20	0	95.2	76	128	0
1,2-Dichlorobenzene	18.09	2.0	20	0	90.4	81	117	0
1,2-Dibromo-3-chloropropane	14.16	5.0	20	0	70.8	47	136	0
1,2,4-Trichlorobenzene	20	2.0	20	0	100	73	126	0
Hexachlorobutadiene	17.93	2.0	20	0	89.7	77	134	0
Naphthalene	18.18	5.0	20	0	90.9	58	138	0
1,2,3-Trichlorobenzene	18.64	2.0	20	0	93.2	76	124	0
Surr: Dibromofluoromethane	25.69	2.0	25	0	103	82	122	0
Surr: 1,2-Dichloroethane-d4	22.49	2.0	25	0	90	73	135	0
Surr: Toluene-d8	25.44	2.0	25	0	102	82	117	0
Surr: 4-Bromofluorobenzene	25.97	2.0	25	0	104	77	119	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID: Icsd-09/13/10 Batch ID: R45415 Test Code: SW8260B Units: µg/L Analysis Date: 9/13/2010 10:04:00 AM Prep Date: 9/13/2010
 Client ID: Run ID: V-2_100913A SeqNo: 754978

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	15.23	5.0	µg/L	20	0	76.2	10	150	15.53	1.95	20	
Chloromethane	17.95	5.0	µg/L	20	0	89.8	37	150	18.55	3.29	20	
Vinyl chloride	18.62	2.0	µg/L	20	0	93.1	48	150	18.94	1.7	20	
Chloroethane	19.77	5.0	µg/L	20	0	98.8	54	142	19.91	0.706	20	
Bromomethane	17.88	2.0	µg/L	20	0	89.4	51	137	18.71	4.54	20	
Trichlorofluoromethane	21.23	2.0	µg/L	20	0	106	62	141	22.21	4.51	20	
Diethyl ether	20.31	5.0	µg/L	20	0	102	68	134	20.62	1.51	20	
Acetone	19.14	10	µg/L	20	0	95.7	9	150	20.63	7.49	20	
1,1-Dichloroethene	21.92	1.0	µg/L	20	0	110	68	146	22.9	4.37	20	
Carbon disulfide	15.36	2.0	µg/L	20	0	76.8	52	131	16.97	9.96	20	
Methylene chloride	21.49	5.0	µg/L	20	0	107	67	138	21.56	0.325	20	
Methyl tert-butyl ether	22.2	2.0	µg/L	20	0	111	63	139	22.05	0.678	20	
trans-1,2-Dichloroethene	22.16	2.0	µg/L	20	0	111	81	126	22.69	2.36	20	
1,1-Dichloroethane	21.13	2.0	µg/L	20	0	106	78	124	21.65	2.43	20	
2-Butanone	19.26	10	µg/L	20	0	96.3	41	150	20.17	4.62	20	
2,2-Dichloropropane	20.43	2.0	µg/L	20	0	102	71	150	20.8	1.79	20	
cis-1,2-Dichloroethene	20.46	2.0	µg/L	20	0	102	78	121	20.25	1.03	20	
Chloroform	20.43	2.0	µg/L	20	0	102	82	123	21.74	6.21	20	
Tetrahydrofuran	22.83	10	µg/L	20	0	114	51	146	23.03	0.872	20	
Bromochloromethane	21.74	2.0	µg/L	20	0	109	77	131	22.15	1.87	20	
1,1,1-Trichloroethane	18.07	2.0	µg/L	20	0	90.4	81	127	20.7	13.6	20	
1,1-Dichloropropene	20.59	2.0	µg/L	20	0	103	76	119	22.32	8.06	20	
Carbon tetrachloride	17.07	2.0	µg/L	20	0	85.4	76	129	18.93	10.3	20	
1,2-Dichloroethane	22.68	2.0	µg/L	20	0	113	76	127	20.1	12.1	20	
Benzene	21.29	1.0	µg/L	20	0	106	81	118	20.13	5.6	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 1009004
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Compound	Reporting Limit	Concentration	Recovery	Accepted	Recovery	Accepted	Method	Blank
Trichloroethene	21.88	2.0	µg/L	20	0	109	81	119
1,2-Dichloropropane	21.86	2.0	µg/L	20	0	109	79	120
Bromodichloromethane	16.57	2.0	µg/L	20	0	82.8	77	131
Dibromomethane	22.68	2.0	µg/L	20	0	113	76	128
4-Methyl-2-pentanone	19.01	10	µg/L	20	0	95	51	141
cis-1,3-Dichloropropene	17.04	1.0	µg/L	20	0	85.2	76	120
Toluene	21.14	2.0	µg/L	20	0	106	83	119
trans-1,3-Dichloropropene	16.66	1.0	µg/L	20	0	83.3	66	128
1,1,2-Trichloroethane	21.59	2.0	µg/L	20	0	108	74	123
1,2-Dibromoethane	22.74	2.0	µg/L	20	0	114	72	128
2-Hexanone	17.87	10	µg/L	20	0	89.4	31	148
1,3-Dichloropropane	19.88	2.0	µg/L	20	0	99.4	76	122
Tetrachloroethene	20.69	2.0	µg/L	20	0	103	81	124
Dibromochloromethane	15.78	2.0	µg/L	20	0	78.9	63	126
Chlorobenzene	20.54	2.0	µg/L	20	0	103	84	113
1,1,1,2-Tetrachloroethane	15.31	2.0	µg/L	20	0	76.6	73	124
Ethylbenzene	19.51	2.0	µg/L	20	0	97.6	83	118
m,p-Xylene	39.72	2.0	µg/L	40	0	99.3	85	116
o-Xylene	20.06	2.0	µg/L	20	0	100	84	115
Styrene	19.54	2.0	µg/L	20	0	97.7	81	118
Bromoform	16.32	2.0	µg/L	20	0	81.6	55	126
Isopropylbenzene	20.09	2.0	µg/L	20	0	100	77	125
1,1,2,2-Tetrachloroethane	18.38	2.0	µg/L	20	0	91.9	62	134
1,2,3-Trichloropropane	18.24	2.0	µg/L	20	0	91.2	62	132
Bromobenzene	17.71	2.0	µg/L	20	0	88.6	78	119
n-Propylbenzene	18.3	2.0	µg/L	20	0	91.5	77	127
2-Chlorotoluene	18.04	2.0	µg/L	20	0	90.2	78	118
4-Chlorotoluene	17.95	2.0	µg/L	20	0	89.8	77	119
1,3,5-Trimethylbenzene	18.6	2.0	µg/L	20	0	93	80	120
tert-Butylbenzene	18.82	2.0	µg/L	20	0	94.1	81	120
1,2,4-Trimethylbenzene	19	2.0	µg/L	20	0	95	80	118

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 1009004

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Compound	19.3	18.91	19.44	19.67	19.03	18.25	13.39	20.44	17.66	18.11	19.4	23.79	24.24	25.48	25.68
sec-Butylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
4-Isopropyltoluene	19.3	18.91	19.44	19.67	19.03	18.25	13.39	20.44	17.66	18.11	19.4	23.79	24.24	25.48	25.68
1,3-Dichlorobenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
1,4-Dichlorobenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
n-Butylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
1,2-Dichlorobenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
1,2-Dibromo-3-chloropropane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
1,2,4-Trichlorobenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
Hexachlorobutadiene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
Naphthalene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
1,2,3-Trichlorobenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
Surr: Dibromofluoromethane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
Surr: 1,2-Dichloroethane-d4	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
Surr: Toluene-d8	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
Surr: 4-Bromofluorobenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
	123	126	115	117	128	117	136	126	134	138	124	122	135	117	119
	82	80	84	79	76	81	47	73	77	58	76	82	73	82	77
	96.5	94.6	97.2	98.4	95.2	91.2	67	102	88.3	90.6	97	95.2	97	102	103
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	20	20	20	20	20	20	20	20	20	20	20	25	25	25	25
	19.04	18.32	18.76	19.79	19.05	18.09	14.16	20	17.93	18.18	18.64	0	0	0	0
	1.36	3.17	3.56	0.608	0.105	0.881	5.59	2.18	1.52	0.386	4	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID: 1009004-12Ams Batch ID: R45384 Test Code: SW8260B Units: µg/L Analysis Date 9/9/2010 7:11:00 PM Prep Date: 8/30/2010
 Client ID: MW-218 S Run ID: V-2_100909A SeqNo: 754482

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	110.9	25	µg/L	100	0	111	22	176	0	0		
Chloromethane	114	25	µg/L	100	0	114	36	144	0	0		
Vinyl chloride	117.6	10	µg/L	100	0	118	54	156	0	0		
Chloroethane	117.4	25	µg/L	100	0	117	55	153	0	0		
Bromomethane	97.1	10	µg/L	100	0	97.1	47	113	0	0		
Trichlorofluoromethane	133.5	10	µg/L	100	0	134	80	161	0	0		
Diethyl ether	105.8	25	µg/L	100	0	106	55	128	0	0		
Acetone	126.2	50	µg/L	100	25.75	101	22	147	0	0		
1,1-Dichloroethene	126.2	5.0	µg/L	100	0	126	61	146	0	0		
Carbon disulfide	78.25	10	µg/L	100	0	78.2	39	153	0	0		
Methylene chloride	126.4	25	µg/L	100	8.62	118	44	147	0	0		
Methyl tert-butyl ether	111.1	10	µg/L	100	0	111	64	137	0	0		
trans-1,2-Dichloroethene	118.4	10	µg/L	100	0	118	68	140	0	0		
1,1-Dichloroethane	112.6	10	µg/L	100	0	113	66	139	0	0		
2-Butanone	96.9	50	µg/L	100	7.74	89.2	35	139	0	0		
2,2-Dichloropropane	90.05	10	µg/L	100	0	90	45	165	0	0		
cis-1,2-Dichloroethene	111.3	10	µg/L	100	0	111	68	132	0	0		
Chloroform	126	10	µg/L	100	14.28	112	78	136	0	0		
Tetrahydrofuran	119	50	µg/L	100	0	119	27	139	0	0		
Bromochloromethane	113.8	10	µg/L	100	0	114	72	132	0	0		
1,1,1-Trichloroethane	102.4	10	µg/L	100	0	102	78	148	0	0		
1,1-Dichloropropene	121.3	10	µg/L	100	0	121	82	139	0	0		
Carbon tetrachloride	90.65	10	µg/L	100	0	90.7	72	143	0	0		
1,2-Dichloroethane	110.8	10	µg/L	100	0	111	72	141	0	0		
Benzene	110.7	5.0	µg/L	100	0.98	110	73	135	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 1009004

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery Limits	Spikes	Matrix	Spike
Trichloroethene	120	10	100	0	0	120	74	143
1,2-Dichloropropane	119	10	100	0	0	119	66	136
Bromodichloromethane	85.3	10	100	0	85.3	72	72	132
Dibromomethane	118.3	10	100	0	118	71	71	132
4-Methyl-2-pentanone	100	50	100	0	100	34	34	145
cis-1,3-Dichloropropene	80.55	5.0	100	0	80.6	66	66	126
Toluene	119	10	100	0	119	71	71	139
trans-1,3-Dichloropropene	73.4	5.0	100	0	73.4	68	68	122
1,1,2-Trichloroethane	110.6	10	100	0	111	67	67	129
1,2-Dibromoethane	118.4	10	100	0	118	67	67	137
2-Hexanone	96.2	50	100	0	96.2	30	30	134
1,3-Dichloropropane	105.2	10	100	0	105	75	75	126
Tetrachloroethene	115.8	10	100	0	116	70	70	150
Dibromochloromethane	75.35	10	100	0	75.4	63	63	116
Chlorobenzene	112	10	100	0	112	76	76	130
1,1,1,2-Tetrachloroethane	80.25	10	100	0	80.2	79	79	126
Ethylbenzene	110.6	10	100	0	111	80	80	133
m,p-Xylene	218.4	10	200	0	109	81	81	131
o-Xylene	109.8	10	100	0	110	78	78	130
Styrene	106.3	10	100	0	106	72	72	140
Bromoform	83.3	10	100	0	83.3	47	47	113
Isopropylbenzene	112.9	10	100	0	113	81	81	144
1,1,2,2-Tetrachloroethane	100.2	10	100	0	100	62	62	133
1,2,3-Trichloropropane	100.6	10	100	0	101	60	60	143
Bromobenzene	97.85	10	100	0	97.8	82	82	127
n-Propylbenzene	106	10	100	0	106	76	76	142
2-Chlorotoluene	98.65	10	100	0	98.6	75	75	134
4-Chlorotoluene	102.2	10	100	0	102	74	74	133
1,3,5-Trimethylbenzene	103.8	10	100	0	104	74	74	143
tert-Butylbenzene	102	10	100	0	102	79	79	140
1,2,4-Trimethylbenzene	104.2	10	100	0	104	72	72	144

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits	Recovery (%)	Method Blank
sec-Butylbenzene	108.7	10	109	100	76	149
4-Isopropyltoluene	100.8	10	101	100	80	147
1,3-Dichlorobenzene	101.8	10	102	100	78	129
1,4-Dichlorobenzene	104.6	10	105	100	76	134
n-Butylbenzene	104.9	10	105	100	68	153
1,2-Dichlorobenzene	95.4	10	95.4	100	73	136
1,2-Dibromo-3-chloropropane	70.25	25	70.2	100	41	123
1,2,4-Trichlorobenzene	94.85	10	94.8	100	55	156
Hexachlorobutadiene	103.6	10	104	100	46	136
Naphthalene	86.6	25	86.6	100	39	153
1,2,3-Trichlorobenzene	86.15	10	86.2	100	41	161
Surr: Dibromofluoromethane	126	10	101	125	82	122
Surr: 1,2-Dichloroethane-d4	120.2	10	96.2	125	73	135
Surr: Toluene-d8	127.2	10	102	125	82	117
Surr: 4-Bromofluorobenzene	123.9	10	99.1	125	77	119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Sample ID: 1009004-12Amsd **Batch ID:** R45384 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 9/9/2010 7:46:00 PM **Prep Date:** 8/30/2010
Client ID: MW-218 S **Run ID:** V-2_100909A **SeqNo:** 754483

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	119.2	25	µg/L	100	0	119	22	176	110.9	7.21	20	
Chloromethane	126.5	25	µg/L	100	0	127	36	144	114	10.4	20	
Vinyl chloride	131.3	10	µg/L	100	0	131	54	156	117.6	11	20	
Chloroethane	131.2	25	µg/L	100	0	131	55	153	117.4	11.1	20	
Bromomethane	107.2	10	µg/L	100	0	107	47	113	97.1	9.89	20	
Trichlorofluoromethane	145	10	µg/L	100	0	145	80	161	133.5	8.22	20	
Diethyl ether	115.8	25	µg/L	100	0	116	55	128	105.8	8.98	20	
Acetone	151.9	50	µg/L	100	25.75	126	22	147	126.2	18.4	20	
1,1-Dichloroethene	138.2	5.0	µg/L	100	0	138	61	146	126.2	9.11	20	
Carbon disulfide	88.9	10	µg/L	100	0	88.9	39	153	78.25	12.7	20	
Methylene chloride	140.6	25	µg/L	100	8.62	132	44	147	126.4	10.6	20	
Methyl tert-butyl ether	123.7	10	µg/L	100	0	124	64	137	111.1	10.7	20	
trans-1,2-Dichloroethene	134	10	µg/L	100	0	134	68	140	118.4	12.4	20	
1,1-Dichloroethane	126.6	10	µg/L	100	0	127	66	139	112.6	11.7	20	
2-Butanone	117.9	50	µg/L	100	7.74	110	35	139	96.9	19.6	20	
2,2-Dichloropropane	96.95	10	µg/L	100	0	97	45	165	90.05	7.38	20	
cis-1,2-Dichloroethene	123.8	10	µg/L	100	0	124	68	132	111.3	10.7	20	
Chloroform	145	10	µg/L	100	14.28	131	78	136	126	14.1	20	
Tetrahydrofuran	132.6	50	µg/L	100	0	133	27	139	119	10.8	20	
Bromochloromethane	129.2	10	µg/L	100	0	129	72	132	113.8	12.7	20	
1,1,1-Trichloroethane	109.6	10	µg/L	100	0	110	78	148	102.4	6.79	20	
1,1-Dichloropropene	135.8	10	µg/L	100	0	136	82	139	121.3	11.4	20	
Carbon tetrachloride	98.6	10	µg/L	100	0	98.6	72	143	90.65	8.4	20	
1,2-Dichloroethane	121.2	10	µg/L	100	0	121	72	141	110.8	8.92	20	
Benzene	121.7	5.0	µg/L	100	0.98	121	73	135	110.7	9.51	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Trichloroethene	135.2	10	µg/L	100	0	135	74	143	120	11.9	20
1,2-Dichloropropane	127.3	10	µg/L	100	0	127	66	136	119	6.74	20
Bromodichloromethane	93.65	10	µg/L	100	0	93.6	72	132	85.3	9.33	20
Dibromomethane	127.7	10	µg/L	100	0	128	71	132	118.3	7.64	20
4-Methyl-2-pentanone	110.8	50	µg/L	100	0	111	34	145	100	10.2	20
cis-1,3-Dichloropropene	90.45	5.0	µg/L	100	0	90.4	66	126	80.55	11.6	20
Toluene	129.4	10	µg/L	100	0	129	71	139	119	8.42	20
trans-1,3-Dichloropropene	81.8	5.0	µg/L	100	0	81.8	68	122	73.4	10.8	20
1,1,2-Trichloroethane	122.8	10	µg/L	100	0	123	67	129	110.6	10.5	20
1,2-Dibromoethane	130.9	10	µg/L	100	0	131	67	137	118.4	10.1	20
2-Hexanone	107	50	µg/L	100	0	107	30	134	96.2	10.6	20
1,3-Dichloropropane	117.8	10	µg/L	100	0	118	75	126	105.2	11.3	20
Tetrachloroethene	131.6	10	µg/L	100	0	132	70	150	115.8	12.7	20
Dibromochloromethane	83.1	10	µg/L	100	0	83.1	63	116	75.35	9.78	20
Chlorobenzene	124.5	10	µg/L	100	0	124	76	130	112	10.6	20
1,1,1,2-Tetrachloroethane	90.4	10	µg/L	100	0	90.4	79	126	80.25	11.9	20
Ethylbenzene	126.4	10	µg/L	100	0	126	80	133	110.6	13.3	20
m,p-Xylene	252.8	10	µg/L	200	0	226	81	131	218.4	14.6	20
o-Xylene	122.4	10	µg/L	100	0	122	78	130	109.8	10.8	20
Styrene	122.9	10	µg/L	100	0	123	72	140	106.3	14.5	20
Bromoform	89.15	10	µg/L	100	0	89.2	47	113	83.3	6.78	20
Isopropylbenzene	135	10	µg/L	100	0	135	81	144	112.9	17.9	20
1,1,2,2-Tetrachloroethane	117.4	10	µg/L	100	0	117	62	133	100.2	15.7	20
1,2,3-Trichloropropane	116.2	10	µg/L	100	0	116	60	143	100.6	14.4	20
Bromobenzene	117.2	10	µg/L	100	0	117	82	127	97.85	18	20
n-Propylbenzene	124.8	10	µg/L	100	0	125	76	142	106	16.3	20
2-Chlorotoluene	117.2	10	µg/L	100	0	117	75	134	98.65	17.2	20
4-Chlorotoluene	120.3	10	µg/L	100	0	120	74	133	102.2	16.3	20
1,3,5-Trimethylbenzene	122.4	10	µg/L	100	0	122	74	143	103.8	16.5	20
tert-Butylbenzene	123.4	10	µg/L	100	0	123	79	140	102	19	20
1,2,4-Trimethylbenzene	122.5	10	µg/L	100	0	122	72	144	104.2	16.1	20

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Recovery Limits	Method	Sample Matrix Spike Duplicate				
sec-Butylbenzene	130.8	10	100	0	131	76				
4-Isopropyltoluene	124.1	10	100	0	124	80				
1,3-Dichlorobenzene	124.2	10	100	0	124	78				
1,4-Dichlorobenzene	122.4	10	100	0	122	76				
n-Butylbenzene	130.4	10	100	0	130	68				
1,2-Dichlorobenzene	113.6	10	100	0	114	73				
1,2-Dibromo-3-chloropropane	78.1	25	100	0	78.1	41				
1,2,4-Trichlorobenzene	123.4	10	100	0	123	55				
Hexachlorobutadiene	118.6	10	100	0	119	46				
Naphthalene	109.4	25	100	0	109	39				
1,2,3-Trichlorobenzene	115.4	10	100	0	115	41				
Surr: Dibromofluoromethane	117.4	10	125	0	94	82				
Surr: 1,2-Dichloroethane-d4	114.6	10	125	0	91.7	73				
Surr: Toluene-d8	124.7	10	125	0	99.8	82				
Surr: 4-Bromofluorobenzene	117.1	10	125	0	93.6	77				
							149	108.7	18.5	20
							147	100.8	20.7	20
							129	101.8	19.7	20
							134	104.6	15.7	20
							153	104.9	21.6	20
							136	95.4	17.5	20
							123	70.25	10.6	20
							156	94.85	26.2	20
							136	103.6	13.5	20
							153	86.6	23.3	20
							161	86.15	29.1	20
							122	0	0	0
							135	0	0	0
							117	0	0	0
							119	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID: 1009004-07Ams **Batch ID:** R45405 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 9/11/2010 9:09:00 PM **Prep Date:** 8/31/2010
Client ID: MW-216 D **Run ID:** V-2_100911A **QC Spike Amount:** 100 **SeqNo:** 754810

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	95.2	25	µg/L	100	0	95.2	22	176	0	0	0	
Chloromethane	97.4	25	µg/L	100	0	97.4	36	144	0	0	0	
Vinyl chloride	110.8	10	µg/L	100	0	111	54	156	0	0	0	
Chloroethane	109.5	25	µg/L	100	0	110	55	153	0	0	0	
Bromomethane	91.45	10	µg/L	100	0	91.5	47	113	0	0	0	
Trichlorofluoromethane	125.5	10	µg/L	100	0	126	80	161	0	0	0	
Diethyl ether	94.7	25	µg/L	100	0	94.7	55	128	0	0	0	
Acetone	91.15	50	µg/L	100	0	91.2	22	147	0	0	0	
1,1-Dichloroethene	113	5.0	µg/L	100	0	113	61	146	0	0	0	
Carbon disulfide	65	10	µg/L	100	0	65	39	153	0	0	0	
Methylene chloride	112.9	25	µg/L	100	0	113	44	147	0	0	0	
Methyl tert-butyl ether	112.6	10	µg/L	100	1.87	111	64	137	0	0	0	
trans-1,2-Dichloroethene	114.6	10	µg/L	100	0	115	68	140	0	0	0	
1,1-Dichloroethane	109.4	10	µg/L	100	0	109	66	139	0	0	0	
2-Butanone	98.75	50	µg/L	100	0	98.8	35	139	0	0	0	
2,2-Dichloropropane	83.1	10	µg/L	100	0	83.1	45	165	0	0	0	
cis-1,2-Dichloroethene	108.5	10	µg/L	100	0.6	108	68	132	0	0	0	
Chloroform	112.4	10	µg/L	100	0	112	78	136	0	0	0	
Tetrahydrofuran	121.3	50	µg/L	100	0	121	27	139	0	0	0	
Bromochloromethane	110.8	10	µg/L	100	0	111	72	132	0	0	0	
1,1,1-Trichloroethane	98.6	10	µg/L	100	0	98.6	78	148	0	0	0	
1,1-Dichloropropene	114.6	10	µg/L	100	0	115	82	139	0	0	0	
Carbon tetrachloride	86.3	10	µg/L	100	0	86.3	72	143	0	0	0	
1,2-Dichloroethane	108.2	10	µg/L	100	0	108	72	141	0	0	0	
Benzene	105.9	5.0	µg/L	100	0	106	73	135	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits (%)	Recovery Limits (µg/L)	Sample Matrix Spike
Trichloroethene	116	10	100	2.34	114	143
1,2-Dichloropropane	114.2	10	100	0	114	136
Bromodichloromethane	79.4	10	100	0	79.4	132
Dibromomethane	114.9	10	100	0	115	132
4-Methyl-2-pentanone	97.95	50	100	0	98	145
cis-1,3-Dichloropropene	78.85	5.0	100	0	78.8	126
Toluene	115.9	10	100	0	116	139
trans-1,3-Dichloropropene	71.6	5.0	100	0	71.6	122
1,1,2-Trichloroethane	111.2	10	100	0	111	129
1,2-Dibromoethane	113.8	10	100	0	114	137
2-Hexanone	95.9	50	100	0	95.9	134
1,3-Dichloropropane	102.3	10	100	0	102	126
Tetrachloroethene	120.5	10	100	0	120	150
Dibromochloromethane	75.8	10	100	0	75.8	116
Chlorobenzene	107	10	100	0	107	130
1,1,1,2-Tetrachloroethane	76.85	10	100	0	76.8	126
Ethylbenzene	106.6	10	100	0	107	133
m,p-Xylene	216.2	10	200	0	108	131
o-Xylene	109.6	10	100	0	110	130
Styrene	106.8	10	100	0	107	140
Bromoform	74.05	10	100	0	74	113
Isopropylbenzene	112.8	10	100	0	113	144
1,1,2,2-Tetrachloroethane	96.1	10	100	0	96.1	133
1,2,3-Trichloropropane	99.95	10	100	0	100	143
Bromobenzene	98.35	10	100	0	98.4	127
n-Propylbenzene	103.2	10	100	0	103	142
2-Chlorotoluene	101.8	10	100	0	102	134
4-Chlorotoluene	100.4	10	100	0	100	133
1,3,5-Trimethylbenzene	101.5	10	100	0	101	143
tert-Butylbenzene	100.1	10	100	0	100	140
1,2,4-Trimethylbenzene	104.2	10	100	0	104	144

S

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits (%)	Method	Sample Matrix Spike
sec-Butylbenzene	105.1	10	105	0	µg/L	149
4-Isopropyltoluene	100.8	10	101	0	µg/L	147
1,3-Dichlorobenzene	101.6	10	102	0	µg/L	129
1,4-Dichlorobenzene	105.5	10	106	0	µg/L	134
n-Butylbenzene	102.4	10	102	0	µg/L	153
1,2-Dichlorobenzene	95.05	10	95	0	µg/L	136
1,2-Dibromo-3-chloropropane	59.95	25	60	0	µg/L	123
1,2,4-Trichlorobenzene	96.05	10	96	0	µg/L	156
Hexachlorobutadiene	95.15	10	95.2	0	µg/L	136
Naphthalene	87.9	25	87.9	0	µg/L	153
1,2,3-Trichlorobenzene	89.8	10	89.8	0	µg/L	161
Surr: Dibromofluoromethane	122.2	10	97.8	0	µg/L	122
Surr: 1,2-Dichloroethane-d4	114.7	10	91.8	0	µg/L	135
Surr: Toluene-d8	126	10	101	0	µg/L	117
Surr: 4-Bromofluorobenzene	123.7	10	99	0	µg/L	119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Sample ID: 1009004-07Amsd **Batch ID:** R45405 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 9/11/2010 **9:44:00 PM** **Prep Date:** 8/31/2010
Client ID: MW-216 D **Run ID:** V-2_100911A **SeqNo:** 754811

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	90.45	25	µg/L	100	0	90.4	22	176	95.2	5.12	20	
Chloromethane	97.7	25	µg/L	100	0	97.7	36	144	97.4	0.308	20	
Vinyl chloride	104.4	10	µg/L	100	0	104	54	156	110.8	5.9	20	
Chloroethane	103.6	25	µg/L	100	0	104	55	153	109.5	5.49	20	
Bromomethane	86.9	10	µg/L	100	0	86.9	47	113	91.45	5.1	20	
Trichlorofluoromethane	121.1	10	µg/L	100	0	121	80	161	125.5	3.57	20	
Diethyl ether	92.15	25	µg/L	100	0	92.2	55	128	94.7	2.73	20	
Acetone	90.3	50	µg/L	100	0	90.3	22	147	91.15	0.937	20	
1,1-Dichloroethene	109.4	5.0	µg/L	100	0	109	61	146	113	3.19	20	
Carbon disulfide	62.25	10	µg/L	100	0	62.2	39	153	65	4.32	20	
Methylene chloride	107.8	25	µg/L	100	0	108	44	147	112.9	4.58	20	
Methyl tert-butyl ether	105	10	µg/L	100	1.87	103	64	137	112.6	7.08	20	
trans-1,2-Dichloroethene	108.6	10	µg/L	100	0	109	68	140	114.6	5.38	20	
1,1-Dichloroethane	105	10	µg/L	100	0	105	66	139	109.4	4.2	20	
2-Butanone	93.4	50	µg/L	100	0	93.4	35	139	98.75	5.57	20	
2,2-Dichloropropane	78.6	10	µg/L	100	0	78.6	45	165	83.1	5.57	20	
cis-1,2-Dichloroethene	104.2	10	µg/L	100	0.6	104	68	132	108.5	4.09	20	
Chloroform	107.5	10	µg/L	100	0	107	78	136	112.4	4.5	20	
Tetrahydrofuran	107.6	50	µg/L	100	0	108	27	139	121.3	11.9	20	
Bromochloromethane	110	10	µg/L	100	0	110	72	132	110.8	0.634	20	
1,1,1-Trichloroethane	96.65	10	µg/L	100	0	96.7	78	148	98.6	2	20	
1,1-Dichloropropene	110.2	10	µg/L	100	0	110	82	139	114.6	3.91	20	
Carbon tetrachloride	82.9	10	µg/L	100	0	82.9	72	143	86.3	4.02	20	
1,2-Dichloroethane	106	10	µg/L	100	0	106	72	141	108.2	2.1	20	
Benzene	105.8	5.0	µg/L	100	0	106	73	135	105.9	0.0472	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Compound	111.7	10	µg/L	100	2.34	109	74	143	116	3.73	20
Trichloroethene	111.7	10	µg/L	100	2.34	109	74	143	116	3.73	20
1,2-Dichloropropane	111.2	10	µg/L	100	0	111	66	136	114.2	2.75	20
Bromodichloromethane	74.35	10	µg/L	100	0	74.4	72	132	79.4	6.57	20
Dibromomethane	109.4	10	µg/L	100	0	109	71	132	114.9	4.86	20
4-Methyl-2-pentanone	94.3	50	µg/L	100	0	94.3	34	145	97.95	3.8	20
cis-1,3-Dichloropropene	74.35	5.0	µg/L	100	0	74.4	66	126	78.85	5.87	20
Toluene	110.1	10	µg/L	100	0	110	71	139	115.9	5.13	20
trans-1,3-Dichloropropene	68.5	5.0	µg/L	100	0	68.5	68	122	71.6	4.43	20
1,1,2-Trichloroethane	105.6	10	µg/L	100	0	106	67	129	111.2	5.16	20
1,2-Dibromoethane	108.4	10	µg/L	100	0	108	67	137	113.8	4.86	20
2-Hexanone	92.1	50	µg/L	100	0	92.1	30	134	95.9	4.04	20
1,3-Dichloropropane	102.7	10	µg/L	100	0	103	75	126	102.3	0.39	20
Tetrachloroethene	111	10	µg/L	100	0	111	70	150	120.5	8.21	20
Dibromochloromethane	72.55	10	µg/L	100	0	72.6	63	116	75.8	4.38	20
Chlorobenzene	107.9	10	µg/L	100	0	108	76	130	107	0.791	20
1,1,1,2-Tetrachloroethane	73.05	10	µg/L	100	0	73	79	126	76.85	5.07	20
Ethylbenzene	104.9	10	µg/L	100	0	105	80	133	106.6	1.56	20
m,p-Xylene	213	10	µg/L	200	0	106	81	131	216.2	1.47	20
o-Xylene	106.4	10	µg/L	100	0	106	78	130	109.6	3.06	20
Styrene	107.2	10	µg/L	100	0	107	72	140	106.8	0.42	20
Bromoform	74.65	10	µg/L	100	0	74.6	47	113	74.05	0.807	20
Isopropylbenzene	114.2	10	µg/L	100	0	114	81	144	112.8	1.23	20
1,1,2,2-Tetrachloroethane	94.65	10	µg/L	100	0	94.6	62	133	96.1	1.52	20
1,2,3-Trichloropropane	97.8	10	µg/L	100	0	97.8	60	143	99.95	2.17	20
Bromobenzene	96.3	10	µg/L	100	0	96.3	82	127	98.35	2.11	20
n-Propylbenzene	105.8	10	µg/L	100	0	106	76	142	103.2	2.54	20
2-Chlorotoluene	99.7	10	µg/L	100	0	99.7	75	134	101.8	2.08	20
4-Chlorotoluene	99.65	10	µg/L	100	0	99.6	74	133	100.4	0.7	20
1,3,5-Trimethylbenzene	103.4	10	µg/L	100	0	103	74	143	101.5	1.9	20
tert-Butylbenzene	105	10	µg/L	100	0	105	79	140	100.1	4.73	20
1,2,4-Trimethylbenzene	103	10	µg/L	100	0	103	72	144	104.2	1.16	20

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits (%)	Method	Sample Matrix Spike Duplicate
sec-Butylbenzene	106.2	10	106	0	76	149
4-Isopropyltoluene	103	10	103	0	80	147
1,3-Dichlorobenzene	102.2	10	102	0	78	129
1,4-Dichlorobenzene	107.3	10	107	0	76	134
n-Butylbenzene	106.6	10	107	0	68	153
1,2-Dichlorobenzene	95.1	10	95.1	0	73	136
1,2-Dibromo-3-chloropropane	63.55	25	63.6	0	41	123
1,2,4-Trichlorobenzene	103	10	103	0	55	156
Hexachlorobutadiene	91.45	10	91.5	0	46	136
Naphthalene	93.8	25	93.8	0	39	153
1,2,3-Trichlorobenzene	97.5	10	97.5	0	41	161
Surr: Dibromofluoromethane	117.9	10	94.3	0	82	122
Surr: 1,2-Dichloroethane-d4	116.5	10	93.2	0	73	135
Surr: Toluene-d8	124	10	99.2	0	82	117
Surr: 4-Bromofluorobenzene	125.6	10	100	0	77	119

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID: 1009004-10Ams **Batch ID:** R45415 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 9/13/2010 7:52:00 PM **Prep Date:** 8/31/2010
Client ID: MW-217 S **Run ID:** V-2_100913A **SeqNo:** 754972

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	86.3	25	µg/L	100	0	86.3	22	176	0	0	0	
Chloromethane	97.05	25	µg/L	100	0	97	36	144	0	0	0	
Vinyl chloride	110.2	10	µg/L	100	6.65	104	54	156	0	0	0	
Chloroethane	109	25	µg/L	100	0	109	55	153	0	0	0	
Bromomethane	90.75	10	µg/L	100	0	90.8	47	113	0	0	0	
Trichlorofluoromethane	123.2	10	µg/L	100	0	123	80	161	0	0	0	
Diethyl ether	103	25	µg/L	100	0	103	55	128	0	0	0	
Acetone	100.6	50	µg/L	100	3.26	97.3	22	147	0	0	0	
1,1-Dichloroethene	125.8	5.0	µg/L	100	0	126	61	146	0	0	0	
Carbon disulfide	78.9	10	µg/L	100	0	78.9	39	153	0	0	0	
Methylene chloride	116.2	25	µg/L	100	0	116	44	147	0	0	0	
Methyl tert-butyl ether	113.4	10	µg/L	100	0	113	64	137	0	0	0	
trans-1,2-Dichloroethene	121.7	10	µg/L	100	0	122	68	140	0	0	0	
1,1-Dichloroethane	113.8	10	µg/L	100	0	114	66	139	0	0	0	
2-Butanone	104.8	50	µg/L	100	0	105	35	139	0	0	0	
2,2-Dichloropropane	86.35	10	µg/L	100	0	86.4	45	165	0	0	0	
cis-1,2-Dichloroethene	126.8	10	µg/L	100	21.04	106	68	132	0	0	0	
Chloroform	109	10	µg/L	100	0	109	78	136	0	0	0	
Tetrahydrofuran	119.5	50	µg/L	100	0	120	27	139	0	0	0	
Bromochloromethane	113.9	10	µg/L	100	0	114	72	132	0	0	0	
1,1,1-Trichloroethane	98.4	10	µg/L	100	0	98.4	78	148	0	0	0	
1,1-Dichloropropene	122.3	10	µg/L	100	0	122	82	139	0	0	0	
Carbon tetrachloride	93.5	10	µg/L	100	0	93.5	72	143	0	0	0	
1,2-Dichloroethane	108.4	10	µg/L	100	0	108	72	141	0	0	0	
Benzene	112.6	5.0	µg/L	100	0	113	73	135	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Recovery Limits	Spike	Matrix Spike
Trichloroethene	119.8	10	100	0.56	119	143
1,2-Dichloropropane	117	10	100	0	117	136
Bromodichloromethane	84.1	10	100	0	84.1	132
Dibromomethane	116.8	10	100	0	117	132
4-Methyl-2-pentanone	104.4	50	100	0	104	145
cis-1,3-Dichloropropene	81.3	5.0	100	0	81.3	126
Toluene	116	10	100	0	116	139
trans-1,3-Dichloropropene	76	5.0	100	0	76	122
1,1,2-Trichloroethane	109.4	10	100	0	109	129
1,2-Dibromoethane	116.8	10	100	0	117	137
2-Hexanone	95.7	50	100	0	95.7	134
1,3-Dichloropropane	97.55	10	100	0	97.6	126
Tetrachloroethene	118.7	10	100	19.07	99.6	150
Dibromochloromethane	72.75	10	100	0	72.8	116
Chlorobenzene	103.9	10	100	0	104	130
1,1,1,2-Tetrachloroethane	76.65	10	100	0	76.6	126
Ethylbenzene	105	10	100	0	105	133
m,p-Xylene	209.8	10	200	0	105	131
o-Xylene	105.6	10	100	0	106	130
Styrene	102.4	10	100	0	102	140
Bromoform	80.1	10	100	0	80.1	113
Isopropylbenzene	111	10	100	0	111	144
1,1,2,2-Tetrachloroethane	95.85	10	100	0	95.8	133
1,2,3-Trichloropropane	96.65	10	100	0	96.7	143
Bromobenzene	95.15	10	100	0	95.2	127
n-Propylbenzene	100.1	10	100	0	100	142
2-Chlorotoluene	94.55	10	100	0	94.6	134
4-Chlorotoluene	96.1	10	100	0	96.1	133
1,3,5-Trimethylbenzene	98.05	10	100	0	98	143
tert-Butylbenzene	97.85	10	100	0	97.8	140
1,2,4-Trimethylbenzene	97.95	10	100	0	98	144

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	103.2	98.85	100.5	100.8	101.2	92.85	66.45	92.6	90.4	87.95	88.6	120.3	123.3	130.9	125.2	µg/L	100	0	103	76	149	0
sec-Butylbenzene																						
4-Isopropyltoluene																						
1,3-Dichlorobenzene																						
1,4-Dichlorobenzene																						
n-Butylbenzene																						
1,2-Dichlorobenzene																						
1,2-Dibromo-3-chloropropane																						
1,2,4-Trichlorobenzene																						
Hexachlorobutadiene																						
Naphthalene																						
1,2,3-Trichlorobenzene																						
Surr: Dibromofluoromethane																						
Surr: 1,2-Dichloroethane-d4																						
Surr: Toluene-d8																						
Surr: 4-Bromofluorobenzene																						

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Sample ID: 1009004-10Amsd Batch ID: R45415 Test Code: SW8260B Units: µg/L Analysis Date 9/13/2010 8:28:00 PM Prep Date: 8/31/2010
 Client ID: MW-217 S Run ID: V-2_100913A SeqNo: 754973

Analyte	QC Sample		QC Spike		Original Sample		Original Sample		%RPD	RPDLimit	Que
	Result	RL	Units	Amount	Result	%REC	LowLimit	HighLimit			
Dichlorodifluoromethane	94.2	25	µg/L	100	0	94.2	22	176	86.3	8.75	20
Chloromethane	113.5	25	µg/L	100	0	114	36	144	97.05	15.6	20
Vinyl chloride	125.8	10	µg/L	100	6.65	119	54	156	110.2	13.2	20
Chloroethane	120.7	25	µg/L	100	0	121	55	153	109	10.2	20
Bromomethane	98.7	10	µg/L	100	0	98.7	47	113	90.75	8.39	20
Trichlorofluoromethane	137.6	10	µg/L	100	0	138	80	161	123.2	11	20
Diethyl ether	117.8	25	µg/L	100	0	118	55	128	103	13.4	20
Acetone	119.3	50	µg/L	100	3.26	116	22	147	100.6	17	20
1,1-Dichloroethene	140.2	5.0	µg/L	100	0	140	61	146	125.8	10.8	20
Carbon disulfide	90.45	10	µg/L	100	0	90.4	39	153	78.9	13.6	20
Methylene chloride	128	25	µg/L	100	0	128	44	147	116.2	9.67	20
Methyl tert-butyl ether	123.6	10	µg/L	100	0	124	64	137	113.4	8.69	20
trans-1,2-Dichloroethene	131.4	10	µg/L	100	0	131	68	140	121.7	7.66	20
1,1-Dichloroethane	124.6	10	µg/L	100	0	125	66	139	113.8	9.06	20
2-Butanone	111.2	50	µg/L	100	0	111	35	139	104.8	5.93	20
2,2-Dichloropropane	93.85	10	µg/L	100	0	93.8	45	165	86.35	8.32	20
cis-1,2-Dichloroethene	146.8	10	µg/L	100	21.04	126	68	132	126.8	14.7	20
Chloroform	125.4	10	µg/L	100	0	125	78	136	109	14	20
Tetrahydrofuran	129.9	50	µg/L	100	0	130	27	139	119.5	8.34	20
Bromochloromethane	126.4	10	µg/L	100	0	126	72	132	113.9	10.4	20
1,1,1-Trichloroethane	106.1	10	µg/L	100	0	106	78	148	98.4	7.53	20
1,1-Dichloropropene	128.6	10	µg/L	100	0	129	82	139	122.3	4.98	20
Carbon tetrachloride	100.8	10	µg/L	100	0	101	72	143	93.5	7.56	20
1,2-Dichloroethane	117.8	10	µg/L	100	0	118	72	141	108.4	8.31	20
Benzene	120	5.0	µg/L	100	0	120	73	135	112.6	6.28	20

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Compound	132.8	128.7	92.05	124.4	112.8	91.6	129.6	83.5	123.9	127.4	99.35	103.6	128.4	76.9	112.7	83.65	111.4	227.4	112.6	110.5	83.95	119.6	102.4	100.2	102.6	109.5	104	104.3	107.8	110.9	110.2					
Trichloroethene	10	10	10	10	50	5.0	10	5.0	10	10	50	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10					
1,2-Dichloropropane	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	200	100	100	100	100	100	100	100	100	100	100	100	100	100					
Bromodichloromethane	0.56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Dibromomethane	132	129	92	124	113	91.6	130	83.5	124	127	99.4	104	109	76.9	113	83.6	111	114	113	110	84	120	102	100	103	110	104	104	108	111	110					
4-Methyl-2-pentanone	74	66	72	71	34	66	71	68	67	67	30	75	70	63	76	79	80	81	78	72	47	81	62	60	82	76	75	74	74	79	72					
cis-1,3-Dichloropropene	143	136	132	132	145	126	139	122	129	137	134	126	150	116	130	126	133	131	130	140	113	144	133	143	127	142	134	133	143	140	144					
Toluene	119.8	117	84.1	116.8	104.4	81.3	116	76	109.4	116.8	95.7	97.55	118.7	72.75	103.9	76.65	105	209.8	105.6	102.4	80.1	111	95.85	96.65	95.15	100.1	94.55	96.1	98.05	97.85	97.95					
trans-1,3-Dichloropropene	10.3	9.52	9.03	6.34	7.73	11.9	11.1	9.4	12.4	8.68	3.74	5.97	7.89	5.55	8.13	8.73	5.96	8.05	6.41	7.66	4.69	7.46	6.56	3.61	7.49	8.97	9.52	8.18	9.52	12.5	11.8					
1,1,2-Trichloroethane																																				
1,2-Dibromoethane																																				
2-Hexanone																																				
1,3-Dichloropropane																																				
Tetrachloroethene																																				
Dibromochloromethane																																				
Chlorobenzene																																				
1,1,1,2-Tetrachloroethane																																				
Ethylbenzene																																				
m,p-Xylene																																				
o-Xylene																																				
Styrene																																				
Bromoform																																				
Isopropylbenzene																																				
1,1,2,2-Tetrachloroethane																																				
1,2,3-Trichloropropane																																				
Bromobenzene																																				
n-Propylbenzene																																				
2-Chlorotoluene																																				
4-Chlorotoluene																																				
1,3,5-Trimethylbenzene																																				
tert-Butylbenzene																																				
1,2,4-Trimethylbenzene																																				

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-10

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Tectron Gorham

sec-Butylbenzene	112.7	10	µg/L	100	0	113	76	149	103.2	8.8	20
4-Isopropyltoluene	109.8	10	µg/L	100	0	110	80	147	98.85	10.5	20
1,3-Dichlorobenzene	108.9	10	µg/L	100	0	109	78	129	100.5	8.07	20
1,4-Dichlorobenzene	110.4	10	µg/L	100	0	110	76	134	100.8	9	20
n-Butylbenzene	113.6	10	µg/L	100	0	114	68	153	101.2	11.5	20
1,2-Dichlorobenzene	101	10	µg/L	100	0	101	73	136	92.85	8.41	20
1,2-Dibromo-3-chloropropane	73.8	25	µg/L	100	0	73.8	41	123	66.45	10.5	20
1,2,4-Trichlorobenzene	108.9	10	µg/L	100	0	109	55	156	92.6	16.2	20
Hexachlorobutadiene	100.5	10	µg/L	100	0	100	46	136	90.4	10.5	20
Naphthalene	99.75	25	µg/L	100	0	99.8	39	153	87.95	12.6	20
1,2,3-Trichlorobenzene	104	10	µg/L	100	0	104	41	161	88.6	15.9	20
Surr: Dibromofluoromethane	124.8	10	µg/L	125	0	99.8	82	122	0	0	0
Surr: 1,2-Dichloroethane-d4	122.5	10	µg/L	125	0	98	73	135	0	0	0
Surr: Toluene-d8	137.8	10	µg/L	125	0	110	82	117	0	0	0
Surr: 4-Bromofluorobenzene	122.2	10	µg/L	125	0	97.7	77	119	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	CW-6
Lab Order:	1009004	Tag Number:	
Project:	130274 Textron Gorham	Collection Date:	8/31/2010 11:00:00 AM
Lab ID:	1009004-24A	Matrix:	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TPH BY GC/FID (MODIFIED 8015B)		SW8015B				Analyst: KA
Gasoline	ND	0.050		mg/L	1	9/3/2010 8:53:00 PM
Mineral Spirits	ND	0.050		mg/L	1	9/3/2010 8:53:00 PM
Kerosene	ND	0.050		mg/L	1	9/3/2010 8:53:00 PM
Diesel Fuel/Fuel Oil #2	ND	0.050		mg/L	1	9/3/2010 8:53:00 PM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	9/3/2010 8:53:00 PM
Unidentified Hydrocarbons	11	0.10		mg/L	1	9/3/2010 8:53:00 PM
Surr: o-Terphenyl	83.7	31-131		%REC	1	9/3/2010 8:53:00 PM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

Qualifiers:

ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank	E - Value above quantitation range
H - Method prescribed holding time exceeded.	# - See Case Narrative
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.	

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	CW-6 Dup
Lab Order:	1009004	Tag Number:	
Project:	130274 Textron Gorham	Collection Date:	8/31/2010 11:00:00 AM
Lab ID:	1009004-25A	Matrix:	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TPH BY GC/FID (MODIFIED 8015B)						
		SW8015B				Analyst: KA
Gasoline	ND	0.050		mg/L	1	9/3/2010 9:35:00 PM
Mineral Spirits	ND	0.050		mg/L	1	9/3/2010 9:35:00 PM
Kerosene	ND	0.050		mg/L	1	9/3/2010 9:35:00 PM
Diesel Fuel/Fuel Oil #2	ND	0.050		mg/L	1	9/3/2010 9:35:00 PM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	9/3/2010 9:35:00 PM
Unidentified Hydrocarbons	11	0.10		mg/L	1	9/3/2010 9:35:00 PM
Surr: o-Terphenyl	76.7	31-131		%REC	1	9/3/2010 9:35:00 PM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

Qualifiers:

ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank	E - Value above quantitation range
H - Method prescribed holding time exceeded.	# - See Case Narrative
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.	

AMRO Environmental Laboratories Corp.

Date: 20-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Method Blank

Sample ID: **MB-20589** Batch ID: **20589** Test Code: **SW8015B** Units: **mg/L** Analysis Date: **9/3/2010 4:01:00 PM** Prep Date: **9/3/2010**
 Client ID: Run ID: **GC-FING1_100903A** SeqNo: **753924**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Gasoline	ND	0.050	mg/L									
Mineral Spirits	ND	0.050	mg/L									
Kerosene	ND	0.050	mg/L									
Diesel Fuel/Fuel Oil #2	ND	0.050	mg/L									
Motor Oil/Hydraulic Oil	ND	0.10	mg/L									
Unidentified Hydrocarbons	ND	0.10	mg/L									
Surr: o-Terphenyl	0.1069	0		0.1	0	107	31	131				0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Laboratory Control Spike

Sample ID: **LCS-20589** Batch ID: **20589** Test Code: **SW8015B** Units: **mg/L** Analysis Date: **9/3/2010 4:47:00 PM** Prep Date: **9/3/2010**
 Client ID: Run ID: **GC-FING1_100903A** SeqNo: **753925**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Diesel Fuel/Fuel Oil #2	1.618	0.050	mg/L	2	0	80.9	42	119	0			
Surr: o-Terphenyl	0.09481	0	mg/L	0.1	0	94.8	31	131	0			

Sample ID: **LCSD-20589** Batch ID: **20589** Test Code: **SW8015B** Units: **mg/L** Analysis Date: **9/3/2010 5:27:00 PM** Prep Date: **9/3/2010**
 Client ID: Run ID: **GC-FING1_100903A** SeqNo: **753926**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Diesel Fuel/Fuel Oil #2	1.589	0.050	mg/L	2	0	79.5	42	119	1.618	1.78	40	
Surr: o-Terphenyl	0.08635	0	mg/L	0.1	0	86.4	31	131	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 16-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham

Lab Order: 1009004

Lab ID: 1009004-21

Collection Date: 8/31/2010 12:30:00 PM

Collection Time:

Client Sample ID: MW-109 D

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	13.0		µg/L	1	9/2/2010 12:18:25 AM
------	----	------	--	------	---	----------------------

Lab ID: 1009004-22

Collection Date: 8/31/2010 12:00:00 PM

Collection Time:

Client Sample ID: GZA-3

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	13.0		µg/L	1	9/2/2010 12:24:41 AM
------	----	------	--	------	---	----------------------

Lab ID: 1009004-23

Collection Date: 8/31/2010 12:00:00 PM

Collection Time:

Client Sample ID: GZA-3 Dup

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	13.0		µg/L	1	9/2/2010 12:30:52 AM
------	----	------	--	------	---	----------------------

AMRO Environmental Laboratories Corp.

Date: 15-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 1009004
Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Method Blank

Sample ID **mb-20580** Batch ID: **20580** Test Code: **SW6010B** Units: **µg/L** Analysis Date **9/1/10 10:26:30 PM** Prep Date **9/1/10**
 Client ID: Run ID: **ICP-OPTIMA_100901A** SeqNo: **753263**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Lead	ND	13	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 15-Sep-10

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 1009004
 Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Laboratory Control Spike

Sample ID	ics-20580	Batch ID:	20580	Test Code:	SW6010B	Units:	µg/L	Analysis Date	9/1/10 10:31:08 PM	Prep Date	9/1/10
Client ID:		Run ID:	ICP-OPTIMA_100901A	SeqNo:	753264						
Analyte		QC Sample Result	1933	QC Spike Amount	1998	Original Sample Result	0	%REC	96.8	LowLimit	80
Lead				Units	µg/L	HighLimit	120	%RPD		RPDLimit	0

Sample ID	icsd-20580	Batch ID:	20580	Test Code:	SW6010B	Units:	µg/L	Analysis Date	9/1/10 10:37:19 PM	Prep Date	9/1/10
Client ID:		Run ID:	ICP-OPTIMA_100901A	SeqNo:	753265						
Analyte		QC Sample Result	1928	QC Spike Amount	1998	Original Sample Result	0	%REC	96.5	LowLimit	80
Lead				Units	µg/L	HighLimit	120	%RPD	0.268	RPDLimit	20

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.