



EA Engineering, Science, and Technology, Inc., PBC

28 June 2016

Mr. Joseph T. Martella II, Senior Engineer
Site Remediation Program
Office of Waste Management
RI Department of Environmental Management
235 Promenade Street
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 35
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island
Case No. 2005-029
EA Project No. 15066.03*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from March 2016 through May 2016.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 1809.

Sincerely,

EA ENGINEERING, SCIENCE,
AND TECHNOLOGY, INC.

Frank B. Postma, LSP, LEP, PG
Project Manager

cc: B. Luger, Prov. Dept. of Public Schools
D. Granlek, Prov. Redevelopment Agency
M. Darigan, Partridge, Snow, & Hahn
J. Pichardo, Senator
Principal Hawkins, Alvarez High School
A. Sepe, Prov. Dept. of Public Property
S. Fischbach, RI Legal Services
R. Dorr, Neighborhood Resident
Rep. Scott Slater
Knight Memorial Library Repository



Quarterly O&M Status Report No. 35

Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities

Alvarez High School Site (Formerly Adelaide Avenue High School) Providence, Rhode Island

Prepared for

City of Providence School Department
797 Westminster Street
Providence, Rhode Island 02903

Prepared by

EA Engineering, Science, and Technology, Inc., PBC
301 Metro Center Blvd., Suite 102
Warwick, Rhode Island 02886
(401) 736-3440

EA Project No. 15066.03
June 2016

TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE	2
2.1 SSD System	2
2.2 Indoor Methane Monitoring System	3
2.3 Ambient Outdoor and Indoor Air Sampling	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect	4
2.5 Summary of Rooftop VOC Emissions	4
2.6 Conclusions	5
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT	7

FIGURES

FIGURE 1:	SITE LOCATION MAP
FIGURE 2:	INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM
FIGURE 3:	AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

APPENDICES

APPENDIX A:	O&M FIELD FORMS
APPENDIX B:	INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
APPENDIX C:	SUBSLAB VAPOR ANALYTICAL SUMMARY
APPENDIX D:	ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E:	INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR LABORATORY ANALYTICAL REPORTS
APPENDIX F:	LABORATORY DETECTION LIMITS CORRESPONDENCE

1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 35 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the 3-month period from March 2016 through May 2016 (Quarterly Reporting Period No. 35). Please refer to Quarterly O&M Status Reports No. 1 through No. 34 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

2.1 SSD SYSTEM

The following SSD System performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly subslab vacuum monitoring (9 March 2016, 20 April 2016, and 18 May 2016) at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Quarterly sampling (20 and 21 April 2016) of eight indoor air locations, one ambient outdoor air location, and six subslab points.
- Monthly inspections and monitoring (air velocity and vacuum) and annual sampling of 3 rooftop fans to verify proper operation and effluent concentrations.
- Continuous electronic monitoring (with automatic alarm notification via audible signal and phone notification) at each of three SSD system extraction fans to ensure continuous operation.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations ranged from -0.01 to -0.16 in. of water column. Negative measurements confirm that a negative pressure exists beneath the building slab as a result of the continuous fan operation.

There were no alarms from the control panel for the indoor methane monitoring system during this monitoring period. EA tested the cell phone autodialer unit by triggering an alarm condition during all three monitoring events. The autodialer functioned as intended and notified emergency contacts of the alarm condition.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

2.2 INDOOR METHANE MONITORING SYSTEM

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system (equipped with automatic alarm notification via audible signal and phone notification) within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. In addition, the methane monitoring system was inspected and filters were replaced on 20 April 2016. The next filter replacement is scheduled for July 2016.

2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING

One ambient outdoor air sample and seven of the eight indoor air samples were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 20 April 2016. The kitchen storage room, the eighth indoor sampling location, could not be accessed on 20 April 2016 as the school was on its spring break vacation and the kitchen was closed. The kitchen re-opened on 25 April 2016 and the final indoor air sample was collected on that day.

The samples collected in April 2016 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of volatile organic compounds (VOCs) via Method TO-15 Selective Ion Monitoring (SIM). All samples were collected within individually certified summa canisters. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling event results. Each summa canister used during this monitoring period was individually analyzed to certify that all compounds were below the 0.2 parts per billion (ppb) limit before the sampling event. Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA.

The laboratory method detection limits (MDLs) for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analyzed via the SIM procedure. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable. The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of these analytes have never been detected at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not significant and do not disqualify the dataset.

Sampling locations for the indoor and sub-slab air samples are illustrated on Figure 3. The ambient outdoor air sample was collected upwind (northwest) of the school. A data summary table is provided as Appendix B and copies of the laboratory data reports associated with these sampling events are provided in Appendix E.

Several analytes were identified in indoor air above the CT RTACs and RIDEM threshold levels during the April 2016 quarterly sampling event.

The analyte 1,1,2,2-tetrachloroethane was detected in the sample from Room 110 at a concentration of $0.36 \mu\text{g}/\text{m}^3$, which exceeded the CT RTACs and RIDEM amended threshold values of $0.011 \mu\text{g}/\text{m}^3$ and $0.14 \mu\text{g}/\text{m}^3$, respectively. The associated subslab sampling location, MP-5, was also sampled in April 2016. The compound 1,1,2,2-tetrachloroethane was not detected at MP-5. Because of this, EA believes that 1,1,2,2-tetrachloroethane exceedance resulted from an external source and not from a soil vapor pathway. This concentration has been reported to RIDEM and may be further investigated.

Carbon tetrachloride was detected in outdoor ambient air at a concentration of $0.58 \mu\text{g}/\text{m}^3$, above the RIDEM approved action level of $0.5 \mu\text{g}/\text{m}^3$. Carbon tetrachloride was also detected at all indoor air locations at concentrations between 0.64 and $0.95 \mu\text{g}/\text{m}^3$. Carbon tetrachloride is a documented background ambient compound in the area; the compound has consistently been detected in ambient outdoor air and inside the school during every sampling event completed at the Site at concentrations ranging between 0.19 and $0.77 \mu\text{g}/\text{m}^3$. The detections during the April 2016 sampling event are consistent with historical detections and not attributable to soil vapor intrusion since the ambient outdoor air exhibited concentrations comparable to those indoors.

Chloroform was detected in the Kitchen Storage Room at a concentration of $3.8 \mu\text{g}/\text{m}^3$, which exceeds the RIDEM amended threshold value of $0.5 \mu\text{g}/\text{m}^3$. Chloroform is a common ingredient in, or can form as a byproduct of, cleaning products and some insecticides. Insecticides and cleaning chemicals have historically been used at the school, though typically during the summer. Chloroform was last detected over the threshold value during the use of floor stripping chemicals in the summers of 2014 and 2015, and in the fall of 2015. Detections of chloroform are not believed to be indicative of a soil-vapor intrusion pathway and are most likely attributable to products used inside the building. These concentrations have been reported to RIDEM and may be further investigated.

2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Four exterior subslab vapor samples and two interior subslab vapor samples were collected on 20 April 2016 in accordance with the Amended OA rotating sampling schedule and analyzed for VOCs via US EPA Method TO-15 SIM. The subslab analytical results are presented in Appendix C and copies of the laboratory data reports associated with these sampling events are included in Appendix E.

The subslab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.

2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Rooftop sampling was conducted on 21 July 2015. The results of rooftop fan sampling event are summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or yearly emissions were observed. The next annual rooftop effluent VOC sampling event is scheduled for July 2016.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, July 2012, July 2013, and October 2014 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Tabulation of the data and the rooftop sampling analytical report is provided as Appendix D. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the

regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. RIDEM conducted roofline and downwind outdoor air sampling during the 22 October 2014 monitoring event to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicated that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building. More data may be sought to evaluate this issue during varying weather conditions.

2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- The subslab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- Several analytes such as chloroform, carbon tetrachloride, and 1,1,2,2-Tetrachloroethane were detected at concentrations exceeding the CT RTAC/RIDEM threshold value at various locations. None of these exceedances were determined to be caused by soil vapor intrusion into the building and are likely from indoor or laboratory sources.
- The use of certified clean summa canisters, as requested by RIDEM, yielded high confidence in the samples collected on 20 and 25 April 2016. EA will continue to use certified clean canisters in the upcoming sampling events.


3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from June to August 2016:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity;
- Collection of air samples from eight indoor locations, one ambient location, six subslab monitoring points, and three rooftop fans in July 2016.

These activities will be summarized in the next status report (Quarterly Status Report No. 36), expected to be submitted by the end of September 2016.

FIGURES



ALVAREZ HIGH SCHOOL
 333 ADELAIDE AVENUE
 PROVIDENCE, RHODE ISLAND

FIGURE 1
 SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD

METHANE SENSOR CALIBRATION LOCATION
IN WEST WING; ELECTRICAL ROOM AREA



METHANE SYSTEM CONTROLLER LOCATION;
ADMINISTRATION WORK ROOM

METHANE SENSOR LOCATION
(TYP.)

PLC LOCATION IN EAST WING;
ELECTRICAL ROOM/MAINTENANCE
OFFICE AREA

NOTE: NOT TO SCALE

PROJECT NORTH





DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. -	FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM - ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT
FIGURE 2

LEGEND :

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- ||— SLOTTED 1 INCH PVC PIPING
- ⊕ ROOFTOP FAN LOCATION
- SP-1
□ SUB-SLAB SUCTION PIT (TYP.)
- SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT
SUB SLAB MONITORING AND SAMPLING LOCATIONS
ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT
FIGURE 3

APPENDIX A

O&M Field Forms



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 3/9/2016

Performed by: Dan Allen

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: _____

Date of last Methane Sensor Filter Replacement: January

Replaced this O&M Visit? No (yes/no)

working

General Status of SSD System: _____

General Status of Methane Monitoring System: working

Eng. Cap/Fence Inspection Performed/Notes: _____

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time		End Vac (in. Hg)
Gymnasium	NA	NA	0	0	0	0							
Cafeteria	NA	NA	0	0	0	0							
Kitchen Storage Room	NA	NA	0	0	0	0							Door open
Elevator Hallway	NA	NA	0	0	0	0							
Room 145	NA	NA	0	0	0	0							
Room 152	NA	NA	125	0	0	0							Room had musty odor
Room 118	NA	NA	0	0	0	0							
Room 110	NA	NA	31	0	0	0							
MP-1	.05	NA	0	NA	0	0							
MP-2	.10	NA	0	NA	0	0							
MP-3	.03	NA	0	NA	0	0							
MP-4	.04	NA	0	NA	0	0							
MP-5	.08	NA	0	NA	0	0							
MP-6	.07	NA	0	NA	0	0							
MP-7	.05	NA	0	NA	0	0							
MP-8	.03	NA	0	NA	0	0							
IMP-1	.01	NA	0	NA	0	0							
IMP-2	.01	NA	392	NA	0	0							
IMP-3	.01	NA	0	NA	0	0							
Roof-Top Fan 1	-1.2	2761	8	NA	0	0							
Roof-Top Fan 2	-1.2	2172	0	NA	0	0							
Roof-Top Fan 3	-2	2508	44500	NA	0	0							
Ambient Outdoor Air	NA	NA	0	NA	0	0							

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 4/20/2016

Performed by: CS, CM

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10.0

Date of last Methane Sensor Filter Replacement: January

Replaced this O&M Visit? Yes (yes/no)

on

General Status of SSD System:

General Status of Methane Monitoring System: on

Eng. Cap/Fence Inspection Performed/Notes: on

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time	End Vac (in. Hg)	
Gymnasium	NA	NA	0	0	0	0	2132	4297	9:58 AM	-30	10:28 AM	-4.5	ventilation sys on
Cafeteria	NA	NA	0	0	0	0	1718	4296	9:52 AM	-27.5	10:21 AM	-2	door open to exterior. party setup in progress
Kitchen Storage Room	NA	NA	-	0	-	-	-	-		-		-	no access- spring break
Elevator Hallway	NA	NA	0	0	0	0	1021	4287	10:16 AM	-30	10:46 AM	-6	some exterior doors open, breeze thru halls
Room 145	NA	NA	0	0	0	0	1824	4090	10:40 AM	-29	11:10 AM	-3	
Room 152	NA	NA	0	0	0	0	1990	4291	10:49 AM	-29	11:19 AM	-4	
Room 118	NA	NA	0	0	0	0	2140	4106	10:06 AM	-28.5	10:36 AM	-6	
Room 110	NA	NA	0	0	0	0	2141	4303	10:03 AM	-27	10:33 AM	-3	
MP-1	-0.12	NA	1	NA	0	0	-	-		-		-	NS
MP-2	-0.08	NA	3	NA	0	0	2203	4201	11:49 AM	-29	12:19 PM	-2	
MP-3	-0.05	NA	0	NA	0	0	-	-		-		-	NS
MP-4	-0.02	NA	0	NA	0	0	-	-		-		-	NS.
MP-5	-0.05	NA	131	NA	0	0	1860	4197	11:38 AM	-25	12:07 PM	0	
MP-6	-0.08	NA	9	NA	0	0	-	-		-		-	NS
MP-7	0.01	NA	15	NA	0	0	2148	4196	11:34 AM	-22	12:07 PM	0	
MP-8	-0.12	NA	17	NA	0	1	1886	4069	11:20 AM	-30	11:50 AM	-5	
IMP-1	0.01	NA	119	NA	0	0	1225	4286	9:56 AM	-28	10:26 AM	-2	
IMP-2	0.01	NA	48	NA	0	1	-	-		-		-	NS
IMP-3	0.01	NA	67	NA	0	0	1818	4290	10:14 AM	-28	10:44 AM	-2	
Roof-Top Fan 1	-	-	-	NA	-	-	-	-		-		-	no access- spring break
Roof-Top Fan 2	-	-	-	NA	-	-	-	-		-		-	no access- spring break
Roof-Top Fan 3	-	-	-	NA	-	-	-	-		-		-	no access- spring break
Ambient Outdoor Air	NA	NA	0	NA	0	0	1249	4091	11:50 AM	-30	12:20 PM	-6	wind from west. can set in back corner of parking lot. car traffic

NA: not applicable.


NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Photograph 1	Photograph 2
	
<p>Description of image: hole below gutter discharge</p>	<p>Description of image:</p>

Photograph 3	Photograph 4
<p>Description of image:</p>	<p>Description of image:</p>



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 4/25/2016

Performed by: CAS

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: _____

Date of last Methane Sensor Filter Replacement: april

Replaced this O&M Visit? No (yes/no)

on

General Status of SSD System: _____

General Status of Methane Monitoring System: on

Eng. Cap/Fence Inspection Performed/Notes: on

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time	End Vac (in. Hg)		
Gymnasium	NA	NA												
Cafeteria	NA	NA												
Kitchen Storage Room	NA	NA	0		0	0	2146	4199	11:14 AM	-28	11:44 AM	-2		no access here last week. makeup sample
Elevator Hallway	NA	NA												
Room 145	NA	NA												
Room 152	NA	NA												
Room 118	NA	NA												
Room 110	NA	NA												
MP-1		NA		NA										
MP-2		NA		NA										
MP-3		NA		NA										
MP-4		NA		NA										
MP-5		NA		NA										
MP-6		NA		NA										
MP-7		NA		NA										
MP-8		NA		NA										
IMP-1		NA		NA										
IMP-2		NA		NA										
IMP-3		NA		NA										
Roof-Top Fan 1	-2.4	2492	0	NA	0	0								
Roof-Top Fan 2	-2.2	2306	0	NA	0	0								
Roof-Top Fan 3	-2.8	1882	29	NA	0	1								fan electrical cords exposed. needs new conduit
Ambient Outdoor Air	NA	NA		NA										

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Photograph 1



Description of image:

Electrical conduit on fan 3 cracked. wires exposed

Photograph 2



Description of image:

fan 3

Photograph 3

Photograph 4

Description of image:

Description of image:



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 5/18/2016

Performed by: C Mejia

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10.0

Date of last Methane Sensor Filter Replacement: 04/2016

Replaced this O&M Visit? No (yes/no)

On and operational

General Status of SSD System: _____

General Status of Methane Monitoring System: **Good**

System: _____

Eng. Cap/Fence Inspection _____

Performed/Notes: _____

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time		End Vac (in. Hg)
Gymnasium	NA	NA	0	0	0	0							
Cafeteria	NA	NA	0	0	0	0							
Kitchen Storage Room	NA	NA	0	0	0	0							
Elevator Hallway	NA	NA	0	0	0	0							
Room 145	NA	NA	0	0	0	0							
Room 152	NA	NA	0	0	0	0							
Room 118	NA	NA	0	0	0	0							
Room 110	NA	NA	0	0	0	0							
MP-1	0.05	NA	0	NA	0	0							Broken glass around welll
MP-2	0.05	NA	0	NA	0	0							
MP-3	0.04	NA	0	NA	0	0							
MP-4	0.05	NA	0	NA	0	0							
MP-5	0.10	NA	0	NA	0	1							
MP-6	0.04	NA	0	NA	0	0							
MP-7	0.01	NA	0	NA	0	1							
MP-8	0.08	NA	0	NA	0	1							
IMP-1	0.01	NA	0	NA	0	1							
IMP-2	0.01	NA	0	NA	0	1							
IMP-3	0.01	NA	0	NA	0	0							Replaced flex tubing
Roof-Top Fan 1	-1	2032	0	NA	0	0							
Roof-Top Fan 2	-1	2010	0	NA	0	0							
Roof-Top Fan 3	-2	2039	0	NA	0	1							
Ambient Outdoor Air	NA	NA	0	NA	0	0							

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

APPENDIX B

Indoor and Ambient Outdoor Air Analytical Summary

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3	
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
Acetone	8-Feb-08		20.200	U	8.240	U	4.750	U	4.750	U	6.870	U	8.060	U	4.750	U	4.780	U					4.750	U			
	27-Mar-08 ²		576.000	U	108.000	U	89.900	U	89.900	U	24.700	U	38.300	U	76.700	U	47.400	U					5.870	U			
	25-Apr-08		61.700	U	12.900	U	19.000	U	15.100	U	14.800	U	18.600	U	12.500	U	17.100	U					6.670	U			
	29-May-08		19.500	U	16.000	U	12.800	U	10.900	U	17.200	U	10.900	U	13.200	U	11.600	U					7.480	U			
	27-Jun-08		87.900	U	20.000	U	20.500	U	27.700	U	28.900	U	29.000	U	26.000	U	29.800	U					19.700	U			
	31-Jul-08		32.200	U	17.200	U	20.800	U	17.200	U	16.800	U	23.800	U	20.000	U	18.600	U	23.500	U			20.000	U			
	28-Aug-08		33.100	U	21.100	U	21.500	U	25.800	U	27.000	U	32.400	U	29.100	U	23.800	U					37.000	U			
	30-Sep-08		39.400	U	10.400	U	7.600	U	11.200	U	44.800	U	29.900	U	19.600	U	55.600	U					6.800	U			
	27-Oct-08		56.200	U	23.100	U	14.900	U	24.100	U	15.900	U	26.500	U	34.300	U	25.100	U					109.000	U			
	25-Nov-08		21.300	U	8.200	U	5.300	U	14.000	U	15.600	U	9.700	U	6.500	U	10.000	U					7.000	U			
	18-Dec-08		39.300	U	16.900	U	16.900	U	21.500	U	23.100	U	41.900	U	22.000	U	28.800	U					40.000	U			
	21-Jan-09		5.300	U	2.400	U	2.400	U	3.600	U	5.600	U	5.000	U	3.300	U	4.000	U					2.400	U			
	25-Feb-09		2.400	U	2.900	U	2.400	U	NS	U	9.600	U	5.000	U	3.800	U	4.100	U					2.400	U			
	26-Mar-09		34.400	U	10.700	U	8.820	U	11.300	U	13.800	U	12.000	U	10.500	U	12.000	U					9.680	U			
	29-Apr-09		4.750	U	5.700	U	7.230	U	19.200	U	9.420	U	19.200	U	7.570	U	9.610	U					7.700	U			
	22-Jul-09		2.370	U	13.100	U	18.700	U	11.700	U	28.900	U	29.400	U	17.100	U	19.400	U					11.000	U			
	9-Oct-09		19.500	U	10.100	U	9.220	U	11.000	U	15.500	U	12.000	U	10.600	U	11.600	U					8.570	U			
	15-Jan-10		11.900	U	8.160	U	5.080	U	6.700	U	7.320	U	7.270	U	5.260	U	8.110	U					6.190	U			
	21-Apr-10		26.700	U	22.000	U	23.200	U	23.200	U	19.900	U	21.800	U	21.800	U	20.500	U					4.960	U			
	16-Jul-10		28.200	U	18.500	U	13.800	U	16.100	U	36.900	U	24.900	U	40.700	U	16.000	U					14.300	U			
	15-Oct-10		32.700	U	8.180	U	4.750	U	11.500	U	7.360	U	6.010	U	5.530	U	6.690	U					7.630	U			
	30-Nov-10		NS	U	13.200	U	13.000	U	NS	U	13.000	U	NS	U	6.460	U	NS	U					NS	U			
	26-Jan-11		28.500	U	20.800	U	11.600	U	14.900	U	13.500	U	33.200	U	12.600	U	24.000	U			21.500	U	15.900	U	9.850	U	
	26-Jan-11**		NS	U	17.000	U	15.000	U	NS	U	NS	U	NS	U	12.000	U	NS	U					NS	U			
	27-Apr-11		6.820	U	12.800	U	11.300	U	14.700	U	14.600	U	7.550	U	12.300	U	5.930	U					5.600	U			
	26-Jul-11		51.800	U	48.000	U	22.800	U	82.200	U	28.700	U	7.170	U	25.400	U	39.400	U					8.840	U			
	28-Oct-11		17.000	U	12.000	U	7.400	U	9.900	U	11.000	U	9.700	U	13.000	U	15.000	U					8.000	U			
	23-Jan-12		15.000	U	18.000	U	18.000	U	10.000	U	37.000	U	19.000	U	19.000	U	18.000	U					13.000	U			
	13-Apr-12		11.000	U	16.000	U	11.000	U	11.000	U	11.000	U	21.000	U	9.100	U	19.000	U					24.000	U			
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	21.000	U					9.100	U			
	20-Jun-12		19.000	U	22.000	U	17.000	U	21.000	U	20.000	U	15.000	U	15.000	U	22.000	U					11.000	U			
	1-Nov-12		12.000	U	11.000	U	9.500	U	16.000	U	8.300	U	12.000	U	13.000	U	11.000	U					9.000	U			
	1-Feb-13		15.000	U	15.000	U	12.000	U	14.000	U	12.000	U	18.000	U	14.000	U	18.000	U					8.200	U			
	29-Apr-13		26.000	U	23.000	U	22.000	U	21.000	U	28.000	U	32.000	U	27.000	U	35.000	U					18.000	U			
	9-Jul-13		25.000	U	26.000	U	22.000	U	24.000	U	41.000	U	28.000	U	35.000	U	32.000	U					24.000	U			
	9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	18.827	U	NS	U	NS	U	NS	U					11.710	U			
	18-Oct-13		34.000	U	32.000	U	30.000	U	42.000	U	29.000	U	46.000	U	34.000	U	20.000	U					20.000	U			
	9-Jan-14		8.900	U	19.000	U	16.000	U	20.000	U	21.000	U	24.000	U	27.000	U	45.000	U					8.300	U			
	24-Apr-14		19.000	U	12.000	U	18.000	U	17.000	U	17.000 ^M	U	12.000	U	16.000	U	76.000 ^M	U					6.100	U			
	1-Aug-14		35.000 ^M	U	12.000 ^M	U	29.000 ^M	U	37.000 ^M	U	43.000 ^M	U	38.000 ^M	U	81.000 ^M	U	35.000 ^M	U					27.000 ^M	U			
2-Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U				
22-Oct-14		17.000	U	12.000	U	2.900	U	18.000	U	27.000	U	34.000	U	26.000	U	51.000	U					13.000	U				
20-Jan-15		37.000	U	30.000	U	30.000	U	34.000	U	39.000	U	44.000	U	57.000	U	49.000	U					49.000	U				
0-Mar-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U				
22-Apr-15		18.000	U	21.000	U	79.000 ^T	U	15.000	U	20.000	U	1.900	U	34.000	U	43.000	U					17.000	U				
21-Jul-15		36.000	U	15.000 ^A	U	24.000	U	23.000	U	16.000	U	17.000	U	22.000	U	23.000	U					13.000	U				
3-Sept-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U				
29-Oct-15		4.800	U	19.000	U	22.000	U	18.000	U	7.700	U	33.000	U	22.000	U	16.000	U					9.200	U				
8-Dec-15 resamp		NS	U	13.000	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U				
27-Jan-16		20	U	19	U	14	U	20	U	16	U	38	U	13	U	51	U					9.8	U				
20-Apr-16 ³		15	U	7.2	U	8.1	U	7.2	U	11	U	11	U	6.4	U	11	U					8.1	U				
Acrylonitrile	8-Feb-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U			
	27-Mar-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U			
	25-Apr-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U			
	29-May-08		1.080																								

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3	Qual		
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
Benzene	8-Feb-08	3.3		0.910		0.840		0.730		0.780		0.810		0.800		0.750		0.790							0.870				
	27-Mar-08			1.420		1.350		1.600		1.420		1.420		2.130		1.730		1.680							0.372				
	25-Apr-08			1.360		1.300		0.638		1.400		1.150		1.270		1.130		1.120							0.413				
	29-May-08			0.370		0.430		0.300		0.400		0.300		0.450		0.410		0.310							0.230				
	27-Jun-08			0.631		0.603		0.666		0.644		0.657		0.604		0.849		0.582							0.726				
	31-Jul-08			0.568		0.477		0.419		0.451		0.528		0.465		0.378		0.390							0.405				
	28-Aug-08			1.190		1.110		1.010		0.953		0.935		1.060		1.060		1.020							1.280				
	30-Sep-08			1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	0.2	1.600	U				1.600	U			
	27-Oct-08			2.100		1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.900					3.600				
	25-Nov-08			1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U				1.600	U			
	18-Dec-08			1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U				1.600	U			
	21-Jan-09			1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U				1.600	U			
	25-Feb-09			1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U				1.600	U			
	26-Mar-09			2.330		1.840		1.740		1.650		1.540		2.210		0.316		1.880							2.390				
	29-Apr-09			0.594		0.358		0.332		0.303		0.358		0.358		1.460		0.335							0.351				
	22-Jul-09			0.626		0.546		0.642		0.574		0.852		1.560		1.460		1.080							4.330				
	9-Oct-09			1.130		0.954		0.903		0.878		0.919		1.050		1.070		0.996							1.100				
	15-Jan-10			1.670		1.510		1.340		1.460		1.420		1.450		1.540		1.550							1.370				
	21-Apr-10			1.020		1.320		1.080		1.380		1.270		1.210		1.230		1.240							0.335				
	16-Jul-10			0.319		0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.485	U	0.319	U				0.319	U			
	15-Oct-10			0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.412	U	0.319	U				0.319	U			
	30-Nov-10			NS		0.514		NS		0.594		NS		NS		NS		NS		NS					NS				
	26-Jan-11			2.920		2.890		2.970		3.290		2.940		3.430		2.560		3.660				2.940		2.850		3.350			
	26-Jan-11**			NS		3.600		3.800		NS		NS		NS		3.800		NS							NS				
	27-Apr-11			0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U				0.319	U			
	26-Jul-11			0.559		0.664		0.319		0.326		0.319		0.319		0.329		0.319							0.319	U			
	28-Oct-11			0.640		0.500		0.380		0.390		0.410		0.450		0.460		0.430							0.300				
	23-Jan-12			1.300		1.200		1.200		1.200		1.200		1.200		1.200		1.300							1.200				
	13-Apr-12			0.680		0.670		0.590		0.600		0.580		0.650		0.580		0.520							0.220				
	2-Jul-12 resample			NS		NS		NS		NS		NS		NS		NS		0.290							0.140				
	20-Jun-12			0.490		0.540		0.410		0.510		0.520		0.440		0.460		0.540							0.540				
	1-Nov-12			1.300		1.000		0.770		1.200		0.990		1.500		1.700		1.300							0.470				
	1-Feb-13			0.470		0.410		0.400		0.410		0.460		0.490		0.500		0.410							0.410				
	29-Apr-13			0.960		0.920		0.900		0.930		0.760		0.710		0.940		0.840							0.300				
	9-Jul-13			0.440		0.420		0.400		0.450		0.450		0.420		0.450		0.440							0.520				
	9-Jul-13 RIDEM			NS		NS		NS		NS		0.537		NS		NS		NS						0.597					
	18-Oct-13			0.240		1.000		0.880		0.660		1.100		0.830		0.800		1.000							1.000				
	9-Jan-14			1.400		1.700		0.910		0.860		0.730		0.810		0.960		0.820							0.750				
	24-Apr-14			0.300		0.240		0.300		0.230		0.240		0.210		0.240		0.300							0.210				
	1-Aug-14			0.570		0.360		0.350		0.820		0.740		0.600		0.790		0.550							0.590				
2-Sept-14 resamp		NS		NS		NS		NS		NS		NS		0.410		NS						NS							
22-Oct-14		0.560		0.340		0.270	U	0.350		0.550		0.250		0.450		0.610							0.420						
20-Jan-15		0.450		0.440		0.440		0.430		0.500		0.500		0.580		0.480							0.510						
0-Mar-15 resamp		NS		NS		NS		NS		NS		NS		NS		0.490						NS							
22-Apr-15		0.860		1.200		0.920		0.750		1.100		0.950		0.930		0.880							0.880						
21-Jul-15		0.590		0.500 ^A		0.510		0.470		0.520		0.570		0.480		0.480							0.350						
3-Sept-15 resamp		NS		NS		NS		NS		NS		NS		0.360		NS						NS							
29-Oct-15		0.130 ^J		0.250		0.580		0.180 ^J		0.140 ^J		0.160 ^J		0.220		0.160							0.110 ^J						
4-Dec-15 resamp		NS		0.220		NS		NS		NS		NS		NS		NS						NS							
27-Jan-16		0.87		0.8		1		0.76		0.72		0.8		0.88		0.86						0.72							
20-Apr-16 ³		0.59		0.33		0.34		0.4		0.39		0.38		0.33		0.4						0.4							
Bromodichloromethane	8-Feb-08	0.034/0.13		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U				0.130	U					
	27-Mar-08			0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U				
	25-Apr-08			0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U				
	29-May-08			0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U				
	27-Jun-08			0.134	U	0.134	U	0.130	U	0.130	U	0.134	U	0.130	U	0.231	U	0.134	U					0.134	U				
	31-Jul-08			0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U				
	28-Aug-08			0.134	U	0.134	U	0.134	U	0.134	U	0.134																	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3								
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value						
Bromoform	8-Feb-08	0.55	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U								
	27-Mar-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U								
	25-Apr-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.210	U	0.210	U	0.210	U	0.210	U								
	29-May-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U								
	27-Jun-08		0.206	U	0.210	U	0.206	U	0.206	U	0.206	U	0.210	U	0.210	U	1.300	U	0.210	U	0.210	U	0.210	U	0.206	U	0.206	U						
	31-Jul-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	28-Aug-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	30-Sep-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U						
	27-Oct-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U						
	25-Nov-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U						
	18-Dec-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U						
	21-Jan-09		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U						
	25-Feb-09		0.410	U	0.410	U	0.410	U	0.410	U	NS	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U						
	26-Mar-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	29-Apr-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	22-Jul-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	9-Oct-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	15-Jan-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	21-Apr-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	16-Jul-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	15-Oct-10		NS	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	30-Nov-10		NS	U	0.206	U	0.206	U	0.206	U	NS	U	0.206	U	0.206	U	NS	U	0.206	U	NS	U	NS	U	NS	U	NS	U						
	26-Jan-11**		NS	U	0.353	U	0.351	U	0.352	U	0.352	U	0.353	U	0.351	U	0.351	U	0.353	U	0.353	U	0.351	U	0.351	U	0.351	U	0.351	U				
	27-Apr-11		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U						
	26-Jul-11		0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U						
	28-Oct-11		0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U						
	23-Jan-12		0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U						
	13-Apr-12		0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U						
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U						
	20-Jun-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	1-Nov-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	1-Feb-13		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	29-Apr-13		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	9-Jul-13		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	18-Oct-13		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	9-Jan-14		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	24-Apr-14		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	1-Aug-14		0.210	U	0.210	U	0.210	U	0.210	U	0.310	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U						
	2-Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U						
	22-Oct-14		0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U						
20-Jan-15	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U								
0-Mar-15 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U								
22-Apr-15	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U								
21-Jul-15	0.500	U	0.500 ^A	U	0.500	U	0.500	U	0.500	U	0.600	U	0.500	U	0.700	U	0.500	U	0.500	U	0.500	U	0.500	U	0.600	U								
3-Sept-15 resamp	NS	U	NS	U																														

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Ctr (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)			Qual	AOA-2	Qual	AOA-3	Qual						
																							Qual	AOA-1	AOA-2						AOA-3					
n-Butylbenzene	8-Feb-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U		U	2.740	U												
	27-Mar-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U		U	2.740	U												
	25-Apr-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U		U	2.740	U												
	29-May-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U		U	2.740	U												
	27-Jun-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U		U	2.740	U												
	31-Jul-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U		U	2.740	U												
	28-Aug-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U		U	2.740	U												
	30-Sep-08		5.500	U	5.500	U	5.500	U	5.500	U	23.300	U	5.500	U	5.500	U	5.500	U	73.000	U		U	5.500	U												
	27-Oct-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U		U	5.500	U												
	25-Nov-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U		U	5.500	U												
	18-Dec-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U		U	5.500	U												
	21-Jan-09		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U		U	5.500	U												
	25-Feb-09		5.500	U	5.500	U	6.300	U	NS	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U		U	5.500	U												
	26-Mar-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	29-Apr-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	22-Jul-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	9-Oct-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	15-Jan-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	21-Apr-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	16-Jul-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	15-Oct-10		2.740	U	2.740	U	2.740	U	NS	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	30-Nov-10		NS	U	2.740	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		U	NS	U												
	26-Jan-11		0.468	U	4.660	U	4.660	U	4.670	U	4.680	U	4.660	U	4.660	U	4.660	U	4.680	U	4.660	U	4.680	U												
	26-Jan-11**		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		U	NS	U												
	27-Apr-11		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	26-Jul-11		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U		U	2.740	U												
	28-Oct-11		0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U		U	0.470	U												
	23-Jan-12		0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U		U	0.550	U												
	13-Apr-12		0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U		U	0.470	U												
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		U	NS	U												
	20-Jun-12		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U												
	1-Nov-12		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U												
	1-Feb-13		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U												
	29-Apr-13		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U												
	9-Jul-13		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U												
	18-Oct-13		0.320	U	0.320	U	0.320	U	0.320	U	0.410	U	0.320	U	0.590	U	0.420	U	0.420	U		U	0.340	U												
	9-Jan-14		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U												
	24-Apr-14		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U												
	1-Aug-14		0.320 ^L	U	0.320 ^L	U	0.320 ^L	U	0.470 ^L	U	0.320 ^L	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U												
	2-Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		U	NS	U												
22-Oct-14		0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U		U	0.470	U													
20-Jan-15		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.470	U	0.320	U		U	0.470	U													
0-Mar-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		U	0.360	U													
22-Apr-15		0.320	U	0.320 ^A	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		U	0.320	U													
27-Jan-16		0.32	U</																																	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3				
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value		
Chloroethane	8-Feb-08	500.0	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U				
	27-Mar-08		0.062	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U				
	25-Apr-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U				
	29-May-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U				
	27-Jun-08		0.053	U	0.050	U	0.053	U	0.053	U	0.053	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.053	U				
	31-Jul-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U				
	28-Aug-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U				
	30-Sep-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U		
	27-Oct-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U		
	25-Nov-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U		
	18-Dec-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U		
	21-Jan-09		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U		
	25-Feb-09		1.300	U	1.300	U	1.300	U	1.300	U	NS	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U		
	26-Mar-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	29-Apr-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	22-Jul-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	9-Oct-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	15-Jan-10		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	21-Apr-10		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	16-Jul-10		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	15-Oct-10		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	30-Nov-10		NS	U	0.053	U	0.053	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	26-Jan-11		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U		
	26-Jan-11**		NS	U	0.130	U	0.130	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	27-Apr-11		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	26-Jul-11		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	28-Oct-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U		
	23-Jan-12		0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U		
	13-Apr-12		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U		
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	20-Jun-12		0.072	U	0.150	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	1-Nov-12		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.061	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	1-Feb-13		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	29-Apr-13		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	9-Jul-13		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	18-Oct-13		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	9-Jan-14		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	24-Apr-14		0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U		
	1-Aug-14		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U		
	2-Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
22-Oct-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
20-Jan-15	0.053 ¹	U	0.053 ¹	U	0.053 ¹	U	0.060 ¹	U	0.053 ¹	U	0.053 ¹	U	0.053 ¹	U	0.079 ¹	U	0.053 ¹	U	0.053 ¹	U	0.053 ¹	U	0.053 ¹	U	0.079 ¹	U				
0-Mar-15 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
22-Apr-15	0.053	U	0.053	U	0.110 ²	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U				
21-Jul-15	0.100	U	0.100 ^A	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U				
3-Sept-15 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
29-Oct-15	0.200	U	0.100																											

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
1,2-Dibromoethane (EDB)	8-Feb-08		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	27-Mar-08		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	25-Apr-08		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	29-May-08		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	27-Jun-08		0.150	U	0.150	U	0.154	U	0.154	U	0.150	U	0.150	U	0.150	U	0.629	U	0.154	U	0.154	U	0.154	U	0.150	U		
	31-Jul-08		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	28-Aug-08		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	27-Oct-08		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	27-Oct-08		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	25-Nov-08		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	18-Dec-08		0.150	U	0.150	U	0.280	U	0.280	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	21-Jan-09		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	25-Feb-09		0.150	U	0.150	U	0.150	U	NS	NS	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	26-Mar-09		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	29-Apr-09		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	22-Jul-09		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	9-Oct-09		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	15-Jan-10		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	21-Apr-10		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	16-Jul-10		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	15-Oct-10		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	30-Nov-10		NS	NS	0.154	U	0.154	U	NS	NS	0.154	U	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U		
	26-Jan-11		0.262	U	0.261	U	0.262	U	0.261	U	0.262	U	0.261	U	0.261	U	0.261	U	0.262	U	0.261	U	0.261	U	0.261	U		
	26-Jan-11**		NS	NS	0.380	U	0.380	U	NS	NS	0.380	U	NS	NS	NS	NS	0.380	U	NS	NS	0.380	U	NS	NS	0.380	U		
	27-Apr-11		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	26-Jul-11		0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U		
	28-Oct-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U		
	23-Jan-12		0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U		
	13-Apr-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U		
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	20-Jun-12		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	1-Nov-12		0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U		
	1-Feb-13		0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U		
	29-Apr-13		0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U		
	9-Jul-13		0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U		
	18-Oct-13		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	9-Jan-14		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.170	U	0.150	U	0.150	U	0.150	U		
	24-Apr-14		0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.150	U	0.077	U	0.077	U		
	1-Aug-14		0.150	U	0.150	U	0.150	U	0.230	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U		
	2-Sept-14 resamp		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
22-Oct-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			
20-Jan-15		0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.120	U	0.077	U	0.077	U	0.077	U	0.120	U			
0-Mar-15 resamp		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
22-Apr-15		0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U			
21-Jul-15		0.400	U	0.400 ^A	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400		
3-Sept-15 resamp		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
29-Oct-15		0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400		
4-Dec-15 resamp		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
27-Jan-16		0.077	U	0.077	U	0.077	U																					

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
1,2-Dichloroethane	8-Feb-08	0.070.08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	27-Mar-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	25-Apr-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	27-Jun-08		0.080	U	0.081	U	0.080	U	0.084	U	0.080	U	0.080	U	0.080	U	0.178	U	0.080	U			0.081	U		
	31-Jul-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	28-Aug-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	30-Sep-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	27-Oct-08		0.080	U	0.150	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	25-Nov-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	18-Dec-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	21-Jan-09		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	25-Feb-09		0.080	U	0.080	U	0.080	U	0.080	U	NS	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	26-Mar-09		0.102	U	0.084	U	0.087	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	29-Apr-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.089	U	0.081	U	0.081	U	0.081	U			0.081	U		
	22-Jul-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	9-Oct-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	15-Jan-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	21-Apr-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.162	U		
	16-Jul-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	15-Oct-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	30-Nov-10		NS	U	0.081	U	0.081	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			NS	U		
	26-Jan-11		0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138	U	0.138	U	0.138	U		
	26-Jan-11**		NS	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U			NS	U		
	27-Apr-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.093	U	0.081	U	0.081	U	0.089	U			0.081	U		
	26-Jul-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	28-Oct-11		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U			0.061	U		
	23-Jan-12		0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.091	U	0.071	U	0.071	U	0.071	U			0.071	U		
	13-Apr-12		0.066	U	0.068	U	0.061	U	0.061	U	0.063	U	0.063	U	0.061	U	0.061	U	0.075	U			0.061	U		
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.061	U			0.061	U		
	20-Jun-12		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.080	U	0.081	U	0.081	U			0.081	U		
	1-Nov-12		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U		
	1-Feb-13		0.076	U	0.084	U	0.083	U	0.086	U	0.086	U	0.086	U	0.079	U	0.079	U	0.079	U			0.110	U		
	29-Apr-13		0.094	U	0.099	U	0.099	U	0.096	U	0.096	U	0.160	U	0.099	U	0.091	U	0.092	U			0.084	U		
	9-Jul-13		0.058	U	0.050	U	0.047	U	0.052	U	0.052	U	0.081	U	0.049	U	0.053	U	0.047	U			0.047	U		
	9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	NS	U	0.084	U	NS	U	NS	U	NS	U			0.051	U		
	18-Oct-13		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U		
	9-Jan-14		0.040	U	0.097	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U		
	24-Apr-14		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.150	U			0.040	U		
	1-Aug-14		0.040	U	0.040	U	0.040	U	0.060	U	0.100	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U		
	2-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			NS	U		
	22-Oct-14		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U			0.061	U		
	20-Jan-15		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U		
	0-Mar-15 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.047	U			NS	U		
	22-Apr-15		0.040	U	0.040	U	0.375	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U		
21-Jul-15	0.100	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U			0.200	U				
3-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			NS	U				
29-Oct-15	0.200	U	0.890	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.430	U	0.200	U			0.200	U				
4-Dec-15 resample	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			NS	U				
27-Jan-16	0.06	U	0.063	U	0.081	U	0.065	U	0.068	U	0.068	U	0.068	U	0.063	U	0.076	U			0.057	U				
20-Apr-16 ³	0.057	U	0.055	U	0.040	U	0.068	U	0.068	U	0.058	U	0.060	U	0.040	U	0.058	U			0.062	U				
1,1-Dichloroethylene	8-Feb-08	10.0	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U				
	27-Mar-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U				
	25-Apr-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U				
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U		
	27-Jun-08		0.079	U	0.080																					

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3						
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value				
Methyl tert butyl ether (MTBE)	8-Feb-08	160.0	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U						
	27-Mar-08		0.440	U	0.102	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U						
	25-Apr-08		0.116	U	0.116	U	0.107	U	0.127	U	0.126	U	0.121	U	0.131	U	0.113	U	0.113	U	0.113	U	0.113	U	0.113	U						
	29-May-08		0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U						
	27-Jun-08		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U						
	31-Jul-08		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U						
	28-Aug-08		0.095	U	0.130	U	0.123	U	0.123	U	0.091	U	0.106	U	0.115	U	0.089	U	0.089	U	0.089	U	0.089	U	0.089	U	0.089	U				
	30-Sep-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U				
	27-Oct-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	2.600	U	2.300	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U				
	25-Nov-08		2.100	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U				
	18-Dec-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U				
	21-Jan-09		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U				
	25-Feb-09		1.800	U	2.700	U	1.800	U	NS	U	1.800	U	2.700	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U				
	26-Mar-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	29-Apr-09		0.072	U	0.072	U	2.350	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	22-Jul-09		0.072	U	0.072	U	0.223	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.169	U				
	9-Oct-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	15-Jan-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	21-Apr-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	16-Jul-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	15-Oct-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	30-Nov-10		NS	U	0.072	U	0.072	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
	26-Jan-11		0.123	U	0.122	U	0.123	U	0.123	U	0.123	U	0.123	U	0.122	U	0.122	U	0.123	U	0.122	U	0.122	U	0.122	U	0.122	U	0.122	U		
	26-Jan-11**		NS	U	0.180	U	0.180	U	NS	U	NS	U	NS	U	0.180	U	NS	U	0.180	U	NS	U	0.122	U	0.123	U	0.122	U				
	27-Apr-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	26-Jul-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	28-Oct-11		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U				
	23-Jan-12		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U				
	13-Apr-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U				
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
	20-Jun-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	1-Nov-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	1-Feb-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	29-Apr-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	9-Jul-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
	18-Oct-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	9-Jan-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	24-Apr-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	1-Aug-14		0.072	U	0.072	U	0.072	U	0.110	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
2-Sept-14 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U						
22-Oct-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U						
20-Jan-15	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U						
0-Mar-15 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U						
22-Apr-15	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U						
21-Jul-15	0.180	U	0.200 ^A	U	0.200	U	0.550	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U						
3-Sept-15 resamp	NS	U	NS	U	NS	U	NS																									

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
4-Methyl-2-pentanone	8-Feb-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	27-Mar-08		2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	25-Apr-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	29-May-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	27-Jun-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	31-Jul-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	28-Aug-08		2.050	U	2.050	U	2.050	U	2.050	U	2.540	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U		
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U		
	15-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U		
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U		
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U		
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U		
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	NS	U	2.600	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U		
	26-Mar-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	29-Apr-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	22-Jul-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	9-Oct-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	15-Jan-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	21-Apr-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.250	U	2.050	U	2.050	U	2.050	U		
	16-Jul-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	15-Oct-10		NS	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	30-Nov-10		NS	U	2.050	U	2.050	U	2.050	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	26-Jan-11		3.490	U	3.480	U	3.490	U	3.490	U	3.490	U	59.500	U	3.490	U	3.480	U	6.760	U	3.480	U	3.490	U	3.480	U		
	26-Jan-11**		NS	U	0.200	U	0.200	U	0.200	U	NS	U	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	27-Apr-11		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.930	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	26-Jul-11		11.700	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U		
	28-Oct-11		2.100	U	0.490	U	0.840	U	0.560	U	0.800	U	0.930	U	1.500	U	1.200	U	1.200	U	1.200	U	1.200	U	1.200	U		
	23-Jan-12		0.140	U	0.140	U	0.210	U	0.190	U	26.000	U	2.900	U	0.230	U	270.000	U	0.230	U	0.230	U	0.230	U	0.230	U		
	13-Apr-12		0.120	U	0.120	U	0.200	U	0.120	U	0.150	U	0.230	U	0.120	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U		
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	20-Jun-12		0.230	U	0.082	U	0.460	U	0.250	U	0.320	U	0.270	U	0.190	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U		
	1-Nov-12		0.082	U	0.260	U	0.180	U	0.420	U	0.500	U	0.650	U	0.082	U	0.220	U	0.220	U	0.220	U	0.220	U	0.220	U		
	1-Feb-13		0.082	U	0.100	U	0.120	U	0.082	U	0.190	U	0.280	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U		
	29-Apr-13		2.900	U	0.290	U	0.290	U	0.420	U	0.510	U	0.320	U	0.450	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U		
	9-Jul-13		0.250	U	0.320	U	0.300	U	0.320	U	0.350	U	0.400	U	0.270	U	0.280	U	0.280	U	0.280	U	0.280	U	0.280	U		
	18-Oct-13		1.800	U	0.220	U	0.190	U	1.500	U	2.200	U	0.850	U	3.300	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U		
	9-Jan-14		0.082	U	0.082	U	0.110	U	0.130	U	0.150	U	0.360	U	0.110	U	1.400	U	0.082	U	0.082	U	0.082	U	0.082	U		
	24-Apr-14		0.240	U	0.120	U	0.300	U	0.130	U	0.082	U	0.140	U	0.120	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U		
	1-Aug-14		0.082 ¹	U	0.082 ¹	U	0.560 ¹	U	0.380 ¹	U	0.380 ¹	U	0.082 ¹	U	0.380	U	0.280	U	0.280	U	0.280	U	0.280	U	0.280	U		
2-Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
22-Oct-14		0.120	U	0.120	U	0.140	U	0.140	U	0.280	U	1.200	U	0.120	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			
20-Jan-15		0.500	U	0.570	U	0.610	U	0.800	U	0.560	U	0.800	U	0.550	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U			
0-Mar-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
22-Apr-15		0.350	U	0.450	U	0.710	U	0.260	U	0.290	U	0.290	U	0.460	U	0.860	U	0.860	U	0.860	U	0.860	U	0.860	U			
21-Jul-15		0.370	U	0.100 ^A	U	0.250	U	0.340	U	0.340	U	0.340	U	0.340	U	78.000	U	0.340	U	0.340	U	0.340	U	0.340	U			
3-Sept-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
29-Oct-15		0.200	U	0.310	U	0.110 ^J	U	0.280	U	0.200	U	2.100	U	0.220	U	1.400	U	1.400	U	1.400	U	1.400	U	1.400	U			
4-Dec-15 resamp		NS	U</																									

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Tetrachloroethene*	8-Feb-08		0.140		0.140	U	0.140	U	0.150		0.140	U	0.140	U	0.140	U	0.140	U						0.350				
	27-Mar-08 ²		12.500		6.680		13.300		16.100		26.000		7.730		23.300		4.310							0.153				
	25-Apr-08		0.180		0.254		0.179		0.282		0.231		0.276		0.228		0.298							0.136	U			
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U						0.140	U			
	27-Jun-08		0.249		0.449		0.397		0.459		0.424		0.243		0.460		0.246							0.216				
	31-Jul-08		1.030		1.000		0.877		0.880		0.872		0.795		0.252		0.287							0.154				
	28-Aug-08		0.321		0.367		0.283		0.323		0.274		0.434		0.294		0.282							0.445				
	30-Sep-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U						3.400	U			
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U						4.200	U			
	25-Nov-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U						3.400	U			
	18-Dec-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U						3.400	U			
	21-Jan-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U						3.400	U			
	25-Feb-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U						3.400	U			
	26-Mar-09		1.530		1.210		1.170		0.980		1.080		1.320		1.420		1.890							1.380				
	29-Apr-09		0.136	U	0.136	U	0.697		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U						0.136	U			
	22-Jul-09		0.291		0.190		0.224		0.196		0.196		0.196		0.183		0.210							0.535				
	9-Oct-09		2.250		1.550		1.580		1.580		1.380		1.700		2.080		1.960							0.779				
	15-Jan-10		0.359		0.346		0.339		0.373		0.312		3.460		0.346		0.312							2.450				
	21-Apr-10		0.637		0.752		0.440		0.650		0.752		0.508		0.407		0.474							0.562				
	16-Jul-10		0.318		0.420		0.420		0.427		0.501		0.230		0.447		0.474							0.230				
	15-Oct-10		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U						0.142				
	30-Nov-10		NS		0.461		0.291		NS		NS		NS		0.169		NS							NS				
	26-Jan-11		0.636		0.484		0.370		0.566		0.440		0.725		0.346		0.578				0.472		0.428	0.426				
	26-Jan-11**		NS		0.580		0.490	U	NS		NS		NS		0.480		NS						0.426					
	27-Apr-11		0.142		0.176		0.176		0.352		0.176		0.136	U	0.149		0.136	U						0.285				
	26-Jul-11		0.529		0.563		0.522		0.631		0.549		0.325		0.739		0.461							0.224				
	28-Oct-11		0.100	U	0.140		0.100	U	0.100	U	0.100	U	0.110	U	0.100	U	0.100	U						0.068	U			
	23-Jan-12		0.240	U	0.240	U	0.240	U	0.590		0.320		0.510		0.260		0.410							0.260				
	13-Apr-12		0.150		0.110		0.120		0.250		0.150		0.160		0.190		0.190							0.140	U			
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS		0.190							0.130				
	20-Jun-12		0.390		0.800		0.310		0.370		0.390		0.400		0.410		0.440							0.240				
	1-Nov-12		0.360		0.460		0.400		0.730		0.470		0.770		0.600		0.560							0.120				
	1-Feb-13		0.130		0.095		0.073		0.120		0.095		0.210		0.440		0.292							0.140				
	29-Apr-13		0.610		0.560		0.560		0.630		0.880		0.046		0.650		0.580							0.320				
	9-Jul-13		0.270		0.240		0.230		0.260		0.250		0.320		0.440		0.280							0.280				
	9-Jul-13 RIDEM		NS		NS		NS		NS		0.279		NS		NS		NS						0.281			0.28		0.35
	18-Oct-13		0.140	U	0.140	U	0.150		0.140		0.180		0.210		0.170		0.180							0.140	U			
	9-Jan-14		0.140		0.190		0.140		0.160		0.190		0.190		0.160		0.520							0.190				
	24-Apr-14		0.068	U	0.068	U	0.068	U	0.068	U	0.140	U	0.068	U	0.068	U	0.140	U						0.068	U			
	1-Aug-14		0.590		0.510		0.240		0.970		3.800		0.360		10.000/14.000		0.810							15.000				
2-Sept-14 resamp		NS		NS		NS		NS		NS		NS		0.084		NS							NS					
22-Oct-14		0.420		0.360		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U						0.500					
20-Jan-15		0.068	U	0.160		0.150		0.170		0.068	U	0.280	U	0.100	U	4.200							0.100	U				
0-Mar-15 resamp		NS		NS		NS		NS		NS		NS		NS		0.094							NS					
22-Apr-15		0.620		0.790		1.300		1.200		1.300		0.790		1.200		1.300							0.190					
21-Jul-15		1.300		0.410 ^A		2.700		0.350 ^J		0.390		0.390		26.000		0.740							0.350 ^J					
3-Sept-15 resamp		NS		NS		NS		NS		NS		NS		0.400	U	NS						NS						
29-Oct-15		0.400	U	0.240 ^J		0.400	U	0.400	U	0.400	U	0.400	U	0.300	U	0.180 ^J							0.400	U				
4-Dec-15 resamp		NS		0.300	U	NS		NS		NS		NS		NS		NS						NS						
27-Jan-16		0.17		0.9		0.16		0.14		0.095		0.2		0.16		0.18							0.17					
20-Apr-16 ³		0.16		0.068	U	0.068	U	0.09		0.084		0.068	U	0.068	U	0.071							0.068	U				
Toluene	8-Feb-08		1.240		1.140		1.240		1.150		1.240		0.990		0.910		1.030						1.480					
	27-Mar-08		6.470		4.040		4.520		4.150		5.920		5.570		4.210		4.040						1.560					
	25-Apr-08		4.800		4.000		2.810		3.900		4.070		3.790		4.010		3.660						0.465					
	29-May-08		0.930		0.790		1.630		1.330		0.870		1.060		1.020		0.670							0.320				
	27-Jun-08		3.870		3.060		3.200		3.850		4.110		3.840		4.520		3.020							2.410				
	31-Jul-08		2.760		2.020		2.690		1.990		2																	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3	
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
Trichloroethane*	8-Feb-08			0.110		0.120		0.110	U	0.107		0.110	U	0.110	U	0.350		0.110	U					0.110	U		
	27-Mar-08			0.239		0.233		0.218		0.226		0.325		0.308		0.217		0.170						0.107	U		
	25-Apr-08			0.107	U	0.164		0.147		0.272		0.151		0.152		0.158		0.229						0.107	U		
	29-May-08			0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U		
	27-Jun-08			0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.107	U	0.107	U	0.143		0.195				0.107	U		
	31-Jul-08			0.113	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U		
	28-Aug-08			0.193		0.116		0.107	U	0.107	U	0.146		0.134		0.110		0.107	U					0.838	U		
	30-Sep-08			0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U			0.800	U		
	27-Oct-08			0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U			0.800	U		
	25-Nov-08			0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U		
	18-Dec-08			0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U		
	21-Jan-09			0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U		
	25-Feb-09			0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			0.130	U		
	26-Mar-09			4.000		0.326		1.510		0.438		0.639		1.180		1.610		0.450		6.870				0.209	U		
	29-Apr-09			0.107	U	0.107	U	1.340		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U		
	22-Jul-09			0.177		0.107		0.188		0.123		0.193		0.709		0.140		0.177		0.209				0.107	U		
	9-Oct-09			0.231		0.215		0.182		0.193		0.242		0.156		0.156		0.156		0.107				0.107	U		
	15-Jan-10			0.107		0.107		0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U		
	21-Apr-10			0.247		0.580		0.279		0.505		0.376		0.360		0.419		0.456		0.107				0.107	U		
	16-Jul-10			0.107		0.107	U	0.107	U	0.220		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U		
	15-Oct-10			0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U		
	30-Nov-10			NS		0.107	U	0.107	U	NS		NS		NS		0.109		NS		NS				NS	U		
	26-Jan-11			0.568		0.502		0.531		0.604		0.504		0.584		0.429		0.550		0.767		0.484	0.467	0.767	U		
	26-Jan-11**			NS		0.570		0.600		NS		NS		NS		0.600		NS		NS				NS	U		
	27-Apr-11		1.0	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U		
	26-Jul-11			0.107	U	0.107	U	0.118		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U		
	28-Oct-11			0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.054	U		
	23-Jan-12			0.190	U	0.190	U	0.190	U	0.290	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U			0.190	U		
	13-Apr-12			0.081	U	0.081	U	0.081	U	0.081	U	0.090	U	0.081	U	0.081	U	0.081	U	0.081	U			0.110	U		
	2-Jul-12 resample			NS		NS		NS		NS		NS		NS		NS		NS		0.081				0.081	U		
	20-Jun-12			0.110	U	0.110	U	0.110	U	0.110	U	0.120	U	0.110	U	0.110	U	0.110	U	0.110	U			0.110	U		
	1-Nov-12			0.054	U	0.054	U	0.067		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U			0.054	U		
	1-Feb-13			0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U			0.054	U		
	29-Apr-13			0.120		0.110		0.110		0.110		0.130		0.120		0.110		0.110		0.054				0.054	U		
	9-Jul-13			0.160		0.140		0.140		0.150		0.120		0.400		0.280		0.310		0.080				0.080	U		
	9-Jul-13 RIDEM			NS		NS		NS		NS		0.119		NS		NS		NS		0.088				0.088	U		
	18-Oct-13			0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.390				0.110	U		
	9-Jan-14			0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			0.110	U		
	24-Apr-14			0.054	U	0.054	U	0.054	U	0.054	U	0.110	U	0.054	U	0.110	U	0.110	U	0.054	U			0.054	U		
	1-Aug-14			0.110	U	0.110	U	0.110	U	0.170		1.700		0.110	U	0.270		0.140		1.100				1.100	U		
2-Sept-14 resamp			NS		NS		NS		NS		NS		NS		0.054		NS		NS				NS	U			
22-Oct-14			0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.180				0.180	U			
20-Jan-15			0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.081	U	20.000		0.081				0.081	U			
0-Mar-15 resamp			NS		NS		NS		NS		NS		NS		NS		0.062		NS				NS	U			
22-Apr-15			0.260		0.14 ^A		0.260 ^J		0.240 ^J		0.440		0.270		0.290		0.290		0.054				0.054	U			
21-Jul-15			0.260		0.14 ^A		0.260 ^J		0.240 ^J		0.300	U	0.200 ^J		0.190 ^J		0.300		0.300				0.300	U			
3-Sept-15 resamp			NS		NS		NS		NS		NS		NS		NS		NS		NS				NS	U			
29-Oct-15			0.300	U	1.100		0.300	U	0.300	U	0.220 ^J		0.300	U	0.290	U	0.200	U	0.300	U			0.300	U			
4-Dec-15 resamp			NS		0.300	U	NS		NS		NS		NS		NS		NS		NS				NS	U			
27-Jan-16			0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.071		0.054	U	0.054	U	0.054	U			0.054	U			
20-Apr-16 ³			0.11		0.054	U	0.054	U	0.097		0.06		0.077		0.054	U	0.064	U	0.075				0.075	U			
Trichlorofluoromethane	8-Feb-08			1.140		1.020		1.110		1.010		0.990		1.050		1.040		1.020						1.080	U		
	27-Mar-08			1.740		1.520		1.540		1.250		2.320		2.120		2.140		1.210		1.380				1.380	U		
	25-Apr-08			1.740		1.660		1.240		1.640		1.480		1.520		1.660		1.500		1.030				1.030	U		
	29-May-08			1.020		0.930		0.870		1.060		0.930		0.930		0.990											

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
1,2,4-Trimethylbenzene	8-Feb-08		0.900		0.970		2.520		1.890		0.210		0.210		0.210		0.310						0.210					
	27-Mar-08		1.330		1.590		3.390		3.240		0.920		1.390		0.828		0.989						0.989	U				
	25-Apr-08		0.998		1.760		11.700		1.640		0.909		0.839		0.911		0.750						0.988	U				
	29-May-08		0.300		0.470		8.320		6.680		0.270		0.960		0.690		0.110						0.100	U				
	27-Jun-08		1.560		0.443		2.120		3.040		0.634		0.246		0.722		0.206						0.175					
	31-Jul-08		1.650		1.360		1.380		2.080		0.959		1.940		0.207		0.142						0.157					
	28-Aug-08		0.438		1.430		3.690		5.340		0.642		0.461		0.455		0.464						0.354					
	30-Sep-08		2.500	U	2.500	U	2.500	U	2.000	U	6.800	U	2.500	U	2.500	U	9.300	U					2.500	U				
	27-Oct-08		2.500	U	2.500	U	2.500	U	3.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U				
	25-Nov-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U				
	18-Dec-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U				
	21-Jan-09		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U				
	25-Feb-09		2.500	U	2.500	U	3.900	U	NS	NS	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U				
	26-Mar-09		0.942		0.859		1.500		1.300		0.526		0.563		0.737		0.564						0.739					
	29-Apr-09		1.520		0.368		1.340		1.200		0.192		0.098		0.108		0.098						0.142					
	22-Jul-09		1.010		0.216		1.140		0.339		0.594		0.791		0.889		0.673						0.894					
	9-Oct-09		1.240		1.080		1.250		0.712		0.796		0.712		0.702		0.717						0.069					
	15-Jan-09		0.609		0.550		0.452		0.521		0.206		0.196		0.216		0.196						0.196					
	21-Apr-10		0.393		0.845		4.590		0.643		0.570		0.545		0.427		0.476						0.098	U				
	16-Jul-10		0.354		0.216		0.388		0.344		0.250		0.138		0.511		0.187						0.108					
	15-Oct-10		0.319		0.408		0.329		0.211		0.098		0.098		0.319		0.098						0.098	U				
	30-Nov-10		NS		0.334		NS		NS		NS		NS		NS		NS					NS						
	26-Jan-11		1.010		1.120		1.100		1.200		0.780		0.917		0.868		1.030		1.000		0.168		0.994					
	26-Jan-11**		NS		1.900		2.100		NS		NS		2.000		NS		NS						NS					
	27-Apr-11		0.138		0.280		2.080		0.255		0.147		0.113		0.172		0.113						0.128					
	26-Jul-11		0.575		2.160		1.120		0.285		0.236		0.157		0.290		0.177						0.123					
	28-Oct-11		0.340		0.220		0.300		0.290		0.230		0.260		0.310		0.330						0.098	U				
	23-Jan-12		0.660		0.580		0.580		0.710		0.380		0.520		1.000		0.650						0.470					
	13-Apr-12		0.400		0.410		0.760		0.480		0.340		0.340		0.290		0.360						0.240					
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS		0.150					0.150						
	20-Jun-12		0.560		1.200		0.910		0.680		0.600		0.470		0.560		0.610						0.310					
	1-Nov-12		0.720		0.480		0.310		0.300		0.460		0.650		0.750		0.600						0.120					
	1-Feb-13		0.330		0.300		0.180		0.160		0.150		0.120		0.220		0.098						0.098	U				
	29-Apr-13		0.990		0.540		0.540		0.700		0.320		0.580		0.440		0.130						0.190					
	9-Jul-13		0.480		0.410		0.280		0.340		0.440		0.230		0.300		0.240						0.190					
	9-Jul-13 RIDEM		NS		NS		NS		NS		0.470		NS		NS		NS					0.230						
	18-Oct-13		2.600		0.098	U	0.120		2.400		3.200		0.140		3.600		2.300						0.230					
	9-Jan-14		4.500		8.900		0.220		0.180		0.180		0.180		0.290		0.240						0.120					
	24-Apr-14		0.120		0.098	U	0.210		0.098	U	0.098	U	0.098	U	0.098	U	0.130						0.098	U				
	1-Aug-14		0.320		0.270		0.630		1.300		1.500		0.220		1.100		1.200						1.200					
2-Sept-14 resample		NS		NS		NS		NS		NS		NS		NS		NS					NS							
22-Oct-14		0.150	U	0.170		0.160		0.150	U	0.150	U	0.150	U	0.160	U	0.150	U					0.160	U					
20-Jan-15		0.150		0.560		0.098	U	0.160	U	0.098	U	0.370	U	0.170	U	0.490						0.150	U					
0-Mar-15 resample		NS		NS		NS		NS		NS		NS		NS		NS						NS						
22-Apr-15		0.510		0.450		0.350		0.350		0.480		0.510		0.480		0.510						0.190						
21-Jul-15		0.750		0.360 ^A		0.250		0.190 ^J		0.290 ^J		0.180 ^J		0.150 ^J		0.300						0.300	U					
3-Sept-15 resample		NS		NS		NS		NS		NS		NS		NS		NS						NS						
29-Oct-15		0.300	U	0.780		0.420		0.160 ^J		0.300	U	0.180 ^J		0.410		0.320						0.300	U					
8-Dec-15 resample		NS		0.200	U	NS		NS		NS		NS		NS		NS						NS						
27-Jan-16		0.098	U	0.098	U	0.21		0.098	U	0.098	U	0.15		0.37		0.2						0.11						
20-Apr-16 ³		0.1		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U					
1,3,5-Trimethylbenzene	8-Feb-08		0.460		0.450		1.300		0.980		0.100		0.100		0.100		0.100					0.100						
	27-Mar-08		0.535		0.652		1.620		1.530		0.292		0.438		0.256		0.334					0.098	U					
	25-Apr-08		0.367		0.816		7.170		0.802		0.342		0.293		0.375		0.280					0.098	U					
	29-May-08		0.170		0.220		4.710		4.050		0.140		0.640		0.470		0.100					0.100	U					
	27-Jun-08		0.942		0.232		1.100		1.580		0.102		0.385		0.387		0.100					0.098	U					
	31-Jul-08		1.040		0.782		0.671		1.360		0.570		1.190		0.098		0.098					0.098	U					
	28-Aug-08	</																										

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - April 2016**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
o-Xylene	8-Feb-08	220.0	0.290		0.270		0.870		0.610		0.210		0.170		0.150		0.160							0.200				
	27-Mar-08		0.762	U	0.718	U	1.340	U	1.120	U	0.920	U	1.060	U	0.640	U	0.668	U						0.087	U			
	25-Apr-08		0.824		0.724		3.480		0.821		0.750		0.770		0.786		0.680							0.087	U			
	29-May-08		0.130		0.120		2.080		1.000		0.110		0.180		0.150		0.090		U					0.090	U			
	27-Jun-08		0.463		0.393		1.030		1.030		0.485		0.358		0.833		0.339							0.332				
	31-Jul-08		0.476		0.375		0.822		0.371		0.420		0.583		0.240		0.207							0.246				
	28-Aug-08		0.779		1.020		2.210		2.160		0.683		0.787		0.812		0.702							0.832				
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U			
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U			
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U			
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U			
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U			
	25-Feb-09		2.200	U	2.200	U	2.600	U	2.600	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U			
	26-Mar-09		1.080		0.798		1.090		1.020		0.551		0.718		0.824		0.651							0.826				
	29-Apr-09		0.143		0.186		0.085		0.442	U	0.165		0.100		0.104		0.108							0.156				
	22-Jul-09		0.347		0.195		0.690		0.247		0.555		0.742		0.911		0.590							1.240				
	9-Oct-09		0.850		0.724		0.954		0.920		0.764		0.764		0.720		0.698							0.759				
	15-Jan-10		0.404		0.321		0.356		0.338		0.273		0.230		0.256		0.230							0.273				
	21-Apr-10		0.425		0.686		1.260		0.577		0.603		0.603		0.564		0.482							0.087	U			
	16-Jul-10		0.273		0.186		0.312		0.304		0.503		0.200		0.703		0.230							0.126				
	15-Oct-10		0.186		0.265		0.347	U	0.130		0.139	U	0.087		2.000	U	0.087		U					0.104				
	30-Nov-10		NS		0.225		0.325		NS		NS		NS		0.091		NS							NS				
	26-Jan-11		1.000		0.981		1.020		1.150		0.948		1.030		0.922		1.270				1.000		0.392	1.280				
	26-Jan-11**		NS		1.600		1.900		NS		NS		NS		1.900		NS							NS				
	27-Apr-11		0.133		0.134		0.616		0.208		0.824		0.091		0.152		0.080		U					0.095				
	26-Jul-11		0.439		1.520		0.643		2.210		0.295		0.395		0.308		0.165							0.139				
	28-Oct-11		0.810		0.360		0.440		0.260		0.450		0.550		0.660		0.470							0.180				
	23-Jan-12		0.630		0.520		0.530		0.620		0.530		0.580		0.600		0.590							0.590				
	13-Apr-12		0.320		0.270		0.320		0.270		0.280		0.300		0.270		0.220							0.200				
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS		0.130		U					0.130	U			
	20-Jun-12		0.470		0.056		0.430		0.580		0.490		0.460		0.530		0.510							0.280				
	1-Nov-12		0.860		0.480		0.350		0.510		0.480		0.780		0.930		0.710							0.140				
	1-Feb-13		0.110		0.089		0.087	U	0.087	U	0.092		0.090		0.220		0.087		U					0.140				
	29-Apr-13		0.590		0.460		0.460		0.450		0.450		0.330		0.910		0.430							0.120				
	9-Jul-13		0.350		0.320		0.300		0.350		0.340		0.300		0.330		0.310							0.290		0.33		
	9-Jul-13 RIDEM		NS		NS		NS		NS		NS		NS		NS		NS							0.330				
	18-Oct-13		0.660		0.100		0.100		0.500		0.770		0.110		1.300		0.850							0.460				
	9-Jan-14		4.000		6.100		0.160		0.160		0.160		0.160		0.330		0.190							0.140				
	24-Apr-14		0.087		0.087		0.084		0.087	U	0.087	U	0.087	U	0.099		0.120							0.087	U			
	14-Aug-14		0.200		0.160	U	0.310		0.700		0.690		0.230		0.940		0.770							0.560				
2-Sept-14 resamp	NS		NS		NS		NS		NS		NS		NS		NS							NS						
22-Oct-14	0.220		0.160		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.160							0.250						
20-Jan-15	0.130		0.180		0.140		0.200		0.150		0.200		0.260		0.270							0.270						
0-Mar-15 resamp	NS		NS		NS		NS		NS		NS		NS		0.140							NS						
22-Apr-15	0.560		0.640		0.590		0.560		0.810		0.460		0.630		0.620							0.200						
21-Jul-15	0.660		0.260 ^A		0.290		0.330		0.290		0.280		0.300		0.220							0.390 ^J						
3-Sept-15 resamp	NS		NS		NS		NS		NS		NS		0.360 ^J		NS							NS						
29-Oct-15	0.300	U	0.840		0.390		0.130 ^J		0.200	U	0.150 ^J		0.420	U	0.130 ^J							0.300	U					
4-Dec-15 resamp	NS		0.200	U	NS		NS		NS		NS		NS	U	NS							NS						
27-Jan-16	0.17		0.087	U	0.13		0.087	U	0.1		0.12		0.17		0.15							0.11						
20-Apr-16 ³	0.11		0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U						0.087	U					

Notes:

All data presented in micrograms per cubic meter (ug/m3).

Two values displayed with a slash indicates dilutions resulting in two different concentrations

U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.

NS: not sampled.

None: No Draft Proposed CT Residential TAC for this compound.

¹: exceedance of interim RIDEM-approved action level

^{*}: Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.

^{**}: Analyzed by Con-Test Analytical Laboratory

¹: Elevated Data is a result of inadvertent cross-contamination at the laboratory, and not resultant from soil vapor intrusion. Media Center/Room 145 was resampled on 28 January 2008 with Tetrachloroethylene concentration not detected by the laboratory (MDL = 0.14 ug/m³).

²: Elevated Tetrachloroethylene and Acetone data detected on 27 March 2008 was determined to be the result of cleaning products (e.g., graffiti remover, stainless steel polish, etc.) introduced to the school in February and March, and not the result of soil vapor intrusion. Re-sampling effort on 25 April 2008 indicates no exceedances of applicable Acetone and Tetrachloroethylene Action Levels.

³: All samples collected on 20 April 2016 except for the Kitchen Storage Room, which was collected on 25 April 2016 due to inaccessibility of the room during spring break.

^M: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.

^L: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

^J: Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

^A: Estimated result as the result was between the MDL and the RDL.

³: Summa canister had low pressure upon beginning sample collection, possible interference.

APPENDIX C

Subslab Vapor Analytical Summary

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Acetone	8-Feb-08	17.2		NS		NS		NS		4.75	U	NS		NS		NS		5.62		11.4		NS		
	27-Mar-08	NS		28.7		NS		NS		NS		NS		NS		NS		NS		217		NS		
	25-Apr-08	NS		NS		188		NS		NS		NS		513		NS		34		NS		33.9		
	29-May-08	NS		NS		NS		40.9		NS		NS		NS		92		9.82		16.4		NS		
	27-Jun-08	107		NS		NS		NS		145		NS		NS		NS		NS		20.4		9.73		
	31-Jul-08	NS		101		NS		NS		NS		NS		NS		NS		14.4		NS		18.1		
	28-Aug-08	NS		NS		1130		NS		NS		NS		30.9		NS		46		47.8		NS		
	30-Sep-08	NS		NS		NS		32.8		NS		NS		NS		44.1		NS		9.4		12.8		
	27-Oct-08	19.6		NS		NS		NS		15		NS		NS		NS		17.9		NS		33.3		
	25-Nov-08	NS		148		NS		NS		NS		183		NS		NS		13		24.7		NS		
	18-Dec-08	NS		NS		856		NS		NS		NS		10.4		NS		NS		37.2		22		
	21-Jan-09	NS		NS		NS		19.1		NS		NS		NS		6.1		NS	U	2.4		NS		4.8
	25-Feb-09	28.6		NS		NS		NS		60.9		NS		NS		NS		9.5		8.3		NS		
	26-Mar-09	NS		102		NS		NS		NS		47.5	U	NS		NS		NS		50.6		64.8		
	29-Apr-09	NS		NS		1980		NS		NS		NS		23.3		NS		5.15		NS		22.1		
	22-Jul-09	58.5		NS		58.5		148		NS		NS		87.8		NS		96		88.1		NS		
	9-Oct-09	NS		25.7		NS		49.7		NS		NS		9.2		11100		6.51		NS		16.8		
	15-Jan-10	33.6		NS		90.9		22.8		NS		26.3		NS		NS		12.5		NS		11.2		
	21-Apr-10	NS		21.9		NS		NS		206		NS		263		2870		72.8		NS		73.4		
	16-Jul-10	654		NS		4800		202		NS		11400		NS		NS		8.34		NS		21.1		
	15-Oct-10	NS		11.3		NS		NS		26		NS		10.2		18.3		7.03		NS		21.2		
	26-Jan-11	114		26.8		NS		54.4		NS		34.4		NS		35.4		25.3		33.3		NS		
	28-Feb-11	NS		NS		80.8		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		106		NS		NS		255		NS		220		227		17.8		NS		58.2		
	26-Jul-11	76.2		NS		120		154	E	NS		2730		NS		NS		12.8		NS		23.8		
	28-Oct-11	NS		48	U	NS		NS		48	U	NS		48	U	48	U	51		NS		48	U	
	23-Jan-12	37		NS		36		19		NS		28		NS		NS		38		NS		NS		
	13-Apr-12	NS		NS		NS		NS		70		NS		32		83		54		NS		43		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		48	U	
	23-Jun-12	21		NS		30		370		NS		1600		NS		NS		43		NS		21		
	1-Nov-12	NS		41		NS		NS		52		NS		75		44		35		NS		43		
	1-Feb-13	17		NS		12		25		NS		36		NS		NS		16		NS		NS		
	29-Apr-13	NS		45		NS		NS		100		NS		68		62		33		NS		43		
	9-Jul-13	100		NS		170		130		NS		260		NS		NS		80		NS		NS		
	18-Oct-13	NS		43		NS		NS		61		NS		47		57		48		NS		42		
	9-Jan-14	250		NS		16		25		NS		11		NS		NS		24		NS		NS		
	24-Apr-14	NS		NS		NS		NS		13		NS		41		15		42		NS		24		
	1-Aug-14	31 ^M		NS		110/99 ^M	E	110/100 ^M	E	NS		NS		NS		NS		31 ^M		57/50 ^M	E	NS		
	27-Aug-14	NS		NS		NS		NS		NS		210 ^E /130		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		15		NS		NS		NS		
22-Oct-14	NS		NS		NS		NS		14		5.3		17		3.8		40		NS		19			
20-Jan-15	14		NS		23		23		NS		16		NS		NS		39		NS		NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		45			
22-Apr-15	NS		87 ^V		NS		NS		1.9 ^V	U	NS		43		55 ^L /68		42		NS		49			
21-Jul-15	12		NS		22		20		NS		9.2		NS		NS		42 ^O		11 ^O		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		5.0		NS		NS		NS			
29-Oct-15	NS		4.5		NS		NS		NS		20		NS		11		9.2		NS		22			
4-Dec-15 resample	NS		1.9		NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	8.4		NS		9.2		7.2		NS		8.6		NS		NS		49		NS		NS			
20-Apr-16	NS		7.3		NS		NS		NS		8.4		NS		11		11		NS		21			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Acrylonitrile	8-Feb-08	1.08	U	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	NS	
	27-Mar-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		NS		1.08	U	1.08	U
	25-Apr-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS		1.08	U
	29-May-08	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	1.08	U	NS	
	27-Jun-08	1.69	U	NS		NS		NS		1.08	U	NS		NS		NS		NS		1.08	U	1.08	U
	31-Jul-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		1.08	U	NS		1.08	U
	28-Aug-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	1.08	U	NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	25-Feb-09	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS	
	26-Mar-09	NS		5.42	U	NS		NS		NS		10.8	U	NS		NS		NS		1.08	U	1.08	U
	29-Apr-09	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U
	22-Jul-09	5.42	U	NS		5.42	U	10.8	U	NS		5.42	U	NS		NS		1.08	U	1.08	U	NS	
	9-Oct-09	NS		0.051	U	NS		NS		1.08	U	NS		1.08	U	226	U	1.08	U	NS		1.08	U
	15-Jan-10	1.08	U	NS		1.08	U	NS		1.08	U	1.08	U	NS		NS		1.08	U	1.08	U	NS	
	21-Apr-10	NS		1.08	U	NS		NS		5.42	U	NS		5.42	U	5.42	U	1.08	U	NS		1.08	U
	16-Jul-10	1.08	U	NS		1.08	U	NS		1.08	U	8.19	U	NS		NS		1.08	U	1.08	U	NS	
	15-Oct-10	NS		0.108	U	NS		NS		1.08	U	NS		1.08	U	1.08	U	1.08	U	NS		1.08	U
	26-Jan-11	10.8	U	1.08	U	NS		1.08	U	NS		5.42	U	NS		5.42	U	5.42	U	5.42	U	NS	
	28-Feb-11	NS		NS		10.8	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.08	U	NS		NS		1.08	U	NS		1.08	U	1.08	U	1.08	U	NS		1.08	U
	26-Jul-11	3.62	U	NS		3.62	U	1.08	U	NS		5.42	U	NS		NS		1.08	U	5.42	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25	U	NS		0.37	U	NS		NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37 ^{L,V}	U	NS		NS		NS	
22-Oct-14	NS		0.37 ^L	U	NS		NS		0.37 ^L	U	0.37 ^L	U	0.37 ^L	U	0.37 ^L	U	0.37 ^L	U	0.50 ^L	U	NS		
20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS		
22-Apr-15	NS		0.26 ^L	U	NS		NS		0.25 ^L	U	NS		0.25 ^L	U	0.50	U	0.25 ^L	U	NS		0.29 ^L	U	
21-Jul-15	0.1	U	NS		0.4	U	2	U	NS		0.1	U	NS		NS		0.1 ^O	U	0.1 ^O	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.1	U	NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U	
4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		NS		NS		NS		
20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Benzene	8-Feb-08	0.92		NS		NS		NS		0.98		NS		NS		NS		0.54		0.85		NS	
	27-Mar-08	NS		0.54		NS		NS		NS		0.462		NS		NS		NS		0.788		0.635	
	25-Apr-08	NS		NS		0.584		NS		NS		NS		0.745		NS		0.428		NS		0.536	
	29-May-08	NS		NS		NS		0.73		NS		NS		NS		1.03		1.12		0.61		NS	
	27-Jun-08	0.626		NS		NS		NS		0.468		NS		NS		NS		NS		0.499		0.399	
	31-Jul-08	NS		0.418		NS		NS		NS		NS		NS		NS		0.358		NS		0.265	
	28-Aug-08	NS		NS		1.02		NS		NS		NS		0.537		NS		0.815		0.692		NS	
	30-Sep-08	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	1.6	U
	27-Oct-08	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U
	25-Nov-08	NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	18-Dec-08	NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U
	21-Jan-09	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	1.6	U	NS		1.6	U
	25-Feb-09	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	1.6	U	NS	
	26-Mar-09	NS		2.1		NS		NS		NS		2.23	U	NS		NS		NS		0.945		1.48	
	29-Apr-09	NS		NS		0.603		NS		NS		NS		0.246		NS		0.223	U	NS		0.367	
	22-Jul-09	1.12	U	NS		56		2.23	U	NS		1.45		NS		NS		4.27		0.629		NS	
	9-Oct-09	NS		1.15		NS		NS		0.974		NS		0.431		46.6	U	0.619		NS		0.824	
	15-Jan-10	0.763		NS		0.887		NS		0.98		1.26		NS		NS		0.964		NS		0.964	
	21-Apr-10	NS		0.373		NS		NS		0.16	U	NS		1.6	U	1.61		0.635		NS		1.26	
	16-Jul-10	0.332		NS		1.53		0.689		NS		2.41	U	NS		NS		0.319	U	0.319	U	NS	
	15-Oct-10	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.319	U	0.319	U	NS		0.319	U
	26-Jan-11	3.19	U	2.49		NS		2.46		NS		1.6	U	NS		1.85		1.8		1.9		NS	
	28-Feb-11	NS		NS		3.19	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.354		0.319	U	NS		0.319	
	26-Jul-11	1.06	U	NS		1.06	U	0.434		NS		1.6	U	NS		NS		0.319	U	1.6	U	NS	
	28-Oct-11	NS		1.6	U	NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U
	23-Jan-12	0.84		NS		1.2		0.98		NS		0.81		NS		NS		1.4		1.5		NS	
	13-Apr-12	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6	U	NS	
	23-Jun-12	0.45		NS		0.61		0.88		NS		0.43		NS		NS		0.42		0.4		NS	
	1-Nov-12	NS		0.45		NS		NS		0.43		NS		0.49		0.56		0.61		NS		1	
	1-Feb-13	0.33		NS		0.45		0.47		NS		0.35		NS		NS		0.45		0.46		NS	
	29-Apr-13	NS		0.41		NS		NS		0.38		NS		0.41		0.47		0.63		NS		0.67	
	9-Jul-13	0.64		NS		0.93		0.76		NS		0.70		NS		NS		0.65		0.42		NS	
	18-Oct-13	NS		0.66		NS		NS		0.63		NS		0.86		1.0		0.28		NS		0.92	
	9-Jan-14	1.2		NS		1.1		0.97		NS		1.1		NS		NS		1.5		NS		NS	
	24-Apr-14	NS		0.3		NS		NS		0.22		NS		0.32		0.23		0.39		0.34		0.35	
	1-Aug-14	0.49		NS		0.79/0.76		0.68/0.69		NS		NS		NS		NS		0.34		0.43		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.69		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS	U	NS	
22-Oct-14	NS		0.28		NS		NS		0.21		0.19		NS		0.34		0.14		0.36		0.32		
20-Jan-15	0.42		NS		0.33		0.45		NS		0.31		NS		NS		0.63		0.46		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.41		NS		
22-Apr-15	NS		0.48		NS		NS		0.35		NS		0.46		0.57/0.60		0.84		NS		0.93		
21-Jul-15	0.35		NS		0.520 ^j		3	U	NS		0.29		NS		NS		0.29 ^o		0.41 ^o		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.15 ^j		NS		NS		0.19		NS		0.26 ^j		0.27		0.24		NS		0.23		
4-Dec-15 resample	NS		0.11 ^j		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.32		NS		0.5		0.53		NS		0.43		NS		NS		0.72		NS		0.69		
20-Apr-16	NS		0.21		NS		NS		0.27		NS		0.27		0.32		0.73		NS		0.47		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Bromodichloromethane	8-Feb-08	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS	
	27-Mar-08	NS		0.134	U	NS		NS		NS		0.134	U	NS		NS		NS		0.134	U	0.134	U
	25-Apr-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	29-May-08	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	0.13	U	NS	
	27-Jun-08	0.209	U	NS		NS		NS		0.134	U	NS		NS		NS		NS		0.134	U	0.134	U
	31-Jul-08	NS		0.134	U	NS		NS		NS		NS		NS		NS		0.134	U	NS		0.134	U
	28-Aug-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	0.134	U	NS	
	30-Sep-08	NS		NS		NS		0.52		NS		NS		NS		0.13	U	NS		0.23		0.13	U
	27-Oct-08	0.13	U	NS		NS		NS		1.07		NS		NS		NS		0.13	U	NS		0.13	U
	25-Nov-08	NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	3		NS	
	18-Dec-08	NS		NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	0.13	U
	21-Jan-09	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U
	25-Feb-09	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13		NS	
	26-Mar-09	NS		0.67	U	NS		NS		NS		1.34	U	NS		NS		NS		0.134	U	0.134	U
	29-Apr-09	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		NS		NS		NS	
	22-Jul-09	0.67	U	NS		27.3	U	1.34	U	NS		0.67	U	NS		NS		0.134	U	0.134	U	NS	
	9-Oct-09	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	28	U	0.134	U	NS		0.134	U
	15-Jan-10	0.134	U	NS		0.134	U	0.134	U	NS		0.134	U	NS		NS		0.134	U	0.134		NS	
	21-Apr-10	NS		0.134	U	NS		NS		0.67	U	NS		0.67	U	0.67	U	0.134	U	NS		0.134	U
	16-Jul-10	0.134	U	NS		0.134	U	NS		0.134	U	1.01	U	NS		NS		0.134	U	0.134		NS	
	15-Oct-10	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jan-11	1.34	U	0.134	U	NS		0.134	U	NS		0.67	U	NS		0.67	U	0.67	U	0.67		NS	
	28-Feb-11	NS		NS		1.34	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jul-11	0.447	U	NS		0.447	U	0.134	U	NS		0.67	U	NS		NS		0.134	U	0.67		NS	
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	0.67	U	NS		0.67	U	0.67	U	NS		0.67	U	NS		NS		0.67	U	0.67		NS	
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	
	23-Jun-12	0.67	U	NS		0.67	U	0.67	U	NS		0.67	U	NS		NS		0.67	U	0.67		NS	
	1-Nov-12	NS		0.067	U	NS		NS		0.067	U	NS		0.067	U	0.067	U	0.067	U	NS		0.067	U
	1-Feb-13	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.067		NS	
	29-Apr-13	NS		0.16	U	NS		NS		0.067	U	NS		0.67	U	0.067	U	0.067	U	NS		0.067	U
	9-Jul-13	0.1	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.23		NS	
	18-Oct-13	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	U
	9-Jan-14	0.13	U	NS		0.13	U	NS		0.13	U	NS		0.13	U	NS		0.13	U	NS		NS	
	24-Apr-14	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	0.13		0.20	U
	1-Aug-14	0.13	U	NS		0.20	U	NS		NS		NS		NS		NS		0.13	U	0.13		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.067	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.1		NS		NS		NS	
22-Oct-14	NS		0.10	U	NS		NS		0.10	U	NS		0.10	U	0.10	U	0.10	U	0.13		NS		
20-Jan-15	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.1	U	0.067		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.075		NS		
22-Apr-15	NS		0.069	U	NS		NS		0.067	U	NS		0.067	U	0.097	U	0.067	U	NS		0.077	U	
21-Jul-15	0.3	U	NS		NS		7	U	NS		0.4	U	NS		NS		0.30 ^U	U	0.40 ^U		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.067	U	NS		0.067	U	NS		0.067	U	NS		0.067	U	NS		0.067	U	NS		0.42	NS	
20-Apr-16	NS		0.067	U	NS		NS		0.83		NS		NS		0.067	U	0.067	U	NS		0.12		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Bromoform	8-Feb-08	0.21	U	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	NS	
	27-Mar-08	NS		0.206	U	NS		NS		NS		0.206	U	NS		NS		NS		0.206	U	NS	U
	25-Apr-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	NS		0.206	U
	29-May-08	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	0.21	U	NS	
	27-Jun-08	0.322	U	NS		NS		NS		0.206	U	NS		NS		NS		NS		0.206	U	NS	U
	31-Jul-08	NS		0.206	U	NS		NS		NS		NS		NS		NS		0.206	U	NS		0.206	U
	28-Aug-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	0.206	U	NS	
	30-Sep-08	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U	0.41	U
	27-Oct-08	0.41	U	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	NS		0.41	U
	18-Dec-08	NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	0.41	U
	21-Jan-09	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U	0.41	U
	25-Feb-09	0.41	U	NS		NS		NS		0.14	U	NS		NS		NS		0.41	U	NS		0.41	U
	26-Mar-09	NS		1.03	U	NS		NS		NS		2.06	U	NS		NS		NS		0.206	U	0.206	U
	29-Apr-09	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		NS		0.206	U	NS	U
	22-Jul-09	1.03	U	NS		42	U	2.06	U	NS		1.03	U	NS		NS		0.206	U	0.206	U	NS	U
	9-Oct-09	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	43.1	U	0.206	U	NS		0.206	U
	15-Jan-10	0.206	U	NS		0.206	U	0.206	U	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U
	21-Apr-10	NS		0.206	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	0.206	U	NS		0.206	U
	16-Jul-10	0.206	U	NS		0.206	U	NS		0.206	U	1.56	U	NS		NS		0.206	U	0.206	U	NS	U
	15-Oct-10	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS		0.206	U
	26-Jan-11	2.06	U	0.206	U	NS		0.206	U	NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS	U
	28-Feb-11	NS		NS		2.06	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.206	U	NS		NS		0.206	U	NS		NS		0.206	U	0.206	U	NS		0.206	U
	26-Jul-11	0.69	U	NS		0.69	U	0.207	U	NS		1.03	U	NS		NS		0.207	U	1.03	U	NS	U
	28-Oct-11	NS		5.2	U	NS		NS		5.2	U	NS		5.2	U	NS		5.2	U	NS		5.2	U
	23-Jan-12	1	U	NS		1	U	1	U	NS		1	U	NS		NS		1	U	1	U	NS	U
	13-Apr-12	NS		1	U	NS		NS		1	U	NS		1	U	NS		1	U	NS		1	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		5.2	U	NS	U
	23-Jun-12	1	U	NS		1	U	1	U	NS		1	U	NS		NS		1	U	1	U	NS	U
	1-Nov-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	NS		0.21	U	NS		0.21	U
	1-Feb-13	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	29-Apr-13	NS		0.52	U	NS		NS		0.21	U	NS		0.21	U	NS		0.21	U	NS		0.21	U
	9-Jul-13	0.31	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	18-Oct-13	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	9-Jan-14	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U
	24-Apr-14	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	0.21	U	0.31	U
	1-Aug-14	0.21	U	NS		0.31	U	NS		0.31	U	NS		NS		NS		0.21	U	0.21	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.21	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS		NS	U
22-Oct-14	NS		0.31	U	NS		NS		0.31	U	NS		0.31	U	0.31	U	0.31	U	0.41	U	NS	U	
20-Jan-15	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.31	U	0.21	U	NS	U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.23	U	NS	U	
22-Apr-15	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.03	U	0.21	U	NS		0.24	U	
21-Jul-15	0.5	U	NS		2	U	10	U	NS		0.6	U	NS		NS		0.50 ^o	U	0.60 ^o	U	NS	U	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	
29-Oct-15	NS		0.6	U	NS		NS		0.6	U	NS		0.9	U	0.5	U	0.5	U	NS		0.5	U	
4-Dec-15 resample	NS		0.5	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	
27-Jan-16	0.21	U	NS		0.21	U	NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	NS	U	
20-Apr-16	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
2-Butanone	8-Feb-08	126		NS		NS		NS		1.47	U	NS		NS		NS		3.08		10.6		NS			
	27-Mar-08	NS		226		NS		NS		NS		NS		NS		NS		NS		11.9		NS			
	25-Apr-08	NS		NS		477		NS		NS		NS		1680		NS		2.24		NS		1.47		U	
	29-May-08	NS		NS		NS		527		NS		NS		NS		591		2.27		3.04		NS			
	27-Jun-08	1080		NS		NS		NS		596		NS		NS		NS		NS		6.92		3.64			
	31-Jul-08	NS		1350		NS		NS		NS		NS		NS		NS		12		NS		2.56			
	28-Aug-08	NS		NS		8380		NS		NS		NS		102		NS		5.29		9.18		NS			
	30-Sep-08	NS		NS		NS		101		NS		NS		NS		194		NS		2		1.5		U	
	27-Oct-08	53.5		NS		NS		NS		30.5		NS		NS		NS		2.4		NS		5.7			
	25-Nov-08	NS		802		NS		NS		NS		259		NS		NS		1.8		NS		2.4		NS	
	18-Dec-08	NS		NS		5630		NS		NS		NS		8.3		NS		NS		2.6		3.3			
	21-Jan-09	NS		NS		NS		209		NS		NS		NS		24		1.5	U	NS		1.5		U	
	25-Feb-09	30		NS		NS		NS		198		NS		NS		NS		1.5	U	NS		1.5		U	
	26-Mar-09	NS		926		NS		NS		NS		29.1		NS		NS		NS		2.66		3.02			
	29-Apr-09	NS		NS		12400		NS		NS		NS		38.1		NS		1.47	U	NS		3.06			
	22-Jul-09	433		NS		433		410		NS		NS		151		NS		NS		21.6		2.8		NS	
	9-Oct-09	NS		289		NS		NS		1.47	U	NS		NS		19.1		22700		2.75		NS		12.6	
	15-Jan-10	29.8		NS		826		64.1		NS		38.4		NS		NS		NS		2.64		1.6		NS	
	21-Apr-10	NS		6.44		NS		NS		7.37	U	NS		NS		34.6		1840		16.8		NS		14.5	
	16-Jul-10	5320		NS		21000		441		NS		10400		NS		NS		NS		1.54		2.8		NS	
	15-Oct-10	NS		117		NS		NS		44.9		NS		NS		2.85		18.2		1.47	U	NS		1.92	
	26-Jan-11	940		22.3		NS		16.5		NS		7.37		U		NS		50.4		7.37	U	7.37		U	
	28-Feb-11	NS		NS		625		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		6.87		NS		NS		171		NS		NS		11.3		15.3		5.38		NS		10.4	
	26-Jul-11	690	E	NS		82.9		93.2		NS		11000		NS		NS		NS		2.07		7.37		U	
	28-Oct-11	NS		59	U	NS		NS		59	U	NS		59	U	NS		59	U	59	U	NS		59	U
	23-Jan-12	110		NS		70		12	U	NS		20		NS		NS		NS		12	U	12		U	
	13-Apr-12	NS		NS		16		NS		74		NS		12	U	NS		12	U	12	U	NS		12	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		59		U	
	23-Jun-12	75		NS		92		3700		NS		NS		1900		NS		NS		12	U	12		U	
	1-Nov-12	NS		NS		24		NS		NS		NS		NS		3.6		12		3.7		NS		4.2	
	1-Feb-13	36		NS		4.9		16		NS		NS		NS		NS		NS		2.4		NS		NS	
	29-Apr-13	NS		170		NS		NS		110		NS		NS		6.1		7		7.2		NS		4.5	
	9-Jul-13	98		NS		130		79		NS		NS		370		NS		NS		6.8		2.4		NS	
	18-Oct-13	NS		91		NS		NS		28		NS		NS		4		52		8.2		NS		6.4	
	9-Jan-14	1900		NS		NS		11		NS		NS		NS		NS		NS		4.2		2.6		NS	
	24-Apr-14	NS		32		NS		NS		11		NS		NS		3.2		19		8.1		2.5		NS	U
	1-Aug-14	38		NS		110/81		110/93		NS		NS		NS		NS		NS		5.8		4.3		NS	
	27-Aug-14	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
22-Oct-14	NS		NS		5.8		NS		NS		3.5		U		NS		3.5	U	15		4.7		NS		
20-Jan-15	5.1		NS		3.9		4.3		NS		NS		U		NS		NS		7.5		6.2		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		5.5		NS		
22-Apr-15	NS		17 ^v		NS		NS		NS		23 ^v		NS		11		NS		19		NS		10		
21-Jul-15	17		NS		NS		55		170		NS		NS		NS		NS		20 ^o		2.2 ^o		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		7.9		NS		NS		
29-Oct-15	NS		NS		10		NS		NS		NS		NS		11		NS		5.7		NS		3.1		
4-Dec-15 resample	NS		NS		3.3		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	2.4	U	NS		NS		2.4		NS		NS		U		NS		NS		NS		4.4		NS		
20-Apr-16	NS		NS		21		NS		NS		NS		NS		34		NS		12		NS		4.1		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		n-Butylbenzene	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	U
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	U
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	22.1		NS		NS		NS		5.5	U	NS		NS		NS		12.8		NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		NS	U	NS		NS		5.5	U	11.5		NS	U
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	U
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	U
	9-Oct-09	NS		1.08	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	U
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	NS		20.7	U	NS		NS		NS		2.74	U	2.74	U	NS	U
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	U
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		2.745	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jul-11	9.17	U	NS		9.17	U	NS		2.74	U	NS		13.7	U	NS		2.74	U	13.7	U	NS	U
	28-Oct-11	NS		7.9	U	NS		NS		7.9	U	NS		7.9	U	7.9	U	7.9	U	NS		7.9	U
	23-Jan-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	U
	13-Apr-12	NS		NS		NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		7.9	U	NS	U
	23-Jun-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	U
	1-Nov-12	NS		0.32	U	NS		NS		0.32	U	NS		0.44		0.35		0.38		NS		0.32	U
	1-Feb-13	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	U
	29-Apr-13	NS		0.79	U	NS		NS		0.32	U	NS		0.32	U	NS		0.32	U	NS		0.32	U
	9-Jul-13	0.47	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	U
	18-Oct-13	NS		0.54		NS		NS		0.52		NS		0.74		0.65		0.68		NS		0.87	
	9-Jan-14	0.32	U	NS		0.32	U	NS		NS		0.32	U	NS		NS		0.32	U	NS		NS	U
	24-Apr-14	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	0.32	U	0.47	U
	1-Aug-14	0.32	U	NS		0.63		0.47 ¹	U	NS		NS		NS		NS		0.32	U	0.56		NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.32	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.47	U	NS		NS		NS	U
	22-Oct-14	NS		0.47	U	NS		NS		0.47	U	NS		0.47	U	0.47	U	0.47	U	0.63		NS	U
	20-Jan-15	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.47	U	0.032		NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.36		NS	U
	22-Apr-15	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.46	U	0.32	U	NS		0.36	U
	27-Jan-16	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32		NS	U
	20-Apr-16	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
sec-Butylbenzene	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	U
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS	U	2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	U
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS	U	2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	U
	27-Oct-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS	U	5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	NS	U
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	NS	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	U
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		NS		2.74	U	NS	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	U
	9-Oct-09	NS		2.74	U	NS		NS		2.74		NS		2.74	U	573	U	2.74	U	NS	U	2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	U
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS	U	2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	2.74	U	NS		2.74	U	2.74	U	NS	U
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS	U	2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	U
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS	U	NS	U
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS	U	2.47	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	U
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	6.3	U	6.3	U	NS	U	6.3	U
	23-Jan-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	U
	13-Apr-12	NS		NS		NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS	U	1.3	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.3	U	NS	U
	23-Jun-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	U
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS	U	0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	U
	29-Apr-13	NS		0.63	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS	U	0.25	U
	9-Jul-13	0.38	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	U
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS	U	0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS	U	NS	U
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.38	U
	1-Aug-14	0.25	U	NS		0.38	U	NS		0.38	U	NS		NS		NS		0.25	U	0.25	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS	U	NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.38	U	NS		NS	U	NS	U
22-Oct-14	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	0.50	U	NS	U	
20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.38	U	0.25	U	NS	U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	U	
22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS	U	0.29	U	
27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	U	
20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS	U	0.25	U	

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Carbon tetrachloride	8-Feb-08	0.44		NS		NS		NS		0.46		NS		NS		NS		0.53		0.45		NS		
	27-Mar-08	NS		0.539		NS		NS		NS		0.477		NS		NS		NS		0.576		NS		
	25-Apr-08	NS		NS		0.417		NS		NS		NS		0.448		NS		0.459		NS		0.448		
	29-May-08	NS		NS		NS		0.46		NS		NS		NS		0.46		0.47		0.46		NS		
	27-Jun-08	0.478		NS		NS		NS		0.506		NS		NS		NS		NS		0.533		NS		
	31-Jul-08	NS		0.576		NS		NS		NS		NS		NS		NS		0.548		NS		0.495		
	28-Aug-08	NS		NS		0.515		NS		NS		NS		0.549		NS		0.567		0.563		NS		
	30-Sep-08	NS		NS		NS		0.511		NS		NS		NS		0.577		NS		0.451		0.469		
	27-Oct-08	0.48		NS		NS		NS		0.36		NS		NS		NS		0.41		NS		0.56		
	25-Nov-08	NS		0.5		NS		NS		0.42		NS		NS		NS		0.3		NS		0.44		
	18-Dec-08	NS		NS		0.23		NS		NS		NS		NS		0.28		NS		NS		0.48		
	21-Jan-09	NS		NS		NS		0.36		NS		NS		NS		0.47		0.27		NS		0.67		
	25-Feb-09	0.39		NS		NS		NS		0.36		NS		NS		NS		0.37		0.36		NS		
	26-Mar-09	NS		0.629	U	NS		NS		NS		1.26	U	NS		NS		NS		0.601		0.565		
	29-Apr-09	NS		NS		0.484		NS		NS		NS		0.528		NS		0.522		NS		0.654		
	22-Jul-09	0.629	U	NS		25.6	U	1.26	U	NS		0.629	U	NS		NS		0.515		0.503		NS		
	9-Oct-09	NS		0.691		NS		NS		0.666		NS		0.465		26.2	U	0.71		NS		0.691		
	15-Jan-10	0.427		NS		0.647		NS		0.509		NS		0.541		NS		0.541		NS		0.528		
	21-Apr-10	NS		0.126		NS		NS		0.629	U	NS		0.629	U	0.629	U	0.61		NS		0.503		
	16-Jul-10	0.459		NS		0.478		NS		0.515		NS		0.95	U	NS		0.559		NS		0.509		
	15-Oct-10	NS		0.509		NS		NS		0.434		NS		0.383		0.402		0.421		NS		0.44		
	26-Jan-11	1.26	U	0.415		NS		0.415		NS		0.629	U	NS		0.629	U	0.629	U	0.629	U	NS		
	28-Feb-11	NS		NS		1.26	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.339		NS		NS		0.339		NS		NS		0.33		0.364		0.339		NS		0.327
	26-Jul-11	0.44		NS		0.42	U	0.409		NS		0.629	U	NS		NS		0.402		0.629	U	NS		
	28-Oct-11	NS		3.1	U	NS		NS		3.1	U	NS		3.1	U	3.1	U	3.1	U	NS		3.1	U	
	23-Jan-12	0.63	U	NS		0.63	U	0.63	U	NS		0.63	U	NS		NS		0.63	U	0.63	U	NS		
	13-Apr-12	NS		0.31	U	NS		NS		0.31	U	NS		0.31	U	0.31	U	0.31	U	NS		0.31	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6	U	
	23-Jun-12	0.63	U	NS		0.63	U	0.63	U	NS		0.63	U	NS		NS		0.63	U	0.63	U	NS		
	1-Nov-12	NS		0.48		NS		NS		0.46		NS		0.46		NS		0.45		NS		0.43		
	1-Feb-13	0.44		NS		0.43		0.39		NS		0.42		NS		NS		0.49		NS		0.5		
	29-Apr-13	NS		0.42		NS		NS		0.44		NS		0.42		NS		0.48		NS		0.46		
	9-Jul-13	0.52		NS		0.52		0.46		NS		0.48		NS		NS		0.45		NS		0.47		
	18-Oct-13	NS		0.45		NS		NS		0.41		NS		0.4		0.45		0.44		NS		0.47		
	9-Jan-14	0.40		NS		0.45		0.40		NS		0.43		NS		NS		0.43		NS		NS		
	24-Apr-14	NS		0.48		NS		NS		0.45		NS		0.42		0.47		0.47		NS		0.48		
	1-Aug-14	0.30		NS		0.44		0.43		NS		NS		NS		NS		0.56		NS		0.43		
	27-Aug-14	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS		NS		
22-Oct-14	NS		0.45		NS		NS		0.42		NS		0.42		0.45		0.43		NS		NS			
20-Jan-15	0.45		NS		0.49		0.42		NS		0.44		NS		NS		0.48		NS		NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
22-Apr-15	NS		0.28		NS		NS		0.29		NS		0.34		0.34/0.36		0.33		NS		NS			
21-Jul-15	0.270 ^J		NS		1	U	6	U	NS		0.28 ^J		NS		NS		0.25 ^{J,O}		0.24 ^{J,O}		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
29-Oct-15	NS		0.35		NS		NS		0.29 ^J		NS		0.27 ^J		0.27 ^J		0.27 ^J		NS		NS			
4-Dec-15 resample	NS		0.30 ^J		NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.57		NS		0.59		0.53		NS		0.56		NS		NS		0.57		NS		0.59			
20-Apr-16	NS		0.65		NS		NS		0.61		NS		0.62		0.65		0.64		NS		0.67			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Chlorobenzene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.052	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	0.09	U	NS	
	27-Jun-08	0.207		NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	NS	
	30-Sep-08	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		2.3	U	2.3	U
	27-Oct-08	2.3	U	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		2.3	U
	25-Nov-08	NS		2.3	U	NS		NS		2.3	U	NS		NS		NS		2.3	U	2.3	U	NS	
	18-Dec-08	NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		NS		2.3	U	2.3	U
	21-Jan-09	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	2.3	U	NS		2.3	U
	25-Feb-09	2.3	U	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	2.3	U	NS	
	26-Mar-09	NS		0.46	U	NS		NS		NS		0.92	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	22-Jul-09	0.46	U	NS		18.8	U	0.92	U	NS		0.46	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	19.2	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		0.092		NS		NS		0.092	U	0.092	U	NS	
	21-Apr-10	NS		0.092	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.092	U	NS		0.092	U
	16-Jul-10	0.092	U	NS		0.092	U	NS		0.212	U	NS		0.695	U	NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.129	U	NS		0.106	U	0.101	U	0.092	U	NS		0.101	U
	26-Jan-11	0.92	U	0.092	U	NS		0.092	U	NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS	
	28-Feb-11	NS		NS		0.92	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.307	U	NS		0.307	U	0.092	U	NS		0.46	U	NS		NS		0.092	U	0.46	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	12		NS	
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.3	U	NS	
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
	1-Nov-12	NS		0.092	U	NS		NS		0.092	U	NS		0.16	U	0.092	U	0.092	U	NS		0.092	U
	1-Feb-13	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	29-Apr-13	NS		0.12	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS	
	9-Jul-13	0.18		NS		0.14		0.15		NS		0.15		NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		0.092	U	NS		0.092	U	NS		0.092	U	NS		0.092	U	0.092	U	NS	
	24-Apr-14	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	0.046	U	0.14	U
	1-Aug-14	0.092	U	NS		0.14	U	0.25	U	NS		NS		NS		NS		0.092	U	0.092	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.092	U	NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.14	U	NS		NS		NS	
22-Oct-14	NS		0.14	U	NS		NS		0.14	U	NS		0.14	U	0.14	U	0.14	U	0.18	U	NS		
20-Jan-15	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.14	U	0.092	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.10	U	NS		
22-Apr-15	NS		0.094	U	NS		NS		0.092	U	NS		0.092	U	0.13	U	0.092	U	NS		0.11	U	
21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.2 ^o	U	0.2 ^o	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS		
20-Apr-16	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U	

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
		Chloroethane	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS
	27-Mar-08	NS		0.053	U	NS		NS		NS		0.053	U	NS		NS		NS		0.053	U	NS		U
	25-Apr-08	NS		NS		0.053	U	NS		NS		NS		0.139		NS		0.053	U	NS		0.053		U
	29-May-08	NS		NS		NS		0.11		NS		NS		NS		0.1		0.07		0.05	U	NS		U
	27-Jun-08	0.082	U	NS		NS		NS		0.132		NS		NS		NS		NS		0.053	U	NS		U
	31-Jul-08	NS		0.053	U	NS		NS		NS		NS		NS		NS		0.053	U	NS		0.053		U
	28-Aug-08	NS		NS		0.053	U	NS		NS		NS		0.153		NS		0.053	U	0.075		NS		U
	30-Sep-08	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	1.3		U
	27-Oct-08	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.6		U
	25-Nov-08	NS		1.3	U	NS		NS		1.3	U	NS		NS		NS		1.3	U	1.3	U	NS		U
	18-Dec-08	NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3		U
	21-Jan-09	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	1.3		U
	25-Feb-09	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	1.3	U	NS		U
	26-Mar-09	NS		0.264	U	NS		NS		NS		0.527	U	NS		NS		NS		0.1212		0.063		U
	29-Apr-09	NS		NS		0.137		NS		NS		NS		0.063		NS		0.053	U	NS		0.053		U
	22-Jul-09	0.264	U	NS		10.8	U	0.527	U	NS		0.277		NS		NS		0.053	U	0.061		NS		U
	9-Oct-09	NS		0.053	U	NS		NS		0.058		NS		0.406		11	U	0.053	U	NS		0.053		U
	15-Jan-10	0.053	U	NS		0.074		0.066		NS		0.053		NS		NS		0.053	U	NS		0.053		U
	21-Apr-10	NS		0.074		NS		NS		0.264		NS		0.303		0.303		0.053	U	NS		0.116		U
	16-Jul-10	0.1		NS		2.55		0.166		NS		0.398	U	NS		NS		0.053	U	0.087		NS		U
	15-Oct-10	NS		0.053	U	NS		NS		0.082		NS		0.071		0.053	U	0.053	U	NS		0.053		U
	26-Jan-11	0.527	U	0.053	U	NS		0.077		NS		0.264	U	NS		0.264	U	0.264	U	0.264	U	NS		U
	28-Feb-11	NS		NS		0.527	U	NS		NS		NS		NS		NS		NS		NS		NS		U
	27-Apr-11	NS		0.053	U	NS		NS		0.079		NS		0.082		0.053	U	0.053	U	NS		0.053		U
	26-Jul-11	0.176	U	NS		0.176	U	0.116		NS		0.264	U	NS		NS		0.053	U	0.264		NS		U
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3		U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS		U
	13-Apr-12	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	NS		0.26	U	NS		0.26		U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.3	U	NS		U
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS		U
	1-Nov-12	NS		0.053	U	NS		NS		0.085		NS		0.08		0.053	U	0.053	U	NS		0.087		U
	1-Feb-13	0.082		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	0.053	U	NS		U
	29-Apr-13	NS		0.4		NS		NS		0.11	U	NS		0.11		NS		0.11	U	NS		0.11		U
	9-Jul-13	0.11		NS		0.12		0.31		NS		0.091		NS		NS		0.11		0.053	U	NS		U
	18-Oct-13	NS		0.053	U	NS		NS		0.11		NS		0.091		0.053	U	0.053	U	NS		0.053		U
	9-Jan-14	0.084		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	NS		0.053		U
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.13		0.026	U	0.026	U	0.026	U	0.079		U
	1-Aug-14	0.23		NS		0.43		0.53		NS		NS		NS		NS		0.059		0.053	U	NS		U
	27-Aug-14	NS		NS		NS		NS		NS		0.072		NS		NS		NS		NS		NS		U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.079	U	NS		NS		NS		U
	22-Oct-14	NS		0.079	U	NS		0.079		NS		0.079	U	NS		0.079	U	0.079	U	0.11	U	NS		U
	20-Jan-15	0.069 ^v		NS		0.094		0.062		NS		0.24 ^v		NS		NS		0.079 ^v	U	0.053 ^v	U	NS		U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		U
	22-Apr-15	NS		0.20 ^v		NS		NS		0.19 ^v		N		0.16		0.077	U	0.72		NS		0.061		U
	21-Jul-15	0.1	U	NS		0.5	U	3	U	NS		0.21		NS		NS		0.1 ^u	U	0.1 ^u	U	NS		U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS		U
	29-Oct-15	NS		0.1	U	NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1		U
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		U
	27-Jan-16	0.1		NS		0.11		0.12		NS		0.11		NS		NS		0.053	U	0.053	U	NS		U
	20-Apr-16	NS		0.14		NS		NS		0.053	U	NS		0.073		0.053	U	0.053	U	NS		0.053		U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Chloroform	8-Feb-08	0.1	U	NS		NS		NS		NS	U	NS		NS		NS		0.12		0.12	
	27-Mar-08	NS		0.098	U	NS		NS		NS		0.125		NS		NS		NS		0.453		0.847	
	25-Apr-08	NS		NS		0.231		NS		NS		NS		0.203		NS		0.134		NS		0.265	
	29-May-08	NS		NS		NS		0.14		NS		NS		NS		0.1	U	0.11		0.14		NS	
	27-Jun-08	0.263		NS		NS		NS		0.623		NS		NS		NS		NS		0.305		0.395	
	31-Jul-08	NS		0.145		NS		NS		NS		NS		NS		NS		0.13		NS		0.124	
	28-Aug-08	NS		NS		0.098	U	NS		NS		NS		1.2		NS		0.331		0.386		NS	
	30-Sep-08	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U	0.49	U
	27-Oct-08	0.49	U	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U
	25-Nov-08	NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	NS		NS	
	18-Dec-08	NS		NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U
	21-Jan-09	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS		0.24	U
	25-Feb-09	0.24	U	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS	
	26-Mar-09	NS		0.488	U	NS		NS		NS		1.29		NS		NS		NS		0.265		0.2	
	29-Apr-09	NS		NS		0.098	U	NS		NS		NS		0.136		NS		0.098	U	NS		1.34	
	22-Jul-09	0.488	U	NS		19.9	U	0.976	U	NS		0.488	U	NS		NS		0.429		0.22		NS	
	9-Oct-09	NS		0.205		NS		NS		0.263		NS		0.268		20.4	U	0.317		NS		0.312	
	15-Jan-10	0.176		NS		7.22		0.146		NS		0.19		NS		NS		0.098	U	0.185		NS	
	21-Apr-10	NS		0.098	U	NS		NS		0.488	U	NS		0.488	U	0.488	U	0.22		NS		0.2	
	16-Jul-10	0.361		NS		0.098	U	0.215		NS		0.737	U	NS		NS		0.205	U	0.346		NS	
	15-Oct-10	NS		0.171		NS		NS		0.366		NS		0.654		0.117		0.102		NS		0.166	
	26-Jan-11	2.78		0.122		NS		0.161		NS		0.488	U	NS		0.488	U	0.488	U	0.488	U	NS	
	28-Feb-11	NS		NS		0.976	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.136		NS		0.185		NS		NS		0.117		0.273		0.098	U	NS		0.122	
	26-Jul-11	0.326	U	NS		0.326	U	0.239		NS		1.37		NS		NS		0.244		0.488	U	NS	
	28-Oct-11	NS		2.4	U	NS		NS		2.4	U	NS		2.4	U	2.4	U	2.4	U	NS		2.4	U
	23-Jan-12	0.49	U	NS		0.84		0.49	U	NS		0.49	U	NS		NS		0.49	U	0.84		NS	
	13-Apr-12	NS		0.24	U	NS		NS		0.24	U	NS		0.24	U	0.24	U	0.24	U	NS		0.24	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.49	U	NS		0.49	U	NS		0.49	U	NS		NS		NS		0.49	U	0.58		NS	
	1-Nov-12	NS		0.088		NS		NS		0.28		NS		0.12		0.076		0.092		NS		0.17	
	1-Feb-13	0.14		NS		0.46		0.15		NS		0.19		NS		NS		0.11		0.18		NS	
	29-Apr-13	NS		0.15		NS		NS		0.19		NS		0.13		NS		0.16		NS		0.41	
	9-Jul-13	0.34		NS		0.63		0.33		NS		0.27		NS		NS		0.24		0.27		NS	
	18-Oct-13	NS		0.098	U	NS		NS		0.29		NS		0.12		NS		0.11		NS		0.31	
	9-Jan-14	0.12		NS		0.94		0.18		NS		0.27		NS		NS		0.16		0.25		NS	
	24-Apr-14	NS		0.049	U	NS		NS		0.21		NS		0.11		0.049	U	0.16		0.16		0.32	
	1-Aug-14	1.0		NS		2.7/3.6		0.32		NS		NS		NS		NS		2.1		0.55		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.19		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	NS	
	22-Oct-14	NS		0.073	U	NS		NS		0.24		0.15		0.16		0.073	U	0.073	U	0.098	U	NS	
	20-Jan-15	0.049	U	NS		1.4		0.14		NS		0.29		NS		NS		0.073	U	0.14		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15		NS	
	22-Apr-15	NS		0.17 ^v		NS		NS		0.21 ^v		NS		0.13		0.071	U	0.17		NS		0.17	
	21-Jul-15	0.130 ^j		NS		1	U	5	U	NS		0.21 ^j		NS		NS		0.14 ^{j,o}		0.17 ^{j,o}		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.16 ^j		NS		NS		0.16 ^j		NS		0.4	U	0.2	U	0.2	U	NS		0.28	
	4-Dec-15 resample	NS		NS	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.086		NS		1		0.13		NS		0.11		NS		NS		0.094		0.16		NS	
	20-Apr-16	NS		0.08		NS		NS		0.18		NS		0.1		0.096		0.1		NS		0.13	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Chloromethane	8-Feb-08	2.44	U	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	NS	U	
	27-Mar-08	NS		2.67		NS		NS		NS		3.24		NS		NS		NS		2.44	U	2.44	U	
	25-Apr-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	NS	U	2.44	U	
	29-May-08	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	2.44	U	NS	U	
	27-Jun-08	3.8	U	NS		NS		NS		2.44	U	NS		NS		NS		NS		2.44	U	2.44	U	
	31-Jul-08	NS		4.64		NS		NS		NS		NS		NS		NS		2.44	U	NS	U	2.44	U	
	28-Aug-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	2.44	U	NS	U	
	30-Sep-08	NS		NS		NS		1	U	NS		NS		NS		1	U	NS		1	U	1	U	
	27-Oct-08	1	U	NS		NS		NS		1	U	NS		NS		NS		1.1		NS		3.5		
	25-Nov-08	NS		1	U	NS		NS		NS		1	U	NS		NS		1	U	1	U	NS		
	18-Dec-08	NS		NS		1	U	NS		NS		NS		1	U	NS		NS		1.4		1	U	U
	21-Jan-09	NS		NS		NS		1	U	NS		NS		NS		3.1		1	U	NS		1	U	U
	25-Feb-09	1		NS		NS		NS		1	U	NS		NS		NS		1	U	1.2		NS		U
	26-Mar-09	NS		12.2	U	NS		NS		NS		24.4	U	NS		NS		NS		4.58		2.44	U	U
	29-Apr-09	NS		NS		22.4		NS		NS		NS		19.4		NS		2.44	U	NS		2.44	U	U
	22-Jul-09	18.5		NS		497	U	32		NS		41.9		NS		NS		2.44	U	6.29		NS		U
	9-Oct-09	NS		2.44	U	NS		NS		2.44	U	NS		2.44	U	509	U	2.44	U	NS		2.44	U	U
	15-Jan-10	2.44	U	NS		2.78		2.44	U	NS		2.44		NS		NS		2.44	U	2.44		NS		U
	21-Apr-10	NS		3.25		NS		NS		12.2	U	NS		12.2	U	12.2	U	2.44	U	NS		2.44	U	U
	16-Jul-10	1.32		NS		62.8		1.48		NS		7.79	U	NS		NS		1.03	U	1.03	U	NS		U
	15-Oct-10	NS		1.03	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS		1.03	U	U
	26-Jan-11	10.3	U	1.03	U	NS		1.03	U	NS		5.16	U	NS		5.16	U	5.16	U	5.16	U	NS		U
	28-Feb-11	NS		NS		10.3		NS		NS		NS		NS		NS		NS		NS		NS		U
	27-Apr-11	NS		1.23		NS		NS		1.03	U	NS		1.03	U	1.18		1.03	U	NS		1.29		U
	26-Jul-11	3.45	U	NS		3.45	U	1.03	U	NS		5.16	U	NS		NS		1.03	U	5.16	U	NS		U
	28-Oct-11	NS		1	U	NS		NS		1	U	NS		1	U	NS		1	U	NS		1.2		U
	23-Jan-12	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		1.2		0.21	U	NS		U
	13-Apr-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	NS		1.2		NS		0.97		U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		U
	23-Jun-12	0.21	U	NS		0.21	U	0.21	U	NS		2.1		NS		NS		0.21	U	0.21	U	NS		U
	1-Nov-12	NS		0.041	U	NS		NS		0.041	U	NS		0.041	U	0.041	U	0.37		NS		1.1		U
	1-Feb-13	0.5		NS		1.8		2.1		NS		0.19		NS		NS		0.71		0.72		NS		U
	29-Apr-13	NS		0.21	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.73		NS		1.2		U
	9-Jul-13	0.12	U	NS		0.083	U	0.083	U	NS		0.083	U	NS		NS		1.0		0.083	U	NS		U
	18-Oct-13	NS		0.083	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.40		NS		1.1		U
	9-Jan-14	3.2		NS		1.5		0.083	U	NS		0.053	U	NS		NS		0.64		0.083	U	NS		U
	24-Apr-14	NS		4.6		NS		NS		4.5		NS		3.5		1.2		0.47		1.0		1.0		U
	1-Aug-14	0.083	U	NS		0.12	U	NS		NS		NS		NS		NS		0.083	U	0.083	U	NS		U
	27-Aug-14	NS		NS		NS		NS		NS		1.7		NS		NS		NS		NS		NS		U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12 ^{L-V}	U	NS		NS		NS		U
22-Oct-14	NS		1.3		NS		NS		0.12	U	NS		0.12	U	1.30		0.74		1.1		NS		U	
20-Jan-15	0.083 ^V	U	NS		3 ^V	U	0.083	U	NS		0.083 ^V	U	NS		NS		0.69 ^V		1.2 ^V	U	NS		U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.093	U	NS		U	
22-Apr-15	NS		0.085 ^V	U	NS		NS		0.083 ^V	U	NS		0.083	U	1.7/1.6		0.72		NS		1.4		U	
21-Jul-15	0.69		NS		6.9		2	U	NS		2.6		NS		NS		0.11 ^O		0.1 ^O	U	NS		U	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		U	
29-Oct-15	NS		11		NS		NS		6.5		NS		3.6		1.5		0.73		NS		0.84		U	
4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		U	
27-Jan-16	0.083	U	NS		3.9		0.083	U	NS		2.1		NS		NS		1.4		1		NS		U	
20-Apr-16	NS		7.7		NS		NS		<-0.083		NS		2.4		1.4		1.1		NS		1		U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Dibromochloromethane	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS	
	27-Mar-08	NS		0.096	U	NS		NS		NS		0.096	U	NS		NS		NS		0.096	U	NS	U
	25-Apr-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS		0.096	U
	29-May-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	0.1	U	NS	
	27-Jun-08	0.15	U	NS		NS		NS		0.096	U	NS		NS		NS		NS		0.096	U	NS	U
	31-Jul-08	NS		0.096	U	NS		NS		NS		NS		NS		NS		0.096	U	NS		0.096	U
	28-Aug-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	0.096	U	NS	
	30-Sep-08	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U	4.2	U
	27-Oct-08	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U
	25-Nov-08	NS		4.2	U	NS		NS		4.2	U	NS		NS		NS		4.2	U	4.2	U	NS	
	18-Dec-08	NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	4.2	U
	21-Jan-09	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	4.2	U	NS		4.2	U
	25-Feb-09	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	4.2	U	NS	
	26-Mar-09	NS		0.48	U	NS		NS		NS		0.96		NS		NS		NS		0.096	U	0.096	U
	29-Apr-09	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		NS		NS		0.096	U
	22-Jul-09	0.48	U	NS		19.6	U	0.96	U	NS		0.48	U	NS		NS		0.096	U	0.096	U	NS	
	9-Oct-09	NS		0.096	U	NS		NS		NS		NS		0.096	U	20	U	0.096	U	NS		0.096	U
	15-Jan-10	0.096	U	NS		0.096	U	0.096	U	NS		0.096	U	NS		NS		0.096	U	NS		0.096	U
	21-Apr-10	NS		0.096	U	NS		NS		0.48	U	NS		0.48	U	0.48	U	0.096	U	NS		0.096	U
	16-Jul-10	0.17	U	NS		0.17	U	NS		1.28	U	NS		NS		NS		0.17	U	0.17	U	NS	
	15-Oct-10	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U
	26-Jan-11	1.7	U	0.17	U	NS		0.17	U	NS		0.851	U	NS		0.851	U	0.851	U	0.851	U	NS	
	28-Feb-11	NS		NS		1.7	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.17	U	NS		0.17	U	NS		0.17	U	NS		0.17	U	0.17	U	NS		0.17	U
	26-Jul-11	0.568	U	NS		0.568	U	0.17	U	NS		0.852	U	NS		NS		0.17	U	0.852	U	NS	
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	4.3	U	NS		4.3	U
	23-Jan-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	0.85	U	NS	
	13-Apr-12	NS		0.85	U	NS		NS		0.85	U	NS		0.85	U	NS		0.85	U	NS		0.85	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U	NS	
	23-Jun-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	0.85	U	NS	
	1-Nov-12	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U
	1-Feb-13	0.17	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS	
	29-Apr-13	NS		0.21	U	NS		NS		0.085	U	NS		0.085	U	NS		0.085	U	NS		0.085	U
	9-Jul-13	0.26	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS	
	18-Oct-13	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U
	9-Jan-14	0.17	U	NS		0.17	U	NS		0.17	U	NS		0.17	U	NS		0.17	U	0.17	U	NS	
	24-Apr-14	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	0.085	U	0.26	U
	1-Aug-14	0.17	U	NS		0.26	U	NS		NS		NS		NS		NS		0.17	U	0.17	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.085	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS		NS	
22-Oct-14	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	0.13	U	NS		
20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.13	U	0.085	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.096	U	NS		
22-Apr-15	NS		0.087	U	NS		NS		0.085	U	NS		0.083	U	0.12	U	0.085	U	NS		0.098	U	
21-Jul-15	0.4	U	NS		2	U	8	U	NS		0.5	U	NS		NS		0.4 ^o	U	0.5 ^o	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.5	U	NS		NS		0.5	U	NS		0.7	U	0.4	U	0.4	U	NS		0.4	U	
4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS		
20-Apr-16	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
1,2-Dibromoethane	8-Feb-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS			
	27-Mar-08	NS		0.154	U	NS		NS		NS		0.154	U	NS		NS		NS		0.154	U	0.154	U		
	25-Apr-08	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U		
	29-May-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15		0.15	U	0.15	U	NS			
	27-Jun-08	0.239	U	NS		NS		0.154	U	NS		NS		NS		NS		NS		0.154	U	0.154	U		
	31-Jul-08	NS		0.154	U	NS		NS		NS		NS		NS		NS		0.154	U	NS		0.154	U		
	28-Aug-08	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	0.154	U	NS			
	30-Sep-08	NS		NS		NS		0.15	U	NS		NS		NS		NS		NS		0.15	U	0.15	U		
	27-Oct-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		NS		0.15	U	NS		0.15	U
	25-Nov-08	NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U
	18-Dec-08	NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		0.15	U	0.15	U	0.15	U
	21-Jan-09	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U	NS		0.15	U
	25-Feb-09	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		NS		0.15	U	0.15	U	NS	
	26-Mar-09	NS		0.768	U	NS		NS		NS		1.54	U	NS		NS		NS		0.768	U	0.768	U	0.154	U
	29-Apr-09	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		NS		0.154	U	NS		0.154	U
	22-Jul-09	0.768	U	NS		31.3	U	1.54	U	NS		0.768	U	NS		NS		0.154	U	0.154	U	NS		NS	U
	9-Oct-09	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	NS		32	U	0.154	U	NS		0.154	U
	15-Jan-10	0.154	U	NS		0.154	U	NS		0.154	U	NS		0.154	U	NS		NS		0.154	U	0.154	U	NS	
	21-Apr-10	NS		0.154	U	NS		NS		0.768	U	NS		0.768	U	0.768	U	NS		0.154	U	NS		0.154	U
	16-Jul-10	0.154	U	NS		0.154	U	NS		0.154	U	NS		1.16	U	NS		NS		0.154	U	0.154	U	NS	
	15-Oct-10	NS		0.154	U	NS		NS		0.154	U	NS		NS		0.154	U	0.154	U	0.154	U	NS		0.154	U
	26-Jan-11	1.54	U	0.154	U	NS		0.154	U	NS		0.768	U	NS		0.768	U	0.768	U	0.768	U	0.768	U	NS	
	28-Feb-11	NS		NS		1.54	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.154	U	NS		NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	26-Jul-11	0.512	U	NS		0.512	U	NS		0.154	U	NS		0.768	U	NS		0.154	U	0.154	U	0.768	U	NS	
	28-Oct-11	NS		3.8	U	NS		NS		3.8	U	NS		3.8	U	3.8	U	3.8	U	3.8	U	NS		3.8	U
	23-Jan-12	0.77	U	NS		0.77	U	0.77	U	NS		0.77	U	NS		NS		NS		0.77	U	0.77	U	NS	
	13-Apr-12	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9	U	NS	
	23-Jun-12	0.77	U	NS		0.77	U	NS		0.77	U	NS		NS		NS		NS		0.77	U	0.77	U	NS	
	1-Nov-12	NS		0.077	U	NS		NS		0.077	U	NS		NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	1-Feb-13	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		NS		0.077	U	0.077	U	NS	
	29-Apr-13	NS		0.19	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	0.077	U	NS		0.077	U
	9-Jul-13	0.12	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		NS		0.077	U	0.077	U	NS	
	18-Oct-13	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U
	9-Jan-14	0.15	U	NS		0.15	U	0.15	U	NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS	
	24-Apr-14	NS		0.077	U	NS		NS		0.077	U	NS		NS		0.077	U	0.077	U	0.077	U	0.077	U	0.23	U
	1-Aug-14	0.15	U	NS		0.23	U	NS		0.23	U	NS		NS		NS		NS		0.15	U	0.15	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.077	U	NS		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
22-Oct-14	NS		0.12	U	NS		NS		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.15	U	NS		
20-Jan-15	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		NS		0.12	U	0.077	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.086	U	NS		
22-Apr-15	NS		0.079	U	NS		NS		0.077	U	NS		0.077	U	0.11	U	0.077	U	0.077	U	NS		0.088	U	
21-Jul-15	0.4	U	NS		2	U	8	U	NS		0.4	U	NS		NS		NS		0.4	U	0.4	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.4	U	0.4	U	0.4	U	NS		0.4	U	
4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		NS		0.077	U	0.077	U	NS		
20-Apr-16	NS		0.077	U	NS		NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,2-Dichlorobenzene	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.55		NS	
	27-Mar-08	NS		0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	NS	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	0.12		NS	U
	27-Jun-08	0.187	U	NS		NS		NS		0.12	U	NS		NS		NS		NS		0.12	U	NS	U
	31-Jul-08	NS		0.12	U	NS		NS		NS		NS		NS		NS		0.12	U	NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	0.12		NS	U
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3		3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		3	U	NS		NS		NS		3	U	3		NS	U
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3		3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3		3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3		NS	U
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12		0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		NS		0.12		NS	U
	22-Jul-09	0.601	U	NS		24	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.12		NS	U
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12		NS	U
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.12	U	NS		0.12	U	NS		0.907	U	0.12		NS		NS		0.12	U	1.2		NS	U
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601		NS	U
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601		NS	U
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.1	U	NS		0.6	U	NS		NS		0.6	U	7.5		NS	U
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3		NS	U
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6		NS	U
	1-Nov-12	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	NS		0.12	U	NS		0.12	U
	1-Feb-13	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12		NS	U
	29-Apr-13	NS		0.3	U	NS		NS		0.12	U	NS		0.12	U	NS		0.12	U	NS		0.12	U
	9-Jul-13	0.18	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12		NS	U
	18-Oct-13	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jan-14	0.12	U	NS		0.12	U	NS		0.12	U	NS		0.12	U	NS		0.12	U	NS		NS	U
	24-Apr-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.12		0.18	U
	1-Aug-14	0.12	U	NS		0.18	U	0.69		NS		NS		NS		NS		0.12	U	0.12		NS	U
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		NS		NS	U
22-Oct-14	NS		0.18	U	NS		NS		0.18	U	NS		0.18	U	0.18	U	0.18	U	0.24		NS	U	
20-Jan-15	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.18	U	0.12		NS	U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14		NS	U	
22-Apr-15	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.17	U	NS		0.12		0.14	U	
21-Jul-15	0.3	U	NS		0.900 ^J		6	U	NS		0.3	U	NS		NS		0.3 ^O	U	0.84 ^O		NS	U	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	U	
29-Oct-15	NS		0.3	U	NS		NS		4		NS		0.5	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	
27-Jan-16	0.12	U	NS		0.12	U	NS		0.12	U	NS		NS		NS		0.12	U	0.12		NS	U	
20-Apr-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,3-Dichlorobenzene	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	NS	
	27-Mar-08	NS		0.12	U	NS		0.6		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		1.18		NS		NS		NS		3.47		0.62		0.22		NS	
	27-Jun-08	0.187	U	NS		NS		NS		0.257		NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.822		NS		NS		NS		NS		NS		NS		0.136		NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	0.12	U	NS	
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		NS		0.12	U	NS	
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.36		NS	
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12		NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	NS		NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.595		NS		0.685		1.99		NS		0.907	U	NS		NS		0.132		NS		0.162	
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.12	U	NS		NS		0.42		NS		0.156		0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U	NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	1.6		NS		1.8		2.3		NS		1.6		NS		NS		1.9		2.7		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	2		0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
	1-Nov-12	NS		1.2		NS		NS		2.6		NS		6		2.2		0.18		NS		0.12	U
	1-Feb-13	0.18		NS		0.34		0.56		NS		0.44		NS		NS		0.17		0.12	U	NS	
	29-Apr-13	NS		1.3		NS		NS		4.5		NS		6.5		6		0.12	U	NS		0.14	
	9-Jul-13	1.3		NS		2.0		3.9		NS		3.8		NS		NS		0.12	U	0.12	U	NS	
	18-Oct-13	NS		0.52		NS		NS		1.4		NS		2.6		2.2		0.16		NS		0.22	
	9-Jan-14	0.58		NS		0.9		1.1		NS		0.84		NS		NS		3.0		4.1		NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.14		NS		0.12	U	0.12	U	0.1	U	0.12	U	0.18	U
	1-Aug-14	4.2		NS		4.8/6.7		4.9/7.6		NS		NS		NS		NS		3.6		5.1/6.2		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.80		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.82		NS		NS	U	NS	
22-Oct-14	NS		0.18	U	NS		NS		0.18	U	NS		0.18	U	0.18	U	0.18	U	0.24	U	NS		
20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.2		0.12	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS		
22-Apr-15	NS		0.13		NS		NS		0.36		NS		1.5		0.78/0.87		0.12	U	NS		0.17		
21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.30 ^J		NS		NS		0.3 ^O	U	0.3 ^O	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.12	U	NS		0.12	U	0.22 ^M		NS		NS		0.12	U	NS		0.21 ^M		0.12	U	NS		
20-Apr-16	NS		0.31		NS		NS		0.51		NS		0.9		0.24		0.22		NS		0.21		

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,4-Dichlorobenzene	8-Feb-08	1.56		NS		NS		NS		0.26		NS		NS		NS		9.5		7.91		NS	
	27-Mar-08	NS		4.33		NS		NS		NS		8.48		NS		NS		NS		6.28		NS	
	25-Apr-08	NS		NS		0.347		NS		NS		NS		32.3		NS		17.9		NS		NS	
	29-May-08	NS		NS		NS		5.5		NS		NS		NS		10		9.41		4.18		NS	
	27-Jun-08	47.3		NS		NS		NS		38.1		NS		NS		NS		NS		40.8		NS	
	31-Jul-08	NS		2.46		NS		NS		NS		NS		NS		NS		1.84		NS		NS	
	28-Aug-08	NS		NS		234		NS		NS		NS		214		NS		229		208		NS	
	30-Sep-08	NS		NS		NS		7.2		NS		NS		NS		3	U	NS		6.8		NS	
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		3	U	NS		NS		NS		3	U	3		NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		4.7		NS		NS		10.3		NS	
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	13.9		NS		NS	
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3		NS	
	26-Mar-09	NS		5.43		NS		*		NS		4.87		NS		NS		NS		20.6		NS	
	29-Apr-09	NS		NS		1.2		NS		NS		NS		1.91		NS		4.12		NS		NS	
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.348		0.613		NS	
	9-Oct-09	NS		3.31		NS		NS		3.44		NS		2.79		NS		25.1	U	6.95		NS	
	15-Jan-10	0.12		NS		1.06		0.715		NS		0.823		NS		NS		2		NS		1.98	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	3.27		NS		NS	
	16-Jul-10	1.78		NS		2.3		2.86		NS		1.36		NS		NS		1.63		NS		5.05	
	15-Oct-10	NS		0.685		NS		NS		1.75		NS		1.37		NS		1.48		NS		NS	
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601		NS	
	28-Feb-11	NS		NS		1.2		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.985		NS		NS		1.08		NS		0.967		NS		1.14		1.07		NS	
	26-Jul-11	5.45		NS		5.21		0.715		NS		5.26		NS		NS		5.54		4.69		NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.66		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3		NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6		NS	
	1-Nov-12	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	1-Feb-13	0.12	U	NS		0.12	U	0.4		NS		0.12	U	NS		NS		0.12	U	0.12		NS	
	29-Apr-13	NS		0.3	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jul-13	0.18	U	NS		0.14		0.16		NS		0.18		NS		NS		0.18		0.22		NS	
	18-Oct-13	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jan-14	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.14		0.12		NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.12		NS	
	1-Aug-14	0.12	U	NS		0.18	U	0.18	U	NS		NS		NS		NS		0.12	U	0.12		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		NS		NS	
22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24		NS		
20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.18	U	0.13		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14		NS		
22-Apr-15	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.17	U	0.12	U	NS		0.14	U	
21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.3	U	NS		NS		0.3 ^o	U	0.3 ^o		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.13		NS		
20-Apr-16	NS		0.12	U	NS		NS		0.52		NS		0.12	U	0.12	U	0.12	U	NS		0.12	U	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Dichlorodifluoromethane	8-Feb-08	2		NS		NS		NS		2.03		NS		NS		NS		1.92		2	
	27-Mar-08	NS		2.29		NS		NS		NS		2.15		NS		NS		NS		2.72		4.14	
	25-Apr-08	NS		NS		2.01		NS		NS		NS		2.11		NS		2.04		NS		2.16	
	29-May-08	NS		NS		NS		1.63		NS		NS		NS		1.62		1.68		1.66		NS	
	27-Jun-08	2.03		NS		NS		NS		2.52		NS		NS		NS		NS		2.27		2.48	
	31-Jul-08	NS		1.9		NS		NS		NS		NS		NS		NS		1.81		NS		1.87	
	28-Aug-08	NS		NS		3.13		NS		NS		NS		2.8		NS		2.75		2.88		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U	2.7	
	27-Oct-08	2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5		NS		2.5	U
	25-Nov-08	NS		215		NS		NS		NS		11.7		NS		NS		2.5	U	5.1		NS	
	18-Dec-08	NS		NS		25		NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		5.8		2.5		NS		2.5	U
	25-Feb-09	2.5	U	NS		NS		NS		19.4		NS		NS		NS		2.5		3.4		NS	
	26-Mar-09	NS		2.55		NS		NS		NS		2.48		NS		NS		NS		2.46		2.41	
	29-Apr-09	NS		NS		2.41		NS		NS		NS		3.78		NS		2.26		NS		2.4	
	22-Jul-09	2.42		NS		2.42		2.72		NS		2.5		NS		NS		2.37		2.48		NS	
	9-Oct-09	NS		2.73		NS		NS		2.77		NS		3.67		51.6	U	2.64		NS		2.79	
	15-Jan-10	2.5		NS		3.57		2.52		NS		2.61		NS		NS		2.29		NS		NS	
	21-Apr-10	NS		0.568		NS		NS		2.2		NS		2.59		2.2		2.64		NS		2.43	
	16-Jul-10	3.36		NS		2.61		2.55		NS		2.98		NS		NS		3.15		3.29		NS	
	15-Oct-10	NS		3.13		NS		NS		2.67		NS		2.43		2.41		2.46		NS		2.43	
	26-Jan-11	2.47	U	2.2		NS		2.64		NS		1.98		NS		2.57		3.31		3.24		NS	
	28-Feb-11	NS		NS		2.47	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.18		NS		NS		2.27		NS		2.26		2.5		2.32		NS		2.31	
	26-Jul-11	2.41		NS		2.29		NS		2.28		NS		2.08		NS		2.44		2.3		NS	
	28-Oct-11	NS		2.7		NS		NS		2.7		NS		2.7		2.7		2.9		NS		3.1	
	23-Jan-12	2.5		NS		2.6		2.6		NS		2.7		NS		NS		2.6		2.6		NS	
	13-Apr-12	NS		2.5		NS		NS		2.9		NS		2.4		3.2		2.5		NS		2.8	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	23-Jun-12	2.6		NS		2.3		2.5		NS		2.3		NS		NS		2.3		2.3		NS	
	1-Nov-12	NS		1.8		NS		NS		NS		NS		2		1.9		2		NS		1.9	
	1-Feb-13	1.4		NS		1.4		1.5		NS		1.6		NS		NS		1.6		1.6		NS	
	29-Apr-13	NS		2.6		NS		2.3		NS		NS		2.2		2.2		2.3		NS		2.3	
	9-Jul-13	1		NS		1.1		0.99		NS		1.1		NS		NS		1.0		1.1		NS	
	18-Oct-13	NS		2.0		NS		NS		1.9		NS		1.9		2.2		2.0		NS		2.1	
	9-Jan-14	1.5		NS		1.2		1.3		NS		1.4		NS		NS		1.5		NS		NS	
	24-Apr-14	NS		2.7		NS		NS		2.6		NS		2.3		2.6		2.7		2.6		3.1	
	1-Aug-14	1.1		NS		2.2/1.5		2.3/1.6		NS		NS		NS		NS		1.6		2.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9/3.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		2.3		NS		NS	U	NS	
	22-Oct-14	NS		1.3		NS		NS		1.4		1.4		1.4		1.6		1.4		1.4		NS	
	20-Jan-15	0.099	U	NS		1.5		1.4		NS		1.4		NS		NS		1.4		1.5		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	22-Apr-15	NS		4.0 ^v		NS		NS		4.1 ^v		NS		1.8		1.7/2.0		1.8		NS		2.0	
	21-Jul-15	0.88		NS		1.6		5	U	NS		0.91		NS		NS		0.74 ^o		0.72 ^o		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	NS		1		NS		NS		0.89		NS		0.88		0.89		0.83		NS		0.84	
	4-Dec-15 resample	NS		0.91		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2 ^M		NS		2 ^M		2.1 ^M		NS		2.1 ^M		NS		NS		2.2 ^M		2.1 ^M		NS	
	20-Apr-16	NS		1.5		NS		NS		1.6		NS		1.5		1.7		1.6		NS		1.7	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
1,1-Dichloroethane	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS			
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.081	U	NS		NS		NS		0.081	U	NS	U		
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.081	U		
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	0.08	U	NS			
	27-Jun-08	0.126	U	NS		NS		NS		0.081	U	NS		NS		NS		NS		0.081	U	NS	U		
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U		
	28-Aug-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	0.081	U	NS			
	27-Oct-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U		
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U		
	25-Nov-08	NS		2	U	NS		NS		2	U	NS		NS		2	U	NS		2	U	NS			
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U		
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U		
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS			
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.081	U	0.081	U	U	
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.081	U	NS		0.121		NS		NS		0.081	U
	22-Jul-09	0.404	U	NS		16.5	U	0.801	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS		NS	U
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U	NS	U
	15-Jan-10	0.137	U	NS		0.081	U	0.801	U	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	NS	U
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		NS		0.081	U
	16-Jul-10	0.081	U	NS		2.48		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS		NS	U
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		7.37	U	NS		0.404	U	0.404	U	0.404	U	NS		NS	U
	28-Feb-11	NS		NS		0.809		NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jul-11	0.27	U	NS		0.27	U	0.081	U	NS		0.405	U	NS		NS		0.081	U	0.405	U	NS		NS	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2		NS	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS		NS	U
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS		NS	U
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS		NS	U
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		NS	U
	29-Apr-13	NS		0.2	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		NS		0.081	U
	9-Jul-13	0.061	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS		NS	U
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		NS		0.081	U
	9-Jan-14	0.081	U	NS		0.081	U	NS		0.081	U	NS		0.081	U	NS		0.081	U	NS		NS		NS	U
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.04	U	NS		0.12	U
	1-Aug-14	0.081	U	NS		0.280		NS		0.120	U	NS		NS		NS		0.081	U	0.081	U	NS		NS	U
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS		NS		NS	U
22-Oct-14	NS		0.061	U	NS		NS		0.061	U	NS		0.061	U	0.061	U	0.061	U	0.061	U	NS		0.081	U	
20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.040	U	NS		NS	U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS	U	
22-Apr-15	NS		0.041 ^v	U	NS		NS		0.04 ^v	U	NS		0.04	U	0.059	U	0.040	U	NS		NS		0.047	U	
21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS		NS	U	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	
29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		NS		0.2	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	
27-Jan-16	0.04	U	NS		0.044		NS		0.04	U	NS		NS		NS		NS		NS		NS		NS	U	
20-Apr-16	NS		0.040	U	NS		NS		NS		0.040	U	NS		0.040	U	0.040	U	NS		NS		0.040	U	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,2-Dichloroethane	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.09		0.08	U	NS	
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.143		NS		NS		NS		0.081	U	NS	0.1
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	29-May-08	NS		NS		NS		0.09		NS		NS		NS		0.11		0.08	U	0.08	U	NS	
	27-Jun-08	0.126	U	NS		NS		NS		NS		0.153		NS		NS		NS		0.11		0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.171		NS		NS		NS		NS		NS		0.081	U	0.081	U	NS	
	27-Oct-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.08	U	0.08	U
	27-Oct-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.095	
	25-Nov-08	NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		0.08	U	0.08	U	NS	
	18-Dec-08	NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		0.08	U	0.08	U
	21-Jan-09	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.08	U	0.08	U
	25-Feb-09	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.098		0.133	
	29-Apr-09	NS		NS		0.319		NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	22-Jul-09	0.404	U	NS		16.5	U	0.809	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.081	U	NS		0.081	U	0.081	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.101	U	NS		1.44		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		0.404	U	NS		0.404	U	0.404	U	0.404	U	NS	
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jul-11	0.27	U	NS		0.27	U	0.101	U	NS		0.405	U	NS		NS		0.081	U	0.405	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.2	U	NS		0.2	U	0.2	U	NS		0.2	U	NS		NS		0.2	U	0.97		NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.057	
	1-Feb-13	0.053		NS		0.062		0.062		NS		0.05		NS		NS		0.066		0.049		NS	
	29-Apr-13	NS		0.19		NS		NS		0.06		NS		0.04	U	0.081		0.079		NS		0.094	
	9-Jul-13	0.12	U	NS		0.081	U	0.081		NS		0.081	U	NS		NS		0.092	U	0.081	U	NS	
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.081	U	0.040	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.040	U	0.073	
	1-Aug-14	0.040	U	NS		0.170	U	0.061	U	NS		NS		NS		NS		0.04	U	0.040	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS		NS	
22-Oct-14	NS		0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081	U	
20-Jan-15	0.040	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.100		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS		
22-Apr-15	NS		0.17 ^v		NS		NS		0.087 ^v		NS		0.04	U	0.059	U	0.040	U	NS		0.047	U	
21-Jul-15	0.140 ^j		NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 ^o		0.86 ^o		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.18 ^j		
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.04	U	NS		0.057		0.042		NS		0.049		NS		NS		0.065		0.05		NS		
20-Apr-16	NS		0.053		NS		NS		0.040	U	NS		0.040	U	0.049		0.058		NS		0.060		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
1,1-Dichloroethene	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		U	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079		U	
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	0.08	U	NS		U	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	NS		0.079	
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079		U	
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS		U	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2		U	
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2		U	
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS		U	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2		U	
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2		U	
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		U	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079		0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		16.2	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS		NS	U
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	NS		16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.137	U	NS		0.079	U	NS		0.079	U	0.079	U	NS		NS		0.079	U	0.079	U	NS		NS	U
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.206	U	NS		NS		0.598	U	NS		NS		0.079	U	0.079	U	NS		NS	U
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		3.96	U	0.396	U	0.396	U	NS		NS	U
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079		NS	U
	26-Jul-11	0.264	U	NS		0.264	U	NS		0.079	U	0.396	U	NS		NS		0.079	U	0.396	U	NS		NS	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS		NS	U
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	NS		0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS		NS	U
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS		NS	U
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.04	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		NS	U
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04		NS	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	0.040		NS	U
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		NS		0.079	U
	9-Jan-14	0.079	U	NS		0.081	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS		NS	U
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.040	U	0.040		0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	NS		0.420	U	NS		NS		NS		0.079	U	0.079	U	NS		NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS		NS		NS	U
22-Oct-14	NS		0.059	U	NS		NS		0.059	U	NS		0.059	U	0.059	U	0.059	U	0.059	U	0.079		NS	U	
20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	0.040		NS	U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045		NS	U	
22-Apr-15	NS		0.041 ^v	U	NS		NS		0.040 ^v	U	NS		0.04	U	0.057	U	0.040	U	NS		NS		0.046	U	
21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS		NS	U	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	
29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		NS		0.46	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	
27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04		NS	U	
20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		NS		0.040	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
cis-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	NS	U	
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U	
	29-May-08	NS		NS		NS		0.08		NS		NS		NS		0.08	U	0.08	U	0.08	U	NS		
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	NS	U	
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U	
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS		
	30-Sep-08	NS		NS		NS		5.9	U	NS		NS		NS		5.9	U	NS		5.9	U	5.9	U	
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	
	25-Nov-08	NS		2	U	NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U	
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U	0.079
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		0.079	U	NS	U	
	22-Jul-09	0.396	U	NS		595		0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS		
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		NS		16.5	U	0.079	U	NS		0.079	U	
	15-Jan-10	0.079	U	NS		0.079	U	NS		0.079	U	0.079	U	NS		NS		0.079	U	0.079	U	NS		
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U	
	16-Jul-10	0.079	U	NS		0.079	U	NS		NS		0.598	U	NS		NS		0.079	U	0.079	U	NS		
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U	
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		0.396	U	0.396	U	0.396	U	NS		
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U	
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS		
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U	
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.53		NS		
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	NS		NS		0.2	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS		
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS		
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U	
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		
	29-Apr-13	NS		0.2	U	NS		NS		0.079	U	NS		0.079	U	NS		0.079	U	NS		0.079	U	
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.054		NS		NS		0.040	U	0.040	U	NS		
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U	
	9-Jan-14	0.079	U	NS		0.079	U	NS		0.079	U	0.079	U	NS		NS		0.079	U	NS		NS		
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U	
	1-Aug-14	0.079	U	NS		0.120	U	NS		0.120	U	NS		NS		NS		0.079	U	0.079	U	NS		
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS		NS		
22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS			
20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS			
22-Apr-15	NS		0.041 ^v	U	NS		NS		0.040 ^v	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U		
21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.11 ^{1,0}		1.700 ⁰		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
29-Oct-15	NS		0.2	U	NS		NS		0.27		NS		0.4		0.31		0.2	U	NS		2.7			
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.04	U	NS		0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	0.04	U	NS			
20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
trans-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS			
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	NS	U		
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U		
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	0.08	U	NS			
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	NS	U		
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U		
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS			
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U		
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U		
	25-Nov-08	NS		2	U	NS		NS		2	U	NS		NS		NS		2	U	2	U	NS			
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U		
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U		
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS			
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079		0.079	U
	29-Apr-09	NS		NS		NS		NS		NS		NS		0.079	U	NS		NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		0.396	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS		NS	U
	9-Oct-09	NS		0.079	U	NS		NS		0.079		NS		0.079	U	NS		16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.079		NS		0.079		NS		0.079		0.079	U	NS		NS		0.079	U	0.079	U	NS		NS	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		3.96	U	0.396	U	0.079	U	NS		NS		0.079	U
	16-Jul-10	0.079	U	NS		0.079	U	NS		0.079	U	0.598	U	NS		NS		0.079	U	0.079	U	NS		NS	
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.36	U	NS		0.396	U	0.396	U	0.396	U	0.396	U	NS	
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	0.396	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	0.4	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.04	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	0.04	U	NS	
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.079	U	NS		0.079	U	NS		0.079	U	NS		0.079	U	0.079	U	NS		NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	NS		0.120	U	NS		NS		NS		0.079	U	0.079	U	0.079	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS		NS		NS	
22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS		
20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	0.040	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS		
22-Apr-15	NS		0.041 ^v	U	NS		NS		0.040 ^v	U	NS		0.04	U	0.057	U	0.040	U	NS		NS		0.046	U	
21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 ^o	U	2.000 ^o	U	NS		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	0.2	U	NS		0.2	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.04	U	NS		0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	0.04	U	NS		NS		
20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		NS		0.040	U	0.040	U	NS		NS		0.040	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,2-Dichloropropane	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.092	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	0.09	U	NS	
	27-Jun-08	0.144	U	NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	NS	
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	NS	
	30-Sep-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U	0.09	U
	27-Oct-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U
	25-Nov-08	NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		0.09	U	NS		NS	
	18-Dec-08	NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		0.09	U	0.09	U
	21-Jan-09	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U	NS	
	25-Feb-09	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U
	26-Mar-09	NS		0.462	U	NS		NS		NS		0.924	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		NS		0.092	U	NS	
	22-Jul-09	0.462	U	NS		18.8	U	0.924	U	NS		0.462	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	19.3	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U
	21-Apr-10	NS		0.092	U	NS		NS		0.462	U	NS		0.462	U	0.462	U	0.092	U	NS		0.092	U
	16-Jul-10	0.092	U	NS		0.092	U	NS		0.092	U	0.698	U	NS		NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jan-11	0.924	U	0.092	U	NS		0.092	U	NS		0.462	U	NS		0.462	U	0.462	U	0.462	U	NS	
	28-Feb-11	NS		NS		0.924	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.308	U	NS		0.308	U	0.092	U	NS		0.462	U	NS		NS		0.092	U	0.462	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
	1-Nov-12	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	1-Feb-13	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	29-Apr-13	NS		0.12	U	NS		0.046	U	NS		0.046	U	NS		0.046	U	0.046	U	NS		0.098	
	9-Jul-13	0.14	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		0.092	U	NS		0.092	U	NS		0.092	U	NS		0.092	U	0.092	U	NS	
	24-Apr-14	NS		0.046 ^{L-V}	U	NS		NS		0.046 ^{L-V}	U	NS		0.046 ^{L-V}	U	0.046 ^{L-V}	U	0.046 ^{L-V}	U	0.046 ^{L-V}	U	0.14 ^{L-V}	U
	1-Aug-14	0.092	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.092	U	0.092	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.046	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.069 ^{L-V}	U	NS		NS		NS	
22-Oct-14	NS		0.069	U	NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	0.069	U	0.092	U	NS		
20-Jan-15	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.069	U	0.046	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.052	U	NS		
22-Apr-15	NS		0.047	U	NS		NS		0.046	U	NS		0.046	U	0.067	U	0.046	U	NS		0.053	U	
21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 ^O	U	0.200 ^O	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		NS		
20-Apr-16	NS		<0.046		NS		NS		<0.046		NS		<0.046		<0.046		<0.046		NS		0.046		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
cis-1,3-Dichloropropene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	0.09	U	NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	27-Oct-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	NS		0.18	U
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.91	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		18.5	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091	U	NS		0.091	U	NS		0.091	U	0.091	U	NS		NS		0.091	U	NS		0.091	U
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	NS		0.091	U	0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	NS		0.091	U	0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	NS		0.091	U	NS		0.091	U	NS		0.091	U	NS		0.091	U
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	NS		0.14	U	NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		NS		NS	
22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	NS		
20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.051	U	NS		
22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U	
21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.045	U	NS		0.045	U	NS		0.045	U	NS		NS		NS		0.045	U	0.045	U	NS		
20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
trans-1,3-Dichloropropene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09		0.09	U	0.09	U	NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	30-Sep-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	NS		0.18	U
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.091	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		0.091	U	NS	
	22-Jul-09	0.453	U	NS		0.453	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091	U	NS		0.091	U	NS		0.091	U	0.091	U	NS		NS		0.091	U	NS		0.091	U
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	NS		0.091	U	0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		NS		0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	NS		0.091	U	0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		0.23	U	NS		0.23	U	NS		0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	NS		0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	NS		0.14	U	NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		NS		NS	
22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	NS		
20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.051	U	NS		
22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U	
21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.045	U	NS		0.045	U	NS		0.045	U	NS		NS		NS		0.045	U	NS		NS		
20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Ethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.33		4.89		NS		
	27-Mar-08	NS		0.295		NS		NS		NS		0.157		NS		NS		NS		0.645		NS		
	25-Apr-08	NS		NS		0.291		NS		NS		NS		0.32		NS		NS		NS		0.565		
	29-May-08	NS		NS		NS		1.49		NS		NS		NS		2.2		2.82		1.01		NS		
	27-Jun-08	4.34		NS		NS		NS		0.472		NS		NS		NS		NS		0.606		NS		
	31-Jul-08	NS		*		NS		NS		NS		NS		NS		NS		0.758		NS		0.577		
	28-Aug-08	NS		NS		0.83		NS		NS		NS		0.482		NS		0.711		0.666		NS		
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U	
	27-Oct-08	18.4		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	
	25-Nov-08	NS		2.2	U	NS		NS		2.2		NS	U	NS		NS		2.3		2.2		NS		
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2		2.2	U	
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	2.2		2.2	U	
	25-Feb-09	10.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2		NS		
	26-Mar-09	NS		0.516		NS		NS		NS		0.868	U	NS		NS		NS		0.845		1.18		
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.191		NS		0.304		NS		0.325		
	22-Jul-09	11.7		NS		11.7		0.868	U	NS		1.15		NS		NS		38.2		1.04		NS		
	9-Oct-09	NS		0.564		NS		NS		0.56		NS		0.291		18.1	U	0.542		NS		0.542		
	15-Jan-10	6.95		NS		0.568		NS		0.542		0.659		NS		NS		0.712		NS		0.72		
	21-Apr-10	NS		0.304		NS		NS		1.34		NS		1.8		1.76		2.12		NS		1.56		
	16-Jul-10	8.23		NS		2.4		NS		1.8		NS		1.44		NS		1.51		NS		1.42		
	15-Oct-10	NS		0.534		NS		NS		0.625		NS		0.521		0.573		1.07		NS		0.833		
	26-Jan-11	1.26		1.62		NS		1.66		NS		1.26		NS		1.21		4.14		4.68		NS		
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.243		NS		NS		0.239		NS		0.286		3.86		0.364		NS		0.508		
	26-Jul-11	3.91		NS		0.942		0.339		NS		0.434	U	NS		NS		0.304		0.434	U	NS		
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	2.2	U	3.8		NS		2.2	U	
	23-Jan-12	3		NS		0.79		0.56		NS		0.82		NS		NS		1.7		12		NS		
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	1.5		NS		0.43	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2	U	
	23-Jun-12	5.1		NS		0.53		0.43	U	NS		0.47		NS		NS		0.76		0.46		NS		
	1-Nov-12	NS		0.55		NS		NS		0.57		NS		0.8		0.75		0.87		NS		1.3		
	1-Feb-13	1.3		NS		0.18		0.15		NS		0.23		NS		NS		0.54		0.52		NS		
	29-Apr-13	NS		0.33		NS		NS		0.39		NS		0.37		0.49		0.63		NS		0.8		
	9-Jul-13	5.1		NS		0.087	U	0.68		NS		0.59		NS		NS		1.1		1.0		NS		
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.0		2.6		1.5		NS		1.9		
	9-Jan-14	2.7		NS		2.0		2.6		NS		2.8		NS		NS		6.2		5.5		NS		
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.092		0.087	U	0.49		
	1-Aug-14	1.7		NS		0.65		NS		NS		NS		NS		NS		0.45		0.85		NS		
	27-Aug-14	NS		NS		NS		NS		NS		0.96		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.79		NS		NS	U	NS		
22-Oct-14	NS		0.13	U	NS		NS		0.13	U	NS		0.15		0.13	U	0.27		0.27		NS			
20-Jan-15	0.400		NS		0.087	U	0.096		NS		0.087	U	NS		NS		0.24		0.29		NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.29		NS			
22-Apr-15	NS		0.22		NS		NS		0.12		NS		0.26		0.21/0.24		0.44		NS		0.53			
21-Jul-15	0.54		NS		0.590 ^J		4	U	NS		0.56		NS		NS		0.65 ^O		0.90 ^O		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
29-Oct-15	NS		0.2	U	NS		NS		0.14 ^J		NS		0.22 ^J		0.28		0.27		NS		0.33			
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.63		NS		0.087		0.12		NS		NS		0.12		NS		0.51		0.54		NS			
20-Apr-16	NS		0.3		NS		NS		0.39		NS		0.56		0.34		0.71		NS		0.61			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Isopropylbenzene	8-Feb-08	2.46	U	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS	U
	27-Mar-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		NS		2.46	U	2.46	U
	25-Apr-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	29-May-08	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	2.46	U	NS	U
	27-Jun-08	3.83	U	NS		NS		NS		2.46	U	NS		NS		NS		NS		2.46	U	2.46	U
	31-Jul-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		2.46	U	NS		2.46	U
	28-Aug-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	2.46	U	NS	U
	30-Sep-08	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U	4.9	U
	27-Oct-08	5.2		NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U
	25-Nov-08	NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		5.9	U	4.9	U	NS	U
	18-Dec-08	NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		4.9	U	4.9	U
	21-Jan-09	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS		4.9	U
	25-Feb-09	4.9	U	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS	U
	26-Mar-09	NS		12.3	U	NS		NS		NS		24.6	U	NS		NS		NS		2.46	U	2.46	U
	29-Apr-09	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	22-Jul-09	12.3	U	NS		12.3	U	24.6	U	NS		12.3	U	NS		NS		3.78	U	2.46	U	NS	U
	9-Oct-09	NS		2.74	U	NS		NS		2.46	U	NS		2.46	U	513	U	2.46	U	NS		2.46	U
	15-Jan-10	2.46	U	NS		2.46	U	2.46	U	NS		2.46	U	NS		NS		2.46	U	2.46	U	NS	U
	21-Apr-10	NS		2.46	U	NS		NS		12.3	U	NS		12.3	U	12.3	U	2.46	U	NS		2.46	U
	16-Jul-10	2.46	U	NS		2.66	U	NS		2.46	U	NS		18.5	U	NS		2.46	U	2.46	U	NS	U
	15-Oct-10	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jan-11	24.6	U	2.46	U	NS		2.46	U	NS		12.3	U	NS		12.3	U	12.3	U	12.3	U	NS	U
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jul-11	8.21	U	NS		8.21	U	NS		2.46	U	NS		12.3	U	NS		2.46	U	12.3	U	NS	U
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	0.25	U	NS		1.2	U	NS		NS		1.2	U	1.4		NS	U
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	U
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	U
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	U
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	U
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.27		0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.53	U	NS		0.49	U
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25		NS		0.37	U	NS		0.37	U	NS		NS		NS		0.25	U	0.25	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37	U	NS		NS		NS	U
22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	NS	U	
20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	U	
22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U	
21-Jul-15	0.140 ^J		NS		1	U	5	U	NS		0.19 ^J		NS		NS		0.21 ^{J,O}		0.20 ^{J,O}		NS	U	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	U	
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	
27-Jan-16	0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U	NS	U	
20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
p-Isopropyltoluene	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	U	
	27-Mar-08	NS		2.74	U	NS		1.2		NS		NS		NS		NS		NS		2.74	U	2.74	U	
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS	U	2.74	U	
	29-May-08			NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	U	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U	
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS	U	2.74	U	
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	U	
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U	
	27-Oct-08	12.5		NS		NS		NS		5.5	U	NS		NS		NS		18.5		NS		5.5	U	
	25-Nov-08	NS		5.5	U	NS		NS		5.5		NS		NS		NS		5.5	U	5.5	U	NS	U	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U	
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	U	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U	
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS	U	2.74	U	
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	U	
	9-Oct-09	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS	U	2.74	U	
	15-Jan-10	2.72	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	U	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS	U	2.74	U	
	16-Jul-10	2.74	U	NS		2.74	U	NS		20.7	U	NS		NS		NS		2.74	U	2.74	U	NS	U	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS	U	2.74	U	
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	U	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	U	U
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS	U	2.74	U	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	U	U
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	6.3	U	6.3	U	NS	U	6.3	U	U
	23-Jan-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	U	U
	13-Apr-12	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS	U	1.3	U	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.3	U	NS	U	U
	23-Jun-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	U	U
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.27		0.25	U	NS		NS		0.45	U	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	U	U
	29-Apr-13	NS		0.63	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	U
	9-Jul-13	0.38	U	NS		0.28		0.29		NS		0.29		NS		NS		0.36		0.53		NS	U	U
	18-Oct-13	NS		0.38		NS		0.25		NS		0.25		NS		0.51		0.25		NS		0.54	U	U
	9-Jan-14	0.25	U	NS		0.33		0.040		NS		0.25		NS		NS		1.2		1.2		NS	U	U
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.072	U	0.25	U	0.25	U	0.54	U	U
	1-Aug-14	0.70		NS		0.88		1.4		NS		NS		NS		NS		0.45		NS		0.61	U	U
	27-Aug-14	NS		NS		NS		NS		NS		0.38		NS		NS		NS		NS		NS	U	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.66		NS		NS		NS	U	U
22-Oct-14	NS		0.38 ^L	U	NS		NS		0.38 ^L	U	0.38 ^L	U	0.38 ^L	U	0.38 ^L	U	0.38 ^L	U	0.50 ^L	U	NS	U	U	
20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.38		0.51		NS	U	U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28		NS	U	U	
22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U	U	
21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.16 ^J		NS		NS		0.15 ^{J,O}		0.30 ^O		NS	U	U	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS		NS	U	U	
29-Oct-15	NS		0.3	U	NS		NS		0.19 ^J		NS		0.5	U	0.3	U	0.3	U	NS		0.19 ^J	U	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	U	
27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	U	U	
20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Methyl tert butyl ether (MTBE)	8-Feb-08	0.07	U	NS		NS		NS		0.07	U	NS		NS		NS		0.14		0.07	U	NS		
	27-Mar-08	NS		0.072	U	NS		NS		NS		0.072	U	NS		NS		NS		0.165		NS		
	25-Apr-08	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.079		
	29-May-08	NS		NS		NS		0.07	U	NS		NS		NS		0.07	U	0.07	U	0.07	U	NS		
	27-Jun-08	0.436		NS		NS		NS		0.072	U	NS		NS		NS		NS		0.072	U	NS	U	
	31-Jul-08	NS		0.072	U	NS		NS		NS		NS		NS		NS		0.072	U	NS		0.072	U	
	28-Aug-08	NS		NS		0.106		NS		NS		NS		0.072	U	NS		0.172	U	0.14		NS		
	30-Sep-08	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		1.8	U	1.8	U	
	27-Oct-08	1.8	U	NS		NS		NS		2.6		NS		NS		NS		3.2		NS		5.8		
	25-Nov-08	NS		1.8	U	NS		NS		1.8		NS		NS	U	NS		1.8	U	1.8	U	NS		
	18-Dec-08	NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U	
	21-Jan-09	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		1.8	U	1.8	U	
	25-Feb-09	5.8		NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	1.8	U	NS		
	26-Mar-09	NS		0.36	U	NS		NS		NS		0.72	U	NS		NS		NS		0.072	U	0.072	U	
	29-Apr-09	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.072	U	
	22-Jul-09	0.36	U	NS		0.36	U	0.72	U	NS		0.36	U	NS		NS		0.072	U	0.072	U	NS		
	9-Oct-09	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	15	U	0.086		NS		0.083		
	15-Jan-10	0.079		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS		
	21-Apr-10	NS		0.072	U	NS		NS		0.36	U	NS		NS	U	3.6	U	0.36	U	0.072	U	NS	0.072	U
	16-Jul-10	0.072	U	NS		0.072	U	NS		0.072	U	0.544	U	NS		NS		0.072	U	0.072	U	NS		
	15-Oct-10	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	0.072	U	NS	0.072	U
	26-Jan-11	0.72	U	0.072	U	NS		0.072	U	NS		0.396	U	NS		0.36	U	0.36	U	0.36	U	NS		
	28-Feb-11	NS		NS		0.72	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	0.072	U	NS	0.072	U
	26-Jul-11	0.24	U	NS		0.24	U	0.072	U	NS		0.36	U	NS		NS		0.072	U	0.36	U	NS		
	28-Oct-11	NS		1.8	U	NS		NS		1.8	U	NS		1.8	U	1.8	U	1.8	U	NS		1.8	U	
	23-Jan-12	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS		
	13-Apr-12	NS		0.36	U	NS		NS		0.36	U	NS		0.36	U	NS		0.36	U	NS		0.36	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.8	U	NS
	23-Jun-12	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS		
	1-Nov-12	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U	
	1-Feb-13	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS		
	29-Apr-13	NS		0.18	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U	
	9-Jul-13	0.17		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS		
	18-Oct-13	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U	
	9-Jan-14	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS		
	24-Apr-14	NS		0.072	U	NS		NS		0.072	U	NS		0.077	U	0.072	U	0.072	U	0.072	U	0.11	U	
	1-Aug-14	0.072	U	NS		0.11	U	0.12		NS		NS		NS		NS		0.072	U	0.072	U	NS		
	27-Aug-14	NS		NS		NS		NS		NS		0.072	U	NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.11	U	NS		NS		NS		
22-Oct-14	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U	0.11	U	0.11	U	0.11	U	0.14	U		
20-Jan-15	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.11	U	0.072	U	NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.081	U		
22-Apr-15	NS		0.074 ^v	U	NS		NS		0.072 ^v	U	NS		0.072	U	0.10	U	0.072	U	NS		0.083	U		
21-Jul-15	0.2	U	NS		0.7	U	4	U	NS		0.2	U	NS		NS		0.200 ^u	U	0.200 ^u	U	NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.096 ⁺			
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS			
20-Apr-16	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
Methylene chloride	8-Feb-08	2.34		NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS	U		
	27-Mar-08	NS		1.74	U	NS		NS		NS		2.87		NS		NS		NS		2.1		1.74	U		
	25-Apr-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U		
	29-May-08	NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	2.91		1.74	U	NS	U		
	27-Jun-08	4.33	U	NS		NS		NS		3.69		NS		NS		NS		NS		2.78	U	2.78	U		
	31-Jul-08	NS		1.74	U	NS		NS		NS		NS		NS		NS		1.74	U	NS		1.74	U		
	28-Aug-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	1.74	U	NS	U		
	30-Sep-08	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U	1.7	U		
	27-Oct-08	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U		
	25-Nov-08	NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U	NS	U		
	18-Dec-08	NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U		
	21-Jan-09	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U	1.7	U		
	25-Feb-09	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U	NS	UI		
	26-Mar-09	NS		16.1		NS		NS		NS		17.4	U	NS		NS		NS		1.74	U	1.8	U		
	29-Apr-09	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		NS		NS		1.74	U		
	22-Jul-09	86.8	U	NS		8.68	U	17.4	U	NS		8.68	U	NS		NS		1.74	U	1.74	U	NS	U		
	9-Oct-09	NS		1.74	U	NS		NS		1.74	U	NS		1.74	U	362	U	1.74	U	NS		1.74	U		
	15-Jan-10	1.74	U	NS		1.74	U	NS		1.74	U	NS		1.74	U	NS		1.74	U	NS		1.74	U		
	21-Apr-10	NS		1.74	U	NS		NS		0.868	U	NS		8.68	U	8.68	U	1.74	U	NS		1.74	U		
	16-Jul-10	24		NS		21.5		NS		19.5		NS		26.2	U	NS		27.1		NS		26.5		NS	U
	15-Oct-10	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	NS		3.47	U		
	26-Jan-11	34.7	U	3.47	U	NS		3.47	U	NS		0.404	U	NS		17.4	U	17.4	U	NS		NS	U		
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U		
	27-Apr-11	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	NS		3.47	U		
	26-Jul-11	11.6	U	NS		11.6	U	3.47	U	NS		17.4	U	NS		NS		5.7		17.4	U	NS	U		
	28-Oct-11	NS		17	U	NS		NS		17	U	NS		17	U	17	U	140		NS		17	U		
	23-Jan-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	U		
	13-Apr-12	NS		4.6		NS		NS		7.3		NS		3.5	U	4.6		3.9		NS		3.5	U		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		17	U	NS	U		
	23-Jun-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	U		
	1-Nov-12	NS		0.74		NS		NS		1.1		NS		0.69	U	1.1		0.69	U	NS		6.2	U		
	1-Feb-13	2		NS		0.93		1.6		NS		1.1		NS		NS		0.9		2.1		NS	U		
	29-Apr-13	NS		1.7	U	NS		NS		1.4		NS		0.93		1.8		1.1		NS		1.4	U		
	9-Jul-13	1.8		NS		25		1.2		NS		1.1		NS		NS		31		3.6		NS	U		
	18-Oct-13	NS		0.69	U	NS		NS		0.69	U	NS		0.69	U	0.77		0.69	U	NS		0.74	U		
	9-Jan-14	0.85		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	1.3		NS	U		
	24-Apr-14	NS		0.90		NS		NS		6.7		NS		2.8		1.5		0.69	U	0.69	U	1.0	U		
	1-Aug-14	1.0		NS		1.7		NS		NS		NS		NS		NS		1.1		NS		NS	U		
	27-Aug-14	NS		NS		NS		NS		NS		2.9		NS		NS		NS		NS		NS	U		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS		NS	U		
22-Oct-14	NS		1.7		NS		NS		1.0	U	NS		1.4		1.0	U	2.0		3.0		NS	U			
20-Jan-15	33		NS		27		25		NS		31		NS		NS		32		0.69	U	NS	U			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		40		NS	U			
22-Apr-15	NS		0.85 ^v		NS		NS		1.00 ^v		NS		0.73		2.5/2.3		1.0		NS		1.3	U			
21-Jul-15	2.1		NS		3.5		3.1 ^j		NS		1.5		NS		NS		1.7 ^o		2.4 ^o		NS	U			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		2.4		NS		NS		NS	U			
29-Oct-15	NS		1.6		NS		NS		1.4		NS		3.6		2.7		2		NS		4.7	U			
4-Dec-15 resample	NS		1.6		NS		NS		NS		NS		NS		NS		NS		NS		NS	U			
27-Jan-16	2.3		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	U			
20-Apr-16	NS		0.69	U	NS		NS		0.69	U	NS		1.7		0.69	U	4.4		NS		0.86	U			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
4-Methyl-2-pentanone	8-Feb-08	2.05	U	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	8.7		NS	
	27-Mar-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		NS		15.2		2.05	U
	25-Apr-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	29-May-08	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	2.05	U	2.05		NS	
	27-Jun-08	3.19	U	NS		NS		NS		2.05	U	NS		NS		NS		NS		NS		2.05	U
	31-Jul-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		2.05	U	NS		2.05	U
	28-Aug-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	2.05		NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2		2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		3.5		NS		NS		2		NS	U	NS		NS		2	U	2		NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2		2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2		NS	
	26-Mar-09	NS		10.2	U	NS		NS		NS		20.5	U	NS		NS		NS		2.05		2.05	U
	29-Apr-09	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		NS		NS		NS	
	22-Jul-09	10.2	U	NS		10.2	U	20.5	U	NS		NS		10.2	U	NS		NS		2.05		2.05	U
	9-Oct-09	NS		2.05	U	NS		NS		2.05	U	NS		NS		427	U	NS		2.05		NS	
	15-Jan-10	2.05	U	NS		2.05	U	NS		2.05	U	NS		NS		NS		NS		2.05		2.05	U
	21-Apr-10	NS		2.05	U	NS		NS		10.2	U	NS		NS		10.2	U	NS		2.05		NS	
	16-Jul-10	2.05	U	NS		2.05	U	NS		NS		15.4	U	NS		NS		NS		2.05		2.05	U
	15-Oct-10	NS		2.05	U	NS		NS		2.05	U	NS		NS		2.05	U	NS		2.05		NS	
	26-Jan-11	20.5	U	2.05	U	NS		2.05	U	NS		10.2	U	NS		10.2	U	NS		10.2		NS	
	28-Feb-11	NS		NS		20.5	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.05	U	NS		NS		2.05	U	NS		NS		2.05	U	NS		2.05		NS	
	26-Jul-11	6.84	U	NS		0.684	U	NS		2.05	U	NS		10.2	U	NS		NS		2.05		10.2	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	NS		2		NS		NS	
	23-Jan-12	0.41	U	NS		0.44	U	NS		0.41	U	NS		0.41	U	NS		NS		0.41		1.8	
	13-Apr-12	NS		0.41	U	NS		NS		0.41	U	NS		0.41	U	NS		NS		0.41		NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2	U
	23-Jun-12	0.41	U	NS		0.41	U	0.41	U	NS		0.41	U	NS		NS		NS		0.41		0.46	
	1-Nov-12	NS		0.89		NS		NS		0.65		NS		0.9		0.84		NS		1.1		NS	
	1-Feb-13	0.12		NS		0.082	U	0.082	U	NS		0.095		NS		NS		NS		0.082	U	0.29	
	29-Apr-13	NS		0.2	U	NS		NS		0.21		NS		0.21		0.082		NS		0.86		NS	
	9-Jul-13	0.66		NS		0.55		0.47		NS		0.51		NS		NS		NS		0.92		0.39	
	18-Oct-13	NS		1.8		NS		NS		2.7		NS		2.2		2.3		NS		3.0		NS	
	9-Jan-14	0.18		NS		0.15		0.21		NS		0.082	U	NS		NS		NS		0.21		NS	
	24-Apr-14	NS		0.087		NS		NS		0.082	U	NS		0.13		0.082	U	NS		0.38		0.32	
	1-Aug-14	0.64		NS		1.0/0.74		NS		1.1/0.86		NS		NS		NS		NS		1.30		2.4/2.0	
	27-Aug-14	NS		NS		NS		NS		NS		NS		2.4		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS		NS	
22-Oct-14	NS		0.13		NS		NS		0.12		NS	U	0.12		0.26		NS		0.78		0.73		
20-Jan-15	0.087		NS		0.085		0.12		NS		0.088		NS		NS		NS		0.35		5.8		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.77		
22-Apr-15	NS		0.57		NS		NS		0.34		NS		NS		0.85		0.39/0.40		0.87		NS		
21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		NS		1.4 ^o		2.7 ^o		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		NS		0.3	U	NS		0.97		NS		
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.082	U	NS		0.082	U	0.082	U	NS		0.082	U	NS		NS		NS		0.61		0.88		
20-Apr-16	NS		0.082	U	NS		NS		NS		0.084		NS		0.21		0.15		0.7		NS		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Styrene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.3		3.15		NS	
	27-Mar-08	NS		0.1		NS		NS		NS		0.177		NS		NS		NS		0.206		0.404	
	25-Apr-08	NS		NS		0.244		NS		NS		NS		1.07		NS		0.559		NS		0.351	
	29-May-08	NS		NS		NS		0.17		NS		NS		NS		0.3		0.36		0.27		NS	
	27-Jun-08	0.732		NS		NS		NS		0.354		NS		NS		NS		NS		0.598		0.59	
	31-Jul-08	NS		0.276		NS		NS		NS		NS		NS		NS		0.255		NS		0.17	
	28-Aug-08	NS		NS		1.22		NS		NS		NS		0.754		NS		1.02		1.01		NS	
	30-Sep-08	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U	2.1	U
	27-Oct-08	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U
	25-Nov-08	NS		2.1	U	NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS	
	18-Dec-08	NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U
	21-Jan-09	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS		2.1	U
	25-Feb-09	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS	
	26-Mar-09	NS		0.851	U	NS		NS		NS		1.7	U	NS		NS		NS		0.292		0.361	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.085	U	NS		0.098		NS		0.243	
	22-Jul-09	0.426	U	NS		0.426	U	0.851	U	NS		0.426	U	NS		NS		0.6		0.149		NS	
	9-Oct-09	NS		0.085	U	NS		NS		0.098		NS		0.085	U	NS		17.8	U	0.153		0.204	
	15-Jan-10	0.106		NS		0.119		NS		0.089		0.098		NS		NS		0.128		NS		0.221	
	21-Apr-10	NS		0.085	U	NS		NS		0.426	U	NS		0.426	U	0.426	U	0.481	U	NS		0.579	
	16-Jul-10	0.57		NS		0.911		NS		0.66		0.643	U	NS		NS		0.34		NS		0.864	
	15-Oct-10	NS		0.698		NS		NS		NS		1.12		NS		0.779		0.919		0.877		NS	
	26-Jan-11	0.851	U	0.162		NS		0.179		NS		0.426	U	NS		0.426	U	0.426	U	0.617		NS	
	28-Feb-11	NS		NS		0.851	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.311		NS		NS		0.302		NS		NS		0.366		0.4		0.753		NS	
	26-Jul-11	0.724		NS		0.779		0.868		NS		0.788	U	NS		NS		1.23		0.681		NS	
	28-Oct-11	NS		2.1	U	NS		NS		2.1	U	NS		2.1	U	2.1	U	2.1	U	NS		2.1	U
	23-Jan-12	0.84		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.46		16		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	NS		0.43	U	NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U	NS	
	23-Jun-12	1.7		NS		1.4		1.9		NS		1.9		NS		NS		2.4		2.6		NS	
	1-Nov-12	NS		0.14		NS		NS		0.15		NS		0.46		NS		0.17		NS		0.34	
	1-Feb-13	0.085	U	NS		0.085		0.085	U	NS		0.085	U	NS		NS		0.22		0.26		NS	
	29-Apr-13	NS		0.22		NS		NS		0.27		NS		0.3		NS		0.36		NS		0.53	
	9-Jul-13	0.43		NS		0.60		0.39		NS		0.43		NS		NS		0.12		0.48		NS	
	18-Oct-13	NS		0.25		NS		NS		0.26		NS		0.35		0.35		0.50		NS		0.57	
	9-Jan-14	0.10		NS		0.10		NS		0.12		NS		0.14		NS		0.44		NS		0.53	
	24-Apr-14	NS		0.085		NS		NS		0.085	U	NS		0.085	U	0.085	U	0.21		0.21		0.28	
	1-Aug-14	0.32		NS		0.64		2.8/3.8		NS		NS		NS		NS		0.45		NS		0.51	
	27-Aug-14	NS		NS		NS		NS		NS		NS		2.7/2.9		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.81		NS		NS	
22-Oct-14	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.18		0.13	U	1.1		0.98		
20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.67		0.085	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS		
22-Apr-15	NS		0.098		NS		NS		0.085	U	NS		0.099		NS		0.12	U	NS		1.6	0.80	
21-Jul-15	0.160 ^J		NS		0.460 ^J		4	U	NS		0.23 ^J		NS		NS		1.3 ^U		2.9 ^U		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.13 ^J		NS		NS		
29-Oct-15	NS		0.2	U	NS		NS		0.21 ^J		NS		NS		0.4	U	0.2	U	0.71		NS	0.8	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.085	U	NS		0.085	U	NS		0.085	U	NS		0.085	U	NS		NS		1.3		3.7		
20-Apr-16	NS		0.085	U	NS		NS		NS		0.09		NS		0.13		0.085	U	1.5		NS	0.52	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1,1,2-Tetrachloroethane	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS	
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	NS		0.14	U
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U
	21-Jan-09	NS		NS		NS		0.19		NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		0.137	U	NS	
	22-Jul-09	0.686	U	NS		28	U	1.37	U	NS		0.686	U	NS		NS		0.137	U	0.137	U	NS	
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U
	15-Jan-10	0.109	U	NS		0.137	U	1.37	U	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	0.137	U	NS		0.137	U
	16-Jul-10	0.137	U	NS		0.137	U	NS		NS		1.04	U	NS		NS		0.137	U	0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		0.137	U	0.687	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.036	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U
	24-Apr-14	NS		0.25	U	NS		NS		0.25 ¹	U	NS		0.25 ¹	U	0.25	U	0.25 ¹	U	0.25	U	0.37	U
	1-Aug-14	0.25	U	NS		0.37	U	NS		NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37	U	NS		NS		NS	
22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	NS		
20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS		
22-Apr-15	NS		0.29	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	NS		NS		0.29	U	
27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS		
20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	NS		NS		0.25	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1,2,2-Tetrachloroethane	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS	
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	NS		0.14	U
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U
	21-Jan-09	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	22-Jul-09	0.686	U	NS		28	U	0.137	U	NS		0.686	U	NS		NS		0.137	U	0.137	U	NS	
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U
	15-Jan-10	0.109	U	NS		0.137	U	0.137	U	NS		0.109	U	NS		0.137	U	0.137	U	NS		0.137	U
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	0.137	U	NS		0.137	U
	16-Jul-10	0.137	U	NS		0.137	U	NS		NS		1.04	U	NS		NS		0.137	U	0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		0.137	U	0.687	U	NS	
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	NS		NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	
	23-Jun-12	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	1-Nov-12	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	1-Feb-13	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.12	U	0.069	U	NS	
	29-Apr-13	NS		0.17	U	NS		NS		0.069	U	NS		0.069	U	NS		0.069	U	NS		0.069	U
	9-Jul-13	0.10	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.010	U	0.069	U	NS	
	18-Oct-13	NS		0.14	U	NS		NS		0.14	U	NS		0.14	U	0.14	U	0.140	U	NS		0.14	U
	9-Jan-14	0.14	U	NS		0.14	U	NS		0.14	U	NS		0.14	U	NS		0.140	U	NS		0.14	U
	24-Apr-14	NS		0.069	U	NS		NS		0.069 ^L	U	NS		0.069 ^L	U	0.069 ^V	U	0.069 ^L	U	0.069	U	0.21	U
	1-Aug-14	0.14	U	NS		0.21	U	NS		NS		NS		NS		NS		0.140	U	0.14	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.069 ^L	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.10	U	NS		NS		NS	
22-Oct-14	NS		0.10	U	NS		NS		0.10	U	NS		0.10	U	0.10	U	0.10	U	0.14	U	NS		
20-Jan-15	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.10	U	0.069	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	NS		
22-Apr-15	NS		0.070	U	NS		NS		0.069	U	NS		0.069	U	0.10	U	0.069	U	NS		0.079	U	
21-Jul-15	0.3	U	NS		1	U	7	U	NS		0.4	U	NS		NS		0.300 ^O	U	0.400 ^O	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.069	U	NS		0.069	U	NS		0.069	U	NS		NS		NS		0.069	U	0.069	U	NS		
20-Apr-16	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Tetrachloroethene*	8-Feb-08	0.35		NS		NS		NS		0.14	U	NS		NS		NS		0.53		5.05		NS		
	27-Mar-08	NS		0.888		NS		NS		NS		0.875		NS		NS		NS		6.99		NS		
	25-Apr-08	NS		NS		0.322		NS		NS		NS		0.99		NS		0.83		NS		0.867		
	29-May-08	NS		NS		NS		1.36		NS		NS		NS		0.24		0.3		3.21		NS		
	27-Jun-08	1.32		NS		NS		NS		29.6		NS		NS		NS		NS		5.08		1.8		
	31-Jul-08	NS		0.667		NS		NS		NS		NS		NS		NS		0.618		NS		0.572		
	28-Aug-08	NS		NS		1.55		NS		NS		NS		1.52		NS		1.37		6.26		NS		
	30-Sep-08	NS		NS		NS		3.4		NS		NS		NS		3.4	U	NS		6.1		3.4	U	
	27-Oct-08	4.2	U	NS		NS		NS		10		NS		NS		NS		4.2	U	NS		4.2	U	
	25-Nov-08	NS		21.3		NS		NS		NS		4.6		NS		NS		3.4	U	8.9		NS		
	18-Dec-08	NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		NS		3.4	U	3.4	U	
	21-Jan-09	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	3.4	U	NS		3.4	U	
	25-Feb-09	3.4	U	NS		NS		NS		8.3		NS		NS		NS		3.4	U	3.7		NS		
	26-Mar-09	NS		1.28		NS		NS		NS		1.36	U	NS		NS		NS		7.11		2.08		
	29-Apr-09	NS		NS		0.271		NS		NS		NS		0.305		NS		0.237		NS		0.691		
	22-Jul-09	1.63		NS		1.63		2.1		NS		3.08		NS		NS		11.8		3.25		NS		
	9-Oct-09	NS		0.556		NS		NS		2.07		NS		0.678		28.3	U	1.17		NS		1.46		
	15-Jan-10	1.31		NS		0.644		1.35		NS		0.691		NS		NS		0.447		NS		0.501		
	21-Apr-10	NS		7.2		NS		NS		31.4		NS		35.5		36.8		62.1		NS		36.1		
	16-Jul-10	12.4		NS		12.7		10.9		NS		10		NS		NS		15.4		NS		19.2		
	15-Oct-10	NS		21.9		NS		NS		37.6		NS		21.3		21.8		22.1		NS		31.6		
	26-Jan-11	1.36	U	0.691		NS		1.27		NS		0.678	U	NS		0.813		2.13		8.3		NS		
	28-Feb-11	NS		NS		1.36	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		1.44		NS		NS		7.22		NS		1.53		1.56		1.46		NS		1.98		
	26-Jul-11	3.34		NS		0.834		2.59		NS		9.29		NS		NS		0.976		6.78		NS		
	28-Oct-11	NS		3.4	U	NS		NS		8.5		NS		3.4	U	3.4	U	3.4	U	NS		3.4	U	
	23-Jan-12	1		NS		0.68	U	1.7		NS		5.3		NS		NS		0.76		26		NS		
	13-Apr-12	NS		19		NS		NS		18		NS		12		18		18		NS		15		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		9.6		NS		
	23-Jun-12	1.5		NS		0.68	U	3.5		NS		0.8		NS		NS		0.68		8.9		NS		
	1-Nov-12	NS		7.4		NS		NS		11		NS		0.78		0.57		1.3		NS		1.6		
	1-Feb-13	1.8		NS		0.76		0.99		NS		4.5		NS		NS		1.8		7.7		NS		
	29-Apr-13	NS		8.1		NS		NS		4.7		NS		1.1		NS		1.3		NS		1.8		
	9-Jul-13	2.0		NS		2.1		3.1		NS		2.9		NS		NS		2.6		8.8		NS		
	18-Oct-13	NS		14		NS		NS		7.3		NS		0.61		0.32		0.32		NS		1.4		
	9-Jan-14	0.6		NS		0.22		1.1		NS		1.8		NS		NS		0.46		11		NS		
	24-Apr-14	NS		4.7		NS		NS		5.7		NS		0.41		0.068	U	0.51		10		0.30		
	1-Aug-01	2.3		NS		3.3/4.9		2.1		NS		NS		NS		NS		0.97		4.0/5.9		NS		
	27-Aug-14	NS		NS		NS		NS		NS		NS		2.4/3.5		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS		NS		
22-Oct-14	NS		6.9		NS		NS		5.0		0.61		0.43		0.10	U	0.10		4.0	U	NS			
20-Jan-15	0.9		NS		0.20		0.37		NS		1.0		NS		NS		0.52		0.21		NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.0		NS			
22-Apr-15	NS		5.3		NS		NS		2.6		NS		0.85		0.48/0.52		1.7		NS		1.5			
21-Jul-15	0.34		NS		1	U	7	U	NS		3.2		NS		NS		0.44 ^o		4.0 ^o		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
29-Oct-15	NS		18		NS		NS		3.6		NS		1.2		6.6		0.18 ^j		NS		0.65			
4-Dec-15 resample	NS		14		NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	3.1		NS		0.19		0.71		NS		0.63		NS		NS		0.19		6.7		NS			
20-Apr-16	NS		9.7		NS		NS		3.4		NS		0.22		0.11		0.14		NS		0.47			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Toluene	8-Feb-08	1.63		NS		NS		NS		1.8		NS		NS		NS		2.72		455		NS		
	27-Mar-08	NS		2.24		NS		NS		NS		1.45		NS		NS		NS		11.3		16.1		
	25-Apr-08	NS		NS		1.39		NS		NS		NS		1.34		NS		11.2		NS		21.8		
	29-May-08	NS		NS		NS		7.74		NS		NS		NS		11.6		21		13		NS		
	27-Jun-08	14.7		NS		NS		NS		2.33		NS		NS		NS		NS		10.6		22.2		
	31-Jul-08	NS		4.15		NS		NS		NS		NS		NS		NS		10.2		NS		6.11		
	28-Aug-08	NS		NS		6.48		NS		NS		NS		3.44		NS		10		11.2		NS		
	30-Sep-08	NS		NS		NS		1.9	U	NS		NS		NS		6.1		NS		7.5		8.6		
	27-Oct-08	56.3		NS		NS		NS		3.2		NS		NS		NS		6.6		NS		8.2		
	25-Nov-08	NS		7.8		NS		NS		NS		7.8		NS		NS		29.9		18.6		NS		
	18-Dec-08	NS		NS		2		NS		NS		NS		1.9	U	NS		NS		4.8		4.9		
	21-Jan-09	NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	1.9	U	1.9		NS	U	
	25-Feb-09	7		NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	1.9		13.8		
	26-Mar-09	NS		3.53		NS		NS		NS		3.92		NS		NS		NS		7.23		9.75		
	29-Apr-09	NS		NS		1.99		NS		NS		0.651		NS		NS		0.149		NS		4.56		
	22-Jul-09	38.7		NS		38.7		2.22		NS		4.71		NS		NS		80.1		5.32		NS		
	9-Oct-09	NS		3.53		NS		NS		3.06		NS		1.07		NS		23.6		3.12		NS		3.67
	15-Jan-10	12.8		NS		4.17		4.33		NS		5.81		NS		NS		4.81		NS		4.85		NS
	21-Apr-10	NS		0.9		NS		NS		2.97		NS		3.75		NS		2.84		NS		5.08		
	16-Jul-10	22.2		NS		17.9		5.98		NS		5.54		NS		NS		5.77		NS		5.85		NS
	15-Oct-10	NS		1.67		NS		NS		2.1		NS		1.72		NS		3.37		2.23		NS		3.26
	26-Jan-11	6.06		6.82		NS		6.82		NS		4.74		NS		5.95		12.1		NS		11.9		NS
	28-Feb-11	NS		NS		1.88		NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Apr-11	NS		0.836		NS		NS		0.682		NS		NS		1.25		3.62		2.08		NS		1.62
	26-Jul-11	8.29		NS		3.96		1.15		NS		1.62		NS		NS		2.31		1.68		NS		NS
	28-Oct-11	NS		1.9	U	NS		NS		1.9	U	NS		1.9	U	3.3		4.7		NS		3.8		
	23-Jan-12	7.9		NS		3.8		1.9		NS		3.4		NS		NS		5.2		15		NS		
	13-Apr-12	NS		0.75		NS		NS		0.38	U	NS		0.38	U	1.3		2.4		NS		1.5		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9		U		NS
	23-Jun-12	8.5		NS		3.5		1.5		NS		2.5		NS		NS		2.4		1.8		NS		
	1-Nov-12	NS		2		NS		NS		1.7		NS		2.3		NS		2.8		NS		4.5		
	1-Feb-13	2.4		NS		0.69		0.69		NS		0.71		NS		NS		1.4		1.6		NS		
	29-Apr-13	NS		1.7		NS		NS		1.3		NS		1.7		NS		3.1		NS		3.9		
	9-Jul-13	11		NS		3.0		2.0		NS		2.5		NS		NS		6.8		3.4		NS		
	18-Oct-13	NS		2.3		NS		NS		3.1		NS		2.8		7.5		1.3		NS		1.9		
	9-Jan-14	10		NS		7.6		8.6		NS		10		NS		NS		20		NS		16		NS
	24-Apr-14	NS		0.23		NS		NS		0.22		NS		NS		0.25		0.36		0.28		0.25		1.1
	1-Aug-14	2.7		NS		2.8/3.2		1.3/1.4		NS		NS		NS		NS		1.6		NS		1.9		NS
	27-Aug-14	NS		NS		NS		NS		NS		2.2/2.8		NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS		NS		NS
22-Oct-14	NS		0.34		NS		NS		0.32		NS		0.48		0.94		0.51		1.2		1.2		NS	
20-Jan-15	1.5		NS		0.6		0.6		NS		0.44		NS		NS		1.4		1.5		NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS	
22-Apr-15	NS		0.95		NS		NS		0.59		NS		1.2		1.4/1.6		3.4		NS		4.3			
21-Jul-15	3.8		NS		4.5		4	U	NS		2		NS		NS		5.4 ^o		7.6 ^o		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS		NS		NS	
29-Oct-15	NS		0.41		NS		NS		0.55		NS		0.64		1.1		1.2		NS		2.8			
4-Dec-15 resample	NS		0.42		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
27-Jan-16	1.5		NS		0.5		0.4		NS		0.44		NS		NS		1.2		NS		0.89		NS	
20-Apr-16	NS		0.62		NS		NS		0.77		NS		1.3		0.85		3.5		NS		1.8			

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1,1-Trichloroethane*	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.56		NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.522		0.266	
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.119	
	29-May-08	NS		NS		NS		0.12		NS		NS		NS		0.11	U	0.11	U	0.54		NS	
	27-Jun-08	0.17	U	NS		NS		NS		0.458		NS		NS		NS		NS		0.377		0.138	
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.153		NS		0.109	U	0.492		NS	
	30-Sep-08	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		2.7	U	2.7	U
	27-Oct-08	3.4	U	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		3.4	U
	25-Nov-08	NS		2.7	U	NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS	
	18-Dec-08	NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U
	21-Jan-09	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		2.7	U	2.7	U
	25-Feb-09	2.7	U	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS	
	26-Mar-09	NS		1.59		NS		NS		NS		1.09	U	NS		NS		NS		0.682		0.213	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.147		NS		0.158		NS		0.191	
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.278		NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.158		NS		0.191		NS		22.8	U	0.109	U	NS	0.136
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.109	U	NS		NS		0.109	U	0.692		NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		1.09	U
	16-Jul-10	0.109	U	NS		0.109	U	NS		0.824	U	NS		NS		NS		0.109	U	0.562		NS	
	15-Oct-10	NS		0.272		NS		NS		0.349		NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.545	U	0.545	U	0.845		NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	NS		0.109	U	NS		0.873		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		1.5	U	NS		NS		0.55	U	1.3		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	NS		NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		0.55	U	NS		NS		0.55	U	0.7		NS	
	1-Nov-12	NS		0.25		NS		NS		0.27		NS		0.055	U	0.055	U	0.055	U	NS		0.14	
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.83		NS		NS		0.055	U	0.23		NS	
	29-Apr-13	NS		0.15		NS		NS		0.076		NS		0.055	U	0.061		0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.061		NS		0.33		NS		NS		0.055	U	0.26		NS	
	18-Oct-13	NS		0.23		NS		NS		0.19		NS		0.11	U	0.11	U	0.11	U	NS		0.28	
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.41		NS		NS		0.11	U	0.46		NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.42		0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	NS		0.16	U	NS		NS		NS		0.11	U	0.22		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.35		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS	U	NS	
22-Oct-14	NS		0.19		NS		NS		0.19		0.082	U	0.082	U	0.082	U	0.082	U	0.28		NS		
20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.31		NS		NS		0.082	U	0.055	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14		NS		
22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U	
21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.27 ^J		NS		NS		0.3 ^O	U	0.3 ^O	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS		
29-Oct-15	NS		0.36		NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.23 ^J		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.24		NS		NS		0.055	U	0.4		NS		
20-Apr-16	NS		0.2		NS		NS		0.098		NS		0.055	U	0.055	U	0.055	U	NS		0.074		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1,2-Trichloroethane	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.109	U	0.109	U
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	29-May-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	0.11	U	NS	
	27-Jun-08	0.17	U	NS		NS		0.109	U	NS		NS		NS		NS		NS		0.109	U	0.109	U
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	0.109	U	NS	
	30-Sep-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U	0.11	U
	27-Oct-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U
	25-Nov-08	NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	NS		0.11	U
	18-Dec-08	NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U
	21-Jan-09	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U	0.11	U
	25-Feb-09	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U
	26-Mar-09	NS		0.545	U	NS		NS		NS		1.09	U	NS		NS		NS		0.109	U	0.109	U
	29-Apr-09	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.109	U	NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	22.8	U	0.109	U	NS		0.109	U
	15-Jan-10	0.109	U	NS		0.109	U	0.109	U	NS		0.081	U	NS		0.109	U	0.109	U	NS		0.109	U
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		0.109	U
	16-Jul-10	0.109	U	NS		0.109	U	NS		0.109	U	0.824	U	NS		NS		1.09	U	0.109	U	NS	
	15-Oct-10	NS		0.109		NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.547	U	0.545	U	0.545	U	NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.546	U	NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		0.55	U	NS		NS		0.55	U	4.2		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		0.5	U	NS		NS		0.55	U	0.55	U	NS	
	1-Nov-12	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	29-Apr-13	NS		0.14	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	18-Oct-13	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U	0.11	U	0.11	U	NS		0.11	U
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.055	U	0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	NS		NS		NS		NS		NS		0.11	U	0.11	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.055	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS		NS	
22-Oct-14	NS		0.082	U	NS		NS		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.11	U	NS		
20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.082	U	0.055	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		
22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U	
21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.3 ^U	U	0.3 ^U	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS		
20-Apr-16	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Trichloroethene*	8-Feb-08	0.12		NS		NS		NS		0.11	U	NS		NS		NS		0.2		19.6		NS		
	27-Mar-08	NS		0.107	U	NS		NS		NS		0.152		NS		NS		NS		13.4		NS		
	25-Apr-08	NS		NS		0.199		NS		NS		NS		1.35		NS		0.668		NS		3.39		
	29-May-08	NS		NS		NS		26.5		NS		NS		NS		0.15		0.37		13.6		NS		
	27-Jun-08	0.408		NS		NS		NS		258		NS		NS		NS		NS		13.6		6.56		
	31-Jul-08	NS		1.24		NS		NS		NS		NS		NS		NS		0.126		NS		3.26		
	28-Aug-08	NS		NS		0.558		NS		NS		NS		3.56		NS		0.432		18.4		NS		
	30-Sep-08	NS		NS		NS		56.2		NS		NS		NS		0.8	U	NS		22.7		3.95		
	27-Oct-08	0.8	U	NS		NS		NS		117		NS		NS		NS		2.99		NS		0.8		
	25-Nov-08	NS		2.92		NS		NS		NS		1.89		NS		NS		0.54		NS	U	39.8		NS
	18-Dec-08	NS		NS		0.54	U	NS		NS		NS		NS		0.54	U	NS		4.56		2.48		
	21-Jan-09	NS		NS		NS		19.6		NS		NS		NS		NS		0.54		NS	U	4.99		NS
	25-Feb-09	0.44		NS		NS		NS		99.5		NS		NS		NS		0.56		NS		10.7		NS
	26-Mar-09	NS		9.2		NS		NS		NS		3.88		NS		NS		NS		NS		25.1		5.49
	29-Apr-09	NS		NS		0.22		NS		NS		NS		1.2		NS		0.392		NS		2.96		NS
	22-Jul-09	0.537	U	NS		0.537	U	12.7		NS		3.19		NS		NS		0.354		NS		10.3		NS
	9-Oct-09	NS		0.091	U	NS		NS		26		NS		NS		22.4		0.182		NS	U	3.26		NS
	15-Jan-10	0.591		NS		0.242		17.7		NS		0.172		NS		NS		0.107		NS	U	18.5		NS
	21-Apr-10	NS		0.107	U	NS		NS		34		NS		NS		0.94		0.537		NS	U	2.01		NS
	16-Jul-10	0.333		NS		0.333		8.14		NS		0.811	U	NS		NS		0.107		NS		27.8		NS
	15-Oct-10	NS		2.26		NS		NS		129		NS		NS	U	1.92		0.177		NS		1.3		NS
	26-Jan-11	1.07	U	1.63		NS		9.94		NS		0.537	U	NS		0.617		1.23		NS		27.1		NS
	28-Feb-11	NS		NS		1.07	U	NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Apr-11	NS		0.231		NS		NS		78.1		NS		NS		0.891		0.107		NS	U	1.56		NS
	26-Jul-11	1.18		NS		0.358	U	29.6		NS		10.5		NS		NS		0.247		NS		20.5		NS
	28-Oct-11	NS		2.7	U	NS		NS		110		NS		NS	U	2.7		2.7		NS	U	2.7		NS
	23-Jan-12	0.88		NS		0.54	U	6.8		NS		7.8		NS		NS		0.54		NS	U	44		NS
	13-Apr-12	NS		0.27	U	NS		NS		83		NS		1.5		0.27		0.27		NS	U	4.1		NS
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		32		NS
	23-Jun-12	1.1		NS		0.54	U	92		NS		0.75		NS		NS		0.54		NS	U	35		NS
	1-Nov-12	NS		2.4		NS		NS		92		NS		1.9		0.32		0.28		NS		6.9		NS
	1-Feb-13	0.85		NS		0.064		21		NS		5.6		NS		NS		0.077		NS		20		NS
	29-Apr-13	NS		1.7		NS		46		NS		NS		0.84		NS		0.12		NS		1.9		NS
	9-Jul-13	0.60		NS		0.22		27		NS		2.6		NS		NS		0.14		NS	U	22		NS
	18-Oct-13	NS		3.3		NS		NS		76		NS		NS		2.2		0.48		NS		15		NS
	9-Jan-14	0.49		NS		0.11	U	36		NS		1.8		NS		NS		0.13		NS		43		NS
	24-Apr-14	NS		1.0		NS		NS		58		NS		NS		0.81		0.13		NS		31		2.4
	1-Aug-14	2.70		NS		0.23		15/19		NS		NS		NS		NS		1.2		NS		16/18		NS
	27-Aug-14	NS		NS		NS		NS		NS		NS		2.6/3.4		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.30		NS		NS		NS
22-Oct-14	NS		1.3		NS		NS		88		0.97		NS		1.4		0.19		NS		18		NS	
20-Jan-15	0.52		NS		0.054	U	24		NS		NS		1.3		NS		NS		0.081	U	0.054	U	NS	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		15		NS	
22-Apr-15	NS		0.96		NS		NS		35		NS		NS		0.80		0.078		NS	U	0.57		3.6	
21-Jul-15	0.2	U	NS		1	U	15		NS		3.1		NS		NS		0.99 ^o		NS		24 ^o		NS	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS		NS	
29-Oct-15	NS		4.1		NS		NS		54		NS		NS		3.3		0.89		NS		NS		7.3	
4-Dec-15 resample	NS		2.1		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
27-Jan-16	2.3		NS		0.13		25		NS		0.98		NS		NS		NS		NS		36		NS	
20-Apr-16	NS		1.8		NS		NS		76		NS		NS		0.8		0.17		NS		NS		9.4	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Trichlorofluoromethane	8-Feb-08	1.22		NS		NS		NS		1.22		NS		NS		NS		1.06		15.9	
	27-Mar-08	NS		1.27		NS		NS		NS		1.18		NS		NS		NS		12		9.02	
	25-Apr-08	NS		NS		1.18		NS		NS		NS		5.2		NS		1.66		NS		3.83	
	29-May-08	NS		NS		NS		33.5		NS		NS		NS		0.98		1.05		10.6		NS	
	27-Jun-08	1.29		NS		NS		NS		75.2		NS		NS		NS		NS		8.85		8.89	
	31-Jul-08	NS		1.01		NS		NS		NS		NS		NS		NS		0.958		NS		5.1	
	28-Aug-08	NS		NS		2.53		NS		NS		NS		18		NS		1.79		15.6		NS	
	30-Sep-08	NS		NS		NS		53.8		NS		NS		NS		2.8	U	NS		14.5		10.4	
	27-Oct-08	2.8	U	NS		NS		NS		44.4		NS		NS		NS		6.1		NS		2.8	
	25-Nov-08	NS		10		NS		NS		NS		12.2		NS		NS		2.8	U	34		NS	
	18-Dec-08	NS		NS		2.8	U	NS		NS		NS		4.9		NS		NS		4.8		7.1	
	21-Jan-09	NS		NS		NS		26.9		NS		NS		NS		7.2		2.8	U	NS		10.4	
	25-Feb-09	2.8	U	NS		NS		NS		14.8		NS		NS		NS		2.8	U	7.1		NS	
	26-Mar-09	NS		1.43		NS		NS		NS		2.81	U	NS		NS		NS		19.6		10.3	
	29-Apr-09	NS		NS		1.45		NS		NS		NS		4.23		NS		1.27		NS		3.17	
	22-Jul-09	1.46		NS		1.46		19.9		NS		3.42		NS		NS		1.28		6.46		NS	
	9-Oct-09	NS		0.156		NS		NS		20		NS		11		58.6	U	1.65		NS		9.32	
	15-Jan-10	1.39		NS		2.1		16.6		NS		1.78		NS		NS		1.34		NS		15.4	
	21-Apr-10	NS		0.466		NS		NS		10.1		NS		4.83		1.4	U	4.95		NS		5.47	
	16-Jul-10	2.6		NS		1.84		16.4		NS		2.12	U	NS		NS		2.23		NS		19.8	
	15-Oct-10	NS		9.63		NS		NS		72.2		NS		13.7		5.65		9.85		NS		10	
	26-Jan-11	2.81	U	1.16		NS		13.8		NS		1.4	U	NS		1.4		1.71		26		NS	
	28-Feb-11	NS		NS		2.81	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.12		NS		NS		12.8		NS		3.24		1.27		1.17		NS		2.53	
	26-Jul-11	4.27		NS		1.31		41.2	U	NS		15.3		NS		NS		1.62		NS		10	
	28-Oct-11	NS		2.8	U	NS		NS		30		NS		5.1		2.8	U	2.9		NS		4.2	
	23-Jan-12	2.1		NS		1.5		28		NS		29		NS		NS		1.4		16		NS	
	13-Apr-12	NS		1.9		NS		NS		15		NS		6.4		2.1		2		NS		8.8	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		21		NS	
	23-Jun-12	2.4		NS		1.1		85		NS		2.2		NS		NS		1.2		15		NS	
	1-Nov-12	NS		3.3		NS		NS		33		NS		6.7		1.2		1.2		NS		7.2	
	1-Feb-13	2.1		NS		1.6		15		NS		17		NS		NS		1.6		5.6		NS	
	29-Apr-13	NS		2.6		NS		NS		8.3		NS		3.1		1.5		1.6		NS		2.7	
	9-Jul-13	1.4		NS		2.2		33		NS		3.3		NS		NS		3.6		5.5		NS	
	18-Oct-13	NS		4.0		NS		NS		19		NS		6.9		3.0		1.6		NS		20	
	9-Jan-14	1.6		NS		1.8		21		NS		11		NS		NS		1.8		NS		11	
	24-Apr-14	NS		2.3		NS		NS		10		NS		3.5		1.7		2.4		9.3		4.3	
	1-Aug-14	2.9		NS		1.7/1.6		23/26		NS		NS		NS		NS		2.4		6.2		NS	
	27-Aug-14	NS		NS		NS		NS		NS		7.0/6.6		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS	U	NS	
	22-Oct-14	NS		2.7		NS		NS		28		4.2		7.0		1.7		1.4		7.4		NS	
	20-Jan-15	1.6		NS		1.5		9.1		NS		5.2		NS		NS		1.3		1.4		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	22-Apr-15	NS		7.8 ^v		NS		NS		15 ^v		NS		3.5		1.7/2.0		1.9		NS		3.4	
	21-Jul-15	0.87		NS		1.0 ^j		19		NS		3.2		NS		NS		0.98 ^o		2.9 ^o		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.98		NS		NS		NS	
	29-Oct-15	NS		4.3		NS		NS		11		NS		2.6		0.93		0.8		NS		1.8	
	4-Dec-15 resample	NS		2.5		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.5 ^{MV}		NS		1.9 ^{MV}		19 ^{MV}		NS		7.6 ^{MV}		NS		NS		2.4 ^{MV}		7.6 ^{MV}		NS	
	20-Apr-16	NS		2.3		NS		NS		8.8		NS		2.5		1.6		1.4		NS		4.3	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
1,2,4-Trimethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.69		1.93		NS		
	27-Mar-08	NS		0.304		NS		NS		NS		0.152		NS		NS		NS		0.958		0.681		
	25-Apr-08	NS		NS		1.72		NS		NS		NS		0.644		NS		0.517		NS		0.338		
	29-May-08	NS		NS		NS		0.6		NS		NS		NS		1		1.26		0.48		NS		
	27-Jun-08	7.46		NS		NS		NS		1.15		NS		NS		NS		NS		0.638		0.736		
	31-Jul-08	NS		1.86		NS		NS		NS		NS		NS		NS		0.885		NS		0.685		
	28-Aug-08	NS		NS		0.838		NS		NS		NS		NS		NS		0.669		0.653		NS		
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	
	27-Oct-08	11.4		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.9		
	25-Nov-08	NS		2.5	U	NS		NS		2.5		NS	U	NS		NS		6.4		5.2		NS		
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U	
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	2.5	U	NS		2.5	U	
	25-Feb-09	17.5		NS		NS		NS		4		NS		NS		NS		6.2		2.9		NS		
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		1.09		1.55		
	29-Apr-09	NS		NS		0.265		NS		NS		NS		0.378		NS		NS		0.707		NS		0.801
	22-Jul-09	3.49		NS		20	U	0.982	U	NS		0.737		NS		NS		56.4		0.86		NS		
	9-Oct-09	NS		0.707		NS		NS		0.781		NS		0.648		20.5	U	1.36		NS		0.584		
	15-Jan-10	2.87		NS		0.354		NS		0.29		0.314		NS		NS		1.06		NS		1.17		
	21-Apr-10	NS		0.211		NS		NS		0.933		NS		1.42		1.13		0.653		NS		0.702		
	16-Jul-10	8.3		NS		8.23		NS		8.09		NS		6.27		NS		4.28		5.05		NS		
	15-Oct-10	NS		1.29		NS		NS		1.61		NS		1.1		1.38		1.86		NS		2.35		
	26-Jan-11	1.23		1.4		NS		1.6		NS		0.491	U	NS		1.35		6.93		10.4		NS		
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.845		NS		NS		0.855		NS		1.24		1.06		2.06		NS		1.09		
	26-Jul-11	1.29		NS		2.67		0.61		NS		0.541		NS		NS		2.48		0.541		NS		
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	3.7		NS		3.1		
	23-Jan-12	3		NS		0.76		0.49	U	NS		0.71		NS		NS		2.7		2.8		NS		
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	1.1		3.9		NS		1.3		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5	U	NS
	23-Jun-12	4.1		NS		1.3		1.2		NS		1.1		NS		NS		2.1		1.1		NS		
	1-Nov-12	NS		NS		1.7		NS		NS		2.5		NS		3.1		3.2		NS		3.3		
	1-Feb-13	1.2		NS		0.23		0.21		NS		0.3		NS		NS		1		0.86		NS		
	29-Apr-13	NS		0.54		NS		NS		0.74		NS		0.66		0.83		1		NS		0.84		
	9-Jul-13	4.2		NS		1.6		1.8		NS		1.8		NS		NS		2		2.0		NS		
	18-Oct-13	NS		4.8		NS		NS		4.3		NS		5.6		6.4		5.0		NS		5.7		
	9-Jan-14	2.7		NS		2.7		3.8		NS		3.8		NS		NS		12.0		NS		NS		
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.13		0.098	U	0.5		0.1		2.6		
	1-Aug-14	4.1		NS		6.5/5.1		3.0/3.6		NS		NS		NS		NS		2.6		6.3/4.3		NS		
	27-Aug-14	NS		NS		NS		NS		NS		1.1		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS		NS		
22-Oct-14	NS		0.37		NS		NS		0.28		NS		0.59		0.50		1.0		1.2		NS			
20-Jan-15	0.19		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.4		NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.55		NS			
22-Apr-15	NS		0.27		NS		NS		0.17		NS		0.24		0.33/0.37		0.33		NS		0.43			
21-Jul-15	0.44		NS		1.1		5	U	NS		0.89		NS		NS		0.47 ^o		0.66 ^o		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		1.7		NS		NS			
29-Oct-15	NS		0.43		NS		NS		0.78		NS		0.87		0.64		0.48		NS		0.76			
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.32		NS		0.098	U	0.17		NS		0.098	U	NS		NS		0.55		NS		NS			
20-Apr-16	NS		0.39		NS		NS		0.57		NS		0.79		0.49		1		NS		0.94			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
1,3,5-Trimethylbenzene	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.47		0.66		NS		
	27-Mar-08	NS		0.14		NS		NS		NS		0.098	U	NS		NS		NS		0.349		0.275		
	25-Apr-08	NS		NS		1.6		NS		NS		NS		0.228		NS		0.192		NS		0.134		
	29-May-08	NS		NS		NS		0.18		NS		NS		NS		0.32		0.43		0.15		NS		
	27-Jun-08	5.16		NS		NS		0.463		NS		NS		NS		NS		NS		0.236		0.25		
	31-Jul-08	NS		0.713		NS		NS		NS		NS		NS		NS		0.276		NS		0.224		
	28-Aug-08	NS		NS		0.497		NS		NS		NS		0.215		NS		0.248		0.233		NS		
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5		2.5	U	
	27-Oct-08	7.8		NS		NS		NS		2.5	U	NS		NS		NS		2.5		NS		2.5	U	
	25-Nov-08	NS		2.5	U	NS		NS		2.5		NS		NS	U	NS		2.5	U	2.5		NS		
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	2.5		NS		2.5	U	
	25-Feb-09	9.1		NS		NS		NS		2.5	U	NS		NS		NS		2.5		2.5		NS		
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		0.337		0.425		
	29-Apr-09	NS		NS		0.147		NS		NS		NS		0.128		NS		NS		0.211		NS		
	22-Jul-09	3		NS		20	U	0.982	U	NS		0.491	U	NS		NS		22.7		0.275		NS		
	9-Oct-09	NS		0.216		NS		NS		0.241		NS		0.187		NS		20.5	U	0.388		NS		
	15-Jan-10	2.15		NS		0.118		0.098	U	NS		0.108		NS		NS		NS		0.29		0.334		
	21-Apr-10	NS		0.098	U	NS		NS		0.491	U	NS		0.491	U	0.491	U	NS		0.177		NS		
	16-Jul-10	2.76		NS		1.88		NS		1.81		NS		1.67		NS		NS		1.08		1.25		NS
	15-Oct-10	NS		0.418		NS		NS		0.383		NS		NS		0.275		0.324		0.545		NS		
	26-Jan-11	0.982	U	0.437		NS		0.472		NS		0.491	U	NS		0.491	U	NS		1.99		2.87		
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.255		NS		NS		0.27		NS		NS		0.368		0.329		0.599		NS		
	26-Jul-11	0.688		NS		0.885		0.182		NS		0.492	U	NS		NS		0.664		0.492	U	NS		
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	NS		2.5		NS		
	23-Jan-12	0.99		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		NS		0.71		0.83		
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	NS		1.1		NS		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5	U	
	23-Jun-12	1.6		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		NS		0.49		0.49	U	
	1-Nov-12	NS		0.25		NS		NS		0.39		NS		0.53		NS		0.5		0.56		NS		
	1-Feb-13	0.42		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		NS		0.3		0.24		
	29-Apr-13	NS		0.25	U	NS		NS		0.22		NS		0.18		NS		0.22		0.3		NS		
	9-Jul-13	1.5		NS		0.39		0.37		NS		0.38		NS		NS		NS		0.43		0.44		
	18-Oct-13	NS		0.53		NS		NS		0.52		NS		0.75		0.99		NS		0.44		NS		
	9-Jan-14	0.77		NS		0.69		0.96		NS		0.98		NS		NS		NS		2.9		3.1		
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.098	U	0.098	U	NS		0.14		0.098	U	
	1-Aug-14	0.90		NS		1.00		0.60		NS		NS		NS		NS		NS		0.46		0.86		
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.23		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
22-Oct-14	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U	0.15	U	NS		0.15	U	0.20	U		
20-Jan-15	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		NS		0.15	U	0.11	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.11	U		
22-Apr-15	NS		0.10	U	NS		NS		0.098	U	NS		0.098	U	0.14	U	NS		0.098	U	NS			
21-Jul-15	0.2	U	NS		1	U	5	U	NS		0.3	U	NS		NS		NS		0.20 ^U	U	0.14 ^U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
29-Oct-15	NS		0.3	U	NS		NS		0.16 ^J		NS		0.4	U	0.13 ^J		NS		0.15 ^J		NS			
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.1		NS		0.098	U	0.098	U	NS		NS		0.098	U	NS		NS		0.13		0.098	U		
20-Apr-16	NS		0.098	U	NS		NS		0.098	U	NS		NS		0.18		0.098		0.26		NS			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Vinyl chloride*	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS	
	27-Mar-08	NS		0.051	U	NS		NS		NS		0.051	U	NS		NS		NS		0.051	U	NS	U
	25-Apr-08	NS		NS		0.051	U	NS		NS		NS		0.75		NS		0.051	U	NS		0.051	U
	29-May-08	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	0.05	U	NS	
	27-Jun-08	0.08	U	NS		NS		NS		0.051	U	NS		NS		NS		NS		0.051	U	NS	U
	31-Jul-08	NS		0.051	U	NS		NS		NS		NS		NS		NS		0.051	U	NS		0.051	U
	28-Aug-08	NS		NS		0.051	U	NS		NS		NS		0.051	U	NS		0.051	U	0.051	U	NS	
	30-Sep-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1		0.1	U
	27-Oct-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U
	25-Nov-08	NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1		NS	
	18-Dec-08	NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1		0.1	U
	21-Jan-09	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1		0.1	U
	25-Feb-09	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1		NS	
	26-Mar-09	NS		0.255	U	NS		NS		NS		0.511	U	NS		NS		NS		0.051		0.051	U
	29-Apr-09	NS		NS		0.061		NS		NS		NS		0.051	U	NS		NS		0.051	U	NS	U
	22-Jul-09	0.255	U	NS		0.255	U	0.511	U	NS		0.255	U	NS		NS		0.051	U	0.051	U	NS	
	9-Oct-09	NS		1.72		NS		NS		0.051	U	NS		0.102		10.7	U	0.051	U	NS		0.051	U
	15-Jan-10	0.051	U	NS		0.061		0.051	U	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U
	21-Apr-10	NS		0.051	U	NS		NS		0.255	U	NS		0.256	U	0.255	U	0.051	U	NS		0.051	U
	16-Jul-10	0.051	U	NS		1.98		0.051	U	NS		0.386	U	NS		NS		0.051	U	0.051	U	NS	
	15-Oct-10	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jan-11	0.511	U	0.051	U	NS		0.051	U	NS		0.255	U	NS		0.255	U	0.255	U	0.255	U	NS	
	28-Feb-11	NS		NS		0.511		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jul-11	0.17	U	NS		0.17	U	NS		0.051	U	0.256	U	NS		NS		0.051	U	0.256	U	NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	13-Apr-12	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.64	U	NS	
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	1-Nov-12	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	1-Feb-13	0.065		NS		0.026	U	0.026	U	NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	29-Apr-13	NS		0.41		NS		NS		0.045		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	9-Jul-13	0.038	U	NS		0.026	U	0.085		NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	18-Oct-13	NS		0.051	U	NS		NS		0.074		NS		0.051	U	0.063		0.051	U	NS		0.051	U
	9-Jan-14	0.092		NS		0.051	U	NS		0.051	U	NS		NS		NS		0.051	U	0.051	U	NS	
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.10		0.026	U	0.026	U	0.077	U
	1-Aug-14	0.21		NS		0.38	U	NS		0.077	U	NS		NS		NS		0.051	U	0.051	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.026	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.038	U	NS		NS		NS	
22-Oct-14	NS		0.038	U	NS		0.038		NS		0.038	U	0.24		0.038	U	0.038	U	0.051	U	NS		
20-Jan-15	0.093 ^v		NS		0.14 ^v		0.026	U	NS		0.072 ^v		NS		NS		0.038 ^v	U	0.026	U	NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.029	U	NS		
22-Apr-15	NS		0.069 ^v		NS		NS		0.060 ^v		NS		0.026	U	0.037	U	0.026	U	NS		0.029	U	
21-Jul-15	0.090 ^j		NS		0.5	U	3	U	NS		0.097 ^j		NS		NS		0.096 ^{j, o}		0.100 ^o	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS		
29-Oct-15	NS		0.13 ^j		NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U	
4-Dec-15 resample	NS		0.14		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.026	U	NS		0.2		0.026	U	NS		0.064		NS		NS		0.026	U	0.026	U	NS		
20-Apr-16	NS		0.23		NS		NS		0.072		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U	

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - April 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
p/m-Xylene	8-Feb-08	0.55		NS		NS		NS		0.63		NS		NS		NS		1.04		18.3		NS	
	27-Mar-08	NS		0.893		NS		NS		NS		0.389		NS		NS		NS		2.17		NS	
	25-Apr-08	NS		NS		0.815		NS		NS		NS		0.97		NS		2.54		NS		1.81	
	29-May-08	NS		NS		NS		5		NS		NS		NS		7.58		10.1		3.34		NS	
	27-Jun-08	12.6		NS		NS		NS		1.5		NS		NS		NS		NS		1.91		2.33	
	31-Jul-08	NS		2.4		NS		NS		NS		NS		NS		NS		2.08		NS		1.55	
	28-Aug-08	NS		NS		2.33		NS		NS		NS		1.44		NS		2.13		1.94		NS	
	30-Sep-08	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U	4.3	U
	27-Oct-08	41.6		NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U
	25-Nov-08	NS		4.7		NS		NS		4.3		NS	U	NS		NS		8.5		8.9		NS	
	18-Dec-08	NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		NS		4.3	U	4.3	U
	21-Jan-09	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	4.3	U	NS		4.3	U
	25-Feb-09	37.6		NS		NS		NS		4.3	U	NS		NS		NS		8		9.3		NS	
	26-Mar-09	NS		1.35		NS		NS		NS		1.74	U	NS		NS		NS		2.59		3.56	
	29-Apr-09	NS		NS		0.468		NS		NS		NS		0.516		NS		0.933		NS		1.06	
	22-Jul-09	25.6		NS		25.6		1.74	U	NS		3.88		NS		NS		165		3.52		NS	
	9-Oct-09	NS		1.62		NS		NS		1.63		NS		0.915		36.2	U	1.74		NS		1.7	
	15-Jan-10	18.4		NS		1.52		1.48		NS		1.76		NS		NS		2.35		NS		2.65	
	21-Apr-10	NS		0.703		NS		NS		3.28		NS		4.58		4.34		6.22		NS		4.77	
	16-Jul-10	21.8		NS		7.01		6.36		NS		NS		4.82		NS		4.95		NS		4.91	
	15-Oct-10	NS		1.81		NS		NS		2.18		NS		1.7		1.88		3.4		NS		2.88	
	26-Jan-11	3.08		4.24		NS		4.37		NS		3.06		NS		3.17		11.5		13.6		NS	
	28-Feb-11	NS		NS		1.74	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.694		NS		NS		0.707		NS		0.889		1.15		1.09		NS		1.44	
	26-Jul-11	9.99		NS		3.96		1.02		NS		0.999		NS		NS		0.956		1.26		NS	
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	9.8		NS		4.3	U
	23-Jan-12	7.9		NS		2		1.3		NS		2		NS		NS		4.4		14		NS	
	13-Apr-12	NS		0.87	U	NS		NS		0.87	U	NS		0.87	U	0.87		3.6		NS		1.1	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		4.3	U	NS	
	23-Jun-12	12		NS		1.1		0.87	U	NS		0.94		NS		NS		1.7		1.1		NS	
	1-Nov-12	NS		2.1		NS		NS		2.4		NS		3.3		2.9		3.6		NS		5.3	
	1-Feb-13	3.4		NS		0.44		0.38		NS		0.59		NS		NS		1.5		1.4		NS	
	29-Apr-13	NS		1		NS		NS		1.2		NS		1.2		1.5		1.9		NS		2.4	
	9-Jul-13	12		NS		1.9		1.8		NS		1.7		NS		NS		3.2		0.70		NS	
	18-Oct-13	NS		5.0		NS		NS		5.6		NS		6.3		8.0		4.7		NS		5.9	
	9-Jan-14	8.6		NS		7.2		9.3		NS		9.7		NS		NS		23		22.00		NS	
	24-Apr-14	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.28		0.17	U	2.6	
	1-Aug-14	4.8		NS		2.8/3.0		1.8/2.1		NS		NS		NS		NS		1.5		2.4/2.8		NS	
	27-Aug-14	NS		NS		NS		NS		NS		3.6		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS	U	NS	
22-Oct-14	NS		0.26	U	NS		NS		0.26	U	NS		0.30		0.5		0.76		0.92		NS		
20-Jan-15	1.1		NS		0.21		0.30		NS		0.20		NS		NS		0.7		0.90		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		NS		
22-Apr-15	NS		0.71		NS		NS		0.40		NS		0.8		0.66/0.76		1.3		NS		1.6		
21-Jul-15	1.5		NS		1.7 ^j		9	U	NS		1.9		NS		NS		1.8 ^o		2.3 ^o		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.71		NS		NS		
29-Oct-15	NS		0.29 ^j		NS		NS		0.47 ^j		NS		0.73		0.90		0.8		NS		1		
4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	2.4		NS		0.51		0.64		NS		0.64		NS		NS		2.5		2.7		NS		
20-Apr-16	NS		1		NS		NS		NS		1.5		NS		2.1		1.4		2.7		NS		

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - April 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
o-Xylene	8-Feb-08	0.2		NS		NS		NS		0.23		NS		NS		NS		0.48		7.73		NS			
	27-Mar-08	NS		0.273		NS		NS		NS		0.142		NS		NS		NS		0.844		NS			
	25-Apr-08	NS		NS		0.37		NS		NS		NS		0.406		NS		0.735		NS		0.62			
	29-May-08	NS		NS		NS		1.48		NS		NS		NS		2.26		2.84		1.02		NS			
	27-Jun-08	4.12		NS		NS		NS		0.55		NS		NS		NS		NS		0.672		NS			
	31-Jul-08	NS		0.835		NS		NS		NS		NS		NS		NS		0.748		NS		0.564			
	28-Aug-08	NS		NS		0.804		NS		NS		NS		0.511		NS		0.797		0.725		NS			
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2		U	2.2	U	
	27-Oct-08	9.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2		NS		4			
	25-Nov-08	NS		2.2	U	NS		NS		2.2		NS	U	NS		NS		3.1		NS		2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2		U	2.2	U	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2		NS		2.2		U	U
	25-Feb-09	8.9		NS		NS		NS		2.2	U	NS		NS		NS		2.2		NS		3.2		NS	
	26-Mar-09	NS		0.486		NS		NS		NS		NS	0.868	U	NS		NS		NS		0.922		1.28		
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.208		NS		NS		0.369		NS		0.499	
	22-Jul-09	5.34		NS		5.34		0.868	U	NS		NS		1.39		NS		NS		72.7		1.27		NS	
	9-Oct-09	NS		0.542		NS		NS		0.586		NS		0.343		NS		18.1	U	0.629		NS		0.616	
	15-Jan-10	4.51		NS		0.49		NS		0.49		NS		0.56		NS		NS		0.833		NS		0.846	
	21-Apr-10	NS		0.256		NS		NS		1.17		NS		1.56		NS		1.41		1.24		NS		1.14	
	16-Jul-10	5.07		NS		2.84		NS		2.63		NS		2.1		NS		NS		1.88		NS		2.05	
	15-Oct-10	NS		0.672		NS		NS		0.837		NS		0.659		NS		0.729		1.22		NS		1.14	
	26-Jan-11	1.08		1.5		NS		1.54		NS		NS		1.11		NS		1.15		4.32		5.16		NS	
	28-Feb-11	NS		NS		0.868		NS	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.286		NS		NS		0.286		NS		0.369		NS		0.456		0.451		NS		0.551	
	26-Jul-11	1.87		NS		1.45		0.334		NS		NS		0.434	U	NS		NS		0.365		0.434		NS	
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		NS		2.2	U	NS		3.3		NS		2.2	U
	23-Jan-12	2.3		NS		0.76		0.54		NS		0.79		NS		NS		NS		1.7		4.6		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		NS		0.43	U	NS		1.4		NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2		NS	
	23-Jun-12	3		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		NS		0.59		0.44		NS	
	1-Nov-12	NS		0.72		NS		NS		0.85		NS		1.1		NS		1.1		1.3		NS		1.8	
	1-Feb-13	1		NS		0.19		0.17		NS		0.24		NS		NS		NS		0.64		0.52		NS	
	29-Apr-13	NS		0.43		NS		NS		0.46		NS		0.41		NS		0.52		0.065		NS		0.86	
	9-Jul-13	3.2		NS		0.86		0.90		NS		0.84		NS		NS		NS		1.3		0.28		NS	
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.1		NS		2.9		1.4		NS		1.7	
	9-Jan-14	3.4		NS		3.0		4.00		NS		4.1		NS		NS		NS		9.8		9.6		NS	
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	NS		0.087	U	0.11		0.087	U	1.2	
	1-Aug-14	1.9		NS		1.6/1.8		NS		1.10		NS		NS		NS		NS		0.79		1.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		NS		1.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.52		NS		NS		NS	
22-Oct-14	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	NS		0.13		0.28		0.35		NS		
20-Jan-15	0.29		NS		0.087	U	0.10		NS		0.087	U	NS		NS		NS		0.23		0.34		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.36		NS		
22-Apr-15	NS		0.26		NS		NS		0.13		NS		0.25		0.22/0.25		NS		0.38		NS		0.54		
21-Jul-15	0.48		NS		0.59 ^j		4	U	NS		0.53		NS		NS		NS		0.54 ^o		0.73 ^o		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS		NS		
29-Oct-15	NS		0.16 ^j		NS		NS		0.21 ^j		NS		0.34 ^j		0.28		NS		0.32		NS		0.44		
4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.51		NS		0.13		0.17		NS		NS		0.17		NS		NS		0.63		0.84		NS		
20-Apr-16	NS		0.36		NS		NS		NS		0.52		NS		0.77		0.49		0.92		NS		0.78		

Notes:
 All data presented in micrograms per cubic meter (ug/m3).
 Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multiple dilutions, the lower RL was documented in this table.
 U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.
 NS: not sampled.
 * = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.
 M: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.
 L: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
 V: Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
 E: Reported result is estimated due to value over calibration range
 J: Estimated result as the result was between the MDL and the RDL.
 O: One or more method internal standards were recovered outside of the control limits. Sample re-analysis not possible due to sample volume and detection limit constraints.

APPENDIX D

Rooftop Emission Analytical Summary

Alvarez School - Sub Slab Depressurization System Emissions Calculations
Sample Date: 21 July 2015

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm): 3965		Measured Flow Rate (cfm): 194.6		Measured Flow Speed (fpm): 2248		Measured Flow Rate (cfm): 110.3		Measured Flow Speed (fpm): 3442		Measured Flow Rate (cfm): 169.0		Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)			
	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)						
Acetone	14.0	U	1.02E-05	2.44E-04	8.92E-02	11.0	U	4.54E-06	1.09E-04	3.97E-02	6.0	U	3.79E-06	9.10E-05	3.32E-02	1.85E-05	4.44E-04	3.32E-01
Acrylonitrile	0.10	U	7.28E-08	1.75E-06	6.37E-04	0.1	U	4.13E-08	9.90E-07	3.61E-04	0.1	U	6.32E-08	1.52E-06	5.53E-04	1.77E-07	4.25E-06	1.55E-03
Benzene	0.45	U	3.27E-07	7.86E-06	2.87E-03	0.48	U	1.98E-07	4.75E-06	1.73E-03	0.23	U	1.45E-07	3.49E-06	1.27E-03	6.71E-07	1.61E-05	5.88E-03
Bromodichloromethane	0.40	U	2.91E-07	6.98E-06	2.55E-03	0.40	U	1.65E-07	3.96E-06	1.45E-03	0.40	U	2.53E-07	6.06E-06	2.21E-03	7.09E-07	1.70E-05	6.21E-03
Bromoform	0.60	U	4.37E-07	1.05E-05	3.82E-03	0.6	U	2.48E-07	5.94E-06	2.17E-03	0.6	U	3.79E-07	9.10E-06	3.32E-03	1.06E-06	2.55E-05	9.31E-03
2-Butanone	1.40	U	1.02E-06	2.44E-05	8.92E-03	0.99	U	4.08E-07	9.80E-06	3.58E-03	0.35	U	2.21E-07	5.31E-06	1.94E-03	1.65E-06	3.96E-05	1.44E-02
Carbon Tetrachloride	0.30	U	2.18E-07	5.24E-06	1.91E-03	0.3	U	1.24E-07	2.97E-06	1.08E-03	0.4	U	2.53E-07	6.06E-06	2.21E-03	5.95E-07	1.43E-05	5.21E-03
Chlorobenzene	0.20	U	1.46E-07	3.49E-06	1.27E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.3	U	1.89E-07	4.55E-06	1.66E-03	4.18E-07	1.00E-05	3.66E-03
Chloroethane	0.100	U	7.28E-08	1.75E-06	6.37E-04	0.10	U	4.13E-08	9.90E-07	3.61E-04	0.1	U	6.32E-08	1.52E-06	5.53E-04	1.77E-07	4.25E-06	1.55E-03
Chloroform	0.30	U	2.18E-07	5.24E-06	1.91E-03	0.63	U	2.60E-07	6.24E-06	2.28E-03	0.55	U	3.47E-07	8.34E-06	3.04E-03	8.26E-07	1.98E-05	7.23E-03
Chloromethane	7.30	U	5.31E-06	1.27E-04	4.65E-02	7.1	U	2.93E-06	7.03E-05	2.57E-02	7.50	U	4.74E-06	1.14E-04	4.15E-02	1.30E-05	3.11E-04	1.14E-01
Dibromochloromethane	0.50	U	3.64E-07	8.73E-06	3.19E-03	0.5	U	2.06E-07	4.95E-06	1.81E-03	0.5	U	3.16E-07	7.58E-06	2.77E-03	8.86E-07	2.13E-05	7.76E-03
1,2-Dibromoethane	0.40	U	2.91E-07	6.98E-06	2.55E-03	0.4	U	1.65E-07	3.96E-06	1.45E-03	0.4	U	2.53E-07	6.06E-06	2.21E-03	7.09E-07	1.70E-05	6.21E-03
1,2-Dichlorobenzene	0.30	U	2.18E-07	5.24E-06	1.91E-03	0.3	U	1.24E-07	2.97E-06	1.08E-03	0.30	U	1.89E-07	4.55E-06	1.66E-03	5.32E-07	1.28E-05	4.66E-03
1,3-Dichlorobenzene	0.30	U	2.18E-07	5.24E-06	1.91E-03	0.3	U	1.24E-07	2.97E-06	1.08E-03	0.47	U	2.97E-07	7.12E-06	2.60E-03	6.39E-07	1.53E-05	5.60E-03
1,4-Dichlorobenzene	0.30	U	2.18E-07	5.24E-06	1.91E-03	0.3	U	1.24E-07	2.97E-06	1.08E-03	0.44	U	2.78E-07	6.67E-06	2.43E-03	6.20E-07	1.49E-05	5.43E-03
Dichlorodifluoromethane	0.94	U	6.84E-07	1.64E-05	5.99E-03	0.87	U	3.59E-07	8.61E-06	3.14E-03	0.85	U	5.37E-07	1.29E-05	4.70E-03	1.58E-06	3.79E-05	1.38E-02
1,1-Dichloroethane	0.200	U	1.46E-07	3.49E-06	1.27E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.200	U	1.26E-07	3.03E-06	1.11E-03	3.54E-07	8.50E-06	3.10E-03
1,2-Dichloroethane	0.200	U	1.46E-07	3.49E-06	1.27E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.200	U	1.26E-07	3.03E-06	1.11E-03	3.54E-07	8.50E-06	3.10E-03
1,1-Dichloroethene	0.200	U	1.46E-07	3.49E-06	1.27E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.200	U	1.26E-07	3.03E-06	1.11E-03	3.54E-07	8.50E-06	3.10E-03
cis-1,2-Dichloroethene	0.200	U	1.46E-07	3.49E-06	1.27E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.20	U	1.26E-07	3.03E-06	1.11E-03	3.54E-07	8.50E-06	3.10E-03
trans-1,2-Dichloroethene	0.200	U	1.46E-07	3.49E-06	1.27E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.200	U	1.26E-07	3.03E-06	1.11E-03	3.54E-07	8.50E-06	3.10E-03
1,2-Dichloropropane	0.280	U	2.04E-07	4.89E-06	1.78E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.3	U	1.89E-07	4.55E-06	1.66E-03	4.76E-07	1.14E-05	4.17E-03
cis-1,3-Dichloropropene	0.200	U	1.46E-07	3.49E-06	1.27E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.3	U	1.89E-07	4.55E-06	1.66E-03	4.18E-07	1.00E-05	3.66E-03
trans-1,3-Dichloropropene	0.200	U	1.46E-07	3.49E-06	1.27E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.3	U	1.89E-07	4.55E-06	1.66E-03	4.18E-07	1.00E-05	3.66E-03
Ethylbenzene	0.73	U	5.31E-07	1.27E-05	4.65E-03	0.56	U	2.31E-07	5.54E-06	2.02E-03	0.39	U	2.46E-07	5.91E-06	2.16E-03	1.01E-06	2.42E-05	8.83E-03
Isopropylbenzene	0.30	U	2.18E-07	5.24E-06	1.91E-03	0.3	U	1.24E-07	2.97E-06	1.08E-03	0.3	U	1.89E-07	4.55E-06	1.66E-03	5.32E-07	1.28E-05	4.66E-03
p-Isopropyltoluene	0.30	U	2.18E-07	5.24E-06	1.91E-03	0.3	U	1.24E-07	2.97E-06	1.08E-03	0.3	U	1.89E-07	4.55E-06	1.66E-03	5.32E-07	1.28E-05	4.66E-03
Methyl tert butyl ether	0.20	U	1.46E-07	3.49E-06	1.27E-03	0.64	U	2.64E-07	6.34E-06	2.31E-03	0.2	U	1.26E-07	3.03E-06	1.11E-03	5.36E-07	1.29E-05	4.69E-03
Methylene chloride	1.10	U	8.00E-07	1.92E-05	7.01E-03	46.00	U	1.90E-05	4.55E-04	1.66E-01	1.4	U	8.84E-07	2.12E-05	7.75E-03	2.07E-05	4.96E-04	1.81E-01
4-Methyl-2-pentanone	0.370	U	2.69E-07	6.46E-06	2.36E-03	0.2	U	8.25E-08	1.98E-06	7.23E-04	0.20	U	1.26E-07	3.03E-06	1.11E-03	4.78E-07	1.15E-05	4.19E-03
Styrene	0.40	U	2.91E-07	6.98E-06	2.55E-03	0.28	U	1.16E-07	2.77E-06	1.01E-03	0.2	U	1.26E-07	3.03E-06	1.11E-03	5.33E-07	1.28E-05	4.67E-03
1,1,2,2-Tetrachloroethane	0.40	U	2.91E-07	6.98E-06	2.55E-03	0.4	U	1.65E-07	3.96E-06	1.45E-03	0.4	U	2.53E-07	6.06E-06	2.21E-03	7.09E-07	1.70E-05	6.21E-03
Tetrachloroethene	14	U	1.02E-05	2.44E-04	8.92E-02	5.5	U	2.27E-06	5.45E-05	1.99E-02	56	U	3.54E-05	8.49E-04	3.10E-01	4.78E-05	1.15E-03	4.19E-01
Toluene	3.20	U	2.33E-06	5.59E-05	2.04E-02	3.00	U	1.24E-06	2.97E-05	1.08E-02	1.5	U	9.47E-07	2.27E-05	8.30E-03	4.51E-06	1.08E-04	3.95E-02
1,1,1-Trichloroethane	0.81	U	5.89E-07	1.41E-05	5.16E-03	0.34	U	1.40E-07	3.37E-06	1.23E-03	0.45	U	2.84E-07	6.82E-06	2.49E-03	1.01E-06	2.43E-05	8.88E-03
1,1,2-Trichloroethane	0.300	U	2.18E-07	5.24E-06	1.91E-03	0.3	U	1.24E-07	2.97E-06	1.08E-03	0.3	U	1.89E-07	4.55E-06	1.66E-03	5.32E-07	1.28E-05	4.66E-03
Trichloroethylene	46	U	3.35E-05	8.03E-04	2.93E-01	40	U	1.65E-05	3.96E-04	1.45E-01	27	U	1.71E-05	4.09E-04	1.49E-01	6.70E-05	1.61E-03	5.87E-01
Trichlorofluoromethane	19	U	1.38E-05	3.32E-04	1.21E-01	35	U	1.44E-05	3.47E-04	1.26E-01	5.8	U	3.66E-06	8.79E-05	3.21E-02	3.19E-05	7.66E-04	2.80E-01
1,2,4-Trimethylbenzene	0.67	U	4.87E-07	1.17E-05	4.27E-03	0.54	U	2.23E-07	5.35E-06	1.95E-03	0.7	U	4.42E-07	1.06E-05	3.87E-03	1.15E-06	2.77E-05	1.01E-02
1,3,5-Trimethylbenzene	0.30	U	2.18E-07	5.24E-06	1.91E-03	0.3	U	1.24E-07	2.97E-06	1.08E-03	0.3	U	1.89E-07	4.55E-06	1.66E-03	5.32E-07	1.28E-05	4.66E-03
Vinyl chloride	0.100	U	7.28E-08	1.75E-06	6.37E-04	0.1	U	4.13E-08	9.90E-07	3.61E-04	0.1	U	6.32E-08	1.52E-06	5.53E-04	1.77E-07	4.25E-06	1.55E-03
p/m-Xylene	2.10	U	1.53E-06	3.67E-05	1.34E-02	1.7	U	7.01E-07	1.68E-05	6.14E-03	1.20	U	7.58E-07	1.82E-05	6.64E-03	2.99E-06	7.17E-05	2.62E-02
o-Xylene	0.68	U	4.95E-07	1.19E-05	4.33E-03	0.47	U	1.94E-07	4.65E-06	1.70E-03	0.32	U	2.02E-07	4.85E-06	1.77E-03	8.91E-07	2.14E-05	7.80E-03
Total VOCs	1.21E+02	U	8.77E-05	2.10E-03	7.68E-01	1.62E+02	U	6.69E-05	1.60E-03	5.86E-01	1.18E+02	U	7.48E-05	1.80E-03	4.81E-01	2.29E-04	5.51E-03	1.65E+00
RIDEM Air Pollution Control Permit Applicability Thresholds (lbs) *	10		100	20,000 (Individual VOCs) 50,000 (Total VOCs)	Not Applicable	10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)	Not Applicable	10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)	10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)			

U : indicates that chemical was not detected by the laboratory. To be conservative, the reporting limit shown in the concentration column was used in the emissions calculations.

Hourly Emissions (lbs/hour) = VOC concentration (ug/m³) x measured flow rate (cfm) x 0.02832 m³/ft³ x 60 min/hour x 0.001 mg/ug x 0.001 g/mg x 0.0022 lb/g.

Daily Emissions (lbs/day) = Hourly Emissions x 24 hours/day.

Yearly Emissions (lbs/year) = Daily Emissions x 365 days/year.

Where samples were analyzed with multiple dilution factors, the highest reported value is shown

* RIDEM Air Pollution Control Regulation No. 9 [August 1971, Amended April 2004].

APPENDIX E

Laboratory Analytical Reports

May 2, 2016

Frank Postma
EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886

Project Location: Alvarez High School, Providence, RI
Client Job Number:
Project Number: 15066.01
Laboratory Work Order Number: 16D0973

Enclosed are results of analyses for samples received by the laboratory on April 21, 2016. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Aaron L. Benoit
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	33
QC Data	34
Air Toxics by EPA Compendium Methods	34
B148032	34
Flag/Qualifier Summary	37
Certifications	38
Chain of Custody/Sample Receipt	40

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EA Engineering Science & Tech. - RI
 301 Metro Center Blvd, Suite 102
 Warwick, RI 02886
 ATTN: Frank Postma

REPORT DATE: 5/2/2016

PURCHASE ORDER NUMBER: 11977

PROJECT NUMBER: 15066.01

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 16D0973

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez High School, Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	16D0973-01	Indoor air		EPA TO-15	
Cafeteria	16D0973-02	Indoor air		EPA TO-15	
Elevator Hallway	16D0973-03	Indoor air		EPA TO-15	
Room 145	16D0973-04	Indoor air		EPA TO-15	
Room 152	16D0973-05	Indoor air		EPA TO-15	
Room 118	16D0973-06	Indoor air		EPA TO-15	
Room 110	16D0973-07	Indoor air		EPA TO-15	
MP-2	16D0973-08	Soil Gas		EPA TO-15	
MP-5	16D0973-09	Soil Gas		EPA TO-15	
MP-7	16D0973-10	Soil Gas		EPA TO-15	
MP-8	16D0973-11	Soil Gas		EPA TO-15	
IMP-1	16D0973-12	Soil Gas		EPA TO-15	
IMP-3	16D0973-13	Soil Gas		EPA TO-15	
Ambient Outdoor Air	16D0973-14	Ambient Air		EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA TO-15

Qualifications:

V-05

Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

Analyte & Samples(s) Qualified:

Acetone

16D0973-01[Gymnasium], 16D0973-02[Cafeteria], 16D0973-03[Elevator Hallway], 16D0973-04[Room 145], 16D0973-05[Room 152], 16D0973-06[Room 118], 16D0973-07[Room 110], 16D0973-08[MP-2], 16D0973-09[MP-5], 16D0973-10[MP-7], 16D0973-11[MP-8], 16D0973-12[IMP-1], 16D0973-13[IMP-3], 16D0973-14[Ambient Outdoor Air], B148032-BLK1, B148032-BS1

trans-1,3-Dichloropropene

16D0973-01[Gymnasium], 16D0973-02[Cafeteria], 16D0973-03[Elevator Hallway], 16D0973-04[Room 145], 16D0973-05[Room 152], 16D0973-06[Room 118], 16D0973-07[Room 110], 16D0973-08[MP-2], 16D0973-09[MP-5], 16D0973-10[MP-7], 16D0973-11[MP-8], 16D0973-12[IMP-1], 16D0973-13[IMP-3], 16D0973-14[Ambient Outdoor Air], B148032-BLK1, B148032-BS1

V-06

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:

Chloromethane

16D0973-01[Gymnasium], 16D0973-02[Cafeteria], 16D0973-03[Elevator Hallway], 16D0973-04[Room 145], 16D0973-05[Room 152], 16D0973-06[Room 118], 16D0973-07[Room 110], 16D0973-08[MP-2], 16D0973-10[MP-7], 16D0973-11[MP-8], 16D0973-12[IMP-1], 16D0973-13[IMP-3], 16D0973-14[Ambient Outdoor Air], B148032-BS1

Vinyl Chloride

16D0973-08[MP-2], 16D0973-09[MP-5], B148032-BS1

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Lisa A. Worthington
Project Manager

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Gymnasium
Sample ID: 16D0973-01
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:28

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2132
 Canister Size: 6 liter
 Flow Controller ID: 4297
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4.5
 Receipt Vacuum(in Hg): -3.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	3.4	0.80	V-05	8.1	1.9	0.4	4/26/16 11:41	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 11:41	CMR	
Benzene	0.11	0.020		0.34	0.064	0.4	4/26/16 11:41	CMR	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 11:41	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 11:41	CMR	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	4/26/16 11:41	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 11:41	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 11:41	CMR	
Carbon Tetrachloride	0.11	0.010		0.71	0.063	0.4	4/26/16 11:41	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 11:41	CMR	
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 11:41	CMR	
Chloroform	ND	0.010		ND	0.049	0.4	4/26/16 11:41	CMR	
Chloromethane	0.52	0.040	V-06	1.1	0.083	0.4	4/26/16 11:41	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 11:41	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 11:41	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 11:41	CMR	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 11:41	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 11:41	CMR	
Dichlorodifluoromethane (Freon 12)	0.31	0.020		1.5	0.099	0.4	4/26/16 11:41	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 11:41	CMR	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 11:41	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 11:41	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 11:41	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 11:41	CMR	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	4/26/16 11:41	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 11:41	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 11:41	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 11:41	CMR	
Ethylbenzene	ND	0.020		ND	0.087	0.4	4/26/16 11:41	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 11:41	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 11:41	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 11:41	CMR	
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 11:41	CMR	
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	4/26/16 11:41	CMR	
Styrene	ND	0.020		ND	0.085	0.4	4/26/16 11:41	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 11:41	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 11:41	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Gymnasium
Sample ID: 16D0973-01
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:28

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2132
 Canister Size: 6 liter
 Flow Controller ID: 4297
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4.5
 Receipt Vacuum(in Hg): -3.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	4/26/16 11:41	CMR	
Toluene	0.052	0.020		0.20	0.075	0.4	4/26/16 11:41	CMR	
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 11:41	CMR	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 11:41	CMR	
Trichloroethylene	ND	0.010		ND	0.054	0.4	4/26/16 11:41	CMR	
Trichlorofluoromethane (Freon 11)	0.26	0.020		1.5	0.11	0.4	4/26/16 11:41	CMR	
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 11:41	CMR	
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 11:41	CMR	
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16 11:41	CMR	
m&p-Xylene	ND	0.040		ND	0.17	0.4	4/26/16 11:41	CMR	
o-Xylene	ND	0.020		ND	0.087	0.4	4/26/16 11:41	CMR	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	4/26/16 11:41
4-Bromofluorobenzene (2)	86.6	70-130	4/26/16 11:41

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Cafeteria
Sample ID: 16D0973-02
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1718
 Canister Size: 6 liter
 Flow Controller ID: 4296
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -27.5
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	3.0	0.80	V-05	7.2	1.9	0.4	4/26/16 12:34	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 12:34	CMR	
Benzene	0.10	0.020		0.33	0.064	0.4	4/26/16 12:34	CMR	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 12:34	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 12:34	CMR	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	4/26/16 12:34	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 12:34	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 12:34	CMR	
Carbon Tetrachloride	0.10	0.010		0.65	0.063	0.4	4/26/16 12:34	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 12:34	CMR	
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 12:34	CMR	
Chloroform	0.018	0.010		0.086	0.049	0.4	4/26/16 12:34	CMR	
Chloromethane	0.55	0.040	V-06	1.1	0.083	0.4	4/26/16 12:34	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 12:34	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 12:34	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 12:34	CMR	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 12:34	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 12:34	CMR	
Dichlorodifluoromethane (Freon 12)	0.34	0.020		1.7	0.099	0.4	4/26/16 12:34	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 12:34	CMR	
1,2-Dichloroethane	0.014	0.010		0.055	0.040	0.4	4/26/16 12:34	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 12:34	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 12:34	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 12:34	CMR	
1,2-Dichloropropane	0.010	0.010		0.048	0.046	0.4	4/26/16 12:34	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 12:34	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 12:34	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 12:34	CMR	
Ethylbenzene	ND	0.020		ND	0.087	0.4	4/26/16 12:34	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 12:34	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 12:34	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 12:34	CMR	
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 12:34	CMR	
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	4/26/16 12:34	CMR	
Styrene	ND	0.020		ND	0.085	0.4	4/26/16 12:34	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 12:34	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 12:34	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Cafeteria
Sample ID: 16D0973-02
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1718
 Canister Size: 6 liter
 Flow Controller ID: 4296
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -27.5
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	4/26/16 12:34		CMR
Toluene	0.069	0.020		0.26	0.075	0.4	4/26/16 12:34		CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 12:34		CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 12:34		CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	4/26/16 12:34		CMR
Trichlorofluoromethane (Freon 11)	0.31	0.020		1.7	0.11	0.4	4/26/16 12:34		CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 12:34		CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 12:34		CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16 12:34		CMR
m&p-Xylene	ND	0.040		ND	0.17	0.4	4/26/16 12:34		CMR
o-Xylene	ND	0.020		ND	0.087	0.4	4/26/16 12:34		CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	4/26/16 12:34
4-Bromofluorobenzene (2)	91.3	70-130	4/26/16 12:34

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Elevator Hallway
Sample ID: 16D0973-03
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:46

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1021
 Canister Size: 6 liter
 Flow Controller ID: 4287
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -3.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	3.0	0.80	V-05	7.2	1.9	0.4	4/26/16 13:23	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 13:23	CMR	
Benzene	0.13	0.020		0.40	0.064	0.4	4/26/16 13:23	CMR	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 13:23	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 13:23	CMR	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	4/26/16 13:23	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 13:23	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 13:23	CMR	
Carbon Tetrachloride	0.10	0.010		0.65	0.063	0.4	4/26/16 13:23	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 13:23	CMR	
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 13:23	CMR	
Chloroform	0.024	0.010		0.12	0.049	0.4	4/26/16 13:23	CMR	
Chloromethane	0.55	0.040	V-06	1.1	0.083	0.4	4/26/16 13:23	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 13:23	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 13:23	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 13:23	CMR	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 13:23	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 13:23	CMR	
Dichlorodifluoromethane (Freon 12)	0.31	0.020		1.6	0.099	0.4	4/26/16 13:23	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 13:23	CMR	
1,2-Dichloroethane	0.017	0.010		0.068	0.040	0.4	4/26/16 13:23	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 13:23	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 13:23	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 13:23	CMR	
1,2-Dichloropropane	0.018	0.010		0.083	0.046	0.4	4/26/16 13:23	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 13:23	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 13:23	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 13:23	CMR	
Ethylbenzene	ND	0.020		ND	0.087	0.4	4/26/16 13:23	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 13:23	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 13:23	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 13:23	CMR	
Methylene Chloride	0.83	0.20		2.9	0.69	0.4	4/26/16 13:23	CMR	
4-Methyl-2-pentanone (MIBK)	0.042	0.020		0.17	0.082	0.4	4/26/16 13:23	CMR	
Styrene	0.028	0.020		0.12	0.085	0.4	4/26/16 13:23	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 13:23	CMR	
1,1,2,2-Tetrachloroethane	0.014	0.010		0.096	0.069	0.4	4/26/16 13:23	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Elevator Hallway
Sample ID: 16D0973-03
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:46

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1021
 Canister Size: 6 liter
 Flow Controller ID: 4287
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -3.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.013	0.010		0.090	0.068	0.4	4/26/16	13:23	CMR
Toluene	0.073	0.020		0.27	0.075	0.4	4/26/16	13:23	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	13:23	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	13:23	CMR
Trichloroethylene	0.018	0.010		0.097	0.054	0.4	4/26/16	13:23	CMR
Trichlorofluoromethane (Freon 11)	0.26	0.020		1.5	0.11	0.4	4/26/16	13:23	CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16	13:23	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16	13:23	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16	13:23	CMR
m&p-Xylene	ND	0.040		ND	0.17	0.4	4/26/16	13:23	CMR
o-Xylene	ND	0.020		ND	0.087	0.4	4/26/16	13:23	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	4/26/16 13:23
4-Bromofluorobenzene (2)	89.3	70-130	4/26/16 13:23

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Room 145
Sample ID: 16D0973-04
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 11:10

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1824
 Canister Size: 6 liter
 Flow Controller ID: 4090
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	2.7	0.80	V-05	6.4	1.9	0.4	4/26/16 14:15		CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 14:15		CMR
Benzene	0.10	0.020		0.33	0.064	0.4	4/26/16 14:15		CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 14:15		CMR
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 14:15		CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	4/26/16 14:15		CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 14:15		CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 14:15		CMR
Carbon Tetrachloride	0.10	0.010		0.65	0.063	0.4	4/26/16 14:15		CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 14:15		CMR
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 14:15		CMR
Chloroform	ND	0.010		ND	0.049	0.4	4/26/16 14:15		CMR
Chloromethane	0.60	0.040	V-06	1.2	0.083	0.4	4/26/16 14:15		CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 14:15		CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 14:15		CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 14:15		CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 14:15		CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 14:15		CMR
Dichlorodifluoromethane (Freon 12)	0.31	0.020		1.5	0.099	0.4	4/26/16 14:15		CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 14:15		CMR
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 14:15		CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 14:15		CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 14:15		CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 14:15		CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	4/26/16 14:15		CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 14:15		CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 14:15		CMR
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 14:15		CMR
Ethylbenzene	ND	0.020		ND	0.087	0.4	4/26/16 14:15		CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 14:15		CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 14:15		CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 14:15		CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 14:15		CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	4/26/16 14:15		CMR
Styrene	ND	0.020		ND	0.085	0.4	4/26/16 14:15		CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 14:15		CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 14:15		CMR

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Room 145
Sample ID: 16D0973-04
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 11:10

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1824
 Canister Size: 6 liter
 Flow Controller ID: 4090
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	4/26/16 14:15	CMR	
Toluene	0.064	0.020		0.24	0.075	0.4	4/26/16 14:15	CMR	
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 14:15	CMR	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 14:15	CMR	
Trichloroethylene	ND	0.010		ND	0.054	0.4	4/26/16 14:15	CMR	
Trichlorofluoromethane (Freon 11)	0.24	0.020		1.3	0.11	0.4	4/26/16 14:15	CMR	
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 14:15	CMR	
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 14:15	CMR	
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16 14:15	CMR	
m&p-Xylene	ND	0.040		ND	0.17	0.4	4/26/16 14:15	CMR	
o-Xylene	ND	0.020		ND	0.087	0.4	4/26/16 14:15	CMR	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	4/26/16 14:15
4-Bromofluorobenzene (2)	89.3	70-130	4/26/16 14:15

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Room 152
Sample ID: 16D0973-05
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 11:19

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1990
 Canister Size: 6 liter
 Flow Controller ID: 4291
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	4.8	0.80	V-05	11	1.9	0.4	4/26/16	15:08	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16	15:08	CMR
Benzene	0.10	0.020		0.33	0.064	0.4	4/26/16	15:08	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16	15:08	CMR
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16	15:08	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	4/26/16	15:08	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16	15:08	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16	15:08	CMR
Carbon Tetrachloride	0.11	0.010		0.66	0.063	0.4	4/26/16	15:08	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16	15:08	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16	15:08	CMR
Chloroform	0.019	0.010		0.094	0.049	0.4	4/26/16	15:08	CMR
Chloromethane	0.59	0.040	V-06	1.2	0.083	0.4	4/26/16	15:08	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16	15:08	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16	15:08	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16	15:08	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16	15:08	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16	15:08	CMR
Dichlorodifluoromethane (Freon 12)	0.33	0.020		1.6	0.099	0.4	4/26/16	15:08	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16	15:08	CMR
1,2-Dichloroethane	0.014	0.010		0.058	0.040	0.4	4/26/16	15:08	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16	15:08	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16	15:08	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16	15:08	CMR
1,2-Dichloropropane	0.011	0.010		0.052	0.046	0.4	4/26/16	15:08	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16	15:08	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16	15:08	CMR
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16	15:08	CMR
Ethylbenzene	ND	0.020		ND	0.087	0.4	4/26/16	15:08	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16	15:08	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16	15:08	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16	15:08	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16	15:08	CMR
4-Methyl-2-pentanone (MIBK)	0.026	0.020		0.11	0.082	0.4	4/26/16	15:08	CMR
Styrene	ND	0.020		ND	0.085	0.4	4/26/16	15:08	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16	15:08	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16	15:08	CMR

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Room 152
Sample ID: 16D0973-05
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 11:19

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1990
 Canister Size: 6 liter
 Flow Controller ID: 4291
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.010	0.010		0.071	0.068	0.4	4/26/16	15:08	CMR
Toluene	0.067	0.020		0.25	0.075	0.4	4/26/16	15:08	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	15:08	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	15:08	CMR
Trichloroethylene	0.012	0.010		0.064	0.054	0.4	4/26/16	15:08	CMR
Trichlorofluoromethane (Freon 11)	0.29	0.020		1.6	0.11	0.4	4/26/16	15:08	CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16	15:08	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16	15:08	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16	15:08	CMR
m&p-Xylene	ND	0.040		ND	0.17	0.4	4/26/16	15:08	CMR
o-Xylene	ND	0.020		ND	0.087	0.4	4/26/16	15:08	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	4/26/16 15:08
4-Bromofluorobenzene (2)	90.1	70-130	4/26/16 15:08

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Room 118
Sample ID: 16D0973-06
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:35

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2140
 Canister Size: 6 liter
 Flow Controller ID: 4106
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -28.5
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -5.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	4.5	0.80	V-05	11	1.9	0.4	4/26/16 15:56	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 15:56	CMR	
Benzene	0.12	0.020		0.39	0.064	0.4	4/26/16 15:56	CMR	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 15:56	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 15:56	CMR	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	4/26/16 15:56	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 15:56	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 15:56	CMR	
Carbon Tetrachloride	0.10	0.010		0.64	0.063	0.4	4/26/16 15:56	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 15:56	CMR	
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 15:56	CMR	
Chloroform	0.022	0.010		0.11	0.049	0.4	4/26/16 15:56	CMR	
Chloromethane	0.66	0.040	V-06	1.4	0.083	0.4	4/26/16 15:56	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 15:56	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 15:56	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 15:56	CMR	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 15:56	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 15:56	CMR	
Dichlorodifluoromethane (Freon 12)	0.36	0.020		1.8	0.099	0.4	4/26/16 15:56	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 15:56	CMR	
1,2-Dichloroethane	0.014	0.010		0.058	0.040	0.4	4/26/16 15:56	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 15:56	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 15:56	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 15:56	CMR	
1,2-Dichloropropane	0.012	0.010		0.057	0.046	0.4	4/26/16 15:56	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 15:56	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 15:56	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 15:56	CMR	
Ethylbenzene	ND	0.020		ND	0.087	0.4	4/26/16 15:56	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 15:56	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 15:56	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 15:56	CMR	
Methylene Chloride	2.3	0.20		7.8	0.69	0.4	4/26/16 15:56	CMR	
4-Methyl-2-pentanone (MIBK)	0.030	0.020		0.12	0.082	0.4	4/26/16 15:56	CMR	
Styrene	ND	0.020		ND	0.085	0.4	4/26/16 15:56	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 15:56	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 15:56	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Room 118
Sample ID: 16D0973-06
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:35

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2140
 Canister Size: 6 liter
 Flow Controller ID: 4106
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -28.5
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -5.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.012	0.010		0.084	0.068	0.4	4/26/16	15:56	CMR
Toluene	0.12	0.020		0.44	0.075	0.4	4/26/16	15:56	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	15:56	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	15:56	CMR
Trichloroethylene	0.011	0.010		0.060	0.054	0.4	4/26/16	15:56	CMR
Trichlorofluoromethane (Freon 11)	0.30	0.020		1.7	0.11	0.4	4/26/16	15:56	CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16	15:56	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16	15:56	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16	15:56	CMR
m&p-Xylene	0.042	0.040		0.18	0.17	0.4	4/26/16	15:56	CMR
o-Xylene	0.021	0.020		0.092	0.087	0.4	4/26/16	15:56	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	4/26/16 15:56
4-Bromofluorobenzene (2)	91.2	70-130	4/26/16 15:56

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Room 110
Sample ID: 16D0973-07
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:33

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2141
 Canister Size: 6 liter
 Flow Controller ID: 4303
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -27
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	4.5	0.80	V-05	11	1.9	0.4	4/26/16 16:50		CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 16:50		CMR
Benzene	0.12	0.020		0.38	0.064	0.4	4/26/16 16:50		CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 16:50		CMR
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 16:50		CMR
2-Butanone (MEK)	0.82	0.80		2.4	2.4	0.4	4/26/16 16:50		CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 16:50		CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 16:50		CMR
Carbon Tetrachloride	0.11	0.010		0.67	0.063	0.4	4/26/16 16:50		CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 16:50		CMR
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 16:50		CMR
Chloroform	0.018	0.010		0.090	0.049	0.4	4/26/16 16:50		CMR
Chloromethane	0.58	0.040	V-06	1.2	0.083	0.4	4/26/16 16:50		CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 16:50		CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 16:50		CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 16:50		CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 16:50		CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 16:50		CMR
Dichlorodifluoromethane (Freon 12)	0.33	0.020		1.6	0.099	0.4	4/26/16 16:50		CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 16:50		CMR
1,2-Dichloroethane	0.015	0.010		0.060	0.040	0.4	4/26/16 16:50		CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 16:50		CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 16:50		CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 16:50		CMR
1,2-Dichloropropane	0.013	0.010		0.059	0.046	0.4	4/26/16 16:50		CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 16:50		CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 16:50		CMR
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 16:50		CMR
Ethylbenzene	ND	0.020		ND	0.087	0.4	4/26/16 16:50		CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 16:50		CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 16:50		CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 16:50		CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 16:50		CMR
4-Methyl-2-pentanone (MIBK)	0.046	0.020		0.19	0.082	0.4	4/26/16 16:50		CMR
Styrene	ND	0.020		ND	0.085	0.4	4/26/16 16:50		CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 16:50		CMR
1,1,2,2-Tetrachloroethane	0.052	0.010		0.36	0.069	0.4	4/26/16 16:50		CMR

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Room 110
Sample ID: 16D0973-07
 Sample Matrix: Indoor air
 Sampled: 4/20/2016 10:33

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2141
 Canister Size: 6 liter
 Flow Controller ID: 4303
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -27
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	4/26/16 16:50		CMR
Toluene	0.072	0.020		0.27	0.075	0.4	4/26/16 16:50		CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 16:50		CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 16:50		CMR
Trichloroethylene	0.014	0.010		0.077	0.054	0.4	4/26/16 16:50		CMR
Trichlorofluoromethane (Freon 11)	0.24	0.020		1.3	0.11	0.4	4/26/16 16:50		CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 16:50		CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 16:50		CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16 16:50		CMR
m&p-Xylene	ND	0.040		ND	0.17	0.4	4/26/16 16:50		CMR
o-Xylene	ND	0.020		ND	0.087	0.4	4/26/16 16:50		CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	4/26/16 16:50
4-Bromofluorobenzene (2)	92.3	70-130	4/26/16 16:50

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: MP-2
Sample ID: 16D0973-08
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 12:19

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2203
 Canister Size: 6 liter
 Flow Controller ID: 4201
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	3.1	0.80	V-05	7.3	1.9	0.4	4/26/16 17:41	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 17:41	CMR	
Benzene	0.065	0.020		0.21	0.064	0.4	4/26/16 17:41	CMR	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 17:41	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 17:41	CMR	
2-Butanone (MEK)	7.1	0.80		21	2.4	0.4	4/26/16 17:41	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 17:41	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 17:41	CMR	
Carbon Tetrachloride	0.10	0.010		0.65	0.063	0.4	4/26/16 17:41	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 17:41	CMR	
Chloroethane	0.052	0.020		0.14	0.053	0.4	4/26/16 17:41	CMR	
Chloroform	0.016	0.010		0.080	0.049	0.4	4/26/16 17:41	CMR	
Chloromethane	3.7	0.040	V-06	7.7	0.083	0.4	4/26/16 17:41	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 17:41	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 17:41	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 17:41	CMR	
1,3-Dichlorobenzene	0.051	0.020		0.31	0.12	0.4	4/26/16 17:41	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 17:41	CMR	
Dichlorodifluoromethane (Freon 12)	0.31	0.020		1.5	0.099	0.4	4/26/16 17:41	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 17:41	CMR	
1,2-Dichloroethane	0.013	0.010		0.053	0.040	0.4	4/26/16 17:41	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 17:41	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 17:41	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 17:41	CMR	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	4/26/16 17:41	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 17:41	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 17:41	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 17:41	CMR	
Ethylbenzene	0.069	0.020		0.30	0.087	0.4	4/26/16 17:41	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 17:41	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 17:41	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 17:41	CMR	
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 17:41	CMR	
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	4/26/16 17:41	CMR	
Styrene	ND	0.020		ND	0.085	0.4	4/26/16 17:41	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 17:41	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 17:41	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: MP-2
Sample ID: 16D0973-08
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 12:19

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2203
 Canister Size: 6 liter
 Flow Controller ID: 4201
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	1.4	0.010		9.7	0.068	0.4	4/26/16 17:41		CMR
Toluene	0.16	0.020		0.62	0.075	0.4	4/26/16 17:41		CMR
1,1,1-Trichloroethane	0.037	0.010		0.20	0.055	0.4	4/26/16 17:41		CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 17:41		CMR
Trichloroethylene	0.34	0.010		1.8	0.054	0.4	4/26/16 17:41		CMR
Trichlorofluoromethane (Freon 11)	0.41	0.020		2.3	0.11	0.4	4/26/16 17:41		CMR
1,2,4-Trimethylbenzene	0.080	0.020		0.39	0.098	0.4	4/26/16 17:41		CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 17:41		CMR
Vinyl Chloride	0.090	0.010	V-06	0.23	0.026	0.4	4/26/16 17:41		CMR
m&p-Xylene	0.24	0.040		1.0	0.17	0.4	4/26/16 17:41		CMR
o-Xylene	0.083	0.020		0.36	0.087	0.4	4/26/16 17:41		CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	4/26/16 17:41
4-Bromofluorobenzene (2)	90.7	70-130	4/26/16 17:41

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: MP-5
Sample ID: 16D0973-09
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 12:07

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1860
 Canister Size: 6 liter
 Flow Controller ID: 4197
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -3.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	3.5	0.80	V-05	8.4	1.9	0.4	4/26/16 18:33		CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 18:33		CMR
Benzene	0.084	0.020		0.27	0.064	0.4	4/26/16 18:33		CMR
Bromodichloromethane	0.12	0.010		0.83	0.067	0.4	4/26/16 18:33		CMR
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 18:33		CMR
2-Butanone (MEK)	9.7	0.80		29	2.4	0.4	4/26/16 18:33		CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 18:33		CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 18:33		CMR
Carbon Tetrachloride	0.096	0.010		0.61	0.063	0.4	4/26/16 18:33		CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 18:33		CMR
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 18:33		CMR
Chloroform	0.037	0.010		0.18	0.049	0.4	4/26/16 18:33		CMR
Chloromethane	ND	0.040		ND	0.083	0.4	4/26/16 18:33		CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 18:33		CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 18:33		CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 18:33		CMR
1,3-Dichlorobenzene	0.086	0.020		0.51	0.12	0.4	4/26/16 18:33		CMR
1,4-Dichlorobenzene	0.086	0.020		0.52	0.12	0.4	4/26/16 18:33		CMR
Dichlorodifluoromethane (Freon 12)	0.31	0.020		1.6	0.099	0.4	4/26/16 18:33		CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 18:33		CMR
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 18:33		CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 18:33		CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 18:33		CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 18:33		CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	4/26/16 18:33		CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 18:33		CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 18:33		CMR
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 18:33		CMR
Ethylbenzene	0.089	0.020		0.39	0.087	0.4	4/26/16 18:33		CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 18:33		CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 18:33		CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 18:33		CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 18:33		CMR
4-Methyl-2-pentanone (MIBK)	0.020	0.020		0.084	0.082	0.4	4/26/16 18:33		CMR
Styrene	0.021	0.020		0.090	0.085	0.4	4/26/16 18:33		CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 18:33		CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 18:33		CMR

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: MP-5
Sample ID: 16D0973-09
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 12:07

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1860
 Canister Size: 6 liter
 Flow Controller ID: 4197
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -3.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.50	0.010		3.4	0.068	0.4	4/26/16 18:33		CMR
Toluene	0.20	0.020		0.77	0.075	0.4	4/26/16 18:33		CMR
1,1,1-Trichloroethane	0.018	0.010		0.098	0.055	0.4	4/26/16 18:33		CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 18:33		CMR
Trichloroethylene	14	0.010		76	0.054	0.4	4/26/16 18:33		CMR
Trichlorofluoromethane (Freon 11)	1.6	0.020		8.8	0.11	0.4	4/26/16 18:33		CMR
1,2,4-Trimethylbenzene	0.12	0.020		0.57	0.098	0.4	4/26/16 18:33		CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 18:33		CMR
Vinyl Chloride	0.028	0.010	V-06	0.072	0.026	0.4	4/26/16 18:33		CMR
m&p-Xylene	0.34	0.040		1.5	0.17	0.4	4/26/16 18:33		CMR
o-Xylene	0.12	0.020		0.52	0.087	0.4	4/26/16 18:33		CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	4/26/16 18:33
4-Bromofluorobenzene (2)	89.8	70-130	4/26/16 18:33

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: MP-7
Sample ID: 16D0973-10
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 12:07

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2148
 Canister Size: 6 liter
 Flow Controller ID: 4196
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -22
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -2.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	4.7	0.80	V-05	11	1.9	0.4	4/26/16 19:21	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 19:21	CMR	
Benzene	0.084	0.020		0.27	0.064	0.4	4/26/16 19:21	CMR	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 19:21	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 19:21	CMR	
2-Butanone (MEK)	12	0.80		34	2.4	0.4	4/26/16 19:21	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 19:21	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 19:21	CMR	
Carbon Tetrachloride	0.099	0.010		0.62	0.063	0.4	4/26/16 19:21	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 19:21	CMR	
Chloroethane	0.028	0.020		0.073	0.053	0.4	4/26/16 19:21	CMR	
Chloroform	0.020	0.010		0.100	0.049	0.4	4/26/16 19:21	CMR	
Chloromethane	1.2	0.040	V-06	2.4	0.083	0.4	4/26/16 19:21	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 19:21	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 19:21	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 19:21	CMR	
1,3-Dichlorobenzene	0.15	0.020		0.90	0.12	0.4	4/26/16 19:21	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 19:21	CMR	
Dichlorodifluoromethane (Freon 12)	0.31	0.020		1.5	0.099	0.4	4/26/16 19:21	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 19:21	CMR	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 19:21	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 19:21	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 19:21	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 19:21	CMR	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	4/26/16 19:21	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 19:21	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 19:21	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 19:21	CMR	
Ethylbenzene	0.13	0.020		0.56	0.087	0.4	4/26/16 19:21	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 19:21	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 19:21	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 19:21	CMR	
Methylene Chloride	0.50	0.20		1.7	0.69	0.4	4/26/16 19:21	CMR	
4-Methyl-2-pentanone (MIBK)	0.052	0.020		0.21	0.082	0.4	4/26/16 19:21	CMR	
Styrene	0.030	0.020		0.13	0.085	0.4	4/26/16 19:21	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 19:21	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 19:21	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: MP-7
Sample ID: 16D0973-10
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 12:07

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2148
 Canister Size: 6 liter
 Flow Controller ID: 4196
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -22
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -2.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.032	0.010		0.22	0.068	0.4	4/26/16	19:21	CMR
Toluene	0.34	0.020		1.3	0.075	0.4	4/26/16	19:21	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	19:21	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	19:21	CMR
Trichloroethylene	0.15	0.010		0.80	0.054	0.4	4/26/16	19:21	CMR
Trichlorofluoromethane (Freon 11)	0.44	0.020		2.5	0.11	0.4	4/26/16	19:21	CMR
1,2,4-Trimethylbenzene	0.16	0.020		0.79	0.098	0.4	4/26/16	19:21	CMR
1,3,5-Trimethylbenzene	0.037	0.020		0.18	0.098	0.4	4/26/16	19:21	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16	19:21	CMR
m&p-Xylene	0.49	0.040		2.1	0.17	0.4	4/26/16	19:21	CMR
o-Xylene	0.18	0.020		0.77	0.087	0.4	4/26/16	19:21	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	4/26/16 19:21
4-Bromofluorobenzene (2)	92.5	70-130	4/26/16 19:21

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: MP-8
Sample ID: 16D0973-11
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 11:50

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1886
 Canister Size: 6 liter
 Flow Controller ID: 4069
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -3.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	4.6	0.80	V-05	11	1.9	0.4	4/26/16 20:14	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 20:14	CMR	
Benzene	0.10	0.020		0.32	0.064	0.4	4/26/16 20:14	CMR	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 20:14	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 20:14	CMR	
2-Butanone (MEK)	7.1	0.80		21	2.4	0.4	4/26/16 20:14	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 20:14	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 20:14	CMR	
Carbon Tetrachloride	0.10	0.010		0.65	0.063	0.4	4/26/16 20:14	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 20:14	CMR	
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 20:14	CMR	
Chloroform	0.020	0.010		0.096	0.049	0.4	4/26/16 20:14	CMR	
Chloromethane	0.66	0.040	V-06	1.4	0.083	0.4	4/26/16 20:14	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 20:14	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 20:14	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 20:14	CMR	
1,3-Dichlorobenzene	0.040	0.020		0.24	0.12	0.4	4/26/16 20:14	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 20:14	CMR	
Dichlorodifluoromethane (Freon 12)	0.34	0.020		1.7	0.099	0.4	4/26/16 20:14	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 20:14	CMR	
1,2-Dichloroethane	0.012	0.010		0.049	0.040	0.4	4/26/16 20:14	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 20:14	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 20:14	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 20:14	CMR	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	4/26/16 20:14	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 20:14	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 20:14	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 20:14	CMR	
Ethylbenzene	0.079	0.020		0.34	0.087	0.4	4/26/16 20:14	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 20:14	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 20:14	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 20:14	CMR	
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 20:14	CMR	
4-Methyl-2-pentanone (MIBK)	0.036	0.020		0.15	0.082	0.4	4/26/16 20:14	CMR	
Styrene	ND	0.020		ND	0.085	0.4	4/26/16 20:14	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 20:14	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 20:14	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: MP-8
Sample ID: 16D0973-11
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 11:50

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1886
 Canister Size: 6 liter
 Flow Controller ID: 4069
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -3.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.016	0.010		0.11	0.068	0.4	4/26/16	20:14	CMR
Toluene	0.22	0.020		0.85	0.075	0.4	4/26/16	20:14	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	20:14	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	20:14	CMR
Trichloroethylene	0.032	0.010		0.17	0.054	0.4	4/26/16	20:14	CMR
Trichlorofluoromethane (Freon 11)	0.29	0.020		1.6	0.11	0.4	4/26/16	20:14	CMR
1,2,4-Trimethylbenzene	0.10	0.020		0.49	0.098	0.4	4/26/16	20:14	CMR
1,3,5-Trimethylbenzene	0.020	0.020		0.098	0.098	0.4	4/26/16	20:14	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16	20:14	CMR
m&p-Xylene	0.31	0.040		1.4	0.17	0.4	4/26/16	20:14	CMR
o-Xylene	0.11	0.020		0.49	0.087	0.4	4/26/16	20:14	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	4/26/16 20:14
4-Bromofluorobenzene (2)	90.1	70-130	4/26/16 20:14

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: IMP-1
Sample ID: 16D0973-12
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 10:26

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1225
 Canister Size: 6 liter
 Flow Controller ID: 4286
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	15	0.80	V-05	35	1.9	0.4	4/26/16 21:04	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 21:04	CMR	
Benzene	0.23	0.020		0.73	0.064	0.4	4/26/16 21:04	CMR	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 21:04	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 21:04	CMR	
2-Butanone (MEK)	4.2	0.80		12	2.4	0.4	4/26/16 21:04	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 21:04	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 21:04	CMR	
Carbon Tetrachloride	0.10	0.010		0.64	0.063	0.4	4/26/16 21:04	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 21:04	CMR	
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 21:04	CMR	
Chloroform	0.021	0.010		0.10	0.049	0.4	4/26/16 21:04	CMR	
Chloromethane	0.55	0.040	V-06	1.1	0.083	0.4	4/26/16 21:04	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 21:04	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 21:04	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 21:04	CMR	
1,3-Dichlorobenzene	0.036	0.020		0.22	0.12	0.4	4/26/16 21:04	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 21:04	CMR	
Dichlorodifluoromethane (Freon 12)	0.33	0.020		1.6	0.099	0.4	4/26/16 21:04	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 21:04	CMR	
1,2-Dichloroethane	0.014	0.010		0.058	0.040	0.4	4/26/16 21:04	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 21:04	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 21:04	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 21:04	CMR	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	4/26/16 21:04	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 21:04	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 21:04	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 21:04	CMR	
Ethylbenzene	0.16	0.020		0.71	0.087	0.4	4/26/16 21:04	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 21:04	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 21:04	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 21:04	CMR	
Methylene Chloride	1.3	0.20		4.4	0.69	0.4	4/26/16 21:04	CMR	
4-Methyl-2-pentanone (MIBK)	0.17	0.020		0.70	0.082	0.4	4/26/16 21:04	CMR	
Styrene	0.36	0.020		1.5	0.085	0.4	4/26/16 21:04	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 21:04	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 21:04	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: IMP-1
Sample ID: 16D0973-12
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 10:26

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1225
 Canister Size: 6 liter
 Flow Controller ID: 4286
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.021	0.010		0.14	0.068	0.4	4/26/16	21:04	CMR
Toluene	0.94	0.020		3.5	0.075	0.4	4/26/16	21:04	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	21:04	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	21:04	CMR
Trichloroethylene	0.072	0.010		0.39	0.054	0.4	4/26/16	21:04	CMR
Trichlorofluoromethane (Freon 11)	0.25	0.020		1.4	0.11	0.4	4/26/16	21:04	CMR
1,2,4-Trimethylbenzene	0.21	0.020		1.0	0.098	0.4	4/26/16	21:04	CMR
1,3,5-Trimethylbenzene	0.053	0.020		0.26	0.098	0.4	4/26/16	21:04	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16	21:04	CMR
m&p-Xylene	0.63	0.040		2.7	0.17	0.4	4/26/16	21:04	CMR
o-Xylene	0.21	0.020		0.92	0.087	0.4	4/26/16	21:04	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	4/26/16 21:04
4-Bromofluorobenzene (2)	90.7	70-130	4/26/16 21:04

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: IMP-3
Sample ID: 16D0973-13
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 10:44

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1818
 Canister Size: 6 liter
 Flow Controller ID: 4290
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -3.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	8.8	0.80	V-05	21	1.9	0.4	4/26/16 21:56	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 21:56	CMR	
Benzene	0.15	0.020		0.47	0.064	0.4	4/26/16 21:56	CMR	
Bromodichloromethane	0.017	0.010		0.12	0.067	0.4	4/26/16 21:56	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 21:56	CMR	
2-Butanone (MEK)	1.4	0.80		4.1	2.4	0.4	4/26/16 21:56	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 21:56	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 21:56	CMR	
Carbon Tetrachloride	0.11	0.010		0.67	0.063	0.4	4/26/16 21:56	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 21:56	CMR	
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 21:56	CMR	
Chloroform	0.026	0.010		0.13	0.049	0.4	4/26/16 21:56	CMR	
Chloromethane	0.51	0.040	V-06	1.0	0.083	0.4	4/26/16 21:56	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 21:56	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 21:56	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 21:56	CMR	
1,3-Dichlorobenzene	0.034	0.020		0.21	0.12	0.4	4/26/16 21:56	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 21:56	CMR	
Dichlorodifluoromethane (Freon 12)	0.34	0.020		1.7	0.099	0.4	4/26/16 21:56	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 21:56	CMR	
1,2-Dichloroethane	0.015	0.010		0.060	0.040	0.4	4/26/16 21:56	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 21:56	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 21:56	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 21:56	CMR	
1,2-Dichloropropane	0.010	0.010		0.046	0.046	0.4	4/26/16 21:56	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 21:56	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 21:56	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 21:56	CMR	
Ethylbenzene	0.14	0.020		0.61	0.087	0.4	4/26/16 21:56	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 21:56	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 21:56	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 21:56	CMR	
Methylene Chloride	0.25	0.20		0.86	0.69	0.4	4/26/16 21:56	CMR	
4-Methyl-2-pentanone (MIBK)	0.18	0.020		0.74	0.082	0.4	4/26/16 21:56	CMR	
Styrene	0.12	0.020		0.52	0.085	0.4	4/26/16 21:56	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 21:56	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 21:56	CMR	

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: IMP-3
Sample ID: 16D0973-13
 Sample Matrix: Soil Gas
 Sampled: 4/20/2016 10:44

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1818
 Canister Size: 6 liter
 Flow Controller ID: 4290
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -3.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.069	0.010		0.47	0.068	0.4	4/26/16	21:56	CMR
Toluene	0.47	0.020		1.8	0.075	0.4	4/26/16	21:56	CMR
1,1,1-Trichloroethane	0.014	0.010		0.074	0.055	0.4	4/26/16	21:56	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16	21:56	CMR
Trichloroethylene	1.7	0.010		9.4	0.054	0.4	4/26/16	21:56	CMR
Trichlorofluoromethane (Freon 11)	0.76	0.020		4.3	0.11	0.4	4/26/16	21:56	CMR
1,2,4-Trimethylbenzene	0.19	0.020		0.94	0.098	0.4	4/26/16	21:56	CMR
1,3,5-Trimethylbenzene	0.038	0.020		0.18	0.098	0.4	4/26/16	21:56	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16	21:56	CMR
m&p-Xylene	0.57	0.040		2.5	0.17	0.4	4/26/16	21:56	CMR
o-Xylene	0.18	0.020		0.78	0.087	0.4	4/26/16	21:56	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	4/26/16 21:56
4-Bromofluorobenzene (2)	91.4	70-130	4/26/16 21:56

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Ambient Outdoor Air
Sample ID: 16D0973-14
 Sample Matrix: Ambient Air
 Sampled: 4/20/2016 12:20

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1249
 Canister Size: 6 liter
 Flow Controller ID: 4091
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	3.4	0.80	V-05	8.1	1.9	0.4	4/26/16 22:51		CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 22:51		CMR
Benzene	0.13	0.020		0.40	0.064	0.4	4/26/16 22:51		CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	4/26/16 22:51		CMR
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 22:51		CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	4/26/16 22:51		CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 22:51		CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 22:51		CMR
Carbon Tetrachloride	0.092	0.010		0.58	0.063	0.4	4/26/16 22:51		CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 22:51		CMR
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 22:51		CMR
Chloroform	0.018	0.010		0.086	0.049	0.4	4/26/16 22:51		CMR
Chloromethane	0.78	0.040	V-06	1.6	0.083	0.4	4/26/16 22:51		CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 22:51		CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 22:51		CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 22:51		CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 22:51		CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 22:51		CMR
Dichlorodifluoromethane (Freon 12)	0.37	0.020		1.8	0.099	0.4	4/26/16 22:51		CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 22:51		CMR
1,2-Dichloroethane	0.015	0.010		0.062	0.040	0.4	4/26/16 22:51		CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 22:51		CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 22:51		CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 22:51		CMR
1,2-Dichloropropane	0.011	0.010		0.052	0.046	0.4	4/26/16 22:51		CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 22:51		CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 22:51		CMR
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 22:51		CMR
Ethylbenzene	ND	0.020		ND	0.087	0.4	4/26/16 22:51		CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 22:51		CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 22:51		CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 22:51		CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 22:51		CMR
4-Methyl-2-pentanone (MIBK)	0.027	0.020		0.11	0.082	0.4	4/26/16 22:51		CMR
Styrene	ND	0.020		ND	0.085	0.4	4/26/16 22:51		CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 22:51		CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 22:51		CMR

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Alvarez High School, Providence
 Date Received: 4/21/2016
Field Sample #: Ambient Outdoor Air
Sample ID: 16D0973-14
 Sample Matrix: Ambient Air
 Sampled: 4/20/2016 12:20

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1249
 Canister Size: 6 liter
 Flow Controller ID: 4091
 Sample Type: 30 min

Work Order: 16D0973
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	4/26/16 22:51		CMR
Toluene	0.056	0.020		0.21	0.075	0.4	4/26/16 22:51		CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 22:51		CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 22:51		CMR
Trichloroethylene	0.014	0.010		0.075	0.054	0.4	4/26/16 22:51		CMR
Trichlorofluoromethane (Freon 11)	0.30	0.020		1.7	0.11	0.4	4/26/16 22:51		CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 22:51		CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 22:51		CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16 22:51		CMR
m&p-Xylene	ND	0.040		ND	0.17	0.4	4/26/16 22:51		CMR
o-Xylene	ND	0.020		ND	0.087	0.4	4/26/16 22:51		CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	4/26/16 22:51
4-Bromofluorobenzene (2)	90.6	70-130	4/26/16 22:51

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
16D0973-01 [Gymnasium]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-02 [Cafeteria]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-03 [Elevator Hallway]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-04 [Room 145]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-05 [Room 152]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-06 [Room 118]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-07 [Room 110]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-08 [MP-2]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-09 [MP-5]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-10 [MP-7]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-11 [MP-8]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-12 [IMP-1]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-13 [IMP-3]	B148032	1	1	N/A	1000	400	1000	04/25/16
16D0973-14 [Ambient Outdoor Air]	B148032	1	1	N/A	1000	400	1000	04/25/16

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit	
Batch B148032 - TO-15 Prep										
Blank (B148032-BLK1)										
						Prepared: 04/25/16 Analyzed: 04/26/16				
Acetone	ND	1.4								V-05
Acrylonitrile	ND	0.20								
Benzene	ND	0.035								
Bromodichloromethane	ND	0.018								
Bromoform	ND	0.035								
2-Butanone (MEK)	ND	1.4								
n-Butylbenzene	ND	0.10								
sec-Butylbenzene	ND	0.080								
Carbon Tetrachloride	ND	0.018								
Chlorobenzene	ND	0.035								
Chloroethane	ND	0.035								
Chloroform	ND	0.018								
Chloromethane	ND	0.070								
Dibromochloromethane	ND	0.018								
1,2-Dibromoethane (EDB)	ND	0.018								
1,2-Dichlorobenzene	ND	0.035								
1,3-Dichlorobenzene	ND	0.035								
1,4-Dichlorobenzene	ND	0.035								
Dichlorodifluoromethane (Freon 12)	ND	0.035								
1,1-Dichloroethane	ND	0.018								
1,2-Dichloroethane	ND	0.018								
1,1-Dichloroethylene	ND	0.018								
cis-1,2-Dichloroethylene	ND	0.018								
trans-1,2-Dichloroethylene	ND	0.018								
1,2-Dichloropropane	ND	0.018								
1,3-Dichloropropane	ND	0.095								
cis-1,3-Dichloropropene	ND	0.018								
trans-1,3-Dichloropropene	ND	0.018								V-05
Ethylbenzene	ND	0.035								
Isopropylbenzene (Cumene)	ND	0.089								
p-Isopropyltoluene (p-Cymene)	ND	0.080								
Methyl tert-Butyl Ether (MTBE)	ND	0.035								
Methylene Chloride	ND	0.35								
4-Methyl-2-pentanone (MIBK)	ND	0.035								
Styrene	ND	0.035								
1,1,1,2-Tetrachloroethane	ND	0.064								
1,1,2,2-Tetrachloroethane	ND	0.018								
Tetrachloroethylene	ND	0.018								
Toluene	ND	0.035								
1,1,1-Trichloroethane	ND	0.018								
1,1,2-Trichloroethane	ND	0.018								
Trichloroethylene	ND	0.018								
Trichlorofluoromethane (Freon 11)	ND	0.035								
1,2,4-Trimethylbenzene	ND	0.035								
1,3,5-Trimethylbenzene	ND	0.035								
Vinyl Chloride	ND	0.018								

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
Batch B148032 - TO-15 Prep											
Blank (B148032-BLK1)						Prepared: 04/25/16 Analyzed: 04/26/16					
m&p-Xylene	ND	0.070									
o-Xylene	ND	0.035									
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>8.41</i>				<i>8.00</i>	<i>105</i>	<i>70-130</i>				
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	<i>7.29</i>				<i>8.00</i>	<i>91.1</i>	<i>70-130</i>				
LCS (B148032-BS1)						Prepared: 04/25/16 Analyzed: 04/26/16					
Acetone	4.98				5.00	99.7	70-130				V-05
Benzene	5.06				5.00	101	70-130				
Bromodichloromethane	5.35				5.00	107	70-130				
Bromoform	6.18				5.00	124	70-130				
2-Butanone (MEK)	4.56				5.00	91.2	70-130				
Carbon Tetrachloride	5.16				5.00	103	70-130				
Chlorobenzene	5.47				5.00	109	70-130				
Chloroethane	5.64				5.00	113	70-130				
Chloroform	4.69				5.00	93.8	70-130				
Chloromethane	4.77				5.00	95.5	70-130				V-06
Dibromochloromethane	5.50				5.00	110	70-130				
1,2-Dibromoethane (EDB)	4.72				5.00	94.4	70-130				
1,2-Dichlorobenzene	5.37				5.00	107	70-130				
1,3-Dichlorobenzene	5.76				5.00	115	70-130				
1,4-Dichlorobenzene	5.66				5.00	113	70-130				
Dichlorodifluoromethane (Freon 12)	5.94				5.00	119	70-130				
1,1-Dichloroethane	4.49				5.00	89.8	70-130				
1,2-Dichloroethane	4.15				5.00	83.1	70-130				
1,1-Dichloroethylene	4.62				5.00	92.5	70-130				
cis-1,2-Dichloroethylene	4.17				5.00	83.5	70-130				
trans-1,2-Dichloroethylene	4.03				5.00	80.5	70-130				
1,2-Dichloropropane	4.41				5.00	88.3	70-130				
cis-1,3-Dichloropropene	5.01				5.00	100	70-130				
trans-1,3-Dichloropropene	4.40				5.00	88.0	70-130				V-05
Ethylbenzene	5.30				5.00	106	70-130				
Methyl tert-Butyl Ether (MTBE)	4.15				5.00	83.0	70-130				
Methylene Chloride	4.37				5.00	87.5	70-130				
4-Methyl-2-pentanone (MIBK)	4.81				5.00	96.3	70-130				
Styrene	5.04				5.00	101	70-130				
1,1,2,2-Tetrachloroethane	4.76				5.00	95.3	70-130				
Tetrachloroethylene	4.82				5.00	96.5	70-130				
Toluene	5.08				5.00	102	70-130				
1,1,1-Trichloroethane	4.68				5.00	93.6	70-130				
1,1,2-Trichloroethane	4.73				5.00	94.5	70-130				
Trichloroethylene	4.82				5.00	96.5	70-130				
Trichlorofluoromethane (Freon 11)	6.13				5.00	123	70-130				
1,2,4-Trimethylbenzene	5.09				5.00	102	70-130				
1,3,5-Trimethylbenzene	5.16				5.00	103	70-130				
Vinyl Chloride	5.01				5.00	100	70-130				V-06
m&p-Xylene	11.0				10.0	110	70-130				
o-Xylene	5.30				5.00	106	70-130				

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	RPD	RPD Limit	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	%REC	RPD		

Batch B148032 - TO-15 Prep

LCS (B148032-BS1)

Prepared: 04/25/16 Analyzed: 04/26/16

<i>Surrogate: 4-Bromofluorobenzene (1)</i>	9.45				8.00		118		70-130	
--	------	--	--	--	------	--	-----	--	--------	--

LCS (B148032-BS2)

Prepared: 04/25/16 Analyzed: 04/26/16

Acrylonitrile	2.60				2.88		90.2		70-130	
n-Butylbenzene	1.37				1.14		120		70-130	
sec-Butylbenzene	1.25				1.14		110		70-130	
1,3-Dichloropropane	1.41				1.35		104		70-130	
Isopropylbenzene (Cumene)	1.41				1.27		111		70-130	
p-Isopropyltoluene (p-Cymene)	1.27				1.14		112		70-130	
1,1,1,2-Tetrachloroethane	0.791				0.910		86.9		70-130	
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.09				8.00		101		70-130	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit
DL	Method Detection Limit
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
V-05	Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
V-06	Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA TO-15 in Air</i>	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

EPA TO-15 in Air

o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2018
MA	Massachusetts DEP	M-MA100	06/30/2016
CT	Connecticut Department of Public Health	PH-0567	09/30/2017
NY	New York State Department of Health	10899 NELAP	04/1/2017
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2017
RI	Rhode Island Department of Health	LAO00112	12/30/2016
NC	North Carolina Div. of Water Quality	652	12/31/2016
NJ	New Jersey DEP	MA007 NELAP	06/30/2016
FL	Florida Department of Health	E871027 NELAP	06/30/2016
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2016
ME	State of Maine	2011028	06/9/2017
VA	Commonwealth of Virginia	460217	12/14/2016
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2016

CHAIN OF CUSTODY RECORD (AIR)

1600973
 Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com

ANALYSIS REQUESTED

Requested Turnaround Time: 7-Day 10-Day Other: _____

Rush Approval Required: 1-Day 3-Day 2-Day 4-Day Other: _____

Format: PDF EXCEL Day Delivery

Enhanced Data Package Required:

Email To: *frankpostma@con-test.com*

Fax To #: _____

Project Name: *EA Engineering*

Address: *301 Metro Center Blvd, Providence, RI*

Phone: _____

Project Name: *Alvarez*

Project Location: *Alvarez High School, Providence, RI*

Project Number: *1506603*

Project Manager: *Frank Postma*

Con-Test Bid: _____

Invoice Recipient: _____

Sampled By: *C. Swanson + L. Mejer*

Lab Use	Client Use	Collection Data		Duration	Flow Rate	Matrix	Volume	Pressure		Summa Can ID	Flow Controller ID
		Beginning Date/Time	Ending Date/Time					Initial Pressure	Final Pressure		
01	Gymnasium	4:20:16 0958	4:20:41 1028	30		IA	6	-30	-4.5	2132	4297
02	Cafeteria	0952	1021	29		IA		-27.5	-2	1718	4296
03	Elevator Hallway	1016	1046	30		IA		-30	-6	1021	4287
04	Room 145	1040	1110	30		IA		-29	-3	1824	4090
05	Room 152	1049	1119	30		IA		-29	-4	1990	4291
06	Room 118	1006	1035	29		IA		-28.5	-6	2140	4106
07	Room 110	1003	1033	30		IA		-27	-3	2141	4303
08	MP-2	1149	1219	30		SG		-29	-2	2203	4201
09	MP-5	1138	1207	29		SG		-28	0	1860	4197

Comments: *Also email to emajor@con-test.com*

Relinquished by: (signature) *[Signature]* Date/Time: *4/21/16 1255*

Received by: (signature) *[Signature]* Date/Time: *4/21/16 13:4*

Relinquished by: (signature) *[Signature]* Date/Time: *4/21/16 1330*

Received by: (signature) *[Signature]* Date/Time: *4-21-16 1530*

Relinquished by: (signature) _____ Date/Time: _____

Received by: (signature) _____ Date/Time: _____

Please use the following codes to indicate possible sample concentration within the Conc Code column above:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Special Requirements: _____

Enhanced Data:

Package Required: _____

Matrix Codes:
 SG = SOIL GAS
 IA = INDOOR AIR
 AMB = AMBIENT
 SS = SUB SLAB
 D = DUP
 BL = BLANK
 O = Other _____

TURNAROUND TIME (BUSINESS DAYS) STARTS AT 9:00 AM THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON THIS CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME CANNOT START UNTIL ALL QUESTIONS HAVE BEEN ANSWERED.

PLEASE BE CAREFUL NOT TO CONTAMINATE THIS DOCUMENT



Company Name: EA Engineering Science Technology
 Address: 301 Metro Center Blvd, Johnston, RI
 Phone: Alusile
 Project Name: Alusile
 Project Location: Alusile High School, Providence, RI
 Project Number: 1506603
 Project Manager: Frank Postma
 Con-Test Bid:
 Invoice Recipient:
 Sampled By: C. Swanson + C. Magia

Requested Turnaround Time: 7-Day 10-Day Other:
 Rush Approval Required: 3-Day 4-Day
 Data Delivery: PDF EXCEL Other:
 Enhanced Data Package Required:
 Email To: faustina@contestlabs.com
 Fax To #:

Lab Use Con-Test Work Order#	Client Use Client Sample ID / Description	Collection Data		Duration Total Minutes Sampled	Flow Rate m ³ /min L/min	Matrix Code	Volume Liters m ³	ANALYSIS REQUESTED			Please fill out completely, sign, date and retain the yellow copy for your records	
		Beginning Date/Time	Ending Date/Time					Initial Pressure	Final Pressure	Lab Receipt Pressure		
10	MP-7	11:34	12:07	33		SG	6					
11	MP-8	11:20	11:50	30		SG						
12	IMP-1	09:56	10:26	30		SG						
13	IMP-3	10:14	10:44	30		SG						
14	Ambient Outdoor Air	11:50	12:20	30		Amb						

Comments: Also email results to cmagia@contest.com

Please use the following codes to indicate possible sample concentration within the Conc Code column above:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Matrix Codes:
 SG = SOIL GAS
 IA = INDOOR AIR
 AMB = AMBIENT
 SS = SUB SLAB
 D = DUP
 BL = BLANK
 O = Other

Relinquished by: (Signature) Date/Time: 4/21/16 12:55
 Received by: (Signature) Date/Time: 4/21/16 12:45
 Relinquished by: (Signature) Date/Time: 4/21/16 15:30
 Received by: (Signature) Date/Time: 4/21/16 15:30

Special Requirements: MA MCP Required, CT RCP Required, Enhanced Data Package Required

Turnaround Time (BUSINESS DAYS) STARTS AT 9:00 AM THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON THIS CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME CANNOT START UNTIL ALL QUESTIONS HAVE BEEN ANSWERED.

PLEASE BE CAREFUL NOT TO CONTAMINATE THIS DOCUMENT

Page 2 of 2

Login Sample Receipt Checklist
(Rejection Criteria Listing - Using Sample Acceptance Policy)
Any False statement will be brought to the attention of Client

<u>Question</u>	<u>Answer (True/False)</u>		<u>Comment</u>
	<u>T/F/NA</u>		
1) The coolers'/boxes' custody seal, if present, is intact.	NA		
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.	NA		
4) Cooler Temperature is acceptable.	NA		
5) Cooler Temperature is recorded.	NA		
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) Samples are received within Holding Time.	T		
10) Sample containers have legible labels.	T		
11) Containers/media are not broken or leaking and valves and caps are closed tightly.	T		
12) Sample collection date/times are provided.	T		
13) Appropriate sample/media containers are used.	T		
14) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T		
15) Trip blanks provided if applicable.	NA		

Doc #278 Rev. 5 October 2014

Who notified of False statements?

Log-In Technician Initials: PB

Date/Time:

Date/Time: 4.21.16



39 Spruce St.
East Longmeadow, MA.
01028
P: 413-525-2332
F: 413-525-6405

AIR Only Receipt Checklist

CLIENT NAME EA Engineering RECEIVED BY: PB DATE: 4.21.16

- 1) Was the chain(s) of custody relinquished and signed? Yes No
- 2) Does the chain agree with the samples? Yes No
If not, explain:
- 3) Are all the samples in good condition? Yes No
If not, explain:
- 4) Are there any samples "On Hold"? Yes No Stored where:
- 5) Are there any RUSH or SHORT HOLDING TIME samples? Yes No
Who was notified _____ Date _____ Time _____

6) Location where samples are stored: Permission to subcontract samples? Yes No
(Walk-in clients only) if not already approved
Client Signature: _____

7) Number of cans Individually Certified or Batch Certified? ~~1075~~ 14 certified

Containers received at Con-Test		
	# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)	14	6 lit IC
Tedlar Bags		
TO-17 Tubes		
Regulators	14	30 min
Restrictors		
Hg/Hopcalite Tube (NIOSH 6009)		
(TO-4A/ TO-10A/TO-13) PUFs		
PCB Florisil Tubes (NIOSH 5503)		
Air cassette		
PM 2.5/PM 10		
TO-11A Cartridges		
Other		

Unused Summas/PUF Media:

Unused Regulators:

- 1) Was all media (used & unused) checked into the WASP?
- 2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:	2132	1990	1860	1818	4297	4291	4197	4290			
	1718	2140	2148	1249	4296	4106	4196	4091			
	1021	2141	1886		4287	4353	4069				
	1824	2203	1225		4090	4201	4286				

May 2, 2016

Frank Postma
EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886

Project Location: Providence, RI
Client Job Number:
Project Number: 15066.03
Laboratory Work Order Number: 16D1151

Enclosed are results of analyses for samples received by the laboratory on April 26, 2016. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Aaron L. Benoit", with a horizontal line extending to the right from the end of the signature.

Aaron L. Benoit
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	7
QC Data	8
Air Toxics by EPA Compendium Methods	8
B148032	8
Flag/Qualifier Summary	11
Certifications	12
Chain of Custody/Sample Receipt	14

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886
ATTN: Frank Postma

REPORT DATE: 5/2/2016

PURCHASE ORDER NUMBER: 11977

PROJECT NUMBER: 15066.03

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 16D1151

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Kitchen Storage	16D1151-01	Indoor air		EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA TO-15**Qualifications:****V-05**

Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

Analyte & Samples(s) Qualified:**Acetone**

16D1151-01[Kitchen Storage], B148032-BLK1, B148032-BS1

trans-1,3-Dichloropropene

16D1151-01[Kitchen Storage], B148032-BLK1, B148032-BS1

V-06

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:**Chloromethane**

16D1151-01[Kitchen Storage], B148032-BS1

Vinyl Chloride

B148032-BS1

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Lisa A. Worthington
Project Manager

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 4/26/2016
Field Sample #: Kitchen Storage
Sample ID: 16D1151-01
 Sample Matrix: Indoor air
 Sampled: 4/25/2016 11:44

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2146
 Canister Size: 6 liter
 Flow Controller ID: 4199
 Sample Type: 30 min

Work Order: 16D1151
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -4.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	6.2	0.80	V-05	15	1.9	0.4	4/26/16 23:43	CMR	
Acrylonitrile	ND	0.12		ND	0.25	0.4	4/26/16 23:43	CMR	
Benzene	0.18	0.020		0.59	0.064	0.4	4/26/16 23:43	CMR	
Bromodichloromethane	0.010	0.010		0.067	0.067	0.4	4/26/16 23:43	CMR	
Bromoform	ND	0.020		ND	0.21	0.4	4/26/16 23:43	CMR	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	4/26/16 23:43	CMR	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	4/26/16 23:43	CMR	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	4/26/16 23:43	CMR	
Carbon Tetrachloride	0.15	0.010		0.95	0.063	0.4	4/26/16 23:43	CMR	
Chlorobenzene	ND	0.020		ND	0.092	0.4	4/26/16 23:43	CMR	
Chloroethane	ND	0.020		ND	0.053	0.4	4/26/16 23:43	CMR	
Chloroform	0.78	0.010		3.8	0.049	0.4	4/26/16 23:43	CMR	
Chloromethane	0.70	0.040	V-06	1.4	0.083	0.4	4/26/16 23:43	CMR	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	4/26/16 23:43	CMR	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	4/26/16 23:43	CMR	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 23:43	CMR	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 23:43	CMR	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	4/26/16 23:43	CMR	
Dichlorodifluoromethane (Freon 12)	0.31	0.020		1.5	0.099	0.4	4/26/16 23:43	CMR	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	4/26/16 23:43	CMR	
1,2-Dichloroethane	0.014	0.010		0.057	0.040	0.4	4/26/16 23:43	CMR	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 23:43	CMR	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 23:43	CMR	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	4/26/16 23:43	CMR	
1,2-Dichloropropane	0.016	0.010		0.074	0.046	0.4	4/26/16 23:43	CMR	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	4/26/16 23:43	CMR	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	4/26/16 23:43	CMR	
trans-1,3-Dichloropropene	ND	0.010	V-05	ND	0.045	0.4	4/26/16 23:43	CMR	
Ethylbenzene	0.024	0.020		0.10	0.087	0.4	4/26/16 23:43	CMR	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	4/26/16 23:43	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	4/26/16 23:43	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	4/26/16 23:43	CMR	
Methylene Chloride	ND	0.20		ND	0.69	0.4	4/26/16 23:43	CMR	
4-Methyl-2-pentanone (MIBK)	0.085	0.020		0.35	0.082	0.4	4/26/16 23:43	CMR	
Styrene	0.034	0.020		0.15	0.085	0.4	4/26/16 23:43	CMR	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	4/26/16 23:43	CMR	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	4/26/16 23:43	CMR	

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 4/26/2016
Field Sample #: Kitchen Storage
Sample ID: 16D1151-01
 Sample Matrix: Indoor air
 Sampled: 4/25/2016 11:44

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2146
 Canister Size: 6 liter
 Flow Controller ID: 4199
 Sample Type: 30 min

Work Order: 16D1151
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -4.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.023	0.010		0.16	0.068	0.4	4/26/16 23:43	CMR	
Toluene	0.17	0.020		0.63	0.075	0.4	4/26/16 23:43	CMR	
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 23:43	CMR	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	4/26/16 23:43	CMR	
Trichloroethylene	0.021	0.010		0.11	0.054	0.4	4/26/16 23:43	CMR	
Trichlorofluoromethane (Freon 11)	0.24	0.020		1.3	0.11	0.4	4/26/16 23:43	CMR	
1,2,4-Trimethylbenzene	0.021	0.020		0.10	0.098	0.4	4/26/16 23:43	CMR	
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	4/26/16 23:43	CMR	
Vinyl Chloride	ND	0.010		ND	0.026	0.4	4/26/16 23:43	CMR	
m&p-Xylene	0.061	0.040		0.26	0.17	0.4	4/26/16 23:43	CMR	
o-Xylene	0.025	0.020		0.11	0.087	0.4	4/26/16 23:43	CMR	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	4/26/16 23:43
4-Bromofluorobenzene (2)	89.9	70-130	4/26/16 23:43

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
16D1151-01 [Kitchen Storage]	B148032	1	1	N/A	1000	400	1000	04/25/16

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit	
Batch B148032 - TO-15 Prep										
Blank (B148032-BLK1)										
						Prepared: 04/25/16 Analyzed: 04/26/16				
Acetone	ND	1.4								V-05
Acrylonitrile	ND	0.20								
Benzene	ND	0.035								
Bromodichloromethane	ND	0.018								
Bromoform	ND	0.035								
2-Butanone (MEK)	ND	1.4								
n-Butylbenzene	ND	0.10								
sec-Butylbenzene	ND	0.080								
Carbon Tetrachloride	ND	0.018								
Chlorobenzene	ND	0.035								
Chloroethane	ND	0.035								
Chloroform	ND	0.018								
Chloromethane	ND	0.070								
Dibromochloromethane	ND	0.018								
1,2-Dibromoethane (EDB)	ND	0.018								
1,2-Dichlorobenzene	ND	0.035								
1,3-Dichlorobenzene	ND	0.035								
1,4-Dichlorobenzene	ND	0.035								
Dichlorodifluoromethane (Freon 12)	ND	0.035								
1,1-Dichloroethane	ND	0.018								
1,2-Dichloroethane	ND	0.018								
1,1-Dichloroethylene	ND	0.018								
cis-1,2-Dichloroethylene	ND	0.018								
trans-1,2-Dichloroethylene	ND	0.018								
1,2-Dichloropropane	ND	0.018								
1,3-Dichloropropane	ND	0.095								
cis-1,3-Dichloropropene	ND	0.018								
trans-1,3-Dichloropropene	ND	0.018								V-05
Ethylbenzene	ND	0.035								
Isopropylbenzene (Cumene)	ND	0.089								
p-Isopropyltoluene (p-Cymene)	ND	0.080								
Methyl tert-Butyl Ether (MTBE)	ND	0.035								
Methylene Chloride	ND	0.35								
4-Methyl-2-pentanone (MIBK)	ND	0.035								
Styrene	ND	0.035								
1,1,1,2-Tetrachloroethane	ND	0.064								
1,1,2,2-Tetrachloroethane	ND	0.018								
Tetrachloroethylene	ND	0.018								
Toluene	ND	0.035								
1,1,1-Trichloroethane	ND	0.018								
1,1,2-Trichloroethane	ND	0.018								
Trichloroethylene	ND	0.018								
Trichlorofluoromethane (Freon 11)	ND	0.035								
1,2,4-Trimethylbenzene	ND	0.035								
1,3,5-Trimethylbenzene	ND	0.035								
Vinyl Chloride	ND	0.018								

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
Batch B148032 - TO-15 Prep											
Blank (B148032-BLK1)						Prepared: 04/25/16 Analyzed: 04/26/16					
m&p-Xylene	ND	0.070									
o-Xylene	ND	0.035									
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>8.41</i>				<i>8.00</i>	<i>105</i>	<i>70-130</i>				
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	<i>7.29</i>				<i>8.00</i>	<i>91.1</i>	<i>70-130</i>				
LCS (B148032-BS1)						Prepared: 04/25/16 Analyzed: 04/26/16					
Acetone	4.98				5.00	99.7	70-130				V-05
Benzene	5.06				5.00	101	70-130				
Bromodichloromethane	5.35				5.00	107	70-130				
Bromoform	6.18				5.00	124	70-130				
2-Butanone (MEK)	4.56				5.00	91.2	70-130				
Carbon Tetrachloride	5.16				5.00	103	70-130				
Chlorobenzene	5.47				5.00	109	70-130				
Chloroethane	5.64				5.00	113	70-130				
Chloroform	4.69				5.00	93.8	70-130				
Chloromethane	4.77				5.00	95.5	70-130				V-06
Dibromochloromethane	5.50				5.00	110	70-130				
1,2-Dibromoethane (EDB)	4.72				5.00	94.4	70-130				
1,2-Dichlorobenzene	5.37				5.00	107	70-130				
1,3-Dichlorobenzene	5.76				5.00	115	70-130				
1,4-Dichlorobenzene	5.66				5.00	113	70-130				
Dichlorodifluoromethane (Freon 12)	5.94				5.00	119	70-130				
1,1-Dichloroethane	4.49				5.00	89.8	70-130				
1,2-Dichloroethane	4.15				5.00	83.1	70-130				
1,1-Dichloroethylene	4.62				5.00	92.5	70-130				
cis-1,2-Dichloroethylene	4.17				5.00	83.5	70-130				
trans-1,2-Dichloroethylene	4.03				5.00	80.5	70-130				
1,2-Dichloropropane	4.41				5.00	88.3	70-130				
cis-1,3-Dichloropropene	5.01				5.00	100	70-130				
trans-1,3-Dichloropropene	4.40				5.00	88.0	70-130				V-05
Ethylbenzene	5.30				5.00	106	70-130				
Methyl tert-Butyl Ether (MTBE)	4.15				5.00	83.0	70-130				
Methylene Chloride	4.37				5.00	87.5	70-130				
4-Methyl-2-pentanone (MIBK)	4.81				5.00	96.3	70-130				
Styrene	5.04				5.00	101	70-130				
1,1,2,2-Tetrachloroethane	4.76				5.00	95.3	70-130				
Tetrachloroethylene	4.82				5.00	96.5	70-130				
Toluene	5.08				5.00	102	70-130				
1,1,1-Trichloroethane	4.68				5.00	93.6	70-130				
1,1,2-Trichloroethane	4.73				5.00	94.5	70-130				
Trichloroethylene	4.82				5.00	96.5	70-130				
Trichlorofluoromethane (Freon 11)	6.13				5.00	123	70-130				
1,2,4-Trimethylbenzene	5.09				5.00	102	70-130				
1,3,5-Trimethylbenzene	5.16				5.00	103	70-130				
Vinyl Chloride	5.01				5.00	100	70-130				V-06
m&p-Xylene	11.0				10.0	110	70-130				
o-Xylene	5.30				5.00	106	70-130				

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	RPD	RPD Limit	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	%REC	RPD		

Batch B148032 - TO-15 Prep

LCS (B148032-BS1)

Prepared: 04/25/16 Analyzed: 04/26/16

<i>Surrogate: 4-Bromofluorobenzene (1)</i>	9.45				8.00		118		70-130	
--	------	--	--	--	------	--	-----	--	--------	--

LCS (B148032-BS2)

Prepared: 04/25/16 Analyzed: 04/26/16

Acrylonitrile	2.60				2.88		90.2		70-130	
n-Butylbenzene	1.37				1.14		120		70-130	
sec-Butylbenzene	1.25				1.14		110		70-130	
1,3-Dichloropropane	1.41				1.35		104		70-130	
Isopropylbenzene (Cumene)	1.41				1.27		111		70-130	
p-Isopropyltoluene (p-Cymene)	1.27				1.14		112		70-130	
1,1,1,2-Tetrachloroethane	0.791				0.910		86.9		70-130	
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.09				8.00		101		70-130	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit
DL	Method Detection Limit
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
V-05	Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
V-06	Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA TO-15 in Air</i>	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

EPA TO-15 in Air

o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2018
MA	Massachusetts DEP	M-MA100	06/30/2016
CT	Connecticut Department of Public Health	PH-0567	09/30/2017
NY	New York State Department of Health	10899 NELAP	04/1/2017
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2017
RI	Rhode Island Department of Health	LAO00112	12/30/2016
NC	North Carolina Div. of Water Quality	652	12/31/2016
NJ	New Jersey DEP	MA007 NELAP	06/30/2016
FL	Florida Department of Health	E871027 NELAP	06/30/2016
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2016
ME	State of Maine	2011028	06/9/2017
VA	Commonwealth of Virginia	460217	12/14/2016
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2016



39 Spruce St.
 East Longmeadow, MA.
 01028
 P: 413-525-2332
 F: 413-525-6405

AIR Only Receipt Checklist

CLIENT NAME EA Engineering RECEIVED BY: JDL DATE: 4/26/2016

- 1) Was the chain(s) of custody relinquished and signed? Yes X No
- 2) Does the chain agree with the samples? Yes X No
 If not, explain: _____
- 3) Are all the samples in good condition? Yes X No
 If not, explain: _____
- 4) Are there any samples "On Hold"? Yes No X Stored where:
- 5) Are there any RUSH or SHORT HOLDING TIME samples? Yes No X
 Who was notified _____ Date _____ Time _____

6) Location where samples are stored: Permission to subcontract samples? Yes No
 (Walk-in clients only) if not already approved
 Client Signature: _____

7) Number of cans Individually Certified or Batch Certified? 2

Containers received at Con-Test		
	# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)	2	IC6L
Tedlar Bags		
TO-17 Tubes		
Regulators	2	30min
Restrictors		
Hg/Hopcalite Tube (NIOSH 6009)		
(TO-4A/ TO-10A/TO-13) PUFs		
PCB Florisil Tubes (NIOSH 5503)		
Air cassette		
PM 2.5/PM 10		
TO-11A Cartridges		
Other		

Unused Summas/PUF Media:

 2211

Unused Regulators:

 4186

- 1) Was all media (used & unused) checked into the WASP?
- 2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:	Summa ID's:	2146			Regulators:	4199			

Page 2 of 2
Login Sample Receipt Checklist
(Rejection Criteria Listing - Using Sample Acceptance Policy)
Any False statement will be brought to the attention of Client

Question	Answer (True/False)		Comment
	T/F/NA		
1) The coolers'/boxes' custody seal, if present, is intact.	NA		
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.	NA		
4) Cooler Temperature is acceptable.	NA		
5) Cooler Temperature is recorded.	NA		
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) Samples are received within Holding Time.	T		
10) Sample containers have legible labels.	T		
11) Containers/media are not broken or leaking and valves and caps are closed tightly.	T		
12) Sample collection date/times are provided.	T		
13) Appropriate sample/media containers are used.	T		
14) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T		
15) Trip blanks provided if applicable.	NA		

Doc #278 Rev. 5 October 2014

Who notified of False statements?

Log-In Technician Initials:

JDL

Date/Time:

4/26/16 1715

APPENDIX F

Laboratory MRL Correspondence



39 Spruce Street
East Longmeadow, MA 01089

June 10, 2016

Mr. Frank Postma
EA Engineering Science & Technology - RI
301 Metro Center Blvd., Suite 102
Warwick, RI 02886
RE: CT Remediation Standard Regulations – Work Order 16D0973

Dear Ms. Russo:

This letter is in response to the Residential Target Indoor Air numbers published in the Remediation Standard Regulations and/or the tables provided. Several of the TAC's, which are calculated based on risk, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane
1,1,2,2-Tetrachloroethane
1,1,1,2-Tetrachloroethane
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is written in a cursive, somewhat stylized script.

Tod Kopyscinski
Air Laboratory Manager