

R.I. Analytical

Specialists in Environmental Services

RECEIVED

SEP 11 2006

EA ENGINEERING, SCIENCE AND TECHNOLOGY, INC.

BY _____

September 8, 2006

EA Engineering, Science, and Technology
Attn: Mr. Peter Grivers
2350 Post Road
Warwick, RI 02886

Re: Close out letter for Compliance Monitoring, former Gorham Mill site.

Dear Mr. Grivers:

Enclosed you will find the analytical results of the nuisance dust samples collected at the former Gorham Mill site, Adelaide Ave, Providence, RI. All nuisance dust samples were found to be below the OSHA Permissible Exposure Limit (PEL) of 15 mg/m^3 (refer to Table 1.0).

Table 1.0 - Nuisance Dust Results
OSHA PEL for total nuisance dust is 15 mg/m^3.

Table with 4 columns: Date, Sample Location, Total Weight (mg/m^3), and OSHA (PEL) (mg/m^3). It contains 24 rows of data showing various sample locations and their corresponding dust weights, all of which are below the 15 mg/m^3 OSHA PEL.



Table 1.0 – Nuisance Dust Results Cont.
OSHA PEL for total nuisance dust is 15 mg/m³.


Date	Sample Location	Total Weight (mg/m ³)	OSHA (PEL) (mg/m ³)
8/23/06	Back of Stop & Shop	<0.06	15
8/24/06	Back of Stop & Shop	<0.08	15
8/25/06	Back of Stop & Shop	<0.07	15

If there are any questions or if we may be of further assistance please contact our office at (401) 737-8500 ext 106.

Sincerely,
RI Analytical Laboratories, Inc.



Joseph M. Lepore
EAM Senior Project Manager



CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/14/2006
Date Reported: 6/16/2006
P.O. #: 060222B
Work Order #: 0606-10418

DESCRIPTION: PROJECT# 060222B GORHAM MILL SITE - EA ENGINEERING

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:




Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/14/2006
Work Order #: 0606-10418

Approved by: _____



A large, stylized handwritten signature in black ink, written over a horizontal line. The signature is highly cursive and loops around the line.

Data Reporting


Sample # 001

SAMPLE DESCRIPTION: 1A - ALONG RESIDENTIAL FENCE LINE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 6/13/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	6/16/2006	EC



R.I. Analytical

Specialists in Environmental Services

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/15/2006
Date Reported: 6/16/2006
P.O. #: 060222B
Work Order #: 0606-10534

DESCRIPTION: PROJECT# 060222B GORHAM SITE - EA ENGINEERING

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting


enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/15/2006
Work Order #: 0606-10534

Approved by: _____

Data Reporting



Sample # 001


SAMPLE DESCRIPTION: ALONG RESIDENTIAL FENCE LINE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME:

6/14/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.05	0.05	mg/m ³	0500 NIOSH	6/16/2006	EC



CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/15/2006
Date Reported: 6/16/2006
P.O. #: 060222B
Work Order #: 0606-10568

DESCRIPTION: PROJECT# 060222B GORHAM SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting


enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/15/2006
Work Order #: 0606-10568


Approved by: _____

Data Reporting



Sample # 001
SAMPLE DESCRIPTION: 1 SOUTH FENCE LINE
SAMPLE TYPE: GRAB
SAMPLE DATE/TIME: 6/15/2006 @ 15:00

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	6/16/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/19/2006
Date Reported: 6/22/2006
P.O. #: 060222B
Work Order #: 0606-10736

DESCRIPTION: PROJECT# 060222B GORHAM MILLS SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.


Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS



R.I. Analytical (EAM Division)
Date Received: 6/19/2006
Work Order #: 0606-10736

Approved by: _____
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: FENCE LINE SOUTH

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 6/16/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.17	0.06	mg/m ³	0500 NIOSH	6/21/2006	BMM



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/21/2006
Date Reported: 6/26/2006
P.O. #: 060222B
Work Order #: 0606-10927

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/21/2006
Work Order #: 0606-10927

Approved by: _____

Data Reporting


Sample # 001

SAMPLE DESCRIPTION: #1 SOUTH FENCE LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 6/20/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.22	0.06	mg/m ³	0500 NIOSH	6/26/2006	EC



R.I. Analytical

Specialists in Environmental Services

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/21/2006
Date Reported: 6/26/2006
P.O. #: 060222B
Work Order #: 0606-10970

DESCRIPTION: PROJECT# 060222B GORHAM MILL SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting


enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/21/2006
Work Order #: 0606-10970

Approved by: _____

Data Reporting




Sample # 001

SAMPLE DESCRIPTION: FENCELINE RESIDENTIAL SIDE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 6/21/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	6/26/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/23/2006
Date Reported: 6/26/2006
P.O. #: 060222B
Work Order #: 0606-11135

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.


Approved by:

Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/23/2006
Work Order #: 0606-11135

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: #1 FENCE LINE SOUTH

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 6/22/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.13	0.06	mg/m ³	0500 NIOSH	6/26/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/29/2006
Date Reported: 7/9/2006
P.O. #: 060222B
Work Order #: 0606-11520

DESCRIPTION: PROJECT# 060222B GORHAM SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/29/2006
Work Order #: 0606-11520

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: FENCELINE SOUTH

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 6/28/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.08	0.06	mg/m ³	0500 NIOSH	7/8/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/5/2006
Date Reported: 7/9/2006
P.O. #: 060222B
Work Order #: 0607-11824

DESCRIPTION: PROJECT# 060222B GORHAM MILL SITE - ADELAIDE AVENUE

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS



R.I. Analytical (EAM Division)
Date Received: 7/5/2006
Work Order #: 0607-11824

Approved by: _____
Data Reporting

Sample # 001


SAMPLE DESCRIPTION: FENCE LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 7/5/2006

@ 13:03

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.08	0.08	mg/m ³	0500 NIOSH	7/8/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/13/2006
Date Reported: 7/18/2006
P.O. #: 060222B
Work Order #: 0607-12391

DESCRIPTION: PROJECT# 060222B EA GORHAM MILL (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.


Approved by:

Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 7/13/2006
Work Order #: 0607-12391


Approved by: 
Data Reporting

Sample # 001

SAMPLE DESCRIPTION: TOTAL DUST
SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 7/12/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.09	0.03	mg/m ³	0500 NIOSH	7/18/2006	BMM



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/19/2006
Date Reported: 7/21/2006
P.O. #: 06-0222B
Work Order #: 0607-12895

DESCRIPTION: PROJECT# 06-0222B GORHAM MILL - ALONG RES. FENCELINE

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)

Date Received: 7/19/2006

Work Order #: 0607-12895

Approved by:


 Data Reporting

Sample # 001


SAMPLE DESCRIPTION: GORHAM MILL - RESIDENTIAL FENCE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME:

7/19/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
TOTAL METALS						
LEAD	<0.28	0.28	ug/m ³	NIOSH 7300	7/21/2006	CL



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/27/2006
Date Reported: 8/2/2006
P.O. #: 060222B
Work Order #: 0607-13401

DESCRIPTION: PROJECT# 060222B GORHAM MILL SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody


R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)

Date Received: 7/27/2006

Work Order #: 0607-13401

Approved by: 

Data Reporting

Sample # 001

SAMPLE DESCRIPTION: #1 FENCE LINE @ PROPERTY LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 7/26/2006

@ 15:30

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.18	0.06	mg/m ³	0500 NIOSH	8/2/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/28/2006
Date Reported: 8/2/2006
P.O. #: 060222B
Work Order #: 0607-13532

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:




Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 7/28/2006
Work Order #: 0607-13532

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: FENCE LINE PROPERTY LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 7/28/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.13	0.06	mg/m ³	0500 NIOSH	8/2/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/7/2006
Date Reported: 8/14/2006
P.O. #: 060222B
Work Order #: 0608-14060

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 8/7/2006
Work Order #: 0608-14060

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: FENCELINE DOWN WIND

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/4/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	8/14/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/10/2006
Date Reported: 8/14/2006
P.O. #: 060222B
Work Order #: 0608-14389

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.


Approved by:

Data Reporting

enc: Chain of Custody


R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 8/10/2006
Work Order #: 0608-14389

Approved by: 
Data Reporting

Sample # 001
SAMPLE DESCRIPTION: DW - FENCE LINE 8/9/06
SAMPLE TYPE: GRAB **SAMPLE DATE/TIME:** 8/9/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.04	0.04	mg/m ³	0500 NIOSH	8/14/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/16/2006
Date Reported: 8/18/2006
P.O. #: 060222B
Work Order #: 0608-14792

DESCRIPTION: PROJECT# 060222B EA GORHAM MILL (TWO AIR SAMPLES)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.


Approved by:

Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
 Date Received: 8/16/2006
 Work Order #: 0608-14792

Approved by: 

Data Reporting

Sample # 001

SAMPLE DESCRIPTION: SCHOOL SITE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 8/16/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.09	0.06	mg/m ³	0500 NIOSH	8/18/2006	EC


Sample # 002

SAMPLE DESCRIPTION: BACK OF STOP & SHOP

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 8/16/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.07	0.07	mg/m ³	0500 NIOSH	8/18/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/17/2006
Date Reported: 8/25/2006
P.O. #: 060222B
Work Order #: 0608-14968

DESCRIPTION: PROJECT# 060222B GORHAM MILL - CRANSTON, RI

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 8/17/2006
Work Order #: 0608-14968

Approved by: _____

Data Reporting


Sample # 001

SAMPLE DESCRIPTION: BACK OF STOP & SHOP

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/17/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	8/25/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/23/2006
Date Reported: 8/24/2006
P.O. #: 060222B
Work Order #: 0608-15204

DESCRIPTION: PROJECT# 060222B GORHAM MILL (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting


enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 8/23/2006
Work Order #: 0608-15204

Approved by: _____

Data Reporting




Sample # 001

SAMPLE DESCRIPTION: #1 BACK AREA BEHIND STOP & SHOP

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/18/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.05	0.05	mg/m ³	0500 NIOSH	8/24/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/22/2006
Date Reported: 8/24/2006
P.O. #: 060222B
Work Order #: 0608-15136

DESCRIPTION: PROJECT# 060222B GORHAM MILL (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 8/22/2006
Work Order #: 0608-15136

Approved by: _____
Data Reporting

Sample # 001

SAMPLE DESCRIPTION: NUISANCE DUST

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 8/21/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	8/24/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/23/2006
Date Reported: 8/24/2006
P.O. #: 060222B
Work Order #: 0608-15203

DESCRIPTION: PROJECT# 060222B GORHAM MILLS SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting


enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 8/23/2006
Work Order #: 0608-15203

Approved by: _____

Data Reporting




Sample # 001

SAMPLE DESCRIPTION: GORHAM SITE BACK LOT

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/22/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.08	0.06	mg/m ³	0500 NIOSH	8/24/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/24/2006
Date Reported: 8/25/2006
P.O. #:
Work Order #: 0608-15336

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (TWO AIR SAMPLES)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #/ RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
 Date Received: 8/24/2006
 Work Order #: 0608-15336

Approved by: _____

Data Reporting

Sample # 001

SAMPLE DESCRIPTION: MAIN SITE FENCE LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/23/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	8/25/2006	EC


Sample # 002

SAMPLE DESCRIPTION: BACK AREA (BEHIND STOP & SHOP)

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/23/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	8/25/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/25/2006
Date Reported: 8/29/2006
P.O. #: 060222B
Work Order #: 0608-15436

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting


enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 8/25/2006
Work Order #: 0608-15436

Approved by: _____

Data Reporting




Sample # 001

SAMPLE DESCRIPTION: NUISANCE DUST

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 8/24/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.08	0.08	mg/m ³	0500 NIOSH	8/29/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/28/2006
Date Reported: 8/29/2006
P.O. #: 060222B
Work Order #: 0608-15513

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:




Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 8/28/2006
Work Order #: 0608-15513

Approved by: _____
Data Reporting



Sample # 001

SAMPLE DESCRIPTION: #1 DW BACK OF STOP & SHOP

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 8/25/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.07	0.07	mg/m ³	0500 NIOSH	8/29/2006	EC