



EA Engineering, Science, and Technology, Inc., PBC

16 September 2016

Mr. Joseph T. Martella II, Senior Engineer
Site Remediation Program
Office of Waste Management
RI Department of Environmental Management
235 Promenade Street
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 36
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island
Case No. 2005-029
EA Project No. 15066.04*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from June 2016 through August 2016.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 1809.

Sincerely,

EA ENGINEERING, SCIENCE,
AND TECHNOLOGY, INC.

Frank B. Postma, LSP, LEP, PG
Project Manager

cc: B. Luger, Prov. Dept. of Public Schools
D. Granlek, Prov. Redevelopment Agency
R. Dorr, Neighborhood Resident
Rep. Scott Slater
Knight Memorial Library Repository
A. Sepe, Prov. Dept. of Public Property
S. Fischbach, RI Legal Services
J. Pichardo, Senator
Principal Hawkins, Alvarez High School



Quarterly O&M Status Report No. 36

Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities

Alvarez High School Site (Formerly Adelaide Avenue High School) Providence, Rhode Island

Prepared for

City of Providence School Department
797 Westminster Street
Providence, Rhode Island 02903

Prepared by

EA Engineering, Science, and Technology, Inc., PBC
301 Metro Center Blvd., Suite 102
Warwick, Rhode Island 02886
(401) 736-3440

EA Project No. 15066.04
September 2016

TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING. SYSTEM PERFORMANCE	2
2.1 SSD System	2
2.2 Indoor Methane Monitoring System	3
2.3 Ambient Outdoor and Indoor Air Sampling	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect	4
2.5 Summary of Rooftop VOC Emissions	4
2.6 Conclusions	5
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT	7

FIGURES

- FIGURE 1: SITE LOCATION MAP
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM
FIGURE 3: AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

APPENDICES

- APPENDIX A: O&M FIELD FORMS
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
APPENDIX C: SUBSLAB VAPOR ANALYTICAL SUMMARY
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E: INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR
LABORATORY ANALYTICAL REPORTS
APPENDIX F: LABORATORY DETECTION LIMITS CORRESPONDENCE

1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 36 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the 3-month period from June 2016 through August 2016 (Quarterly Reporting Period No. 36). Please refer to Quarterly O&M Status Reports No. 1 through No. 35 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

2.1 SSD SYSTEM

The following SSD System performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly subslab vacuum monitoring (8-9 June 2016, 20 July 2016, and 19 August 2016) at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3. Monitoring in June was conducted over two days due to equipment malfunction/high zero curve on 8 June and subsequent remonitoring on 9 June. Though percent lower explosive limit (LEL) was monitored between 1 and 2 percent on 8 June, recalibration of the Landtech GEM 2000 after monitoring showed a high zero curve. EA personnel returned to Alvarez on 9 June and collected additional percent LEL to show compliance with the RIDEM action level for percent LEL
- Quarterly sampling (20 July 2016) of eight indoor air locations, one ambient outdoor air location, and six subslab points.
- Monthly inspections and monitoring (air velocity and vacuum) and annual sampling of 3 rooftop fans to verify proper operation and effluent concentrations.
- Continuous electronic monitoring (with automatic alarm notification via audible signal and phone notification) at each of three SSD system extraction fans to ensure continuous operation.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations ranged from -0.01 to -0.08 in. of water column. Negative measurements confirm that a negative pressure exists beneath the building slab as a result of the continuous fan operation.

There were no alarms from the control panel for the indoor methane monitoring system during this monitoring period. EA tested the cell phone autodialer unit by triggering an alarm condition during the June and July monitoring events. The autodialer functioned as intended and notified emergency contacts of the alarm condition.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

2.2 INDOOR METHANE MONITORING SYSTEM

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system (equipped with automatic alarm notification via audible signal and phone notification) within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and

Methane Monitoring System Diagram provided as Figure 2) during this reporting period. In addition, the methane monitoring system was inspected and filters were replaced on 20 July 2016. The next filter replacement is scheduled for October 2016.

2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING

One ambient outdoor air sample and the eight indoor air samples were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 20 July 2016.

The samples collected in July 2016 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of volatile organic compounds (VOCs) via Method TO-15 Selective Ion Monitoring (SIM). All samples were collected within individually certified summa canisters. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling event results. Each summa canister used during this monitoring period was individually analyzed to certify that all compounds were below the 0.2 parts per billion (ppb) limit before the sampling event. Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA.

The laboratory method detection limits (MDLs) for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analyzed via the SIM procedure. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable. The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of these analytes have never been detected at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not significant and do not disqualify the dataset.

Sampling locations for the indoor and sub-slab air samples are illustrated on Figure 3. The ambient outdoor air sample was collected upwind (north) of the school. A data summary table is provided as Appendix B and copies of the laboratory data reports associated with these sampling events are provided in Appendix E.

Only one analyte was identified in indoor air above the CT RTACs and RIDEM threshold levels during the July 2016 quarterly sampling event.

Chloroform was detected in the Kitchen Storage Room at a concentration of $0.96 \mu\text{g}/\text{m}^3$ and in the Cafeteria at a concentration of $0.63 \mu\text{g}/\text{m}^3$, which exceed the RIDEM amended threshold value of $0.5 \mu\text{g}/\text{m}^3$. Chloroform is a common ingredient in, or can form as a byproduct of, cleaning products and some insecticides. Insecticides and cleaning chemicals have historically been used at the school, though typically during the summer. Chloroform was last detected over the threshold value during the use of floor stripping chemicals in the summers of 2014 and 2015, in the fall of 2015, and the spring of 2016. Detections of chloroform are not believed to be

indicative of a soil-vapor intrusion pathway and because of the concentration of chloroform in the soil vapor and the dilution that occurs when soil vapor migrates to indoor air, are most likely attributable to products used inside the building. These concentrations have been reported to RIDEM and may be further investigated.

2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Four exterior subslab vapor samples and two interior subslab vapor samples were collected on 20 July 2016 in accordance with the Amended OA rotating sampling schedule and analyzed for VOCs via US EPA Method TO-15 SIM. The subslab analytical results are presented in Appendix C and copies of the laboratory data reports associated with these sampling events are included in Appendix E.

The subslab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.

2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Rooftop sampling was conducted on 20 July 2016. The results of rooftop fan sampling event are summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or yearly emissions were observed. The next annual rooftop effluent VOC sampling event is scheduled for July 2017.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, July 2012, July 2013, October 2014, and July 2015 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Tabulation of the data and the rooftop sampling analytical report is provided as Appendix D. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. RIDEM conducted roofline and downwind outdoor air sampling during the 22 October 2014 monitoring event to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicated that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building. More data may be sought to evaluate this issue during varying weather conditions.

2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- The subslab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- Only one analyte, chloroform, was detected at concentrations exceeding the CT RTAC/RIDEM threshold value at various locations. This exceedance was not determined to be caused by soil vapor intrusion into the building and is likely from indoor sources.
- The use of certified clean summa canisters, as requested by RIDEM, yielded high confidence in the samples collected on 20 July 2016. EA will continue to use certified clean canisters in the upcoming sampling events.


3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from September to November 2016:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity;
- Collection of air samples from eight indoor locations, one ambient location, and six subslab monitoring points in October 2016; and
- Collection of air samples from three rooftop fans in July 2017.

These activities will be summarized in the next status report (Quarterly Status Report No. 37), expected to be submitted by the end of December 2016.

FIGURES



ALVAREZ HIGH SCHOOL
 333 ADELAIDE AVENUE
 PROVIDENCE, RHODE ISLAND

FIGURE 1
 SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD

METHANE SENSOR CALIBRATION LOCATION
IN WEST WING; ELECTRICAL ROOM AREA



METHANE SYSTEM CONTROLLER LOCATION;
ADMINISTRATION WORK ROOM

METHANE SENSOR LOCATION
(TYP.)

PLC LOCATION IN EAST WING;
ELECTRICAL ROOM/MAINTENANCE
OFFICE AREA

NOTE: NOT TO SCALE

PROJECT NORTH





DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. -	FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM - ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT
FIGURE 2

LEGEND :

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- ||— SLOTTED 1 INCH PVC PIPING
- ⊕ ROOFTOP FAN LOCATION
- SP-1
□ SSD SYSTEM SUCTION PIT
- - - - - SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3	AS-BUILT SUB SLAB MONITORING AND SAMPLING LOCATIONS ALVAREZ HIGH SCHOOL PROVIDENCE, RHODE ISLAND
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3	

QUARTERLY STATUS REPORT
FIGURE 3

APPENDIX A

O&M Field Forms



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 6/8/2016

Performed by: C. Mejia

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10

Date of last Methane Sensor Filter Replacement: _____

Replaced this O&M Visit? No (yes/no)

Good

General Status of SSD System: _____

General Status of Methane Monitoring System: **Good**

Eng. Cap/Fence Inspection Performed/Notes: **Good**

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time		End Vac (in. Hg)
Gymnasium	NA	NA	0	0	0.1	1**							**Re-monitored for % LEL on 6/9/16
Cafeteria	NA	NA	0	0	0.1	2**							**Re-monitored for % LEL on 6/9/16
Kitchen Storage Room	NA	NA	0	0	0.1	2**							Outside door open. **Re-monitored for % LEL on 6/9/16
Elevator Hallway	NA	NA	0	0	0.1	2**							**Re-monitored for % LEL on 6/9/16
Room 145	NA	NA	0	0	0.1	1**							**Re-monitored for % LEL on 6/9/16
Room 152	NA	NA	0	0	0.1	1**							**Re-monitored for % LEL on 6/9/16
Room 118	NA	NA	0	0	0.1	2**							**Re-monitored for % LEL on 6/9/16
Room 110	NA	NA	0	0	0.1	2**							**Re-monitored for % LEL on 6/9/16
MP-1	0.06	NA	0	NA	0.1	1							
MP-2	0.08	NA	0	NA	0.0	1							
MP-3	0.04	NA	0	NA	0.1	1							
MP-4	0.05	NA	0	NA	0.1	2							
MP-5	0.04	NA	0	NA	0.1	2							
MP-6	0.04	NA	0	NA	0.1	2							
MP-7	0.01	NA	0	NA	0.1	2							
MP-8	0.08	NA	0	NA	0.1	2							
IMP-1	0.04	NA	0	NA	0.1	2							
IMP-2	0.01	NA	0	NA	0.1	2							
IMP-3	0.01	NA	0	NA	0.1	2							
Roof-Top Fan 1	-1.2	2160	0	NA	0.1	2							
Roof-Top Fan 2	-1	2300	0	NA	0.1	2							
Roof-Top Fan 3	-2	1995	0	NA	0.1	2							
Ambient Outdoor Air	NA	NA	0	NA	0.0	1							

NA: not applicable.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

** Equipment used for %LEL monitoring (Landtec GEM 2000) had a high zero curve during 6/8/2016. Equipment was later re-calibrated at EA office and indoor points were re-monitored for %LEL on 6/9/2016.



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 6/9/2016

Performed by: C. Mejia

PID/Methane Calibration? NO (yes/no)

PID Calibration Result: -

Date of last Methane Sensor Filter Replacement: _____

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: _____
 General Status of Methane Monitoring System: _____
 Eng. Cap/Fence Inspection Performed/Notes: _____ (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring		Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time	End Vac (in. Hg)	
Gymnasium	NA	NA			0	0							Re-taken from 6/8/16 monitoring event.
Cafeteria	NA	NA			0	0							Re-taken from 6/8/16 monitoring event.
Kitchen Storage Room	NA	NA			0	0							Re-taken from 6/8/16 monitoring event.
Elevator Hallway	NA	NA			0	0							Re-taken from 6/8/16 monitoring event.
Room 145	NA	NA			0	0							Re-taken from 6/8/16 monitoring event.
Room 152	NA	NA			0	0							Re-taken from 6/8/16 monitoring event.
Room 118	NA	NA			0	0							Re-taken from 6/8/16 monitoring event.
Room 110	NA	NA			0	0							Re-taken from 6/8/16 monitoring event.
MP-1		NA		NA									NM
MP-2		NA		NA									NM
MP-3		NA		NA									NM
MP-4		NA		NA									NM
MP-5		NA		NA									NM
MP-6		NA		NA									NM
MP-7		NA		NA									NM
MP-8		NA		NA									NM
IMP-1		NA		NA									NM
IMP-2		NA		NA									NM
IMP-3		NA		NA	0	1							Re-taken from 6/8/16 monitoring event.
Roof-Top Fan 1				NA									NM
Roof-Top Fan 2				NA									NM
Roof-Top Fan 3				NA									NM
Ambient Outdoor Air	NA	NA		NA									NM

NA: not applicable.
 NM: not monitored on this date.
 NS : not sampled on this date.
 * RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 7/20/2016

Performed by: CSM/CM

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10.03

Date of last Methane Sensor Filter Replacement: April

Replaced this O&M Visit? Yes (yes/no)

on and operational

General Status of SSD System:

General Status of Methane Monitoring System:

on and operational

Eng. Cap/Fence Inspection Performed/Notes:

yes, same area below gutter eroded. One fan has exposed wires

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time	End Vac (in. Hg)	
Gymnasium	NA	NA	17	0	0	0	1825	4199	12:32 PM	-28	1:02 PM	-2	
Cafeteria	NA	NA	33	0	0	0	1857	4085	9:28 AM	-27	9:58 AM	-7	
Kitchen Storage Room	NA	NA	0	0	0	0	1029	4303	9:14 AM	-28	9:44 AM	-4	door to exterior open
Elevator Hallway	NA	NA	225	0	0	0	1209	4295	12:02 PM	-30	12:32 PM	-5	smelled like floor stripping chemicals empty stipper containers on floor
Room 145	NA	NA	563	0	0	0	2055	4294	12:12 PM	-28	12:42 PM	-5	
Room 152	NA	NA	492	0	0	0	1449	4214	12:23 PM	-29	12:53 PM		
Room 118	NA	NA	250	0	0	0	1073	4315	11:42 AM	-28	12:12 PM	-4	AC on in room. floor stripping occurring
Room 110	NA	NA	2691	0	0	0	2000	4314	11:45 AM	-30	12:15 PM	-5	door open to hall. floor recently stripped
MP-1	-0.05	NA	1250	NA	0	0	2014	4088	10:15 AM	-28	10:45 AM	-8	
MP-2	-0.05	NA	1200	NA	0	0	-	-		-		-	NS
MP-3	-0.03	NA	2516	NA	0	0	2196	4089	10:09 AM	-29	10:39 AM	-8	
MP-4	-0.04	NA	930	NA	0	0	1997	4210	10:27 AM	-20	10:57 AM	-4	
MP-5	-0.05	NA	1645	NA	0	0	-	-		-		-	NS
MP-6	-0.03	NA	1805	NA	0	0	2037	4106	9:10 AM	-30	9:40 AM	-6	
MP-7	-0.01	NA	954	NA	0	0	-	-		-		-	NS
MP-8	-0.07	NA	1611	NA	0	0	-	-		-		-	NS
IMP-1	-0.01	NA	956	NA	0	0	1886	4213	12:32 PM	-29	1:02 PM	-3	
IMP-2	-0.01	NA	1139	NA	0	0	1711	4186	12:22 PM	-27	12:52 PM	-8	
IMP-3	-0.01	NA	1545	NA	0	0	-	-		-		-	NS
Roof-Top Fan 1	-1	2225	1020	NA	0	0	2028	4310	11:36 AM	-30	12:06 PM	-6	
Roof-Top Fan 2	-1.2	2075	988	NA	0	0	1014	4171	11:30 AM	-30	12:00 PM	-6	
Roof-Top Fan 3	-2	2420	1716	NA	0	0	1966	4086	9:23 AM	-30	9:53 AM	-5	
Ambient Outdoor Air	NA	NA	0	NA	0	0	1216	4211	9:37 AM	-29	10:07 AM	-1	wind from north

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 8/19/2016

Performed by: D Allen

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10.00

Date of last Methane Sensor Filter Replacement: july

Replaced this O&M Visit? No (yes/no)

good

General Status of SSD System:

General Status of Methane Monitoring System:

good

Eng. Cap/Fence Inspection Performed/Notes:

area below gutter

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time		End Vac (in. Hg)
Gymnasium	NA	NA	0	0	0	0							
Cafeteria	NA	NA	0	0	0	0							
Kitchen Storage Room	NA	NA	0	0	0	0							
Elevator Hallway	NA	NA	0	0	0	0							
Room 145	NA	NA	0	0	0	0							
Room 152	NA	NA	0	0	0	0							
Room 118	NA	NA	0	0	0	0							
Room 110	NA	NA	0	0	0	0							
MP-1	0.07	NA	0	NA	0	0							
MP-2	0.07	NA	0	NA	0	0							
MP-3	0.01	NA	0	NA	0	0							
MP-4	-0.01	NA	0	NA	0	0							
MP-5	0.01	NA	0	NA	0	0							
MP-6	0.02	NA	0	NA	0	0							
MP-7	0.04	NA	0	NA	0	0							
MP-8	0.08	NA	0	NA	0	0							
IMP-1	.01	NA	0	NA	0	0							
IMP-2	.02	NA	0	NA	0	0							
IMP-3	.02	NA	0	NA	0	0							
Roof-Top Fan 1	-1.8	2304	0	NA	0	0							
Roof-Top Fan 2	-.2	2195	0	NA	0	0							
Roof-Top Fan 3	-1.9	2200	0	NA	0	0							
Ambient Outdoor Air	NA	NA	0	NA	0	0							

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

APPENDIX B

Indoor and Ambient Outdoor Air Analytical Summary

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 152			Ambient Outdoor (AOA-1)			AOA-2	AOA-3			
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
			U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	
Chloroethane	8-Feb-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U			
	27-Mar-08		0.062	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	25-Apr-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	29-May-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U			
	27-Jun-08		0.053	U	0.050	U	0.053	U	0.053	U	0.053	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U			
	31-Jul-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	28-Aug-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	30-Sep-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U			
	27-Oct-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U			
	25-Nov-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U			
	18-Dec-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U			
	21-Jan-09		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U			
	25-Feb-09		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U			
	26-Mar-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	29-Apr-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	22-Jul-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	9-Oct-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	15-Jan-10		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	21-Apr-10		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	16-Jul-10		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	15-Oct-10		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	30-Nov-10		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
	26-Jan-11		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U			
	26-Jan-11**		NS	U	0.130	U	0.130	U	NS	U	NS	U	NS	U	NS	U	0.130	U	NS	U	NS	U	NS	U	NS	U			
	27-Apr-11		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	26-Jul-11		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	28-Oct-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			
	23-Jan-12		0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U			
	13-Apr-12		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			
	Jul-12 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
	20-Jun-12		0.072	U	0.150	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	1-Nov-12		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	1-Feb-13		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	29-Apr-13		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			
	9-Jul-13		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	18-Oct-13		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	9-Jan-14		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U			
	24-Apr-14		0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U			
	1-Aug-14		0.053	U	0.053	U	0.053	U	0.079	U	0.079	U	0.053	U	0.062	U	0.059	U	0.053	U	0.053	U	0.053	U	0.053	U			
	Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
22-Oct-14		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
20-Jan-15		0.053 ^L	U	0.053 ^L	U	0.053 ^L	U	0.060 ^L	U	0.053 ^L	U	0.053 ^L	U	0.053 ^L	U	0.079 ^L	U	0.053 ^L	U	0.053 ^L	U	0.053 ^L	U	0.053 ^L	U				
Mar-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
22-Apr-15		0.053	U	0.053	U	0.110 ^y	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U				
21-Jul-15		0.100	U	0.100 ^A	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.200	U	0.100	U	0.100	U	0.100	U	0.100	U				
Sept-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
29-Oct-15		0.200	U	0.100	U	0.100	U	0.200	U	0.200	U	0.100	U	0.1															

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 151		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value			Qual	Value
1,3-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.802	U	0.120	U	0.120	U				
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.120	U	0.102	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	2.500	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	25-Feb-09		3.000	U	3.000	U	3.000	U	3.000	U	NS	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	26-Mar-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	29-Apr-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	22-Jul-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	9-Oct-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	15-Jan-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	21-Apr-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	16-Jul-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	30-Nov-10		NS	U	0.120	U	0.120	U	0.120	U	NS	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	26-Jan-11		0.205	U	0.204	U	0.205	U	0.205	U	0.205	U	0.204	U	0.204	U	0.204	U	0.205	U	0.204	U				
	26-Jan-11**		NS	U	0.300	U	0.300	U	NS	U	NS	U	0.300	U	0.300	U	0.300	U	NS	U	NS	U				
	27-Apr-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	26-Jul-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	28-Oct-11		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U				
	23-Jan-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U				
	13-Apr-12		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U				
	Jul-12 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
	20-Jun-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	1-Nov-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	1-Feb-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	29-Apr-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	9-Jul-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	18-Oct-13		0.130	U	0.120	U	0.120	U	0.120	U	0.120	U	0.150	U	0.120	U	0.270	U	0.120	U	2.400	U	0.12	U	0.12	U
	9-Jan-14		0.140	U	0.310	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	24-Apr-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	1-Aug-14		0.120	U	0.120	U	0.120	U	0.180	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
22-Oct-14		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					
20-Jan-15		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					
Mar-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.140	U	NS	U					
22-Apr-15		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					
21-Jul-15		0.300	U	0.300 ^h	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U	0.300	U	0.300	U					
Sept-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					
29-Oct-15		0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U					
Dec-15 resamp		NS	U	0.300	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					
27-Jan-16		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					
20-Apr-16 ³		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					
20-Jul-16		0.14	U	0.19	U	0.13	U	0.15	U	0.15	U	0.14	U	0.14	U	0.24	U	0.18	U	0.18	U					
1,4-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	27-Mar-08		0.292	U	0.272	U	0.206	U	0.596	U	0.728	U	0.793	U	0.228	U	0.228	U	0.222	U	0.222	U				
	25-Apr-08		0.415	U	0.287	U	0.126	U	0.247	U	0.261	U	0.245	U	0.205	U	0.220	U	0.220	U	0.220	U				
	29-May-08		0.230	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				
	27-Jun-08		0.506	U	0.176	U	0.391	U	0.315	U	0.130	U	0.273	U	1.340	U	0.582	U	0.582	U	0.132	U				
	31-Jul-08		0.309	U	0.524	U	0.254	U	0.323	U	0.458	U	0.669	U	0.272	U	0.320	U	0.320	U	0.259	U				
	28-Aug-08		0.198	U	0.252	U	0.216	U	0.262	U	0.205	U	0.211	U	0.202	U	0.222	U	0.222	U	0.213	U				
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	25-Feb-09		3.000	U	3.000	U	3.000	U	NS	U	NS	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				
	26-Mar-09		0.149	U	0.																					

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 152			Ambient Outdoor (AOA-1)			AOA-2	AOA-3				
			Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value		
cis-1,2-Dichloroethene*	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				
	27-Mar-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				
	25-Apr-08		0.080	U	0.080	U	0.080	U	0.100	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				
	27-Jun-08		0.080	U	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	28-Aug-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.092	U	0.079	U	0.079	U	0.079	U	0.090	U				
	30-Sep-08		5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U				
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	NS	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	26-Mar-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	29-Apr-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	22-Jul-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.127	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	9-Oct-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	15-Jan-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	21-Apr-10		0.079	U	0.780	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	16-Jul-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	15-Oct-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	30-Nov-10		NS	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	26-Jan-11		0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U				
	26-Jan-11**		NS	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U				
	27-Apr-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	26-Jul-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	28-Oct-11		0.069	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.040	U				
	23-Jan-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
	13-Apr-12		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U				
	Jul-12 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.059	U				
	20-Jun-12		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	1-Nov-12		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				
	1-Feb-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				
	29-Apr-13		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	9-Jul-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				
	18-Oct-13		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	9-Jan-14		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				
	24-Apr-14		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				
	1-Aug-14		0.079	U	0.079	U	0.079	U	0.120	U	0.120	U	0.120	U	0.120	U	0.079	U	0.079	U	0.079	U	0.079	U	0.160	U				
	Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
22-Oct-14		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.240	U					
20-Jan-15		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U					
Mar-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.046	U					
22-Apr-15		0.040	U	0.040	U	0.040 ^y	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					
21-Jul-15		0.200	U	0.200 ^h	U	0.110 ^j	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U					
Sept-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					
29-Oct-15		0.200	U	0.200	U</																									

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 151		Ambient Outdoor (AOA-1)		AOA-2	AOA-3	Qual			
			Qual	Level	Qual	Level	Qual	Level	Qual	Level	Qual	Level	Qual	Level	Qual	Level	Qual	Level	Qual	Level	Qual	Level				Qual	Level	
Methyl tert butyl ether (MTBE)	8-Feb-08		0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U				
	27-Mar-08		0.440	U	0.102	U	0.102	U	0.091	U	0.095	U	0.098	U	0.102	U	0.090	U	0.090	U	0.090	U	0.072	U				
	25-Apr-08		0.116	U	0.116	U	0.107	U	0.127	U	0.126	U	0.121	U	0.131	U	0.102	U	0.102	U	0.102	U	0.113	U				
	29-May-08		0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U				
	27-Jun-08		0.072	U	0.070	U	0.070	U	0.074	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U				
	31-Jul-08		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U				
	28-Aug-08		0.095	U	0.130	U	0.123	U	0.123	U	0.091	U	0.106	U	0.115	U	0.089	U	0.089	U	0.089	U	0.089	U	0.094	U		
	30-Sep-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	27-Oct-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	2.600	U	2.300	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	25-Nov-08		2.100	U	1.800	U	1.800	U	1.800	U	2.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	18-Dec-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	21-Jan-09		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	25-Feb-09		1.800	U	2.700	U	1.800	U	NS	U	1.800	U	2.700	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	26-Mar-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	29-Apr-09		0.072	U	0.072	U	2.350	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	22-Jul-09		0.072	U	0.072	U	0.223	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.169	U		
	9-Oct-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	15-Jan-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	21-Apr-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	16-Jul-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	15-Oct-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	30-Nov-10		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	26-Jan-11		0.123	U	0.122	U	0.123	U	0.123	U	0.123	U	0.122	U	0.122	U	0.122	U	0.122	U	0.122	U	0.122	U	0.122	U		
	26-Jan-11**		NS	U	0.180	U	0.180	U	NS	U	NS	U	NS	U	NS	U	0.180	U	NS	U	NS	U	NS	U	NS	U		
	27-Apr-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	26-Jul-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	28-Oct-11		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	23-Jan-12		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U		
	13-Apr-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.140	U		
	Jul-12 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.110	U		
	20-Jun-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	1-Nov-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	1-Feb-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	29-Apr-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	9-Jul-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	NS	U	0.041	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.200	U		
	18-Oct-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	9-Jan-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	24-Apr-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	1-Aug-14		0.072	U	0.072	U	0.072	U	0.110	U	0.110	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
22-Oct-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			
20-Jan-15		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.110	U			
Mar-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
22-Apr-15		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U			
21-Jul-15		0.180	U	0.200 [^]	U	0.200	U	0.550	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U			
Sept-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
29-Oct-15		0.200	U	0.230	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.760	U	0.200	U	0.200	U	0.200	U	0.200	U			
Dec-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
27-Jan-16		0.072																										

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 152			Ambient Outdoor (AOA-1)			AOA-2	AOA-3				
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual				
			2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050		
4-Methyl-2-pentanone	8-Feb-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	27-Mar-08		2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	25-Apr-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	29-May-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	27-Jun-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	31-Jul-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	28-Aug-08		2.050	U	2.050	U	2.050	U	2.540	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				
	26-Mar-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	29-Apr-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	22-Jul-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	9-Oct-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	15-Jan-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	21-Apr-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	16-Jul-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	15-Oct-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	30-Nov-10		NS	U	2.050	U	2.050	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
	26-Jan-11		3.490	U	3.490	U	3.490	U	3.490	U	3.490	U	59.500	U	3.490	U	6.760	U	6.760	U	6.760	U	6.760	U	6.760	U	3.480	U		
	26-Jan-11**		NS	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
	27-Apr-11		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.930	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	26-Jul-11		11.700	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U				
	28-Oct-11		2.100	U	0.490	U	0.840	U	0.560	U	0.800	U	0.930	U	1.500	U	1.200	U	1.200	U	1.200	U	1.200	U	1.200	U				
	23-Jan-12		0.140	U	0.140	U	0.210	U	0.190	U	26.000	U	2.900	U	0.230	U	270.000	U	270.000	U	270.000	U	270.000	U	270.000	U				
	13-Apr-12		0.120	U	0.120	U	0.200	U	0.120	U	0.150	U	0.230	U	0.120	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
	Jul-12 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				
	20-Jun-12		0.230	U	0.082	U	0.460	U	0.250	U	0.320	U	0.270	U	0.190	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U				
	1-Nov-12		0.082	U	0.260	U	0.180	U	0.420	U	0.500	U	0.650	U	0.082	U	0.220	U	0.220	U	0.220	U	0.220	U	0.220	U				
	1-Feb-13		0.093	U	0.100	U	0.120	U	0.082	U	0.190	U	0.280	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U				
	29-Apr-13		2.900	U	0.290	U	0.290	U	0.420	U	0.510	U	0.320	U	0.450	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U				
	9-Jul-13		0.250	U	0.320	U	0.300	U	0.320	U	0.350	U	0.400	U	0.270	U	0.280	U	0.280	U	0.280	U	0.280	U	0.280	U				
18-Oct-13		1.800	U	0.220	U	0.190	U	1.500	U	2.200	U	0.850	U	3.300	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U					
9-Jan-14		0.082	U	0.082	U	0.110	U	0.130	U	0.150	U	0.360	U	0.110	U	1.400	U	1.400	U	1.400	U	1.400	U	1.400	U					
24-Apr-14		0.240	U	0.120	U	0.300	U	0.130	U	0.082	U	0.140	U	0.120	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					
1-Aug-14		0.082 ⁺	U	0.082 ⁺	U	0.560 ⁺	U	0.380 ⁺	U	0.082 ⁺	U	0.380	U	0.082 ⁺	U	0.280	U	0.280	U	0.280	U	0.280	U	0.280	U					
Sept-14 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					
22-Oct-14		0.120	U	0.120	U	0.140	U	0.140	U	0.120	U	0.140	U	0.120	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					
20-Jan-15		0.500	U	0.570	U	0.610	U	0.800	U	0.560	U	0.800	U	0.550	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					
Mar-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					
22-Apr-15		0.350	U	0.450	U	0.710	U	0.260	U	0.290	U	0.260	U	0.460	U	0.860	U	0.860	U	0.860	U	0.860	U	0.860	U					
21-Jul-15		0.370	U	0.100 ^{-A}	U	0.250	U	2.100	U	0.340	U	0.340	U	2.300	U	78.000	U	78.000	U	78.000	U	78.000	U	78.000	U					
Sept-15 resamp		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					
29-Oct-15		0.200																												

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 152		Room 152		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Tetrachloroethene*	8-Feb-08		0.140		0.140		0.140		0.150		0.140		0.140		0.140		0.140		0.140		0.140		0.140		0.350			
	27-Mar-08 ²		12.500		6.680		13.300		16.100		26.000		7.730		23.300		4.310		4.310		0.153		0.136					
	25-Apr-08		0.180		0.254		0.179		0.282		0.231		0.276		0.228		0.228		0.228		0.298		0.140					
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.216			
	27-Jun-08		0.249		0.449		0.397		0.459		0.424		0.243		0.460		0.252		0.287		0.246		0.154		0.445			
	31-Jul-08		1.030		1.000		0.877		0.880		0.795		0.872		0.434		0.294		0.282		0.445		0.154		0.445			
	28-Aug-08		0.321		0.367		0.283		0.323		0.274		0.434		0.294		0.282		0.282		0.445		0.154		0.445			
	30-Sep-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U		
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U		
	25-Nov-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U		
	18-Dec-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U		
	21-Jan-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U		
	25-Feb-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U		
	26-Mar-09		1.530		1.210		1.170		0.980		1.080		1.320		1.420		1.890		1.890		1.380		1.380		1.380			
	29-Apr-09		0.136	U	0.136	U	0.697		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U		
	22-Jul-09		0.291		0.190		0.224		0.196		0.196		0.196		0.183		0.210		0.210		0.535		0.535		0.535			
	9-Oct-09		2.250		1.550		1.580		1.580		1.380		1.700		2.080		1.960		1.960		0.779		0.779		0.779			
	15-Jan-10		0.359		0.346		0.339		0.373		0.312		3.460		0.346		0.312		0.312		2.450		2.450		2.450			
	21-Apr-10		0.637		0.752		0.440		0.440		0.447		0.650		0.407		0.474		0.474		0.562		0.562		0.562			
	16-Jul-10		0.318		0.420		0.420		0.427		0.230		0.447		0.230		0.447		0.447		0.230		0.230		0.230			
	15-Oct-10		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.142		0.142		0.142			
	30-Nov-10		NS		0.461		0.291		NS		NS		NS		0.169		NS		NS		NS		NS		NS			
	26-Jan-11		0.636		0.484		0.370		0.566		0.440		0.725		0.346		0.578		0.578		0.426		0.426		0.426			
	26-Jan-11**		NS		0.580		0.490	U	NS		NS		NS		0.480		NS		NS		NS		NS		NS			
	27-Apr-11		0.142		0.176		0.176		0.352		0.176		0.136	U	0.149		0.136		0.136		0.285		0.285		0.285			
	26-Jul-11		0.529		0.563		0.522		0.631		0.549		0.325		0.739		0.461		0.461		0.224		0.224		0.224			
	28-Oct-11		0.100	U	0.140		0.100	U	0.100	U	0.100	U	0.110	U	0.100	U	0.100	U	0.100	U	0.068		0.068		0.068			
	23-Jan-12		0.240	U	0.240	U	0.240	U	0.590		0.320		0.510		0.260		0.410		0.410		0.260		0.260		0.260			
	13-Apr-12		0.150	U	0.110		0.120		0.250		0.150		0.160		0.190		0.190		0.190		0.140		0.140		0.140			
	Jul-12 resamp		NS		NS		NS		NS		NS		NS		NS		0.130		0.130		0.130		0.130		0.130			
	20-Jun-12		0.390		0.800		0.310		0.370		0.390		0.400		0.410		0.440		0.440		0.240		0.240		0.240			
	1-Nov-12		0.360		0.460		0.400		0.730		0.470		0.770		0.600		0.560		0.560		0.120		0.120		0.120			
	1-Feb-13		0.130		0.095		0.073		0.120		0.090		0.210		0.440		0.092		0.092		0.140		0.140		0.140			
	29-Apr-13		0.610		0.560		0.560		0.630		0.880		0.046		0.650		0.580		0.580		0.320		0.320		0.320			
	9-Jul-13		0.270		0.240		0.230		0.260		0.250		0.320		0.440		0.280		0.280		0.280		0.280		0.280			
	9-Jul-13 RIDEM		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28		0.35		0.335			
	18-Oct-13		0.140	U	0.140	U	0.150	U	0.140	U	0.180	U	0.210	U	0.170	U	0.180	U	0.180	U	0.140	U	0.140	U	0.140	U		
	9-Jan-14		0.140	U	0.190	U	0.140	U	0.160	U	0.190	U	0.190	U	0.160	U	0.520	U	0.520	U	0.190	U	0.190	U	0.190	U		
	24-Apr-14		0.068	U	0.068	U	0.068	U	0.068	U	0.140	U	0.068	U	0.068	U	0.140	U	0.140	U	0.068	U	0.068	U	0.068	U		
	1-Aug-14		0.590		0.510		0.240		0.970		3.800		0.360		10.000 ¹ /14.000		0.810		15.000		0.810		15.000		15.000			
Sept-14 resamp		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS				
22-Oct-14		0.420		0.380		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.500		0.500		0.500				
20-Jan-15		0.068	U	0.160		0.150		0.170		0.068		0.280		0.100	U	4.200		4.200		0.100	U	0.100	U	0.100	U			
Mar-15 resamp		NS		NS		NS		NS		NS		NS		NS		0.094		0.094		NS		NS		NS				
22-Apr-15		0.620		0.790		1.300		1.200		2.000		0.790		1.500		1.300		1.300		0.190		0.190		0.190				
21-Jul-15		1.300		0.410 ⁴		2.700		0.350 ¹		0.390		0.390		26.000		0.740		0.740		0.350 ¹		0.350 ¹		0.350 ¹				
Sept-15 resamp		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS				
29-Oct-15		0.400	U	0.240 ¹		0.400	U	0.400	U	0.400	U	0.400	U	0.300	U	0.180 ¹		0.180 ¹		0.400	U	0.400	U	0.400	U			
Dec-15 resamp		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS				
27-Jan-16		0.17		0.9		0.16		0.14		0.095		0.2		0.16		0.17		0.17		0.17		0.17		0.17				
20-Apr-16 ³		0.16		0.068	U	0.068	U	0.09	U	0.084	U	0.068	U	0.068	U	0.071	U	0.071	U	0.068	U	0.068	U	0.068	U			
20-Jul-16		0.081		0.11	U	0.074	U	0.083	U	0.081	U	0.079	U	0.089	U	0.076	U	0.076	U	0.10	U	0.10	U					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 152			Ambient Outdoor (AOA-1)			AOA-2	AOA-3		
			Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual
Trichloroethene*	8-Feb-08		0.110		0.120		0.110	U	0.107	U	0.110	U	0.110	U	0.350	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	27-Mar-08		0.239		0.233		0.218	U	0.226	U	0.325	U	0.308	U	0.217	U	0.170	U	0.170	U	0.107	U	0.107	U	0.107	U		
	25-Apr-08		0.107	U	0.164		0.147		0.172		0.151		0.152		0.158		0.229		0.107		0.107		0.107		0.107			
	29-May-08		0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	27-Jun-08		0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.107	U	0.143	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	31-Jul-08		0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	28-Aug-08		0.193		0.116		0.107	U	0.107	U	0.107	U	0.134	U	0.110	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	30-Sep-08		0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U		
	27-Oct-08		0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U		
	25-Nov-08		0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U		
	18-Dec-08		0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U		
	21-Jan-09		0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U		
	25-Feb-09		0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.130	U		
	26-Mar-09		4.000		0.326		1.510		0.438		0.639		1.180		1.610		0.450		0.450		6.870		0.450		6.870			
	29-Apr-09		0.107	U	0.107	U	1.340		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	22-Jul-09		0.177		0.107		0.188		0.123		0.193		0.193		0.709		0.140		0.177		0.209		0.177		0.209			
	9-Oct-09		0.231		0.215		0.182		0.193		0.242		0.156		0.156		0.156		0.156		0.107		0.156		0.107			
	15-Jan-10		0.107		0.107		0.113		0.107		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	21-Apr-10		0.247		0.580		0.279		0.505		0.376		0.360		0.419		0.456		0.456		0.107		0.456		0.107			
	16-Jul-10		0.107	U	0.107	U	0.107	U	0.220	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	15-Oct-10		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	30-Nov-10		NS		0.107		0.107		NS		NS		NS		NS		NS		NS		NS		NS		NS			
	26-Jan-11		0.568		0.502		0.531		0.604		0.504		0.584		0.429		0.550		0.550		0.767		0.550		0.767			
	26-Jan-11**		NS		0.570		0.600		NS		NS		NS		NS		NS		NS		NS		NS		NS			
	27-Apr-11		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	26-Jul-11		0.107	U	0.107	U	0.118	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	28-Oct-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U		
	23-Jan-12		0.190	U	0.190	U	0.190	U	0.290	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U		
	13-Apr-12		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.110	U	0.081	U	0.110	U		
	Jul-12 resamp		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.081		NS		0.081			
	20-Jun-12		0.110	U	0.110	U	0.110	U	0.110	U	0.120	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	1-Nov-12		0.054	U	0.054	U	0.067	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U		
	1-Feb-13		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U		
	29-Apr-13		0.120		0.110		0.110		0.110		0.130		0.110		0.110		0.110		0.110		0.110		0.110		0.110			
	9-Jul-13		0.160		0.140		0.140		0.150		0.120		0.120		0.400		0.310		0.310		0.080		0.310		0.080		0.09	0.097
	9-Jul-13 RIDEM		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.088		NS		0.088		0.097	0.089
	18-Oct-13		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	9-Jan-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	24-Apr-14		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.110	U	0.054	U	0.110	U		
	1-Aug-14		0.110	U	0.110	U	0.110	U	0.170	U	1.700	U	0.110	U	0.270	U	0.140	U	0.140	U	1.100	U	1.100	U	1.100	U		
Sept-14 resamp		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS				
22-Oct-14		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.180	U	0.081	U	0.180	U			
20-Jan-15		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	20.000	U	0.081	U	0.054	U	0.081	U			
Mar-15 resamp		NS		NS		NS		NS		NS		NS		NS		0.062		0.062		NS		NS		NS				
22-Apr-15		0.260		0.260		0.440		0.270		0.410		0.170		0.370		0.290		0.290		0.054		0.290		0.054				
21-Jul-15		0.260		0.14 ^A		0.260 ^J		0.240 ^J		0.300		0.200 ^J		0.190 ^J		0.300		0.300		0.300		0.300		0.300				
Sept-15 resamp		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS				
29-Oct-15		0.300	U	1.100		0.300	U	0.300	U	0.300	U	0.220 ^J		0.300	U	0.290	U	0.200	U	0.300	U	0.200	U	0.300	U			
Dec-15 resamp		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS				
27-Jan-16		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U			
20-Apr-16 ³		0.11		0.054		0.054		0.097		0.06		0.077		0.054		0.064		0.064		0.075		0.064		0.075				
20-Jul-16		0.24		0.17		0.058		0.066		0.077		0.086		0.088		0.080		0.080		0.080		0.080		0.080				
Trichlorofluoromethane	8-Feb-08		1.140		1.020		1.110		1.010		0.990		1.050		1.040		1.020		1.020		1.080		1.020		1.080			
	27-Mar-08		1.740		1.520		1.540		1.250		2.320		2.120		2.140		1.210		1.210		1.380		1.210		1.380			
	25-Apr-08		1.740		1.660		1.640		1.640		1.480		1.520		1.660		1.500		1.500		1.030		1.500		1.030			
	29-May-08		1.020		0.930		0.870		1.060		0.930		0.930		0.990		0.910		0.910		0.880		0.910		0.880			
	27-Jun-08		1.240		1.220		1.290		1.300		1.160		1.150		1.170		1.160		1.160		1.180		1.170		1.160			
	31-Jul-08		1.080		1.100		1.010		1.010		1.010		1.010		1.000		0.973		0.973		0.926		1.000		0.926			

APPENDIX C

Subslab Vapor Analytical Summary

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Acetone	8-Feb-08	17.2		NS		NS		NS		4.75	U	NS		NS		NS		5.62		11.4		NS		
	27-Mar-08	NS		28.7		NS		NS		NS		NS		NS		NS		NS		217		NS		12.4
	25-Apr-08	NS		NS		188		NS		NS		NS		513		NS		34		NS		NS		33.9
	29-May-08	NS		NS		NS		40.9		NS		NS		NS		92		9.82		NS		NS		16.4
	27-Jun-08	107		NS		NS		NS		145		NS		NS		NS		NS		20.4		NS		9.73
	31-Jul-08	NS		101		NS		NS		NS		NS		NS		NS		14.4		NS		NS		18.1
	28-Aug-08	NS		NS		1130		NS		NS		NS		30.9		NS		46		47.8		NS		NS
	30-Sep-08	NS		NS		NS		32.8		NS		NS		NS		44.1		NS		9.4		NS		12.8
	27-Oct-08	19.6		NS		NS		NS		15		NS		NS		NS		17.9		NS		NS		33.3
	25-Nov-08	NS		148		NS		NS		NS		183		NS		NS		13		24.7		NS		NS
	18-Dec-08	NS		NS		856		NS		NS		NS		10.4		NS		NS		37.2		NS		22
	21-Jan-09	NS		NS		NS		19.1		NS		NS		NS		6.1		2.4	U	NS		NS		4.8
	25-Feb-09	28.6		NS		NS		NS		60.9		NS		NS		NS		9.5	U	8.3		NS		NS
	26-Mar-09	NS		102		NS		NS		NS		47.5	U	NS		NS		NS		50.6		NS		64.8
	29-Apr-09	NS		NS		1980		NS		NS		NS		23.3		NS		5.15		NS		NS		22.1
	22-Jul-09	58.5		NS		58.5		148		NS		87.8		NS		NS		96		88.1		NS		NS
	9-Oct-09	NS		25.7		NS		NS		49.7		NS		9.2		11100		6.51		NS		NS		16.8
	15-Jan-10	33.6		NS		90.9		22.8		NS		26.3		NS		NS		12.5		NS		11.2		NS
	21-Apr-10	NS		21.9		NS		NS		206		NS		263		2870		72.8		NS		NS		73.4
	16-Jul-10	654		NS		4800		202		NS		11400		NS		NS		8.34		NS		21.1		NS
	15-Oct-10	NS		11.3		NS		NS		26		NS		10.2		18.3		7.03		NS		NS		21.2
	26-Jan-11	114		26.8		NS		54.4		NS		34.4		NS		35.4		25.3		33.3		NS		NS
	28-Feb-11	NS		NS		80.8		NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Apr-11	NS		106		NS		NS		255		NS		220		227		17.8		NS		NS		58.2
	26-Jul-11	76.2		NS		120		154	E	NS		2730		NS		NS		12.8		23.8		NS		NS
	28-Oct-11	NS		48	U	NS		NS		48		NS		48	U	NS		51	U	NS		NS		48
	23-Jan-12	37		NS		36		19		NS		28		NS		NS		38		29		NS		NS
	13-Apr-12	NS		32		NS		NS		70		NS		32		83		54		NS		NS		43
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	NS
	23-Jun-12	21		NS		30		370		NS		1600		NS		NS		43		21		NS		NS
	1-Nov-12	NS		41		NS		NS		52		NS		75		44		35		NS		NS		43
	1-Feb-13	17		NS		12		25		NS		36		NS		NS		16		12		NS		NS
	29-Apr-13	NS		45		NS		NS		100		NS		68		62		33		NS		NS		43
	9-Jul-13	100		NS		170		130		NS		260		NS		NS		80		15		NS		NS
	18-Oct-13	NS		43		NS		NS		61		NS		47		57		48		NS		NS		42
	9-Jan-14	250		NS		16		25		NS		11		NS		NS		24		33		NS		NS
	24-Apr-14	NS		NS		NS		NS		13		NS		41		15		42		24		NS		30
	1-Aug-14	31 ^M		NS		110/99 ^M	E	110/100 ^M	E	NS		NS		NS		NS		31 ^M		57/50 ^M	E	NS		NS
	27-Aug-14	NS		NS		NS		NS		NS		210 ^E /130		NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS
	22-Oct-14	NS		31		NS		NS		NS		5.3		17		3.8		40		19		NS		NS
	20-Jan-15	14		NS		23		23		NS		16		NS		NS		39		72		NS		NS
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		45		NS		NS
	22-Apr-15	NS		87 ^V		NS		NS		1.9 ^V	U	NS		43		55 ^L /68		42		NS		NS		49
	21-Jul-15	12		NS		22		20		NS		9.2		NS		NS		42 ^O		11 ^O		NS		NS
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		5.0		NS		NS		NS		NS
	29-Oct-15	NS		4.5		NS		NS		20		NS		11		9.2		11		NS		NS		22
	4-Dec-15 resample	NS		1.9		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Jan-16	8.4		NS		9.2		7.2		NS		8.6		NS		NS		49		22		NS		NS
	20-Apr-16	NS		7.3		NS		NS		NS		NS		11		11		35		NS		NS		21
20-Jul-16	37		NS		56		44		NS		35		NS		NS		70		51		NS		NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	1.08	U	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	NS	
	27-Mar-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		NS	U	1.08	U	1.08	U
	25-Apr-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS		1.08	U
	29-May-08	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	1.08	U	NS	
	27-Jun-08	1.69	U	NS		NS		NS		1.08	U	NS		NS		NS		NS		1.08	U	1.08	U
	31-Jul-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		1.08	U	NS		1.08	U
	28-Aug-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	1.08	U	NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2		2.2	U
	27-Oct-08	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS		2.2	U
	25-Feb-09	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS	
	26-Mar-09	NS		5.42	U	NS		NS		NS		10.8	U	NS		NS		NS		1.08	U	1.08	U
	29-Apr-09	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS		1.08	U
	22-Jul-09	5.42	U	NS		5.42	U	10.8	U	NS		5.42	U	NS		NS		1.08	U	1.08	U	NS	
	9-Oct-09	NS		0.051	U	NS		NS		1.08	U	NS		1.08	U	226	U	1.08	U	NS		1.08	U
	15-Jan-10	1.08	U	NS		1.08	U	1.08	U	NS		1.08	U	NS		NS		1.08	U	1.08	U	NS	
	21-Apr-10	NS		1.08	U	NS		NS		5.42	U	NS		5.42	U	5.42	U	1.08	U	NS		1.08	U
	16-Jul-10	1.08	U	NS		1.08	U	1.08	U	NS		8.19	U	NS		NS		1.08	U	1.08	U	NS	
	15-Oct-10	NS		0.108	U	NS		NS		1.08	U	NS		1.08	U	1.08	U	1.08	U	NS		1.08	U
	26-Jan-11	10.8	U	1.08	U	NS		1.08	U	NS		5.42	U	NS		5.42	U	5.42	U	5.42	U	NS	
	28-Feb-11	NS		NS		10.8	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.08	U	NS		NS		1.08	U	NS		1.08	U	1.08	U	1.08	U	NS		1.08	U
	26-Jul-11	3.62	U	NS		3.62	U	1.08	U	NS		5.42	U	NS		NS		1.08	U	5.42	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25	U	NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37 ^L	U	NS		NS		NS	
	22-Oct-14	NS		0.37 ^L	U	NS		NS		0.37 ^L	U	0.37 ^L	U	0.37 ^L	U	0.37 ^L	U	0.37 ^L	U	0.50 ^L	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26 ^L	U	NS		NS		0.25 ^L	U	NS		0.25 ^L	U	0.50	U	0.25 ^L	U	NS		0.29 ^L	U
	21-Jul-15	0.1	U	NS		0.4	U	2	U	NS		0.1	U	NS		NS		0.1 ^o	U	0.1 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	
	29-Oct-15	NS		0.1	U	NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3	M, W	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Benzene	8-Feb-08	0.92		NS		NS		NS		0.98		NS		NS		NS		0.54		0.85		NS		
	27-Mar-08	NS		0.54		NS		NS		NS		0.462		NS		NS		NS		0.788		0.635		
	25-Apr-08	NS		NS		0.584		NS		NS		NS		0.745		NS		0.428		NS		0.536		
	29-May-08	NS		NS		NS		0.73		NS		NS		NS		1.03		1.12		0.61		NS		
	27-Jun-08	0.626		NS		NS		NS		0.468		NS		NS		NS		NS		0.499		0.399		
	31-Jul-08	NS		0.418		NS		NS		NS		NS		NS		NS		0.358		NS		0.265		
	28-Aug-08	NS		NS		1.02		NS		NS		NS		0.537		NS		0.815		0.692		NS		
	30-Sep-08	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	1.6	U	
	27-Oct-08	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	
	25-Nov-08	NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U	NS		
	18-Dec-08	NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U	
	21-Jan-09	NS		NS		NS		1.6	U	NS		NS		NS		NS		1.6	U	NS		1.6	U	
	25-Feb-09	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	1.6	U	NS		
	26-Mar-09	NS		2.1		NS		NS		NS		2.23	U	NS		NS		NS		0.945		1.48		
	29-Apr-09	NS		NS		0.603		NS		NS		NS		0.246		NS		NS		0.223	U	NS		0.367
	22-Jul-09	1.12	U	NS		56		2.23	U	NS		1.45		NS		NS		4.27		0.629		NS		
	9-Oct-09	NS		1.15		NS		NS		0.974		NS		0.431		46.6	U	0.619		NS		0.824		
	15-Jan-10	0.763		NS		0.887		NS		0.98		1.26		NS		NS		0.964		NS		0.964		
	21-Apr-10	NS		0.373		NS		NS		0.16	U	NS		1.6	U	1.61		0.635		NS		1.26		
	16-Jul-10	0.332		NS		1.53		0.689		NS		2.41	U	NS		NS		0.319	U	0.319	U	NS		
	15-Oct-10	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.319	U	0.319	U	NS		0.319	U	
	26-Jan-11	3.19	U	2.49		NS		2.46		NS		1.6	U	NS		1.85		1.8		1.9		NS		
	28-Feb-11	NS		NS		3.19	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.354		0.319	U	NS		0.319		
	26-Jul-11	1.06	U	NS		1.06	U	0.434		NS		1.6	U	NS		NS		0.319	U	1.6	U	NS		
	28-Oct-11	NS		1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	
	23-Jan-12	0.84		NS		1.2		0.98		NS		0.81		NS		NS		1.4		1.5		NS		
	13-Apr-12	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6	U	NS		
	23-Jun-12	0.45		NS		0.61		0.88		NS		0.43		NS		NS		0.42		0.4		NS		
	1-Nov-12	NS		0.45		NS		NS		0.43		NS		0.49		0.56		0.61		NS		1		
	1-Feb-13	0.33		NS		0.45		0.47		NS		0.35		NS		NS		0.45		NS		0.46		
	29-Apr-13	NS		0.41		NS		NS		0.38		NS		0.41		0.47		0.63		NS		0.67		
	9-Jul-13	0.64		NS		0.93		0.76		NS		0.70		NS		NS		0.65		NS		0.42		
	18-Oct-13	NS		0.66		NS		NS		0.63		NS		0.86		1.0		0.28		NS		0.92		
	9-Jan-14	1.2		NS		1.1		0.97		NS		1.1		NS		NS		1.5		1.5		NS		
	24-Apr-14	NS		0.3		NS		NS		0.22		NS		0.32		0.23		0.39		0.34		0.35		
	1-Aug-14	0.49		NS		0.79/0.76		0.68/0.69		NS		NS		NS		NS		0.34		0.43		NS		
	27-Aug-14	NS		NS		NS		NS		NS		0.69		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS		NS		
22-Oct-14	NS		0.28		NS		NS		0.21		0.19		0.34		0.14		0.36		0.32		NS			
20-Jan-15	0.42		NS		0.33		0.45		NS		0.31		NS		NS		0.63		0.46		NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.41		NS			
22-Apr-15	NS		0.48		NS		NS		0.35		NS		0.46		0.57/0.60		0.84		NS		0.93			
21-Jul-15	0.35		NS		0.520 ^J		3	U	NS		0.29		NS		NS		0.29 ^O		0.41 ^O		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.28		NS		NS		NS			
29-Oct-15	NS		0.15 ^J		NS		NS		0.19		NS		0.26 ^J		0.27		0.24		NS		0.23			
4-Dec-15 resample	NS		0.11 ^J		NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.32		NS		0.5		0.53		NS		0.43		NS		NS		0.72		0.69		NS			
20-Apr-16	NS		0.21		NS		NS		0.27		NS		0.27		0.32		0.73		NS		0.47			
20-Jul-16	0.32	U	NS		0.7		0.41		NS		0.68		NS		NS		0.43		0.85		NS			

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.13		NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS	
	27-Mar-08	NS	U	0.134	U	NS		NS		NS		0.134	U	NS		NS		NS	U	0.134	U	0.134	U
	25-Apr-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	29-May-08	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS		NS	
	27-Jun-08	0.209	U	NS		NS		NS		0.134	U	NS		NS		NS		NS		0.134	U	0.134	U
	31-Jul-08	NS		0.134	U	NS		NS		NS		NS		NS		NS		0.134	U	NS		0.134	U
	28-Aug-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	0.134	U	NS	
	30-Sep-08	NS		NS		NS		0.52		NS		NS		NS		0.13	U	NS		0.23		0.13	U
	27-Oct-08	0.13	U	NS		NS		NS		1.07		NS		NS		NS		0.13	U	NS		0.13	U
	25-Nov-08	NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	3		NS	
	18-Dec-08	NS		NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	0.13	U
	21-Jan-09	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS		0.13	U
	25-Feb-09	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS	
	26-Mar-09	NS		0.67	U	NS		NS		NS		1.34	U	NS		NS		NS		0.134	U	0.134	U
	29-Apr-09	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	22-Jul-09	0.67	U	NS		27.3	U	1.34	U	NS		0.67	U	NS		NS		0.134	U	0.134	U	NS	
	9-Oct-09	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	28	U	0.134	U	NS		0.134	U
	15-Jan-10	0.134	U	NS		0.134	U	0.134	U	NS		0.134	U	NS		NS		0.134	U	0.134	U	NS	
	21-Apr-10	NS		0.134	U	NS		NS		0.67	U	NS		0.67	U	0.67	U	0.134	U	NS		0.134	U
	16-Jul-10	0.134	U	NS		0.134	U	0.134	U	NS		1.01	U	NS		NS		0.134	U	0.134	U	NS	
	15-Oct-10	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jan-11	1.34	U	0.134	U	NS		0.134	U	NS		0.67	U	NS		0.67	U	0.67	U	0.67	U	NS	
	28-Feb-11	NS		NS		1.34	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jul-11	0.447	U	NS		0.447	U	0.134	U	NS		0.67	U	NS		NS		0.134	U	0.67	U	NS	
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	0.67	U	NS		0.67	U	0.67	U	NS		0.67	U	NS		NS		0.67	U	0.67	U	NS	
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	
	23-Jun-12	0.67	U	NS		0.67	U	0.67	U	NS		0.67	U	NS		NS		0.67	U	0.67	U	NS	
	1-Nov-12	NS		0.067	U	NS		NS		0.067	U	NS		0.067	U	0.067	U	0.067	U	NS		0.067	U
	1-Feb-13	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.067	U	NS	
	29-Apr-13	NS		0.16	U	NS		NS		0.067	U	NS		0.67	U	0.067	U	0.067	U	NS		0.067	U
	9-Jul-13	0.1	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.23		NS	
	18-Oct-13	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	
	9-Jan-14	0.13	U	NS		0.13	U	0.13	U	NS		0.13	U	NS		NS		0.13	U	0.13	U	NS	
	24-Apr-14	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	0.13	U	0.20	U
	1-Aug-14	0.13	U	NS		0.20	U	0.20	U	NS		NS		NS		NS		0.13	U	0.13	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.067	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.1		NS		NS	U	NS	
	22-Oct-14	NS		0.10	U	NS		NS		0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.13	U	NS	
	20-Jan-15	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.1	U	0.067	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.075	U	NS	
	22-Apr-15	NS		0.069	U	NS		NS		0.067	U	NS		0.067	U	0.097	U	0.067	U	NS		0.077	U
	21-Jul-15	0.3	U	NS		NS	U	7	U	NS		0.4	U	NS		NS		0.30 ^o	U	0.40 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.42		NS	
	20-Apr-16	NS		0.067	U	NS		NS		0.83		NS		0.067	U	0.067	U	0.067	U	NS		0.12	
	20-Jul-16	0.34	U	NS		0.34		0.34	U	NS		0.38		NS		NS		0.43		0.34	U	NS	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.21		NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	NS	
	27-Mar-08	NS	U	0.206	U	NS		NS		NS		0.206	U	NS		NS		NS	U	0.206	U	0.206	U
	25-Apr-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	NS		0.206	U
	29-May-08	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	NS		NS	
	27-Jun-08	0.322	U	NS		NS		NS		0.206	U	NS		NS		NS		NS		0.206	U	0.206	U
	31-Jul-08	NS		0.206	U	NS		NS		NS		NS		NS		NS		0.206	U	NS		0.206	U
	28-Aug-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	0.206	U	NS	
	30-Sep-08	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U	0.41	U
	27-Oct-08	0.41	U	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	0.41	U	NS	
	18-Dec-08	NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	0.41	U
	21-Jan-09	NS		NS		NS		0.41	U	NS		NS		NS		NS		0.41	U	NS		NS	
	25-Feb-09	0.41	U	NS		NS		NS		0.14	U	NS		NS		NS		0.41	U	0.41	U	NS	
	26-Mar-09	NS		1.03	U	NS		NS		NS		2.06	U	NS		NS		NS		0.206	U	0.206	U
	29-Apr-09	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	NS		0.206	U
	22-Jul-09	1.03	U	NS		42	U	2.06	U	NS		1.03	U	NS		NS		0.206	U	0.206	U	NS	
	9-Oct-09	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	43.1	U	0.206	U	NS		0.206	U
	15-Jan-10	0.206	U	NS		0.206	U	0.206	U	NS		0.206	U	NS		NS		0.206	U	0.206	U	NS	
	21-Apr-10	NS		0.206	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	0.206	U	NS		0.206	U
	16-Jul-10	0.206	U	NS		0.206	U	0.206	U	NS		1.56	U	NS		NS		0.206	U	0.206	U	NS	
	15-Oct-10	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS		0.206	U
	26-Jan-11	2.06	U	0.206	U	NS		0.206	U	NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS	
	28-Feb-11	NS		NS		2.06	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS		0.206	U
	26-Jul-11	0.69	U	NS		0.69	U	0.207	U	NS		1.03	U	NS		NS		0.207	U	1.03	U	NS	
	28-Oct-11	NS		5.2	U	NS		NS		5.2	U	NS		5.2	U	5.2	U	5.2	U	NS		5.2	U
	23-Jan-12	1	U	NS		1	U	1	U	NS		1	U	NS		NS		1	U	1	U	NS	
	13-Apr-12	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1	U	NS		1	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		5.2	U	NS	
	23-Jun-12	1	U	NS		1	U	1	U	NS		1	U	NS		NS		1	U	1	U	NS	
	1-Nov-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	1-Feb-13	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	29-Apr-13	NS		0.52	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	9-Jul-13	0.31	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	18-Oct-13	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	9-Jan-14	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	24-Apr-14	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	0.21	U	0.31	U
	1-Aug-14	0.21	U	NS		0.31	U	0.31	U	NS		NS		NS		NS		0.21	U	0.21	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.21	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS		NS	
	22-Oct-14	NS		0.31	U	NS		NS		0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.41	U	NS	
	20-Jan-15	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.31	U	0.21	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.23	U	NS	
	22-Apr-15	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.03	U	0.21	U	NS		0.24	U
	21-Jul-15	0.5	U	NS		2	U	10	U	NS		0.6	U	NS		NS		0.50 ^o	U	0.60 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.5	U	NS		NS		NS	
	29-Oct-15	NS		0.6	U	NS		NS		0.6	U	NS		0.9	U	0.5	U	0.5	U	NS		0.5	U
	4-Dec-15 resample	NS		0.5	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	20-Apr-16	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	20-Jul-16	1.0	U	NS		1.0	U	1.0	U	NS		1.0	U	NS		NS		1.0	U	1.0	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	126		NS		NS		NS		1.47	U	NS		NS		NS		3.08		10.6		NS	
	27-Mar-08	NS		226		NS		NS		NS		NS		NS		NS		NS		11.9		3.9	
	25-Apr-08	NS		NS		477		NS		NS		NS		1680		NS		2.24		NS		1.47	U
	29-May-08	NS		NS		NS		527		NS		NS		NS		591		2.27		3.04		NS	
	27-Jun-08	1080		NS		NS		NS		596		NS		NS		NS		NS		6.92		3.64	
	31-Jul-08	NS		1350		NS		NS		NS		NS		NS		NS		12		NS		2.56	
	28-Aug-08	NS		NS		8380		NS		NS		NS		102		NS		5.29		9.18		NS	
	30-Sep-08	NS		NS		NS		101		NS		NS		NS		194		NS		2		1.5	U
	27-Oct-08	53.5		NS		NS		NS		30.5		NS		NS		NS		2.4		NS		5.7	
	25-Nov-08	NS		802		NS		NS		NS		259		NS		NS		1.8		2.4		NS	
	18-Dec-08	NS		NS		5630		NS		NS		NS		8.3		NS		NS		2.6		3.3	
	21-Jan-09	NS		NS		NS		209		NS		NS		NS		24		1.5	U	NS		1.5	U
	25-Feb-09	30		NS		NS		NS		198		NS		NS		NS		1.5	U	1.5	U	NS	
	26-Mar-09	NS		926		NS		NS		NS		29.1		NS		NS		NS		2.66		3.02	
	29-Apr-09	NS		NS		12400		NS		NS		NS		NS		NS		1.47		NS		3.06	
	22-Jul-09	433		NS		433		410		NS		151		NS		NS		21.6		2.8		NS	
	9-Oct-09	NS		289		NS		NS		1.47	U	NS		19.1		22700		2.75		NS		12.6	
	15-Jan-10	29.8		NS		826		64.1		NS		38.4		NS		NS		2.64		1.6		NS	
	21-Apr-10	NS		6.44		NS		NS		7.37	U	NS		34.6		1840		16.8		NS		14.5	
	16-Jul-10	5320		NS		21000		441		NS		10400		NS		NS		1.54		2.8		NS	
	15-Oct-10	NS		117		NS		NS		44.9		NS		2.85		18.2		1.47	U	NS		1.92	
	26-Jan-11	940		22.3		NS		16.5		NS		7.37	U	NS		50.4		7.37	U	7.37	U	NS	
	28-Feb-11	NS		NS		625		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		6.87		NS		NS		171		NS		11.3		15.3		5.38		NS		10.4	
	26-Jul-11	690	E	NS		82.9		93.2		NS		11000		NS		NS		2.07		7.37	U	NS	
	28-Oct-11	NS		59	U	NS		NS		59	U	NS		59	U	NS		59	U	NS		59	U
2-Butanone	23-Jan-12	110		NS		70		12	U	NS		20		NS		NS		12	U	12	U	NS	U
	13-Apr-12	NS		16		NS		NS		74		NS		12	U	12		12	U	NS		12	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		59	U	NS	U
	23-Jun-12	75		NS		92		3700		NS		1900		NS		NS		12	U	12	U	NS	U
	1-Nov-12	NS		24		NS		NS		44		NS		3.6		12		3.7		NS		4.2	
	1-Feb-13	36		NS		4.9		16		NS		20		NS		NS		2.4		2.4	U	NS	
	29-Apr-13	NS		170		NS		NS		110		NS		6.1		7		7.2		NS		4.5	
	9-Jul-13	98		NS		130		79		NS		370		NS		NS		6.8		2.4	U	NS	
	18-Oct-13	NS		91		NS		NS		28		NS		4		52		8.2		NS		6.4	
	9-Jan-14	1900		NS		11		26		NS		11		NS		NS		4.2		2.6		NS	
	24-Apr-14	NS		32		NS		NS		11		NS		3.2		19		8.1		2.5		3.5	U
	1-Aug-14	38		NS		110/81		110/93		NS		NS		NS		NS		5.8		4.3		NS	
	27-Aug-14	NS		NS		NS		NS		NS		12		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		7.0		NS		NS		NS	
	22-Oct-14	NS		5.8		NS		NS		16		3.5	U	3.9		3.5	U	15		4.7	U	NS	
	20-Jan-15	5.1		NS		3.9		4.3		NS		2.4	U	NS		NS		7.5		6.2		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		5.5		NS	
	22-Apr-15	NS		17 ^v		NS		NS		23 ^v		NS		11		11		19		NS		10	
	21-Jul-15	17		NS		55		170		NS		21		NS		NS		20 ^o		2.2 ^o		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		7.9		NS		NS		NS	
	29-Oct-15	NS		10		NS		NS		13		NS		11		5.7		2.1		NS		3.1	
	4-Dec-15 resample	NS		3.3		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.4	U	NS		2.4		2.4	U	NS		2.4	U	NS		NS		12		4.4		NS	
	20-Apr-16	NS		21		NS		NS		29		NS		34		21		12		NS		4.1	
	20-Jul-16	36		NS		37		12	U	NS		46		NS		NS		32		12	U	NS	

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74		NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS	U	2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	22.1		NS		NS		NS		5.5	U	NS		NS		NS		12.8		NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	11.5		NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		1.08	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	NS		NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.745	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		7.9	U	NS		NS		7.9	U	NS		7.9	U	7.9	U	7.9	U	NS		7.9	U
	23-Jan-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	13-Apr-12	NS		1.6	U	NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		7.9	U	NS	
	23-Jun-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	1-Nov-12	NS		0.32	U	NS		NS		0.32	U	NS		0.44	U	0.35		0.38		NS		0.32	U
	1-Feb-13	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	29-Apr-13	NS		0.79	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	9-Jul-13	0.47	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	18-Oct-13	NS		0.54		NS		NS		0.52		NS		0.74		0.65		0.68		NS		0.87	
	9-Jan-14	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	24-Apr-14	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	0.32	U	0.47	U
	1-Aug-14	0.32	U	NS		0.63		0.47 ⁺	U	NS		NS		NS		NS		0.32	U	0.56		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.32	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.47	U	NS		NS		NS	
	22-Oct-14	NS		0.47	U	NS		NS		0.47	U	0.47	U	0.47	U	0.47	U	0.47	U	0.63	U	NS	
	20-Jan-15	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.47	U	0.032	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.36	U	NS	
	22-Apr-15	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.46	U	0.32	U	NS		0.36	U
	27-Jan-16	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	20-Apr-16	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	20-Jul-16	1.6	U	NS		1.6	U,M,W	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74		NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS	U	2.74	U	NS		NS		NS		NS		NS		NS		NS	U	2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	27-Oct-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.74		NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	2.74	U	NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.47	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	6.3	U	6.3	U	NS		6.3	U
	23-Jan-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	13-Apr-12	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.3	U	NS	
	23-Jun-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.63	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.38	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.38	U
	1-Aug-14	0.25	U	NS		0.38	U	0.38	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.38	U	NS		NS	U	NS	
	22-Oct-14	NS		0.38	U	NS		NS		0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.50	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.38	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3	U,M,W	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.44		NS		NS		NS		0.46		NS		NS		NS		0.53		0.45		NS	
	27-Mar-08	NS		0.539		NS		NS		NS		0.477		NS		NS		NS		0.576		0.574	
	25-Apr-08	NS		NS		0.417		NS		NS		NS		0.448		NS		0.459		NS		0.448	
	29-May-08	NS		NS		NS		0.46		NS		NS		NS		0.46		NS		0.46		NS	
	27-Jun-08	0.478		NS		NS		NS		0.506		NS		NS		NS		NS		0.533		0.553	
	31-Jul-08	NS		0.576		NS		NS		NS		NS		NS		NS		0.548		NS		0.495	
	28-Aug-08	NS		NS		0.515		NS		NS		NS		0.549		NS		0.567		0.563		NS	
	30-Sep-08	NS		NS		NS		0.511		NS		NS		NS		0.577		NS		0.451		0.469	
	27-Oct-08	0.48		NS		NS		0.36		NS		NS		NS		NS		0.41		NS		0.56	
	25-Nov-08	NS		0.5		NS		NS		NS		0.42		NS		NS		0.3		0.44		NS	
	18-Dec-08	NS		NS		0.23		NS		NS		NS		0.28		NS		NS		0.48		0.46	
	21-Jan-09	NS		NS		NS		0.36		NS		NS		NS		0.47		NS		0.27		NS	
	25-Feb-09	0.39		NS		NS		NS		0.36		NS		NS		NS		0.37		0.36		NS	
	26-Mar-09	NS		0.629	U	NS		NS		NS		1.26	U	NS		NS		NS		0.601		0.565	
	29-Apr-09	NS		NS		0.484		NS		NS		NS		0.528		NS		0.522		NS		0.654	
	22-Jul-09	0.629	U	NS		25.6	U	1.26	U	NS		0.629	U	NS		NS		0.515		0.503		NS	
	9-Oct-09	NS		0.691		NS		NS		0.666		NS		0.465		26.2	U	0.71		NS		0.691	
	15-Jan-10	0.427		NS		0.647		0.509		NS		0.541		NS		NS		0.541		0.528		NS	
	21-Apr-10	NS		0.126		NS		NS		0.629	U	NS		0.629	U	0.629	U	0.61		NS		0.503	
	16-Jul-10	0.459		NS		0.478		0.515		NS		0.95	U	NS		NS		0.559		0.509		NS	
	15-Oct-10	NS		0.509		NS		NS		0.434		NS		0.383		0.402		0.421		NS		0.44	
	26-Jan-11	1.26	U	0.415		NS		0.415		NS		0.629	U	NS		0.629	U	0.629	U	0.629	U	NS	
	28-Feb-11	NS		NS		1.26	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.339		NS		NS		0.339		NS		0.33		0.364		0.339		NS		0.327	
	26-Jul-11	0.44		NS		0.42	U	0.409	U	NS		0.629	U	NS		NS		0.402		0.629	U	NS	
	28-Oct-11	NS		3.1	U	NS		NS		3.1	U	NS		3.1	U	3.1	U	3.1	U	NS		3.1	U
Carbon tetrachloride	23-Jan-12	0.63	U	NS		0.63	U	0.63	U	NS		0.63	U	NS		NS		0.63	U	0.63	U	NS	U
	13-Apr-12	NS		0.31	U	NS		NS		0.31	U	NS		0.31	U	0.31	U	0.31	U	NS		0.31	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6	U	NS	U
	23-Jun-12	0.63	U	NS		0.63	U	0.63	U	NS		0.63	U	NS		NS		0.63	U	0.63	U	NS	U
	1-Nov-12	NS		0.48		NS		NS		0.46		NS		0.46		0.45		0.47		NS		0.43	
	1-Feb-13	0.44		NS		0.43		0.39		NS		0.42		NS		NS		0.49		NS		NS	
	29-Apr-13	NS		0.42		NS		NS		0.44		NS		0.42		0.48		0.48		NS		0.46	
	9-Jul-13	0.52		NS		0.52		0.46		NS		0.48		NS		NS		0.45		NS		NS	
	18-Oct-13	NS		0.45		NS		NS		0.41		NS		0.4		0.45		0.44		NS		0.47	
	9-Jan-14	0.40		NS		0.45		0.40		NS		0.43		NS		NS		0.43		0.43		NS	
	24-Apr-14	NS		0.48		NS		NS		0.45		NS		0.42		0.47		0.47		0.47		0.48	
	1-Aug-14	0.30		NS		0.44		0.43		NS		NS		NS		NS		0.56		0.43		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.45		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS	U	NS	
	22-Oct-14	NS		0.45		NS		NS		0.42		0.43		0.42		0.45		0.43		0.44		NS	
	20-Jan-15	0.45		NS		0.49		0.42		NS		0.44		NS		NS		0.48		0.48		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.43		NS	
	22-Apr-15	NS		0.28		NS		NS		0.29		NS		0.34		0.34/0.36		0.33		NS		0.33	
	21-Jul-15	0.270 ^J		NS		1	U	6	U	NS		0.28 ^J		NS		NS		0.25 ^{J,O}		0.24 ^{J,O}		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.29 ^J		NS		NS		NS	
	29-Oct-15	NS		0.35		NS		NS		0.29 ^J		NS		0.27 ^J		0.28 ^J		0.27 ^J		NS		0.27 ^J	
	4-Dec-15 resample	NS		0.30 ^J		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.57		NS		0.59		0.53		NS		0.56		NS		NS		0.57		0.59		NS	
	20-Apr-16	NS		0.65		NS		NS		0.61		NS		0.62		0.65		0.64		NS		0.67	
	20-Jul-16	0.42		NS		0.58		0.59		NS		0.64		NS		NS		0.63		0.55		NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.052	U	NS		NS		NS		0.092	U	NS		NS		NS	U	0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS	
	27-Jun-08	0.207		NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	NS	
	30-Sep-08	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		2.3	U	2.3	U
	27-Oct-08	2.3	U	NS		NS		2.3	U	NS		NS		NS		NS		2.3	U	NS		2.3	U
	25-Nov-08	NS		2.3	U	NS		NS		NS		2.3	U	NS		NS		2.3	U	2.3	U	NS	
	18-Dec-08	NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		NS		2.3	U	2.3	U
	21-Jan-09	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	2.3	U	NS		2.3	U
	25-Feb-09	2.3	U	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	2.3	U	NS	
	26-Mar-09	NS		0.46	U	NS		NS		NS		0.92	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	22-Jul-09	0.46	U	NS		18.8	U	0.92	U	NS		0.46	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	19.2	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	21-Apr-10	NS		0.092	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.092	U	NS		0.092	U
	16-Jul-10	0.092	U	NS		0.092	U	0.212	U	NS		0.695	U	NS		NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.129	U	NS		0.106	U	0.101	U	0.092	U	NS		0.101	U
	26-Jan-11	0.92	U	0.092	U	NS		0.092	U	NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS	
	28-Feb-11	NS		NS		0.92	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.307	U	NS		0.307	U	0.092	U	NS		0.46	U	NS		NS		0.092	U	0.46	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	12		NS	
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.3	U	NS	
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
	1-Nov-12	NS		0.092	U	NS		NS		0.092	U	NS		0.16	U	0.092	U	0.092	U	NS		0.092	U
	1-Feb-13	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	29-Apr-13	NS		0.12	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	9-Jul-13	0.18		NS		0.14	U	0.15	U	NS		0.15	U	NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	24-Apr-14	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	0.046	U	0.14	U
	1-Aug-14	0.092	U	NS		0.14	U	0.25	U	NS		NS		NS		NS		0.092	U	0.092	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.092	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.14	U	NS		NS		NS	
	22-Oct-14	NS		0.14	U	NS		NS		0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.18	U	NS	
	20-Jan-15	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.14	U	0.092	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.10	U	NS		NS	
	22-Apr-15	NS		0.094	U	NS		NS		0.092	U	NS		0.092	U	0.13	U	0.092	U	NS		0.11	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.2 ^o	U	0.2 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	20-Apr-16	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	20-Jul-16	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.05		NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS	
	27-Mar-08	NS	U	0.053	U	NS		NS		NS		0.053	U	NS		NS		NS		0.053	U	0.053	U
	25-Apr-08	NS		NS		0.053	U	NS		NS		NS		0.139		NS		0.053	U	NS		0.053	U
	29-May-08	NS		NS		NS		0.11		NS		NS		NS		0.1		0.07		0.05	U	NS	
	27-Jun-08	0.082	U	NS		NS		NS		0.132		NS		NS		NS		NS		0.053	U	0.053	U
	31-Jul-08	NS		0.053	U	NS		NS		NS		NS		NS		NS		0.053	U	NS		0.053	U
	28-Aug-08	NS		NS		0.053	U	NS		NS		NS		0.153		NS		0.053	U	0.075		NS	
	30-Sep-08	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	1.3	U
	27-Oct-08	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.6	
	25-Nov-08	NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	18-Dec-08	NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3	U
	21-Jan-09	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	1.3	U	NS		1.3	U
	25-Feb-09	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	1.3	U	NS	
	26-Mar-09	NS		0.264	U	NS		NS		NS		0.527	U	NS		NS		NS		0.1212		0.063	
	29-Apr-09	NS		NS		0.137		NS		NS		NS		0.063		NS		0.053	U	NS		0.053	U
	22-Jul-09	0.264	U	NS		10.8	U	0.527	U	NS		0.277		NS		NS		0.053	U	0.061		NS	
	9-Oct-09	NS		0.053	U	NS		NS		0.058		NS		0.406		11	U	0.053	U	NS		0.053	U
	15-Jan-10	0.053	U	NS		0.074		0.066		0.053		0.053		NS		NS		0.053	U	0.053		NS	
	21-Apr-10	NS		0.074		NS		NS		0.264		NS		0.303		0.303		0.053	U	NS		0.116	
	16-Jul-10	0.1		NS		2.55		0.166		NS		0.398	U	NS		NS		0.053	U	0.087		NS	
	15-Oct-10	NS		0.053	U	NS		NS		0.082		NS		0.071		0.053	U	0.053	U	NS		0.053	U
	26-Jan-11	0.527	U	0.053	U	NS		0.077		NS		0.264	U	NS		0.264	U	0.264	U	0.264	U	NS	
	28-Feb-11	NS		NS		.527	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.053	U	NS		NS		0.079		NS		0.082		0.053	U	0.053	U	NS		0.053	U
	26-Jul-11	0.176	U	NS		0.176	U	0.116		NS		0.264	U	NS		NS		0.053	U	0.264		NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	NS		1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	13-Apr-12	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	NS		0.26	U	NS		0.26	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.3	U	NS	
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	1-Nov-12	NS		0.053	U	NS		NS		0.085		NS		0.08		0.053	U	0.053	U	NS		0.087	
	1-Feb-13	0.082		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	0.053	U	NS	
	29-Apr-13	NS		0.4		NS		NS		0.11	U	NS		0.11		0.11	U	0.11	U	NS		0.11	U
	9-Jul-13	0.11		NS		0.12		0.31		NS		0.091		NS		NS		0.11	U	0.053	U	NS	
	18-Oct-13	NS		0.053	U	NS		NS		0.11		NS		0.091		0.053	U	0.053	U	NS		0.053	U
	9-Jan-14	0.084		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	0.053	U	NS	
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.13		0.026	U	0.026	U	0.026	U	0.079	U
	1-Aug-14	0.23		NS		0.43		0.53		NS		NS		NS		NS		0.059		0.053	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.072		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.079	U	NS		NS	U	NS	
	22-Oct-14	NS		0.079	U	NS		NS		0.079	U	0.079	U	0.35		0.079	U	0.079	U	0.11	U	NS	
	20-Jan-15	0.069 ^v		NS		0.094		0.062		NS		0.24 ^v		NS		NS		0.079 ^v	U	0.053 ^v	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	22-Apr-15	NS		0.20 ^v		NS		NS		0.19 ^v		N		0.16		0.077	U	0.72		NS		0.061	U
	21-Jul-15	0.1	U	NS		0.5	U	3	U	NS		0.21		NS		NS		0.1 ^o	U	0.1 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	
	29-Oct-15	NS		0.1	U	NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.1		NS		0.11		0.12		NS		0.11		NS		NS		0.053	U	0.053	U	NS	
	20-Apr-16	NS		0.14		NS		NS		0.053	U	NS		0.073		0.053	U	0.053	U	NS		0.053	U
	20-Jul-16	0.26	U,L,V	NS		0.26	U,L,V	0.26	U,L,V	NS		0.77	L,V	NS		NS		0.26	U,V,L	0.26	U,L,V	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.1		NS		NS		NS		NS		NS		NS		NS		0.12		0.12		NS	
	27-Mar-08	NS	U	0.098	U	NS		NS		NS		0.125		NS		NS		NS		0.453		0.847	
	25-Apr-08	NS		NS		0.231		NS		NS		NS		0.203		NS		0.134		NS		0.265	
	29-May-08	NS		NS		NS		0.14		NS		NS		NS		0.1	U	0.11		NS		NS	
	27-Jun-08	0.263		NS		NS		NS		0.623		NS		NS		NS		NS		0.305		0.395	
	31-Jul-08	NS		0.145		NS		NS		NS		NS		NS		NS		0.13		NS		0.124	
	28-Aug-08	NS		NS		0.098	U	NS		NS		NS		1.2		NS		0.331		0.386		NS	
	30-Sep-08	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U	0.49	U
	27-Oct-08	0.49	U	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U
	25-Nov-08	NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U	NS	U
	18-Dec-08	NS		NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U
	21-Jan-09	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS		0.24	U
	25-Feb-09	0.24	U	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS	U
	26-Mar-09	NS		0.488	U	NS		NS		NS		1.29		NS		NS		NS		0.265		0.2	
	29-Apr-09	NS		NS		0.098	U	NS		NS		NS		0.136		NS		0.098	U	NS		1.34	
	22-Jul-09	0.488	U	NS		19.9	U	0.976	U	NS		0.488	U	NS		NS		0.429		0.22		NS	
	9-Oct-09	NS		0.205		NS		NS		0.263		NS		0.268		20.4	U	0.317		NS		0.312	
	15-Jan-10	0.176		NS		7.22		0.146		NS		0.19		NS		NS		0.098	U	0.185		NS	
	21-Apr-10	NS		0.098	U	NS		NS		0.488	U	NS		0.488	U	0.488	U	0.22		NS		0.2	
	16-Jul-10	0.361		NS		0.098	U	0.215		NS		0.737	U	NS		NS		0.205	U	0.346		NS	
	15-Oct-10	NS		0.171		NS		NS		0.366		NS		0.654		0.117		0.102		NS		0.166	
	26-Jan-11	2.78		0.122		NS		0.161		NS		0.488	U	NS		0.488	U	0.488	U	0.488	U	NS	
	28-Feb-11	NS		NS		0.976	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.136		NS		NS		0.185		NS		0.117		0.273		0.098	U	NS		0.122	
	26-Jul-11	0.326	U	NS		0.326	U	0.239		NS		1.37		NS		NS		0.244		0.488	U	NS	
	28-Oct-11	NS		2.4	U	NS		NS		2.4	U	NS		2.4	U	2.4	U	2.4	U	NS		2.4	U
	23-Jan-12	0.49	U	NS		0.84		0.49	U	NS		0.49	U	NS		NS		0.49	U	0.84		NS	
	13-Apr-12	NS		0.24	U	NS		NS		0.24	U	NS		0.24	U	0.24	U	0.24	U	NS		0.24	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		0.076		0.49	U	0.58		NS	
	1-Nov-12	NS		0.088		NS		NS		0.28		NS		0.12		NS		0.092		NS		0.17	
	1-Feb-13	0.14		NS		0.46		0.15		NS		0.19		NS		NS		0.11		0.18		NS	
	29-Apr-13	NS		0.15		NS		NS		0.19		NS		0.13		0.13		0.16		NS		0.41	
	9-Jul-13	0.34		NS		0.63		0.33		NS		0.27		NS		NS		0.24		NS		NS	
	18-Oct-13	NS		0.098	U	NS		NS		0.29		NS		0.12		0.11		0.11		NS		0.31	
	9-Jan-14	0.12		NS		0.94		0.18		NS		0.27		NS		NS		0.16		NS		NS	
	24-Apr-14	NS		0.049	U	NS		NS		0.21		NS		0.11		0.049	U	0.16		0.16		0.32	
	1-Aug-14	1.0		NS		2.7/3.6		0.32		NS		NS		NS		NS		2.1		0.55		NS	
	27-Aug-14	NS		NS		NS		NS		0.19		NS		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12		NS		NS	U	NS	
	22-Oct-14	NS		0.073	U	NS		NS		0.24		0.15		0.16		0.073	U	0.073	U	0.098	U	NS	
	20-Jan-15	0.049	U	NS		1.4		0.14		NS		0.29		NS		NS		0.073	U	0.14		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15		NS	
	22-Apr-15	NS		0.17 ^v		NS		NS		0.21 ^v		NS		0.13		0.071	U	0.17		NS		0.17	
	21-Jul-15	0.130 ^j		NS		1	U	5	U	NS		0.21 ^j		NS		NS		0.14 ^{j,0}		0.17 ^{j,0}		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.16 ^j		NS		NS		0.16 ^j		NS		0.4	U	0.2	U	0.2	U	NS		0.28	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.086		NS		1		0.13		NS		0.11		NS		NS		0.094		0.16		NS	
	20-Apr-16	NS		0.08		NS		NS		0.18		NS		0.1		0.096		0.1		NS		0.13	
	20-Jul-16	0.24	U	NS		0.69		0.38		NS		0.47		NS		NS		0.35		0.44		NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Chloromethane	8-Feb-08	2.44	U	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	NS		
	27-Mar-08	NS		2.67		NS		NS		NS		3.24		NS		NS		NS	U	2.44	U	2.44	U	
	25-Apr-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	NS		2.44	U	
	29-May-08	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	2.44	U	NS		
	27-Jun-08	3.8	U	NS		NS		NS		2.44	U	NS		NS		NS		NS		2.44	U	2.44	U	
	31-Jul-08	NS		4.64		NS		NS		NS		NS		NS		NS		2.44	U	NS		2.44	U	
	28-Aug-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	2.44	U	NS		
	30-Sep-08	NS		NS		NS		1	U	NS		NS		NS		NS		1	U	NS		1	U	
	27-Oct-08	1	U	NS		NS		NS		1	U	NS		NS		NS		1.1		NS		1	U	3.5
	25-Nov-08	NS		1	U	NS		NS		NS		1	U	NS		NS		1	U	1		NS		1
	18-Dec-08	NS		NS		1	U	NS		NS		NS		1	U	NS		NS		1.4		NS		1
	21-Jan-09	NS		NS		NS		1	U	NS		NS		NS		3.1		1	U	NS		1	U	1
	25-Feb-09	1		NS		NS		NS		1	U	NS		NS		NS		1	U	1.2		NS		NS
	26-Mar-09	NS		12.2	U	NS		NS		NS		24.4	U	NS		NS		NS		4.58		2.44		U
	29-Apr-09	NS		NS		22.4		NS		NS		19.4		NS		NS		2.44	U	NS		2.44		U
	22-Jul-09	18.5		NS		497	U	32		NS		41.9		NS		NS		2.44	U	6.29		NS		U
	9-Oct-09	NS		2.44	U	NS		NS		2.44	U	NS		2.44	U	509	U	2.44	U	NS		2.44		U
	15-Jan-10	2.44	U	NS		2.78		2.44	U	NS		2.44		NS		NS		2.44	U	2.44		NS		U
	21-Apr-10	NS		3.25		NS		NS		12.2	U	NS		12.2	U	12.2	U	2.44	U	NS		2.44		U
	16-Jul-10	1.32		NS		62.8		1.48		NS		7.79	U	NS		NS		1.03	U	1.03		NS		U
	15-Oct-10	NS		1.03	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS		1.03		U
	26-Jan-11	10.3	U	1.03	U	NS		1.03	U	NS		5.16	U	NS		5.16	U	5.16	U	5.16		NS		U
	28-Feb-11	NS		NS		10.3		NS		NS		NS		NS		NS		NS		NS		NS		U
	27-Apr-11	NS		1.23		NS		NS		1.03	U	NS		1.03	U	1.18		1.03	U	NS		1.29		U
	26-Jul-11	3.45	U	NS		3.45	U	1.03	U	NS		5.16	U	NS		NS		1.03	U	5.16		NS		U
	28-Oct-11	NS		1	U	NS		NS		1	U	NS		1	U	1	U	NS		NS		1.2		U
	23-Jan-12	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		1.2		0.21		NS		U
	13-Apr-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	1.2		NS		0.97		U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		U
	23-Jun-12	0.21	U	NS		0.21	U	0.21	U	NS		2.1		NS		NS		0.21	U	0.21		NS		U
	1-Nov-12	NS		0.041	U	NS		NS		0.041	U	NS		0.041	U	0.041	U	0.37		NS		1.1		U
	1-Feb-13	0.5		NS		1.8		2.1		NS		0.19		NS		NS		0.71		NS		NS		U
	29-Apr-13	NS		0.21	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.73		NS		1.2		U
	9-Jul-13	0.12	U	NS		0.083	U	0.083	U	NS		0.083	U	NS		NS		1.0		0.083		NS		U
	18-Oct-13	NS		0.083	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.40		NS		1.1		U
	9-Jan-14	3.2		NS		1.5		0.083	U	NS		0.053	U	NS		NS		0.64		0.083		NS		U
	24-Apr-14	NS		4.6		NS		NS		4.5		NS		3.5		1.2		0.47		1.0		1.0		U
	1-Aug-14	0.083	U	NS		0.12	U	0.12	U	NS		NS		NS		NS		0.083	U	0.083		NS		U
	27-Aug-14	NS		NS		NS		NS		NS		1.7		NS		NS		NS		NS		NS		U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12 ^L	U	NS		NS		NS		U
	22-Oct-14	NS		1.3		NS		NS		0.12	U	0.74		0.12	U	1.30		0.74		1.1		NS		U
	20-Jan-15	0.083 ^V	U	NS		3 ^V		0.083	U	NS		0.083 ^V	U	NS		NS		0.69 ^V		1.2 ^V		NS		U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.093		NS		U
	22-Apr-15	NS		0.085 ^V	U	NS		NS		0.083 ^V	U	NS		0.083	U	1.7/1.6		0.72		NS		1.4		U
	21-Jul-15	0.69		NS		6.9		2	U	NS		2.6		NS		NS		0.11 ^O		NS		NS		U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.09	U	NS		NS		NS		U
	29-Oct-15	NS		11		NS		NS		6.5		NS		3.6		1.5		0.73		NS		0.84		U
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		U
	27-Jan-16	0.083	U	NS		3.9		0.083	U	NS		2.1		NS		NS		1.4		1		NS		U
	20-Apr-16	NS		7.7		NS		NS		<-0.083		NS		2.4		1.4		1.1		NS		1		U
20-Jul-16	0.41	U	NS		4.3		0.41	U	NS		5		NS		NS		1.1		1.6		NS		U	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.1		NS		NS		NS		0.1		NS		NS		NS		0.1		0.1		NS	
	27-Mar-08	NS	U	0.096	U	NS		NS		NS	U	0.096	U	NS		NS		NS	U	0.096	U	0.096	U
	25-Apr-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS		0.096	U
	29-May-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS		NS	U
	27-Jun-08	0.15	U	NS		NS		NS		0.096	U	NS		NS		NS		NS		0.096	U	0.096	U
	31-Jul-08	NS		0.096	U	NS		NS		NS		NS		NS		NS		0.096	U	NS		0.096	U
	28-Aug-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS		NS	U
	30-Sep-08	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U	4.2	U
	27-Oct-08	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U
	25-Nov-08	NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	4.2	U	NS	U
	18-Dec-08	NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	4.2	U
	21-Jan-09	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U
	25-Feb-09	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	4.2	U	NS	U
	26-Mar-09	NS		0.48	U	NS		NS		NS		0.96		NS		NS		NS		0.096	U	0.096	U
	29-Apr-09	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS		0.096	U
	22-Jul-09	0.48	U	NS		19.6	U	0.96	U	NS		0.48	U	NS		NS		0.096	U	0.096	U	NS	U
	9-Oct-09	NS		0.096	U	NS		NS		NS	U	NS		0.096	U	20	U	0.096	U	NS		0.096	U
	15-Jan-10	0.096	U	NS		0.096	U	0.096	U	NS		0.096	U	NS		NS		0.096	U	NS		NS	U
	21-Apr-10	NS		0.096	U	NS		NS		0.48	U	NS		0.48	U	0.48	U	0.096	U	NS		0.096	U
	16-Jul-10	0.17	U	NS		0.17	U	0.17	U	NS		1.28	U	NS		NS		0.17	U	0.17	U	NS	U
	15-Oct-10	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U
	26-Jan-11	1.7	U	0.17	U	NS		0.17	U	NS		0.851	U	NS		0.851	U	0.851	U	0.851	U	NS	U
	28-Feb-11	NS		NS		1.7	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U
	26-Jul-11	0.568	U	NS		0.568	U	0.17	U	NS		0.852	U	NS		NS		0.17	U	0.852	U	NS	U
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	4.3	U	NS		4.3	U
	23-Jan-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	0.85	U	NS	U
	13-Apr-12	NS		0.85	U	NS		NS		0.85	U	NS		0.85	U	0.85	U	0.85	U	NS		0.85	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U	NS	U
	23-Jun-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	0.85	U	NS	U
	1-Nov-12	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U
	1-Feb-13	0.17	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS	U
	29-Apr-13	NS		0.21	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U
	9-Jul-13	0.26	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS	U
	18-Oct-13	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U
	9-Jan-14	0.17	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS	U
	24-Apr-14	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	0.085	U	0.26	U
	1-Aug-14	0.17	U	NS		0.26	U	0.26	U	NS		NS		NS		NS		0.17	U	0.17	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.085	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS		NS	U
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.17	U	NS	U
	20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.13	U	0.085	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.096	U	NS	U
	22-Apr-15	NS		0.087	U	NS		NS		0.085	U	NS		0.083	U	0.12	U	0.085	U	NS		0.098	U
	21-Jul-15	0.4	U	NS		2	U	8	U	NS		0.5	U	NS		NS		0.4 ^o	U	0.5 ^o	U	NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.4	U	NS		NS		NS	U
	29-Oct-15	NS		0.5	U	NS		NS		0.5	U	NS		0.7	U	0.4	U	0.4	U	NS		0.4	U
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Jan-16	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS	U
	20-Apr-16	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U
	20-Jul-16	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS	
	27-Mar-08	NS		0.154	U	NS		NS		NS		0.154	U	NS		NS		NS		0.154	U	0.154	U
	25-Apr-08	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	29-May-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15		0.15	U	NS		NS	
	27-Jun-08	0.239	U	NS		NS		NS		0.154	U	NS		NS		NS		NS		0.154	U	0.154	U
	31-Jul-08	NS		0.154	U	NS		NS		NS		NS		NS		NS		0.154	U	NS		0.154	U
	28-Aug-08	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		NS	
	30-Sep-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U	0.15	U
	27-Oct-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U
	25-Nov-08	NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS	
	18-Dec-08	NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		0.15	U	0.15	U
	21-Jan-09	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		0.15	U
	25-Feb-09	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS	
	26-Mar-09	NS		0.768	U	NS		NS		NS		1.54	U	NS		NS		NS		0.154	U	0.154	U
	29-Apr-09	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	22-Jul-09	0.768	U	NS		31.3	U	1.54	U	NS		0.768	U	NS		NS		0.154	U	0.154	U	NS	
	9-Oct-09	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	32	U	0.154	U	NS		0.154	U
	15-Jan-10	0.154	U	NS		NS		0.154	U	NS		0.154	U	NS		NS		0.154	U	NS		NS	
	21-Apr-10	NS		0.154	U	NS		NS		0.768	U	NS		0.768	U	0.768	U	0.154	U	NS		0.154	U
	16-Jul-10	0.154	U	NS		0.154	U	0.154	U	NS		1.16	U	NS		NS		0.154	U	0.154	U	NS	
	15-Oct-10	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U8	0.154	U	0.154	U	NS		0.154	U
	26-Jan-11	1.54	U	0.154	U	NS		0.154	U	NS		0.768	U	NS		0.768	U	0.768	U	0.768	U	NS	
	28-Feb-11	NS		NS		1.54	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	0.154	U	0.154	U	NS		0.154	U
	26-Jul-11	0.512	U	NS		0.512	U	0.154	U	NS		0.768	U	NS		NS		0.154	U	0.768	U	NS	
	28-Oct-11	NS		3.8	U	NS		NS		3.8	U	NS		3.8	U	3.8	U	3.8	U	NS		3.8	U
	23-Jan-12	0.77	U	NS		0.77	U	0.77	U	NS		0.77	U	NS		NS		0.77	U	0.77	U	NS	
	13-Apr-12	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9	U	NS	
	23-Jun-12	0.77	U	NS		0.77	U	0.77	U	NS		0.77	U	NS		NS		0.77	U	0.77	U	NS	
	1-Nov-12	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	1-Feb-13	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	29-Apr-13	NS		0.19	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	9-Jul-13	0.12	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	18-Oct-13	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U	0.15	U	0.15	U	NS		0.15	U
	9-Jan-14	0.15	U	NS		0.15	U	0.15	U	NS		NS		NS		NS		0.15	U	0.15	U	NS	
	24-Apr-14	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	0.077	U	0.23	U
	1-Aug-14	0.15	U	NS		0.23	U	0.23	U	NS		NS		NS		NS		0.15	U	NS		NS	
	27-Aug-14	NS		NS		NS		NS		0.077	U	NS		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12	U	NS		NS		NS	
	22-Oct-14	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS		0.12	U	0.12	U	0.15	U	NS	
	20-Jan-15	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.12	U	0.077	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.086	U	NS	
	22-Apr-15	NS		0.079	U	NS		NS		0.077	U	NS		0.077	U	0.11	U	0.077	U	NS		0.088	U
	21-Jul-15	0.4	U	NS		2	U	8	U	NS		0.4	U	NS		NS		0.4 ^o	U	0.4 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.4	U	NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.4	U	0.4	U	NS		0.4	U
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	20-Apr-16	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	20-Jul-16	0.38	U	NS		0.38	U	0.38	U	NS		0.38	U	NS		NS		0.38	U	0.38	U	NS	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.12		NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.55		NS	
	27-Mar-08	NS	U	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	NS		NS	U
	27-Jun-08	0.187	U	NS		NS		NS		0.12	U	NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.12	U	NS		NS		NS		NS		NS		NS		0.12	U	NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		NS	U
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	U
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	U
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	22-Jul-09	0.601	U	NS		24	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.12	U	NS	U
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	NS		NS	U
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.12	U	NS		0.12	U	0.12	U	NS		0.907	U	NS		NS		0.12	U	1.2	U	NS	U
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	U
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U	NS	U
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	NS		NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.1	U	NS		0.6	U	NS		NS		0.6	U	7.5		NS	U
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	U
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	U
	1-Nov-12	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	1-Feb-13	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	U
	29-Apr-13	NS		0.3	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jul-13	0.18	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	U
	18-Oct-13	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jan-14	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	U
	24-Apr-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.12	U	0.18	U
	1-Aug-14	0.12	U	NS		0.18	U	0.69		NS		NS		NS		NS		0.12	U	0.12	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		NS	U	NS	U
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	U
	20-Jan-15	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.18	U	0.12	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	U
	22-Apr-15	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.17	U	0.12	U	NS		0.14	U
	21-Jul-15	0.3	U	NS		0.900 ^J		6	U	NS		0.3	U	NS		NS		0.3 ^O	U	0.84 ^O		NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	U
	29-Oct-15	NS		0.3	U	NS		NS		4		NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Jan-16	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	U
	20-Apr-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	20-Jul-16	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	U

1,2-Dichlorobenzene

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.12		NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	NS	
	27-Mar-08	NS	U	0.12	U	NS		0.6		NS		0.12	U	NS		NS		NS	U	0.12	U	0.12	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		1.18		NS		NS		NS		3.47		0.62		0.22		NS	
	27-Jun-08	0.187	U	NS		NS		NS		0.257		NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.822		NS		NS		NS		NS		NS		NS		0.136		NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	0.12	U	NS	
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS		3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.36		NS	
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12		NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.595		NS		0.685		1.99		NS		0.907	U	NS		NS		0.132		0.162		NS	
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.12	U	NS		NS		0.42		NS		0.156		0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U	NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	1.6		NS		1.8		2.3		NS		1.6		NS		NS		1.9		2.7		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	2		0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
	1-Nov-12	NS		1.2		NS		NS		2.6		NS		6		2.2		NS		NS		0.12	U
	1-Feb-13	0.18		NS		0.34		0.56		NS		0.44		NS		NS		0.17		0.12	U	NS	
	29-Apr-13	NS		1.3		NS		NS		4.5		NS		6.5		6		0.12	U	NS		0.14	
	9-Jul-13	1.3		NS		2.0		3.9		NS		3.8		NS		NS		0.12	U	0.12	U	NS	
	18-Oct-13	NS		0.52		NS		NS		1.4		NS		2.6		2.2		0.16		NS		0.22	
	9-Jan-14	0.58		NS		0.9		1.1		NS		0.84		NS		NS		3.0		4.1		NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.14		NS		0.12	U	0.12	U	0.1	U	0.12	U	0.18	U
	1-Aug-14	4.2		NS		4.8/6.7		4.9/7.6		NS		NS		NS		NS		3.6		5.1/6.2		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.80		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.82		NS		NS	U	NS	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.2		0.12	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	22-Apr-15	NS		0.13		NS		NS		0.36		NS		1.5		0.78/0.87		0.12	U	NS		0.17	
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.30 ^J		NS		NS		0.3 ^O	U	0.3 ^O	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.12	U	NS		0.12	U	0.22 ^M		NS		0.12	U	NS		NS		0.21 ^M		0.12	U	NS	
	20-Apr-16	NS		0.31		NS		NS		0.51		NS		0.9		0.24		0.22		NS		0.21	
	20-Jul-16	0.60	U	NS		1.3		0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	1.56		NS		NS		NS		0.26		NS		NS		NS		9.5		7.91		NS	
	27-Mar-08	NS		4.33		NS		NS		NS		8.48		NS		NS		NS		6.28		15.1	
	25-Apr-08	NS		NS		0.347		NS		NS		NS		32.3		NS		17.9		NS		16.3	
	29-May-08	NS		NS		NS		5.5		NS		NS		NS		10		9.41		4.18		NS	
	27-Jun-08	47.3		NS		NS		NS		38.1		NS		NS		NS		NS		40.8		57.9	
	31-Jul-08	NS		2.46		NS		NS		NS		NS		NS		NS		1.84		NS		2.04	
	28-Aug-08	NS		NS		234		NS		NS		NS		214		NS		229		208		NS	
	30-Sep-08	NS		NS		NS		7.2		NS		NS		NS		3	U	NS		6.8		5.6	
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3		NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		4.7		NS		NS		10.3		17.1	
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	13.9		NS		27.2	
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3		NS	
	26-Mar-09	NS		5.43		NS		*		NS		4.87		NS		NS		NS		20.6		33	
	29-Apr-09	NS		NS		1.2		NS		NS		1.91		NS		NS		4.12		NS		4.25	
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.348		0.613		NS	
	9-Oct-09	NS		3.31		NS		NS		3.44		NS		2.79		25.1	U	6.95		NS		3.82	
	15-Jan-10	0.12		NS		1.06		0.715		NS		0.823		NS		NS		2		1.98		NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	3.27		NS		2.84	
	16-Jul-10	1.78		NS		2.3		2.86		NS		1.36		NS		NS		1.63		5.05		NS	
	15-Oct-10	NS		0.685		NS		NS		1.75		NS		1.37		1.48		1.8		NS		2.47	
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601		NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.985		NS		NS		1.08		NS		0.967		1.14		1.07		NS		1.24	
	26-Jul-11	5.45		NS		5.21		0.715		NS		5.26		NS		NS		5.54		4.69		NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.66		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
	1-Nov-12	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	1-Feb-13	0.12	U	NS		0.12	U	0.4		NS		0.12	U	NS		NS		0.12	U	0.12		NS	
	29-Apr-13	NS		0.3	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jul-13	0.18	U	NS		0.14		0.16		NS		0.18		NS		NS		0.18		0.22		NS	
	18-Oct-13	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jan-14	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.14		0.12	U	NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.12	U	0.18	U
	1-Aug-14	0.12	U	NS		0.18	U	0.18	U	NS		NS		NS		NS		0.12	U	0.12	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		NS	U	NS	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.18	U	0.13		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	22-Apr-15	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.17	U	0.12	U	NS		0.14	U
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.3	U	NS		NS		0.3 ^o	U	0.3 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.13		NS	
	20-Apr-16	NS		0.12	U	NS		NS		0.52		NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	20-Jul-16	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Dichlorodifluoromethane	8-Feb-08	2		NS		NS		NS		2.03		NS		NS		NS		1.92		2		NS	
	27-Mar-08	NS		2.29		NS		NS		NS		2.15		NS		NS		NS		2.72		4.14	
	25-Apr-08	NS		NS		2.01		NS		NS		NS		2.11		NS		2.04		NS		2.16	
	29-May-08	NS		NS		NS		1.63		NS		NS		NS		1.62		1.68		NS		NS	
	27-Jun-08	2.03		NS		NS		NS		2.52		NS		NS		NS		NS		2.27		2.48	
	31-Jul-08	NS		1.9		NS		NS		NS		NS		NS		NS		1.81		NS		1.87	
	28-Aug-08	NS		NS		3.13		NS		NS		NS		2.8		NS		2.75		2.88		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U	2.7	
	27-Oct-08	2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		215		NS		NS		NS		11.7		NS		NS		2.5	U	5.1		NS	
	18-Dec-08	NS		NS		25		NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		5.8		NS		NS		2.5	U
	25-Feb-09	2.5	U	NS		NS		NS		19.4		NS		NS		NS		2.5	U	3.4		NS	
	26-Mar-09	NS		2.55		NS		NS		NS		2.48		NS		NS		NS		2.46		2.41	
	29-Apr-09	NS		NS		2.41		NS		NS		3.78		NS		NS		2.26		NS		2.4	
	22-Jul-09	2.42		NS		2.42		2.72		NS		2.5		NS		NS		2.37		2.48		NS	
	9-Oct-09	NS		2.73		NS		NS		2.77		NS		3.67		51.6	U	2.64		NS		2.79	
	15-Jan-10	2.5		NS		3.57		2.52		NS		2.61		NS		NS		2.29		NS		2.25	
	21-Apr-10	NS		0.568		NS		NS		2.2		NS		2.59		2.2		2.64		NS		2.43	
	16-Jul-10	3.36		NS		2.61		2.55		NS		2.98		NS		NS		3.15		3.29		NS	
	15-Oct-10	NS		3.13		NS		NS		2.67		NS		2.43		2.41		2.46		NS		2.43	
	26-Jan-11	2.47	U	2.2		NS		2.64		NS		1.98		NS		2.57		3.31		3.24		NS	
	28-Feb-11	NS		NS		2.47	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.18		NS		NS		2.27		NS		2.26		2.5		2.32		NS		2.31	
	26-Jul-11	2.41		NS		2.29		2.28		NS		2.08		NS		NS		2.44		2.3		NS	
	28-Oct-11	NS		2.7		NS		NS		2.7		NS		2.7		2.7		2.9		NS		3.1	
	23-Jan-12	2.5		NS		2.6		2.6		NS		2.7		NS		NS		2.6		2.6		NS	
	13-Apr-12	NS		2.5		NS		NS		2.9		NS		2.4		3.2		2.5		NS		2.8	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	23-Jun-12	2.6		NS		2.3		2.5		NS		2.3		NS		NS		2.3		2.3		NS	
	1-Nov-12	NS		1.8		NS		NS		1.8		NS		NS		1.9		2		NS		1.9	
	1-Feb-13	1.4		NS		1.4		1.5		NS		1.6		NS		NS		1.6		1.6		NS	
	29-Apr-13	NS		2.6		NS		NS		2.3		NS		2.2		2.2		2.3		NS		2.3	
	9-Jul-13	1		NS		1.1		0.99		NS		1.1		NS		NS		1.0		NS		1.1	
	18-Oct-13	NS		2.0		NS		NS		1.9		NS		1.9		2.2		2.0		NS		2.1	
	9-Jan-14	1.5		NS		1.2		1.3		NS		1.4		NS		NS		1.5		1.5		NS	
	24-Apr-14	NS		2.7		NS		NS		2.6		NS		2.3		2.6		2.7		2.6		3.1	
	1-Aug-14	1.1		NS		2.2/1.5		2.3/1.6		NS		NS		NS		NS		1.6		2.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9/3.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		2.3		NS		NS		NS	
22-Oct-14	NS		1.3		NS		NS		1.4		1.4		1.4		1.4		1.4		1.4		NS		
20-Jan-15	0.099	U	NS		1.5		1.4		NS		1.4		NS		NS		1.4		1.5		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS		
22-Apr-15	NS		4.0 ^V		NS		NS		4.1 ^V		NS		1.8		1.7/2.0		1.8		NS		2.0		
21-Jul-15	0.88		NS		1.6		5	U	NS		0.91		NS		NS		NS		0.74 ^O		0.72 ^O		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.93		NS		NS		NS		
29-Oct-15	NS		1		NS		NS		0.89		NS		0.88		0.89		0.83		NS		0.84		
4-Dec-15 resample	NS		0.91		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	2 ^M		NS		2 ^M		2.1 ^M		NS		2.1 ^M		NS		NS		2.2 ^M		2.1 ^M		NS		
20-Apr-16	NS		1.5		NS		NS		1.6		NS		1.5		1.7		1.6		NS		1.7		
20-Jul-16	1.4		NS		1.6		1.6		NS		1.6		NS		NS		1.5		NS		1.5		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08		NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS	U	0.081	U	NS		NS		NS		0.081	U	NS		NS		NS	U	0.081	U	0.081	U
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.081	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		NS	U
	27-Jun-08	0.126	U	NS		NS		NS		0.081	U	NS		NS		NS		NS	U	0.081	U	0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		NS	U
	27-Oct-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS	U	2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	U
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS	U	2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	U
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS	U	0.081	U	0.081	U
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.081	U	NS		0.121		NS		0.081	U
	22-Jul-09	0.404	U	NS		16.5	U	0.801	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	U
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.137	U	NS		0.081	U	0.801	U	NS		0.081	U	NS		NS		0.081	U	NS		NS	U
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.081	U	NS		2.48		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	U
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	NS		0.081	U	NS		NS	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		7.37	U	NS		0.404	U	0.404	U	0.404	U	NS	U
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS	U	NS		NS	U
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jul-11	0.27	U	NS		0.27	U	0.081	U	NS		0.405	U	NS		NS		0.081	U	0.405	U	NS	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	U
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	U
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	U
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.040	U	NS	U
	29-Apr-13	NS		0.2	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jul-13	0.061	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	U
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.081	U	0.081	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	U
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.081	U	NS		0.280		0.120	U	NS		NS		NS		NS		0.081	U	0.081	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS	U	NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS	U	NS	U
	22-Oct-14	NS		0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081	U	NS	U
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.040	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS	U
	22-Apr-15	NS		0.041 ^v	U	NS		NS		0.04 ^v	U	NS		0.04	U	0.059	U	0.040	U	NS		0.047	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	U
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Jan-16	0.04	U	NS		0.044		0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	U
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.37		0.20	U	NS		0.51		NS		NS		0.20	U	0.20	U	NS	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08		NS		NS		NS		0.08	U	NS		NS		NS		0.09		0.08	U	NS	
	27-Mar-08	NS	U	0.081	U	NS		NS		NS		0.143		NS		NS		NS		0.081	U	0.1	
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	29-May-08	NS		NS		NS		0.09		NS		NS		NS		0.11		0.08	U	NS	U	NS	
	27-Jun-08	0.126	U	NS		NS		NS		0.153		NS		NS		NS		NS		0.11		0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.171		NS		NS		NS		NS		NS		0.081	U	NS	U	NS	
	27-Oct-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.08	U	0.08	U
	27-Oct-08	0.08	U	NS		NS		0.08	U	NS		NS		NS		NS		0.08	U	NS	U	0.095	
	25-Nov-08	NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		0.08	U	0.08	U	NS	
	18-Dec-08	NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		0.08	U	0.08	U
	21-Jan-09	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS	U	NS		0.08	U
	25-Feb-09	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.098		0.133	
	29-Apr-09	NS		NS		0.319		NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	22-Jul-09	0.404	U	NS		16.5	U	0.809	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	NS		0.081	U	NS		0.081	U
	15-Jan-10	0.081	U	NS		0.081	U	0.081	U	NS		0.081	U	NS		NS		0.081	U	NS	U	NS	
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.101		NS		1.44		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	NS		0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		0.404	U	NS		0.404	U	0.404	U	0.404	U	NS	
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	
	26-Jul-11	0.27	U	NS		0.27	U	0.101		NS		0.405	U	NS		NS		0.081	U	0.405	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.2	U	NS		0.2	U	0.2	U	NS		0.2	U	NS		NS		0.2	U	0.97		NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.057	
	1-Feb-13	0.053		NS		0.062		0.062		NS		0.05		NS		NS		0.066		0.049		NS	
	29-Apr-13	NS		0.19		NS		NS		0.06		NS		0.04	U	0.081		0.079		NS		0.094	
	9-Jul-13	0.12	U	NS		0.081	U	0.081		NS		0.081	U	NS		NS		0.092	U	0.081	U	NS	
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.081		0.040	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.040	U	0.073	
	1-Aug-14	0.040	U	NS		0.170		0.061	U	NS		NS		NS		NS		0.04	U	0.040	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS	U	NS	
	22-Oct-14			0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081	U	NS	
	20-Jan-15	0.040	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.100		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS	
	22-Apr-15	NS		0.17 ^v		NS		NS		0.087 ^v		NS		0.04	U	0.059	U	0.040	U	NS		0.047	U
	21-Jul-15	0.140 ^j		NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 ^o		0.86 ^o		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.18 ^j	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.057		0.042		NS		0.049		NS		NS		0.065		0.05		NS	
	20-Apr-16	NS		0.053		NS		NS		0.040	U	NS		0.040	U	0.049		0.058		NS		0.060	
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.28		NS		NS		0.21		0.20	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08		NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS	U	0.079	U	NS		NS		NS		0.079	U	NS		NS		NS	U	0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		NS	U
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS	U	0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		NS	U
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS	U	2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	U
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS	U	2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS	U	2	U	2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	U
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS	U	0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		16.2	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	U
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.137	U	NS		NS		0.079	U	NS		0.079	U	NS		NS		0.079	U	NS		NS	U
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.206	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	U
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		3.96	U	0.396	U	0.396	U	NS	U
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS	U	NS		NS	U
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	U
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	0.99	U	NS	U
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	U
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.040	U	NS	U
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	U
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.081	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	U
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.420	U	NS		NS		NS		NS		0.079	U	0.079	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS	U	NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	U	NS		NS	U
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	U
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	0.045	U	NS	U
	22-Apr-15	NS		0.041 ^v	U	NS		NS		0.040 ^v	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS	U	NS		NS	U
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.46	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS	U	NS		NS	U
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	U
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.21		0.20	U	NS		0.24		NS		NS		0.24		0.21		NS	

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08		NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS	U	0.079	U	NS		NS		NS		0.079	U	NS		NS		NS	U	0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08		NS		NS		NS		0.08	U	0.08	U	NS		NS	U
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS	U	0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		NS	U
	30-Sep-08	NS		NS		NS		5.9	U	NS		NS		NS		5.9	U	NS	U	5.9	U	5.9	U
	27-Oct-08	2	U	NS		NS		2	U	NS		NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	U
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS	U	2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	U
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS	U	0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		NS	U	NS		NS	U
	22-Jul-09	0.396	U	NS		595		0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	U
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.079	U	NS		NS		0.079	U	NS		0.079	U	NS		NS		0.079	U	NS		NS	U
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	U
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		0.396	U	0.396	U	0.396	U	NS	U
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS	U	NS		NS	U
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.53		NS	U
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	0.99		NS	U
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	U
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.04	U	NS	U
	29-Apr-13	NS		0.2	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.054		NS		NS		0.040	U	0.040	U	NS	U
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	U
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.120	U	NS		NS		NS		NS		0.079	U	0.079	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS	U	NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	U	NS		NS	U
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	U
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	0.045	U	NS	U
	22-Apr-15	NS		0.041 ^v	U	NS		NS		0.040 ^v	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.11 ^{j,o}		1.700 ^o		NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS	U	NS		NS	U
	29-Oct-15	NS		0.2	U	NS		NS		0.27		NS		0.4		0.31		0.2	U	NS		2.7	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS	U	NS		NS	U
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	U
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.2		NS		NS		0.21		0.20	U	NS	U

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS	U	0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		NS	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS	U	0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS	U	2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS	U	2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS	U	0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		NS	U	NS		NS	U
	22-Jul-09	0.396	U	NS		0.396	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	U
	9-Oct-09	NS		0.079	U	NS		NS		0.079		NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.079		NS		0.079		0.079		NS		0.079	U	NS		NS		0.079	U	NS		NS	U
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		3.96	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	U
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	NS		0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.36	U	NS		0.396	U	0.396	U	0.396	U	NS	U
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS	U	NS		NS	U
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	U
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	0.99	U	NS	U
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	U
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.04	U	NS	U
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	U
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	U
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.120	U	NS		NS		NS		NS		0.079	U	0.079	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS	U	NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	U	NS		NS	U
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	U
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	0.045	U	NS	U
	22-Apr-15	NS		0.041 ^v	U	NS		NS		0.040 ^v	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 ^o	U	2.000 ^o	U	NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS	U	NS		NS	U
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS	U	NS		NS	U
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	U
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.21		NS		NS		0.20	U	0.2		NS	U

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09		NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS	U	0.092	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS	
	27-Jun-08	0.144	U	NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	NS	
	30-Sep-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U	0.09	U
	27-Oct-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U
	25-Nov-08	NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		0.09	U	0.09	U	NS	
	18-Dec-08	NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		0.09	U	0.09	U
	21-Jan-09	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		0.09	U
	25-Feb-09	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	26-Mar-09	NS		0.462	U	NS		NS		NS		0.924	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	22-Jul-09	0.462	U	NS		18.8	U	0.924	U	NS		0.462	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	19.3	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	21-Apr-10	NS		0.092	U	NS		NS		0.462	U	NS		0.462	U	0.462	U	0.092	U	NS		0.092	U
	16-Jul-10	0.092	U	NS		0.092	U	0.092	U	NS		0.698	U	NS		NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jan-11	0.924	U	0.092	U	NS		0.092	U	NS		0.462	U	NS		0.462	U	0.462	U	0.462	U	NS	
	28-Feb-11	NS		NS		0.924	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.308	U	NS		0.308	U	0.092	U	NS		0.462	U	NS		NS		0.092	U	0.462	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
	1-Nov-12	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	1-Feb-13	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	29-Apr-13	NS		0.12	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.098	
	9-Jul-13	0.14	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	24-Apr-14	NS		0.046 ^{L-V}	U	NS		NS		0.046 ^{L-V}	U	NS		0.046 ^{L-V}	U	0.046 ^{L-V}	U	0.046 ^{L-V}	U	0.046 ^{L-V}	U	0.14 ^{L-V}	U
	1-Aug-14	0.092	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.092	U	0.092	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.046	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.069 ^{L-V}	U	NS		NS		NS	
	22-Oct-14	NS		0.069	U	NS		NS		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.092	U	NS	
	20-Jan-15	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.069	U	0.046	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.052	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.046	U	NS		0.046	U	0.067	U	0.046	U	NS		0.053	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 ^O	U	0.200 ^O	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	0.046	U	NS	
	20-Apr-16	NS		<-0.046		NS		NS		<-0.046		NS		<-0.046		<-0.046		<-0.046		NS		0.046	
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.27		NS		NS		0.29		0.24		NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS	U	0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS	U	0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		NS	
	27-Oct-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS	U	0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		0.18	U	NS		NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U	NS	
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS	U	0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS	U	NS		0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS	
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS	U	0.091	U	0.91	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		18.5	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091	U	NS		NS		0.091	U	NS		0.091	U	NS		NS		0.091	U	NS		NS	
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS	U	NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS	U	NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS	U	NS		NS	
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	NS	
	20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	0.051	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS	U	NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS	U	NS		NS	
	27-Jan-16	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09		NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS	U	0.091	U	NS		NS		NS		0.091	U	NS		NS		NS	U	0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09		NS	U	0.09	U	NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS	U	0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		NS	
	30-Sep-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U	NS	
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS	U	0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS	U	NS		0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS	
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS	U	0.091	U	0.091	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		NS	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		0.453	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091		NS		NS		0.091	U	NS		0.091	U	NS		NS		0.091	U	NS		NS	
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	NS		0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS	U	NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS	U	NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS	U	NS		NS	
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	NS	
	20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS	U	0.051	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS	U	NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS	U	NS		NS	
	27-Jan-16	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Ethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.33		4.89		NS	
	27-Mar-08	NS		0.295		NS		NS		NS		0.157		NS		NS		NS		0.645		0.372	
	25-Apr-08	NS		NS		0.291		NS		NS		NS		0.32		NS		NS		NS		0.565	
	29-May-08	NS		NS		NS		1.49		NS		NS		NS		2.2		2.82		1.01		NS	
	27-Jun-08	4.34		NS		NS		NS		0.472		NS		NS		NS		NS		0.606		0.699	
	31-Jul-08	NS		*		NS		NS		NS		NS		NS		NS		0.758		NS		0.577	
	28-Aug-08	NS		NS		0.83		NS		NS		NS		0.482		NS		0.711		0.666		NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	18.4		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.3		2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2		2.2	U	NS		2.2	U
	25-Feb-09	10.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS	
	26-Mar-09	NS		0.516		NS		NS		NS		0.868	U	NS		NS		NS		0.845		1.18	
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.191		NS		0.304		NS		0.325	
	22-Jul-09	11.7		NS		11.7		0.868	U	NS		1.15		NS		NS		38.2		1.04		NS	
	9-Oct-09	NS		0.564		NS		NS		0.56		NS		0.291		18.1	U	0.542		NS		0.542	
	15-Jan-10	6.95		NS		0.568		0.542		NS		0.659		NS		NS		0.712		NS		0.72	
	21-Apr-10	NS		0.304		NS		NS		1.34		NS		NS		1.8		1.76		2.12		NS	
	16-Jul-10	8.23		NS		2.4		1.8		NS		1.44		NS		NS		1.51		1.42		NS	
	15-Oct-10	NS		0.534		NS		NS		0.625		NS		0.521		0.573		1.07		NS		0.833	
	26-Jan-11	1.26		1.62		NS		1.66		NS		1.26		NS		1.21		4.14		4.68		NS	
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.243		NS		NS		0.239		NS		0.286		3.86		0.364		NS		0.508	
	26-Jul-11	3.91		NS		0.942		0.339		NS		0.434	U	NS		NS		0.304		0.434	U	NS	
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	2.2	U	3.8		NS		2.2	U
	23-Jan-12	3		NS		0.79		0.56		NS		0.82		NS		NS		1.7		12		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	1.5		NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2	U	NS	
	23-Jun-12	5.1		NS		0.53		0.43	U	NS		0.47		NS		NS		0.76		0.46		NS	
	1-Nov-12	NS		0.55		NS		NS		0.57		NS		0.8		0.75		0.87		NS		1.3	
	1-Feb-13	1.3		NS		0.18		0.15		NS		0.23		NS		NS		0.54		NS		0.52	
	29-Apr-13	NS		0.33		NS		NS		0.39		NS		0.37		0.49		0.63		NS		0.8	
	9-Jul-13	5.1		NS		0.087	U	0.68		NS		0.59		NS		NS		1.1		1.0		NS	
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.0		2.6		1.5		NS		1.9	
	9-Jan-14	2.7		NS		2.0		2.6		NS		2.8		NS		NS		6.2		5.5		NS	
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.092		0.087	U	0.49	
	1-Aug-14	1.7		NS		0.84		0.65		NS		NS		NS		NS		0.45		0.85		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.96		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.79		NS		NS	U	NS	
22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.15	U	0.13	U	0.27		0.27		NS		
20-Jan-15	0.400		NS		0.087	U	0.096		NS		0.087	U	NS		NS		0.24		0.29		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
22-Apr-15	NS		0.22		NS		NS		0.12		NS		0.26		0.21/0.24		0.44		NS		0.53		
21-Jul-15	0.54		NS		0.590 ^J	U	4		NS		0.56	U	NS		NS		0.65 ^O		0.90 ^O		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.41		NS		NS		NS		
29-Oct-15	NS		0.2	U	NS		NS		0.14 ^J		NS		0.22 ^J		0.28		0.27		NS		0.33		
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.63		NS		0.087		0.12		NS		0.12		NS		NS		0.51		0.54		NS		
20-Apr-16	NS		0.3		NS		NS		0.39		NS		0.56		0.34		0.71		NS		0.61		
20-Jul-16	5.8		NS		0.75		0.43	U	NS		0.5		NS		NS		2.7		1.1		NS		

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.46	U	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS	
	27-Mar-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		NS	U	2.46	U	2.46	U
	25-Apr-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	29-May-08	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS		NS	
	27-Jun-08	3.83	U	NS		NS		NS		2.46	U	NS		NS		NS		NS		2.46	U	2.46	U
	31-Jul-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		2.46	U	NS		2.46	U
	28-Aug-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	2.46	U	NS	
	30-Sep-08	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U	4.9	U
	27-Oct-08	5.2		NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U
	25-Nov-08	NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		5.9	U	4.9	U	NS	
	18-Dec-08	NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		4.9	U	4.9	U
	21-Jan-09	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS		4.9	U
	25-Feb-09	4.9	U	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS	
	26-Mar-09	NS		12.3	U	NS		NS		NS		24.6	U	NS		NS		NS		2.46	U	2.46	U
	29-Apr-09	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	22-Jul-09	12.3	U	NS		12.3	U	24.6	U	NS		12.3	U	NS		NS		3.78		2.46	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.46	U	NS		2.46	U	513	U	2.46	U	NS		2.46	U
	15-Jan-10	2.46	U	NS		2.46	U	2.46	U	NS		2.46	U	NS		NS		2.46	U	2.46	U	NS	
	21-Apr-10	NS		2.46	U	NS		NS		12.3	U	NS		12.3	U	12.3	U	2.46	U	NS		2.46	U
	16-Jul-10	2.46	U	NS		2.66		2.46	U	NS		18.5	U	NS		NS		2.46	U	2.46	U	NS	
	15-Oct-10	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jan-11	24.6	U	2.46	U	NS		2.46	U	NS		12.3	U	NS		12.3	U	12.3	U	12.3	U	NS	
	28-Feb-11	NS		NS		24.6	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jul-11	8.21	U	NS		8.21	U	2.46	U	NS		12.3	U	NS		NS		2.46	U	12.3	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	0.25	U	NS		1.2	U	NS		NS		1.2	U	1.4		NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.27		0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.53		0.49		NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25		NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37	U	NS		NS	U	NS	
	22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	21-Jul-15	0.140 ^J		NS		1	U	5	U	NS		0.19 ^J		NS		NS		0.21 ^{J,O}		0.20 ^{J,O}		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.2	U	NS		1.2	U,M,W	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74		NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS	U	2.74	U	NS		1.2		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	12.5		NS		NS		NS		5.5	U	NS		NS		NS		18.5		NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.72	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	NS		NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	NS		6.3	U	NS		6.3	U
	23-Jan-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	13-Apr-12	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.3	U	NS	
	23-Jun-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.27	U	0.25	U	0.29	U	NS		0.45	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.63	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.38	U	NS		0.28		0.29		NS		0.29		NS		NS		0.36		NS		0.53	
	18-Oct-13	NS		0.38		NS		NS		0.25	U	NS		0.25	U	0.51		0.25	U	NS		0.54	
	9-Jan-14	0.25	U	NS		0.33		0.040		NS		0.25	U	NS		NS		1.2		NS		NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.072	U	0.25	U	0.25	U	0.54	
	1-Aug-14	0.70		NS		0.88		1.4		NS		NS		NS		NS		0.45		NS		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.38		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.66		NS		NS	U	NS	
	22-Oct-14	NS		0.38 ^L	U	NS		NS		0.38 ^L	U	0.38 ^L	U	0.38 ^L	U	0.38 ^L	U	0.38 ^L	U	0.50 ^L	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.51		NS		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.16 ^J	U	NS		NS		0.15 ^{J,O}		0.30 ^O	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.19 ^J	U	NS		0.5	U	0.3	U	0.3	U	NS		0.19 ^J	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3	U,M,W	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.07		NS		NS		NS		0.07	U	NS		NS		NS		0.14		0.07	U	NS	
	27-Mar-08	NS	U	0.072	U	NS		NS		NS		0.072	U	NS		NS		NS		0.165		0.126	
	25-Apr-08	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072		NS		0.079	
	29-May-08	NS		NS		NS		0.07	U	NS		NS		NS		0.07	U	0.07		NS		NS	
	27-Jun-08	0.436		NS		NS		NS		0.072	U	NS		NS		NS		NS		0.072	U	0.072	U
	31-Jul-08	NS		0.072	U	NS		NS		NS		NS		NS		NS		0.072	U	NS		0.072	U
	28-Aug-08	NS		NS		0.106		NS		NS		NS		0.072	U	NS		0.172	U	0.14		NS	
	30-Sep-08	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		1.8	U	1.8	U
	27-Oct-08	1.8	U	NS		NS		2.6		NS		NS		NS		3.2		NS		NS		5.8	
	25-Nov-08	NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U	NS	
	18-Dec-08	NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U
	21-Jan-09	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U
	25-Feb-09	5.8		NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	1.8	U	NS	
	26-Mar-09	NS		0.36	U	NS		NS		NS		0.72	U	NS		NS		NS		0.072	U	0.072	U
	29-Apr-09	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.072	U
	22-Jul-09	0.36	U	NS		0.36	U	0.72	U	NS		0.36	U	NS		NS		0.072	U	0.072	U	NS	
	9-Oct-09	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	15	U	0.086		NS		0.083	
	15-Jan-10	0.079		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	21-Apr-10	NS		0.072	U	NS		NS		0.36	U	NS		3.6	U	0.36	U	0.072	U	NS		0.072	U
	16-Jul-10	0.072	U	NS		0.072	U	0.072	U	NS		0.544	U	NS		NS		0.072	U	0.072	U	NS	
	15-Oct-10	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	26-Jan-11	0.72	U	0.072	U	NS		0.072	U	NS		0.396	U	NS		0.36	U	0.36	U	0.36	U	NS	
	28-Feb-11	NS		NS		0.72	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	26-Jul-11	0.24	U	NS		0.24	U	0.072	U	NS		0.36	U	NS		NS		0.072	U	0.36	U	NS	
	28-Oct-11	NS		1.8	U	NS		NS		1.8	U	NS		1.8	U	1.8	U	1.8	U	NS		1.8	U
	23-Jan-12	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	13-Apr-12	NS		0.36	U	NS		NS		0.36	U	NS		0.36	U	0.36	U	0.36	U	NS		0.36	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.8	U	NS	
	23-Jun-12	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	1-Nov-12	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	1-Feb-13	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	29-Apr-13	NS		0.18	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	9-Jul-13	0.17		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	18-Oct-13	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	9-Jan-14	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	24-Apr-14	NS		0.072	U	NS		NS		0.072	U	NS		0.077	U	0.072	U	0.072	U	0.072	U	0.11	U
	1-Aug-14	0.072	U	NS		0.11	U	0.12		NS		NS		NS		NS		0.072	U	0.072	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.072	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.11	U	NS		NS		NS	
	22-Oct-14	NS		0.11	U	NS		NS		0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.14	U	NS	
	20-Jan-15	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.11	U	0.072	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.081	U	NS	
	22-Apr-15	NS		0.074 ^v	U	NS		NS		0.072 ^v	U	NS		0.072	U	0.10	U	0.072	U	NS		0.083	U
	21-Jul-15	0.2	U	NS		0.7	U	4		NS		0.2	U	NS		NS		0.200 ^o	U	0.200 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.096 ^j	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	20-Apr-16	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	20-Jul-16	0.36	U	NS		0.46		0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.34		NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS	
	27-Mar-08	NS		1.74	U	NS		NS		NS		2.87		NS		NS		NS	U	2.1	U	1.74	U
	25-Apr-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	29-May-08	NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	2.91		1.74	U	NS	
	27-Jun-08	4.33	U	NS		NS		NS		3.69		NS		NS		NS		NS		2.78	U	2.78	U
	31-Jul-08	NS		1.74	U	NS		NS		NS		NS		NS		NS		1.74	U	NS		1.74	U
	28-Aug-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	1.74	U	NS	
	30-Sep-08	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U	1.7	U
	27-Oct-08	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U
	25-Nov-08	NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U	NS	
	18-Dec-08	NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U
	21-Jan-09	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U	NS		1.7	U
	25-Feb-09	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U	NS	UI
	26-Mar-09	NS		16.1		NS		NS		NS		17.4	U	NS		NS		NS		1.74	U	1.8	
	29-Apr-09	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	22-Jul-09	86.8	U	NS		8.68	U	17.4	U	NS		8.68	U	NS		NS		1.74	U	1.74	U	NS	
	9-Oct-09	NS		1.74	U	NS		NS		1.74	U	NS		1.74	U	362	U	1.74	U	NS		1.74	U
	15-Jan-10	1.74	U	NS		1.74	U	1.74	U	NS		1.74	U	NS		NS		1.74	U	1.74	U	NS	
	21-Apr-10	NS		1.74	U	NS		NS		0.868	U	NS		8.68	U	8.68	U	1.74	U	NS		1.74	
	16-Jul-10	24		NS		21.5		19.5		NS		26.2	U	NS		NS		27.1		26.5		NS	
	15-Oct-10	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	NS		3.47	U
	26-Jan-11	34.7	U	3.47	U	NS		3.47	U	NS		0.404	U	NS		17.4	U	17.4	U	17.4	U	NS	
	28-Feb-11	NS		NS		34.7	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	NS		3.47	U
	26-Jul-11	11.6	U	NS		11.6	U	3.47	U	NS		17.4	U	NS		NS		5.7		17.4	U	NS	
	28-Oct-11	NS		17	U	NS		NS		17	U	NS		17	U	17	U	140		NS		17	U
	23-Jan-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	
	13-Apr-12	NS		4.6		NS		NS		7.3		NS		3.5	U	4.6		3.9		NS		3.5	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		17		U		NS	
	23-Jun-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	
	1-Nov-12	NS		0.74		NS		NS		1.1		NS		0.69	U	1.1		0.69	U	NS		6.2	
	1-Feb-13	2		NS		0.93		1.6		NS		1.1		NS		NS		0.9		NS		2.1	
	29-Apr-13	NS		1.7	U	NS		NS		1.4		NS		0.93		1.8		1.1		NS		1.4	
	9-Jul-13	1.8		NS		25		1.2		NS		1.1		NS		NS		31		3.6		NS	
	18-Oct-13	NS		0.69	U	NS		NS		0.69	U	NS		0.69	U	0.77		0.69	U	NS		0.74	
	9-Jan-14	0.85		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	1.3		NS	
	24-Apr-14	NS		NS		0.90		NS		6.7		NS		2.8		1.5		0.69	U	0.69	U	1.0	U
	1-Aug-14	1.0		NS		1.7		1.7		NS		NS		NS		NS		1.1		1.1		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS	U	NS	
	22-Oct-14	NS		1.7		NS		NS		1.0	U	1.7		1.4		1.0	U	2.0		3.0		NS	
	20-Jan-15	33		NS		27		25		NS		31		NS		NS		32		0.69	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		40		NS	
	22-Apr-15	NS		0.85 ^v		NS		NS		1.00 ^v		NS		0.73		2.5/2.3		1.0		NS		1.3	
	21-Jul-15	2.1		NS		3.5		3.1 ^j		NS		1.5		NS		NS		1.7 ^o		2.4 ^o		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		2.4		NS		NS		NS	
	29-Oct-15	NS		1.6		NS		NS		1.4		NS		3.6		2.7		2		NS		4.7	
	4-Dec-15 resample	NS		1.6		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.3		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	20-Apr-16	NS		0.69	U	NS		NS		0.69	U	NS		1.7		0.69	U	4.4		NS		0.86	
	20-Jul-16	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	8.6		NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.05		NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	8.7		NS	
	27-Mar-08	NS	U	2.05	U	NS		NS		NS		NS		NS		NS		NS		15.2		2.05	U
	25-Apr-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	29-May-08	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	2.05	U	2.05	U	NS	
	27-Jun-08	3.19	U	NS		NS		NS		2.05	U	NS		NS		NS		NS		2.05	U	2.05	U
	31-Jul-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		2.05	U	NS		2.05	U
	28-Aug-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	2.05	U	NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		3.5		NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		10.2	U	NS		NS		NS		20.5	U	NS		NS		NS		2.05	U	2.05	U
	29-Apr-09	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	22-Jul-09	10.2	U	NS		10.2	U	20.5	U	NS		10.2	U	NS		NS		2.05	U	2.05	U	NS	
	9-Oct-09	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	427	U	2.05	U	NS		2.05	U
	15-Jan-10	2.05	U	NS		2.05	U	2.05	U	NS		2.05	U	NS		NS		2.05	U	2.05	U	NS	
	21-Apr-10	NS		2.05	U	NS		NS		10.2	U	NS		10.2	U	10.2	U	2.05	U	NS		2.05	U
	16-Jul-10	2.05	U	NS		2.05	U	2.05	U	NS		15.4	U	NS		NS		2.05	U	2.05	U	NS	
	15-Oct-10	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	2.05	U	2.05	U	NS		2.05	U
	26-Jan-11	20.5	U	2.05	U	NS		2.05	U	NS		10.2	U	NS		10.2	U	10.2	U	10.2	U	NS	
	28-Feb-11	NS		NS		20.5	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	2.05	U	2.05	U	NS		3.35	
	26-Jul-11	6.84	U	NS		0.684	U	2.05	U	NS		10.2	U	NS		NS		2.05	U	10.2	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.41	U	NS		0.44		0.41	U	NS		0.41	U	NS		NS		0.41	U	1.8		NS	
	13-Apr-12	NS		0.41	U	NS		NS		0.41	U	NS		0.41	U	0.41	U	0.41	U	NS		0.41	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2	U	NS	
	23-Jun-12	0.41	U	NS		0.41	U	0.41	U	NS		0.41	U	NS		NS		0.41	U	0.46		NS	
	1-Nov-12	NS		0.89		NS		NS		0.65		NS		0.9		0.84		1.1		NS		1.1	
	1-Feb-13	0.12		NS		0.082	U	0.082	U	NS		0.095		NS		NS		0.082	U	0.29		NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.21		NS		0.21		0.082	U	0.86		NS		0.78	
	9-Jul-13	0.66		NS		0.55		0.47		NS		0.51		NS		NS		0.92		NS		NS	
	18-Oct-13	NS		1.8		NS		NS		2.7		NS		2.2		2.3		3.0		NS		3.8	
	9-Jan-14	0.18		NS		0.15		0.21		NS		0.082	U	NS		NS		0.21		0.77		NS	
	24-Apr-14	NS		0.087		NS		NS		0.082	U	NS		0.13		0.082	U	0.38		0.32		0.66	
	1-Aug-14	0.64		NS		1.0/0.74		1.1/0.86		NS		NS		NS		NS		1.30		2.4/2.0		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.4		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS	U	NS	
	22-Oct-14	NS		0.13		NS		NS		0.12	U	0.12	U	0.26		0.12	U	0.78		0.73		NS	
	20-Jan-15	0.087		NS		0.085		0.12		NS		0.088		NS		NS		0.35		5.8		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.77		NS	
	22-Apr-15	NS		0.57		NS		NS		0.34		NS		0.85		0.39/0.40		0.87		NS		0.88	
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		1.4 ^o		2.7 ^o		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.97		NS		0.42	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.082	U	NS		0.082	U	0.082	U	NS		0.082	U	NS		NS		0.61		0.88		NS	
	20-Apr-16	NS		0.082	U	NS		NS		0.084		NS		0.21		0.15		0.7		NS		0.74	
	20-Jul-16	0.41	U	NS		1.2		0.59		NS		0.82		NS		NS		2.4		1.7		NS	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09		NS		NS		NS		0.09	U	NS		NS		NS		0.3		3.15		NS	
	27-Mar-08	NS	U	0.1		NS		NS		NS		0.177		NS		NS		NS		0.206		0.404	
	25-Apr-08	NS		NS		0.244		NS		NS		NS		1.07		NS		0.559		NS		0.351	
	29-May-08	NS		NS		NS		0.17		NS		NS		NS		0.3		NS		0.36		NS	
	27-Jun-08	0.732		NS		NS		NS		0.354		NS		NS		NS		NS		0.598		0.59	
	31-Jul-08	NS		0.276		NS		NS		NS		NS		NS		NS		0.255		NS		0.17	
	28-Aug-08	NS		NS		1.22		NS		NS		NS		0.754		NS		1.02		NS		1.01	
	30-Sep-08	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U	2.1	U
	27-Oct-08	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U
	25-Nov-08	NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U	NS	
	18-Dec-08	NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U
	21-Jan-09	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS		2.1	U
	25-Feb-09	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS	
	26-Mar-09	NS		0.851	U	NS		NS		NS		1.7	U	NS		NS		NS		0.292		0.361	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.085	U	NS		0.098		NS		0.243	
	22-Jul-09	0.426	U	NS		0.426	U	0.851	U	NS		0.426	U	NS		NS		0.6		0.149		NS	
	9-Oct-09	NS		0.085	U	NS		NS		0.098		NS		0.085	U	17.8	U	0.153		NS		0.204	
	15-Jan-10	0.106		NS		0.119		0.089		0.098		0.098		NS		NS		0.128		NS		NS	
	21-Apr-10	NS		0.085	U	NS		NS		0.426	U	NS		0.426	U	0.426	U	0.481		NS		0.579	
	16-Jul-10	0.57		NS		0.911		0.66		NS		0.643	U	NS		NS		0.34		0.864		NS	
	15-Oct-10	NS		0.698		NS		NS		1.12		NS		0.779		0.919		0.877		NS		1.52	
	26-Jan-11	0.851	U	0.162		NS		0.179		NS		0.426	U	NS		0.426	U	0.426		0.617		NS	
	28-Feb-11	NS		NS		0.851	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.311		NS		NS		0.302		NS		0.366		0.4		0.753		NS		0.749	
	26-Jul-11	0.724		NS		0.779		0.868		NS		0.788	U	NS		NS		1.23		0.681		NS	
	28-Oct-11	NS		2.1	U	NS		NS		2.1	U	NS		2.1	U	2.1	U	2.1	U	NS		2.1	U
	23-Jan-12	0.84		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.46		16		NS	U
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.43	U	NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U	NS	
	23-Jun-12	1.7		NS		1.4		1.9		NS		1.9		NS		NS		2.4		2.6		NS	
	1-Nov-12	NS		0.14		NS		NS		0.15		NS		0.46		0.17		0.3		NS		0.34	
	1-Feb-13	0.085	U	NS		0.085		0.085	U	NS		0.085	U	NS		NS		0.22		NS		NS	
	29-Apr-13	NS		0.22		NS		NS		0.27		NS		0.3		0.36		0.53		NS		0.53	
	9-Jul-13	0.43		NS		0.60		0.39		NS		0.43		NS		NS		0.12		NS		NS	
	18-Oct-13	NS		0.25		NS		NS		0.26		NS		0.35		0.35		0.50		NS		0.57	
	9-Jan-14	0.10		NS		0.10		0.12		NS		0.14		NS		NS		0.44		0.53		NS	
	24-Apr-14	NS		0.085		NS		NS		0.085	U	NS		0.085	U	0.085	U	0.21		0.21		0.28	
	1-Aug-14	0.32		NS		0.64		2.8/3.8		NS		NS		NS		NS		0.45		0.51		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.7/2.9		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.81		NS		NS	U	NS	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.18		0.13	U	1.1		0.98		NS	
	20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.67		0.085	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	22-Apr-15	NS		0.098		NS		NS		0.085	U	NS		0.099		0.12	U	1.6		NS		0.80	
	21-Jul-15	0.160 ^J		NS		0.460 ^J	U	4	U	NS		0.23 ^J		NS		NS		1.3 ^O		2.9 ^O		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.13 ^J		NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.21 ^J		NS		0.4	U	0.2	U	0.71		NS		0.8	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		1.3		3.7		NS	
	20-Apr-16	NS		0.085	U	NS		NS		0.09		NS		0.13		0.085	U	1.5		NS		0.52	
	20-Jul-16	0.79	L	NS		0.88	L	0.97	L	NS		1.0	L	NS		NS		3.9	L	5.9	L	NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1,1,2-Tetrachloroethane	8-Feb-08	0.14		NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS	U	0.137	U	NS		NS		NS		0.137	U	NS		NS		NS	U	0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS		NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		NS	
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS	
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U	NS	
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U
	21-Jan-09	NS		NS		NS		0.19		NS		NS		NS		0.14	U	NS		0.14	U	NS	
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U
	22-Jul-09	0.686	U	NS		28	U	1.37	U	NS		0.686	U	NS		NS		0.137	U	0.137	U	NS	
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U
	15-Jan-10	0.109	U	NS		NS		0.137	U	1.37	U	NS		0.137	U	NS		0.137	U	NS		NS	
	21-Apr-10	NS		0.137	U	NS		NS		NS		0.686	U	NS		0.686	U	0.137	U	NS		0.137	U
	16-Jul-10	0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		1.04	U	NS		0.137	U	0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		0.137	U	0.687	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	NS		6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		NS		1.2	U	NS		1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		NS		0.25	U	NS		0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		NS		0.25	U	NS		NS		NS		NS		NS		0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		NS		0.25	U	NS		0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		0.036	U	NS		NS	
	18-Oct-13	NS		0.25	U	NS		NS		NS		0.25	U	NS		0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25 ¹	U	NS		NS		0.25 ¹	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25	U	NS		0.37	U	0.37	U	NS		NS		NS		NS		NS		0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	
20-Jan-15	0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		NS		0.37	U	0.25	U	
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS		
22-Apr-15	NS		0.29	U	NS		NS		NS		0.25	U	NS		0.36	U	0.25	U	NS		0.29	U	
27-Jan-16	0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U	NS		
20-Apr-16	NS		0.25	U	NS		NS		NS		0.25	U	NS		0.25	U	NS		NS		NS		
20-Jul-16	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS		

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual			Qual		Qual	
	8-Feb-08	0.14		NS		NS		NS		0.14		NS		NS		NS		0.14		0.14		NS	
	27-Mar-08	NS	U	0.137	U	NS		NS		NS	U	0.137	U	NS		NS		NS	U	0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	NS	U
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS	U
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U	NS	U
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U
	21-Jan-09	NS		NS		NS		0.14	U	NS		NS		NS		NS		0.14	U	NS		0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	U
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	22-Jul-09	0.686	U	NS		28	U	0.137	U	NS		0.686	U	NS		NS		0.137	U	0.137	U	NS	U
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U
	15-Jan-10	0.109	U	NS		0.137	U	0.137	U	NS		0.109	U	NS		NS		0.137	U	0.137	U	NS	U
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	0.137	U	NS		0.137	U
	16-Jul-10	0.137	U	NS		0.137	U	0.137	U	NS		1.04	U	NS		NS		0.137	U	0.137	U	NS	U
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	U
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		0.137	U	0.687	U	NS	U
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	NS		3.4	U	NS		3.4	U
	23-Jan-12	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	U
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	U
	23-Jun-12	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	U
	1-Nov-12	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	1-Feb-13	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.12	U	0.069	U	NS	U
	29-Apr-13	NS		0.17	U	NS		NS		0.069	U	NS		0.069	U	0.69	U	0.069	U	NS		0.069	U
	9-Jul-13	0.10	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.010	U	0.069	U	NS	U
	18-Oct-13	NS		0.14	U	NS		NS		0.14	U	NS		0.14	U	0.14	U	0.140	U	NS		0.14	U
	9-Jan-14	0.14	U	NS		0.14	U	0.14	U	NS		0.14	U	NS		NS		0.140	U	0.14	U	NS	U
	24-Apr-14	NS		0.069	U	NS		NS		0.069 ^L	U	NS		0.069 ^L	U	0.069 ^{L-V}	U	0.069 ^L	U	0.069	U	0.21	U
	1-Aug-14	0.14	U	NS		0.21	U	0.21	U	NS		NS		NS		NS		0.140	U	0.14	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.069 ^L	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	22-Oct-14	NS		0.10	U	NS		NS		0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.14	U	NS	U
	20-Jan-15	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.10	U	0.069	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	NS	U
	22-Apr-15	NS		0.070	U	NS		NS		0.069	U	NS		0.069	U	0.10	U	0.069	U	NS		0.079	U
	21-Jul-15	0.3	U	NS		1	U	7	U	NS		0.4	U	NS		NS		0.300 ^O	U	0.400 ^O	U	NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	U
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Jan-16	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS	U
	20-Apr-16	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	20-Jul-16	0.34	U	NS		0.34	U	0.34	U	NS		0.34	U	NS		NS		0.34	U	0.34	U	NS	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.35		NS		NS		NS		0.14	U	NS		NS		NS		0.53		5.05		NS	
	27-Mar-08	NS		0.888		NS		NS		NS		0.875		NS		NS		NS		6.99		5.25	
	25-Apr-08	NS		NS		0.322		NS		NS		NS		0.99		NS		0.83		NS		0.867	
	29-May-08	NS		NS		NS		1.36		NS		NS		NS		0.24		0.3		3.21		NS	
	27-Jun-08	1.32		NS		NS		NS		29.6		NS		NS		NS		NS		5.08		1.8	
	31-Jul-08	NS		0.667		NS		NS		NS		NS		NS		NS		0.618		NS		0.572	
	28-Aug-08	NS		NS		1.55		NS		NS		NS		1.52		NS		1.37		6.26		NS	
	30-Sep-08	NS		NS		NS		3.4		NS		NS		NS		3.4	U	NS		6.1		3.4	U
	27-Oct-08	4.2	U	NS		NS		NS		10		NS		NS		NS		4.2	U	NS		4.2	U
	25-Nov-08	NS		21.3		NS		NS		NS		4.6		NS		NS		3.4	U	8.9		NS	U
	18-Dec-08	NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		NS		3.4	U	3.4	U
	21-Jan-09	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	3.4	U	NS		3.4	U
	25-Feb-09	3.4	U	NS		NS		NS		8.3		NS		NS		NS		3.4	U	3.7		NS	U
	26-Mar-09	NS		1.28		NS		NS		NS		1.36	U	NS		NS		NS		7.11		2.08	
	29-Apr-09	NS		NS		0.271		NS		NS		NS		0.305		NS		0.237		NS		0.691	
	22-Jul-09	1.63		NS		1.63		2.1		NS		3.08		NS		NS		11.8		3.25		NS	
	9-Oct-09	NS		0.556		NS		NS		2.07		NS		0.678		28.3	U	1.17		NS		1.46	
	15-Jan-10	1.31		NS		0.644		1.35		NS		0.691		NS		NS		0.447		0.501		NS	
	21-Apr-10	NS		7.2		NS		NS		31.4		NS		35.5		36.8		62.1		NS		36.1	
	16-Jul-10	12.4		NS		12.7		10.9		NS		10		NS		NS		15.4		19.2		NS	
	15-Oct-10	NS		21.9		NS		NS		37.6		NS		21.3		21.8		22.1		NS		31.6	
	26-Jan-11	1.36	U	0.691		NS		1.27		NS		0.678	U	NS		0.813		2.13		8.3		NS	
	28-Feb-11	NS		NS		1.36	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.44		NS		NS		7.22		NS		1.53		1.56		1.46		NS		1.98	
	26-Jul-11	3.34		NS		0.834		2.59		NS		9.29		NS		NS		0.976		6.78		NS	
	28-Oct-11	NS		3.4	U	NS		8.5		NS		3.4	U	NS		3.4	U	NS		NS		3.4	U
	23-Jan-12	1		NS		0.68	U	1.7		NS		5.3		NS		NS		0.76		26		NS	
	13-Apr-12	NS		19		NS		NS		18		NS		12		18		18		NS		15	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		9.6		NS	
	23-Jun-12	1.5		NS		0.68	U	3.5		NS		0.8		NS		NS		0.68	U	8.9		NS	
	1-Nov-12	NS		7.4		NS		NS		11		NS		0.78		0.57		1.3		NS		1.6	
	1-Feb-13	1.8		NS		0.76		0.99		NS		4.5		NS		NS		1.8		7.7		NS	
	29-Apr-13	NS		8.1		NS		NS		4.7		NS		1.1		1		1.3		NS		1.8	
	9-Jul-13	2.0		NS		2.1		3.1		NS		2.9		NS		NS		2.6		8.8		NS	
	18-Oct-13	NS		14		NS		NS		7.3		NS		0.61		0.32		0.32		NS		1.4	
	9-Jan-14	0.6		NS		0.22		1.1		NS		1.8		NS		NS		0.46		11		NS	
	24-Apr-14	NS		4.7		NS		NS		5.7		NS		0.41		0.068	U	0.51		10		0.30	
	1-Aug-01	2.3		NS		3.3/4.9		2.1		NS		NS		NS		NS		0.97		4.0/5.9		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.4/3.5		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS	U	NS	
	22-Oct-14	NS		6.9		NS		NS		5.0		0.61		0.43		0.10	U	0.10	U	4.0		NS	
	20-Jan-15	0.9		NS		0.20		0.37		NS		1.0		NS		NS		0.52		0.21		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.0		NS	
	22-Apr-15	NS		5.3		NS		NS		2.6		NS		0.85		0.48/0.52		1.7		NS		1.5	
	21-Jul-15	0.34		NS		1	U	7	U	NS		3.2		NS		NS		0.44 ^o		4.0 ^o		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS		NS	
	29-Oct-15	NS		18		NS		NS		3.6		NS		1.2		6.6		0.18 ^j		NS		0.65	
	4-Dec-15 resample	NS		14		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	3.1		NS		0.19		0.71		NS		0.63		NS		NS		0.19		6.7		NS	
	20-Apr-16	NS		9.7		NS		NS		3.4		NS		0.22		0.11		0.14		NS		0.47	
	20-Jul-16	0.5		NS		0.99		1.6		NS		4.8		NS		NS		0.71		5.6		NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Toluene	8-Feb-08	1.63		NS		NS		NS		1.8		NS		NS		NS		2.72		455		NS		
	27-Mar-08	NS		2.24		NS		NS		NS		1.45		NS		NS		NS		11.3		16.1		
	25-Apr-08	NS		NS		1.39		NS		NS		NS		1.34		NS		11.2		NS		21.8		
	29-May-08	NS		NS		NS		7.74		NS		NS		NS		11.6		21		13		NS		
	27-Jun-08	14.7		NS		NS		NS		2.33		NS		NS		NS		NS		10.6		22.2		
	31-Jul-08	NS		4.15		NS		NS		NS		NS		NS		NS		10.2		NS		6.11		
	28-Aug-08	NS		NS		6.48		NS		NS		NS		3.44		NS		10		11.2		NS		
	30-Sep-08	NS		NS		NS		1.9	U	NS		NS		NS		6.1		NS		7.5		8.6		
	27-Oct-08	56.3		NS		NS		NS		3.2		NS		NS		NS		6.6		NS		8.2		
	25-Nov-08	NS		7.8		NS		NS		NS		7.8		NS		NS		29.9		18.6		NS		
	18-Dec-08	NS		NS		2		NS		NS		NS		1.9	U	NS		NS		4.8		4.9		
	21-Jan-09	NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	1.9	U	NS		1.9	U	
	25-Feb-09	7		NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	13.8		NS		
	26-Mar-09	NS		3.53		NS		NS		NS		3.92		NS		NS		NS		7.23		9.75		
	29-Apr-09	NS		NS		1.99		NS		NS		NS		0.651		NS		0.149		NS		4.56		
	22-Jul-09	38.7		NS		38.7		2.22		NS		4.71		NS		NS		80.1		5.32		NS		
	9-Oct-09	NS		3.53		NS		NS		3.06		NS		1.07		23.6		3.12		NS		3.67		
	15-Jan-10	12.8		NS		4.17		4.33		NS		5.81		NS		NS		4.81		4.85		NS		
	21-Apr-10	NS		0.9		NS		NS		2.97		NS		3.75		5.2		2.84		NS		5.08		
	16-Jul-10	22.2		NS		17.9		5.98		NS		5.54		NS		NS		5.77		5.85		NS		
	15-Oct-10	NS		1.67		NS		NS		2.1		NS		1.72		3.37		2.23		NS		3.26		
	26-Jan-11	6.06		6.82		NS		6.82		NS		4.74		NS		5.95		12.1		11.9		NS		
	28-Feb-11	NS		NS		1.88		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.836		NS		NS		0.682		NS		1.25		3.62		2.08		NS		1.62		
	26-Jul-11	8.29		NS		3.96		1.15		NS		1.62		NS		NS		2.31		1.68		NS		
	28-Oct-11	NS		NS	U	NS		NS		1.9	U	NS		1.9	U	3.3		4.7		NS		3.8		
	23-Jan-12	7.9		NS		NS		1.9		NS		3.4		NS		NS		5.2		15		NS		
	13-Apr-12	NS		0.75		NS		NS		0.38	U	NS		0.38	U	1.3		2.4		NS		1.5		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9	U	NS		
	23-Jun-12	8.5		NS		3.5		1.5		NS		2.5		NS		NS		2.4		1.8		NS		
	1-Nov-12	NS		2		NS		NS		1.7		NS		2.3		2.8		2.8		NS		4.5		
	1-Feb-13	2.4		NS		0.69		0.69		NS		0.71		NS		NS		1.4		1.6		NS		
	29-Apr-13	NS		1.7		NS		NS		1.3		NS		1.7		2.1		3.1		NS		3.9		
	9-Jul-13	11		NS		3.0		2.0		NS		2.5		NS		NS		6.8		3.4		NS		
	18-Oct-13	NS		2.3		NS		NS		3.1		NS		2.8		7.5		1.3		NS		1.9		
	9-Jan-14	10		NS		7.6		8.6		NS		10		NS		NS		20		16		NS		
	24-Apr-14	NS		0.23		NS		NS		0.22		NS		0.25		0.36		0.28		0.25		1.1		
	1-Aug-14	2.7		NS		2.8/3.2		1.3/1.4		NS		NS		NS		NS		1.6		1.9		NS		
	27-Aug-14	NS		NS		NS		NS		NS		2.2/2.8		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS		NS	U	
22-Oct-14	NS		0.34		NS		NS		0.32		0.48		0.94		0.51		1.2		1.2		NS			
20-Jan-15	1.5		NS		0.6		0.6		NS		0.44		NS		NS		1.4		1.5		NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2			
22-Apr-15	NS		0.95		NS		NS		0.59		NS		NS		1.2		1.4/1.6		3.4		NS	4.3		
21-Jul-15	3.8		NS		4.5		4		NS	U	NS		NS		NS		5.4 ^o		7.6 ^o		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.4		NS		NS		NS			
29-Oct-15	NS		0.41		NS		NS		0.55		NS		0.64		1.1		1.2		NS		2.8			
4-Dec-15 resample	NS		0.42		NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	1.5		NS		0.5		0.4		NS		0.44		NS		NS		1.2		0.89		NS			
20-Apr-16	NS		0.62		NS		NS		0.77		NS		NS		1.3		0.85		3.5		NS	1.8		
20-Jul-16	1.2	W	NS		1.9	W	0.77	W	NS		1.2	W	NS		NS		1.6	W	44	W	NS			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.11		NS		NS		NS		0.11		NS		NS		NS		0.11		0.56		NS	
	27-Mar-08	NS	U	0.109	U	NS		NS		NS	U	0.109	U	NS		NS		NS	U	0.522		0.266	
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.119	
	29-May-08	NS		NS		NS		0.12		NS		NS		NS	U	0.11	U	0.11	U	NS		0.54	
	27-Jun-08	0.17	U	NS		NS		NS		0.458		NS		NS		NS		NS		0.377		0.138	
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.153		NS		0.109	U	0.492		NS	
	30-Sep-08	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		2.7	U	2.7	U
	27-Oct-08	3.4	U	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		3.4	U
	25-Nov-08	NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U	NS	U
	18-Dec-08	NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U
	21-Jan-09	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS		2.7	U
	25-Feb-09	2.7	U	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS	U
	26-Mar-09	NS		1.59		NS		NS		NS		1.09	U	NS		NS		NS		0.682		0.213	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.147		NS		0.158		NS		0.191	
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.278		NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.158		NS		0.191		22.8	U	0.109	U	NS		0.136	
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.109	U	NS		NS		0.109	U	0.692		NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		1.09	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		0.109	U	0.562		NS	
	15-Oct-10	NS		0.272		NS		NS		0.349		NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.545	U	0.545	U	0.845		NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.873		NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		1.5	U	NS		NS		0.55	U	1.3		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		0.55	U	NS		NS		0.55	U	0.7		NS	
	1-Nov-12	NS		0.25		NS		NS		0.27		NS		0.055	U	0.055	U	0.055	U	NS		0.14	
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.83		NS		NS		0.055	U	0.23		NS	
	29-Apr-13	NS		0.15		NS		NS		0.076		NS		0.055	U	0.061		0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.061		NS		0.33		NS		NS		0.055	U	0.26		NS	
	18-Oct-13	NS		0.23		NS		NS		0.19		NS		0.11	U	0.11	U	0.11	U	NS		0.28	
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.41		NS		NS		0.11	U	0.46		NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.42		0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	0.16	U	NS		NS		NS		NS		0.11	U	0.22		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.35		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS	U	NS	
	22-Oct-14	NS		0.19		NS		NS		0.19		0.082	U	0.082	U	0.082	U	0.082	U	0.28		NS	
	20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.31		NS		NS		0.082	U	0.055	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14		NS	
	22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U
	21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.27 ^j		NS		NS		0.3 ^o	U	0.3 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.36		NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.23 ^j		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.24		NS		NS		0.055	U	0.4		NS	
	20-Apr-16	NS		0.2		NS		NS		0.098		NS		0.055	U	0.055	U	0.055	U	NS		0.074	
	20-Jul-16	0.27	U	NS		0.27	U	0.27	U	NS		0.59	U	NS		NS		0.28		0.4		NS	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1,2-Trichloroethane	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS	U	0.109	U	0.109	U
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	29-May-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS		NS	
	27-Jun-08	0.17	U	NS		NS		NS		0.109	U	NS		NS		NS		NS		0.109	U	0.109	U
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	0.109	U	NS	
	30-Sep-08	NS		NS		NS		0.11	U	NS		NS		NS		NS		0.11	U	NS		0.11	U
	27-Oct-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS	
	25-Nov-08	NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U	NS	
	18-Dec-08	NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U
	21-Jan-09	NS		NS		NS		0.11	U	NS		NS		NS		NS		0.11	U	NS		NS	
	25-Feb-09	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS	
	26-Mar-09	NS		0.545	U	NS		NS		NS		1.09	U	NS		NS		NS		0.109	U	0.109	U
	29-Apr-09	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		0.109	U	NS	
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.109	U	NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	22.8	U	0.109	U	NS		0.109	U
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.081	U	NS		0.109	U	0.109	U	0.109	U	NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		0.109	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		1.09	U	0.109	U	NS	
	15-Oct-10	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.547	U	0.545	U	0.545	U	NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.546	U	NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		0.55	U	NS		NS		0.55	U	4.2		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		0.5	U	NS		NS		0.55	U	0.55	U	NS	
	1-Nov-12	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	29-Apr-13	NS		0.14	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	18-Oct-13	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U	0.11	U	0.11	U	NS		0.11	U
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.11	U	NS		NS		0.11	U	0.11	U	NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.055	U	0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	0.16	U	NS		NS		NS		NS		0.11	U	0.11	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.055	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS		NS	
	22-Oct-14	NS		0.082	U	NS		NS		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.11	U	NS	
	20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.082	U	0.055	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS	
	22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U
	21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.3 °	U	0.3 °	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	20-Apr-16	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
20-Jul-16	0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	NS		NS		0.27	U	0.27	U	NS		

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
	8-Feb-08	0.12		NS		NS		NS		0.11	U	NS		NS		NS		0.2		19.6		NS		
	27-Mar-08	NS		0.107	U	NS		NS		NS		0.152		NS		NS		NS		13.4		5.34		
	25-Apr-08	NS		NS		0.199		NS		NS		NS		1.35		NS		0.668		NS		3.39		
	29-May-08	NS		NS		NS		26.5		NS		NS		NS		0.15		NS		13.6		NS		
	27-Jun-08	0.408		NS		NS		NS		258		NS		NS		NS		NS		13.6		6.56		
	31-Jul-08	NS		1.24		NS		NS		NS		NS		NS		NS		0.126		NS		3.26		
	28-Aug-08	NS		NS		0.558		NS		NS		NS		3.56		NS		0.432		18.4		NS		
	30-Sep-08	NS		NS		NS		56.2		NS		NS		NS		NS	U	NS		22.7		3.95		
	27-Oct-08	0.8	U	NS		NS		NS		117		NS		NS		NS		2.99		NS		0.8		U
	25-Nov-08	NS		2.92		NS		NS		NS		1.89		NS		NS		0.54	U	39.8		NS		
	18-Dec-08	NS		NS		0.54	U	NS		NS		NS		0.54	U	NS		NS		4.56		2.48		
	21-Jan-09	NS		NS		NS		19.6		NS		NS		NS		0.54	U	NS	U	NS		4.99		
	25-Feb-09	0.44		NS		NS		NS		99.5		NS		NS		NS		0.56		10.7		NS		
	26-Mar-09	NS		9.2		NS		NS		NS		3.88		NS		NS		NS		25.1		5.49		
	29-Apr-09	NS		NS		0.22		NS		NS		NS		1.2		NS		0.392		NS		2.96		
	22-Jul-09	0.537	U	NS		0.537	U	12.7		NS		3.19		NS		NS		0.354		10.3		NS		
	9-Oct-09	NS		0.091	U	NS		NS		26		NS		1.24		22.4	U	0.182		NS		3.26		
	15-Jan-10	0.591		NS		0.242		17.7		NS		0.172		NS		NS		0.107	U	18.5		NS		
	21-Apr-10	NS		0.107	U	NS		NS		34		NS		0.94		0.537	U	0.891		NS		2.01		
	16-Jul-10	0.333		NS		0.333		8.14		NS	U	0.811		NS		NS		0.107		27.8		NS		
	15-Oct-10	NS		2.26		NS		NS		129		NS		1.92		0.177		0.317		NS		1.3		
	26-Jan-11	1.07	U	1.63		NS		9.94		NS		0.537	U	NS		0.617		1.23		27.1		NS		
	28-Feb-11	NS		NS		1.07	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.231		NS		NS		78.1		NS		0.891		0.107	U	0.107	U	NS		1.56		
	26-Jul-11	1.18		NS		0.358	U	29.6		NS		10.5		NS		NS		0.247		20.5		NS		
	28-Oct-11	NS		2.7	U	NS		110		NS		NS		2.7	U	NS	U	NS	U	NS		2.7		U
	23-Jan-12	0.88		NS		0.54	U	6.8		NS		7.8		NS		NS		0.54	U	44		NS		
	13-Apr-12	NS		0.27	U	NS		NS		83		NS		1.5		0.27	U	0.27	U	NS		4.1		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		32		NS		
	23-Jun-12	1.1		NS		0.54	U	92		NS		0.75		NS		NS		0.54	U	35		NS		
	1-Nov-12	NS		2.4		NS		NS		92		NS		1.9		0.32		0.28		NS		6.9		
	1-Feb-13	0.85		NS		0.064		21		NS		5.6		NS		NS		0.077		20		NS		
	29-Apr-13	NS		1.7		NS		NS		46		NS		0.84		0.12		0.44		NS		1.9		
	9-Jul-13	0.60		NS		0.22		27		NS		2.6		NS		NS		0.14		22	U	NS		
	18-Oct-13	NS		3.3		NS		NS		76		NS		2.2		0.48		0.66		NS		15		
	9-Jan-14	0.49		NS		0.11	U	36		NS		1.8		NS		NS		0.13		43		NS		
	24-Apr-14	NS		1.0		NS		NS		58		NS		0.81		0.13		1.0		31		2.4		
	1-Aug-14	2.70		NS		0.23		15/19		NS		NS		NS		NS		1.2		16/18		NS		
	27-Aug-14	NS		NS		NS		NS		NS		2.6/3.4		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.30		NS		NS	U	NS		
	22-Oct-14	NS		1.3		NS		NS		88		0.97		1.4		0.19		0.17		18		NS		
	20-Jan-15	0.52		NS		0.054	U	24		NS		1.3		NS		NS		0.081	U	0.054	U	NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		15		NS		
	22-Apr-15	NS		0.96		NS		NS		35		NS		0.80		0.078	U	0.57		NS		3.6		
	21-Jul-15	0.2	U	NS		1	U	15		NS		3.1		NS		NS		0.99 ^o		24 ^o		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS		NS		
	29-Oct-15	NS		4.1		NS		NS		54		NS		3.3		0.89		0.55		NS		7.3		
	4-Dec-15 resample	NS		2.1		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	2.3		NS		0.13		25		NS		0.98		NS		NS		0.27		36		NS		
	20-Apr-16	NS		1.8		NS		NS		76		NS		0.8		0.17		0.39		NS		9.4		
	20-Jul-16	0.47		NS		0.6		28		NS		3.8		NS		NS		0.63		21		NS		

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Trichlorofluoromethane	8-Feb-08	1.22		NS		NS		NS		1.22		NS		NS		NS		1.06		15.9		NS		
	27-Mar-08	NS		1.27		NS		NS		NS		1.18		NS		NS		NS		12		9.02		
	25-Apr-08	NS		NS		1.18		NS		NS		NS		5.2		NS		1.66		NS		3.83		
	29-May-08	NS		NS		NS		33.5		NS		NS		NS		0.98		1.05		10.6		NS		
	27-Jun-08	1.29		NS		NS		NS		75.2		NS		NS		NS		NS		8.85		8.89		
	31-Jul-08	NS		1.01		NS		NS		NS		NS		NS		NS		0.958		NS		5.1		
	28-Aug-08	NS		NS		2.53		NS		NS		NS		18		NS		1.79		15.6		NS		
	30-Sep-08	NS		NS		NS		53.8		NS		NS		NS		2.8	U	NS		14.5		10.4		
	27-Oct-08	2.8	U	NS		NS		44.4		NS		NS		NS		NS		6.1		NS		2.8	U	
	25-Nov-08	NS		10		NS		NS		NS		12.2		NS		NS		2.8	U	34		NS		
	18-Dec-08	NS		NS		2.8	U	NS		NS		NS		4.9		NS		NS		4.8		7.1		
	21-Jan-09	NS		NS		NS		26.9		NS		NS		NS		NS		7.2		NS	U	NS		10.4
	25-Feb-09	2.8	U	NS		NS		NS		14.8		NS		NS		NS		2.8	U	7.1		NS		
	26-Mar-09	NS		1.43		NS		NS		NS		2.81	U	NS		NS		NS		19.6		10.3		
	29-Apr-09	NS		NS		1.45		NS		NS		NS		4.23		NS		NS		1.27		NS		3.17
	22-Jul-09	1.46		NS		1.46		19.9		NS		3.42		NS		NS		1.28		6.46		NS		9.32
	9-Oct-09	NS		0.156		NS		NS		NS		20		NS		11		58.6	U	1.65		NS		NS
	15-Jan-10	1.39		NS		2.1		16.6		NS		1.78		NS		NS		NS		1.34		15.4		NS
	21-Apr-10	NS		0.466		NS		NS		NS		10.1		NS		4.83		1.4	U	4.95		NS		5.47
	16-Jul-10	2.6		NS		1.84		16.4		NS		2.12		NS	U	NS		NS		2.23		19.8		NS
	15-Oct-10	NS		9.63		NS		NS		NS		72.2		NS		13.7		5.65		9.85		NS		10
	26-Jan-11	2.81	U	1.16		NS		13.8		NS		1.4	U	NS		NS		1.4	U	1.71		26		NS
	28-Feb-11	NS		NS		2.81		NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Apr-11	NS		1.12		NS		NS		NS		12.8		NS		3.24		1.27		1.17		NS		2.53
	26-Jul-11	4.27		NS		1.31		41.2	U	NS		15.3		NS		NS		NS		1.62		10		NS
	28-Oct-11	NS		NS	U	NS		NS		NS		30		NS		5.1		2.8	U	2.9		NS		4.2
	23-Jan-12	2.1		NS		1.5		28		NS		29		NS		NS		NS		1.4		16		NS
	13-Apr-12	NS		1.9		NS		NS		NS		15		NS		6.4		2.1		2		NS		8.8
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		21		NS
	23-Jun-12	2.4		NS		1.1		85		NS		2.2		NS		NS		NS		1.2		15		NS
	1-Nov-12	NS		3.3		NS		NS		NS		33		NS		6.7		1.2		1.2		NS		7.2
	1-Feb-13	2.1		NS		1.6		15		NS		17		NS		NS		NS		1.6		5.6		NS
	29-Apr-13	NS		2.6		NS		NS		NS		8.3		NS		3.1		1.5		1.6		NS		2.7
	9-Jul-13	1.4		NS		2.2		33		NS		3.3		NS		NS		NS		3.6		NS		NS
	18-Oct-13	NS		4.0		NS		NS		NS		19		NS		6.9		3.0		1.6		NS		20
	9-Jan-14	1.6		NS		1.8		21		NS		11		NS		NS		NS		1.8		11		NS
	24-Apr-14	NS		2.3		NS		NS		NS		10		NS		3.5		1.7		2.4		9.3		4.3
	1-Aug-14	2.9		NS		1.7/1.6		23/26		NS		NS		NS		NS		NS		2.4		6.2		NS
	27-Aug-14	NS		NS		NS		NS		NS		7.0/6.6		NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS	U	NS
	22-Oct-14	NS		2.7		NS		NS		NS		28		4.2		7.0		1.7		1.4		7.4		NS
	20-Jan-15	1.6		NS		1.5		9.1		NS		NS		5.2		NS		NS		1.3		1.4		NS
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS
	22-Apr-15	NS		7.8 ^V		NS		NS		NS		15 ^V		NS		3.5		1.7/2.0		1.9		NS		3.4
	21-Jul-15	0.87		NS		1.0 ^J		19		NS		NS		3.2		NS		NS		0.98 ^O		2.9 ^O		NS
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.98		NS		NS		NS
	29-Oct-15	NS		4.3		NS		NS		NS		11		NS		2.6		0.93		0.8		NS		1.8
	4-Dec-15 resample	NS		2.5		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Jan-16	2.5 ^{MV}		NS		1.9 ^{MV}		19 ^{MV}		NS		7.6 ^{MV}		NS		NS		NS		2.4 ^{MV}		7.6 ^{MV}		NS
	20-Apr-16	NS		2.3		NS		NS		NS		8.8		NS		2.5		1.6		1.4		NS		4.3
20-Jul-16	1.3		NS		1.6		16		NS		4.2		NS		NS		NS		1.7		4		NS	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,2,4-Trimethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.69		1.93		NS	
	27-Mar-08	NS		0.304		NS		NS		NS		0.152		NS		NS		NS		0.958		0.681	
	25-Apr-08	NS		NS		1.72		NS		NS		NS		0.644		NS		0.517		NS		0.338	
	29-May-08	NS		NS		NS		0.6		NS		NS		NS		1		NS		1.26		NS	
	27-Jun-08	7.46		NS		NS		NS		1.15		NS		NS		NS		NS		NS		0.638	
	31-Jul-08	NS		1.86		NS		NS		NS		NS		NS		NS		0.885		NS		NS	
	28-Aug-08	NS		NS		0.838		NS		NS		NS		NS		NS		0.669		0.653		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U
	27-Oct-08	11.4		NS		NS		NS		2.5	U	NS		NS		NS		2.5		NS		2.9	
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		6.4		5.2		NS	
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5		2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	2.5		NS		2.5	U
	25-Feb-09	17.5		NS		NS		NS		4		NS		NS		NS		6.2		2.9		NS	
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		1.09		1.55	
	29-Apr-09	NS		NS		0.265		NS		NS		NS		0.378		NS		0.707		NS		NS	
	22-Jul-09	3.49		NS		20	U	0.982	U	NS		0.737		NS		NS		56.4		0.86		NS	
	9-Oct-09	NS		0.707		NS		NS		0.781		NS		0.648		20.5	U	1.36		NS		0.584	
	15-Jan-10	2.87		NS		0.354		NS		0.29		0.314		NS		NS		1.06		NS		1.17	
	21-Apr-10	NS		0.211		NS		NS		NS		0.933		NS		1.42		1.13		0.653		NS	
	16-Jul-10	8.3		NS		8.23		8.09		NS		6.27		NS		NS		4.28		5.05		NS	
	15-Oct-10	NS		1.29		NS		NS		1.61		NS		NS		1.1		1.38		1.86		NS	
	26-Jan-11	1.23		1.4		NS		1.6		NS		0.491	U	NS		NS		1.35		6.93		10.4	
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.845		NS		NS		0.855		NS		1.24		1.06		2.06		NS		1.09	
	26-Jul-11	1.29		NS		2.67		0.61		NS		0.541		NS		NS		2.48		0.541		NS	
	28-Oct-11	NS		NS	U	NS		NS		2.5	U	NS		2.5	U	NS		3.7		NS		3.1	
	23-Jan-12	3		NS	U	0.76		0.49	U	NS		0.71		NS		NS		2.7		2.8		NS	
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	1.1		3.9		NS		1.3	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5	U
	23-Jun-12	4.1		NS		1.3		1.2		NS		1.1		NS		NS		2.1		1.1		NS	
	1-Nov-12	NS		1.7		NS		NS		2.5		NS		3.1		3		3.2		NS		3.3	
	1-Feb-13	1.2		NS		0.23		0.21		NS		0.3		NS		NS		1		0.86		NS	
	29-Apr-13	NS		0.54		NS		NS		0.74		NS		0.66		0.83		1		NS		0.84	
	9-Jul-13	4.2		NS		1.6		1.8		NS		1.8		NS		NS		2		2.0		NS	
	18-Oct-13	NS		4.8		NS		NS		4.3		NS		5.6		6.4		5.0		NS		5.7	
	9-Jan-14	2.7		NS		2.7		3.8		NS		3.8		NS		NS		12.0		13.0		NS	
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.13		0.098	U	0.5		0.1		2.6	
	1-Aug-14	4.1		NS		6.5/5.1		3.0/3.6		NS		NS		NS		NS		2.6		6.3/4.3		NS	
	27-Aug-14	NS		NS		NS		NS		NS		1.1		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS		NS	U
22-Oct-14	NS		0.37		NS		NS		0.28		0.6		0.59		0.50		1.0		1.2		NS		
20-Jan-15	0.19		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.4		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.55		
22-Apr-15	NS		0.27		NS		NS		0.17		NS		0.24		0.33/0.37		0.33		NS		0.43		
21-Jul-15	0.44		NS		1.1		5	U	NS		0.89		NS		NS		0.47 ^o		0.66 ^o		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.7		NS		NS		NS		
29-Oct-15	NS		0.43		NS		NS		0.78		NS		0.87		0.64		0.48		NS		0.76		
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.32		NS		0.098	U	0.17		NS		0.098	U	NS		NS		0.55		0.38		NS		
20-Apr-16	NS		0.39		NS		NS		NS		0.57		NS		0.79		1		NS		0.94		
20-Jul-16	2.2		NS		2.6		2.3		NS		2.4		NS		NS		3.2		2.6		NS		

Summary of Subslab Air Sampling Data
 Alvarez School
 Volatile Organic Compounds
 February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
1,3,5-Trimethylbenzene	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.47		0.66		NS		
	27-Mar-08	NS		0.14		NS		NS		NS		0.098	U	NS		NS		NS		0.349		0.275		
	25-Apr-08	NS		NS		1.6		NS		NS		NS		0.228		NS		0.192		NS		0.134		
	29-May-08	NS		NS		NS		0.18		NS		NS		NS		0.32		0.43		NS		NS		
	27-Jun-08	5.16		NS		NS		NS		0.463		NS		NS		NS		NS		0.236		0.25		
	31-Jul-08	NS		0.713		NS		NS		NS		NS		NS		NS		0.276		NS		0.224		
	28-Aug-08	NS		NS		0.497		NS		NS		NS		0.215		NS		0.248		0.233		NS		
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5		2.5	U	
	27-Oct-08	7.8		NS		NS		2.5		2.5	U	NS		NS		NS		2.5		NS		2.5	U	
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5		2.5		NS	U	
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5		NS	U	
	25-Feb-09	9.1		NS		NS		NS		2.5	U	NS		NS		NS		2.5		2.5		NS	U	
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		0.337		0.425		
	29-Apr-09	NS		NS		0.147		NS		NS		NS		0.128		NS		NS		0.211		NS	0.241	
	22-Jul-09	3		NS		20	U	0.982	U	NS		0.491	U	NS		NS		22.7		0.275		NS		
	9-Oct-09	NS		0.216		NS		NS		0.241		NS		0.187		20.5	U	0.388		NS		0.226		
	15-Jan-10	2.15		NS		0.118		0.098	U	NS		0.108		NS		NS		0.29		0.334		NS		
	21-Apr-10	NS		0.098	U	NS		NS		0.491	U	NS		0.491	U	0.491	U	0.177		NS		0.206		
	16-Jul-10	2.76		NS		1.88		1.81		NS		1.67		NS		NS		1.08		1.25		NS		
	15-Oct-10	NS		0.418		NS		NS		0.383		NS		0.275		0.324		0.545		NS		0.54		
	26-Jan-11	0.982	U	0.437		NS		0.472		NS		0.491	U	NS		0.491	U	1.99		2.87		NS		
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.255		NS		NS		0.27		NS		0.368		0.329		0.599		NS		0.354		
	26-Jul-11	0.688		NS		0.885		0.182		NS		0.492	U	NS		NS		0.664		0.492	U	NS		
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	2.5		NS		2.5	U	
	23-Jan-12	0.99		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.71		0.83		NS	U	
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	1.1		NS		0.49	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		2.5		NS	U	NS		
	23-Jun-12	1.6		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49		0.49	U	NS		
	1-Nov-12	NS		0.25		NS		NS		0.39		NS		0.53		0.5		0.56		NS		0.63		
	1-Feb-13	0.42		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.24		NS		
	29-Apr-13	NS		0.25	U	NS		NS		0.22		NS		0.18		0.22		0.3		NS		0.27		
	9-Jul-13	1.5		NS		0.39		0.37		NS		0.38		NS		NS		0.43		NS		0.44		
	18-Oct-13	NS		0.53		NS		NS		0.52		NS		0.75		0.99		0.44		NS		0.53		
	9-Jan-14	0.77		NS		0.69		0.96		NS		0.98		NS		NS		2.9		3.1		NS		
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.098	U	0.098	U	0.14		0.098	U	0.50		
	1-Aug-14	0.90		NS		1.00		0.60		NS		NS		NS		NS		0.46		0.86		NS		
	27-Aug-14	NS		NS		NS		NS		NS		0.23		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.15		NS		NS	U	NS		
22-Oct-14	NS		0.15	U	NS		NS		0.15	U	0.15	U	0.15	U	0.15	U	0.15		0.20	U	NS			
20-Jan-15	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.15		0.11	U	NS			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	NS			
22-Apr-15	NS		0.10	U	NS		NS		0.098	U	NS		0.098	U	0.14	U	0.098		NS		0.12			
21-Jul-15	0.2	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.20 ^O		0.14 ^{J,O}		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.48		NS		NS		NS			
29-Oct-15	NS		0.3	U	NS		NS		0.16 ^J		NS		0.4	U	0.13 ^J		0.15 ^J		NS		0.17 ^J			
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.1		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.13		0.098	U	NS			
20-Apr-16	NS		0.098	U	NS		NS		0.098	U	NS		0.18		0.098		0.26		NS		0.18			
20-Jul-16	0.78		NS		1.2		0.88		NS		0.96		NS		NS		1.3		1		NS			

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS	
	27-Mar-08	NS		0.051	U	NS		NS		NS		0.051	U	NS		NS		NS		0.051	U	0.051	U
	25-Apr-08	NS		NS		0.051	U	NS		NS		NS		0.75		NS		0.051	U	NS		0.051	U
	29-May-08	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS		NS	U
	27-Jun-08	0.08	U	NS		NS		NS		0.051	U	NS		NS		NS		NS		0.051	U	0.051	U
	31-Jul-08	NS		0.051	U	NS		NS		NS		NS		NS		NS		0.051	U	NS		0.051	U
	28-Aug-08	NS		NS		0.051	U	NS		NS		NS		0.051	U	NS		0.051	U	0.051	U	NS	
	30-Sep-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1		0.1	U
	27-Oct-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U
	25-Nov-08	NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U	NS	
	18-Dec-08	NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U
	21-Jan-09	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U	NS	U
	25-Feb-09	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS	
	26-Mar-09	NS		0.255	U	NS		NS		NS		0.511	U	NS		NS		NS		0.051	U	0.051	U
	29-Apr-09	NS		NS		0.061		NS		NS		NS		0.051	U	NS		0.051	U	NS		0.051	U
	22-Jul-09	0.255	U	NS		0.255	U	0.511	U	NS		0.255	U	NS		NS		0.051	U	0.051	U	NS	
	9-Oct-09	NS		1.72		NS		NS		0.051	U	NS		0.102		10.7	U	0.051	U	NS		0.051	U
	15-Jan-10	0.051	U	NS		0.061		0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	21-Apr-10	NS		0.051	U	NS		NS		0.255	U	NS		0.256	U	0.255	U	0.051	U	NS		0.051	U
	16-Jul-10	0.051	U	NS		1.98		0.051	U	NS		0.386	U	NS		NS		0.051	U	0.051	U	NS	
	15-Oct-10	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jan-11	0.511	U	0.051	U	NS		0.051	U	NS		0.255	U	NS		0.255	U	0.255	U	0.255	U	NS	
	28-Feb-11	NS		NS		0.511	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jul-11	0.17	U	NS		0.17	U	0.051	U	NS		0.256	U	NS		NS		0.051	U	0.256		NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	13-Apr-12	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.64	U	NS	
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	1-Nov-12	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	1-Feb-13	0.065		NS		0.026	U	0.026	U	NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	29-Apr-13	NS		0.41		NS		NS		0.045		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	9-Jul-13	0.038	U	NS		0.026	U	0.085		NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	18-Oct-13	NS		0.051	U	NS		NS		0.074		NS		0.051	U	0.063		0.051	U	NS		0.051	U
	9-Jan-14	0.092		NS		0.051	U	0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.10		0.026	U	0.026	U	0.077	U
	1-Aug-14	0.21		NS		0.38	U	0.077	U	NS		NS		NS		NS		0.051	U	0.051	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.026	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.038	U	NS		NS	U	NS	
	22-Oct-14	NS		0.038	U	NS		NS		0.038	U	0.038	U	0.24		0.038	U	0.038	U	0.051	U	NS	
	20-Jan-15	0.093 ^v		NS		0.14 ^v		0.026	U	NS		0.072 ^v		NS		NS		0.038 ^v	U	0.026	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.029	U	NS	
	22-Apr-15	NS		0.069 ^v		NS		NS		0.060 ^v		NS		0.026	U	0.037	U	0.026	U	NS		0.029	U
	21-Jul-15	0.090 ^j		NS		0.5	U	3	U	NS		0.097 ^j		NS		NS		0.096 ^{j,o}		0.100 ^o	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	
	29-Oct-15	NS		0.13 ^j		NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U
	4-Dec-15 resample	NS		0.14		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.026	U	NS		0.2		0.026	U	NS		0.064		NS		NS		0.026	U	0.026	U	NS	
	20-Apr-16	NS		0.23		NS		NS		0.072		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	20-Jul-16	0.13	U, L	NS		0.29	L	0.13	U,L	NS		0.54	L	NS		NS		0.13	U,L	0.13	U,L	NS	

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.55	NS	NS	NS	0.63	NS	NS	NS	1.04	18.3	NS
	27-Mar-08	NS	0.893	NS	NS	NS	0.389	NS	NS	NS	2.17	1.33
	25-Apr-08	NS	NS	0.815	NS	NS	NS	0.97	NS	2.54	NS	1.81
	29-May-08	NS	NS	NS	5	NS	NS	NS	7.58	10.1	3.34	NS
	27-Jun-08	12.6	NS	NS	NS	1.5	NS	NS	NS	NS	1.91	2.33
	31-Jul-08	NS	2.4	NS	NS	NS	NS	NS	NS	2.08	NS	1.55
	28-Aug-08	NS	NS	2.33	NS	NS	NS	1.44	NS	2.13	1.94	NS
	30-Sep-08	NS	NS	NS	4.3	U	NS	NS	4.3	U	NS	4.3
	27-Oct-08	41.6	NS	NS	NS	4.3	U	NS	NS	4.3	U	4.3
	25-Nov-08	NS	4.7	NS	NS	NS	4.3	U	NS	8.5	U	8.9
	18-Dec-08	NS	NS	4.3	U	NS	NS	4.3	U	NS	4.3	4.3
	21-Jan-09	NS	NS	NS	4.3	U	NS	NS	4.3	U	NS	4.3
	25-Feb-09	37.6	NS	NS	NS	4.3	U	NS	NS	8	U	9.3
	26-Mar-09	NS	1.35	NS	NS	NS	1.74	U	NS	NS	2.59	3.56
	29-Apr-09	NS	NS	0.468	NS	NS	NS	0.516	NS	0.933	NS	1.06
	22-Jul-09	25.6	NS	25.6	1.74	U	NS	3.88	NS	NS	165	3.52
	9-Oct-09	NS	1.62	NS	NS	1.63	NS	0.915	NS	36.2	U	1.74
	15-Jan-10	18.4	NS	1.52	NS	1.48	NS	1.76	NS	NS	2.35	2.65
	21-Apr-10	NS	0.703	NS	NS	3.28	NS	NS	4.58	4.34	6.22	NS
	16-Jul-10	21.8	NS	7.01	6.36	NS	4.82	NS	NS	NS	4.95	4.91
	15-Oct-10	NS	1.81	NS	NS	2.18	NS	1.7	NS	1.88	3.4	NS
	26-Jan-11	3.08	4.24	NS	4.37	NS	3.06	NS	NS	3.17	11.5	13.6
	28-Feb-11	NS	NS	1.74	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.694	NS	NS	0.707	NS	0.889	NS	1.15	1.09	NS
	26-Jul-11	9.99	NS	3.96	1.02	NS	0.999	NS	NS	0.956	1.26	NS
	28-Oct-11	NS	4.3	U	NS	4.3	U	4.3	U	4.3	U	9.8
	23-Jan-12	7.9	NS	2	1.3	NS	2	NS	NS	NS	4.4	14
	13-Apr-12	NS	0.87	U	NS	NS	0.87	U	0.87	0.87	3.6	NS
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.3	U
	23-Jun-12	12	NS	1.1	0.87	U	NS	0.94	NS	NS	1.7	1.1
	1-Nov-12	NS	2.1	NS	NS	2.4	NS	3.3	NS	2.9	3.6	NS
	1-Feb-13	3.4	NS	0.44	0.38	NS	0.59	NS	NS	NS	1.5	1.4
	29-Apr-13	NS	1	NS	NS	1.2	NS	1.2	NS	1.5	1.9	NS
	9-Jul-13	12	NS	1.9	1.8	NS	1.7	NS	NS	NS	3.2	0.70
	18-Oct-13	NS	5.0	NS	NS	5.6	NS	6.3	NS	8.0	4.7	NS
	9-Jan-14	8.6	NS	7.2	9.3	NS	9.7	NS	NS	NS	23	22.00
	24-Apr-14	NS	0.17	U	NS	0.17	U	NS	0.17	U	0.17	U
	1-Aug-14	4.8	NS	2.8/3.0	1.8/2.1	NS	NS	NS	NS	NS	1.5	2.4/2.8
	27-Aug-14	NS	NS	NS	NS	NS	3.6	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.3	NS	NS
	22-Oct-14	NS	0.26	U	NS	NS	0.26	U	0.30	0.5	0.26	U
	20-Jan-15	1.1	NS	0.21	0.30	NS	0.20	NS	NS	NS	0.7	0.90
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.1
	22-Apr-15	NS	0.71	NS	NS	0.40	NS	0.8	NS	0.66/0.76	1.3	NS
	21-Jul-15	1.5	NS	1.7 ^j	9	U	NS	1.9	NS	NS	1.8 ^o	2.3 ^o
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.71	NS	NS
	29-Oct-15	NS	0.29 ^j	NS	NS	0.47 ^j	NS	0.73	NS	0.90	0.8	NS
	4-Dec-15 resample	NS	0.4	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.4	NS	0.51	0.64	NS	0.64	NS	NS	NS	2.5	2.7
	20-Apr-16	NS	1	NS	NS	1.5	NS	2.1	NS	1.4	NS	2.5
	20-Jul-16	16	NS	1.4	0.91	NS	1.3	NS	NS	NS	9.3	3.2

**Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - July 2016**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.2		NS		NS		NS		0.23		NS		NS		NS		0.48		7.73		NS	
	27-Mar-08	NS		0.273		NS		NS		NS		0.142		NS		NS		NS		0.844		0.478	
	25-Apr-08	NS		NS		0.37		NS		NS		NS		0.406		NS		0.735		NS		0.62	
	29-May-08	NS		NS		NS		1.48		NS		NS		NS		2.26		NS		1.02		NS	
	27-Jun-08	4.12		NS		NS		NS		0.55		NS		NS		NS		NS		0.672		0.794	
	31-Jul-08	NS		0.835		NS		NS		NS		NS		NS		NS		0.748		NS		0.564	
	28-Aug-08	NS		NS		0.804		NS		NS		NS		0.511		NS		0.797		NS		NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	9.8		NS		NS		2.2		2.2	U	NS		NS		NS		2.2	U	NS		4	
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		3.1	N	2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	25-Feb-09	8.9		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	3.2		NS	
	26-Mar-09	NS		0.486		NS		NS		NS		0.868	U	NS		NS		NS		0.922		1.28	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.208		NS		0.369		NS		0.499	
	22-Jul-09	5.34		NS		5.34		0.868	U	NS		1.39		NS		NS		72.7		1.27		NS	
	9-Oct-09	NS		0.542		NS		NS		0.586		NS		0.343		18.1	U	0.629		NS		0.616	
	15-Jan-10	4.51		NS		0.49		NS		0.49		0.56		NS		NS		0.833		NS		NS	
	21-Apr-10	NS		0.256		NS		NS		1.17		NS		1.56		1.41		1.24		NS		1.14	
	16-Jul-10	5.07		NS		2.84		2.63		NS		2.1		NS		NS		1.88		2.05		NS	
	15-Oct-10	NS		0.672		NS		NS		0.837		NS		0.659		0.729		1.22		NS		1.14	
	26-Jan-11	1.08		1.5		NS		1.54		NS		1.11		NS		1.15		4.32		5.16		NS	
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.286		NS		NS		0.286		NS		0.369		0.456		0.451		NS		0.551	
	26-Jul-11	1.87		NS		1.45		0.334		NS		0.434	U	NS		NS		0.365		0.434		NS	
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	NS		3.3		NS		2.2	U
	23-Jan-12	2.3		NS		0.76		0.54		NS		0.79		NS		NS		1.7		4.6		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43		1.4		NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	23-Jun-12	3		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.59		0.44		NS	
	1-Nov-12	NS		0.72		NS		NS		0.85		NS		1.1		1.1		1.3		NS		1.8	
	1-Feb-13	1		NS		0.19		0.17		NS		0.24		NS		NS		0.64		NS		NS	
	29-Apr-13	NS		0.43		NS		NS		0.46		NS		0.41		0.52		0.065		NS		0.86	
	9-Jul-13	3.2		NS		0.86		0.90		NS		0.84		NS		NS		1.3		0.28		NS	
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.1		2.9		1.4		NS		1.7	
	9-Jan-14	3.4		NS		3.0		4.00		NS		4.1		NS		NS		9.8		NS		NS	
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.11		0.087	U	1.2	
	1-Aug-14	1.9		NS		1.6/1.8		1.10		NS		NS		NS		NS		0.79		1.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		1.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.52		NS		NS		NS	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.2		0.13	U	0.28		0.35		NS	
	20-Jan-15	0.29		NS		0.087	U	0.10		NS		0.087	U	NS		NS		0.23		0.34		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	22-Apr-15	NS		0.26		NS		NS		0.13		NS		0.25		0.22/0.25		0.38		NS		0.54	
	21-Jul-15	0.48		NS		0.59 ^J		4	U	NS		0.53		NS		NS		0.54 ^O		0.73 ^O		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS		NS	
	29-Oct-15	NS		0.16 ^J		NS		NS		0.21 ^J		NS		0.34 ^J		0.28		0.32		NS		0.44	
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.51		NS		0.13		0.17		NS		0.17		NS		NS		0.63		0.84		NS	
	20-Apr-16	NS		0.36		NS		NS		0.52		NS		0.77		0.49		0.92		NS		0.78	
	20-Jul-16	3.4	W	NS		0.84	W	0.43	U,W	NS		0.60	W	NS		NS		2.7	W	1.3	V	NS	

Notes:

All data presented in micrograms per cubic meter (ug/m3).

Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multiple dilutions, the lower RL was documented in this table.

U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.

NS: not sampled.

* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.

^M: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.

^L: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

^V: Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

^W: Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

^E: Reported result is estimated due to value over calibration range

^J: Estimated result as the result was between the MDL and the RDL.

^O: One or more method internal standards were recovered outside of the control limits. Sample re-analysis not possible due to sample volume and detection limit constraints.

APPENDIX D

Rooftop Emission Analytical Summary

Alvarez School - Sub Slab Depressurization System Emissions Calculations
Sample Date: 20 July 2016

Volatile Organic Compounds	ROOFTOP FAN 1					ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)				
	Measured Flow Speed (fpm): 2225		Measured Flow Rate (cfm): 109.2			Measured Flow Speed (fpm): 2075		Measured Flow Rate (cfm): 101.9		Measured Flow Speed (fpm): 2420		Measured Flow Rate (cfm): 118.8		Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)		
	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)						
Acetone	50	B	2.04E-05	4.90E-04	1.79E-01	57		2.17E-05	5.21E-04	1.90E-01	41		1.82E-05	4.37E-04	1.59E-01	6.03E-05	1.45E-03	5.28E-01
Acrylonitrile	0.38	U	1.55E-07	3.72E-06	1.36E-03	1.3	U	4.95E-07	1.19E-05	4.34E-03	1.3	U	5.77E-07	1.39E-05	5.06E-03	1.23E-06	2.95E-05	1.08E-02
Benzene	0.29		1.18E-07	2.84E-06	1.04E-03	0.53		2.02E-07	4.84E-06	1.77E-03	0.32	U	1.42E-07	3.41E-06	1.24E-03	4.62E-07	1.11E-05	4.05E-03
Bromodichloromethane	0.6		2.45E-07	5.88E-06	2.15E-03	0.34	U	1.29E-07	3.11E-06	1.13E-03	0.34	U	1.51E-07	3.62E-06	1.32E-03	5.25E-07	1.26E-05	4.60E-03
Bromoform	0.31	U	1.27E-07	3.04E-06	1.11E-03	1.0	U	3.81E-07	9.14E-06	3.34E-03	1.0	U	4.44E-07	1.07E-05	3.89E-03	9.51E-07	2.28E-05	8.33E-03
2-Butanone	6.9		2.82E-06	6.76E-05	2.47E-02	12	U	4.57E-06	1.10E-04	4.00E-02	12	U	5.33E-06	1.28E-04	4.67E-02	1.27E-05	3.05E-04	1.11E-01
Carbon Tetrachloride	0.4		1.63E-07	3.92E-06	1.43E-03	0.42		1.60E-07	3.84E-06	1.40E-03	0.45		2.00E-07	4.80E-06	1.75E-03	5.23E-07	1.26E-05	4.58E-03
Chlorobenzene	0.14	U	5.72E-08	1.37E-06	5.01E-04	0.46	U	1.75E-07	4.20E-06	1.53E-03	0.46	U	2.04E-07	4.90E-06	1.79E-03	4.37E-07	1.05E-05	3.82E-03
Chloroethane	0.08	U, L	3.27E-08	7.84E-07	2.86E-04	0.26	U, L	9.90E-08	2.38E-06	8.67E-04	0.26	U, L	1.15E-07	2.77E-06	1.01E-03	2.47E-07	5.93E-06	2.16E-03
Chloroform	0.31		1.27E-07	3.04E-06	1.11E-03	0.53		2.02E-07	4.84E-06	1.77E-03	1.1		4.88E-07	1.17E-05	4.28E-03	8.17E-07	1.17E-05	7.16E-03
Chloromethane	0.12	U	4.90E-08	1.18E-06	4.29E-04	6.3		2.40E-06	5.76E-05	2.10E-02	0.41	U	1.82E-07	4.37E-06	1.59E-03	2.63E-06	6.31E-05	2.30E-02
Dibromochloromethane	0.13	U	5.31E-08	1.27E-06	4.65E-04	0.43	U	1.64E-07	3.93E-06	1.43E-03	0.43	U	1.91E-07	4.58E-06	1.67E-03	4.08E-07	9.79E-06	3.57E-03
1,2-Dibromoethane	0.12	U	4.90E-08	1.18E-06	4.29E-04	0.38	U	1.45E-07	3.47E-06	1.27E-03	0.38	U	1.69E-07	4.05E-06	1.48E-03	3.62E-07	8.70E-06	3.17E-03
1,2-Dichlorobenzene	0.18	U	7.35E-08	1.76E-06	6.44E-04	0.60	U	2.28E-07	5.48E-06	2.00E-03	0.60	U	2.66E-07	6.39E-06	2.33E-03	5.68E-07	1.36E-05	4.98E-03
1,3-Dichlorobenzene	0.18	U	7.35E-08	1.76E-06	6.44E-04	0.60	U	2.28E-07	5.48E-06	2.00E-03	0.60	U	2.66E-07	6.39E-06	2.33E-03	5.68E-07	1.36E-05	4.98E-03
1,4-Dichlorobenzene	0.18	U	7.35E-08	1.76E-06	6.44E-04	0.60	U	2.28E-07	5.48E-06	2.00E-03	0.60	U	2.66E-07	6.39E-06	2.33E-03	5.68E-07	1.36E-05	4.98E-03
Dichlorodifluoromethane	1.3		5.31E-07	1.27E-05	4.65E-03	1.4		5.33E-07	1.28E-05	4.67E-03	1.4		6.22E-07	1.49E-05	5.45E-03	1.69E-06	4.05E-05	1.48E-02
1,1-Dichloroethane	0.061	U	2.49E-08	5.98E-07	2.18E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.20	U	8.88E-08	2.13E-06	7.78E-04	1.90E-07	4.56E-06	1.66E-03
1,2-Dichloroethane	0.061	U	2.49E-08	5.98E-07	2.18E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.20	U	8.88E-08	2.13E-06	7.78E-04	1.90E-07	4.56E-06	1.66E-03
1,1-Dichloroethene	0.06	U	2.45E-08	5.88E-07	2.15E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.20	U	8.88E-08	2.13E-06	7.78E-04	1.89E-07	4.55E-06	1.66E-03
cis-1,2-Dichloroethene	0.06		2.45E-08	5.88E-07	2.15E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.58		2.58E-07	6.18E-06	2.26E-03	3.58E-07	8.60E-06	3.14E-03
trans-1,2-Dichloroethene	0.06	U	2.45E-08	5.88E-07	2.15E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.20	U	8.88E-08	2.13E-06	7.78E-04	1.89E-07	4.55E-06	1.66E-03
1,2-Dichloropropane	0.07	U	2.86E-08	6.86E-07	2.50E-04	0.23	U	8.76E-08	2.10E-06	7.67E-04	0.23	U	1.02E-07	2.45E-06	8.95E-04	2.18E-07	5.24E-06	1.91E-03
cis-1,3-Dichloropropene	0.068	U	2.78E-08	6.66E-07	2.43E-04	0.23	U	8.76E-08	2.10E-06	7.67E-04	0.23	U	1.02E-07	2.45E-06	8.95E-04	2.17E-07	5.22E-06	1.91E-03
trans-1,3-Dichloropropene	0.068	U	2.78E-08	6.66E-07	2.43E-04	0.23	U	8.76E-08	2.10E-06	7.67E-04	0.23	U	1.02E-07	2.45E-06	8.95E-04	2.17E-07	5.22E-06	1.91E-03
Ethylbenzene	0.35		1.43E-07	3.43E-06	1.25E-03	0.43	U	1.64E-07	3.93E-06	1.43E-03	7.1		3.15E-06	7.57E-05	2.76E-02	3.46E-06	8.30E-05	3.03E-02
Isopropylbenzene	0.38	U	1.55E-07	3.72E-06	1.36E-03	1.2	U	4.57E-07	1.10E-05	4.00E-03	1.2	U	5.33E-07	1.28E-05	4.67E-03	1.14E-06	2.75E-05	1.00E-02
p-Isopropyltoluene	0.38	U	1.55E-07	3.72E-06	1.36E-03	1.3	U	4.95E-07	1.19E-05	4.34E-03	1.3	U	5.77E-07	1.39E-05	5.06E-03	1.23E-06	2.95E-05	1.08E-02
Methyl tert butyl ether	0.11	U	4.49E-08	1.08E-06	3.93E-04	0.36	U	1.37E-07	3.29E-06	1.20E-03	0.36	U	1.60E-07	3.84E-06	1.40E-03	3.42E-07	8.20E-06	2.99E-03
Methylene chloride	1	U	4.08E-07	9.80E-06	3.58E-03	3.5	U	1.33E-06	3.20E-05	1.17E-02	3.5	U	1.55E-06	3.73E-05	1.36E-02	3.30E-06	7.91E-05	2.89E-02
4-Methyl-2-pentanone	0.54		2.20E-07	5.29E-06	1.93E-03	0.53		2.02E-07	4.84E-06	1.77E-03	0.41	U	1.82E-07	4.37E-06	1.59E-03	6.04E-07	1.45E-05	5.29E-03
Styrene	1.3		5.31E-07	1.27E-05	4.65E-03	0.43	U, L	1.64E-07	3.93E-06	1.43E-03	0.81	L	3.60E-07	8.63E-06	3.15E-03	1.05E-06	2.53E-05	9.23E-03
1,1,2,2-Tetrachloroethane	0.1	U	4.08E-08	9.80E-07	3.58E-04	0.34	U	1.29E-07	3.11E-06	1.13E-03	0.34	U	1.51E-07	3.62E-06	1.32E-03	3.21E-07	7.71E-06	2.81E-03
Tetrachloroethene	26		1.06E-05	2.55E-04	9.30E-02	11		4.19E-06	1.01E-04	3.67E-02	81		3.60E-05	8.63E-04	3.15E-01	5.08E-05	1.22E-03	4.45E-01
Toluene	1.3		5.31E-07	1.27E-05	4.65E-03	1.1	H	4.19E-07	1.01E-05	3.67E-03	0.84	H	3.73E-07	8.95E-06	3.27E-03	1.32E-06	3.17E-05	1.16E-02
1,1,1-Trichloroethane	1.2		4.90E-07	1.18E-05	4.29E-03	0.59		2.25E-07	5.39E-06	1.97E-03	0.55		2.44E-07	5.86E-06	2.14E-03	9.59E-07	2.30E-05	8.40E-03
1,1,2-Trichloroethane	0.082	U	3.35E-08	8.04E-07	2.93E-04	0.27	U	1.03E-07	2.47E-06	9.01E-04	0.27	U	1.20E-07	2.88E-06	1.05E-03	2.56E-07	6.15E-06	2.24E-03
Trichloroethylene	67		2.74E-05	6.57E-04	2.40E-01	63		2.40E-05	5.76E-04	2.10E-01	44		1.95E-05	4.69E-04	1.71E-01	7.09E-05	1.70E-03	6.21E-01
Trichlorofluoromethane	22		8.98E-06	2.16E-04	7.87E-02	44		1.68E-05	4.02E-04	1.47E-01	5.4		2.40E-06	5.76E-05	2.10E-02	2.81E-05	6.75E-04	2.46E-01
1,2,4-Trimethylbenzene	0.87		3.55E-07	8.53E-06	3.11E-03	0.49	U	1.87E-07	4.48E-06	1.63E-03	2.5		1.11E-06	2.66E-05	9.73E-03	1.65E-06	3.96E-05	1.45E-02
1,3,5-Trimethylbenzene	0.3		1.22E-07	2.94E-06	1.07E-03	0.49	U	1.87E-07	4.48E-06	1.63E-03	0.97	U	4.31E-07	1.03E-05	3.77E-03	7.40E-07	1.78E-05	6.48E-03
Vinyl chloride	0.039	U, L	1.59E-08	3.82E-07	1.39E-04	0.13	U, L	4.95E-08	1.19E-06	4.34E-04	0.13	U, L	5.77E-08	1.39E-06	5.06E-04	1.23E-07	2.96E-06	1.08E-03
p/m-Xylene	0.98		4.00E-07	9.60E-06	3.51E-03	0.87	U	3.31E-07	7.95E-06	2.90E-03	22		9.77E-06	2.34E-04	8.56E-02	1.05E-05	2.52E-04	9.20E-02
o-Xylene	0.39	H	1.59E-07	3.82E-06	1.39E-03	0.43	U	1.64E-07	3.93E-06	1.43E-03	6.8	H	3.02E-06	7.25E-05	2.65E-02	3.34E-06	8.02E-05	2.93E-02
Total VOCs	1.86E+02		7.61E-05	1.83E-03	6.67E-01	2.16E+02		8.24E-05	1.98E-03	7.21E-01	2.44E+02		1.08E-04	2.60E-03	9.92E-01	2.67E-04	6.41E-03	1.61E+00
RIDEM Air Pollution Control Permit Applicability Thresholds (lbs) *			10	100	(Individual VOCs) 50,000 (Total)	Not Applicable		10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)	Not Applicable		10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)	10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)

U : indicates that chemical was not detected by the laboratory. To be conservative, the reporting limit shown in the concentration column was used in the emissions calculations.
L: Potential low bias due to uncertainty caused by continuing calibration not meeting method specifications or blank control sample recovery shown to be below the low side of control limits.
H: Potential high bias due to uncertainty caused by continuing calibration not meeting method specifications or blank control sample recovery shown to be above the high side of control limits.
B: Analyte found in associated blank sample but data is not affected by elevated level in blank since sample result is >10x level in the blank.
Hourly Emissions (lbs/hour) = VOC concentration (ug/m³) x measured flow rate (cfm) x 0.02832 m³/ft³ x 60 min/hour x 0.001 mg/ug x 0.001 g/mg x 0.0022 lb/g.
Daily Emissions (lbs/day) = Hourly Emissions x 24 hours/day.
Yearly Emissions (lbs/year) = Daily Emissions x 365 days/year.
Where samples were analyzed with multiple dilution factors, the highest reported value is shown
* RIDEM Air Pollution Control Regulation No. 9 [August 1971, Amended April 2004].

APPENDIX E

Laboratory Analytical Reports

August 10, 2016

Frank Postma
EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886

Project Location: Alvarez HS - Providence, RI
Client Job Number:
Project Number: 15066.04
Laboratory Work Order Number: 16G1007

Enclosed are results of analyses for samples received by the laboratory on July 21, 2016. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Aaron L. Benoit
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	7
Sample Preparation Information	43
QC Data	44
Air Toxics by EPA Compendium Methods	44
B155662	44
B155732	46
Flag/Qualifier Summary	49
Certifications	50
Chain of Custody/Sample Receipt	52



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886
ATTN: Frank Postma

REPORT DATE: 8/10/2016

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 15066.04

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 16G1007

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez HS - Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	16G1007-01	Indoor air		EPA TO-15	
Cafeteria	16G1007-02	Indoor air		EPA TO-15	
Kitchen Storage Room	16G1007-03	Indoor air		EPA TO-15	
Elevator Hallway	16G1007-04	Indoor air		EPA TO-15	
Room 145	16G1007-05	Indoor air		EPA TO-15	
Room 152	16G1007-06	Indoor air		EPA TO-15	
Room 118	16G1007-07	Indoor air		EPA TO-15	
MP-1	16G1007-08	Soil Gas		EPA TO-15	
Room 110	16G1007-09	Indoor air		EPA TO-15	
MP-3	16G1007-10	Soil Gas		EPA TO-15	
MP-4	16G1007-11	Soil Gas		EPA TO-15	
MP-6	16G1007-12	Soil Gas		EPA TO-15	
IMP-1	16G1007-13	Sub Slab		EPA TO-15	
IMP-2	16G1007-14	Sub Slab		EPA TO-15	
Rooftop Fan 1	16G1007-15	Soil Gas		EPA TO-15	
Rooftop Fan 2	16G1007-16	Soil Gas		EPA TO-15	
Rooftop Fan 3	16G1007-17	Soil Gas		EPA TO-15	
Ambient Outdoor Air	16G1007-18	Ambient Air		EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

Qualifications:**B**

Analyte is found in the associated blank as well as in the sample.

Analyte & Samples(s) Qualified:**Acetone**

16G1007-01[Gymnasium], 16G1007-02[Cafeteria], 16G1007-03[Kitchen Storage Room], 16G1007-04[Elevator Hallway], 16G1007-05[Room 145], 16G1007-06[Room 152], 16G1007-07[Room 118], 16G1007-09[Room 110], 16G1007-15[Rooftop Fan 1], 16G1007-18[Ambient Outdoor Air], B155662-BLK1, B155662-BS1

B-07

Data is not affected by elevated level in blank since sample result is >10x level found in the blank.

Analyte & Samples(s) Qualified:**Acetone**

16G1007-01[Gymnasium], 16G1007-04[Elevator Hallway], 16G1007-05[Room 145], 16G1007-06[Room 152], 16G1007-09[Room 110], 16G1007-15[Rooftop Fan 1]

DL-03

Elevated reporting limit due to matrix.

Analyte & Samples(s) Qualified:

16G1007-08[MP-1], 16G1007-10[MP-3], 16G1007-11[MP-4], 16G1007-12[MP-6], 16G1007-13[IMP-1], 16G1007-14[IMP-2], 16G1007-16[Rooftop Fan 2], 16G1007-17[Rooftop Fan 3]

L-01

Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

Analyte & Samples(s) Qualified:**Acrylonitrile**

B155662-BS2

L-03

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

Analyte & Samples(s) Qualified:**Chloroethane**

16G1007-01[Gymnasium], 16G1007-02[Cafeteria], 16G1007-03[Kitchen Storage Room], 16G1007-04[Elevator Hallway], 16G1007-05[Room 145], 16G1007-06[Room 152], 16G1007-07[Room 118], 16G1007-08[MP-1], 16G1007-09[Room 110], 16G1007-10[MP-3], 16G1007-11[MP-4], 16G1007-12[MP-6], 16G1007-13[IMP-1], 16G1007-14[IMP-2], 16G1007-15[Rooftop Fan 1], 16G1007-16[Rooftop Fan 2], 16G1007-17[Rooftop Fan 3], 16G1007-18[Ambient Outdoor Air], B155662-BLK1, B155662-BS1, B155732-BLK1, B155732-BS1

Styrene

16G1007-08[MP-1], 16G1007-10[MP-3], 16G1007-11[MP-4], 16G1007-12[MP-6], 16G1007-13[IMP-1], 16G1007-14[IMP-2], 16G1007-16[Rooftop Fan 2], 16G1007-17[Rooftop Fan 3], B155732-BLK1, B155732-BS1

Vinyl Chloride

16G1007-01[Gymnasium], 16G1007-02[Cafeteria], 16G1007-03[Kitchen Storage Room], 16G1007-04[Elevator Hallway], 16G1007-05[Room 145], 16G1007-06[Room 152], 16G1007-07[Room 118], 16G1007-08[MP-1], 16G1007-09[Room 110], 16G1007-10[MP-3], 16G1007-11[MP-4], 16G1007-12[MP-6], 16G1007-13[IMP-1], 16G1007-14[IMP-2], 16G1007-15[Rooftop Fan 1], 16G1007-16[Rooftop Fan 2], 16G1007-17[Rooftop Fan 3], 16G1007-18[Ambient Outdoor Air], B155662-BLK1, B155662-BS1, B155732-BLK1, B155732-BS1

L-05

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.

Analyte & Samples(s) Qualified:**Acrylonitrile**

16G1007-10[MP-3], B155732-BS2

Isopropylbenzene (Cumene)

16G1007-10[MP-3], B155732-BS2

n-Butylbenzene

16G1007-10[MP-3], B155732-BS2

o-Xylene

16G1007-01[Gymnasium], 16G1007-02[Cafeteria], 16G1007-03[Kitchen Storage Room], 16G1007-04[Elevator Hallway], 16G1007-05[Room 145], 16G1007-06[Room 152], 16G1007-07[Room 118], 16G1007-09[Room 110], 16G1007-15[Rooftop Fan 1], 16G1007-18[Ambient Outdoor Air], B155662-BS1

p-Isopropyltoluene (p-Cymene)

16G1007-10[MP-3], B155732-BS2

sec-Butylbenzene

16G1007-10[MP-3], B155732-BS2

V-05

Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

Analyte & Samples(s) Qualified:

Chloroethane

16G1007-01[Gymnasium], 16G1007-02[Cafeteria], 16G1007-03[Kitchen Storage Room], 16G1007-04[Elevator Hallway], 16G1007-05[Room 145], 16G1007-06[Room 152], 16G1007-07[Room 118], 16G1007-08[MP-1], 16G1007-09[Room 110], 16G1007-10[MP-3], 16G1007-11[MP-4], 16G1007-12[MP-6], 16G1007-13[IMP-1], 16G1007-14[IMP-2], 16G1007-15[Rooftop Fan 1], 16G1007-16[Rooftop Fan 2], 16G1007-17[Rooftop Fan 3], 16G1007-18[Ambient Outdoor Air], B155662-BLK1, B155732-BLK1, B155732-BL1

Vinyl Chloride

16G1007-01[Gymnasium], 16G1007-02[Cafeteria], 16G1007-03[Kitchen Storage Room], 16G1007-04[Elevator Hallway], 16G1007-05[Room 145], 16G1007-06[Room 152], 16G1007-07[Room 118], 16G1007-09[Room 110], 16G1007-15[Rooftop Fan 1], 16G1007-18[Ambient Outdoor Air], B155662-BLK1, B155662-BL1

V-06

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:

Acrylonitrile

16G1007-10[MP-3], B155662-BL2, B155732-BL2

Isopropylbenzene (Cumene)

16G1007-10[MP-3], B155732-BL2

n-Butylbenzene

16G1007-07[Room 118], 16G1007-10[MP-3], B155662-BL2, B155732-BL2

o-Xylene

16G1007-01[Gymnasium], 16G1007-02[Cafeteria], 16G1007-03[Kitchen Storage Room], 16G1007-04[Elevator Hallway], 16G1007-05[Room 145], 16G1007-06[Room 152], 16G1007-07[Room 118], 16G1007-08[MP-1], 16G1007-09[Room 110], 16G1007-10[MP-3], 16G1007-11[MP-4], 16G1007-12[MP-6], 16G1007-13[IMP-1], 16G1007-14[IMP-2], 16G1007-15[Rooftop Fan 1], 16G1007-17[Rooftop Fan 3], 16G1007-18[Ambient Outdoor Air], B155662-BL1, B155732-BL1

p-Isopropyltoluene (p-Cymene)

16G1007-06[Room 152], 16G1007-10[MP-3], B155662-BL2, B155732-BL2

sec-Butylbenzene

16G1007-10[MP-3], B155732-BL2

Toluene

16G1007-08[MP-1], 16G1007-10[MP-3], 16G1007-11[MP-4], 16G1007-12[MP-6], 16G1007-13[IMP-1], 16G1007-14[IMP-2], 16G1007-16[Rooftop Fan 2], 16G1007-17[Rooftop Fan 3], B155732-BL1

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Lisa A. Worthington
Project Manager

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Gymnasium
Sample ID: 16G1007-01
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 13:02

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1825
 Canister Size: 6 liter
 Flow Controller ID: 4199
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -3.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Acetone	14	0.87	B, B-07	34	2.1	0.434	8/8/16 17:01	CMR
Acrylonitrile	ND	0.12		ND	0.27	0.434	8/8/16 17:01	CMR
Benzene	0.068	0.022		0.22	0.069	0.434	8/8/16 17:01	CMR
Bromodichloromethane	ND	0.011		ND	0.073	0.434	8/8/16 17:01	CMR
Bromoform	ND	0.022		ND	0.22	0.434	8/8/16 17:01	CMR
2-Butanone (MEK)	0.90	0.87		2.7	2.6	0.434	8/8/16 17:01	CMR
n-Butylbenzene	ND	0.062		ND	0.34	0.434	8/8/16 17:01	CMR
sec-Butylbenzene	ND	0.049		ND	0.27	0.434	8/8/16 17:01	CMR
Carbon Tetrachloride	0.065	0.011		0.41	0.068	0.434	8/8/16 17:01	CMR
Chlorobenzene	ND	0.022		ND	0.100	0.434	8/8/16 17:01	CMR
Chloroethane	ND	0.022	V-05, L-03	ND	0.057	0.434	8/8/16 17:01	CMR
Chloroform	0.014	0.011		0.070	0.053	0.434	8/8/16 17:01	CMR
Chloromethane	0.35	0.043		0.71	0.090	0.434	8/8/16 17:01	CMR
Dibromochloromethane	ND	0.011		ND	0.092	0.434	8/8/16 17:01	CMR
1,2-Dibromoethane (EDB)	ND	0.011		ND	0.083	0.434	8/8/16 17:01	CMR
1,2-Dichlorobenzene	ND	0.022		ND	0.13	0.434	8/8/16 17:01	CMR
1,3-Dichlorobenzene	ND	0.022		ND	0.13	0.434	8/8/16 17:01	CMR
1,4-Dichlorobenzene	ND	0.022		ND	0.13	0.434	8/8/16 17:01	CMR
Dichlorodifluoromethane (Freon 12)	0.21	0.022		1.0	0.11	0.434	8/8/16 17:01	CMR
1,1-Dichloroethane	ND	0.011		ND	0.044	0.434	8/8/16 17:01	CMR
1,2-Dichloroethane	ND	0.011		ND	0.044	0.434	8/8/16 17:01	CMR
1,1-Dichloroethylene	ND	0.011		ND	0.043	0.434	8/8/16 17:01	CMR
cis-1,2-Dichloroethylene	ND	0.011		ND	0.043	0.434	8/8/16 17:01	CMR
trans-1,2-Dichloroethylene	ND	0.011		ND	0.043	0.434	8/8/16 17:01	CMR
1,2-Dichloropropane	ND	0.011		ND	0.050	0.434	8/8/16 17:01	CMR
1,3-Dichloropropane	ND	0.059		ND	0.27	0.434	8/8/16 17:01	CMR
cis-1,3-Dichloropropene	ND	0.011		ND	0.049	0.434	8/8/16 17:01	CMR
trans-1,3-Dichloropropene	ND	0.011		ND	0.049	0.434	8/8/16 17:01	CMR
Ethylbenzene	0.11	0.022		0.49	0.094	0.434	8/8/16 17:01	CMR
Isopropylbenzene (Cumene)	ND	0.055		ND	0.27	0.434	8/8/16 17:01	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.049		ND	0.27	0.434	8/8/16 17:01	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.022		ND	0.078	0.434	8/8/16 17:01	CMR
Methylene Chloride	ND	0.22		ND	0.75	0.434	8/8/16 17:01	CMR
4-Methyl-2-pentanone (MIBK)	0.058	0.022		0.24	0.089	0.434	8/8/16 17:01	CMR
Styrene	0.038	0.022		0.16	0.092	0.434	8/8/16 17:01	CMR
1,1,1,2-Tetrachloroethane	ND	0.039		ND	0.27	0.434	8/8/16 17:01	CMR
1,1,2,2-Tetrachloroethane	ND	0.011		ND	0.074	0.434	8/8/16 17:01	CMR



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Gymnasium
Sample ID: 16G1007-01
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 13:02

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1825
 Canister Size: 6 liter
 Flow Controller ID: 4199
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -3.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	ND	0.011		ND	0.074	0.434	8/8/16 17:01	CMR
Toluene	0.092	0.022		0.35	0.082	0.434	8/8/16 17:01	CMR
1,1,1-Trichloroethane	ND	0.011		ND	0.059	0.434	8/8/16 17:01	CMR
1,1,2-Trichloroethane	ND	0.011		ND	0.059	0.434	8/8/16 17:01	CMR
Trichloroethylene	ND	0.011		ND	0.058	0.434	8/8/16 17:01	CMR
Trichlorofluoromethane (Freon 11)	0.18	0.022		1.0	0.12	0.434	8/8/16 17:01	CMR
1,2,4-Trimethylbenzene	0.12	0.022		0.60	0.11	0.434	8/8/16 17:01	CMR
1,3,5-Trimethylbenzene	0.041	0.022		0.20	0.11	0.434	8/8/16 17:01	CMR
Vinyl Chloride	ND	0.011	V-05, L-03	ND	0.028	0.434	8/8/16 17:01	CMR
m&p-Xylene	0.44	0.043		1.9	0.19	0.434	8/8/16 17:01	CMR
o-Xylene	0.12	0.022	V-06, L-05	0.50	0.094	0.434	8/8/16 17:01	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	104	70-130	8/8/16 17:01
4-Bromofluorobenzene (2)	95.4	70-130	8/8/16 17:01

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Cafeteria
Sample ID: 16G1007-02
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 09:58

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1857
 Canister Size: 6 liter
 Flow Controller ID: 4085
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -27
 Final Vacuum(in Hg): -7
 Receipt Vacuum(in Hg): -9.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	6.6	1.2	B	16	2.9	0.62	8/8/16 17:58	CMR	
Acrylonitrile	ND	0.18		ND	0.39	0.62	8/8/16 17:58	CMR	
Benzene	0.078	0.031		0.25	0.099	0.62	8/8/16 17:58	CMR	
Bromodichloromethane	ND	0.016		ND	0.10	0.62	8/8/16 17:58	CMR	
Bromoform	ND	0.031		ND	0.32	0.62	8/8/16 17:58	CMR	
2-Butanone (MEK)	ND	1.2		ND	3.7	0.62	8/8/16 17:58	CMR	
n-Butylbenzene	ND	0.089		ND	0.49	0.62	8/8/16 17:58	CMR	
sec-Butylbenzene	ND	0.071		ND	0.39	0.62	8/8/16 17:58	CMR	
Carbon Tetrachloride	0.077	0.016		0.48	0.098	0.62	8/8/16 17:58	CMR	
Chlorobenzene	ND	0.031		ND	0.14	0.62	8/8/16 17:58	CMR	
Chloroethane	ND	0.031	L-03, V-05	ND	0.082	0.62	8/8/16 17:58	CMR	
Chloroform	0.13	0.016		0.63	0.076	0.62	8/8/16 17:58	CMR	
Chloromethane	0.48	0.062		0.99	0.13	0.62	8/8/16 17:58	CMR	
Dibromochloromethane	ND	0.016		ND	0.13	0.62	8/8/16 17:58	CMR	
1,2-Dibromoethane (EDB)	ND	0.016		ND	0.12	0.62	8/8/16 17:58	CMR	
1,2-Dichlorobenzene	ND	0.031		ND	0.19	0.62	8/8/16 17:58	CMR	
1,3-Dichlorobenzene	ND	0.031		ND	0.19	0.62	8/8/16 17:58	CMR	
1,4-Dichlorobenzene	ND	0.031		ND	0.19	0.62	8/8/16 17:58	CMR	
Dichlorodifluoromethane (Freon 12)	0.27	0.031		1.3	0.15	0.62	8/8/16 17:58	CMR	
1,1-Dichloroethane	ND	0.016		ND	0.063	0.62	8/8/16 17:58	CMR	
1,2-Dichloroethane	ND	0.016		ND	0.063	0.62	8/8/16 17:58	CMR	
1,1-Dichloroethylene	ND	0.016		ND	0.061	0.62	8/8/16 17:58	CMR	
cis-1,2-Dichloroethylene	ND	0.016		ND	0.061	0.62	8/8/16 17:58	CMR	
trans-1,2-Dichloroethylene	ND	0.016		ND	0.061	0.62	8/8/16 17:58	CMR	
1,2-Dichloropropane	ND	0.016		ND	0.072	0.62	8/8/16 17:58	CMR	
1,3-Dichloropropane	ND	0.084		ND	0.39	0.62	8/8/16 17:58	CMR	
cis-1,3-Dichloropropene	ND	0.016		ND	0.070	0.62	8/8/16 17:58	CMR	
trans-1,3-Dichloropropene	ND	0.016		ND	0.070	0.62	8/8/16 17:58	CMR	
Ethylbenzene	0.076	0.031		0.33	0.13	0.62	8/8/16 17:58	CMR	
Isopropylbenzene (Cumene)	ND	0.079		ND	0.39	0.62	8/8/16 17:58	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.071		ND	0.39	0.62	8/8/16 17:58	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.031		ND	0.11	0.62	8/8/16 17:58	CMR	
Methylene Chloride	ND	0.31		ND	1.1	0.62	8/8/16 17:58	CMR	
4-Methyl-2-pentanone (MIBK)	ND	0.031		ND	0.13	0.62	8/8/16 17:58	CMR	
Styrene	0.059	0.031		0.25	0.13	0.62	8/8/16 17:58	CMR	
1,1,1,2-Tetrachloroethane	ND	0.056		ND	0.39	0.62	8/8/16 17:58	CMR	
1,1,2,2-Tetrachloroethane	ND	0.016		ND	0.11	0.62	8/8/16 17:58	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Cafeteria
Sample ID: 16G1007-02
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 09:58

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1857
 Canister Size: 6 liter
 Flow Controller ID: 4085
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -27
 Final Vacuum(in Hg): -7
 Receipt Vacuum(in Hg): -9.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	ND	0.016		ND	0.11	0.62	8/8/16 17:58	CMR
Toluene	0.20	0.031		0.76	0.12	0.62	8/8/16 17:58	CMR
1,1,1-Trichloroethane	ND	0.016		ND	0.085	0.62	8/8/16 17:58	CMR
1,1,2-Trichloroethane	ND	0.016		ND	0.085	0.62	8/8/16 17:58	CMR
Trichloroethylene	0.031	0.016		0.17	0.083	0.62	8/8/16 17:58	CMR
Trichlorofluoromethane (Freon 11)	0.21	0.031		1.2	0.17	0.62	8/8/16 17:58	CMR
1,2,4-Trimethylbenzene	0.16	0.031		0.77	0.15	0.62	8/8/16 17:58	CMR
1,3,5-Trimethylbenzene	0.051	0.031		0.25	0.15	0.62	8/8/16 17:58	CMR
Vinyl Chloride	ND	0.016	L-03, V-05	ND	0.040	0.62	8/8/16 17:58	CMR
m&p-Xylene	0.30	0.062		1.3	0.27	0.62	8/8/16 17:58	CMR
o-Xylene	0.086	0.031	L-05, V-06	0.37	0.13	0.62	8/8/16 17:58	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	102	70-130	8/8/16 17:58
4-Bromofluorobenzene (2)	95.2	70-130	8/8/16 17:58

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Kitchen Storage Room
Sample ID: 16G1007-03
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 09:44

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1029
 Canister Size: 6 liter
 Flow Controller ID: 4303
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	7.9	0.95	B	19	2.3	0.477	8/8/16 18:56	CMR	
Acrylonitrile	ND	0.14		ND	0.30	0.477	8/8/16 18:56	CMR	
Benzene	0.073	0.024		0.23	0.076	0.477	8/8/16 18:56	CMR	
Bromodichloromethane	ND	0.012		ND	0.080	0.477	8/8/16 18:56	CMR	
Bromoform	ND	0.024		ND	0.25	0.477	8/8/16 18:56	CMR	
2-Butanone (MEK)	ND	0.95		ND	2.8	0.477	8/8/16 18:56	CMR	
n-Butylbenzene	ND	0.069		ND	0.38	0.477	8/8/16 18:56	CMR	
sec-Butylbenzene	ND	0.054		ND	0.30	0.477	8/8/16 18:56	CMR	
Carbon Tetrachloride	0.074	0.012		0.47	0.075	0.477	8/8/16 18:56	CMR	
Chlorobenzene	ND	0.024		ND	0.11	0.477	8/8/16 18:56	CMR	
Chloroethane	ND	0.024	V-05, L-03	ND	0.063	0.477	8/8/16 18:56	CMR	
Chloroform	0.20	0.012		0.96	0.058	0.477	8/8/16 18:56	CMR	
Chloromethane	0.46	0.048		0.94	0.098	0.477	8/8/16 18:56	CMR	
Dibromochloromethane	ND	0.012		ND	0.10	0.477	8/8/16 18:56	CMR	
1,2-Dibromoethane (EDB)	ND	0.012		ND	0.092	0.477	8/8/16 18:56	CMR	
1,2-Dichlorobenzene	ND	0.024		ND	0.14	0.477	8/8/16 18:56	CMR	
1,3-Dichlorobenzene	ND	0.024		ND	0.14	0.477	8/8/16 18:56	CMR	
1,4-Dichlorobenzene	ND	0.024		ND	0.14	0.477	8/8/16 18:56	CMR	
Dichlorodifluoromethane (Freon 12)	0.24	0.024		1.2	0.12	0.477	8/8/16 18:56	CMR	
1,1-Dichloroethane	ND	0.012		ND	0.048	0.477	8/8/16 18:56	CMR	
1,2-Dichloroethane	ND	0.012		ND	0.048	0.477	8/8/16 18:56	CMR	
1,1-Dichloroethylene	ND	0.012		ND	0.047	0.477	8/8/16 18:56	CMR	
cis-1,2-Dichloroethylene	ND	0.012		ND	0.047	0.477	8/8/16 18:56	CMR	
trans-1,2-Dichloroethylene	ND	0.012		ND	0.047	0.477	8/8/16 18:56	CMR	
1,2-Dichloropropane	ND	0.012		ND	0.055	0.477	8/8/16 18:56	CMR	
1,3-Dichloropropane	ND	0.064		ND	0.30	0.477	8/8/16 18:56	CMR	
cis-1,3-Dichloropropene	ND	0.012		ND	0.054	0.477	8/8/16 18:56	CMR	
trans-1,3-Dichloropropene	ND	0.012		ND	0.054	0.477	8/8/16 18:56	CMR	
Ethylbenzene	0.095	0.024		0.41	0.10	0.477	8/8/16 18:56	CMR	
Isopropylbenzene (Cumene)	ND	0.061		ND	0.30	0.477	8/8/16 18:56	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.054		ND	0.30	0.477	8/8/16 18:56	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.024		ND	0.086	0.477	8/8/16 18:56	CMR	
Methylene Chloride	0.34	0.24		1.2	0.83	0.477	8/8/16 18:56	CMR	
4-Methyl-2-pentanone (MIBK)	0.038	0.024		0.16	0.098	0.477	8/8/16 18:56	CMR	
Styrene	0.084	0.024		0.36	0.10	0.477	8/8/16 18:56	CMR	
1,1,1,2-Tetrachloroethane	ND	0.043		ND	0.30	0.477	8/8/16 18:56	CMR	
1,1,2,2-Tetrachloroethane	ND	0.012		ND	0.082	0.477	8/8/16 18:56	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Kitchen Storage Room
Sample ID: 16G1007-03
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 09:44

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1029
 Canister Size: 6 liter
 Flow Controller ID: 4303
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	0.012	0.012		0.081	0.081	0.477	8/8/16 18:56	CMR
Toluene	0.26	0.024		0.97	0.090	0.477	8/8/16 18:56	CMR
1,1,1-Trichloroethane	ND	0.012		ND	0.065	0.477	8/8/16 18:56	CMR
1,1,2-Trichloroethane	ND	0.012		ND	0.065	0.477	8/8/16 18:56	CMR
Trichloroethylene	0.044	0.012		0.24	0.064	0.477	8/8/16 18:56	CMR
Trichlorofluoromethane (Freon 11)	0.21	0.024		1.2	0.13	0.477	8/8/16 18:56	CMR
1,2,4-Trimethylbenzene	0.14	0.024		0.67	0.12	0.477	8/8/16 18:56	CMR
1,3,5-Trimethylbenzene	0.043	0.024		0.21	0.12	0.477	8/8/16 18:56	CMR
Vinyl Chloride	ND	0.012	V-05, L-03	ND	0.030	0.477	8/8/16 18:56	CMR
m&p-Xylene	0.35	0.048		1.5	0.21	0.477	8/8/16 18:56	CMR
o-Xylene	0.10	0.024	V-06, L-05	0.44	0.10	0.477	8/8/16 18:56	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	102	70-130	8/8/16 18:56
4-Bromofluorobenzene (2)	95.5	70-130	8/8/16 18:56

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Elevator Hallway
Sample ID: 16G1007-04
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:32

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1209
 Canister Size: 6 liter
 Flow Controller ID: 4295
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -5.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	18	0.98	B, B-07	43	2.3	0.49	8/8/16 19:54	CMR	
Acrylonitrile	ND	0.14		ND	0.31	0.49	8/8/16 19:54	CMR	
Benzene	0.050	0.024		0.16	0.078	0.49	8/8/16 19:54	CMR	
Bromodichloromethane	ND	0.012		ND	0.082	0.49	8/8/16 19:54	CMR	
Bromoform	ND	0.024		ND	0.25	0.49	8/8/16 19:54	CMR	
2-Butanone (MEK)	ND	0.98		ND	2.9	0.49	8/8/16 19:54	CMR	
n-Butylbenzene	ND	0.071		ND	0.39	0.49	8/8/16 19:54	CMR	
sec-Butylbenzene	ND	0.056		ND	0.31	0.49	8/8/16 19:54	CMR	
Carbon Tetrachloride	0.073	0.012		0.46	0.077	0.49	8/8/16 19:54	CMR	
Chlorobenzene	ND	0.024		ND	0.11	0.49	8/8/16 19:54	CMR	
Chloroethane	ND	0.024	V-05, L-03	ND	0.065	0.49	8/8/16 19:54	CMR	
Chloroform	0.051	0.012		0.25	0.060	0.49	8/8/16 19:54	CMR	
Chloromethane	0.45	0.049		0.93	0.10	0.49	8/8/16 19:54	CMR	
Dibromochloromethane	ND	0.012		ND	0.10	0.49	8/8/16 19:54	CMR	
1,2-Dibromoethane (EDB)	ND	0.012		ND	0.094	0.49	8/8/16 19:54	CMR	
1,2-Dichlorobenzene	ND	0.024		ND	0.15	0.49	8/8/16 19:54	CMR	
1,3-Dichlorobenzene	ND	0.024		ND	0.15	0.49	8/8/16 19:54	CMR	
1,4-Dichlorobenzene	ND	0.024		ND	0.15	0.49	8/8/16 19:54	CMR	
Dichlorodifluoromethane (Freon 12)	0.24	0.024		1.2	0.12	0.49	8/8/16 19:54	CMR	
1,1-Dichloroethane	ND	0.012		ND	0.050	0.49	8/8/16 19:54	CMR	
1,2-Dichloroethane	ND	0.012		ND	0.050	0.49	8/8/16 19:54	CMR	
1,1-Dichloroethylene	ND	0.012		ND	0.049	0.49	8/8/16 19:54	CMR	
cis-1,2-Dichloroethylene	ND	0.012		ND	0.049	0.49	8/8/16 19:54	CMR	
trans-1,2-Dichloroethylene	ND	0.012		ND	0.049	0.49	8/8/16 19:54	CMR	
1,2-Dichloropropane	ND	0.012		ND	0.057	0.49	8/8/16 19:54	CMR	
1,3-Dichloropropane	ND	0.066		ND	0.31	0.49	8/8/16 19:54	CMR	
cis-1,3-Dichloropropene	ND	0.012		ND	0.056	0.49	8/8/16 19:54	CMR	
trans-1,3-Dichloropropene	ND	0.012		ND	0.056	0.49	8/8/16 19:54	CMR	
Ethylbenzene	0.11	0.024		0.49	0.11	0.49	8/8/16 19:54	CMR	
Isopropylbenzene (Cumene)	ND	0.062		ND	0.31	0.49	8/8/16 19:54	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.056		ND	0.31	0.49	8/8/16 19:54	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.024		ND	0.088	0.49	8/8/16 19:54	CMR	
Methylene Chloride	0.36	0.24		1.2	0.85	0.49	8/8/16 19:54	CMR	
4-Methyl-2-pentanone (MIBK)	0.049	0.024		0.20	0.10	0.49	8/8/16 19:54	CMR	
Styrene	0.052	0.024		0.22	0.10	0.49	8/8/16 19:54	CMR	
1,1,1,2-Tetrachloroethane	ND	0.045		ND	0.31	0.49	8/8/16 19:54	CMR	
1,1,2,2-Tetrachloroethane	ND	0.012		ND	0.084	0.49	8/8/16 19:54	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Elevator Hallway
Sample ID: 16G1007-04
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:32

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1209
 Canister Size: 6 liter
 Flow Controller ID: 4295
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -5.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	ND	0.012		ND	0.083	0.49	8/8/16 19:54	CMR
Toluene	0.25	0.024		0.95	0.092	0.49	8/8/16 19:54	CMR
1,1,1-Trichloroethane	ND	0.012		ND	0.067	0.49	8/8/16 19:54	CMR
1,1,2-Trichloroethane	ND	0.012		ND	0.067	0.49	8/8/16 19:54	CMR
Trichloroethylene	ND	0.012		ND	0.066	0.49	8/8/16 19:54	CMR
Trichlorofluoromethane (Freon 11)	0.21	0.024		1.2	0.14	0.49	8/8/16 19:54	CMR
1,2,4-Trimethylbenzene	0.14	0.024		0.69	0.12	0.49	8/8/16 19:54	CMR
1,3,5-Trimethylbenzene	0.047	0.024		0.23	0.12	0.49	8/8/16 19:54	CMR
Vinyl Chloride	ND	0.012	V-05, L-03	ND	0.031	0.49	8/8/16 19:54	CMR
m&p-Xylene	0.42	0.049		1.8	0.21	0.49	8/8/16 19:54	CMR
o-Xylene	0.12	0.024	V-06, L-05	0.50	0.11	0.49	8/8/16 19:54	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	102	70-130	8/8/16 19:54
4-Bromofluorobenzene (2)	96.7	70-130	8/8/16 19:54

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Room 145
Sample ID: 16G1007-05
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:42

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2055
 Canister Size: 6 liter
 Flow Controller ID: 4294
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -6.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	24	1.1	B, B-07	57	2.5	0.528	8/8/16 20:51	CMR	
Acrylonitrile	ND	0.15		ND	0.33	0.528	8/8/16 20:51	CMR	
Benzene	0.036	0.026		0.11	0.084	0.528	8/8/16 20:51	CMR	
Bromodichloromethane	ND	0.013		ND	0.088	0.528	8/8/16 20:51	CMR	
Bromoform	ND	0.026		ND	0.27	0.528	8/8/16 20:51	CMR	
2-Butanone (MEK)	ND	1.1		ND	3.1	0.528	8/8/16 20:51	CMR	
n-Butylbenzene	ND	0.076		ND	0.42	0.528	8/8/16 20:51	CMR	
sec-Butylbenzene	ND	0.060		ND	0.33	0.528	8/8/16 20:51	CMR	
Carbon Tetrachloride	0.069	0.013		0.43	0.083	0.528	8/8/16 20:51	CMR	
Chlorobenzene	ND	0.026		ND	0.12	0.528	8/8/16 20:51	CMR	
Chloroethane	ND	0.026	V-05, L-03	ND	0.070	0.528	8/8/16 20:51	CMR	
Chloroform	0.041	0.013		0.20	0.064	0.528	8/8/16 20:51	CMR	
Chloromethane	0.68	0.053		1.4	0.11	0.528	8/8/16 20:51	CMR	
Dibromochloromethane	ND	0.013		ND	0.11	0.528	8/8/16 20:51	CMR	
1,2-Dibromoethane (EDB)	ND	0.013		ND	0.10	0.528	8/8/16 20:51	CMR	
1,2-Dichlorobenzene	ND	0.026		ND	0.16	0.528	8/8/16 20:51	CMR	
1,3-Dichlorobenzene	0.041	0.026		0.24	0.16	0.528	8/8/16 20:51	CMR	
1,4-Dichlorobenzene	0.040	0.026		0.24	0.16	0.528	8/8/16 20:51	CMR	
Dichlorodifluoromethane (Freon 12)	0.24	0.026		1.2	0.13	0.528	8/8/16 20:51	CMR	
1,1-Dichloroethane	ND	0.013		ND	0.053	0.528	8/8/16 20:51	CMR	
1,2-Dichloroethane	ND	0.013		ND	0.053	0.528	8/8/16 20:51	CMR	
1,1-Dichloroethylene	ND	0.013		ND	0.052	0.528	8/8/16 20:51	CMR	
cis-1,2-Dichloroethylene	ND	0.013		ND	0.052	0.528	8/8/16 20:51	CMR	
trans-1,2-Dichloroethylene	ND	0.013		ND	0.052	0.528	8/8/16 20:51	CMR	
1,2-Dichloropropane	ND	0.013		ND	0.061	0.528	8/8/16 20:51	CMR	
1,3-Dichloropropane	ND	0.071		ND	0.33	0.528	8/8/16 20:51	CMR	
cis-1,3-Dichloropropene	ND	0.013		ND	0.060	0.528	8/8/16 20:51	CMR	
trans-1,3-Dichloropropene	ND	0.013		ND	0.060	0.528	8/8/16 20:51	CMR	
Ethylbenzene	0.11	0.026		0.48	0.11	0.528	8/8/16 20:51	CMR	
Isopropylbenzene (Cumene)	ND	0.067		ND	0.33	0.528	8/8/16 20:51	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.060		ND	0.33	0.528	8/8/16 20:51	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.026		ND	0.095	0.528	8/8/16 20:51	CMR	
Methylene Chloride	ND	0.26		ND	0.92	0.528	8/8/16 20:51	CMR	
4-Methyl-2-pentanone (MIBK)	0.087	0.026		0.35	0.11	0.528	8/8/16 20:51	CMR	
Styrene	0.093	0.026		0.40	0.11	0.528	8/8/16 20:51	CMR	
1,1,1,2-Tetrachloroethane	ND	0.048		ND	0.33	0.528	8/8/16 20:51	CMR	
1,1,2,2-Tetrachloroethane	ND	0.013		ND	0.091	0.528	8/8/16 20:51	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Room 145
Sample ID: 16G1007-05
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:42

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2055
 Canister Size: 6 liter
 Flow Controller ID: 4294
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -6.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	ND	0.013		ND	0.089	0.528	8/8/16 20:51	CMR
Toluene	0.40	0.026		1.5	0.099	0.528	8/8/16 20:51	CMR
1,1,1-Trichloroethane	ND	0.013		ND	0.072	0.528	8/8/16 20:51	CMR
1,1,2-Trichloroethane	ND	0.013		ND	0.072	0.528	8/8/16 20:51	CMR
Trichloroethylene	0.016	0.013		0.088	0.071	0.528	8/8/16 20:51	CMR
Trichlorofluoromethane (Freon 11)	0.20	0.026		1.1	0.15	0.528	8/8/16 20:51	CMR
1,2,4-Trimethylbenzene	0.15	0.026		0.74	0.13	0.528	8/8/16 20:51	CMR
1,3,5-Trimethylbenzene	0.049	0.026		0.24	0.13	0.528	8/8/16 20:51	CMR
Vinyl Chloride	ND	0.013	V-05, L-03	ND	0.034	0.528	8/8/16 20:51	CMR
m&p-Xylene	0.37	0.053		1.6	0.23	0.528	8/8/16 20:51	CMR
o-Xylene	0.15	0.026	V-06, L-05	0.65	0.11	0.528	8/8/16 20:51	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	103	70-130	8/8/16 20:51
4-Bromofluorobenzene (2)	97.7	70-130	8/8/16 20:51

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Room 152
Sample ID: 16G1007-06
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:53

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1449
 Canister Size: 6 liter
 Flow Controller ID: 4212
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	24	0.90	B, B-07	57	2.1	0.45	8/8/16 21:49	CMR	
Acrylonitrile	ND	0.13		ND	0.28	0.45	8/8/16 21:49	CMR	
Benzene	0.059	0.022		0.19	0.072	0.45	8/8/16 21:49	CMR	
Bromodichloromethane	ND	0.011		ND	0.075	0.45	8/8/16 21:49	CMR	
Bromoform	ND	0.022		ND	0.23	0.45	8/8/16 21:49	CMR	
2-Butanone (MEK)	ND	0.90		ND	2.7	0.45	8/8/16 21:49	CMR	
n-Butylbenzene	ND	0.065		ND	0.36	0.45	8/8/16 21:49	CMR	
sec-Butylbenzene	ND	0.051		ND	0.28	0.45	8/8/16 21:49	CMR	
Carbon Tetrachloride	0.072	0.011		0.45	0.071	0.45	8/8/16 21:49	CMR	
Chlorobenzene	ND	0.022		ND	0.10	0.45	8/8/16 21:49	CMR	
Chloroethane	ND	0.022	V-05, L-03	ND	0.059	0.45	8/8/16 21:49	CMR	
Chloroform	0.041	0.011		0.20	0.055	0.45	8/8/16 21:49	CMR	
Chloromethane	0.57	0.045		1.2	0.093	0.45	8/8/16 21:49	CMR	
Dibromochloromethane	ND	0.011		ND	0.096	0.45	8/8/16 21:49	CMR	
1,2-Dibromoethane (EDB)	ND	0.011		ND	0.086	0.45	8/8/16 21:49	CMR	
1,2-Dichlorobenzene	ND	0.022		ND	0.14	0.45	8/8/16 21:49	CMR	
1,3-Dichlorobenzene	0.029	0.022		0.18	0.14	0.45	8/8/16 21:49	CMR	
1,4-Dichlorobenzene	0.028	0.022		0.17	0.14	0.45	8/8/16 21:49	CMR	
Dichlorodifluoromethane (Freon 12)	0.23	0.022		1.2	0.11	0.45	8/8/16 21:49	CMR	
1,1-Dichloroethane	ND	0.011		ND	0.046	0.45	8/8/16 21:49	CMR	
1,2-Dichloroethane	0.012	0.011		0.049	0.046	0.45	8/8/16 21:49	CMR	
1,1-Dichloroethylene	ND	0.011		ND	0.045	0.45	8/8/16 21:49	CMR	
cis-1,2-Dichloroethylene	ND	0.011		ND	0.045	0.45	8/8/16 21:49	CMR	
trans-1,2-Dichloroethylene	ND	0.011		ND	0.045	0.45	8/8/16 21:49	CMR	
1,2-Dichloropropane	ND	0.011		ND	0.052	0.45	8/8/16 21:49	CMR	
1,3-Dichloropropane	ND	0.061		ND	0.28	0.45	8/8/16 21:49	CMR	
cis-1,3-Dichloropropene	ND	0.011		ND	0.051	0.45	8/8/16 21:49	CMR	
trans-1,3-Dichloropropene	ND	0.011		ND	0.051	0.45	8/8/16 21:49	CMR	
Ethylbenzene	0.063	0.022		0.27	0.098	0.45	8/8/16 21:49	CMR	
Isopropylbenzene (Cumene)	ND	0.057		ND	0.28	0.45	8/8/16 21:49	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.051	V-06	ND	0.28	0.45	8/8/16 21:49	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.022		ND	0.081	0.45	8/8/16 21:49	CMR	
Methylene Chloride	ND	0.22		ND	0.78	0.45	8/8/16 21:49	CMR	
4-Methyl-2-pentanone (MIBK)	0.78	0.022		3.2	0.092	0.45	8/8/16 21:49	CMR	
Styrene	0.088	0.022		0.37	0.096	0.45	8/8/16 21:49	CMR	
1,1,1,2-Tetrachloroethane	ND	0.041		ND	0.28	0.45	8/8/16 21:49	CMR	
1,1,2,2-Tetrachloroethane	ND	0.011		ND	0.077	0.45	8/8/16 21:49	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Room 152
Sample ID: 16G1007-06
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:53

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1449
 Canister Size: 6 liter
 Flow Controller ID: 4212
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	ND	0.011		ND	0.076	0.45	8/8/16 21:49	CMR
Toluene	0.29	0.022		1.1	0.085	0.45	8/8/16 21:49	CMR
1,1,1-Trichloroethane	ND	0.011		ND	0.061	0.45	8/8/16 21:49	CMR
1,1,2-Trichloroethane	ND	0.011		ND	0.061	0.45	8/8/16 21:49	CMR
Trichloroethylene	ND	0.011		ND	0.060	0.45	8/8/16 21:49	CMR
Trichlorofluoromethane (Freon 11)	0.20	0.022		1.1	0.13	0.45	8/8/16 21:49	CMR
1,2,4-Trimethylbenzene	0.14	0.022		0.68	0.11	0.45	8/8/16 21:49	CMR
1,3,5-Trimethylbenzene	0.046	0.022		0.23	0.11	0.45	8/8/16 21:49	CMR
Vinyl Chloride	ND	0.011	V-05, L-03	ND	0.029	0.45	8/8/16 21:49	CMR
m&p-Xylene	0.24	0.045		1.0	0.20	0.45	8/8/16 21:49	CMR
o-Xylene	0.083	0.022	V-06, L-05	0.36	0.098	0.45	8/8/16 21:49	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	102	70-130	8/8/16 21:49
4-Bromofluorobenzene (2)	98.3	70-130	8/8/16 21:49

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Room 118
Sample ID: 16G1007-07
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:12

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1073
 Canister Size: 6 liter
 Flow Controller ID: 4315
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -5.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	7.8	0.96	B	18	2.3	0.478	8/8/16 22:44	CMR	
Acrylonitrile	ND	0.14		ND	0.30	0.478	8/8/16 22:44	CMR	
Benzene	0.11	0.024		0.34	0.076	0.478	8/8/16 22:44	CMR	
Bromodichloromethane	ND	0.012		ND	0.080	0.478	8/8/16 22:44	CMR	
Bromoform	ND	0.024		ND	0.25	0.478	8/8/16 22:44	CMR	
2-Butanone (MEK)	1.3	0.96		3.8	2.8	0.478	8/8/16 22:44	CMR	
n-Butylbenzene	ND	0.069	V-06	ND	0.38	0.478	8/8/16 22:44	CMR	
sec-Butylbenzene	ND	0.055		ND	0.30	0.478	8/8/16 22:44	CMR	
Carbon Tetrachloride	0.060	0.012		0.38	0.075	0.478	8/8/16 22:44	CMR	
Chlorobenzene	ND	0.024		ND	0.11	0.478	8/8/16 22:44	CMR	
Chloroethane	ND	0.024	V-05, L-03	ND	0.063	0.478	8/8/16 22:44	CMR	
Chloroform	0.042	0.012		0.20	0.058	0.478	8/8/16 22:44	CMR	
Chloromethane	0.59	0.048		1.2	0.099	0.478	8/8/16 22:44	CMR	
Dibromochloromethane	ND	0.012		ND	0.10	0.478	8/8/16 22:44	CMR	
1,2-Dibromoethane (EDB)	ND	0.012		ND	0.092	0.478	8/8/16 22:44	CMR	
1,2-Dichlorobenzene	ND	0.024		ND	0.14	0.478	8/8/16 22:44	CMR	
1,3-Dichlorobenzene	ND	0.024		ND	0.14	0.478	8/8/16 22:44	CMR	
1,4-Dichlorobenzene	ND	0.024		ND	0.14	0.478	8/8/16 22:44	CMR	
Dichlorodifluoromethane (Freon 12)	0.27	0.024		1.3	0.12	0.478	8/8/16 22:44	CMR	
1,1-Dichloroethane	ND	0.012		ND	0.048	0.478	8/8/16 22:44	CMR	
1,2-Dichloroethane	0.014	0.012		0.058	0.048	0.478	8/8/16 22:44	CMR	
1,1-Dichloroethylene	ND	0.012		ND	0.047	0.478	8/8/16 22:44	CMR	
cis-1,2-Dichloroethylene	ND	0.012		ND	0.047	0.478	8/8/16 22:44	CMR	
trans-1,2-Dichloroethylene	ND	0.012		ND	0.047	0.478	8/8/16 22:44	CMR	
1,2-Dichloropropane	ND	0.012		ND	0.055	0.478	8/8/16 22:44	CMR	
1,3-Dichloropropane	ND	0.065		ND	0.30	0.478	8/8/16 22:44	CMR	
cis-1,3-Dichloropropene	ND	0.012		ND	0.054	0.478	8/8/16 22:44	CMR	
trans-1,3-Dichloropropene	ND	0.012		ND	0.054	0.478	8/8/16 22:44	CMR	
Ethylbenzene	0.079	0.024		0.34	0.10	0.478	8/8/16 22:44	CMR	
Isopropylbenzene (Cumene)	ND	0.061		ND	0.30	0.478	8/8/16 22:44	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.055		ND	0.30	0.478	8/8/16 22:44	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.024		ND	0.086	0.478	8/8/16 22:44	CMR	
Methylene Chloride	0.24	0.24		0.83	0.83	0.478	8/8/16 22:44	CMR	
4-Methyl-2-pentanone (MIBK)	0.066	0.024		0.27	0.098	0.478	8/8/16 22:44	CMR	
Styrene	0.14	0.024		0.58	0.10	0.478	8/8/16 22:44	CMR	
1,1,1,2-Tetrachloroethane	ND	0.044		ND	0.30	0.478	8/8/16 22:44	CMR	
1,1,2,2-Tetrachloroethane	ND	0.012		ND	0.082	0.478	8/8/16 22:44	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Room 118
Sample ID: 16G1007-07
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:12

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1073
 Canister Size: 6 liter
 Flow Controller ID: 4315
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -5.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.012		ND	0.081	0.478	8/8/16 22:44	CMR	
Toluene	0.47	0.024		1.8	0.090	0.478	8/8/16 22:44	CMR	
1,1,1-Trichloroethane	ND	0.012		ND	0.065	0.478	8/8/16 22:44	CMR	
1,1,2-Trichloroethane	ND	0.012		ND	0.065	0.478	8/8/16 22:44	CMR	
Trichloroethylene	0.014	0.012		0.077	0.064	0.478	8/8/16 22:44	CMR	
Trichlorofluoromethane (Freon 11)	0.21	0.024		1.2	0.13	0.478	8/8/16 22:44	CMR	
1,2,4-Trimethylbenzene	0.15	0.024		0.72	0.12	0.478	8/8/16 22:44	CMR	
1,3,5-Trimethylbenzene	0.048	0.024		0.24	0.12	0.478	8/8/16 22:44	CMR	
Vinyl Chloride	ND	0.012	V-05, L-03	ND	0.031	0.478	8/8/16 22:44	CMR	
m&p-Xylene	0.20	0.048		0.85	0.21	0.478	8/8/16 22:44	CMR	
o-Xylene	0.086	0.024	V-06, L-05	0.37	0.10	0.478	8/8/16 22:44	CMR	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	8/8/16 22:44
4-Bromofluorobenzene (2)	101	70-130	8/8/16 22:44

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: MP-1
Sample ID: 16G1007-08
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 10:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2014
 Canister Size: 6 liter
 Flow Controller ID: 4088
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -8
 Receipt Vacuum(in Hg): -9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	16	4.0		37	9.5	2	8/9/16 23:48	CMR	
Acrylonitrile	ND	0.58		ND	1.2	2	8/9/16 23:48	CMR	
Benzene	ND	0.10		ND	0.32	2	8/9/16 23:48	CMR	
Bromodichloromethane	ND	0.050		ND	0.34	2	8/9/16 23:48	CMR	
Bromoform	ND	0.10		ND	1.0	2	8/9/16 23:48	CMR	
2-Butanone (MEK)	12	4.0		36	12	2	8/9/16 23:48	CMR	
n-Butylbenzene	ND	0.29		ND	1.6	2	8/9/16 23:48	CMR	
sec-Butylbenzene	ND	0.23		ND	1.3	2	8/9/16 23:48	CMR	
Carbon Tetrachloride	0.066	0.050		0.42	0.31	2	8/9/16 23:48	CMR	
Chlorobenzene	ND	0.10		ND	0.46	2	8/9/16 23:48	CMR	
Chloroethane	ND	0.10	V-05, L-03	ND	0.26	2	8/9/16 23:48	CMR	
Chloroform	ND	0.050		ND	0.24	2	8/9/16 23:48	CMR	
Chloromethane	ND	0.20		ND	0.41	2	8/9/16 23:48	CMR	
Dibromochloromethane	ND	0.050		ND	0.43	2	8/9/16 23:48	CMR	
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	8/9/16 23:48	CMR	
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 23:48	CMR	
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 23:48	CMR	
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 23:48	CMR	
Dichlorodifluoromethane (Freon 12)	0.28	0.10		1.4	0.49	2	8/9/16 23:48	CMR	
1,1-Dichloroethane	ND	0.050		ND	0.20	2	8/9/16 23:48	CMR	
1,2-Dichloroethane	ND	0.050		ND	0.20	2	8/9/16 23:48	CMR	
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	8/9/16 23:48	CMR	
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/9/16 23:48	CMR	
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/9/16 23:48	CMR	
1,2-Dichloropropane	ND	0.050		ND	0.23	2	8/9/16 23:48	CMR	
1,3-Dichloropropane	ND	0.27		ND	1.2	2	8/9/16 23:48	CMR	
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/9/16 23:48	CMR	
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/9/16 23:48	CMR	
Ethylbenzene	1.3	0.10		5.8	0.43	2	8/9/16 23:48	CMR	
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	8/9/16 23:48	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	8/9/16 23:48	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	8/9/16 23:48	CMR	
Methylene Chloride	ND	1.0		ND	3.5	2	8/9/16 23:48	CMR	
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	8/9/16 23:48	CMR	
Styrene	0.19	0.10	L-03	0.79	0.43	2	8/9/16 23:48	CMR	
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	8/9/16 23:48	CMR	
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	8/9/16 23:48	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: MP-1
Sample ID: 16G1007-08
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 10:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2014
 Canister Size: 6 liter
 Flow Controller ID: 4088
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -8
 Receipt Vacuum(in Hg): -9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	0.074	0.050		0.50	0.34	2	8/9/16 23:48	CMR
Toluene	0.33	0.10	V-06	1.2	0.38	2	8/9/16 23:48	CMR
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	8/9/16 23:48	CMR
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	8/9/16 23:48	CMR
Trichloroethylene	0.088	0.050		0.47	0.27	2	8/9/16 23:48	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.10		1.3	0.56	2	8/9/16 23:48	CMR
1,2,4-Trimethylbenzene	0.45	0.10		2.2	0.49	2	8/9/16 23:48	CMR
1,3,5-Trimethylbenzene	0.16	0.10		0.78	0.49	2	8/9/16 23:48	CMR
Vinyl Chloride	ND	0.050	L-03	ND	0.13	2	8/9/16 23:48	CMR
m&p-Xylene	3.6	0.20		16	0.87	2	8/9/16 23:48	CMR
o-Xylene	0.78	0.10	V-06	3.4	0.43	2	8/9/16 23:48	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	101	70-130	8/9/16 23:48
4-Bromofluorobenzene (2)	108	70-130	8/9/16 23:48

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Room 110
Sample ID: 16G1007-09
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:15

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2000
 Canister Size: 6 liter
 Flow Controller ID: 4314
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -5.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	11	0.94	B, B-07	27	2.2	0.468	8/8/16 23:41	CMR	
Acrylonitrile	ND	0.13		ND	0.29	0.468	8/8/16 23:41	CMR	
Benzene	0.088	0.023		0.28	0.075	0.468	8/8/16 23:41	CMR	
Bromodichloromethane	ND	0.012		ND	0.078	0.468	8/8/16 23:41	CMR	
Bromoform	ND	0.023		ND	0.24	0.468	8/8/16 23:41	CMR	
2-Butanone (MEK)	0.97	0.94		2.8	2.8	0.468	8/8/16 23:41	CMR	
n-Butylbenzene	ND	0.067		ND	0.37	0.468	8/8/16 23:41	CMR	
sec-Butylbenzene	ND	0.053		ND	0.29	0.468	8/8/16 23:41	CMR	
Carbon Tetrachloride	0.067	0.012		0.42	0.074	0.468	8/8/16 23:41	CMR	
Chlorobenzene	ND	0.023		ND	0.11	0.468	8/8/16 23:41	CMR	
Chloroethane	ND	0.023	V-05, L-03	ND	0.062	0.468	8/8/16 23:41	CMR	
Chloroform	0.064	0.012		0.31	0.057	0.468	8/8/16 23:41	CMR	
Chloromethane	0.61	0.047		1.3	0.097	0.468	8/8/16 23:41	CMR	
Dibromochloromethane	ND	0.012		ND	0.100	0.468	8/8/16 23:41	CMR	
1,2-Dibromoethane (EDB)	ND	0.012		ND	0.090	0.468	8/8/16 23:41	CMR	
1,2-Dichlorobenzene	ND	0.023		ND	0.14	0.468	8/8/16 23:41	CMR	
1,3-Dichlorobenzene	ND	0.023		ND	0.14	0.468	8/8/16 23:41	CMR	
1,4-Dichlorobenzene	ND	0.023		ND	0.14	0.468	8/8/16 23:41	CMR	
Dichlorodifluoromethane (Freon 12)	0.24	0.023		1.2	0.12	0.468	8/8/16 23:41	CMR	
1,1-Dichloroethane	ND	0.012		ND	0.047	0.468	8/8/16 23:41	CMR	
1,2-Dichloroethane	ND	0.012		ND	0.047	0.468	8/8/16 23:41	CMR	
1,1-Dichloroethylene	ND	0.012		ND	0.046	0.468	8/8/16 23:41	CMR	
cis-1,2-Dichloroethylene	ND	0.012		ND	0.046	0.468	8/8/16 23:41	CMR	
trans-1,2-Dichloroethylene	ND	0.012		ND	0.046	0.468	8/8/16 23:41	CMR	
1,2-Dichloropropane	0.025	0.012		0.11	0.054	0.468	8/8/16 23:41	CMR	
1,3-Dichloropropane	ND	0.063		ND	0.29	0.468	8/8/16 23:41	CMR	
cis-1,3-Dichloropropene	ND	0.012		ND	0.053	0.468	8/8/16 23:41	CMR	
trans-1,3-Dichloropropene	ND	0.012		ND	0.053	0.468	8/8/16 23:41	CMR	
Ethylbenzene	0.090	0.023		0.39	0.10	0.468	8/8/16 23:41	CMR	
Isopropylbenzene (Cumene)	ND	0.059		ND	0.29	0.468	8/8/16 23:41	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.053		ND	0.29	0.468	8/8/16 23:41	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.023		ND	0.084	0.468	8/8/16 23:41	CMR	
Methylene Chloride	ND	0.23		ND	0.81	0.468	8/8/16 23:41	CMR	
4-Methyl-2-pentanone (MIBK)	0.094	0.023		0.39	0.096	0.468	8/8/16 23:41	CMR	
Styrene	0.10	0.023		0.43	0.100	0.468	8/8/16 23:41	CMR	
1,1,1,2-Tetrachloroethane	ND	0.043		ND	0.29	0.468	8/8/16 23:41	CMR	
1,1,2,2-Tetrachloroethane	ND	0.012		ND	0.080	0.468	8/8/16 23:41	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Room 110
Sample ID: 16G1007-09
 Sample Matrix: Indoor air
 Sampled: 7/20/2016 12:15

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2000
 Canister Size: 6 liter
 Flow Controller ID: 4314
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -5.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	ND	0.012		ND	0.079	0.468	8/8/16 23:41	CMR
Toluene	0.38	0.023		1.4	0.088	0.468	8/8/16 23:41	CMR
1,1,1-Trichloroethane	ND	0.012		ND	0.064	0.468	8/8/16 23:41	CMR
1,1,2-Trichloroethane	ND	0.012		ND	0.064	0.468	8/8/16 23:41	CMR
Trichloroethylene	0.016	0.012		0.086	0.063	0.468	8/8/16 23:41	CMR
Trichlorofluoromethane (Freon 11)	0.20	0.023		1.1	0.13	0.468	8/8/16 23:41	CMR
1,2,4-Trimethylbenzene	0.15	0.023		0.75	0.12	0.468	8/8/16 23:41	CMR
1,3,5-Trimethylbenzene	0.050	0.023		0.24	0.12	0.468	8/8/16 23:41	CMR
Vinyl Chloride	ND	0.012	V-05, L-03	ND	0.030	0.468	8/8/16 23:41	CMR
m&p-Xylene	0.33	0.047		1.4	0.20	0.468	8/8/16 23:41	CMR
o-Xylene	0.11	0.023	V-06, L-05	0.48	0.10	0.468	8/8/16 23:41	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	100	70-130	8/8/16 23:41
4-Bromofluorobenzene (2)	96.6	70-130	8/8/16 23:41

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: MP-3
Sample ID: 16G1007-10
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 10:39

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2196
 Canister Size: 6 liter
 Flow Controller ID: 4089
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -8
 Receipt Vacuum(in Hg): -9.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	23	4.0		56	9.5	2	8/10/16	0:30	CMR
Acrylonitrile	0.60	0.58	L-05, V-06	1.3	1.2	2	8/10/16	0:30	CMR
Benzene	0.22	0.10		0.70	0.32	2	8/10/16	0:30	CMR
Bromodichloromethane	0.050	0.050		0.34	0.34	2	8/10/16	0:30	CMR
Bromoform	ND	0.10		ND	1.0	2	8/10/16	0:30	CMR
2-Butanone (MEK)	12	4.0		37	12	2	8/10/16	0:30	CMR
n-Butylbenzene	ND	0.29	V-06, L-05	ND	1.6	2	8/10/16	0:30	CMR
sec-Butylbenzene	ND	0.23	V-06, L-05	ND	1.3	2	8/10/16	0:30	CMR
Carbon Tetrachloride	0.092	0.050		0.58	0.31	2	8/10/16	0:30	CMR
Chlorobenzene	ND	0.10		ND	0.46	2	8/10/16	0:30	CMR
Chloroethane	ND	0.10	L-03, V-05	ND	0.26	2	8/10/16	0:30	CMR
Chloroform	0.14	0.050		0.69	0.24	2	8/10/16	0:30	CMR
Chloromethane	2.1	0.20		4.3	0.41	2	8/10/16	0:30	CMR
Dibromochloromethane	ND	0.050		ND	0.43	2	8/10/16	0:30	CMR
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	8/10/16	0:30	CMR
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	0:30	CMR
1,3-Dichlorobenzene	0.21	0.10		1.3	0.60	2	8/10/16	0:30	CMR
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	0:30	CMR
Dichlorodifluoromethane (Freon 12)	0.31	0.10		1.6	0.49	2	8/10/16	0:30	CMR
1,1-Dichloroethane	0.092	0.050		0.37	0.20	2	8/10/16	0:30	CMR
1,2-Dichloroethane	ND	0.050		ND	0.20	2	8/10/16	0:30	CMR
1,1-Dichloroethylene	0.052	0.050		0.21	0.20	2	8/10/16	0:30	CMR
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/10/16	0:30	CMR
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/10/16	0:30	CMR
1,2-Dichloropropane	ND	0.050		ND	0.23	2	8/10/16	0:30	CMR
1,3-Dichloropropane	ND	0.27		ND	1.2	2	8/10/16	0:30	CMR
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	0:30	CMR
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	0:30	CMR
Ethylbenzene	0.17	0.10		0.75	0.43	2	8/10/16	0:30	CMR
Isopropylbenzene (Cumene)	ND	0.25	L-05, V-06	ND	1.2	2	8/10/16	0:30	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.23	V-06, L-05	ND	1.3	2	8/10/16	0:30	CMR
Methyl tert-Butyl Ether (MTBE)	0.13	0.10		0.46	0.36	2	8/10/16	0:30	CMR
Methylene Chloride	ND	1.0		ND	3.5	2	8/10/16	0:30	CMR
4-Methyl-2-pentanone (MIBK)	0.28	0.10		1.2	0.41	2	8/10/16	0:30	CMR
Styrene	0.21	0.10	L-03	0.88	0.43	2	8/10/16	0:30	CMR
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	8/10/16	0:30	CMR
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	8/10/16	0:30	CMR



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: MP-3
Sample ID: 16G1007-10
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 10:39

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2196
 Canister Size: 6 liter
 Flow Controller ID: 4089
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -8
 Receipt Vacuum(in Hg): -9.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.15	0.050		0.99	0.34	2	8/10/16	0:30	CMR
Toluene	0.50	0.10	V-06	1.9	0.38	2	8/10/16	0:30	CMR
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	8/10/16	0:30	CMR
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	8/10/16	0:30	CMR
Trichloroethylene	0.11	0.050		0.60	0.27	2	8/10/16	0:30	CMR
Trichlorofluoromethane (Freon 11)	0.28	0.10		1.6	0.56	2	8/10/16	0:30	CMR
1,2,4-Trimethylbenzene	0.52	0.10		2.6	0.49	2	8/10/16	0:30	CMR
1,3,5-Trimethylbenzene	0.25	0.10		1.2	0.49	2	8/10/16	0:30	CMR
Vinyl Chloride	0.11	0.050	L-03	0.29	0.13	2	8/10/16	0:30	CMR
m&p-Xylene	0.32	0.20		1.4	0.87	2	8/10/16	0:30	CMR
o-Xylene	0.19	0.10	V-06	0.84	0.43	2	8/10/16	0:30	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/10/16 0:30
4-Bromofluorobenzene (2)	108	70-130	8/10/16 0:30

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: MP-4
Sample ID: 16G1007-11
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 10:57

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1997
 Canister Size: 6 liter
 Flow Controller ID: 4210
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	19	4.0		44	9.5	2	8/10/16	1:11	CMR
Acrylonitrile	ND	0.58		ND	1.2	2	8/10/16	1:11	CMR
Benzene	0.13	0.10		0.41	0.32	2	8/10/16	1:11	CMR
Bromodichloromethane	ND	0.050		ND	0.34	2	8/10/16	1:11	CMR
Bromoform	ND	0.10		ND	1.0	2	8/10/16	1:11	CMR
2-Butanone (MEK)	ND	4.0		ND	12	2	8/10/16	1:11	CMR
n-Butylbenzene	ND	0.29		ND	1.6	2	8/10/16	1:11	CMR
sec-Butylbenzene	ND	0.23		ND	1.3	2	8/10/16	1:11	CMR
Carbon Tetrachloride	0.094	0.050		0.59	0.31	2	8/10/16	1:11	CMR
Chlorobenzene	ND	0.10		ND	0.46	2	8/10/16	1:11	CMR
Chloroethane	ND	0.10	V-05, L-03	ND	0.26	2	8/10/16	1:11	CMR
Chloroform	0.078	0.050		0.38	0.24	2	8/10/16	1:11	CMR
Chloromethane	ND	0.20		ND	0.41	2	8/10/16	1:11	CMR
Dibromochloromethane	ND	0.050		ND	0.43	2	8/10/16	1:11	CMR
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	8/10/16	1:11	CMR
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	1:11	CMR
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	1:11	CMR
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	1:11	CMR
Dichlorodifluoromethane (Freon 12)	0.32	0.10		1.6	0.49	2	8/10/16	1:11	CMR
1,1-Dichloroethane	ND	0.050		ND	0.20	2	8/10/16	1:11	CMR
1,2-Dichloroethane	ND	0.050		ND	0.20	2	8/10/16	1:11	CMR
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	8/10/16	1:11	CMR
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/10/16	1:11	CMR
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/10/16	1:11	CMR
1,2-Dichloropropane	ND	0.050		ND	0.23	2	8/10/16	1:11	CMR
1,3-Dichloropropane	ND	0.27		ND	1.2	2	8/10/16	1:11	CMR
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	1:11	CMR
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	1:11	CMR
Ethylbenzene	ND	0.10		ND	0.43	2	8/10/16	1:11	CMR
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	8/10/16	1:11	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	8/10/16	1:11	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	8/10/16	1:11	CMR
Methylene Chloride	ND	1.0		ND	3.5	2	8/10/16	1:11	CMR
4-Methyl-2-pentanone (MIBK)	0.14	0.10		0.59	0.41	2	8/10/16	1:11	CMR
Styrene	0.23	0.10	L-03	0.97	0.43	2	8/10/16	1:11	CMR
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	8/10/16	1:11	CMR
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	8/10/16	1:11	CMR



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: MP-4
Sample ID: 16G1007-11
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 10:57

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1997
 Canister Size: 6 liter
 Flow Controller ID: 4210
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.24	0.050		1.6	0.34	2	8/10/16	1:11	CMR
Toluene	0.20	0.10	V-06	0.77	0.38	2	8/10/16	1:11	CMR
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	8/10/16	1:11	CMR
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	8/10/16	1:11	CMR
Trichloroethylene	5.2	0.050		28	0.27	2	8/10/16	1:11	CMR
Trichlorofluoromethane (Freon 11)	2.9	0.10		16	0.56	2	8/10/16	1:11	CMR
1,2,4-Trimethylbenzene	0.47	0.10		2.3	0.49	2	8/10/16	1:11	CMR
1,3,5-Trimethylbenzene	0.18	0.10		0.88	0.49	2	8/10/16	1:11	CMR
Vinyl Chloride	ND	0.050	L-03	ND	0.13	2	8/10/16	1:11	CMR
m&p-Xylene	0.21	0.20		0.91	0.87	2	8/10/16	1:11	CMR
o-Xylene	ND	0.10	V-06	ND	0.43	2	8/10/16	1:11	CMR

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	101	70-130	8/10/16	1:11
4-Bromofluorobenzene (2)	108	70-130	8/10/16	1:11

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: MP-6
Sample ID: 16G1007-12
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 09:40

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2037
 Canister Size: 6 liter
 Flow Controller ID: 4106
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	15	4.0		35	9.5	2	8/10/16	1:53	CMR
Acrylonitrile	ND	0.58		ND	1.2	2	8/10/16	1:53	CMR
Benzene	0.21	0.10		0.68	0.32	2	8/10/16	1:53	CMR
Bromodichloromethane	0.056	0.050		0.38	0.34	2	8/10/16	1:53	CMR
Bromoform	ND	0.10		ND	1.0	2	8/10/16	1:53	CMR
2-Butanone (MEK)	16	4.0		46	12	2	8/10/16	1:53	CMR
n-Butylbenzene	ND	0.29		ND	1.6	2	8/10/16	1:53	CMR
sec-Butylbenzene	ND	0.23		ND	1.3	2	8/10/16	1:53	CMR
Carbon Tetrachloride	0.10	0.050		0.64	0.31	2	8/10/16	1:53	CMR
Chlorobenzene	ND	0.10		ND	0.46	2	8/10/16	1:53	CMR
Chloroethane	0.29	0.10	V-05, L-03	0.77	0.26	2	8/10/16	1:53	CMR
Chloroform	0.096	0.050		0.47	0.24	2	8/10/16	1:53	CMR
Chloromethane	2.4	0.20		5.0	0.41	2	8/10/16	1:53	CMR
Dibromochloromethane	ND	0.050		ND	0.43	2	8/10/16	1:53	CMR
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	8/10/16	1:53	CMR
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	1:53	CMR
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	1:53	CMR
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	1:53	CMR
Dichlorodifluoromethane (Freon 12)	0.33	0.10		1.6	0.49	2	8/10/16	1:53	CMR
1,1-Dichloroethane	0.13	0.050		0.51	0.20	2	8/10/16	1:53	CMR
1,2-Dichloroethane	0.070	0.050		0.28	0.20	2	8/10/16	1:53	CMR
1,1-Dichloroethylene	0.060	0.050		0.24	0.20	2	8/10/16	1:53	CMR
cis-1,2-Dichloroethylene	0.050	0.050		0.20	0.20	2	8/10/16	1:53	CMR
trans-1,2-Dichloroethylene	0.054	0.050		0.21	0.20	2	8/10/16	1:53	CMR
1,2-Dichloropropane	0.058	0.050		0.27	0.23	2	8/10/16	1:53	CMR
1,3-Dichloropropane	ND	0.27		ND	1.2	2	8/10/16	1:53	CMR
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	1:53	CMR
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	1:53	CMR
Ethylbenzene	0.11	0.10		0.49	0.43	2	8/10/16	1:53	CMR
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	8/10/16	1:53	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	8/10/16	1:53	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	8/10/16	1:53	CMR
Methylene Chloride	ND	1.0		ND	3.5	2	8/10/16	1:53	CMR
4-Methyl-2-pentanone (MIBK)	0.20	0.10		0.82	0.41	2	8/10/16	1:53	CMR
Styrene	0.24	0.10	L-03	1.0	0.43	2	8/10/16	1:53	CMR
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	8/10/16	1:53	CMR
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	8/10/16	1:53	CMR



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: MP-6
Sample ID: 16G1007-12
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 09:40

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2037
 Canister Size: 6 liter
 Flow Controller ID: 4106
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.71	0.050		4.8	0.34	2	8/10/16	1:53	CMR
Toluene	0.32	0.10	V-06	1.2	0.38	2	8/10/16	1:53	CMR
1,1,1-Trichloroethane	0.11	0.050		0.59	0.27	2	8/10/16	1:53	CMR
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	8/10/16	1:53	CMR
Trichloroethylene	0.70	0.050		3.8	0.27	2	8/10/16	1:53	CMR
Trichlorofluoromethane (Freon 11)	0.74	0.10		4.2	0.56	2	8/10/16	1:53	CMR
1,2,4-Trimethylbenzene	0.50	0.10		2.4	0.49	2	8/10/16	1:53	CMR
1,3,5-Trimethylbenzene	0.20	0.10		0.96	0.49	2	8/10/16	1:53	CMR
Vinyl Chloride	0.21	0.050	L-03	0.54	0.13	2	8/10/16	1:53	CMR
m&p-Xylene	0.29	0.20		1.3	0.87	2	8/10/16	1:53	CMR
o-Xylene	0.14	0.10	V-06	0.60	0.43	2	8/10/16	1:53	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	8/10/16 1:53
4-Bromofluorobenzene (2)	107	70-130	8/10/16 1:53

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: IMP-1
Sample ID: 16G1007-13
 Sample Matrix: Sub Slab
 Sampled: 7/20/2016 13:02

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1886
 Canister Size: 6 liter
 Flow Controller ID: 4213
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	29	4.0		70	9.5	2	8/10/16	2:35	CMR
Acrylonitrile	ND	0.58		ND	1.2	2	8/10/16	2:35	CMR
Benzene	0.14	0.10		0.43	0.32	2	8/10/16	2:35	CMR
Bromodichloromethane	0.064	0.050		0.43	0.34	2	8/10/16	2:35	CMR
Bromoform	ND	0.10		ND	1.0	2	8/10/16	2:35	CMR
2-Butanone (MEK)	11	4.0		32	12	2	8/10/16	2:35	CMR
n-Butylbenzene	ND	0.29		ND	1.6	2	8/10/16	2:35	CMR
sec-Butylbenzene	ND	0.23		ND	1.3	2	8/10/16	2:35	CMR
Carbon Tetrachloride	0.10	0.050		0.63	0.31	2	8/10/16	2:35	CMR
Chlorobenzene	ND	0.10		ND	0.46	2	8/10/16	2:35	CMR
Chloroethane	ND	0.10	V-05, L-03	ND	0.26	2	8/10/16	2:35	CMR
Chloroform	0.072	0.050		0.35	0.24	2	8/10/16	2:35	CMR
Chloromethane	0.52	0.20		1.1	0.41	2	8/10/16	2:35	CMR
Dibromochloromethane	ND	0.050		ND	0.43	2	8/10/16	2:35	CMR
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	8/10/16	2:35	CMR
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	2:35	CMR
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	2:35	CMR
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	2:35	CMR
Dichlorodifluoromethane (Freon 12)	0.31	0.10		1.5	0.49	2	8/10/16	2:35	CMR
1,1-Dichloroethane	ND	0.050		ND	0.20	2	8/10/16	2:35	CMR
1,2-Dichloroethane	0.052	0.050		0.21	0.20	2	8/10/16	2:35	CMR
1,1-Dichloroethylene	0.060	0.050		0.24	0.20	2	8/10/16	2:35	CMR
cis-1,2-Dichloroethylene	0.052	0.050		0.21	0.20	2	8/10/16	2:35	CMR
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/10/16	2:35	CMR
1,2-Dichloropropane	0.062	0.050		0.29	0.23	2	8/10/16	2:35	CMR
1,3-Dichloropropane	ND	0.27		ND	1.2	2	8/10/16	2:35	CMR
cis-1,3-Dichloropropene	0.050	0.050		0.23	0.23	2	8/10/16	2:35	CMR
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	2:35	CMR
Ethylbenzene	0.63	0.10		2.7	0.43	2	8/10/16	2:35	CMR
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	8/10/16	2:35	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	8/10/16	2:35	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	8/10/16	2:35	CMR
Methylene Chloride	ND	1.0		ND	3.5	2	8/10/16	2:35	CMR
4-Methyl-2-pentanone (MIBK)	0.60	0.10		2.4	0.41	2	8/10/16	2:35	CMR
Styrene	0.92	0.10	L-03	3.9	0.43	2	8/10/16	2:35	CMR
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	8/10/16	2:35	CMR
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	8/10/16	2:35	CMR



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: IMP-1
Sample ID: 16G1007-13
 Sample Matrix: Sub Slab
 Sampled: 7/20/2016 13:02

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1886
 Canister Size: 6 liter
 Flow Controller ID: 4213
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.10	0.050		0.71	0.34	2	8/10/16	2:35	CMR
Toluene	0.43	0.10	V-06	1.6	0.38	2	8/10/16	2:35	CMR
1,1,1-Trichloroethane	0.052	0.050		0.28	0.27	2	8/10/16	2:35	CMR
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	8/10/16	2:35	CMR
Trichloroethylene	0.12	0.050		0.63	0.27	2	8/10/16	2:35	CMR
Trichlorofluoromethane (Freon 11)	0.29	0.10		1.7	0.56	2	8/10/16	2:35	CMR
1,2,4-Trimethylbenzene	0.65	0.10		3.2	0.49	2	8/10/16	2:35	CMR
1,3,5-Trimethylbenzene	0.26	0.10		1.3	0.49	2	8/10/16	2:35	CMR
Vinyl Chloride	ND	0.050	L-03	ND	0.13	2	8/10/16	2:35	CMR
m&p-Xylene	2.1	0.20		9.3	0.87	2	8/10/16	2:35	CMR
o-Xylene	0.61	0.10	V-06	2.7	0.43	2	8/10/16	2:35	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	8/10/16 2:35
4-Bromofluorobenzene (2)	109	70-130	8/10/16 2:35

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: IMP-2
Sample ID: 16G1007-14
 Sample Matrix: Sub Slab
 Sampled: 7/20/2016 12:52

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1711
 Canister Size: 6 liter
 Flow Controller ID: 4186
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -27
 Final Vacuum(in Hg): -8
 Receipt Vacuum(in Hg): -8.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	21	4.0		51	9.5	2	8/10/16	3:16	CMR
Acrylonitrile	ND	0.58		ND	1.2	2	8/10/16	3:16	CMR
Benzene	0.27	0.10		0.85	0.32	2	8/10/16	3:16	CMR
Bromodichloromethane	ND	0.050		ND	0.34	2	8/10/16	3:16	CMR
Bromoform	ND	0.10		ND	1.0	2	8/10/16	3:16	CMR
2-Butanone (MEK)	ND	4.0		ND	12	2	8/10/16	3:16	CMR
n-Butylbenzene	ND	0.29		ND	1.6	2	8/10/16	3:16	CMR
sec-Butylbenzene	ND	0.23		ND	1.3	2	8/10/16	3:16	CMR
Carbon Tetrachloride	0.088	0.050		0.55	0.31	2	8/10/16	3:16	CMR
Chlorobenzene	ND	0.10		ND	0.46	2	8/10/16	3:16	CMR
Chloroethane	ND	0.10	V-05, L-03	ND	0.26	2	8/10/16	3:16	CMR
Chloroform	0.090	0.050		0.44	0.24	2	8/10/16	3:16	CMR
Chloromethane	0.79	0.20		1.6	0.41	2	8/10/16	3:16	CMR
Dibromochloromethane	ND	0.050		ND	0.43	2	8/10/16	3:16	CMR
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	8/10/16	3:16	CMR
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	3:16	CMR
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	3:16	CMR
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	8/10/16	3:16	CMR
Dichlorodifluoromethane (Freon 12)	0.29	0.10		1.5	0.49	2	8/10/16	3:16	CMR
1,1-Dichloroethane	ND	0.050		ND	0.20	2	8/10/16	3:16	CMR
1,2-Dichloroethane	ND	0.050		ND	0.20	2	8/10/16	3:16	CMR
1,1-Dichloroethylene	0.052	0.050		0.21	0.20	2	8/10/16	3:16	CMR
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/10/16	3:16	CMR
trans-1,2-Dichloroethylene	0.050	0.050		0.20	0.20	2	8/10/16	3:16	CMR
1,2-Dichloropropane	0.052	0.050		0.24	0.23	2	8/10/16	3:16	CMR
1,3-Dichloropropane	ND	0.27		ND	1.2	2	8/10/16	3:16	CMR
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	3:16	CMR
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/10/16	3:16	CMR
Ethylbenzene	0.25	0.10		1.1	0.43	2	8/10/16	3:16	CMR
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	8/10/16	3:16	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	8/10/16	3:16	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	8/10/16	3:16	CMR
Methylene Chloride	2.5	1.0		8.6	3.5	2	8/10/16	3:16	CMR
4-Methyl-2-pentanone (MIBK)	0.42	0.10		1.7	0.41	2	8/10/16	3:16	CMR
Styrene	1.4	0.10	L-03	5.9	0.43	2	8/10/16	3:16	CMR
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	8/10/16	3:16	CMR
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	8/10/16	3:16	CMR



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: IMP-2
Sample ID: 16G1007-14
 Sample Matrix: Sub Slab
 Sampled: 7/20/2016 12:52

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1711
 Canister Size: 6 liter
 Flow Controller ID: 4186
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -27
 Final Vacuum(in Hg): -8
 Receipt Vacuum(in Hg): -8.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.82	0.050		5.6	0.34	2	8/10/16	3:16	CMR
Toluene	12	0.10	V-06	44	0.38	2	8/10/16	3:16	CMR
1,1,1-Trichloroethane	0.074	0.050		0.40	0.27	2	8/10/16	3:16	CMR
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	8/10/16	3:16	CMR
Trichloroethylene	3.9	0.050		21	0.27	2	8/10/16	3:16	CMR
Trichlorofluoromethane (Freon 11)	0.71	0.10		4.0	0.56	2	8/10/16	3:16	CMR
1,2,4-Trimethylbenzene	0.53	0.10		2.6	0.49	2	8/10/16	3:16	CMR
1,3,5-Trimethylbenzene	0.21	0.10		1.0	0.49	2	8/10/16	3:16	CMR
Vinyl Chloride	ND	0.050	L-03	ND	0.13	2	8/10/16	3:16	CMR
m&p-Xylene	0.74	0.20		3.2	0.87	2	8/10/16	3:16	CMR
o-Xylene	0.29	0.10	V-06	1.3	0.43	2	8/10/16	3:16	CMR

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	101	70-130	8/10/16	3:16
4-Bromofluorobenzene (2)	109	70-130	8/10/16	3:16

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Rooftop Fan 1
Sample ID: 16G1007-15
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 12:06

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2028
 Canister Size: 6 liter
 Flow Controller ID: 4310
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -6.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	21	1.2	B, B-07	50	2.9	0.603	8/9/16	1:34	CMR
Acrylonitrile	ND	0.17		ND	0.38	0.603	8/9/16	1:34	CMR
Benzene	0.089	0.030		0.29	0.096	0.603	8/9/16	1:34	CMR
Bromodichloromethane	0.089	0.015		0.60	0.10	0.603	8/9/16	1:34	CMR
Bromoform	ND	0.030		ND	0.31	0.603	8/9/16	1:34	CMR
2-Butanone (MEK)	2.3	1.2		6.9	3.6	0.603	8/9/16	1:34	CMR
n-Butylbenzene	ND	0.087		ND	0.48	0.603	8/9/16	1:34	CMR
sec-Butylbenzene	ND	0.069		ND	0.38	0.603	8/9/16	1:34	CMR
Carbon Tetrachloride	0.064	0.015		0.40	0.095	0.603	8/9/16	1:34	CMR
Chlorobenzene	ND	0.030		ND	0.14	0.603	8/9/16	1:34	CMR
Chloroethane	ND	0.030	V-05, L-03	ND	0.080	0.603	8/9/16	1:34	CMR
Chloroform	0.064	0.015		0.31	0.074	0.603	8/9/16	1:34	CMR
Chloromethane	ND	0.060		ND	0.12	0.603	8/9/16	1:34	CMR
Dibromochloromethane	ND	0.015		ND	0.13	0.603	8/9/16	1:34	CMR
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12	0.603	8/9/16	1:34	CMR
1,2-Dichlorobenzene	ND	0.030		ND	0.18	0.603	8/9/16	1:34	CMR
1,3-Dichlorobenzene	ND	0.030		ND	0.18	0.603	8/9/16	1:34	CMR
1,4-Dichlorobenzene	ND	0.030		ND	0.18	0.603	8/9/16	1:34	CMR
Dichlorodifluoromethane (Freon 12)	0.26	0.030		1.3	0.15	0.603	8/9/16	1:34	CMR
1,1-Dichloroethane	ND	0.015		ND	0.061	0.603	8/9/16	1:34	CMR
1,2-Dichloroethane	ND	0.015		ND	0.061	0.603	8/9/16	1:34	CMR
1,1-Dichloroethylene	ND	0.015		ND	0.060	0.603	8/9/16	1:34	CMR
cis-1,2-Dichloroethylene	0.015	0.015		0.060	0.060	0.603	8/9/16	1:34	CMR
trans-1,2-Dichloroethylene	ND	0.015		ND	0.060	0.603	8/9/16	1:34	CMR
1,2-Dichloropropane	ND	0.015		ND	0.070	0.603	8/9/16	1:34	CMR
1,3-Dichloropropane	ND	0.081		ND	0.38	0.603	8/9/16	1:34	CMR
cis-1,3-Dichloropropene	ND	0.015		ND	0.068	0.603	8/9/16	1:34	CMR
trans-1,3-Dichloropropene	ND	0.015		ND	0.068	0.603	8/9/16	1:34	CMR
Ethylbenzene	0.080	0.030		0.35	0.13	0.603	8/9/16	1:34	CMR
Isopropylbenzene (Cumene)	ND	0.077		ND	0.38	0.603	8/9/16	1:34	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.069		ND	0.38	0.603	8/9/16	1:34	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11	0.603	8/9/16	1:34	CMR
Methylene Chloride	ND	0.30		ND	1.0	0.603	8/9/16	1:34	CMR
4-Methyl-2-pentanone (MIBK)	0.13	0.030		0.54	0.12	0.603	8/9/16	1:34	CMR
Styrene	0.30	0.030		1.3	0.13	0.603	8/9/16	1:34	CMR
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.38	0.603	8/9/16	1:34	CMR
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10	0.603	8/9/16	1:34	CMR



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Rooftop Fan 1
Sample ID: 16G1007-15
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 12:06

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2028
 Canister Size: 6 liter
 Flow Controller ID: 4310
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -6.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	3.9	0.015		26	0.10	0.603	8/9/16	1:34	CMR
Toluene	0.33	0.030		1.3	0.11	0.603	8/9/16	1:34	CMR
1,1,1-Trichloroethane	0.22	0.015		1.2	0.082	0.603	8/9/16	1:34	CMR
1,1,2-Trichloroethane	ND	0.015		ND	0.082	0.603	8/9/16	1:34	CMR
Trichloroethylene	12	0.015		67	0.081	0.603	8/9/16	1:34	CMR
Trichlorofluoromethane (Freon 11)	4.0	0.030		22	0.17	0.603	8/9/16	1:34	CMR
1,2,4-Trimethylbenzene	0.18	0.030		0.87	0.15	0.603	8/9/16	1:34	CMR
1,3,5-Trimethylbenzene	0.060	0.030		0.30	0.15	0.603	8/9/16	1:34	CMR
Vinyl Chloride	ND	0.015	V-05, L-03	ND	0.039	0.603	8/9/16	1:34	CMR
m&p-Xylene	0.23	0.060		0.98	0.26	0.603	8/9/16	1:34	CMR
o-Xylene	0.090	0.030	L-05, V-06	0.39	0.13	0.603	8/9/16	1:34	CMR

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	103	70-130	8/9/16	1:34
4-Bromofluorobenzene (2)	100	70-130	8/9/16	1:34

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Rooftop Fan 2
Sample ID: 16G1007-16
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 12:00

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1014
 Canister Size: 6 liter
 Flow Controller ID: 4171
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -7.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	24	4.0		57	9.5	2	8/9/16 22:23	CMR	
Acrylonitrile	ND	0.58		ND	1.2	2	8/9/16 22:23	CMR	
Benzene	0.17	0.10		0.53	0.32	2	8/9/16 22:23	CMR	
Bromodichloromethane	ND	0.050		ND	0.34	2	8/9/16 22:23	CMR	
Bromoform	ND	0.10		ND	1.0	2	8/9/16 22:23	CMR	
2-Butanone (MEK)	ND	4.0		ND	12	2	8/9/16 22:23	CMR	
n-Butylbenzene	ND	0.29		ND	1.6	2	8/9/16 22:23	CMR	
sec-Butylbenzene	ND	0.23		ND	1.3	2	8/9/16 22:23	CMR	
Carbon Tetrachloride	0.066	0.050		0.42	0.31	2	8/9/16 22:23	CMR	
Chlorobenzene	ND	0.10		ND	0.46	2	8/9/16 22:23	CMR	
Chloroethane	ND	0.10	V-05, L-03	ND	0.26	2	8/9/16 22:23	CMR	
Chloroform	0.11	0.050		0.53	0.24	2	8/9/16 22:23	CMR	
Chloromethane	3.0	0.20		6.3	0.41	2	8/9/16 22:23	CMR	
Dibromochloromethane	ND	0.050		ND	0.43	2	8/9/16 22:23	CMR	
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	8/9/16 22:23	CMR	
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 22:23	CMR	
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 22:23	CMR	
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 22:23	CMR	
Dichlorodifluoromethane (Freon 12)	0.28	0.10		1.4	0.49	2	8/9/16 22:23	CMR	
1,1-Dichloroethane	ND	0.050		ND	0.20	2	8/9/16 22:23	CMR	
1,2-Dichloroethane	ND	0.050		ND	0.20	2	8/9/16 22:23	CMR	
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	8/9/16 22:23	CMR	
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/9/16 22:23	CMR	
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/9/16 22:23	CMR	
1,2-Dichloropropane	ND	0.050		ND	0.23	2	8/9/16 22:23	CMR	
1,3-Dichloropropane	ND	0.27		ND	1.2	2	8/9/16 22:23	CMR	
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/9/16 22:23	CMR	
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/9/16 22:23	CMR	
Ethylbenzene	ND	0.10		ND	0.43	2	8/9/16 22:23	CMR	
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	8/9/16 22:23	CMR	
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	8/9/16 22:23	CMR	
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	8/9/16 22:23	CMR	
Methylene Chloride	ND	1.0		ND	3.5	2	8/9/16 22:23	CMR	
4-Methyl-2-pentanone (MIBK)	0.13	0.10		0.53	0.41	2	8/9/16 22:23	CMR	
Styrene	ND	0.10	L-03	ND	0.43	2	8/9/16 22:23	CMR	
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	8/9/16 22:23	CMR	
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	8/9/16 22:23	CMR	



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Rooftop Fan 2
Sample ID: 16G1007-16
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 12:00

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1014
 Canister Size: 6 liter
 Flow Controller ID: 4171
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -6
 Receipt Vacuum(in Hg): -7.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	1.6	0.050		11	0.34	2	8/9/16 22:23	CMR
Toluene	0.28	0.10	V-06	1.1	0.38	2	8/9/16 22:23	CMR
1,1,1-Trichloroethane	0.11	0.050		0.59	0.27	2	8/9/16 22:23	CMR
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	8/9/16 22:23	CMR
Trichloroethylene	12	0.050		63	0.27	2	8/9/16 22:23	CMR
Trichlorofluoromethane (Freon 11)	7.8	0.10		44	0.56	2	8/9/16 22:23	CMR
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	8/9/16 22:23	CMR
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	8/9/16 22:23	CMR
Vinyl Chloride	ND	0.050	L-03	ND	0.13	2	8/9/16 22:23	CMR
m&p-Xylene	ND	0.20		ND	0.87	2	8/9/16 22:23	CMR
o-Xylene	ND	0.10		ND	0.43	2	8/9/16 22:23	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	100	70-130	8/9/16 22:23
4-Bromofluorobenzene (2)	102	70-130	8/9/16 22:23

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Rooftop Fan 3
Sample ID: 16G1007-17
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 09:53

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1966
 Canister Size: 6 liter
 Flow Controller ID: 4086
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -6.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Acetone	17	4.0		41	9.5	2	8/9/16 23:06	CMR
Acrylonitrile	ND	0.58		ND	1.2	2	8/9/16 23:06	CMR
Benzene	ND	0.10		ND	0.32	2	8/9/16 23:06	CMR
Bromodichloromethane	ND	0.050		ND	0.34	2	8/9/16 23:06	CMR
Bromoform	ND	0.10		ND	1.0	2	8/9/16 23:06	CMR
2-Butanone (MEK)	ND	4.0		ND	12	2	8/9/16 23:06	CMR
n-Butylbenzene	ND	0.29		ND	1.6	2	8/9/16 23:06	CMR
sec-Butylbenzene	ND	0.23		ND	1.3	2	8/9/16 23:06	CMR
Carbon Tetrachloride	0.072	0.050		0.45	0.31	2	8/9/16 23:06	CMR
Chlorobenzene	ND	0.10		ND	0.46	2	8/9/16 23:06	CMR
Chloroethane	ND	0.10	V-05, L-03	ND	0.26	2	8/9/16 23:06	CMR
Chloroform	0.23	0.050		1.1	0.24	2	8/9/16 23:06	CMR
Chloromethane	ND	0.20		ND	0.41	2	8/9/16 23:06	CMR
Dibromochloromethane	ND	0.050		ND	0.43	2	8/9/16 23:06	CMR
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	8/9/16 23:06	CMR
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 23:06	CMR
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 23:06	CMR
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	8/9/16 23:06	CMR
Dichlorodifluoromethane (Freon 12)	0.29	0.10		1.4	0.49	2	8/9/16 23:06	CMR
1,1-Dichloroethane	ND	0.050		ND	0.20	2	8/9/16 23:06	CMR
1,2-Dichloroethane	ND	0.050		ND	0.20	2	8/9/16 23:06	CMR
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	8/9/16 23:06	CMR
cis-1,2-Dichloroethylene	0.15	0.050		0.58	0.20	2	8/9/16 23:06	CMR
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	8/9/16 23:06	CMR
1,2-Dichloropropane	ND	0.050		ND	0.23	2	8/9/16 23:06	CMR
1,3-Dichloropropane	ND	0.27		ND	1.2	2	8/9/16 23:06	CMR
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/9/16 23:06	CMR
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	8/9/16 23:06	CMR
Ethylbenzene	1.6	0.10		7.1	0.43	2	8/9/16 23:06	CMR
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	8/9/16 23:06	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	8/9/16 23:06	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	8/9/16 23:06	CMR
Methylene Chloride	ND	1.0		ND	3.5	2	8/9/16 23:06	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	8/9/16 23:06	CMR
Styrene	0.19	0.10	L-03	0.81	0.43	2	8/9/16 23:06	CMR
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	8/9/16 23:06	CMR
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	8/9/16 23:06	CMR



ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Rooftop Fan 3
Sample ID: 16G1007-17
 Sample Matrix: Soil Gas
 Sampled: 7/20/2016 09:53

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1966
 Canister Size: 6 liter
 Flow Controller ID: 4086
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -6.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Sample Flags: DL-03

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	12	0.050		81	0.34	2	8/9/16 23:06	CMR
Toluene	0.22	0.10	V-06	0.84	0.38	2	8/9/16 23:06	CMR
1,1,1-Trichloroethane	0.10	0.050		0.55	0.27	2	8/9/16 23:06	CMR
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	8/9/16 23:06	CMR
Trichloroethylene	8.2	0.050		44	0.27	2	8/9/16 23:06	CMR
Trichlorofluoromethane (Freon 11)	0.96	0.10		5.4	0.56	2	8/9/16 23:06	CMR
1,2,4-Trimethylbenzene	0.52	0.10		2.5	0.49	2	8/9/16 23:06	CMR
1,3,5-Trimethylbenzene	0.20	0.10		0.97	0.49	2	8/9/16 23:06	CMR
Vinyl Chloride	ND	0.050	L-03	ND	0.13	2	8/9/16 23:06	CMR
m&p-Xylene	5.0	0.20		22	0.87	2	8/9/16 23:06	CMR
o-Xylene	1.6	0.10	V-06	6.8	0.43	2	8/9/16 23:06	CMR

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	101	70-130	8/9/16 23:06
4-Bromofluorobenzene (2)	108	70-130	8/9/16 23:06

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Ambient Outdoor Air
Sample ID: 16G1007-18
 Sample Matrix: Ambient Air
 Sampled: 7/20/2016 10:07

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1216
 Canister Size: 6 liter
 Flow Controller ID: 4211
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -1
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	4.9	1.2	B	12	2.8	0.597	8/9/16	0:38	CMR
Acrylonitrile	ND	0.17		ND	0.37	0.597	8/9/16	0:38	CMR
Benzene	0.055	0.030		0.18	0.095	0.597	8/9/16	0:38	CMR
Bromodichloromethane	ND	0.015		ND	0.10	0.597	8/9/16	0:38	CMR
Bromoform	ND	0.030		ND	0.31	0.597	8/9/16	0:38	CMR
2-Butanone (MEK)	ND	1.2		ND	3.5	0.597	8/9/16	0:38	CMR
n-Butylbenzene	ND	0.086		ND	0.47	0.597	8/9/16	0:38	CMR
sec-Butylbenzene	ND	0.068		ND	0.37	0.597	8/9/16	0:38	CMR
Carbon Tetrachloride	0.069	0.015		0.44	0.094	0.597	8/9/16	0:38	CMR
Chlorobenzene	ND	0.030		ND	0.14	0.597	8/9/16	0:38	CMR
Chloroethane	ND	0.030	V-05, L-03	ND	0.079	0.597	8/9/16	0:38	CMR
Chloroform	0.016	0.015		0.079	0.073	0.597	8/9/16	0:38	CMR
Chloromethane	0.38	0.060		0.78	0.12	0.597	8/9/16	0:38	CMR
Dibromochloromethane	ND	0.015		ND	0.13	0.597	8/9/16	0:38	CMR
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.11	0.597	8/9/16	0:38	CMR
1,2-Dichlorobenzene	ND	0.030		ND	0.18	0.597	8/9/16	0:38	CMR
1,3-Dichlorobenzene	ND	0.030		ND	0.18	0.597	8/9/16	0:38	CMR
1,4-Dichlorobenzene	ND	0.030		ND	0.18	0.597	8/9/16	0:38	CMR
Dichlorodifluoromethane (Freon 12)	0.24	0.030		1.2	0.15	0.597	8/9/16	0:38	CMR
1,1-Dichloroethane	ND	0.015		ND	0.060	0.597	8/9/16	0:38	CMR
1,2-Dichloroethane	ND	0.015		ND	0.060	0.597	8/9/16	0:38	CMR
1,1-Dichloroethylene	ND	0.015		ND	0.059	0.597	8/9/16	0:38	CMR
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.597	8/9/16	0:38	CMR
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.597	8/9/16	0:38	CMR
1,2-Dichloropropane	ND	0.015		ND	0.069	0.597	8/9/16	0:38	CMR
1,3-Dichloropropane	ND	0.081		ND	0.37	0.597	8/9/16	0:38	CMR
cis-1,3-Dichloropropene	ND	0.015		ND	0.068	0.597	8/9/16	0:38	CMR
trans-1,3-Dichloropropene	ND	0.015		ND	0.068	0.597	8/9/16	0:38	CMR
Ethylbenzene	ND	0.030		ND	0.13	0.597	8/9/16	0:38	CMR
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37	0.597	8/9/16	0:38	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.068		ND	0.37	0.597	8/9/16	0:38	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11	0.597	8/9/16	0:38	CMR
Methylene Chloride	0.68	0.30		2.4	1.0	0.597	8/9/16	0:38	CMR
4-Methyl-2-pentanone (MIBK)	0.093	0.030		0.38	0.12	0.597	8/9/16	0:38	CMR
Styrene	0.047	0.030		0.20	0.13	0.597	8/9/16	0:38	CMR
1,1,1,2-Tetrachloroethane	ND	0.054		ND	0.37	0.597	8/9/16	0:38	CMR
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10	0.597	8/9/16	0:38	CMR



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Alvarez HS - Providence, RI
 Date Received: 7/21/2016
Field Sample #: Ambient Outdoor Air
Sample ID: 16G1007-18
 Sample Matrix: Ambient Air
 Sampled: 7/20/2016 10:07

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1216
 Canister Size: 6 liter
 Flow Controller ID: 4211
 Sample Type: 30 min

Work Order: 16G1007
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -1
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.015		ND	0.10	0.597	8/9/16	0:38	CMR
Toluene	0.15	0.030		0.57	0.11	0.597	8/9/16	0:38	CMR
1,1,1-Trichloroethane	ND	0.015		ND	0.081	0.597	8/9/16	0:38	CMR
1,1,2-Trichloroethane	ND	0.015		ND	0.081	0.597	8/9/16	0:38	CMR
Trichloroethylene	ND	0.015		ND	0.080	0.597	8/9/16	0:38	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.030		1.3	0.17	0.597	8/9/16	0:38	CMR
1,2,4-Trimethylbenzene	0.12	0.030		0.60	0.15	0.597	8/9/16	0:38	CMR
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15	0.597	8/9/16	0:38	CMR
Vinyl Chloride	ND	0.015	V-05, L-03	ND	0.038	0.597	8/9/16	0:38	CMR
m&p-Xylene	0.066	0.060		0.29	0.26	0.597	8/9/16	0:38	CMR
o-Xylene	ND	0.030	V-06, L-05	ND	0.13	0.597	8/9/16	0:38	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	8/9/16 0:38
4-Bromofluorobenzene (2)	102	70-130	8/9/16 0:38

Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
16G1007-01 [Gymnasium]	B155662	1	1	N/A	1000	400	922	08/08/16
16G1007-02 [Cafeteria]	B155662	1	1	N/A	1000	400	645	08/08/16
16G1007-03 [Kitchen Storage Room]	B155662	1	1	N/A	1000	400	839	08/08/16
16G1007-04 [Elevator Hallway]	B155662	1	1	N/A	1000	400	817	08/08/16
16G1007-05 [Room 145]	B155662	1	1	N/A	1000	400	758	08/08/16
16G1007-06 [Room 152]	B155662	1	1	N/A	1000	400	889	08/08/16
16G1007-07 [Room 118]	B155662	1	1	N/A	1000	400	836	08/08/16
16G1007-09 [Room 110]	B155662	1	1	N/A	1000	400	854	08/08/16
16G1007-15 [Rooftop Fan 1]	B155662	1	1	N/A	1000	400	663	08/08/16
16G1007-18 [Ambient Outdoor Air]	B155662	1	1	N/A	1000	400	670	08/08/16

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
16G1007-08 [MP-1]	B155732	2	1	N/A	1000	400	400	08/09/16
16G1007-10 [MP-3]	B155732	2	1	N/A	1000	400	400	08/09/16
16G1007-11 [MP-4]	B155732	2	1	N/A	1000	400	400	08/09/16
16G1007-12 [MP-6]	B155732	2	1	N/A	1000	400	400	08/09/16
16G1007-13 [IMP-1]	B155732	2	1	N/A	1000	400	400	08/09/16
16G1007-14 [IMP-2]	B155732	2	1	N/A	1000	400	400	08/09/16
16G1007-16 [Rooftop Fan 2]	B155732	2	1	N/A	1000	400	400	08/09/16
16G1007-17 [Rooftop Fan 3]	B155732	2	1	N/A	1000	400	400	08/09/16

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit	
Batch B155662 - TO-15 Prep										
Blank (B155662-BLK1)					Prepared & Analyzed: 08/08/16					
m&p-Xylene	ND	0.040								
o-Xylene	ND	0.020								
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.92				8.00		112	70-130		
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.12				8.00		102	70-130		
LCS (B155662-BS1)					Prepared & Analyzed: 08/08/16					
Acetone	5.64				5.00		113	70-130		B
Benzene	5.67				5.00		113	70-130		
Bromodichloromethane	5.21				5.00		104	70-130		
Bromoform	5.01				5.00		100	70-130		
2-Butanone (MEK)	5.41				5.00		108	70-130		
Carbon Tetrachloride	4.88				5.00		97.7	70-130		
Chlorobenzene	5.28				5.00		106	70-130		
Chloroethane	3.34				5.00		66.9 *	70-130		L-03, V-05
Chloroform	4.16				5.00		83.3	70-130		
Chloromethane	3.83				5.00		76.6	70-130		
Dibromochloromethane	5.07				5.00		101	70-130		
1,2-Dibromoethane (EDB)	5.28				5.00		106	70-130		
1,2-Dichlorobenzene	5.77				5.00		115	70-130		
1,3-Dichlorobenzene	5.96				5.00		119	70-130		
1,4-Dichlorobenzene	5.75				5.00		115	70-130		
Dichlorodifluoromethane (Freon 12)	4.40				5.00		88.0	70-130		
1,1-Dichloroethane	4.37				5.00		87.4	70-130		
1,2-Dichloroethane	4.61				5.00		92.1	70-130		
1,1-Dichloroethylene	4.52				5.00		90.5	70-130		
cis-1,2-Dichloroethylene	4.58				5.00		91.7	70-130		
trans-1,2-Dichloroethylene	4.61				5.00		92.3	70-130		
1,2-Dichloropropane	5.22				5.00		104	70-130		
cis-1,3-Dichloropropene	5.69				5.00		114	70-130		
trans-1,3-Dichloropropene	5.99				5.00		120	70-130		
Ethylbenzene	5.94				5.00		119	70-130		
Methyl tert-Butyl Ether (MTBE)	5.39				5.00		108	70-130		
Methylene Chloride	4.73				5.00		94.6	70-130		
4-Methyl-2-pentanone (MIBK)	6.12				5.00		122	70-130		
Styrene	3.78				5.00		75.6	70-130		
1,1,2,2-Tetrachloroethane	5.23				5.00		105	70-130		
Tetrachloroethylene	5.52				5.00		110	70-130		
Toluene	6.36				5.00		127	70-130		
1,1,1-Trichloroethane	4.98				5.00		99.6	70-130		
1,1,2-Trichloroethane	5.97				5.00		119	70-130		
Trichloroethylene	5.36				5.00		107	70-130		
Trichlorofluoromethane (Freon 11)	4.54				5.00		90.8	70-130		
1,2,4-Trimethylbenzene	5.27				5.00		105	70-130		
1,3,5-Trimethylbenzene	5.08				5.00		102	70-130		
Vinyl Chloride	3.30				5.00		66.0 *	70-130		L-03, V-05
m&p-Xylene	12.4				10.0		124	70-130		
o-Xylene	6.54				5.00		131 *	70-130		L-05, V-06

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit	
Batch B155732 - TO-15 Prep										
Blank (B155732-BLK1)					Prepared & Analyzed: 08/09/16					
Methylene Chloride	ND	0.35								
4-Methyl-2-pentanone (MIBK)	ND	0.035								
Styrene	ND	0.035								L-03
1,1,1,2-Tetrachloroethane	ND	0.064								
1,1,2,2-Tetrachloroethane	ND	0.018								
Tetrachloroethylene	ND	0.018								
Toluene	ND	0.035								
1,1,1-Trichloroethane	ND	0.018								
1,1,2-Trichloroethane	ND	0.018								
Trichloroethylene	ND	0.018								
Trichlorofluoromethane (Freon 11)	ND	0.035								
1,2,4-Trimethylbenzene	ND	0.035								
1,3,5-Trimethylbenzene	ND	0.035								
Vinyl Chloride	ND	0.018								L-03
m&p-Xylene	ND	0.070								
o-Xylene	ND	0.035								
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	7.89				8.00		98.6	70-130		
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.26				8.00		103	70-130		
LCS (B155732-BS1)					Prepared & Analyzed: 08/09/16					
Acetone	4.93				5.00		98.6	70-130		
Benzene	5.07				5.00		101	70-130		
Bromodichloromethane	4.21				5.00		84.2	70-130		
Bromoform	4.27				5.00		85.5	70-130		
2-Butanone (MEK)	5.03				5.00		101	70-130		
Carbon Tetrachloride	3.73				5.00		74.5	70-130		
Chlorobenzene	4.80				5.00		96.1	70-130		
Chloroethane	3.18				5.00		63.5 *	70-130		L-03, V-05
Chloroform	3.82				5.00		76.3	70-130		
Chloromethane	3.60				5.00		72.0	70-130		
Dibromochloromethane	4.19				5.00		83.7	70-130		
1,2-Dibromoethane (EDB)	4.53				5.00		90.6	70-130		
1,2-Dichlorobenzene	5.18				5.00		104	70-130		
1,3-Dichlorobenzene	5.35				5.00		107	70-130		
1,4-Dichlorobenzene	5.20				5.00		104	70-130		
Dichlorodifluoromethane (Freon 12)	3.86				5.00		77.1	70-130		
1,1-Dichloroethane	4.08				5.00		81.5	70-130		
1,2-Dichloroethane	3.77				5.00		75.5	70-130		
1,1-Dichloroethylene	4.02				5.00		80.5	70-130		
cis-1,2-Dichloroethylene	4.18				5.00		83.6	70-130		
trans-1,2-Dichloroethylene	4.31				5.00		86.1	70-130		
1,2-Dichloropropane	4.51				5.00		90.3	70-130		
cis-1,3-Dichloropropene	4.84				5.00		96.9	70-130		
trans-1,3-Dichloropropene	4.94				5.00		98.8	70-130		
Ethylbenzene	5.36				5.00		107	70-130		
Methyl tert-Butyl Ether (MTBE)	5.31				5.00		106	70-130		
Methylene Chloride	4.29				5.00		85.8	70-130		



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
Batch B155732 - TO-15 Prep											
LCS (B155732-BS1)					Prepared & Analyzed: 08/09/16						
4-Methyl-2-pentanone (MIBK)	4.98				5.00		99.6	70-130			
Styrene	3.47				5.00		69.3 *	70-130			L-03
1,1,2,2-Tetrachloroethane	4.50				5.00		89.9	70-130			
Tetrachloroethylene	5.00				5.00		99.9	70-130			
Toluene	5.82				5.00		116	70-130			V-06
1,1,1-Trichloroethane	3.96				5.00		79.2	70-130			
1,1,2-Trichloroethane	5.29				5.00		106	70-130			
Trichloroethylene	4.64				5.00		92.8	70-130			
Trichlorofluoromethane (Freon 11)	3.94				5.00		78.7	70-130			
1,2,4-Trimethylbenzene	4.69				5.00		93.8	70-130			
1,3,5-Trimethylbenzene	4.48				5.00		89.6	70-130			
Vinyl Chloride	3.19				5.00		63.8 *	70-130			L-03
m&p-Xylene	10.9				10.0		109	70-130			
o-Xylene	5.73				5.00		115	70-130			V-06
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>8.11</i>				<i>8.00</i>		<i>101</i>	<i>70-130</i>			
LCS (B155732-BS2)					Prepared & Analyzed: 08/09/16						
Acrylonitrile	7.11				2.88		247 *	70-130			L-05, V-06
n-Butylbenzene	1.67				1.14		146 *	70-130			L-05, V-06
sec-Butylbenzene	1.66				1.14		146 *	70-130			L-05, V-06
1,3-Dichloropropane	1.66				1.35		123	70-130			
Isopropylbenzene (Cumene)	1.71				1.27		135 *	70-130			L-05, V-06
p-Isopropyltoluene (p-Cymene)	1.71				1.14		150 *	70-130			L-05, V-06
1,1,1,2-Tetrachloroethane	1.11				0.910		122	70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	<i>8.67</i>				<i>8.00</i>		<i>108</i>	<i>70-130</i>			

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit
DL	Method Detection Limit
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
B	Analyte is found in the associated blank as well as in the sample.
B-07	Data is not affected by elevated level in blank since sample result is >10x level found in the blank.
DL-03	Elevated reporting limit due to matrix.
L-01	Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.
L-03	Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
L-05	Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.
V-05	Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
V-06	Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA TO-15 in Air</i>	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

EPA TO-15 in Air

o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2018
MA	Massachusetts DEP	M-MA100	06/30/2017
CT	Connecticut Department of Public Health	PH-0567	09/30/2017
NY	New York State Department of Health	10899 NELAP	04/1/2017
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2017
RI	Rhode Island Department of Health	LAO00112	12/30/2016
NC	North Carolina Div. of Water Quality	652	12/31/2016
NJ	New Jersey DEP	MA007 NELAP	06/30/2017
FL	Florida Department of Health	E871027 NELAP	06/30/2017
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2017
ME	State of Maine	2011028	06/9/2017
VA	Commonwealth of Virginia	460217	12/14/2016
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2016

1691007

con-test ANALYTICAL LABORATORY
 Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com

Company Name: EA Engineering
 Address: 301 Metro Center Blvd Suite 102
 Phone: Warwick, RI 401-736-3440
 Project Name: ALVAREZ #5
 Project Location: Providence, RI
 Project Number: 15066-04
 Project Manager: FRANK ROSIMA
 Con-Test Bid:
 Invoice Recipient: mdina@eaest.com
 Sampled By: C. Maxwell / C. Mejia

Requested Turnaround Time: 7-Day 10-Day Other: _____
 Rush-Approval Required: 1-Day 3-Day 2-Day 4-Day
 Date Delivery: _____
 Format: PDF EXCEL Other: in MJ/m3
 Enhanced Data Package Required:
 Email To: CMAXWELL@QUEST.COM
 Fax To #: _____

ANALYSIS REQUESTED

Initial Pressure	Final Pressure	" Hg	Lab Receipt Pressure	Summa Can ID	Flow Controller ID
28.2	27.7	28.2		1025	4199
28.4	28.4	28.4		1029	4303
28.5	28.5	28.5		1209	4295
28.5	28.5	28.5		2055	4294
28.7	28.7	28.7		1449	4212
28.7	28.7	28.7		1073	4315
28.7	28.7	28.7		2014	4088
28.7	28.7	28.7		2000	4314

Please fill out completely, sign, date and retain the yellow copy for your records
 Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply
 For summa canister and flow controller information please refer to Con-Test's Air Media Agreement

Lab Use	Client Use	Client Sample ID / Description	Collection Data		Duration	Flow Rate	Matrix	Volume
			Beginning Date/Time	Ending Date/Time				
01	Gymnasium	720-16	7-20-16	1302	30	30 min	1A	6
02	Cafeteria	0928	0958	30			1A	
03	Kitchen Storage Room	0914	0941	30			1A	
04	Elevator Hallway	1202	1232	30			1A	
05	Room 145	1212	1242	30			1A	
06	Room 152	1223	1253	30			1A	
07	Room 118	1142	1212	30			1A	
08	Room 118 MP-1	1015	1045	30			1A	
09	AMP-100 ROOM 110	1115	1215	30			1A	

Comments: project specific RL's

Please use the following codes to indicate possible sample concentration within the Conc Code column above:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Matrix Codes:
 SG = SOIL GAS
 IA = INDOOR AIR
 AMB = AMBIENT
 SS = SUB SLAB
 D = DUP
 BL = BLANK
 O = Other _____

Detector Limit Requirements: _____
 Special Requirements: _____
 Enhanced Data Package Required:

Relinquished by: (signature) _____ Date/Time: 7-20-16 1430
 Received by: (signature) _____ Date/Time: 7-21-16 15:15
 Relinquished by: (signature) _____ Date/Time: 7-21-16 19:00
 Received by: (signature) _____ Date/Time: 7-21-16 19:00
 Relinquished by: (signature) _____ Date/Time: _____
 Received by: (signature) _____ Date/Time: _____

TURNAROUND TIME (BUSINESS DAYS) STARTS AT 9:00 AM THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON THIS CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME CANNOT START UNTIL ALL QUESTIONS HAVE BEEN ANSWERED.
 PLEASE BE CAREFUL NOT TO CONTAMINATE THIS DOCUMENT

ANALYSIS REQUESTED

Requested Turnaround Time: 7-Day 10-Day Other: _____

Rush Approval Required: 1-Day 3-Day 2-Day 4-Day

Data Delivery: EXCEL PDF Other: _____

Enhanced Data Package Required:

Email To: maxwell@east.com

Fax To #: _____

Initial Pressure	Final Pressure	" Hg	Lab Receipt Pressure	Summa Canister and flow controller information please refer to Con-Test's Air Media Agreement	Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply	Please fill out completely, sign, date and retain the yellow copy for your records
------------------	----------------	------	----------------------	---	---	--

Lab Use	Client Use	Collection Data		Duration	Flow Rate	Matrix	Volume	Concentration		Summa Can ID	Flow Controller ID
		Beginning Date/Time	Ending Date/Time					Total Minutes Sampled	m ³ /min		
10	MP-3	7:20:16	7:20:16	30	30 M/M	SG	6	29.0	0.9	2196	4089
11	MP-4	10:27	10:57	30				29.4	4.5	1997	4210
12	MP-6	09:10	09:40	30		SS		29.4	7.1	2037	4060
13	IMP-1	12:32	13:02	30				29.3	2.0	1886	4213
14	IMP-2	12:22	12:52	30				29.3	3.0	1711	4186
15	Rooftop Fan 1	11:36	12:06	30		SG		29.4	2.0	2028	4310
16	Rooftop Fan 2	11:30	12:00	30				29.0	2.0	1014	4171
17	Rooftop Fan 3	09:23	09:53	30				29.5	2.0	1966	4086
18	Ambient outdoor Air	09:37	10:07	30		AMB		29.1	2.0	1216	4211

Comments: Project specific RL's

Matrix Codes:
 SG = SOIL GAS
 IA = INDOOR AIR
 AMB = AMBIENT
 SS = SUB SLAB
 D = DUP
 BL = BLANK
 O = Other _____

Please use the following codes to indicate possible sample concentration within the Conc Code column above:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by (signature)	Date/Time	Relinquished by (signature)	Date/Time	Relinquished by (signature)	Date/Time
<i>[Signature]</i>	7-20-16 14:30	<i>[Signature]</i>	7-21-16 10:15	<i>[Signature]</i>	7-21-16 19:00
<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>	
<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>	
<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>	

TURNAROUND TIME (BUSINESS DAYS) STARTS AT 9:00 AM THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON THIS CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME CANNOT START UNTIL ALL QUESTIONS HAVE BEEN ANSWERED.

PLEASE BE CAREFUL NOT TO CONTAMINATE THIS DOCUMENT



39 Spruce St.
 East Longmeadow, MA.
 01028
 P: 413-525-2332
 F: 413-525-6405

AIR Only Receipt Checklist

CLIENT NAME EA Engineering RECEIVED BY: RLF DATE: 7/21/16

- 1) Was the chain(s) of custody relinquished and signed? Yes No
- 2) Does the chain agree with the samples? Yes No
 If not, explain:
- 3) Are all the samples in good condition? Yes No
 If not, explain:
- 4) Are there any samples "On Hold"? Yes No Stored where:
- 5) Are there any RUSH or SHORT HOLDING TIME samples? Yes No
 Who was notified _____ Date _____ Time _____

6) Location where samples are stored: Permission to subcontract samples? Yes No
 (Walk-in clients only) if not already approved
 Client Signature: _____

7) Number of cans Individually Certified or Batch Certified? 19

Containers received at Con-Test		
	# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)	19	6L
Tedlar Bags		
TO-17 Tubes		
Regulators	19	30 min
Restrictors		
Hg/Hopcalite Tube (NIOSH 6009)		
(TO-4A/ TO-10A/TO-13) PUFs		
PCB Florisil Tubes (NIOSH 5503)		
Air cassette		
PM 2.5/PM 10		
TO-11A Cartridges		
Other		

Unused Summas/PUF Media:
1886 (-29)

Unused Regulators:
4311

- 1) Was all media (used & unused) checked into the WASP?
- 2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:															
1825	1029	2055	1073	2000	1997	1886	2028	4199	4303	4294	4315	4314	4210	4213	4310
1857	1209	1449	2014	2196	2037	1711	1014	4085	4295	4212	4088	4089	4106	4186	4171
1966	1216							4086	4211						

Login Sample Receipt Checklist
(Rejection Criteria Listing - Using Sample Acceptance Policy)
Any False statement will be brought to the attention of Client

Question	Answer (True/False)		Comment
	T	F/NA	
1) The coolers'/boxes' custody seal, if present, is intact.		NA	
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.		NA	
4) Cooler Temperature is acceptable.		NA	
5) Cooler Temperature is recorded.		NA	
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) Samples are received within Holding Time.	T		
10) Sample containers have legible labels.	T		
11) Containers/media are not broken or leaking and valves and caps are closed tightly.	T		
12) Sample collection date/times are provided.	T		
13) Appropriate sample/media containers are used.	T		
14) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T		
15) Trip blanks provided if applicable.	T		

Who notified of False statements?

Date/Time:

Log-In Technician Initials:

Date/Time:

PLF 7/20/16 1900

APPENDIX F

Laboratory MRL Correspondence



39 Spruce Street
East Longmeadow, MA 01089

September 2, 2016

Frank Postma
EA Engineering Science & Technology
2350 Post Road
Warwick, RI 02886
RE: RIDEM – Approved Action Level – Work Order 16G1007

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane
1,1,2,2-Tetrachloroethane
1,1,1,2-Tetrachloroethane
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is written in a cursive style with a large, sweeping initial "T".

Tod Kopyscinski
Laboratory Director