



EA Engineering, Science, and Technology, Inc., PBC

301 Metro Center Blvd, Suite 102  
Warwick, Rhode Island 02886  
Telephone: 401-736-3440  
[www.eaest.com](http://www.eaest.com)

31 March 2017

Mr. Joseph T. Martella II, Senior Engineer  
Site Remediation Program  
Office of Waste Management  
RI Department of Environmental Management  
235 Promenade Street  
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 38  
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island  
Case No. 2005-029  
EA Project No. 15066.04*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from December 2016 through February 2017.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 1809.

Sincerely,

EA ENGINEERING, SCIENCE,  
AND TECHNOLOGY, INC., PBC

Frank B. Postma, LSP, LEP, PG  
Project Manager

cc: B. Luger, Prov. Dept. of Public Schools  
D. Granlek, Prov. Redevelopment Agency  
R. Dorr, Neighborhood Resident  
Rep. Scott Slater  
Knight Memorial Library Repository

A. Sepe, Prov. Dept. of Public Property  
S. Fischbach, RI Legal Services  
J. Pichardo, Senator  
Principal Hawkins, Alvarez High School



EA Engineering, Science, and Technology, Inc., PBC

301 Metro Center Blvd, Suite 102  
Warwick, Rhode Island 02886  
Telephone: 401-736-3440  
[www.eaest.com](http://www.eaest.com)

*This page intentionally left blank*



# **Quarterly O&M Status Report No. 38**

## **Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities**

**Alvarez High School Site  
(Formerly Adelaide Avenue High School)  
Providence, Rhode Island**

*Prepared for*

City of Providence School Department  
797 Westminster Street  
Providence, Rhode Island 02903

*Prepared by*

EA Engineering, Science, and Technology, Inc., PBC  
301 Metro Center Blvd., Suite 102  
Warwick, Rhode Island 02886  
(401) 736-3440

EA Project No. 15066.04  
March 2017



*This page intentionally left blank*

**TABLE OF CONTENTS**

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND .....	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING. SYSTEM PERFORMANCE .....	2
2.1 SSD System .....	2
2.2 Indoor Methane Monitoring System.....	3
2.3 Ambient Outdoor and Indoor Air Sampling .....	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect .....	4
2.5 Summary of Rooftop VOC Emissions.....	4
2.6 Conclusions.....	5
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT .....	6

**FIGURES**

- FIGURE 1: SITE LOCATION MAP  
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM  
FIGURE 3: AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

**APPENDICES**

- APPENDIX A: O&M FIELD FORMS  
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY  
APPENDIX C: SUBSLAB VAPOR ANALYTICAL SUMMARY  
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY  
APPENDIX E: INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR  
LABORATORY ANALYTICAL REPORTS  
APPENDIX F: LABORATORY DETECTION LIMITS CORRESPONDENCE



*This page intentionally left blank*

## 1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 38 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the 3-month period from December 2016 through February 2017 (Quarterly Reporting Period No. 38). Please refer to Quarterly O&M Status Reports No. 1 through No. 37 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

## 2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

### 2.1 SSD SYSTEM

The following SSD System performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly subslab vacuum monitoring (21 December 2016, 18 January 2017, and 23 February 2017) at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Quarterly sampling (31 January 2017) of eight indoor air locations, one ambient outdoor air location, and six subslab points. Samples were initially collected on 18 January 2017 in conjunction with the monthly monitoring event. However, on 18 January, the summa canisters used for sampling were identified as having been batch certified instead of individually certified due to a miscommunication error with the laboratory. To ensure that no residual contamination would affect results, the batch-certified summa canisters were returned to the laboratory. New individually certified summa canisters were obtained and the points re-sampled on 31 January 2017.
- Monthly inspections and monitoring (air velocity and vacuum) and annual sampling of 3 rooftop fans to verify proper operation and effluent concentrations.
- Continuous electronic monitoring (with automatic alarm notification via audible signal and phone notification) at each of three SSD system extraction fans to ensure continuous operation.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations ranged from -0.01 to -0.10 in. of water column. Negative measurements confirm that a negative pressure exists beneath the building slab because of the continuous fan operation.

There were no alarms from the control panel for the indoor methane monitoring system during this monitoring period. EA tested the cell phone autodialer unit by triggering an alarm condition during the December, January, and February monitoring events. The autodialer functioned as intended and notified emergency contacts of the alarm condition. The annual cell phone contract was renewed before its expiration on 21 December 2016 for another year of service.

Deficiencies were noted in the SSD system and the engineered cap during the January and February 2017 monitoring events. In a few spots on the landscaped areas at the site, at least 6 in. of fill were noted as eroded. Other slightly eroded areas (i.e., less than 2 inches deep) were also noted in the monitoring reports. Wire insulation connected to Rooftop Fan 3 was also noted to be degraded in the February 2017 monitoring form.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

## **2.2 INDOOR METHANE MONITORING SYSTEM**

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system (equipped with automatic alarm notification via audible signal and phone notification) within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. In addition, the methane monitoring system was inspected and filters were replaced on 18 January 2017. The next filter replacement is scheduled for April 2017.

## **2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING**

One ambient outdoor air sample and the eight indoor air samples were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 31 January 2017.

The samples collected in January 2017 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of volatile organic compounds (VOCs) via Method TO-15 Selective Ion Monitoring (SIM). All samples were collected within individually certified summa canisters. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling event results. Each summa canister used during this monitoring period was individually certified to insure that all containers were devoid of residual contamination. . Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA.

The laboratory method detection limits (MDLs) for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analyzed via the SIM procedure. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable. The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of these analytes have never been detected at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not significant and do not disqualify the dataset.

Sampling locations for the indoor and sub-slab air samples are illustrated on Figure 3. The ambient outdoor air sample was collected upwind (north) of the school. A data summary table is provided as Appendix B and a copy of the laboratory data report associated with this sampling event is provided in Appendix E.

One analyte was identified in indoor and ambient outdoor air above the CT RTACs and RIDEM threshold levels during the January 2017 quarterly sampling event.

Chloroform was detected in the Kitchen Storage Room at a concentration of 0.5 µg/m<sup>3</sup> and in Room 110 at a concentration of 2.7 µg/m<sup>3</sup>, which meet or exceed the RIDEM amended threshold value of 0.5 µg/m<sup>3</sup>. Chloroform is a common ingredient in, or can form as a byproduct of, cleaning products and some insecticides as well as a common laboratory contaminant.

Insecticides and cleaning chemicals have historically been used at the school, though typically during the summer. Chloroform was last detected over the threshold value during the use of floor stripping chemicals in the summer and fall of 2015, and the spring, summer, and fall of 2016. Detections of chloroform are not believed to be indicative of a soil-vapor intrusion pathway due to the generally lower concentration of chloroform in the soil vapor (historical values between 0.07 and 0.56 µg/m<sup>3</sup>) than indoor air and the dilution that occurs when soil vapor migrates to indoor air.

## **2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT**

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Four exterior subslab vapor samples and two interior subslab vapor samples were collected on 31 January 2017 in accordance with the Amended OA rotating sampling schedule and analyzed for VOCs via US EPA Method TO-15 SIM. The subslab analytical results are presented in Appendix C and a copy of the laboratory data report associated with this sampling event is included in Appendix E.

The subslab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period. These variations were within historical ranges and do not constitute an increasing trend.

## **2.5 SUMMARY OF ROOFTOP VOC EMISSIONS**

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Rooftop sampling was conducted on 20 July 2016. The results of rooftop fan sampling event are summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or yearly emissions were observed. The next annual rooftop effluent VOC sampling event is scheduled for July 2017.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, July 2012, July 2013, October 2014, July 2015, and July 2016 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Tabulation of the data and the rooftop sampling analytical report is provided as Appendix D. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. RIDEM conducted roofline and downwind outdoor air sampling during the 22 October 2014 monitoring event to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample

concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicated that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building.

## 2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- Deficiencies noted in the SSD system and the engineered cap during the January and February 2017 monitoring events will need to be corrected in the next quarter.
- The subslab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- One analyte, chloroform, was detected at concentrations exceeding the CT RTAC/RIDEM threshold value at two locations (Room 110 and Kitchen Storage Room). None of these exceedances were determined to be caused by soil vapor intrusion into the building and are likely from indoor, outdoor, or laboratory sources.
- The use of certified clean summa canisters, as requested by RIDEM, yielded high confidence in the samples collected on 31 January 2017. EA will continue to use certified clean canisters in the upcoming sampling events.

### **3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT**


The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from March to May 2017:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity;
- Collection of air samples from eight indoor locations, one ambient location, and six subslab monitoring points in April 2017.
- Work towards contracting and completing repairs to the SSD fan wiring and the engineered cap.

These activities will be summarized in the next status report (Quarterly Status Report No. 39), expected to be submitted by the end of June 2017.

## FIGURES


*This page intentionally left blank*



ALVAREZ HIGH SCHOOL  
333 ADELAIDE AVENUE  
PROVIDENCE, RHODE ISLAND

FIGURE 1  
SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



NOTE: NOT TO SCALE




DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FRP	PROJECT MGR. FRP	SCALE NTS	DRAWING NO. —	FIGURE ?

INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM – ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

## QUARTERLY STATUS REPORT FIGURE 2

**LEGEND:**

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- +— SLOTTED 1 INCH PVC PIPING
- ◆ ROOFTOP FAN LOCATION
- SP-1 SSD SYSTEM SUCTION PIT
- +— SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT  
SUB SLAB MONITORING AND SAMPLING LOCATIONS  
ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 3

**APPENDIX A**

**O&M Field Forms**

*This page intentionally left blank*



EA Engineering, Science, and

**Alvarez High School - SSD & Interior Methane Monitoring System O&M**Date of O&M: 12/21/2016Performed by: C MejiaPID/Methane Calibration? yes (yes/no)PID Calibration Result: 10Date of last Methane Sensor Filter Replacement: JulyReplaced this O&M Visit? No (yes/no)good

General Status of SSD System:

General Status of Methane Monitoring System: good

Eng. Cap/Fence Inspection

Performed/Notes:

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time	
Gymnasium	NA	NA	35	0	0	0						
Cafeteria	NA	NA	136	0	0	0						
Kitchen Storage Room	NA	NA	78	0	0	0						
Elevator Hallway	NA	NA	102	0	0	0						
Room 145	NA	NA	141	0	0	0						
Room 152	NA	NA	97	0	0	0						
Room 118	NA	NA	0	0	0	0						
Room 110	NA	NA	26	0	0	0						
MP-1	-0.02	NA	97	NA	0	0						
MP-2	-0.03	NA	144	NA	0	0						
MP-3	-0.03	NA	123	NA	0	0						
MP-4	-0.06	NA	42	NA	0	0						
MP-5	-0.05	NA	70	NA	0	0						
MP-6	-0.02	NA	60	NA	0	0						
MP-7	-0.02	NA	21	NA	0	0						
MP-8	-0.07	NA	16	NA	0	0						
IMP-1	-0.02	NA	156	NA	0	0						
IMP-2	-0.01	NA	152	NA	0.1	2						
IMP-3	-0.01	NA	234	NA	0	1						
Roof-Top Fan 1	-1.1	372	51	NA	0	0						
Roof-Top Fan 2	-1.1	825	51	NA	0	0						
Roof-Top Fan 3	-2.1	721	94	NA	0	0						
Ambient Outdoor Air	NA	NA	42	NA	0	0						

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and

Alvarez High School - SSD & Interior Methane Monitoring System O&MDate of O&M: 1/18/2017Performed by: CSM/DAPID/Methane Calibration? yes (yes/no)PID Calibration Result: 10.0Date of last Methane Sensor Filter Replacement: oct 2016Replaced this O&M Visit? Yes (yes/no)

on and operational

General Status of SSD System:

General Status of Methane Monitoring System:

Eng. Cap/Fence Inspection System:

Performed/Notes: see photos -some holes in top 6 or so inches of cap

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time	End Vac (in. Hg)	
Gymnasium	NA	NA	93	0	0.0	0	1165	4313	8:48 AM	-30	8:48 AM	-5.5	regulator malfunctioned - sample was effectively a grab sample
Cafeteria	NA	NA	49	0	0.0	0	1177	4205	8:42 AM	-28	9:12 AM	-2.5	
Kitchen Storage Room	NA	NA	779	0	0	0	1615	4204	8:44 AM	-30	9:14 AM	-5	ventilation on high, door to exterior cracked
Elevator Hallway	NA	NA	100	0	0	0	1163	4290	8:37 AM	-26	9:07 AM	-2	door to exterior open intermittently
Room 145	NA	NA	7	0	0	0	1504	4208	9:11 AM	-30	9:42 AM	-3	class in progress
Room 152	NA	NA	79	0	0	0	1881	4291	9:23 AM	-28	9:53 AM	-2	class in progress
Room 118	NA	NA	100	0	0	0	1876	4184	9:30 AM	-28	10:04 AM	-5	smells like perfume. class in progress
Room 110	NA	NA	201	0	0	0	1882	4079	9:37 AM	-29	10:07 AM	-5	room smells like perfume. class in progress
MP-1	-0.01	NA	0	NA	0.0	0	1161	4308	11:38 AM	-28	12:08 PM	-5	
MP-2	-0.1	NA	0	NA	0.0	0	-	-	-	-	-	-	NS
MP-3	-0.08	NA	0	NA	0.0	0	1217	4206	11:23 AM	-28	11:56 AM	-2.5	
MP-4	-0.03	NA	0	NA	0.0	0	1020	4038	11:59 AM	-30	12:31 PM	-9	
MP-5	-0.09	NA	0	NA	0.0	0	-	-	-	-	-	-	ns
MP-6	-0.06	NA	0	NA	0.0	0	1170	4188	11:18 AM	-28	11:48 AM	-5	
MP-7	-0.01	NA	0	NA	0.0	0	-	-	-	-	-	-	ns
MP-8	-0.12	NA	0	NA	0.0	0	-	-	-	-	-	-	ns
IMP-1	-0.04	NA	185	NA	0	0	1870	4182	9:06 AM	-28	9:38 AM	-3	pid high in storage rm where imp-1 is located
IMP-2	-0.01	NA	0	NA	0	0	1009	4312	9:22 AM	-29	9:53 AM	-4	
IMP-3	-0.01	NA	75	NA	0.0	0	-	-	-	-	-	-	ns
Roof-Top Fan 1	-1.4	-	0	NA	0.0	0	-	-	-	-	-	-	anamometer failure -
Roof-Top Fan 2	-1.2	1560	0	NA	0.0	0	-	-	-	-	-	-	anamometer failure 278-2855
Roof-Top Fan 3	-2	1012	0	NA	0.0	0	-	-	-	-	-	-	anamometer failure
Ambient Outdoor Air	NA	NA	8	NA	0	0	1331	4309	11:25 AM	-30	11:57 AM	-5	wind from north. can collected on back guard rail

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc., PBC

Alvarez High School - SSD & Interior Methane Monitoring System O&M

Photograph 1	Photograph 2
 A photograph showing a dark-colored building with a glass door. In front of the building, there is a patch of ground that appears to be eroded or washed away, exposing soil and some sparse grass.	 A photograph of a grassy area. A small, circular hole is visible in the ground, located near a metal pipe or nozzle that is protruding from a concrete surface.

Description of image:

eroded area by back door about 4-6 in deep

Description of image:

hole under nozzle

Photograph 3	Photograph 4
 A photograph of a sidewalk and a grassy area. On the sidewalk, there is a distinct depression or erosion area where the ground has been washed away, creating a hole. The background shows a brick wall of a building.	

Description of image:

eroded area on front right of school approximately 6in deep

Description of image:



EA Engineering, Science, and

**Alvarez High School - SSD & Interior Methane Monitoring System O&M**Date of O&M: 2/23/2017Performed by: C. MejiaPID/Methane Calibration? yes (yes/no)PID Calibration Result: 10.0Date of last Methane Sensor Filter Replacement: 1-18-17Replaced this O&M Visit? No (yes/no)

on and operational

General Status of SSD System:

General Status of Methane Monitoring System:

Eng. Cap/Fence Inspection  
Performed/Notes: see photos- some degradation

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time	
Gymnasium	NA	NA	0	0	0	0						
Cafeteria	NA	NA	0	0	0	0						
Kitchen Storage Room	NA	NA	0	0	0	0						Outside door closed
Elevator Hallway	NA	NA	0	0	0	0						
Room 145	NA	NA	0	0	0	0						
Room 152	NA	NA	0	0	0	0						
Room 118	NA	NA	0	0	0	0						Air conditioning on
Room 110	NA	NA	0	0	0	0						
MP-1	-0.02	NA	0	NA	0	0						
MP-2	-0.04	NA	0	NA	0	0						
MP-3	-0.02	NA	0	NA	0	0						
MP-4	-0.07	NA	0	NA	0	0						
MP-5	-0.06	NA	0	NA	0	0						
MP-6	-0.02	NA	0	NA	0	0						
MP-7	-0.01	NA	0	NA	0	0						
MP-8	-0.09	NA	0	NA	0	0						
IMP-1	-0.01	NA	0	NA	0	0						
IMP-2	-0.01	NA	0	NA	0	0						
IMP-3	-0.01	NA	0	NA	0	0						
Roof-Top Fan 1	-1.1	1976	0	NA	0	0						
Roof-Top Fan 2	-1.2	1825	0	NA	0	0						
Roof-Top Fan 3	-2	1850	0	NA	0	0						Fusted through piping, see photo below
Ambient Outdoor Air	NA	NA	0	NA	0	0						

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc., PBC

Alvarez High School - SSD & Interior Methane Monitoring System O&M

Photograph 1	Photograph 2
 A close-up photograph of a rooftop fan assembly. A white pipe connects a blue metal box to a white fan. A white flexible hose is attached to the pipe, showing significant rust and damage at the connection point.	 A photograph of a brick wall with a metal pipe protruding from it. A hole is visible in the pipe, located directly beneath a nozzle or fitting. The ground in front of the wall is covered in dry grass.

Photograph 3	Photograph 4
Description of image: Rusted through wire covering on Rooftop Fan 3	Description of image: Hole under nozzle

## **APPENDIX B**

### **Indoor and Ambient Outdoor Air Analytical Summary**

*This page intentionally left blank*

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Acetone	8-Feb-08	180.0	20.200	8.240	4.750	U	4.750	6.870	8.060	4.750	U	4.780	4.750	
	27-Mar-08 <sup>2</sup>		576.000	186.000	108.000		89.900	24.700	38.300	76.700		47.400	5.870	
	25-Apr-08		61.700	12.900	19.000		15.100	14.800	18.600	12.500		17.100	6.670	
	29-May-08		19.500	16.000	12.800		16.200	10.900	17.200	13.200		11.600	7.480	
	27-Jun-08		87.900	20.000	20.500		27.700	28.900	29.000	26.000		29.800	19.700	
	31-Jul-08		32.200	17.200	20.800		16.800	23.800	20.000	18.600		23.500	20.000	
	28-Aug-08		33.100	21.100	21.500		25.800	27.000	32.400	29.100		23.800	37.000	
	30-Sep-08		39.400	10.400	7.600		11.200	44.800	29.900	19.600		55.600	6.800	
	27-Oct-08		56.200	23.100	14.900		24.100	15.900	26.500	34.300		25.100	109.000	
	25-Nov-08		21.300	8.200	5.300		14.000	15.600	9.700	6.500		10.000	7.000	
	18-Dec-08		39.300	18.500	16.900		21.500	23.100	41.900	22.000		28.800	40.000	
	21-Jan-09		5.300	2.400	2.400		3.600	5.600	5.000	3.300		4.000	2.400	
	25-Feb-09		2.400	U	2.900		2.400	NS	9.600	5.000		3.800	2.400	
	26-Mar-09		34.400	10.700	8.820		11.300	13.800	12.000	10.500		12.000	9.680	
	29-Apr-09		4.750	U	5.700		7.230	8.240	9.420	7.570		9.610	7.700	
	22-Jul-09		2.370	U	13.100		18.700	11.700	28.900	29.400		17.100	19.400	
	9-Oct-09		19.500	10.100	9.220		11.000	15.500	12.000	10.600		11.600	8.570	
	15-Jan-10		11.900	8.160	5.080		6.700	7.320	7.270	5.260		8.110	6.190	
	21-Apr-10		26.700	22.000	23.200		23.200	19.300	19.900	21.800		20.500	4.960	
	16-Jul-10		28.200	16.500	13.800		16.100	36.900	24.900	40.700		16.000	14.300	
	15-Oct-10		32.700	8.180	4.750		11.500	7.360	6.010	5.530		6.690	7.630	
	30-Nov-10		NS	13.200	13.000		NS	NS	NS	6.460		NS	NS	
	26-Jan-11		28.500	20.800	11.600		14.900	13.500	33.200	12.600		24.000	#	#
	26-Jan-11**		NS	17.000	15.000		NS	NS	NS	12.000		NS	NS	
	27-Apr-11		6.820	12.800	11.300		14.700	14.600	7.550	12.300		5.930	5.600	
	26-Jul-11		51.800	48.000	22.800		82.200	28.700	7.170	25.400		39.400	8.840	
	28-Oct-11		17.000	12.000	7.400		9.900	11.000	9.700	13.000		15.000	8.000	
	23-Jan-12		15.000	15.000	18.000		18.000	10.000	37.000	19.000		18.000	13.000	
	13-Apr-12		11.000	16.000	11.000		11.000	11.000	21.000	9.100		19.000	24.000	
	-Jul-12 resamp		NS	NS	NS		NS	NS	NS	NS		21.000	9.100	
	20-Jun-12		19.000	22.000	17.000		21.000	20.000	15.000	15.000		22.000	11.000	
	1-Nov-12		12.000	11.000	9.500		16.000	8.300	12.000	13.000		11.000	9.000	
	1-Feb-13		16.000	15.000	12.000		14.000	9.100	39.000	16.000		18.000	8.200	
	29-Apr-13		26.000	23.000	22.000		21.000	28.000	32.000	27.000		35.000	18.000	
	9-Jul-13		25.000	26.000	22.000		24.000	41.000	28.000	35.000		32.000	24.000	
	9-Jul-13 RIDEN		NS	NS	NS		NS	18.827	NS	NS		NS	11.710	
	18-Oct-13		34.000	32.000	30.000		42.000	29.000	29.000	46.000		34.000	20.000	
	9-Jan-14		8.900	19.000	16.000		20.000	21.000	24.000	27.000		45.000	8.300	
	24-Apr-14		19.000	12.000	18.000		17.000 <sup>M</sup>	17.000 <sup>M</sup>	12.000	16.000		76.000 <sup>M</sup>	6.100	
	1-Aug-14		35.000 <sup>M</sup>	12.000 <sup>M</sup>	29.000 <sup>M</sup>		37.000 <sup>M</sup>	43.000 <sup>M</sup>	38.000 <sup>M</sup>	81.000 <sup>M</sup> 62.000 <sup>M</sup>		35.000 <sup>M</sup>	27.000 <sup>M</sup>	
	Sept-14 resam		NS	NS	NS		NS	NS	NS	33.000		NS	NS	
	22-Oct-14		17.000	12.000	2.900		18.000	27.000	34.000	26.000		51.000	13.000	
	20-Jan-15		37.000	30.000	30.000		34.000	39.000	44.000	57.000		17.000	49.000	
	-Mar-15 resam		NS	NS	NS		NS	NS	NS	NS		23.000	NS	
	22-Apr-15		16.000	21.000	79.000 <sup>V</sup>		15.000	20.000	1.900	34.000		43.000	17.000	
	21-Jul-15		36.000	15.000 <sup>A</sup>	24.000		23.000	16.000	17.000	22.000		23.000	13.000	
	Sept-15 resam		NS	NS	NS		NS	NS	7.900	NS		NS	NS	
	29-Oct-15		4.800	19.000	22.000		18.000	7.700	33.000	22.000		16.000	9.200	
	Dec-15 resam		NS	13.000	NS		NS	NS	NS	NS		NS	NS	
	27-Jan-16		20	19	14		20	16	38	13		51	9.8	
	20-Apr-16 <sup>3</sup>		15	7.2	8.1		7.2	11	11	6.4		11		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Acrylonitrile	8-Feb-08	None	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	27-Mar-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	25-Apr-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	29-May-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	27-Jun-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	31-Jul-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	28-Aug-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	25-Feb-09		2.200	U	2.200	U	NS		2.200	U	2.200	U	2.200	U	2.200
	26-Mar-09		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	29-Apr-09		1.080	U	1.080	U	2.740	U	1.080	U	1.080	U	1.080	U	1.080
	22-Jul-09		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	9-Oct-09		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	15-Jan-10		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	21-Apr-10		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	16-Jul-10		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	15-Oct-10		1.080	U	0.108	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	30-Nov-10		NS		1.080	U	1.080	U	NS		1.080	U	1.080	U	NS
	26-Jan-11		1.850	U	1.840	U	1.850	U	1.850	U	1.840	U	1.850	U	1.840
	26-Jan-11**		NS		NS		NS		NS		NS		NS		NS
	27-Apr-11		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	26-Jul-11		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	28-Oct-11		0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.250
	23-Jan-12		0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440
	13-Apr-12		0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.500
	-Jul-12 resamp		NS		NS		NS		NS		NS		NS		0.370
	20-Jun-12		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	1-Nov-12		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	1-Feb-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	29-Apr-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	9-Jul-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.164
	9-Jul-13 RIDEN		NS		NS		NS		NS		NS		NS		0.164
	18-Oct-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	9-Jan-14		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	24-Apr-14		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	1-Aug-14		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	Sept-14 resamp		NS		NS		NS		NS		NS		NS		NS
	22-Oct-14		0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>
	20-Jan-15		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.370
	-Mar-15 resamp		NS		NS		NS		NS		NS		NS		0.290
	22-Apr-15		0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>
	21-Jul-15		0.100	U	0.100 <sup>A</sup>	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	Sept-15 resamp		NS		NS		NS		NS		NS		NS		NS
	29-Oct-15		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	Dec-15 resamp		NS		NS		NS		NS		NS		NS		NS
	27-Jan-16		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25
	20-Apr-16 <sup>3</sup>		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25
	20-Jul-16		0.30	U	0.39	U	0.27	U	0						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator	Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150	Room 23	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Benzene	8-Feb-08	3.3	0.910		0.840	0.730		0.780		0.810	0.800	0.750	0.790		0.870			
	27-Mar-08		1.420		1.350	1.600		1.420		0.218	2.130	1.730	1.680		0.372			
	25-Apr-08		1.360		1.300	0.638		1.400		1.150	1.270	1.130	1.120		0.413			
	29-May-08		0.370		0.430	0.300		0.400		0.300	0.450	0.410	0.310		0.230			
	27-Jun-08		0.631		0.603	0.666		0.644		0.657	0.604	0.849	0.582		0.726			
	31-Jul-08		0.568		0.477	0.419		0.451		0.528	0.465	0.378	0.390		0.405			
	28-Aug-08		1.190		1.110	1.010		0.953		0.935	1.060	1.060	1.020		1.280			
	30-Sep-08		1.600	U	1.600	U	1.600	U	1.600	U	1.600	0.2	1.600	U	1.600	U		
	27-Oct-08		2.100		1.600	U	1.600	U	1.600	U	1.600	U	1.900		3.600			
	25-Nov-08		1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U		
	18-Dec-08		1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U		
	21-Jan-09		1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U		
	25-Feb-09		1.600	U	1.600	U	1.600	U	NS	1.600	U	1.600	U	1.600	U	1.600	U	
	26-Mar-09		2.330		1.840	1.740		1.650		1.540	2.210	0.316	1.880		2.390			
	29-Apr-09		0.594		0.358	0.332		0.332		0.303	0.358	0.460	0.335		0.351			
	22-Jul-09		0.626		0.546	0.642		0.574		0.852	1.560	1.460	1.080		4.330			
	9-Oct-09		1.130		0.954	0.903		0.878		0.919	1.050	1.070	0.996		1.100			
	15-Jan-10		1.670		1.510	1.340		1.460		1.420	1.450	1.540	1.550		1.370			
	21-Apr-10		1.020		1.320	1.080		1.380		1.270	1.210	1.230	1.240		0.335			
	16-Jul-10		0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U		
	15-Oct-10		0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U		
	30-Nov-10		NS		0.514	0.594		NS		NS	0.412	NS	NS		NS			
	26-Jan-11		2.920		2.890	2.970		3.290		2.940	3.430	2.560	3.660	#	3.350			
	26-Jan-11**		NS		3.600	3.800		NS		NS	NS	3.800	NS	NS		NS		
	27-Apr-11		0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U		
	26-Jul-11		0.559		0.664	0.319		0.326		0.319	0.319	0.329	0.319	0.319	0.319	0.319	U	
	28-Oct-11		0.640		0.500	0.380		0.390		0.410	0.450	0.460	0.430		0.300			
	23-Jan-12	3.3	1.300		1.200	1.200		1.200		1.200	1.200	1.200	1.300		1.200			
	13-Apr-12		0.680		0.670	0.590		0.600		0.580	0.650	0.580	0.520		0.220			
	Jul-12 resamp		NS		NS	NS		NS		NS	NS	NS	0.290		0.140			
	20-Jun-12		0.490		0.540	0.410		0.510		0.520	0.440	0.460	0.540		0.740			
	1-Nov-12		1.300		1.000	0.770		1.200		0.990	1.500	1.700	1.300		0.470			
	1-Feb-13		0.470		0.410	0.400		0.420		0.410	0.490	0.500	0.430		0.410			
	29-Apr-13		0.960		0.920	0.900		0.930		0.760	0.710	0.940	0.840		0.300			
	9-Jul-13		0.440		0.420	0.400		0.450		0.450	0.420	0.450	0.440		0.520			
	9-Jul-13 RIDEN		NS		NS	NS		NS		0.537	NS	NS	NS		0.597			
	18-Oct-13		0.240		1.000	0.880		0.660		1.100	0.830	0.800	1.000		1.000			
	9-Jan-14		1.400		1.700	0.910		0.860		0.730	0.810	0.960	0.820		0.750			
	24-Apr-14		0.300		0.240	0.300		0.230		0.240	0.210	0.240	0.300		0.210			
	1-Aug-14		0.570		0.360	0.350		0.820		0.740	0.600	0.790	0.550		0.590			
	Sept-14 resamp		NS		NS	NS		NS		NS	NS	0.410	NS		NS			
	22-Oct-14		0.560		0.340	0.270		0.350		0.550	0.250	0.450	0.610		0.420			
	20-Jan-15		0.450		0.440	0.440		0.430		0.500	0.500	0.580	0.480		0.510			
	-Mar-15 resamp		NS		NS	NS		NS		NS	NS	NS	0.490		NS			
	22-Apr-15		0.950		1.200	0.920		0.950		1.100	0.750	0.930	0.830		0.880			
	21-Jul-15		0.580		0.500 <sup>A</sup>	0.510		0.470		0.530	0.570	0.480	0.480		0.350			
	Sept-15 resamp		NS		NS	NS		NS		NS	NS	0.360	NS		NS			
	29-Oct-15		0.130 <sup>J</sup>		0.250	0.580		0.180 <sup>J</sup>		0.140 <sup>J</sup>	0.160 <sup>J</sup>							

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromodichloromethane	8-Feb-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	27-Mar-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	25-Apr-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	29-May-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	27-Jun-08	0.134	U	0.134	U	0.130	U	0.130	U	0.134	U	0.231	U	0.134	U
	31-Jul-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	28-Aug-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	30-Sep-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	27-Oct-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	25-Nov-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	18-Dec-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	21-Jan-09	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	25-Feb-09	0.130	U	0.130	U	0.130	U	NS	U	0.130	U	0.130	U	0.130	U
	26-Mar-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	29-Apr-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	22-Jul-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	9-Oct-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	15-Jan-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	21-Apr-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	16-Jul-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	15-Oct-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	30-Nov-10	NS		0.134	U	0.134	U	NS	U	NS	U	0.134	U	NS	
	26-Jan-11	0.228	U	0.228	U	0.228	U	0.228	U	0.227	U	0.228	U	0.228	U
	26-Jan-11**	NS		0.340	U	0.340	U	NS	U	NS	U	0.340	U	NS	
	27-Apr-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	26-Jul-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U
	28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.067	U
	23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U
	13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.130	U
	Jul-12 resamp	NS		NS		NS		NS		NS		NS		0.100	U
	20-Jun-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	1-Nov-12	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U
	1-Feb-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U
	29-Apr-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U
	9-Jul-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U
	18-Oct-13	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	9-Jan-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	24-Apr-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
	1-Aug-14	0.130	U	0.130	U	0.200	U	0.130	U	0.130	U	0.130	U	0.130	U
	Sept-14 resam	NS		NS		NS		NS		NS		0.067	U	NS	
	22-Oct-14	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
	20-Jan-15	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.100	U
	Mar-15 resam	NS		NS		NS		NS		NS		0.077	U	NS	
	22-Apr-15	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U
	21-Jul-15	0.300	U	0.300 <sup>A</sup>	U	0.200	U	0.300	U	0.400	U	0.300	U	0.400	U
	Sept-15 resam	NS		NS		NS		NS		NS		0.400	U	NS	
	29-Oct-15	0.400	U	0.300	U	0.300	U	0.400	U	0.400	U	0.300	U	0.400	U
	Dec-15 resamp	NS		0.300	U	NS		NS		NS		NS		NS	
	27-Jan-16	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U
	20-Apr-16 <sup>3</sup>	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U
	20-Jul-16	0.080	U	0.100	U	0.073	U	0.082	U	0.080	U	0.078	U	0.075	U
	21-Oct-16	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.10	U
	31-Jan-17	0.067	U	0.067	U	0.067	U	0.067	U	0.11		0.067	U	0.067	U

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromofrom	8-Feb-08	0.55	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	27-Mar-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	25-Apr-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	29-May-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	27-Jun-08		0.206	U	0.210	U	0.206	U	0.210	U	1.300	U	0.210	U	0.206
	31-Jul-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	28-Aug-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	30-Sep-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	27-Oct-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	25-Nov-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	18-Dec-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	21-Jan-09		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	25-Feb-09		0.410	U	0.410	U	0.410	NS	0.410	U	0.410	U	0.410	U	0.410
	26-Mar-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	29-Apr-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	22-Jul-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	9-Oct-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	15-Jan-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	21-Apr-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	16-Jul-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	15-Oct-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	30-Nov-10		NS	U	0.206	U	0.206	U	NS	NS	0.206	U	0.206	U	NS
	26-Jan-11		0.353	U	0.351	U	0.352	U	0.352	U	0.353	U	0.351	U	0.353
	26-Jan-11**		NS	U	0.540	U	0.520	NS	NS	NS	0.520	U	NS	NS	NS
	27-Apr-11		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	26-Jul-11		0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207
	28-Oct-11		0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310
	23-Jan-12		0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360
	13-Apr-12		0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310
	-Jul-12 resamp		NS	U	NS	U	NS	U	NS	NS	NS	U	NS	U	NS
	20-Jun-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	1-Nov-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	1-Feb-13		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	29-Apr-13		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	9-Jul-13		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	18-Oct-13		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	9-Jan-14		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	24-Apr-14		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	1-Aug-14		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	Sept-14 resam		NS	U	NS	U	NS	U	NS	NS	0.210	U	NS	U	NS
	22-Oct-14		0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310
	20-Jan-15		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	-Mar-15 resam		NS	U	NS	U	NS	U	NS	NS	NS	U	NS	U	NS
	22-Apr-15		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	21-Jul-15		0.500	U	0.500^A	U	0.500	U	0.500	U	0.600	U	0.700	U	0.600
	Sept-15 resam		NS	U	NS	U	NS	U	NS	NS	0.600	U	NS	U	NS
	29-Oct-15		0.600	U	0.500	U	0.500	U	0.600	U	0.600	U	0.500	U	0.600
	Dec-15 resam		NS	U	0.500	U	NS	U	NS	NS	NS	U	NS	U	NS
	27-Jan-16		0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21
	20-Apr-16^3		0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21
	20-Jul-16		0.25	U	0.32	U	0.22	U	0.25	U	0.24	U	0.27	U	0.23
	21-Oct-16														

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
2-Butanone	8-Feb-08	500.0	1.470	U	1.470	U	1.470	U	1.470	U	1.470	1.470	U	
	27-Mar-08		8.560	6.540	5.650	5.140	3.950	4.440	0.360	5.680	1.470	1.470	U	
	25-Apr-08		2.140	1.470	U	3.170	1.470	1.470	1.470	1.470	1.470	1.470	U	
	29-May-08		1.470	1.470	U	2.840	2.240	1.470	1.470	1.470	1.470	1.470	U	
	27-Jun-08		7.850	2.520	3.810	3.890	3.050	2.420	2.840	2.340	3.080			
	31-Jul-08		2.080	1.720	3.080	1.650	2.080	2.160	1.470	1.490	1.470	U		
	30-Sep-08		2.280	1.790	3.980	3.980	1.470	1.470	1.470	1.470	1.470	1.650		
	30-Sep-08		1.500	1.500	U	1.500	1.500	2.200	1.500	1.500	6.100	1.500	U	
	27-Oct-08		1.900	3.200	1.500	3.600	1.500	2.000	1.500	2.300	2.800			
	25-Nov-08		2.600	1.500	1.500	1.900	1.500	1.500	2.900	1.500	1.600			
	18-Dec-08		1.500	1.500	U	1.500	1.500	1.500	1.500	1.500	1.500	1.500	U	
	21-Jan-09		1.500	1.500	U	1.500	1.500	1.500	1.500	1.500	1.500	1.500	U	
	25-Feb-09		1.500	1.500	U	0.079	NS	1.500	1.500	1.500	1.500	1.500	U	
	26-Mar-09		2.410	1.560	1.470	U	1.470	1.590	1.470	1.470	1.470	1.470	1.470	U
	29-Apr-09		1.470	1.470	U	1.470	1.460	1.470	1.470	1.470	1.470	1.470	1.470	U
	22-Jul-09		1.470	1.470	U	4.750	1.470	2.070	21.900	1.740	1.480	4.360		
	9-Oct-09		1.470	1.470	U	1.540	1.640	1.470	1.470	1.470	1.470	1.470	1.470	U
	15-Jan-10		6.610	1.470	U	1.470	1.470	1.470	1.470	1.470	1.470	1.470	1.470	U
	21-Apr-10		1.850	1.470	U	2.770	1.590	1.480	1.470	1.470	1.470	1.470	1.470	U
	16-Jul-10		2.520	1.900	2.100	2.210	3.180	2.800	24.600	1.870	1.630			
	15-Oct-10		4.300	1.470	U	1.470	1.470	1.470	1.470	1.470	1.470	1.470	0.021	I
	30-Nov-10		NS	1.470	U	1.470	NS	NS	1.470	1.470	NS			
	26-Jan-11		2.720	3.190	2.510	2.510	U	2.520	2.500	2.640	2.710	# U # U	2.500	U
	26-Jan-11**		NS	2.300	2.100	NS	NS	NS	1.600	NS	NS			
	27-Apr-11		1.470	1.470	U	2.220	1.470	1.470	1.470	1.470	1.470	1.470	1.470	U
	26-Jul-11		1.600	1.470	U	2.320	1.520	1.470	1.470	1.470	3.010	1.470	2.400	U
	28-Oct-11		3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	2.400	U
	23-Jan-12		4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U
	13-Apr-12		3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	4.700	U
	Jul-12 resamp		NS	NS	NS	NS	NS	NS	NS	NS	3.500	U	3.500	U
	20-Jun-12		2.600	2.400	U	3.300	2.700	2.800	2.400	2.400	2.400	2.400	2.400	U
	1-Nov-12		2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U
	1-Feb-13		2.400	2.400	U	2.400	2.400	2.400	2.400	2.400	2.400	2.400	2.400	U
	29-Apr-13		5.100	3.500	3.500	3.800	4.800	3.600	4.100	3.300	4.500			
	9-Jul-13		2.800	3.000	2.800	2.400	3.600	2.400	5.400	2.900	3.200	4.1	3.8	1.95
	9-Jul-13 RIDEN		NS	NS	NS	NS	NS	2.525	NS	NS	NS			
	18-Oct-13		4.800	4.700	3.500	5.800	2.800	2.800	6.900	3.100	3.200			
	9-Jan-14		2.400	2.400	U	2.400	2.400	2.400	2.400	2.400	3.200	2.400		
	24-Apr-14		2.400	2.400	U	2.500	2.400	4.500	2.400	2.400	2.400	2.400	5.100	U
	1-Aug-14		2.600	2.600	3.100	3.600	5.900	2.600	3.700	2.400	3.600			
	Sept-14 resamp		NS	NS	NS	NS	NS	NS	2.600	NS	NS			
	22-Oct-14		3.500	U	3.500	4.300	3.500	3.600	3.500	3.500	3.500	U		
	20-Jan-15		5.500	2.400	U	2.700	3.600	5.700	2.400	3.900	2.400	U		
	-Mar-15 resamp		NS	NS	NS	NS	NS	NS	NS	NS	2.700	U		
	22-Apr-15		2.600	4.500	6.600 <sup>L</sup>	2.400	U	3.900	3.200	4.600	4.800	10.000		
	21-Jul-15		3.800	1.500 <sup>A</sup>	2.800	2.200	2.000	1.500	1.700	2.100	1.200			
	Sept-15 resamp		NS	NS	NS	NS	NS	NS	0.610	NS	NS			
	29-Oct-15		0.430	1.800	0.670	1.200	0.550	1.100	1.400	0.550	0.710			
	Dec-15 resamp		NS	0.460	NS	NS	NS	NS	NS	NS	NS			
	27-Jan-16		3.3	2.4	U	4.3	2.4	U	2.4	U	2.4	2.4	U	
	20-Apr-16 <sup>3</sup>		2.4	U	2.4	U	2.4	U	2.4	U	2.4	2.4	U	
	20-Jul-16		2.8	U	3.7	U	2.7	2.9	U	2.8	3.1	2.7	U	
	21-Oct-16		2.4	U	2.7	U	2.4	U						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
n-Butylbenzene	8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	30-Sep-08	5.500	U	5.500	U	5.500	U	5.500	U	23.300	U	5.500	U	73.000	U	
	27-Oct-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	25-Feb-09	5.500	U	5.500	U	6.300	NS	NS	5.500	U	5.500	U	5.500	U	5.500	U
	26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	29-Apr-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	22-Jul-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	30-Nov-10	NS	U	2.740	U	2.740	U	NS	NS	2.740	U	2.740	U	NS	U	
	26-Jan-11	0.468	U	4.660	U	4.660	U	4.670	U	4.680	U	4.660	U	4.660	U	
	26-Jan-11**	NS	U	NS	U	NS	U	NS	NS	NS	U	NS	U	NS	U	
	27-Apr-11	73.0	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	28-Oct-11	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.320	U	
	23-Jan-12	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	
	13-Apr-12	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.630	U	
	Jul-12 resamp	NS	U	NS	U	NS	U	NS	NS	NS	U	0.470	U	0.470	U	
	20-Jun-12	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	
	1-Nov-12	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	
	1-Feb-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	
	29-Apr-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	
	9-Jul-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	
	18-Oct-13	0.320	U	0.320	U	0.320	U	0.320	U	0.410	U	0.320	U	0.340	U	
	9-Jan-14	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	
	24-Apr-14	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	
	1-Aug-14	0.320 <sup>L</sup>	U	0.320 <sup>L</sup>	U	0.320 <sup>L</sup>	U	0.470 <sup>L</sup>	U	0.320	U	0.320	U	0.320	U	
	Sept-14 resam	NS	U	NS	U	NS	U	NS	NS	NS	U	NS	U	NS	U	
	22-Oct-14	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	
	20-Jan-15	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.470	U	
	Mar-15 resam	NS	U	NS	U	NS	U	NS	NS	NS	U	0.360	U	NS	U	
	22-Apr-15	0.320	U	0.320 <sup>A</sup>	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	
	27-Jan-16	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	
	20-Apr-16 <sup>3</sup>	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	
	20-Jul-16	0.38	U	0.49	U	0.34	U	0.39	U	0.36 <sup>w</sup>	U	0.37	U	0.42	U	
	21-Oct-16	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.36	U	
	31-Jan-17	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
sec-Butylbenzene	8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	30-Sep-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	27-Oct-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	
	25-Feb-09	5.500	U	5.500	U	5.500	U	NS	5.500	U	5.500	U	5.500	U	5.500	U
	26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	29-Apr-09	2.740	U	2.740	U	2.460	U	2.740	U	2.740	U	2.740	U	2.740	U	
	22-Jul-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	30-Nov-10	NS		2.740	U	2.740	U	NS	NS	2.740	U	NS				
	26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.680	U	
	26-Jan-11**	NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	73.0	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	
	28-Oct-11	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.250	U	
	23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	
	13-Apr-12	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.500	U	
	-Jul-12 resamp	NS		NS		NS		NS		NS		0.380	U	0.380	U	
	20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	1-Aug-14	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U	0.250	U	0.250	U	
	Sept-14 resam	NS		NS		NS		NS		NS		NS		NS		
	22-Oct-14	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	
	20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.380	U	
	-Mar-15 resam	NS		NS		NS		NS		NS		0.290	U	NS		
	22-Apr-15	0.250	U	0.250^	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	20-Apr-16^3	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	
	21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator	Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150	Room 23	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Carbon tetrachloride	8-Feb-08	0.5	0.500		0.480	0.440		0.450		0.460		0.470		0.470		0.470	
	27-Mar-08		0.540		0.541	0.547		0.537		0.580		0.577		0.552		0.586	
	25-Apr-08		0.436		0.439	0.405		0.441		0.448		0.439		0.465		0.416	
	29-May-08		0.470		0.470	0.450		0.470		0.480		0.490		0.520		0.460	
	27-Jun-08		0.544		0.535	0.526		0.534		0.526		0.538		0.555		0.547	
	31-Jul-08		0.526		0.532	0.528		0.554		0.554		0.542		0.564		0.557	
	28-Aug-08		0.552		0.548	0.551		0.545		0.566		0.559		0.556		0.572	
	30-Sep-08		0.489		0.446	0.404		0.497		0.461		0.250		0.491		0.531	
	27-Oct-08		0.370		0.510	0.260		0.450		0.280		0.510		0.270		0.480	
	25-Nov-08		0.400		0.400	0.400		0.440		0.420		0.350		0.370		0.470	
	18-Dec-08		0.350		0.330	0.440		0.410		0.420		0.350		0.340		0.520	
	21-Jan-09		0.490		0.460	0.570		0.460		0.500		0.490		0.570		0.620	
	25-Feb-09		0.360		0.190	0.380		NS		4.000		0.400		0.410		0.400	
	26-Mar-09		0.568		0.592	0.542		0.561		0.584		0.561		0.566		0.542	
	29-Apr-09		0.534		0.522	0.597		0.534		0.528		0.622		0.578		0.515	
	22-Jul-09		0.597		0.591	0.585		0.597		0.585		0.585		0.578		0.591	
	9-Oct-09		0.503		0.566	0.471		0.497		0.471		0.497		0.478		0.478	
	15-Jan-10		0.585		0.603	0.578		0.597		0.585		0.610		0.616		0.635	
	21-Apr-10		0.490		0.547	0.559		0.484		0.126		0.459		0.530		0.484	
	16-Jul-10		0.497		0.503	0.484		0.528		0.465		0.547		0.484		0.541	
	15-Oct-10		0.459		0.427	0.509		0.434		0.440		0.408		0.453		0.503	
	30-Nov-10		NS		0.478	0.559		NS		NS		NS		0.484		NS	
	26-Jan-11		0.558		0.502	0.504		0.567		0.472		0.566		0.481		#	#
	26-Jan-11**		NS		0.540	0.500		NS		NS		NS		0.500		NS	
	27-Apr-11		0.371		0.358	0.364		0.408		0.352		0.364		0.358		0.434	
	26-Jul-11		0.409		0.442	0.409		0.428		0.402		0.421		0.402		0.459	
	28-Oct-11		0.410		0.380	0.430		0.430		0.420		0.410		0.430		0.440	
	23-Jan-12		0.490		0.490	0.480		0.480		0.470		0.460		0.490		0.480	
	13-Apr-12		0.480		0.490	0.420		0.460		0.450		0.460		0.470		0.300	
	Jul-12 resamp		NS		NS	NS		NS		NS		NS		NS		0.390	
	20-Jun-12		0.560		0.610	0.520		0.530		0.590		0.500		0.550		0.490	
	1-Nov-12		0.510		0.520	0.480		0.400		0.480		0.490		0.520		0.530	
	1-Feb-13		0.520		0.510	0.520		0.510		0.550		0.510		0.520		0.540	
	29-Apr-13		0.540		0.530	0.530		0.510		0.490		0.470		0.490		0.500	
	9-Jul-13		0.430		0.440	0.430		0.370		0.440		0.450		0.440		0.440	
	9-Jul-13 RIDEN		NS		NS	NS		NS		NS		NS		NS		NS	
	18-Oct-13		0.450		0.450	0.450		0.440		0.420		0.420		0.440		0.440	
	9-Jan-14		0.400		0.430	0.450		0.450		0.400		0.450		0.430		0.480	
	24-Apr-14		0.430		0.270	0.410		0.430		0.400		0.440		0.350	0.500	0.430	
	1-Aug-14		0.570		0.700	0.510		0.460		0.410		0.410		0.440		0.420	
	Sept-14 resam		NS		NS	NS		NS		NS		NS		0.470		NS	
	22-Oct-14		0.430		0.410	0.430		0.370		0.460		0.460		0.420		0.410	
	20-Jan-15		0.480		0.480	0.330		0.480		0.460		0.450		0.450		0.520	
	Mar-15 resam		NS		NS	NS		NS		NS		NS		NS		NS	
	22-Apr-15		0.320		0.350	0.320		0.330		0.340		0.330		0.360		0.320	
	21-Jul-15		0.270 <sup>J</sup>		0.280 <sup>J A</sup>	0.300 <sup>J</sup>		0.250 <sup>J</sup>		0.260 <sup>J</sup>		0.260 <sup>J</sup>		0.260 <sup>J</sup>		0.300 <sup>J</sup>	
	Sept-15 resam		NS		NS	NS		NS		NS		NS		NS		NS	
	29-Oct-15		0.310 <sup>J</sup>		0.300 <sup>J</sup>	0.320 <sup>J</sup>		0.310 <sup>J</sup>		0.290 <sup>J</sup>		0.300 <sup>J</sup>		0.310 <sup>J</sup>		0.330 <sup>J</sup>	
	Dec-15 resam		NS		0.28 <sup>J</sup>	NS		NS		NS		NS		NS		NS	
	27-Jan-16		0.59		0.58	0.61		0.56		0.58		0.58		0.59			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloroform	8-Feb-08	0.5	0.110		0.110	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
	27-Mar-08		0.840		0.690	0.593	U	0.523		0.410	0.337	0.605	0.503	0.098	U
	25-Apr-08		0.186		0.210	0.193		0.122		0.125	0.134	0.110	0.130	0.098	U
	29-May-08		0.110		0.110	0.100		0.110		0.100	U	0.100	U	0.100	U
	27-Jun-08		0.238		0.257	0.202		0.207		0.196		0.200	0.245	0.223	0.167
	31-Jul-08		0.230		0.151	0.136		0.194		0.204		0.227	0.098	0.106	0.098
	28-Aug-08		0.342		0.373	0.298		0.312		0.269		0.602	0.269	0.271	0.295
	30-Sep-08		0.490	U	0.490	U	U	0.490	U	0.490	U	0.490	U	0.490	U
	27-Oct-08		0.490	U	0.490	U	U	0.490	U	0.490	U	0.490	U	0.490	U
	25-Nov-08		0.240	U	0.240	U	U	0.240	U	0.240	U	0.240	U	0.240	U
	18-Dec-08		0.240	U	0.240	U	U	0.240	U	0.240	U	0.240	U	0.240	U
	21-Jan-09		0.240	U	0.240	U	U	0.240	U	0.240	U	0.240	U	0.240	U
	25-Feb-09		0.240	U	0.240	U	U	NS	U	0.240	U	0.240	U	0.240	U
	26-Mar-09		0.236		0.142	0.110		0.115		0.133		0.119	0.098	0.109	0.108
	29-Apr-09		0.190		0.122	0.098	U	0.102		0.102		0.098	0.146	0.098	U
	22-Jul-09		0.229		0.151	0.166		0.141		0.205		0.180	0.146	0.171	0.439
	9-Oct-09		0.576		0.098	U	U	0.283		0.302		0.307	0.322	0.302	0.171
	15-Jan-10		0.527		0.473	0.122		0.132		0.112		0.117	0.117	0.180	0.170
	21-Apr-10		0.156		0.790	0.205		0.771		0.136		0.141	1.460	0.224	0.098
	16-Jul-10		0.317		0.249	0.141		0.161		0.190		0.141	0.258	0.156	0.132
	15-Oct-10		0.263		0.195	0.098	U	0.102		0.098	U	0.098	0.107	0.098	U
	30-Nov-10		NS		0.234	0.112		NS		NS		NS	0.098	U	NS
	26-Jan-11		0.350		0.340	0.166	U	0.241		0.166	U	0.182	0.166	# U #	0.166
	26-Jan-11**		NS		0.380	0.240	U	NS		NS		0.240	U	NS	NS
	27-Apr-11		0.098	U	0.220	0.098	U	0.141		0.098	U	0.098	0.098	U	0.098
	26-Jul-11		0.230		0.249	0.166		0.986		0.166		0.127	0.244	0.156	0.146
	28-Oct-11		0.120		0.110	0.085		0.097		0.079		0.082	0.082	0.082	0.049
	23-Jan-12		0.170	U	0.240	0.170	U	0.170		0.170	U	0.170	U	0.170	U
	13-Apr-12		0.270		0.420	0.140		0.270		0.130		0.130	0.130	0.280	0.098
	Jul-12 resamp		NS		NS	NS		NS		NS		NS	0.100	0.094	U
	20-Jun-12		0.210		0.520	0.140		0.220		0.180		0.140	0.140	0.580	0.110
	1-Nov-12		0.098		0.140	0.082		0.100		0.088		0.110	0.110	0.100	0.072
	1-Feb-13		0.390		0.240	0.088		0.120		0.088		0.092	0.092	0.088	0.098
	29-Apr-13		0.180		0.140	0.140		0.160		0.140		0.120	0.140	0.140	0.082
	9-Jul-13		0.260		0.240	0.170		0.300		0.310		0.200	0.200	0.200	0.200
	9-Jul-13 RIDEN		NS		NS	NS		NS		NS		NS	NS	NS	0.175
	18-Oct-13		0.098		0.300	0.098	U	0.130		0.098		0.110	0.110	0.120	0.098
	9-Jan-14		0.120		0.140	0.098	U	0.120		0.098		0.120	0.120	0.140	0.140
	24-Apr-14		0.670		0.160	0.310		0.120		0.098		0.120	0.049	0.120	0.049
	1-Aug-14		3.400		5.100	1.400		1.200		0.450		0.330	0.370	0.410	6.000
	Sept-14 resam		NS		NS	NS		NS		NS		NS	0.110	NS	NS
	22-Oct-14		0.073	U	0.073	U	U	0.190		0.073	U	0.150	0.073	0.073	0.160
	20-Jan-15		0.120		0.120	0.049	U	0.100		0.110		0.130	0.073	0.140	0.073
	Mar-15 resam		NS		NS	NS		NS		NS		NS	NS	0.088	NS
	22-Apr-15		0.170		0.220	0.270 <sup>v</sup>		0.220		0.190		0.120	0.180	0.200	0.049
	21-Jul-15		0.250		0.200 <sup>J, A</sup>	0.170 <sup>J</sup>	U	0.260		0.210 <sup>J</sup>		0.270	11.000	0.170 <sup>J</sup>	0.160 <sup>J</sup>
	Sept-15 resam		NS		NS	NS		NS		NS		NS	0.300	NS	NS
	29-Oct-15		0.300	U	0.370	0.300	U	0.300		0.300	U	0.220 <sup>J</sup>	0.590	0.200	0.300
	Dec-15 resam		NS		0.520	NS		NS		NS		NS	U	NS	U
	27-Jan-16		0.16		0.13	0.11		0.11		0.10		0.16	0.12	0.11	0.19
	20-Apr-16 <sup>3</sup>		3.8		0.086	0.049	U	0.12		0.11		0.09	0.049	0.094	0.086
	20-Jul-16		0.96		0.63	0.07		0.25	</td						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room bdm 23	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloromethane	8-Feb-08	14.0	2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U	2.440
	27-Mar-08		2.830		3.070		2.680		2.440	U	2.480	U	2.440	U	2.440
	25-Apr-08		2.820		2.440	U	2.440	U	2.440	U	3.140		2.440	U	2.440
	29-May-08		2.790		3.000		7.100		11.000		6.280		2.770		2.440
	27-Jun-08		2.650		2.440	U	2.440	U	2.830		3.260		2.440		2.440
	31-Jul-08		3.580		3.880		3.330		4.370		3.440		3.740		2.440
	28-Aug-08		2.440		3.140		5.310		6.880		3.150		2.440		2.440
	30-Sep-08		1.400		1.300		1.100		1.400		1.000		1.700		1.200
	27-Oct-08		1.000	U	1.000	U	1.000	U	1.000	U	1.200		1.000	U	1.000
	25-Nov-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000		1.000	U	1.000
	18-Dec-08		1.000	U	1.000	U	1.000	U	1.400		1.000		1.000	U	1.000
	21-Jan-09		1.000	U	1.000	U	1.000	U	1.500		1.000		1.400		1.200
	25-Feb-09		1.000		1.000		1.000		NS		1.000		1.000		1.000
	26-Mar-09		2.490		2.680		2.550		2.920		2.910		2.440		2.440
	29-Apr-09		2.710		2.910		3.600		3.730		3.130		2.660		2.510
	22-Jul-09		2.670		2.520		2.660		2.540		2.440		2.780		2.440
	9-Oct-09		3.450		2.740		2.440		2.440		2.440		2.440		2.440
	15-Jan-10		3.850		3.690		2.820		3.180		3.240		3.630		3.750
	21-Apr-10		2.550		2.440	U	2.440	U	2.440	U	2.400		2.520		2.460
	16-Jul-10		1.510		1.660		1.050		1.090		1.680		1.110		1.510
	15-Oct-10		1.080		1.080		1.030		1.050		1.030		1.030		1.030
	30-Nov-10		NS		1.030	U	1.030	U	NS		NS		1.030		NS
	26-Jan-11		1.760	U	1.750	U	1.760	U	1.760	U	1.750	U	1.760	#	1.750
	26-Jan-11**		NS		1.100		1.000		NS		NS		1.000		NS
	27-Apr-11		1.050		1.660		1.400		2.160		1.440		1.510		1.270
	26-Jul-11		1.160		1.600		1.030		1.120		1.030		1.030		1.030
	28-Oct-11		1.400		1.000		1.300		1.500		1.300		0.960		1.300
	23-Jan-12		1.300		1.100		1.100		1.200		1.400		1.900		1.100
	13-Apr-12		1.300		1.400		1.400		1.500		1.100		1.000		0.840
	Jul-12 resamp		NS		NS		NS		NS		NS		NS		1.100
	20-Jun-12		1.700		0.041	U	0.041	U	0.041	U	0.041	U	1.500	0.041	1.300
	1-Nov-12		1.100		1.100		0.910		1.200		1.000		1.200		0.990
	1-Feb-13		1.200		1.300		1.200		1.200		1.400		1.300		1.100
	29-Apr-13		1.300		1.300		1.300		1.200		1.800		1.100		1.100
	9-Jul-13		1.100		1.100		0.900		1.100		2.200		1.000		1.000
	9-Jul-13 RIDEN		NS		NS		NS		NS		1.142		NS		1.164
	18-Oct-13		0.880		1.100		1.200		1.100		1.200		1.300		1.100
	9-Jan-14		0.900		0.950		1.000		1.100		1.000		1.100		1.100
	24-Apr-14		1.100		1.300		1.100		1.100		1.400		1.400		0.940
	1-Aug-14		0.083	U	0.083	U	0.083	U	0.120	U	0.083	U	0.083	U	0.083
	Sept-14 resam		NS		NS		NS		NS		NS		NS		NS
	22-Oct-14		0.780 <sup>L</sup>		0.810 <sup>L</sup>		1.100 <sup>L</sup>		0.880 <sup>L</sup>		1.000 <sup>L</sup>		1.300 <sup>L</sup>		0.890 <sup>L</sup>
	20-Jan-15		0.820 <sup>L</sup>		0.970 <sup>L</sup>		0.072 <sup>L</sup>		0.081 <sup>L</sup>		0.089 <sup>L</sup>		1.100 <sup>L</sup>		0.820 <sup>L</sup>
	-Mar-15 resam		NS		NS		NS		NS		NS		NS		NS
	22-Apr-15		1.200		1.300		4.600 <sup>V</sup>		1.400		1.400		2.700		3.400
	21-Jul-15		1.200		1.200 <sup>A</sup>		1.200		1.500		1.500		0.970		0.770
	Sept-15 resam		NS		NS		NS		NS		NS		0.100		NS
	29-Oct-15		1.100		1.400		1.200		1.300		1.200		1.700		1.100
	Dec-15 resam		NS		1.000		NS		NS		NS		NS		NS
	27-Jan-16		1.2		1.2		1		1.2		1.3		2.4		1.6
	20-Apr-16 <sup>3</sup>		1.4		1.1		1.1		1.1		1.4		1.2		1.6
	20-Jul-16		0.94		0.99		0.71		0.93		1.2		1.3		0.78
	21-Oct-16		1.1		1		0.9		1.1		1.1		1		0.93
	31-Jan-17		1.2		1.2		1.1		1.2		1.2		1.3		1.1

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dibromochloromethane	8-Feb-08	None	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	27-Mar-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	25-Apr-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	29-May-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	27-Jun-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	31-Jul-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	28-Aug-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	30-Sep-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	25-Nov-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	18-Dec-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	21-Jan-09		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	25-Feb-09		4.200	U	4.200	U	NS	4.200	U	4.200	U	4.200	U	4.200	U
	26-Mar-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	29-Apr-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	22-Jul-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	9-Oct-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	15-Jan-10		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	21-Apr-10		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	16-Jul-10		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	15-Oct-10		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	30-Nov-10		NS		0.170	U	0.170	U	NS	NS	0.170	U	NS		NS
	26-Jan-11		0.291	U	0.289	U	0.290	U	0.290	U	0.289	U	0.289	U	0.289
	26-Jan-11**		NS		0.430	U	0.430	U	NS	NS	0.430	U	NS		NS
	27-Apr-11		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	26-Jul-11		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	28-Oct-11		0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260
	23-Jan-12		0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300
	13-Apr-12		0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260
	-Jul-12 resamp		NS		NS		NS		NS		NS		0.130	U	0.130
	20-Jun-12		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	1-Nov-12		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085
	1-Feb-13		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	29-Apr-13		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085
	9-Jul-13		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	18-Oct-13		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	9-Jan-14		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170
	24-Apr-14		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085
	1-Aug-14		0.170	U	0.170	U	0.260	U	0.170	U	0.170	U	0.170	U	0.170
	Sept-14 resamp		NS		NS		NS		NS		0.085	U	NS		NS
	22-Oct-14		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	20-Jan-15		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085
	-Mar-15 resamp		NS		NS		NS		NS		NS		0.098	U	NS
	22-Apr-15		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085
	21-Jul-15		0.400	U	0.400^A	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400
	Sept-15 resamp		NS		NS		NS		NS		0.500	U	NS		NS
	29-Oct-15		0.500	U	0.400	U	0.400	U	0.500	U	0.400	U	0.400	U	0.500
	Dec-15 resamp		NS		0.400	U	NS		NS		NS		NS		NS
	27-Jan-16		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085
	20-Apr-16^3		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085
	20-Jul-16		0.10	U	0.13	U	0.092	U	0.10	U	0.10	U	0.11	U	0.096
	21-Oct-16		0.085	U	0.085	U									

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichlorobenzene	8-Feb-08	73.0	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	25-Feb-09		3.000	U	3.000	U	NS	3.000	U	3.000	U	3.000	U	3.000
	26-Mar-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	29-Apr-09		0.120	U	0.120	U	0.100	U	0.120	U	0.120	U	0.120	U
	22-Jul-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	9-Oct-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	15-Jan-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	21-Apr-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	16-Jul-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	30-Nov-10		NS		0.120	U	0.120	U	NS	NS	0.120	U	NS	
	26-Jan-11		0.205	U	0.204	U	0.205	U	0.205	U	0.204	U	0.205	U
	26-Jan-11**		NS		0.300	U	0.300	U	NS	NS	0.300	U	NS	
	27-Apr-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	26-Jul-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	28-Oct-11		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
	23-Jan-12		0.220	U	0.210	U	0.400	U	0.210	U	0.210	U	0.210	U
	13-Apr-12		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
	-Jul-12 resamp		NS		NS		NS		NS		NS		0.180	U
	20-Jun-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	1-Nov-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	1-Feb-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	29-Apr-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	9-Jul-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	18-Oct-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	9-Jan-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	24-Apr-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	1-Aug-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	Sept-14 resam		NS		NS		NS		NS		NS		NS	
	22-Oct-14		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
	20-Jan-15		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.180	U
	-Mar-15 resam		NS		NS		NS		NS		NS		NS	
	22-Apr-15		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	21-Jul-15		0.300	U	0.300^	U	0.300	U	0.300	U	0.400	U	0.300	U
	Sept-15 resam		NS		NS		NS		NS		NS		NS	
	29-Oct-15		0.300	U	0.300	U	0.300	U	0.300	U	0.440	U	0.400	U
	Dec-15 resamp		NS		0.300	U	NS		NS		NS		NS	
	27-Jan-16		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	20-Apr-16^3		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	20-Jul-16		0.14	U	0.19	U	0.13	U	0.15	U	0.14	U	0.16	U
	21-Oct-16		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.14	U
	31-Jan-17		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,3-Dichlorobenzene	8-Feb-08	73.0	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	28-Aug-08		0.120	U	0.120	U	0.102	U	0.120	U	0.120	U	0.120	U
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	25-Nov-08		3.000	U	3.000	U	2.500	U	3.000	U	3.000	U	3.000	U
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U
	25-Feb-09		3.000	U	3.000	U	NS	3.000	U	3.000	U	3.000	U	3.000
	26-Mar-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	29-Apr-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	22-Jul-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	9-Oct-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	15-Jan-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	21-Apr-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	16-Jul-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	30-Nov-10		NS		0.120	U	0.120	U	NS	NS	0.120	U	NS	
	26-Jan-11		0.205	U	0.204	U	0.205	U	0.205	U	0.204	U	0.205	U
	26-Jan-11**		NS		0.300	U	0.300	U	NS	NS	0.300	U	NS	
	27-Apr-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	26-Jul-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	28-Oct-11		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
	23-Jan-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
	13-Apr-12		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.240	U
	-Jul-12 resamp		NS		NS		NS		NS		NS		0.180	U
	20-Jun-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	1-Nov-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	1-Feb-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	29-Apr-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	9-Jul-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	18-Oct-13		0.130	U	0.120	U	0.120	U	0.150	U	0.120	U	2.400	U
	9-Jan-14		0.140	U	0.310	U	0.120	U	0.120	U	0.120	U	0.120	U
	24-Apr-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	1-Aug-14		0.120	U	0.120	U	0.180	U	0.120	U	0.120	U	0.120	U
	Sept-14 resam		NS		NS		NS		NS		NS		NS	
	22-Oct-14		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
	20-Jan-15		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.180	U
	-Mar-15 resam		NS		NS		NS		NS		NS		NS	
	22-Apr-15		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U
	21-Jul-15		0.300	U	0.300 <sup>A</sup>	U	0.300	U	0.300	U	0.400	U	0.300	U
	Sept-15 resam		NS		NS		NS		NS		0.300	U	NS	
	29-Oct-15		0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U
	Dec-15 resam		NS		0.300	U	NS		NS		NS		NS	
	27-Jan-16		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	20-Apr-16 <sup>3</sup>		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	20-Jul-16		0.14	U	0.19	U	0.13	U	0.15	U	0.14	U	0.24	U
	21-Oct-16		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.18	U
	31-Jan-17		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,4-Dichlorobenzene	8-Feb-08	24.0	0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	U	
	27-Mar-08		0.292		0.272		0.206	0.596	0.728	0.793	0.228	0.237	0.120	U
	25-Apr-08		0.415		0.287		0.126	0.247	0.261	0.245	0.205	0.220	0.222	U
	29-May-08		0.230		0.120	U	0.120	U	0.120	U	0.120	0.120	U	U
	27-Jun-08		0.506		0.176		0.391	0.315	0.130	0.273	1.340	0.582	0.120	U
	31-Jul-08		0.309		0.524		0.254	0.323	0.458	0.669	0.272	0.320	0.259	
	28-Aug-08		0.198		0.252		0.216	0.262	0.205	0.211	0.202	0.222	0.213	
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	3.000	U	U
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	3.000	U	U
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	3.000	U	U
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	3.000	U	U
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	3.000	U	U
	25-Feb-09		3.000	U	3.000	U	3.000	NS	3.000	U	3.000	3.000	U	U
	26-Mar-09		0.149		0.129		0.120	U	0.193	0.146	0.204	0.150	0.120	U
	29-Apr-09		0.246		0.144		0.180	1.740	0.210	0.168	0.144	0.168	0.366	
	22-Jul-09		0.198		0.120	U	0.553	0.120	0.174	0.204	0.144	0.270	0.444	
	9-Oct-09		0.360		0.402		0.336	0.360	0.354	0.487	0.324	0.366	0.186	
	15-Jan-10		0.156		0.186		0.120	0.432	0.150	0.198	0.144	0.120	0.138	
	21-Apr-10		0.120	U	0.180		0.120	U	0.156	0.156	0.126	0.126	1.200	U
	16-Jul-10		1.580		0.493		0.637	0.306	0.499	0.655	11.400	0.553	0.384	
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	30-Nov-10		NS		0.282		0.318	NS	NS	NS	0.120	U	NS	
	26-Jan-11		0.205	U	0.470		0.205	U	0.205	U	0.316	0.204	0.205	U
	26-Jan-11**		NS		0.740		0.300	U	NS	NS	0.300	U	NS	
	27-Apr-11		0.120	U	0.174		0.120	U	0.222	U	0.120	0.120	0.120	U
	26-Jul-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	28-Oct-11		0.190		0.180	U	0.180	U	0.180	U	0.180	0.180	0.120	U
	23-Jan-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	0.210	0.210	U
	13-Apr-12		0.180	U	0.180	U	0.180	U	0.180	U	0.180	0.180	0.240	U
	-Jul-12 resamp		NS		NS		NS	NS	NS	NS	NS	0.180	0.180	
	20-Jun-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	1-Nov-12		0.120		0.120		0.120	U	0.120	U	0.120	0.120	0.120	U
	1-Feb-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	29-Apr-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	9-Jul-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	9-Jul-13 RIDEN		NS		NS		NS	NS	0.038	J	NS	NS	0.030	J
	18-Oct-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	9-Jan-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	24-Apr-14		0.120	U	0.120	U	0.120	U	0.180	U	0.120	0.120	0.120	U
	1-Aug-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	Sept-14 resam		NS		NS		NS	NS	NS	NS	0.120	0.120	NS	
	22-Oct-14		0.180	U	0.180	U	0.180	U	0.180	U	0.180	0.180	0.180	U
	20-Jan-15		0.120	U	0.120	U	0.120	U	0.120	U	0.180	0.120	0.180	U
	-Mar-15 resam		NS		NS		NS	NS	NS	NS	NS	0.140	NS	
	22-Apr-15		0.120	U	0.120	U	0.120	U	0.120	U	0.120	0.120	0.120	U
	21-Jul-15		0.300	U	0.300 <sup>A</sup>	U	0.300	U	0.300	U	0.300	0.400	0.300	U
	Sept-15 resam		NS		NS		NS	NS	NS	NS	NS	NS	NS	
	29-Oct-15		0.300	U	0.300	U	0.170 <sup>J</sup>	0.300	U	0.300	0.210 <sup>J</sup>	0.300	0.400	U
	Dec-15 resam		NS		NS		NS	NS	NS	NS	NS	NS	NS	
	27-Jan-16		0.12	U	0.13	U	0.12	U	0.14	U	0.61	0.12	10	
	20-Apr-16 <sup>3</sup>		0.12	U	0.12	U	0.12	U	0.12	U	0.12	0.12	0.12	U
	20-Jul-16		0.14	U	0.19	U	0.13	U	0.15	U	0.14	0.24	0.17	U
	21-Oct-16		0.12	U	0.14	U	0.12	U	0.16	U	0.12	0.14	0.12	U
	31-Jan-17		0.12	U	0.12	U	0.12	U	0.12	U	0.12	0.12	0.12	U

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	27-Mar-08		2.420		2.380	2.280		2.110	2.600	2.560	2.700	2.070	2.210		
	25-Apr-08		2.060		2.100	2.010		2.170	2.030	1.990	2.080	2.030	1.860		
	29-May-08		1.700		1.630	1.540		1.760	1.630	1.610	1.780	1.600	1.560		
	27-Jun-08		2.280		2.280	2.370		2.330	2.240	2.220	2.250	2.250	2.220		
	31-Jul-08		2.030		2.020	1.970		1.970	1.910	1.920	1.920	1.900	1.850		
	28-Aug-08		3.600		2.870	2.920		2.870	2.920	2.800	2.800	2.980	2.770		
	30-Sep-08		2.500		2.700	2.500		U	2.500	U	2.900	2.800	2.500	U	
	27-Oct-08		2.500	U	2.500	U	U	2.500	U	2.500	U	2.500	U	2.500	U
	25-Nov-08		2.500	U	2.500	U	U	2.500	U	3.400	2.500	2.500	U	2.500	U
	18-Dec-08		2.700		2.500	U	U	2.500	U	2.500	U	2.500	U	2.500	U
	21-Jan-09		2.500	U	2.500	U	U	2.500	U	2.500	U	3.000	U	2.500	U
	25-Feb-09		2.500		2.500	U	U	NS	2.500	U	2.500	U	2.500	U	
	26-Mar-09		2.220		2.190	2.120		2.090	2.220	2.180	2.080	2.120	2.130		
	29-Apr-09		2.500		2.260	2.460		2.320	2.260	2.320	2.380	2.360	2.160		
	22-Jul-09		3.140		3.120	2.920		3.090	2.780	3.170	2.690	2.960	3.130		
	9-Oct-09		2.290		2.560	2.300		2.320	2.300	2.280	2.300	2.290	2.210		
	15-Jan-10		27.800		2.550	2.480		2.590	2.410	2.540	2.450	2.410	2.430		
	21-Apr-10		2.340		2.320	2.520		2.330	2.330	2.260	2.320	2.330	2.240		
	16-Jul-10		2.480		2.560	2.430		2.520	3.690	2.480	2.550	2.480	2.740		
	15-Oct-10		2.460		2.410	2.560		2.400	2.470	2.410	2.450	2.450	2.630		
	30-Nov-10		NS		2.480	2.550		NS	NS	NS	2.390	NS	NS		
	26-Jan-11		2.680		2.640	2.340		2.660	2.150	2.580	2.370	2.560	#	#	2.440
	26-Jan-11**		NS		2.800	2.700		NS	NS	NS	2.600	NS	NS		
	27-Apr-11		2.070		2.820	2.200		2.450	2.160	2.210	2.220	2.210	2.460		
	26-Jul-11		2.290		2.270	2.270		2.360	2.260	2.340	2.250	2.260	2.350		
	28-Oct-11	91.0	2.700		2.400	2.800		2.600	2.800	2.500	2.600	2.800	2.500		
	23-Jan-12		1.700		1.800	1.600		1.500	2.000	2.000	1.800	1.900	2.000		
	13-Apr-12		2.100		2.100	2.000		2.000	1.800	1.900	1.700	1.700	1.300		
	Jul-12 resamp		NS		NS	NS		NS	NS	NS	NS	2.700	2.500		
	20-Jun-12		2.500		2.600	2.500		2.400	2.700	2.300	2.500	2.500	2.300		
	1-Nov-12		2.000		2.200	2.100		2.200	2.000	2.100	2.100	2.000	2.100		
	1-Feb-13		1.600		1.600	1.600		1.600	1.600	1.600	1.700	1.600	1.600		
	29-Apr-13		2.400		2.600	2.600		2.400	2.400	2.300	2.400	2.400	2.400		
	9-Jul-13		0.950		0.980	0.930		0.960	0.990	1.000	0.980	0.970	1.000	1	1.1
	18-Oct-13		2.000		2.200	1.900		2.000	1.900	2.000	1.900	2.000	2.000		
	9-Jan-14		1.400		1.500	1.400		1.400	1.500	1.500	1.500	1.600	1.600		
	24-Apr-14		2.300		2.400	2.300		2.400	2.800	2.400	2.500	4.100	2.500		
	1-Aug-14		1.500		1.600	1.500		1.600	1.500	1.600	2.300/1.500	1.500	1.700		
	Sept-14 resam		NS		NS	NS		NS	NS	NS	2.400	NS	NS		
	22-Oct-14		1.400		1.400	1.400		1.500	1.400	1.500	1.400	1.300	1.500		
	20-Jan-15		1.400		1.500	1.300		1.400	1.500	1.400	1.500	1.500	1.500		
	-Mar-15 resam		NS		NS	NS		NS	NS	NS	NS	1.400	NS		
	22-Apr-15		1.800		1.800	4.200 v		1.800	1.700	1.700	1.900	1.700	1.600		
	21-Jul-15		0.870		0.940 A	0.890		0.840	0.910	0.880	0.930	0.840	0.980		
	Sept-15 resam		NS		NS	NS		NS	NS	NS	0.920	NS	NS		
	29-Oct-15		1.100		1.000	1.100		1.000	0.930	0.970	1.000	1.000	1.100		
	27-Jan-16		2.1M		2M	1.9 <sup>b</sup>		2M	2.1M	2.1M	2M	2M	2.1M		
	20-Apr-16 <sup>3</sup>		1.5		1.7	1.5		1.6	1.8	1.6	1.5	1.6	1.8		
	20-Jul-16		1.2		1.3	1		1.2	1.3	1.2	1.2	1.2	1.2		
	21-Oct-16		0.5		0.5	0.48		0.48	0.54	0.51	0.51	0.49	0.55		
	31-Jan-17		0.8		0.8	0.75		0.76	0.77	0.78	0.76	0.71	0.74		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1-Dichloroethane	8-Feb-08	77.0	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Mar-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	25-Apr-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Jun-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	31-Jul-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	28-Aug-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Feb-09		2.000	U	2.000	U	2.000	NS	2.000	U	2.000	U	2.000	U	2.000
	26-Mar-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	29-Apr-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	22-Jul-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	9-Oct-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	15-Jan-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	21-Apr-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	16-Jul-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	15-Oct-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	30-Nov-10		NS		0.081	U	0.081	NS	NS		0.081	U	0.081	NS	NS
	26-Jan-11		0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138
	26-Jan-11**		NS		0.200	U	0.200	NS	NS		0.200	U	NS	NS	NS
	27-Apr-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	26-Jul-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	28-Oct-11		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.040
	23-Jan-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	13-Apr-12		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081
	-Jul-12 resamp		NS		NS		NS		NS		NS		NS		0.061
	20-Jun-12		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	1-Nov-12		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	1-Feb-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	29-Apr-13		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	9-Jul-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	9-Jul-13 RIDEN		NS		NS		NS		0.006	J	NS		NS		0.006
	18-Oct-13		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	9-Jan-14		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	24-Apr-14		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	1-Aug-14		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	Sept-14 resamp		NS		NS		NS		NS		0.040	U	NS		NS
	22-Oct-14		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061
	20-Jan-15		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.061
	-Mar-15 resamp		NS		NS		NS		NS		NS		0.047	U	NS
	22-Apr-15		0.040	U	0.040	U	0.040	V	0.040	U	0.040	U	0.040	U	0.040
	21-Jul-15		0.200	U	0.200	A	0.200	U	0.200	U	0.200	U	0.200	U	0.200
	Sept-15 resamp		NS		NS		NS		NS		0.200	U	NS		NS
	29-Oct-15		0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200
	Dec-15 resamp		NS		0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200
	27-Jan-16		0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04
	20-Apr-16 <sup>3</sup>		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	20-Jul-16		0.048	U	0.063	U									

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloroethane	8-Feb-08	0.07/0.08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Mar-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	25-Apr-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Jun-08		0.080	U	0.081	U	0.080	U	0.084	U	0.080	U	0.178	U	0.081
	31-Jul-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	28-Aug-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	30-Sep-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.081	U	0.080
	27-Oct-08		0.080	U	0.150	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	25-Nov-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	18-Dec-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	21-Jan-09		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	25-Feb-09		0.080	U	0.080	U	0.080	U	NS	U	0.080	U	0.080	U	0.080
	26-Mar-09		0.102	U	0.084	U	0.087	U	0.081	U	0.081	U	0.081	U	0.081
	29-Apr-09		0.081	U	0.081	U	0.081	U	0.081	U	0.089	U	0.081	U	0.081
	22-Jul-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	9-Oct-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	15-Jan-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	21-Apr-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.162	U	0.081
	16-Jul-10		0.081	U	0.081	U	0.081	U	0.081	U	0.087	U	0.081	U	0.081
	15-Oct-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	30-Nov-10		NS		0.081	U	0.081	U	NS		NS		NS		NS
	26-Jan-11		0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138
	26-Jan-11**		NS		0.200	U	0.200	U	NS		NS		NS		NS
	27-Apr-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	26-Jul-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	28-Oct-11		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.040
	23-Jan-12		0.071	U	0.071	U	0.071	U	0.071	U	0.091	U	0.071	U	0.071
	13-Apr-12		0.066		0.068	U	0.061	U	0.063	U	0.063	U	0.061	U	0.075
	-Jul-12 resamp		NS		NS	U	NS	U	NS	U	NS	U	0.061	U	0.061
	20-Jun-12		0.081	U	0.081	U	0.081	U	0.081	U	0.080	U	0.081	U	0.081
	1-Nov-12		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	1-Feb-13		0.076		0.084	U	0.083	U	0.086	U	0.089	U	0.089	U	0.110
	29-Apr-13		0.094		0.099	U	0.099	U	0.096	U	0.160	U	0.099	U	0.084
	9-Jul-13		0.058		0.060	U	0.047	U	0.052	U	0.081	U	0.049	U	0.047
	9-Jul-13 RIDEN		NS		NS	U	NS	U	NS	U	NS	U	NS	U	0.051
	18-Oct-13		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	9-Jan-14		0.040	U	0.097	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	24-Apr-14		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	1-Aug-14		0.040	U	0.040	U	0.040	U	0.060	U	0.100	U	0.040	U	0.040
	Sept-14 resam		NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS
	22-Oct-14		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061
	20-Jan-15		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.061	U	0.061
	-Mar-15 resam		NS		NS	U	NS	U	NS	U	NS	U	0.047	U	NS
	22-Apr-15		0.040	U	0.040	U	0.170 <sup>v</sup>	U	0.040	U	0.096	U	0.086	U	0.040
	21-Jul-15		0.100 <sup>j</sup>		0.200 <sup>a</sup>	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200
	Sept-15 resam		NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS
	29-Oct-15		0.200	U	0.890	U	0.200	U	0.200	U	0.200	U	0.430	U	0.200
	Dec-15 resam		NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS
	27-Jan-16		0.06		0.063	U	0.081	U	0.065	U	0.068	U	0.063	U	0.076
	20-Apr-16 <sup>3</sup>		0.057		0.055	U	0.040	U	0.068	U	0.058	U	0.060	U	0.062
	20-Jul-16		0.048	U	0.063	U</td									

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1-Dichloroethylene	8-Feb-08	10.0	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Mar-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	25-Apr-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Jun-08		0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	28-Aug-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Feb-09		2.000	U	2.000	U	2.000	NS	2.000	U	2.000	U	2.000	U	2.000
	26-Mar-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	29-Apr-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	22-Jul-09		0.079	U	0.079	U	0.079	U	0.079	U	0.111	U	0.079	U	0.079
	9-Oct-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	15-Jan-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	21-Apr-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	16-Jul-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	15-Oct-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	30-Nov-10		NS	0.079	U	0.079	U	NS	U	NS	U	NS	U	NS	U
	26-Jan-11		0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135
	26-Jan-11**		NS	0.200	U	0.200	U	NS	U	NS	U	NS	U	NS	U
	27-Apr-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	26-Jul-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	28-Oct-11		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.040
	23-Jan-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	13-Apr-12		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059
	Jul-12 resamp		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-12		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	1-Nov-12		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	1-Feb-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	29-Apr-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	9-Jul-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	9-Jul-13 RIDEN		NS	NS	NS	NS	NS	NS	0.029	U	NS	U	0.029	U	0.029
	18-Oct-13		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	9-Jan-14		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	24-Apr-14		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	1-Aug-14		0.079	U	0.079	U	0.120	U	0.079	U	0.079	U	0.079	U	0.079
	Sept-14 resamp		NS	NS	NS	NS	NS	NS	NS	U	0.040	U	NS	U	NS
	22-Oct-14		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059
	20-Jan-15		0.040	U	0.040	U	0.040	U	0.040	U	0.098	U	0.059	U	0.059
	-Mar-15 resamp		NS	NS	NS	NS	NS	NS	NS	U	NS	U	0.046	U	NS
	22-Apr-15		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	21-Jul-15		0.200	U	0.200 <sup>A</sup>	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200
	Sept-15 resamp		NS	NS	NS	NS	NS	NS	NS	U	0.200	U	NS	U	NS
	29-Oct-15		0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200
	Dec-15 resamp		NS	NS	NS	NS	NS	NS	NS	U	NS	U	NS	U	NS
	27-Jan-16		0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04
	20-Apr-16 <sup>3</sup>		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	20-Jul-16														

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
cis-1,2-Dichloroethene*	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	27-Mar-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	25-Apr-08	0.080	U	0.080	U	0.080	U	0.100	U	0.080	U	0.080	U	0.080	U	
	29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	27-Jun-08	0.080	U	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.079	U	
	31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.092	U	0.079	U	
	30-Sep-08	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	
	27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	25-Feb-09	2.000	U	2.000	U	2.000	U	NS	2.000	U	2.000	U	2.000	U	2.000	U
	26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	29-Apr-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.127	U	0.079	U	0.079	U	
	9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	21-Apr-10	0.079	U	0.780	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	30-Nov-10	NS		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	
	26-Jan-11**	NS		0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	
	27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.040	U	
	28-Oct-11	0.069	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.040	U	
	23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	
	-Jul-12 resamp	NS		NS		NS		NS		NS		NS		0.059	U	
	20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	29-Apr-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	1-Aug-14	0.079	U	0.079	U	0.079	U	0.120	U	0.500	U	0.079	U	0.079	U	
	Sept-14 resam	NS		NS		NS		NS		NS		0.040	U	NS		
	22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.240	U	
	20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	
	-Mar-15 resam	NS		NS		NS		NS		NS		0.046	U	NS		
	22-Apr-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	21-Jul-15	0.200	U	0.200 <sup>A</sup>	U	0.110 <sup>J</sup>	U	0.200	U	0.200	U	0.300	U	0.200	U	
	Sept-15 resam	NS		NS		NS		NS		NS		0.200	U	NS		
	29-Oct-15	0.200	U	0.510	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	
	Dec-15 resam	NS		0.200	U	NS		NS		NS		NS		NS		
	27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	
	20-Apr-16 <sup>3</sup>	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	
	21-Oct-16	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.045	U	
	31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
trans-1,2-Dichloroethene*	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	27-Mar-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	25-Apr-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	27-Jun-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	25-Feb-09	2.000	U	2.000	U	2.000	U	NS	2.000	U	2.000	U	2.000	U	2.000	U
	26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	29-Apr-09	0.079	U	0.079	U	0.091	U	0.079	U	0.079	U	0.079	U	0.079	U	
	22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	21-Apr-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	30-Nov-10	NS	0.079	U	0.079	U	NS	NS	NS	0.079	U	0.079	U	NS	NS	
	26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	
	26-Jan-11**	NS	0.200	U	0.200	U	NS	NS	NS	0.200	U	NS	NS	NS	NS	
	27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	28-Oct-11	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.040	U	
	23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	
	Jul-12 resamp	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.059	U	
	20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	29-Apr-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	1-Aug-14	0.079	U	0.079	U	0.079	U	0.120	U	0.250	U	0.079	U	0.079	U	
	Sept-14 resam	NS	NS	NS	NS	NS	NS	NS	NS	0.040	U	NS	NS	0.059	U	
	22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	
	20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	
	-Mar-15 resam	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.046	U	NS	NS	
	22-Apr-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	21-Jul-15	0.200	U	0.200 <sup>A</sup>	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U	
	Sept-15 resam	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	29-Oct-15	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	
	Dec-15 resam	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	
	20-Apr-16 <sup>3</sup>	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
	20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	
	21-Oct-16	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.045	U	
	31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloropropane	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
	27-Mar-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	25-Apr-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
	27-Jun-08	0.092	U	0.092	U	0.090	U	0.090	U	0.090	U	0.092	U	0.092	U
	31-Jul-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	28-Aug-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	30-Sep-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
	27-Oct-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
	25-Nov-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
	18-Dec-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
	21-Jan-09	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
	25-Feb-09	0.090	U	0.090	U	0.090	U	NS	U	0.090	U	0.090	U	0.090	U
	26-Mar-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	29-Apr-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	22-Jul-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	9-Oct-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	15-Jan-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	21-Apr-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	16-Jul-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	15-Oct-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	30-Nov-10	NS	U	0.092	U	0.092	U	NS	U	0.092	U	0.092	U	NS	U
	26-Jan-11	0.158	U	0.157	U	0.157	U	0.158	U	0.157	U	0.158	U	#	U
	26-Jan-11**	NS	U	0.230	U	0.230	U	NS	U	0.230	U	NS	U	NS	U
	27-Apr-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	26-Jul-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	28-Oct-11	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.046	U
	23-Jan-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
	13-Apr-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.180	U
	Jul-12 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.069	U
	20-Jun-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	1-Nov-12	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U
	1-Feb-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	29-Apr-13	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U
	9-Jul-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	9-Jul-13 RIDEN	NS	U	NS	U	NS	U	0.021	J	NS	U	NS	U	0.007	J
	18-Oct-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	9-Jan-14	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
	24-Apr-14	0.046 <sup>L</sup>	U	0.046 <sup>L</sup>	U	0.046 <sup>L</sup>	U	0.046 <sup>L</sup>	U	0.046 <sup>L</sup>	U	0.046 <sup>L</sup>	U	0.046 <sup>L</sup>	U
	1-Aug-14	0.092	U	0.092	U	0.092	U	0.140	U	0.092	U	0.092	U	0.092	U
	Sept-14 resamp	NS	U	NS	U	NS	U	NS	U	0.046 <sup>L</sup>	U	NS	U	NS	U
	22-Oct-14	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U
	20-Jan-15	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.069	U
	Mar-15 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
	22-Apr-15	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U
	21-Jul-15	0.200	U	0.200 <sup>A</sup>	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U
	Sept-15 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
	29-Oct-15	0.300	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.300	U
	Dec-15 resamp	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U
	27-Jan-16	0.046	U	0.046	U	0.057	U	0.046	U	0.085	U	0.046	U	0.046	U
	20-Apr-16 <sup>3</sup>	0.074	U	0.048	U	0.046	U	0.083	U	0.057	U	0.059	U	0.046	U
	20-Jul-16	0.055	U	0.072	U	0.050	U	0.057	U	0.055	U	0.11	U	0.061	U
	21-Oct-16	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U
	31-Jan-17	0.046	U	0.046	U										

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
cis-1,3-Dichloropropene	8-Feb-08	None	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	25-Apr-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.090	U	0.090	U	0.090	U	0.090	U	0.185	U	0.090	U	0.091
	31-Jul-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	28-Aug-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	30-Sep-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	27-Oct-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	25-Nov-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	18-Dec-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	21-Jan-09		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	25-Feb-09		0.180	U	0.180	U	0.180	U	NS	U	0.180	U	0.180	U	0.180
	26-Mar-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	29-Apr-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	22-Jul-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	9-Oct-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	15-Jan-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	21-Apr-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	16-Jul-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	15-Oct-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	30-Nov-10		NS		0.091	U	0.091	U	NS		NS		NS		NS
	26-Jan-11		0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	0.154
	26-Jan-11**		NS		0.230	U	0.230	U	NS		NS		NS		NS
	27-Apr-11		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	26-Jul-11		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	28-Oct-11		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	23-Jan-12		0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160
	13-Apr-12		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068
	Jul-12 resamp		NS		NS		NS		NS		NS		NS		NS
	20-Jun-12		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	1-Nov-12		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
	1-Feb-13		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
	29-Apr-13		0.045	U	0.250	U	0.045	U	0.045	U	0.250	U	0.045	U	0.045
	9-Jul-13		0.045	U	0.250	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
	9-Jul-13 RIDEN		NS		NS		NS		0.026	U	NS		NS		NS
	18-Oct-13		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	9-Jan-14		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	24-Apr-14		0.045	U	0.045	U	0.045	U	0.040	U	0.091	U	0.045	U	0.045
	1-Aug-14		0.091	U	0.091	U	0.091	U	1.000	U	0.045	U	0.091	U	0.091
	Sept-14 resam		NS		NS		NS		NS		0.045	U	NS		NS
	22-Oct-14		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068
	20-Jan-15		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.046	U	0.068
	-Mar-15 resam		NS		NS		NS		NS		NS		0.052	U	NS
	22-Apr-15		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
	21-Jul-15		0.200	U	0.200 <sup>A</sup>	U	0.200	U	0.200	U	0.200	U	0.300	U	0.300
	Sept-15 resam		NS		NS		NS		NS		0.300	U	0.200	U	NS
	29-Oct-15		0.300	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300
	Dec-15 resam		NS		NS		NS		NS		NS		NS		NS
	27-Jan-16		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
	20-Apr-16 <sup>3</sup>		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
	20-Jul-16		0.054	U	0.07	U	0.049	U	0.056	U	0.054	U	0.053	U	0.068
	21-Oct-16		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.051	U	0.045
	31-Jan-17		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15		CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 160 & 23	Ambient Outdoor (AOA-1)		AOA-2		AOA-3
			Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
trans-1,3-Dichloropropene	None	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
		27-Mar-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		25-Apr-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
		27-Jun-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.340	U	0.090	U	0.090	U	0.091	U	0.091
		31-Jul-08		0.090	U	0.090	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		28-Aug-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		27-Oct-08		0.180	U	0.180	U	0.200	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
		27-Oct-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
		25-Nov-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
		18-Dec-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
		21-Jan-09		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
		25-Feb-09		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
		26-Mar-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		29-Apr-09		0.091	U	0.091	U	0.107	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		22-Jul-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		9-Oct-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		15-Jan-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		21-Apr-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		16-Jul-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		15-Oct-10		0.091	U	0.092	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		30-Nov-10		NS		0.091	U	0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		NS
		26-Jan-11		0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	#	U	#	U	0.154
		26-Jan-11**		NS		0.230	U	0.230	U	NS		NS		NS		0.230	U	NS		NS		NS		NS
		27-Apr-11		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		26-Jul-11		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		28-Oct-11		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.045
		23-Jan-12		0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160
		13-Apr-12		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	0.091
		Jul-12 resamp		NS		NS		NS		NS		NS		NS		NS		NS		0.068	U	0.068	U	0.068
		20-Jun-12		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
		1-Nov-12		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
		1-Feb-13		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
		29-Apr-13		0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045
		9-Jul-13		0.045	U</td																			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room bdm 23	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Ethylbenzene	8-Feb-08	53.0	0.260	0.230	0.620	0.450	0.250	0.170	0.160	0.180	0.220			
	27-Mar-08		0.841	0.669	1.020	0.869	0.894	1.000	0.628	0.619	0.096			
	25-Apr-08		0.770	0.637	2.200	0.711	0.678	0.712	0.705	0.650	0.087	U		
	29-May-08		0.140	0.120	1.310	0.620	0.120	0.160	0.150	0.110	0.090	U		
	27-Jun-08		0.555	0.412	1.080	0.987	0.478	0.400	0.802	0.360	0.369			
	31-Jul-08		0.553	0.449	1.140	0.424	0.426	0.491	0.262	0.216	0.255			
	28-Aug-08		0.868	1.150	3.010	2.820	0.761	0.854	0.870	0.783	0.944			
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	15.500	2.200	U	
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	2.200	U	
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	2.200	U	
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	2.200	U	
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200	2.200	U	
	25-Feb-09		2.200	U	2.200	U	3.600	NS	2.200	U	2.200	2.200	U	
	26-Mar-09		0.932	0.803	1.120	1.060	0.511	0.648	0.738	0.589	0.727			
	29-Apr-09		0.195	0.234	0.633	0.538	0.195	0.139	0.139	0.152	0.178			
	22-Jul-09		0.442	0.212	1.090	0.291	0.551	0.625	0.807	0.542	1.180			
	9-Oct-09		0.859	0.759	1.090	1.030	0.794	0.681	0.668	0.633	0.746			
	15-Jan-10		0.447	0.334	0.386	0.351	0.321	0.256	0.273	0.252	0.286			
	21-Apr-10		0.468	0.716	1.280	0.612	0.681	0.603	0.542	0.538	0.087	U		
	16-Jul-10		0.334	0.226	0.416	0.408	0.573	0.286	0.372	0.260	0.143			
	15-Oct-10		0.252	0.308	0.412	0.152	0.126	0.087	0.200	0.087	0.121			
	30-Nov-10		NS	0.217	0.338	NS	NS	NS	0.108	NS				
	26-Jan-11		1.040	1.000	1.100	1.220	1.000	1.100	0.951	1.320	#	1.300		
	26-Jan-11**		NS	1.600	1.800	NS	NS	NS	1.800	NS	NS			
	27-Apr-11		0.108	0.139	0.625	0.221	0.837	0.087	0.200	0.087	0.091			
	26-Jul-11		0.473	1.020	0.873	0.417	0.300	0.191	0.356	0.178	0.161			
	28-Oct-11		0.600	0.320	0.400	0.230	0.480	0.490	0.490	0.420	0.130			
	23-Jan-12		0.610	0.480	0.470	0.660	0.580	0.500	0.560	0.560	0.540			
	13-Apr-12		0.300	0.250	0.300	0.240	0.250	0.280	0.240	0.200	0.170	U		
	Jul-12 resamp		NS	NS	NS	NS	NS	NS	NS	0.130	0.130			
	20-Jun-12		0.490	0.500	0.490	0.560	0.550	0.460	0.530	0.530	0.470			
	1-Nov-12		0.760	0.440	0.330	0.530	0.450	0.730	0.810	0.630	0.130			
	1-Feb-13		0.130	0.087	U	0.087	0.110	0.089	0.190	0.087	0.130			
	29-Apr-13		0.760	0.540	0.540	0.540	0.670	0.430	1.600	0.530	0.150			
	9-Jul-13		0.340	0.320	0.310	0.330	0.390	0.310	0.350	0.320	0.310			
	9-Jul-13 RIDEN		NS	NS	NS	NS	0.464	NS	NS	NS	0.330			
	18-Oct-13		0.710	0.096	0.110	0.540	0.770	0.120	1.400	0.900	0.430			
	9-Jan-14		3.100	4.500	0.160	0.170	0.170	0.160	0.570	0.210	0.140			
	24-Apr-14		0.110	0.087	0.096	0.087	U	0.087	U	0.150	0.120	0.087	U	
	1-Aug-14		0.190	0.150	0.360	0.400	0.470	0.200	0.650	0.460	0.280			
	Sept-14 resam		NS	NS	NS	NS	NS	NS	0.150	NS				
	22-Oct-14		0.160	0.140	0.130	0.130	U	0.130	U	0.130	0.210			
	20-Jan-15		0.130	0.130	0.110	0.170	0.130	0.160	0.230	0.240	0.210			
	-Mar-15 resam		NS	NS	NS	NS	NS	NS	NS	0.140	NS			
	22-Apr-15		0.520	0.560	0.560	0.460	0.710	0.420	0.610	0.620	0.180			
	21-Jul-15		0.590	0.260 <sup>A</sup>	0.270	0.260	0.290	0.320	0.380	0.230	0.160 <sup>J</sup>			
	Sept-15 resam		NS	NS	NS	NS	NS	NS	0.140 <sup>J</sup>	NS				
	29-Oct-15		0.300	0.590	1.800	0.150 <sup>J</sup>	0.200	U	0.180 <sup>J</sup>	0.340	0.110 <sup>J</sup>	0.300	U	
	Dec-15 resam		NS	0.200	U	0.13	0.087	U	0.087	U	0.13			
	27-Jan-16		0.21	0.087	U	0.087	U	0.087	U	0.087	0.13			
	20-Apr-16 <sup>3</sup>		0.1	0.087	0.49	0.49	0.34	0.39	0.48	0.27	0.13			
	20-Jul-16		0.41	0.33	0.49	0.49	0.34	0.39	0.48	0.27	0.13			
	21-Oct-16		0.44	0.56	0.32	0.69	0.29	0.31	0.15	0.30	2.4			
	31-Jan-17		0.14	0.11	0.13	0.12	0.13	0.11						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Isopropylbenzene	8-Feb-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	27-Mar-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	25-Apr-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	29-May-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	27-Jun-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	31-Jul-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	28-Aug-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	30-Sep-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
	27-Oct-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
	25-Nov-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
	18-Dec-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
	21-Jan-09	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
	25-Feb-09	4.900	U	4.900	U	2.460	U	NS	4.900	U	4.900	U	4.900	U	4.900	U
	26-Mar-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	29-Apr-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	22-Jul-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	9-Oct-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	15-Jan-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	21-Apr-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	16-Jul-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	15-Oct-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	30-Nov-10	NS		2.460	U	2.460	U	NS	NS	2.460	U	2.460	U	NS		
	26-Jan-11	4.190	U	4.180	U	4.190	U	4.180	U	4.190	U	4.170	U	4.180	U	
	26-Jan-11**	NS		NS		NS		NS		NS		4.180	U	NS		
	27-Apr-11	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	26-Jul-11	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
	28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.250	U	
	23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	
	13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.500	U	
	-Jul-12 resamp	NS		NS		NS		NS		NS		0.370	U	0.370	U	
	20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.051	U	0.250	U	0.250	U	
	9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.290	U	
	9-Jul-13 RIDEN	NS		NS		NS		NS		J		NS		0.024	J	
	18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	9-Jan-14	0.250	U	0.390	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	1-Aug-14	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U	0.250	U	0.250	U	
	Sept-14 resamp	NS		NS		NS		NS		NS		0.250	U	NS		
	22-Oct-14	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	
	20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.370	U	
	-Mar-15 resamp	NS		NS		NS		NS		NS		0.290	U	NS		
	22-Apr-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
	21-Jul-15	0.200	U	0.200^	U	0.200	U	0.300	U	0.300	U	0.300	U	0.300	U	
	Sept-15 resamp	NS		NS		NS		NS		NS		0.300	U	NS		
	29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.200	U	0.300	U	
	Dec-15 resamp	NS		NS		NS		NS		NS		0.25	U	NS		
	27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	20-Apr-16^3	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.28	U	
	21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.37	U	
	31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p-Isopropyltoluene	8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	30-Sep-08	5.500	U	5.500	U	5.5	U	5.500	U	6.400	U	5.500	U	67.000	U
	25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.5	U	5.500	U	5.500	U
	25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U
	18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U
	21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U
	25-Feb-09	5.500	U	5.500	U	5.500	U	NS	U	5.500	U	5.500	U	5.500	U
	26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	29-Apr-09	2.740	U	2.740	U	0.274	U	2.740	U	2.740	U	2.740	U	2.740	U
	22-Jul-09	2.740	U	2.740	U	3.890	U	2.740	U	2.740	U	2.740	U	2.740	U
	9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	30-Nov-10	NS	U	2.740	U	2.740	U	NS	U	NS	U	NS	U	NS	U
	26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.680	U
	26-Jan-11**	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
	27-Apr-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
	28-Oct-11	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.250	U
	23-Jan-12	0.080	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U
	13-Apr-12	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.500	U
	-Jul-12 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.380	U
	20-Jun-12	0.250	U	2.000	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
	1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
	1-Feb-13	0.290	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
	29-Apr-13	0.480	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
	9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
	18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.320	U	0.250	U	0.370	U
	9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
	24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
	1-Aug-14	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U	0.250	U	0.250	U
	Sept-14 resam	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
	22-Oct-14	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U
	20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.380	U
	-Mar-15 resam	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
	22-Apr-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
	21-Jul-15	0.170 <sup>J</sup>	U	0.300 <sup>A</sup>	U	0.300	U	0.300	U	0.300	U	0.400	U	-	U
	Sept-15 resam	NS	U	NS	U	NS	U	NS	U	NS	U	0.300	U	NS	U
	29-Oct-15	0.300	U	0.250 <sup>J</sup>	U	0.300	U	0.300	U	0.300	U	0.160 <sup>J</sup>	U	0.300	U
	Dec-15 resamp	NS	U	0.300	U	NS	U	NS	U	NS	U	NS	U	NS	U
	27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
	20-Apr-16 <sup>3</sup>	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
	20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U
	21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
	31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Methyl tert butyl ether (MTBE)	8-Feb-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070
	27-Mar-08	0.440		0.102		0.091		0.095		0.098		0.102		0.090
	25-Apr-08	0.116		0.116		0.107		0.127		0.126		0.131		0.072
	29-May-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070
	27-Jun-08	0.072	U	0.070	U	0.070	U	0.074		0.070		0.070		0.072
	31-Jul-08	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072		0.072
	28-Aug-08	0.095		0.130		0.123		0.123		0.091		0.106		0.094
	30-Sep-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	27-Oct-08	1.800	U	1.800	U	1.800	U	1.800	U	2.600	U	2.300	U	1.800
	25-Nov-08	2.100		1.800		1.800		1.800		2.800		1.800		1.800
	18-Dec-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	21-Jan-09	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	25-Feb-09	1.800	U	2.700		1.800		NS		1.800		2.700		1.800
	26-Mar-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	29-Apr-09	0.072	U	0.072	U	2.350		0.072	U	0.072	U	0.072	U	0.072
	22-Jul-09	0.072	U	0.072	U	0.223		0.072	U	0.072	U	0.072	U	0.169
	9-Oct-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	15-Jan-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	21-Apr-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	16-Jul-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	15-Oct-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	30-Nov-10	NS		0.072	U	0.072	U	NS		NS		0.072	U	NS
	26-Jan-11	0.123	U	0.122	U	0.123	U	0.123	U	0.123	U	0.122	U	0.123
	26-Jan-11**	NS		0.180	U	0.180	U	NS		NS		0.180	U	NS
	27-Apr-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	26-Jul-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	28-Oct-11	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	23-Jan-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	13-Apr-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.140
	Jul-12 resamp	NS		NS		NS		NS		NS		NS		0.110
	20-Jun-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	1-Nov-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	1-Feb-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	29-Apr-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	9-Jul-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	9-Jul-13 RIDEN	NS		NS		NS		0.041	J	NS		NS		0.200
	18-Oct-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	9-Jan-14	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	24-Apr-14	0.072	U	0.072	U	0.072	U	0.110	U	0.072	U	0.072	U	0.072
	1-Aug-14	0.072	U	0.072	U	0.072	U	0.110	U	0.072	U	0.072	U	0.072
	Sept-14 resam	NS		NS		NS		NS		NS		NS		NS
	22-Oct-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	20-Jan-15	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.110
	-Mar-15 resam	NS		NS		NS		NS		NS		NS		0.083
	22-Apr-15	0.072	U	0.072	U	0.072 <sup>v</sup>	U	0.072	U	0.072	U	0.072	U	0.072
	21-Jul-15	0.180		0.200 <sup>A</sup>	U	0.200		0.550		0.200		0.200		0.200
	Sept-15 resam	NS		NS		NS		NS		NS		NS		NS
	29-Oct-15	0.200	U	0.230		0.200	U	0.200	U	0.200	U	0.760	U	0.200
	Dec-15 resam	NS		NS		NS		NS		NS		NS		NS
	27-Jan-16	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	20-Apr-16 <sup>3</sup>	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	20-Jul-16	0.086	U	0.11	U	0.078	U	0.088	U	0.086	U	0.084	U	0.081
	21-Oct-16	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.11
	31-Jan-17	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150, Room 23	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Methylene chloride	8-Feb-08	3.0	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	27-Mar-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	25-Apr-08		1.740	U	1.740	U	1.740	U	1.740	U	2.210	U	1.740	U
	29-May-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	27-Jun-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	19.000	U
	31-Jul-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	28-Aug-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	30-Sep-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U
	27-Oct-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U
	25-Nov-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U
	18-Dec-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U
	21-Jan-09		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U
	25-Feb-09		1.700	U	1.700	U	NS	U	1.700	U	1.700	U	1.700	U
	26-Mar-09		7.540	U	1.870	4.010	2.100	1.850	3.230	4.060	1.990	11.600		
	29-Apr-09		1.740	U	1.740	U	1.740	U	0.147	U	1.740	U	1.740	U
	22-Jul-09		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	9-Oct-09		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	15-Jan-10		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	21-Apr-10		5.410	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U
	16-Jul-10		18.400	U	23.300	16.900	13.900	19.900	48.200	46.700	22.200	20.600		
	15-Oct-10		3.470	U	4.440	4.510	3.470	U	3.470	U	3.470	U	3.470	U
	30-Nov-10		NS	U	3.570	11.600	NS	NS	NS	5.770	NS	NS		
	26-Jan-11		4.530	U	2.950	2.960	U	2.960	U	2.950	U	2.920	2.950	U
	26-Jan-11**		NS	U	2.500	1.700	NS	NS	NS	1.600	NS	NS		
	27-Apr-11		3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U
	26-Jul-11		3.470	U	5.800	4.240	3.470	U	3.470	U	3.470	U	5.380	U
	28-Oct-11		1.900	U	1.900	1.800	1.900	1.000	U	1.200	5.700	5.500	0.690	U
	23-Jan-12		2.500	U	1.200	2.300	2.200	2.500	6.300	1.900	1.200	1.900		
	13-Apr-12		5.800	U	4.600	3.100	1.100	1.000	U	1.700	1.000	50.000	53.000	
	Jul-12 resamp		NS	U	NS	NS	NS	NS	NS	NS	1.000	1.000		
	20-Jun-12		0.920	U	1.600	0.880	1.300	1.200	1.400	1.100	1.400	1.700		
	1-Nov-12		0.690	U	1.200	0.750	0.690	0.690	U	0.760	1.200	0.690	1.200	
	1-Feb-13		0.800	U	0.690	0.690	0.690	0.810	2.200	0.810	0.760	0.690	0.690	U
	29-Apr-13		1.400	U	0.950	0.950	1.200	1.200	1.100	1.400	1.100	1.500		
	9-Jul-13		1.100	U	0.730	0.990	1.800	0.890	1.300	1.800	0.850	1.200	1.9	2.2
	9-Jul-13 RIDEN		NS	U	NS	NS	NS	0.298	NS	NS	NS	0.477		0.495
	18-Oct-13		0.730	U	0.780	0.690	0.760	0.690	U	0.740	0.840	0.690	0.710	
	9-Jan-14		0.690	U	0.880	0.690	2.000	0.690	U	1.100	1.400	0.810	3.700	
	24-Apr-14		0.690	U	0.690	3.000	0.690	3.000	U	0.690	0.690	260 <sup>c</sup>	0.690	U
	1-Aug-14		2.800	U	1.500	1.300	1.900	4.300	1.800	1.600	2.000	2.200		
	Sept-14 resamp		NS	U	NS	NS	NS	NS	NS	1.000	NS	NS		
	22-Oct-14		1.800	U	2.600	1.500	1.200	1.200	1.700	1.400	3.100	1.300		
	20-Jan-15		28.000	U	27.000	2.900	29.000	25.000	30.000	37.000	0.690	40.000		
	Mar-15 resamp		NS	U	NS	NS	NS	NS	NS	1.300	NS	NS		
	22-Apr-15		1.800	U	1.400	1.100 <sup>v</sup>	1.500	1.200	1.100	1.000	0.890	0.870		
	21-Jul-15		4.800	U	1.100 <sup>a</sup>	1.600	20.000	2.100	1.500	1.700	1.900	1.600		
	Sept-15 resamp		NS	U	NS	NS	NS	NS	NS	1.300	NS	NS		
	29-Oct-15		2.100	U	12.000	1.500	1.800	1.400	1.400	23.000	1.200	5.000		
	Dec-15 resamp		NS	U	0.840	NS	NS	NS	U	0.69	0.69	0.69		
	27-Jan-16		0.69	U	0.69	0.69	0.69	0.69	U	0.69	0.69	0.69	0.69	U
	20-Apr-16 <sup>3</sup>		0.69	U	0.69	0.69	0.69	0.69	U	0.69	0.69	0.69	0.69	U
	20-Jul-16		1.2	U	1.1	0.75	U	1.2	0.83	0.81	0.92	0.78	2.4	
	21-Oct-16		1.4	U	0.95	1.1	0.72	1.1	1.2	0.69	0.69	4.6	0.69	U
	31-Jan-17		0.7</td											

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
4-Methyl-2-pentanone	8-Feb-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	27-Mar-08	2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	25-Apr-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	29-May-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	27-Jun-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	31-Jul-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	28-Aug-08	2.050	U	2.050	U	2.050	U	2.540	U	2.050	U	2.050	U	2.050	U
	30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
	27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
	25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
	18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
	21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
	25-Feb-09	2.000	U	2.000	U	2.000	U	NS	2.600	2.000	U	2.000	U	2.000	U
	26-Mar-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	29-Apr-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	22-Jul-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	9-Oct-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	15-Jan-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	21-Apr-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.250	U	2.050	U
	16-Jul-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	15-Oct-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	30-Nov-10	NS		2.050	U	2.050	U	NS	NS	2.050	U	NS			
	26-Jan-11	3.490	U	3.480	U	3.480	U	3.480	U	59.500	U	3.480	U	6.760	# U # U
	26-Jan-11**	NS		0.200	U	0.200	U	NS	NS	0.200	U	NS			
	27-Apr-11	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
	26-Jul-11	11.700	U	2.050	U	2.050	U	2.050	U	2.050	U	1.500	U	1.200	0.390
	28-Oct-11	2.100	U	0.490	U	0.840	U	0.560	U	0.800	U	0.930	U		
	23-Jan-12	0.140	U	0.140	U	0.210	U	0.190	U	26.000	U	2.900	U	0.230	0.540
	13-Apr-12	0.120	U	0.120	U	0.200	U	0.120	U	0.150	U	0.230	U	0.120	U
	Jul-12 resamp	NS		NS	U	NS		NS		NS		NS		0.140	0.120
	20-Jun-12	0.230		0.082	U	0.460		0.250		0.320		0.270		0.190	0.120
	1-Nov-12	0.082	U	0.260		0.180		0.420		0.500		0.650		0.082	0.170
	1-Feb-13	0.093		0.100		0.120		0.082		0.190		0.280		0.082	0.095
	29-Apr-13	2.900		0.290		0.290		0.420		0.510		0.320		0.450	0.390
	9-Jul-13	0.250		0.320		0.300		0.320		0.350		0.400		0.270	0.220
	18-Oct-13	1.800		0.220		0.190		1.500		2.200		0.850		3.300	2.400
	9-Jan-14	0.082	U	0.082	U	0.110		0.130		0.150		0.360		0.110	1.500
	24-Apr-14	0.240		0.120	U	0.300		0.130		0.082		0.140		0.120	0.082
	1-Aug-14	0.082 <sup>L</sup>	U	0.082 <sup>L</sup>	U	0.560 <sup>L</sup>		0.380 <sup>L</sup>		0.082 <sup>L</sup>		0.380		0.082 <sup>L</sup>	0.620
	Sept-14 resam	NS		NS	U	NS		NS		NS		0.250		NS	
	22-Oct-14	0.120	U	0.120	U	0.170		0.140		0.280		1.200		0.120	U
	20-Jan-15	0.500		0.570		0.610		0.800		0.560		0.800		0.550	1.700
	Mar-15 resam	NS		NS	U	NS		NS		NS		NS		0.440	NS
	22-Apr-15	0.350		0.450		0.710		0.260		0.290		0.260		0.460	0.490
	21-Jul-15	0.370		0.100 <sup>J,A</sup>		0.250		2.100		0.340		0.340		2.300	0.200
	Sept-15 resam	NS		NS	U	NS		NS		NS		0.200	U	NS	
	29-Oct-15	0.200	U	0.310	U	0.110 <sup>J</sup>		0.280		0.200		2.100		0.220	0.200
	Dec-15 resam	NS		0.200	U	NS		NS		NS		0.8	U	NS	
	27-Jan-16	0.11		0.097		0.17		0.17		0.082		0.8		0.11	0.088
	20-Apr-16 <sup>3</sup>	0.35		0.082	U	0.082		0.17		0.12		0.19		0.082	0.11
	20-Jul-16	0.16		0.13	U	0.24		0.20		0.27		0.39		0.35	0.38
	21-Oct-16	0.2		0.32		0.14		0.45		0.58		0.28		0.11	0.99
	31-Jan-17	0.082	U	0.082	U	0.082		U		0.082		0.14		0.082	0.1

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Styrene	8-Feb-08	52.0	0.710	0.130	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
	27-Mar-08		1.200	0.118	0.120	0.165	0.140	0.175	0.114	0.139	0.124	0.085	0.085	U
	25-Apr-08		0.856	0.156	0.180	0.184	0.137	0.137	0.158	0.124	0.124	0.085	0.085	U
	29-May-08		0.550	0.085	U	0.130	0.260	0.090	U	0.110	0.090	0.090	0.090	U
	27-Jun-08		1.830	0.085	U	0.112	0.186	0.191	U	0.085	U	0.481	0.090	0.085
	31-Jul-08		1.890	0.254	0.153	0.266	0.285	0.288	0.109	0.090	0.090	0.085	0.085	U
	28-Aug-08		0.654	0.368	0.262	0.392	0.203	0.165	0.169	0.140	0.140	0.108	0.108	U
	30-Sep-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U
	27-Oct-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U
	25-Nov-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U
	18-Dec-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U
	21-Jan-09		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U
	25-Feb-09		2.100	U	2.100	U	NS	2.100	U	2.100	U	2.100	U	2.100
	26-Mar-09		0.814	0.113	0.110	0.110	0.125	0.111	0.128	0.138	0.122	0.122	0.122	U
	29-Apr-09		0.515	0.085	U	0.136	U	0.085	U	0.136	0.085	0.085	0.085	U
	22-Jul-09		1.280	0.085	U	0.153	0.085	0.285	0.272	0.213	0.217	0.187	0.187	U
	9-Oct-09		0.838	0.153	0.149	0.174	0.566	0.179	0.140	0.149	0.140	0.140	0.140	U
	15-Jan-10		1.100	0.221	0.085	U	0.089	0.196	0.098	0.085	0.085	0.085	0.085	U
	21-Apr-10		0.281	0.204	0.289	0.187	0.328	0.174	0.145	0.145	0.140	0.085	0.085	U
	16-Jul-10		0.702	0.085	U	0.085	U	0.779	0.085	U	0.085	0.085	0.085	U
	15-Oct-10		0.549	0.085	U	0.085	U	0.085	U	0.085	U	0.085	0.085	U
	30-Nov-10		NS	0.149	0.119	NS	NS	NS	NS	NS	NS	NS	NS	U
	26-Jan-11		0.327	0.224	0.174	0.217	0.182	0.202	0.145	U	0.182	#	#	U
	26-Jan-11**		NS	0.510	0.370	NS	NS	NS	NS	NS	NS	NS	NS	U
	27-Apr-11		0.166	0.166	0.170	0.192	0.277	0.085	U	0.145	0.085	0.085	0.085	U
	26-Jul-11		0.677	2.460	0.132	11.700	0.315	1.320	0.200	0.085	U	0.085	0.085	U
	28-Oct-11		0.300	0.130	U	0.130	0.130	0.330	0.130	U	0.130	U	0.085	U
	23-Jan-12		0.820	0.250	0.410	0.480	0.270	0.510	0.150	U	0.150	U	0.150	U
	13-Apr-12		0.560	0.140	0.130	U	0.130	0.550	0.280	0.130	U	0.130	U	0.170
	-Jul-12 resamp		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	U
	20-Jun-12		0.720	0.300	0.240	1.200	0.430	0.150	0.085	U	0.200	0.200	0.200	U
	1-Nov-12		0.280	0.140	0.085	U	0.130	0.150	0.160	0.180	0.160	0.085	0.085	U
	1-Feb-13		0.870	0.085	U	0.085	U	0.085	U	0.095	U	0.085	0.085	U
	29-Apr-13		1.600	0.230	0.230	0.200	0.740	0.150	0.520	0.210	0.210	0.085	0.085	U
	9-Jul-13		0.410	0.120	0.085	U	0.140	0.410	0.085	U	0.110	0.085	0.085	U
	9-Jul-13 RIDEN		NS	NS	NS	NS	NS	NS	NS	NS	NS	0.039	J	0.085
	18-Oct-13		0.200	0.085	U	0.085	U	0.130	0.270	0.110	0.340	0.290	0.130	U
	9-Jan-14		0.260	0.260	0.085	U	0.085	U	0.085	U	0.120	0.085	0.085	U
	24-Apr-14		1.100	0.085	U	0.085	U	0.210	0.560	0.350	0.680	0.430	0.085	U
	1-Aug-14		0.880	0.260	0.260	0.210	0.560	0.350	0.680	0.430	0.430	0.085	0.085	U
	Sept-14 resam		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	U
	22-Oct-14		0.130	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	20-Jan-15		0.120	0.085	U	0.085	U	0.085	U	0.085	U	0.230	0.130	U
	-Mar-15 resam		NS	NS	NS	NS	NS	NS	NS	NS	NS	0.098	U	U
	22-Apr-15		0.670	0.220	0.085	U	0.120	0.190	0.085	U	0.200	0.360	0.085	U
	21-Jul-15		0.300	0.200 <sup>A</sup>	U	0.200	0.380	0.150 <sup>J</sup>	U	0.380	0.270	0.200	0.200	U
	Sept-15 resam		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	U
	29-Oct-15		0.200	0.530	0.200	U	0.200	U	0.200	U	0.350	0.200	0.300	U
	Dec-15 resam		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	U
	27-Jan-16		0.085	0.085	U	0.085	U	0.085	U	0.085	U	0.12	0.085	0.085
	20-Apr-16 <sup>3</sup>		0.15	0.085	U	0.085	U	0.12	0.085	U	0.085	0.43	0.40	0.37
	20-Jul-16		0.36	0.25	0.16	0.22	0.							

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	U
	27-Mar-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	25-Apr-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	U
	27-Jun-08		0.137	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	U
	31-Jul-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	28-Aug-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	30-Sep-08		0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.137	U	U
	27-Oct-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	U
	25-Nov-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	U
	18-Dec-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	U
	21-Jan-09		0.140	U	0.140	U	5.000	U	0.140	U	0.140	U	0.140	U	U
	25-Feb-09		0.140	U	0.140	U	0.320	NS	0.140	U	0.140	U	0.140	U	U
	26-Mar-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	29-Apr-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	22-Jul-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	9-Oct-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	15-Jan-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	21-Apr-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	16-Jul-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	15-Oct-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	30-Nov-10		NS		0.137	U	0.137	U	NS		NS		NS		U
	26-Jan-11		0.234	U	0.233	U	0.234	U	0.234	U	0.233	U	0.234	U	U
	26-Jan-11**		NS		NS		NS		NS		NS		NS		U
1,1,1,2-Tetrachloroethane	27-Apr-11	0.082/0.14	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	26-Jul-11		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	U
	28-Oct-11		0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	U
	23-Jan-12		0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	U
	13-Apr-12		0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	U
	Jul-12 resamp		NS		NS		NS		NS		NS		0.370		U
	20-Jun-12		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	1-Nov-12		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	1-Feb-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	29-Apr-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	9-Jul-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	18-Oct-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	9-Jan-14		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	24-Apr-14		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	1-Aug-14		0.250	U	0.250	U	0.250	U	0.370	U	0.250	U	0.250	U	U
	Sept-14 resam		NS		NS		NS		NS		NS		NS		U
	22-Oct-14		0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	U
	20-Jan-15		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	Mar-15 resam		NS		NS		NS		NS		NS		0.290		U
	22-Apr-15		0.250	U	0.250^	U	0.250	U	0.250	U	0.250	U	0.250	U	U
	27-Jan-16		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	U
	20-Apr-16^3		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	U
	20-Jul-16		0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	U
	21-Oct-16		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	U
	31-Jan-17		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	U

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,2,2-Tetrachloroethane	8-Feb-08	0.011/0.14	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	27-Mar-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	25-Apr-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	27-Jun-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	31-Jul-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	28-Aug-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	30-Sep-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	27-Oct-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	25-Nov-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	18-Dec-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	21-Jan-09		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	25-Feb-09		0.140	U	0.140	U	0.140	NS	0.140	U	0.140	U	0.140	U	
	26-Mar-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	29-Apr-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	22-Jul-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	9-Oct-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	15-Jan-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	21-Apr-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	16-Jul-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	15-Oct-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	30-Nov-10		NS		0.137	U	0.137	U	NS		0.137	U	NS		
	26-Jan-11		0.234	U	0.233	U	0.234	U	0.234	U	0.233	U	0.234	U	
	26-Jan-11**		NS		0.340	U	0.340	U	NS		0.340	U	NS		
	27-Apr-11		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	26-Jul-11		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
	28-Oct-11		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
	23-Jan-12		0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	
	13-Apr-12		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
	Jul-12 resamp		NS		NS		NS		NS		NS		NS		
	20-Jun-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	1-Nov-12		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
	1-Feb-13		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
	29-Apr-13		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
	9-Jul-13		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	9-Jul-13 RIDEN		NS		NS		NS		0.093	U	NS		NS		
	18-Oct-13		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	9-Jan-14		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
	24-Apr-14		0.069	U	0.069 <sup>L</sup>	U	0.069	U	0.069 <sup>V</sup>	U	0.069 <sup>L</sup>	U	0.069 <sup>L</sup>	U	
	1-Aug-14		0.140	U	0.140	U	0.210	U	0.140	U	0.140	U	0.140	U	
	Sept-14 resamp		NS		NS		NS		NS		0.069	U	NS		
	22-Oct-14		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
	20-Jan-15		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
	-Mar-15 resamp		NS		NS		NS		NS		NS		NS		
	22-Apr-15		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
	21-Jul-15		0.300	U	0.300 <sup>A</sup>	U	0.300	U	0.400	U	0.400	U	0.400	U	
	Sept-15 resamp		NS		NS		NS		NS		0.400	U	NS		
	29-Oct-15		0.400	U	0.400	U	0.400	U	0.400	U	0.300	U	0.300	U	
	Dec-15 resamp		NS		0.300	U	NS		NS		0.300	U	NS		
	27-Jan-16		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
	20-Apr-16 <sup>3</sup>		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
	20-Jul-16		0.082	U	0.11	U	0.074	U	0.084	U	0.082	U	0.091	U	0.10
	21-Oct-16		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
	31-Jan-17		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Tetrachloroethene*	8-Feb-08	5.0	0.140		0.140	U	0.140	0.150	0.140	U	0.140	U	0.140	0.350	
	27-Mar-08 <sup>2</sup>		12.500		6.680	U	13.300	16.100	26.000	7.730	23.300	U	4.310	0.153	
	25-Apr-08		0.180		0.254	U	0.179	0.282	0.231	0.276	0.228	U	0.298	0.136	U
	29-May-08		0.140		0.140	U	0.140	0.140	U	0.140	0.140	U	0.140	0.140	U
	27-Jun-08		0.249		0.449	U	0.397	0.459	0.424	0.243	0.460	U	0.246	0.216	
	31-Jul-08		1.030		1.000	U	0.877	0.880	0.795	0.872	0.252	U	0.287	0.154	
	28-Aug-08		0.321		0.367	U	0.283	0.323	0.274	0.434	0.294	U	0.282	0.445	
	30-Sep-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	4.200	U
	25-Nov-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	18-Dec-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	21-Jan-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	25-Feb-09		3.400	U	3.400	U	3.400	NS	3.400	U	3.400	U	3.400	3.400	U
	26-Mar-09		1.530		1.210	U	1.170	0.980	1.080	1.320	1.420	U	1.890	1.380	
	29-Apr-09		0.136	U	0.136	U	0.697	0.136	U	0.136	0.136	U	0.136	0.136	U
	22-Jul-09		0.291		0.190	U	0.224	0.196	0.196	0.196	0.183	U	0.210	0.535	
	9-Oct-09		2.250		1.550	U	1.580	1.580	1.380	1.700	2.080	U	1.960	0.779	
	15-Jan-10		0.359		0.346	U	0.339	0.373	0.312	0.346	0.346	U	0.312	0.245	
	21-Apr-10		0.637		0.752	U	0.440	0.650	0.508	0.447	0.407	U	0.474	0.562	
	16-Jul-10		0.318	U	0.420	U	0.420	0.427	0.501	0.230	0.447	U	0.474	0.230	
	15-Oct-10		0.136		0.136	U	0.136	0.136	0.136	U	0.136	U	0.136	0.142	
	30-Nov-10		NS		0.461	U	0.291	NS	NS	U	0.169	U	NS	NS	
	26-Jan-11		0.636		0.484	U	0.370	0.566	0.440	0.725	0.346	U	0.578	#	#
	26-Jan-11**		NS		0.580	U	0.490	NS	NS	U	0.480	U	NS	NS	
	27-Apr-11		0.142		0.176	U	0.176	0.352	0.176	0.136	0.149	U	0.136	0.285	
	26-Jul-11		0.529		0.563	U	0.522	0.631	0.549	0.325	0.739	U	0.461	0.224	
	28-Oct-11		0.100	U	0.140	U	0.100	0.100	0.100	U	0.100	U	0.100	0.068	U
	23-Jan-12		0.240	U	0.240	U	0.240	0.590	0.320	0.510	0.260	U	0.410	0.260	
	13-Apr-12		0.150		0.110	U	0.120	0.250	0.150	0.160	0.190	U	0.190	0.140	U
	Jul-12 resamp		NS		NS	U	NS	NS	NS	U	NS	U	0.190	0.130	
	20-Jun-12		0.390		0.800	U	0.310	0.370	0.390	0.400	0.410	U	0.440	0.240	
	1-Nov-12		0.360		0.460	U	0.400	0.730	0.470	0.770	0.600	U	0.560	0.120	
	1-Feb-13		0.130		0.095	U	0.073	0.120	0.090	0.210	0.440	U	0.092	0.140	
	29-Apr-13		0.610		0.560	U	0.560	0.630	0.880	0.046	0.650	U	0.580	0.320	
	9-Jul-13		0.270		0.240	U	0.230	0.260	0.250	0.320	0.440	U	0.280	0.280	
	9-Jul-13 RIDEN		NS		NS	U	NS	NS	0.279	NS	NS	U	NS	0.281	
	18-Oct-13		0.140		0.140	U	0.150	0.140	0.180	0.210	0.170	U	0.180	0.140	
	9-Jan-14		0.140		0.190	U	0.140	0.160	0.190	0.190	0.160	U	0.520	0.190	
	24-Apr-14		0.068	U	0.068	U	0.068	0.068	0.140	U	0.068	U	0.140	0.068	U
	1-Aug-14		0.590		0.510	U	0.970	0.970	3.800	0.360	10.000/14.000	U	0.810	15.000	
	Sept-14 resamp		NS		NS	U	NS	NS	NS	U	0.084	U	NS	NS	
	22-Oct-14		0.420		0.360	U	0.100	0.100	0.100	U	0.100	U	0.100	0.500	
	20-Jan-15		0.068	U	0.160	U	0.150	0.170	0.068	U	0.100	U	4.200	0.100	U
	Mar-15 resamp		NS		NS	U	NS	NS	NS	U	NS	U	NS	0.994	
	22-Apr-15		0.620		0.790	U	1.300	1.200	2.000	0.790	1.500	U	1.300	0.190	
	21-Jul-15		1.300		0.410 <sup>A</sup>	U	2.700	0.350 <sup>J</sup>	0.390	0.390	26.000	U	0.740	0.350 <sup>J</sup>	
	Sept-15 resamp		NS		NS	U	NS	NS	NS	U	0.400	U	NS	NS	
	29-Oct-15		0.400		0.240 <sup>J</sup>	U	0.400	0.400	0.400	U	0.300	U	0.180 <sup>J</sup>	0.400	U
	Dec-15 resamp		NS		0.300	U	NS	NS	NS	U	NS	U	NS	NS	
	27-Jan-16		0.17		0.9	U	0.16	0.14	0.095	U	0.2	U	0.16	0.17	
	20-Apr-16 <sup>3</sup> </td														

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room bdm 23	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Toluene	8-Feb-08		1.240	1.140	1.120	1.150	1.240	0.990	0.910	1.030		1.480		
	27-Mar-08		6.470	4.040	4.520	4.150	5.920	5.570	4.210	4.040		1.560		
	25-Apr-08		4.800	4.000	2.810	3.900	3.790	4.070	4.010	3.660		0.465		
	29-May-08		0.930	0.790	1.630	1.330	0.870	1.060	1.020	0.670		0.320		
	27-Jun-08		3.870	3.060	3.200	3.850	4.110	3.840	4.520	3.020		2.410		
	31-Jul-08		2.760	2.020	2.690	1.990	2.720	2.200	1.680	1.440		1.850		
	28-Aug-08		5.230	5.960	7.800	7.530	5.920	5.640	5.680	5.240		6.050		
	30-Sep-08		1.900	1.900	U	2.500	1.900	5.000	1.900	U	2.300	1.900	U	
	27-Oct-08		6.700	6.300	3.500	6.100	2.300	5.500	3.800	6.600		8.400		
	25-Nov-08		5.500	1.900	U	1.900	2.000	1.900	1.900	U	1.900	1.900	U	
	18-Dec-08		1.900	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	
	21-Jan-09		1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	
	25-Feb-09		1.900	U	1.900	U	NS	1.900	U	1.900	U	1.900	U	
	26-Mar-09		6.110	4.060	3.990	3.540	3.900	4.730	5.870	6.080		5.310		
	29-Apr-09		0.779	0.595	0.079	U	0.704	1.050	0.595	0.614		0.953		
	22-Jul-09		1.550	1.010	2.540	1.130	3.150	3.410	3.880	7.670		6.850		
	9-Oct-09		4.740	3.690	4.190	3.900	4.500	4.170	4.220	4.090		4.580		
	15-Jan-10		1.920	1.580	1.520	1.690	1.690	1.540	1.620	1.630		2.860		
	21-Apr-10		4.770	8.610	5.220	7.430	4.490	4.140	4.030	3.900		0.414		
	16-Jul-10		2.070	1.210	1.180	1.360	2.250	1.570	3.760	1.330		0.787		
	15-Oct-10		7.230	0.618	0.565	0.715	0.501	0.358	0.565	0.312		0.625		
	30-Nov-10		NS	1.280	1.200	NS	NS	NS	0.825	NS		NS		
	26-Jan-11		5.860	5.970	5.640	6.490	5.840	6.050	5.830	7.230	#	7.210		
	26-Jan-11**		NS	7.700	8.400	NS	NS	NS	8.300	NS		NS		
	27-Apr-11		0.764	0.855	1.070	1.070	1.030	0.840	0.783	0.625		0.648		
	26-Jul-11		2.040	3.920	1.590	1.210	1.620	1.060	1.400	0.934		0.652		
	28-Oct-11	210.0	6.700	2.800	2.900	1.800	2.500	3.600	5.200	3.100		1.400		
	23-Jan-12		3.200	2.500	0.130	2.700	2.800	3.000	2.700	3.000		3.600		
	13-Apr-12		1.800	1.500	1.300	1.400	1.400	1.500	1.400	1.200		0.320		
	Jul-12 resamp		NS	NS	NS	NS	NS	NS	NS	NS		0.550		
	20-Jun-12		2.200	2.500	1.800	2.300	2.300	2.000	2.200	2.400		2.600		
	1-Nov-12		4.300	2.500	1.800	3.000	2.400	4.000	4.600	3.500		0.750		
	1-Feb-13		0.810	0.460	0.430	0.520	0.650	0.780	0.950	0.510		0.460		
	29-Apr-13		3.900	3.100	3.100	3.100	2.700	2.200	5.000	2.600		0.690		
	9-Jul-13		2.300	2.100	1.900	2.300	2.300	2.200	2.500	2.200		2.500	2.7	3.4
	18-Oct-13		0.970	0.510	0.470	0.800	1.200	0.670	2.300	1.200		0.660		
	9-Jan-14		12.000	15.000	0.840	0.990	0.830	0.870	1.200	1.100		0.810		
	24-Apr-14		0.770	0.340	0.360	0.330	0.280	0.320	0.590	0.770		0.280		
	1-Aug-14		2.000	1.600	2.800	4.400	9.900	4.200	4.600/5.300	3.500		0.650		
	Sept-14 resam		NS	NS	NS	NS	NS	NS	0.930	NS		NS		
	22-Oct-14		1.000	0.820	0.650	0.420	1.400	0.800	0.620	0.710		1.200		
	20-Jan-15		0.890	0.880	0.780	1.100	0.890	1.100	3.500	0.970		1.500		
	Mar-15 resam		NS	NS	NS	NS	NS	NS	NS	0.840		NS		
	22-Apr-15		4.500	4.100	4.300	3.900	5.200	3.100	4.300	4.400		1.400		
	21-Jul-15		6.100	2.400^	2.700	2.200	2.500	2.700	2.400	2.200		1.600		
	Sept-15 resam		NS	NS	NS	NS	NS	NS	1.100	NS		NS		
	29-Oct-15		0.470	11.000	0.760	0.590	0.420	0.670	3.400	0.620		0.220^		
	Dec-15 resam		NS	0.540	NS	NS	NS	NS	NS	NS		NS		
	27-Jan-16		1.3	0.65	0.7	0.66	0.83	0.92	1.1	1.2		0.8		
	20-Apr-16^3		0.63	0.26	0.2	0.27	0.44	0.27	0.24	0.25		0.21		
	20-Jul-16		0.97	0.76	0.35	0.95	1.8	1.4	1.5	1.1		0.57		
	21-Oct-16		2.7	3.5	0.94	3.8	1.8	2.0	0.92	2.1		16		
	31-Jan-17		1.3	0.82	0.83	0.9	0.92	0.97	0.86	0.88		1.1		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,1-Trichloroethane*	8-Feb-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	27-Mar-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	25-Apr-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	29-May-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	27-Jun-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.109	U
	31-Jul-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	28-Aug-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	30-Sep-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U
	27-Oct-08	3.400	U	3.400	U	3.400	U	3.140	U	3.400	U	3.400	U	3.400	U
	25-Nov-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U
	18-Dec-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U
	21-Jan-09	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U
	25-Feb-09	2.700	U	2.700	U	2.700	U	NS		2.700	U	2.700	U	2.700	U
	26-Mar-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	29-Apr-09	0.120	U	0.109	U	0.109	U	0.109	U	0.153	U	0.229	U	0.272	
	22-Jul-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	9-Oct-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	15-Jan-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	21-Apr-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	16-Jul-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	15-Oct-10	0.109	U	0.109	U	1.090	U	0.109	U	0.109	U	0.109	U	0.109	U
	30-Nov-10	NS		0.109	U	0.109	U	NS		NS		NS		NS	
	26-Jan-11	0.186	U	0.185	U	0.186	U	0.186	U	0.180	U	0.185	U	0.186	U
	26-Jan-11**	NS		0.270	U	0.270	U	NS		NS		0.270	U	NS	
	27-Apr-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	26-Jul-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	28-Oct-11	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.055	U
	23-Jan-12	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U
	13-Apr-12	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.110	U
	-Jul-12 resamp	NS		NS		NS		NS		NS		NS		0.082	U
	20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	1-Nov-12	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	1-Feb-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	29-Apr-13	0.110	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	9-Jul-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	9-Jul-13 RIDEN	NS		NS		NS		0.041	J	NS		NS		0.034	J
	18-Oct-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	9-Jan-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	24-Apr-14	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	1-Aug-14	0.110	U	0.110	U	0.110	U	0.160	U	0.110	U	0.110	U	0.110	U
	Sept-14 resamp	NS		NS		NS		NS		NS		NS		NS	
	22-Oct-14	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U
	20-Jan-15	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.082	U	0.082	U
	-Mar-15 resamp	NS		NS		NS		NS		NS		0.063	U	NS	
	22-Apr-15	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	21-Jul-15	0.300	U	0.300 <sup>A</sup>	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U
	Sept-15 resamp	NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U
	Dec-15 resamp	NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	20-Apr-16 <sup>3</sup>	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	20-Jul-16	0.065	U	0.085	U	0.059	U	0.067	U	0.065	U	0.064	U	0.072	U
	21-Oct-16	0.055	U	0.055	U	0.083	U	0.055	U	0.059	U	0.057	U	0.055	U
	31-Jan-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,2-Trichloroethane	8-Feb-08	2.2	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	27-Mar-08		0.109	U	0.109	U	0.109	U	0.109	U	0.112	U	0.109	U
	25-Apr-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	29-May-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	27-Jun-08		0.109	U	0.109	U	0.109	U	0.110	U	0.302	U	0.110	U
	31-Jul-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	28-Aug-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	30-Sep-08		0.110	U	0.110	U	0.300	U	0.110	U	0.110	U	0.110	U
	27-Oct-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	25-Nov-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	18-Dec-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	21-Jan-09		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	25-Feb-09		0.110	U	0.110	U	0.110	NS	0.110	U	0.110	U	0.110	U
	26-Mar-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	29-Apr-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	22-Jul-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	9-Oct-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	15-Jan-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	21-Apr-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	16-Jul-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	15-Oct-10		0.109	U	1.090	U	0.109	U	0.109	U	0.109	U	0.109	U
	30-Nov-10		NS		0.109	U	0.109	U	NS		0.109	U	0.109	NS
	26-Jan-11		0.186	U	0.185	U	0.186	U	0.186	U	0.185	U	0.186	U
	26-Jan-11**		NS		0.270	U	NS		NS		0.270	U	NS	
	27-Apr-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	26-Jul-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	28-Oct-11		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.055	U
	23-Jan-12		0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U
	13-Apr-12		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.110	U
	-Jul-12 resamp		NS		NS		NS		NS		NS		0.082	U
	20-Jun-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	1-Nov-12		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	1-Feb-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	29-Apr-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	9-Jul-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	18-Oct-13		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	9-Jan-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
	24-Apr-14		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	1-Aug-14		0.110	U	0.110	U	0.160	U	0.110	U	0.110	U	0.110	U
	Sept-14 resam		NS		NS		NS		NS		0.055	U	NS	
	22-Oct-14		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U
	20-Jan-15		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.082	U
	-Mar-15 resam		NS		NS		NS		NS		NS		NS	
	22-Apr-15		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	21-Jul-15		0.300	U	0.300 <sup>A</sup>	U	0.300	U	0.300	U	0.300	U	0.300	U
	Sept-15 resam		NS		NS		NS		NS		0.300	U	NS	
	29-Oct-15		0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U
	Dec-15 resamp		NS		0.300	U	NS		NS		NS		NS	
	27-Jan-16		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	20-Apr-16 <sup>3</sup>		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U
	20-Jul-16		0.065	U	0.085	U	0.059	U	0.067	U	0.065	U	0.072	U
	21-Oct-16		0.055	U	0.055	U	0.055	U	0.055	U	0.064	U	0.061	U
	31-Jan-17		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150	Ambient Outdoor	AOA-1	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Trichloroethene*	8-Feb-08	1.0	0.110	0.120	0.110	U	0.107	U	0.110	U	0.350	0.110	U	0.110	U		
	27-Mar-08		0.239	0.233	0.218	U	0.226	U	0.325	U	0.217	0.170	U	0.107	U		
	25-Apr-08		0.107	U	0.164	0.147	U	0.272	U	0.151	U	0.158	0.229	U	0.107	U	
	29-May-08		0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	0.110	U		
	27-Jun-08		0.110	U	0.110	U	0.110	U	0.107	U	0.107	U	0.143	0.195	U		
	31-Jul-08		0.113	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	28-Aug-08		0.193	0.116	0.107	U	0.107	U	0.146	U	0.134	U	0.110	0.107	U		
	30-Sep-08		0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	0.800	U		
	27-Oct-08		0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	0.800	U		
	25-Nov-08		0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	0.540	U		
	18-Dec-08		0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	0.540	U		
	21-Jan-09		0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	0.540	U		
	25-Feb-09		0.110	U	0.110	U	0.110	U	NS	U	0.110	U	0.110	0.130	U		
	26-Mar-09		4.000	U	0.326	1.510	U	0.438	U	0.639	1.180	U	1.610	0.450	6.870		
	29-Apr-09		0.107	U	0.107	U	1.340	U	0.107	U	0.107	U	0.107	U	0.107	U	
	22-Jul-09		0.177	U	0.107	0.188	U	0.123	U	0.193	0.709	U	0.140	0.177	0.209		
	9-Oct-09		0.231	U	0.215	0.182	U	0.193	U	0.242	0.156	U	0.156	0.156	0.107	U	
	15-Jan-10		0.107	U	0.107	0.113	U	0.107	U	0.107	U	0.107	U	0.107	0.107	U	
	21-Apr-10		0.247	U	0.580	0.279	U	0.505	U	0.376	0.360	U	0.419	0.456	0.107	U	
	16-Jul-10		0.107	U	0.107	U	0.107	U	0.220	U	0.107	U	0.107	U	0.107	U	
	15-Oct-10		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	
	30-Nov-10		NS	U	0.107	U	0.107	U	NS	U	NS	U	0.109	U	NS		
	26-Jan-11		0.568	U	0.502	0.531	U	0.604	U	0.504	U	0.584	U	0.429	0.550	#	#
	26-Jan-11**		NS	U	0.570	0.600	U	NS	U	NS	U	0.600	U	NS	NS		
	27-Apr-11		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	
	26-Jul-11		0.107	U	0.107	U	0.118	U	0.107	U	0.107	U	0.107	U	0.107	U	
	28-Oct-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.054	U	
	23-Jan-12		0.190	U	0.190	U	0.190	U	0.290	U	0.190	U	0.190	U	0.190	U	
	13-Apr-12		0.081	U	0.081	U	0.081	U	0.081	U	0.090	U	0.081	U	0.081	U	
	-Jul-12 resamp		NS	U	NS	NS	U	NS	U	NS	U	NS	U	0.081	U		
	20-Jun-12		0.110	U	0.110	U	0.110	U	0.110	U	0.120	U	0.110	U	0.110	U	
	1-Nov-12		0.054	U	0.054	U	0.054	U	0.067	U	0.054	U	0.054	U	0.054	U	
	1-Feb-13		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	
	29-Apr-13		0.120	U	0.110	0.110	U	0.110	U	0.130	U	0.120	U	0.110	0.110	U	
	9-Jul-13		0.160	U	0.140	0.140	U	0.150	U	0.120	U	0.400	0.280	0.310	0.080	0.09	0.097
	9-Jul-13 RIDEN		NS	U	NS	NS	U	NS	U	0.119	U	NS	NS	NS	0.088	0.089	
	18-Oct-13		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	0.390	0.110	U	
	9-Jan-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	0.110	0.110	U	
	24-Apr-14		0.054	U	0.054	U	0.054	U	0.054	U	0.110	U	0.054	U	0.054	U	
	1-Aug-14		0.110	U	0.110	U	0.110	U	0.170	1.700	U	0.110	U	0.270	0.140	1.100	
	Sept-14 resam		NS	U	NS	NS	U	NS	U	NS	U	0.054	U	NS	NS		
	22-Oct-14		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	0.180			
	20-Jan-15		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	0.081	U		
	-Mar-15 resam		NS	U	NS	NS	U	NS	U	NS	U	NS	0.062	U	NS		
	22-Apr-15		0.260	U	0.260	0.440	U	0.270	U	0.410	0.170	0.370	0.290	0.054	U		
	21-Jul-15		0.260	U	0.14 <sup>j,A</sup>	0.260 <sup>j</sup>	U	0.240 <sup>j</sup>	U	0.300	U	0.200 <sup>j</sup>	0.190 <sup>j</sup>	0.300	U	0.300	U
	Sept-15 resam		NS	U	NS	NS	U	NS	U	NS	U	0.300	U	NS	NS		
	29-Oct-15		0.300	U	1.100	0.300	U	0.300	U	0.220 <sup>j</sup>	U						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Trichlorofluoromethane	8-Feb-08		1.140		1.020	1.110	1.010	0.990	1.050	1.040	1.020		1.080			
	27-Mar-08		1.740		1.520	1.540	1.250	2.320	2.120	2.140	1.210		1.380			
	25-Apr-08		1.740		1.660	1.240	1.640	1.480	1.520	1.660	1.500		1.030			
	29-May-08		1.020		0.930	0.870	1.060	0.930	0.930	0.990	0.910		0.880			
	27-Jun-08		1.240		1.220	1.290	1.300	1.160	1.150	1.170	1.160		1.180			
	31-Jul-08		1.080		1.100	1.010	1.010	1.010	1.010	1.000	0.973		0.926			
	28-Aug-08		2.740		3.360	3.470	3.260	3.660	3.420	3.380	3.860		2.310			
	30-Sep-08		2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U		
	27-Oct-08		2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U		
	25-Nov-08		2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U		
	18-Dec-08		2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U		
	21-Jan-09		2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U		
	25-Feb-09		2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U		
	26-Mar-09		1.220		1.160	1.180	1.140	1.230	1.190	1.120	1.130		1.160			
	29-Apr-09		1.490		1.170	0.051	U	1.270	1.180	1.190	1.270	1.290		1.190		
	22-Jul-09		1.950		1.920	1.62	1.900	1.630	2.050	1.540	1.900		2.120			
	9-Oct-09		1.520		1.830	1.510	0.019	1.620	1.310	1.410	1.430		1.180			
	15-Jan-10		11.900		1.260	1.210	1.290	1.210	1.290	1.220	1.270		1.240			
	21-Apr-10		4.170		3.780	2.540	3.200	3.500	3.400	2.500	3.190		1.260			
	16-Jul-10		1.470		1.470	1.480	1.470	2.160	1.470	1.470	1.470		1.560			
	15-Oct-10		1.410		1.360	1.380	1.350	1.360	1.300	1.320	1.340		1.490			
	30-Nov-10		NS		1.520	1.490	NS	NS	NS	1.340	NS		NS			
	26-Jan-11		1.780		1.960	1.720	1.740	1.620	1.960	1.630	1.950	#	1.780			
	26-Jan-11**		NS		2.300	2.100	NS	NS	NS	2.100	NS		NS			
	27-Apr-11		1.200		1.250	1.110	1.240	1.080	1.140	1.280	1.120		1.250			
	26-Jul-11		1.210		1.210	1.300	1.250	1.220	1.290	1.180	1.170		1.210			
	28-Oct-11		2.500		1.400	1.600	1.600	1.900	1.900	1.900	1.800		1.500			
	23-Jan-12		1.500		1.500	1.500	1.500	1.500	1.400	1.500	1.500		1.400			
	13-Apr-12		2.200		2.000	1.700	2.000	2.300	2.400	2.300	2.400		1.200			
	Jul-12 resamp		NS		NS	NS	NS	NS	NS	NS	NS		1.800			
	20-Jun-12		1.200		1.400	1.300	1.200	1.500	1.100	1.400	1.400		1.100			
	1-Nov-12		1.200		1.200	1.300	1.200	1.200	1.300	1.200	1.200		1.300			
	1-Feb-13		1.600		1.600	1.700	1.600	1.600	1.700	1.600	1.600		1.600			
	29-Apr-13		1.400		1.600	1.600	1.400	1.400	1.300	1.400	1.300		1.400			
	9-Jul-13		1.200		1.200	1.200	1.300	1.300	1.200	1.200	1.200		1.500	1.6	1.5	
	18-Oct-13		1.100		2.100	1.300	1.800	1.300	1.200	1.900	1.200		1.100			
	9-Jan-14		1.500		2.200	1.800	1.700	1.600	1.600	1.700	1.900		2.000			
	24-Apr-14		1.500		1.700	1.700	1.600	1.800	1.700	1.700	3.200		1.500			
	1-Aug-14		1.900		1.700	0.110	U	1.600	1.900	1.700	1.800		1.500			
	Sept-14 resam		NS		NS	NS	NS	NS	NS	1.300	NS		NS			
	22-Oct-14		1.500		1.300	1.500	1.500	1.500	1.500	1.500	1.500		1.300			
	20-Jan-15		1.300		1.300	1.200	1.300	1.500	1.300	1.400	4.500		1.400			
	Mar-15 resam		NS		NS	NS	NS	NS	NS	NS	1.100		NS			
	22-Apr-15		1.700		2.000	4.900 <sup>v</sup>	4.900 <sup>v</sup>	1.800	1.900	1.700	2.200	2.100		1.600		
	21-Jul-15		0.770		0.830 <sup>A</sup>	0.850	0.750	0.790	0.780	0.790	0.740		1.200			
	Sept-15 resam		NS		NS	NS	NS	NS	NS	0.820	NS		NS			
	29-Oct-15		0.900		0.900	0.950	0.890	0.810	0.830	0.900	0.880		0.960			
	Dec-15 resam		NS		0.850	1.9 <sup>M,V</sup>	1.8 <sup>M,V</sup>	1.9 <sup>M,V</sup>	1.8 <sup>M,V</sup>	2.2 <sup>M,V</sup>	1.9 <sup>M,V</sup>		1.7 <sup>M,V</sup>			
	27-Jan-16		1.3		1.7	1.5	1.5	1.7	1.3	1.3	1.6		1.7			
	20-Apr-16 <sup>3</sup>		1.2		1.2	1.0	1.2	1.2	1.1	1.1	1.1		1.3			
	20-Jul-16		1.2		1.3	1.2	1.1	1.2	1.2	1.1	1.1		1.2			
	21-Oct-16		1.2		1.3	1.3	1.3	1.3	1.3	1.3	1.3		1.2			
	31-Jan-17		1.3		1.3	1.3							1.3			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2,4-Trimethylbenzene	8-Feb-08	9.3	0.900	0.970	2.520	1.890	0.210	0.210	0.210	0.310	0.210	0.098	U	
	27-Mar-08		1.330	1.590	3.390	3.240	0.920	1.390	0.828	0.989	0.098	U		
	25-Apr-08		0.998	1.760	11.700	1.640	0.909	0.839	0.911	0.750	0.098	U		
	29-May-08		0.300	0.470	8.320	6.680	0.270	0.960	0.690	0.110	0.100	U		
	27-Jun-08		1.560	0.443	2.120	3.040	0.634	0.246	0.722	0.206	0.175			
	31-Jul-08		1.650	1.360	1.380	2.080	0.959	1.940	0.207	0.142	0.157			
	28-Aug-08		0.438	1.430	3.690	5.340	0.642	0.461	0.455	0.464	0.354			
	30-Sep-08		2.500	U	2.500	U	2.000	U	2.500	U	2.500	U	2.500	U
	27-Oct-08		2.500	U	2.500	U	3.500	U	2.500	U	2.500	U	2.500	U
	25-Nov-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
	18-Dec-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
	21-Jan-09		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
	25-Feb-09		2.500	U	2.500	U	3.900	NS	2.500	U	2.500	U	2.500	U
	26-Mar-09		0.942	0.859	1.500	1.300	0.526	0.563	0.737	0.564	0.739			
	29-Apr-09		1.520	0.368	1.340	1.200	0.192	0.098	0.108	0.098	0.142			
	22-Jul-09		1.010	0.216	1.140	0.339	0.594	0.791	0.889	0.673	0.894			
	9-Oct-09		1.240	1.080	1.250	1.460	0.712	0.796	0.702	0.717	0.069			
	15-Jan-09		0.609	0.550	0.452	0.521	0.206	0.196	0.216	0.196	0.196			
	21-Apr-10		0.393	0.845	4.590	0.643	0.570	0.545	0.427	0.476	0.098	U		
	16-Jul-10		0.354	0.216	0.388	0.344	0.250	0.138	0.511	0.187	0.108			
	15-Oct-10		0.319	0.408	0.329	0.211	0.098	U	0.319	0.098	0.098	U	0.098	U
	30-Nov-10		NS	0.334	0.560	NS	NS	NS	0.098	NS	NS			
	26-Jan-11		1.010	1.120	1.100	1.200	0.780	0.917	0.868	1.030	#	#	U	0.994
	26-Jan-11**		NS	1.900	2.100	NS	NS	NS	2.000	NS	NS			
	27-Apr-11		0.138	0.280	2.080	0.255	0.147	0.113	0.172	0.113	0.128			
	26-Jul-11		0.575	2.160	1.120	0.285	0.236	0.157	0.290	0.177	0.123			
	28-Oct-11		0.340	0.220	0.300	0.290	0.230	0.260	0.310	0.330	0.098	U		
	23-Jan-12		0.660	0.580	0.580	0.710	0.380	1.000	0.520	0.650	0.470			
	13-Apr-12		0.400	0.410	0.760	0.480	0.340	0.340	0.290	0.360	0.240			
	Jul-12 resamp		NS	NS	NS	NS	NS	NS	NS	0.150	0.150	U	0.150	U
	20-Jun-12		0.560	1.200	0.910	0.680	0.600	0.470	0.560	0.610	0.310			
	1-Nov-12		0.720	0.480	0.310	0.300	0.460	0.650	0.750	0.600	0.120			
	1-Feb-13		0.330	0.180	0.170	0.160	0.150	0.120	0.220	0.160	0.098	U		
	29-Apr-13		0.990	0.540	0.540	0.510	0.700	0.320	0.580	0.440	0.130			
	9-Jul-13		0.480	0.410	0.280	0.340	0.440	0.230	0.300	0.240	0.190		0.25	0.35
	9-Jul-13 RIDEN		NS	NS	NS	NS	0.470	NS	NS	NS	0.230			0.527
	18-Oct-13		2.600	0.098	U	0.120	2.400	3.200	0.140	3.600	3.200	2.300		
	9-Jan-14		4.500	8.900	0.220	0.180	0.180	0.180	0.290	0.240	0.120			
	24-Apr-14		0.120	0.098	U	0.210	0.098	U	0.098	U	0.098	U	0.098	U
	1-Aug-14		0.320	0.270	0.630	1.300	1.500	0.220	1.100	1.200	1.200			
	Sept-14 resam		NS	NS	NS	NS	NS	NS	0.120	NS	NS			
	22-Oct-14		0.150	0.170	0.160	0.150	0.150	0.150	0.160	0.150	0.160			
	20-Jan-15		0.150	0.560	0.098	U	0.160	0.098	U	0.370	0.170	0.150	U	
	Mar-15 resam		NS	NS	NS	NS	NS	NS	NS	NS	0.160	NS		
	22-Apr-15		0.380	0.510	0.570	0.450	0.630	0.350	0.480	0.510	0.190			
	21-Jul-15		0.750	0.360 <sup>A</sup>	0.250	0.190 <sup>J</sup>	0.200 <sup>J</sup>	0.290	0.180 <sup>J</sup>	0.150 <sup>J</sup>	0.300	U		
	Sept-15 resam		NS	NS	NS	NS	NS	NS	NS	NS	NS			
	29-Oct-15		0.300	U	0.780	0.420	0.160 <sup>J</sup>	0.300	U	0.180 <sup>J</sup>	0.410	0.320		
	Dec-15 resam		NS	0.200	U	NS	NS	NS	NS	U	NS			
	27-Jan-16		0.098	0.098	U	0.21	0.098	U	0.098	U	0.15	0.37		
	20-Apr-16 <sup>3</sup>		0.1	0.098	U	0.098	U	0.098	U	0.098	0.098	0.098	U	
	20-Jul-16		0.67	0.77	0.6	0.69	0.72	0.75	0.74	0.68	0.6			
	21-Oct-16		0.48	0.58	0.25	1	0.34	0.36	0.21	0.43	2.6			
	31													

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 150	Room 23	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,3,5-Trimethylbenzene	8-Feb-08	9.3	0.460		0.450	1.300	0.980	0.100	U	0.100	U	0.100	U	0.100	U	
	27-Mar-08		0.535		0.652	1.620	1.530	0.292	U	0.438	U	0.256	U	0.334	U	
	25-Apr-08		0.367		0.816	7.170	0.802	0.342	U	0.293	U	0.375	U	0.280	U	
	29-May-08		0.170		0.220	4.710	4.050	0.140	U	0.640	U	0.470	U	0.100	U	
	27-Jun-08		0.942		0.232	1.100	1.580	0.385	U	0.102	U	0.387	U	0.100	U	
	31-Jul-08		1.040		0.782	0.671	1.360	0.570	U	1.190	U	0.098	U	0.098	U	
	28-Aug-08		0.170		0.732	1.950	2.990	0.270	U	0.181	U	0.181	U	0.155	U	
	30-Sep-08		2.500	U	2.500	U	2.500	U	U	2.500	U	2.500	U	9.300	U	
	27-Oct-08		2.500	U	2.500	U	2.500	U	U	2.500	U	2.500	U	2.500	U	
	25-Nov-08		2.500	U	2.500	U	2.500	U	U	2.500	U	2.500	U	2.500	U	
	18-Dec-08		2.500	U	2.500	U	2.500	U	U	2.500	U	2.500	U	2.500	U	
	21-Jan-09		2.500	U	2.500	U	2.500	U	U	2.500	U	2.500	U	2.500	U	
	25-Feb-09		2.500	U	2.500	U	2.500	NS	U	2.500	U	2.500	U	2.500	U	
	26-Mar-09		0.330		0.315	0.678	0.540	0.194	U	0.185	U	0.246	U	0.198	U	
	29-Apr-09		0.098		0.192	0.678	0.629	0.098	U	0.098	U	0.098	U	0.098	U	
	22-Jul-09		0.378		0.098	U	0.427	0.138	U	0.246	U	0.295	U	0.241	U	
	9-Oct-09		0.550		0.452	0.476	0.599	0.255	U	0.265	U	0.221	U	0.241	U	
	15-Jan-10		0.265		0.260	0.192	0.206	0.098	U	0.098	U	0.098	U	0.098	U	
	21-Apr-10		0.118		0.368	2.100	2.600	0.206	U	0.187	U	0.162	U	0.177	U	
	16-Jul-10		0.113		0.098	U	0.138	0.118	U	0.098	U	0.147	U	0.098	U	
	15-Oct-10		0.128		0.172	0.123	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U
	30-Nov-10		NS		0.133	0.177	NS	NS	U	0.098	U	0.098	U	0.098	U	
	26-Jan-11		0.293		0.326	0.360	0.410	0.260	U	0.267	U	0.292	U	0.302	#	#
	26-Jan-11**		NS		0.590	0.700	NS	NS	U	0.630	U	NS	U	NS	U	
	27-Apr-11		0.098		0.128	0.820	0.113	0.098	U	0.098	U	0.098	U	0.098	U	
	26-Jul-11		0.206		0.737	0.393	0.108	U	0.098	U	0.098	U	0.098	U	0.098	U
	28-Oct-11		0.150	U	0.150	U	0.150	U	U	0.150	U	0.150	U	0.150	U	
	23-Jan-12		0.220		0.170	U	0.200	0.230	U	0.170	U	0.220	U	0.180	U	
	13-Apr-12		0.150	U	0.150	U	0.270	0.170	U	0.150	U	0.150	U	0.150	U	
	-Jul-12 resamp		NS		NS	NS	NS	NS	U	NS	U	NS	U	NS	U	
	20-Jun-12		0.180		0.450	0.340	0.250	0.220	U	0.150	U	0.140	U	0.200	U	
	1-Nov-12		0.220		0.140	0.098	U	0.120	U	0.140	U	0.220	U	0.170	U	
	1-Feb-13		0.098		0.098	U	0.098	0.098	U	0.098	U	0.098	U	0.098	U	
	29-Apr-13		0.250		0.180	0.180	0.180	0.180	U	0.250	U	0.130	U	0.190	U	
	9-Jul-13		0.180		0.150	0.098	U	0.110	U	0.160	U	0.098	U	0.098	U	
	9-Jul-13 RIDEN		NS		NS	NS	NS	NS	U	0.143	U	NS	U	NS	U	
	18-Oct-13		0.170		0.098	U	0.098	0.180	U	0.290	U	0.098	U	0.420	U	
	9-Jan-14		1.100		2.100	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
	24-Apr-14		0.098		0.098	U	0.098	0.098	U	0.098	U	0.098	U	0.098	U	
	1-Aug-14		0.130		0.120	0.220	0.290	0.310	U	0.098	U	0.290	U	0.280	U	
	Sept-14 resamp		NS		NS	NS	NS	NS	U	NS	U	0.098	U	NS	U	
	22-Oct-14		0.150	U	0.150	U	0.150	U	U	0.150	U	0.150	U	0.150	U	
	20-Jan-15		0.098	U	0.110	0.098	U	0.098	U	0.098	U	0.150	U	0.098	U	
	-Mar-15 resamp		NS		NS	NS	NS	NS	U	NS	U	NS	U	1.110	U	
	22-Apr-15		0.130		0.150	0.170	0.140	0.190	U	0.100	U	0.160	U	0.140	U	
	21-Jul-15		0.230 <sup>J</sup>		0.200 <sup>A</sup>	U	0.200	0.300	U	0.300	U	0.300	U	0.200	U	
	Sept-15 resamp		NS		NS	NS	NS	NS	U	NS	U	0.300	U	NS	U	
	29-Oct-15		0.300	U	0.220 <sup>J</sup>	0.200 <sup>J</sup>	0.300	U	0.300	U	0.200	U	0.200	U	0.300	U
	Dec-15 resamp		NS		0.200	U	0.098	U	0.098	U	0.098	U	0.098	U	NS	U
	27-Jan-16		0.098		0											

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15		CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator	Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Vinyl chloride*	0.1	8-Feb-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
		27-Mar-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		25-Apr-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		29-May-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
		27-Jun-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
		31-Jul-08	0.050	U	0.050	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		28-Aug-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		30-Sep-08	0.100	U	0.100	U	0.130	U	0.100	U	0.100	U	0.100	U	0.100	U
		27-Oct-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		25-Nov-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		18-Dec-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		21-Jan-09	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		25-Feb-09	0.100	U	0.100	U	0.100	U	NS	U	0.100	U	0.100	U	0.100	U
		26-Mar-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		29-Apr-09	0.051	U	0.051	U	1.080	U	0.051	U	0.051	U	0.051	U	0.051	U
		22-Jul-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		9-Oct-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		15-Jan-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		21-Apr-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		16-Jul-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		15-Oct-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		30-Nov-10	NS	U	0.051	U	0.051	U	NS	U	NS	U	0.051	U	NS	U
		26-Jan-11	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U
		26-Jan-11**	NS	U	0.130	U	0.130	U	NS	U	NS	U	0.130	U	NS	U
		27-Apr-11	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		26-Jul-11	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		28-Oct-11	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.026	U
		23-Jan-12	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		13-Apr-12	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.100	U
		Jul-12 resamp	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.038	U
		20-Jun-12	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		1-Nov-12	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		1-Feb-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		29-Apr-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		9-Jul-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		9-Jul-13 RIDEM	NS	U	NS	U	NS	U	0.001	J	NS	U	NS	U	0.002	J
		18-Oct-13	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		9-Jan-14	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		24-Apr-14	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		1-Aug-14	0.051	U	0.051	U	0.051	U	0.077	U	0.051	U	0.051	U	0.051	U
		Sept-14 resam	NS	U	NS	U	NS	U	NS	U	NS	U	0.026	U	NS	U
		22-Oct-14	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U
		20-Jan-15	0.026 <sup>L</sup>	U	0.026 <sup>L</sup>	U	0.026 <sup>L</sup>	U	0.026 <sup>L</sup>	U	0.026 <sup>L</sup>	U	0.038 <sup>L</sup>	U	0.038 <sup>L</sup>	U
		-Mar-15 resam	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		22-Apr-15	0.026	U	0.026	U	0.026 <sup>V</sup>	U	0.026	U	0.026	U	0.026	U	0.026	U
		21-Jul-15	0.100	U	0.100 <sup>A</sup>	U	0.100	U	0.100	U	0.100	U	0.200	U	0.100	U
		Sept-15 resam	NS	U	NS	U	NS	U	NS	U	NS	U	0.100	U	NS	U
		29-Oct-15	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.200	U
		Dec-15 resamp	NS	U	0.100	U	NS	U	NS	U	NS	U	NS	U	NS	U
		27-Jan-16	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		20-Apr-16 <sup>3</sup>														

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p/m-Xylene	8-Feb-08	220.0	0.710		0.660	2.110	1.460	0.550	0.450	0.390	0.420		0.580		
	27-Mar-08		2.460		2.080	3.510	2.960	2.620	2.890	1.810	1.910		0.269		
	25-Apr-08		2.220		1.870	8.240	2.170	1.960	2.080	2.150	1.850		0.205		
	29-May-08		0.350		0.290	5.110	2.260	0.290	0.410	0.340	0.250		0.170		
	27-Jun-08		1.060		1.080	3.280	3.000	1.250	0.994	2.160	0.926		0.795		
	31-Jul-08		1.360		1.160	3.330	1.140	1.140	1.370	0.656	0.488		0.656		
	28-Aug-08		2.130		3.220	8.690	8.200	1.910	2.190	2.280	1.960		2.240		
	30-Sep-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	22.000	4.300	U	
	27-Oct-08		4.300	U	4.300	U	5.000	4.300	4.300	4.300	4.300	U	4.700		
	25-Nov-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	
	18-Dec-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	
	21-Jan-09		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	
	25-Feb-09		4.300	U	4.300	U	15.000	NS	4.300	U	4.300	U	4.300	U	
	26-Mar-09		3.080		2.850	4.530	4.340	1.580	1.990	2.340	1.870		2.310		
	29-Apr-09		0.456		0.733	0.534	1.950	0.477	0.308	0.312	0.347		0.442		
	22-Jul-09		0.920		0.577	2.680	0.824	1.560	2.070	2.510	1.720		3.510		
	9-Oct-09		2.610		2.240	3.360	3.190	2.200	2.090	1.960	1.910		2.290		
	15-Jan-10		1.080		0.915	1.040	0.946	0.724	0.603	0.672	0.607		0.672		
	21-Apr-10		1.200		2.000	4.380	1.610	1.800	1.670	1.430	1.350		0.174		
	16-Jul-10		0.868		0.568	1.290	1.120	1.290	0.729	1.890	0.694		0.330		
	15-Oct-10		0.642		0.972	1.340	0.408	0.299	0.174	0.468	0.174		0.317		
	30-Nov-10		NS		0.620	1.000	NS	NS	NS	0.230	NS		NS		
	26-Jan-11		2.810		2.600	2.910	3.320	2.590	2.790	2.540	3.450	#	3.480		
	26-Jan-11**		NS		4.300	5.100	NS	NS	NS	4.900	NS		NS		
	27-Apr-11		0.295		0.412	2.030	0.642	3.020	0.260	0.412	0.191		0.256		
	26-Jul-11		1.240		3.650	2.630	3.670	0.799	0.816	0.864	0.486		0.404		
	28-Oct-11		2.400		1.100	1.400	0.750	1.300	1.700	1.900	1.500		0.480		
	23-Jan-12		1.600		1.300	1.300	1.500	1.300	1.400	1.400	1.500		1.500		
	13-Apr-12		0.810		0.690	0.810	0.660	0.670	0.740	0.640	0.520		0.350		
	Jul-12 resamp		NS		NS	NS	NS	NS	NS	NS	0.260	U	0.260	U	
	20-Jun-12		1.200		1.300	1.200	1.400	1.300	1.200	1.400	1.400		0.770		
	1-Nov-12		2.300		1.300	0.960	1.400	1.300	2.100	2.500	1.800		0.340		
	1-Feb-13		0.270		0.210	0.220	0.230	0.220	0.210	0.510	0.210		0.400		
	29-Apr-13		1.700		1.300	1.300	1.300	1.200	0.920	2.400	1.200		0.320		
	9-Jul-13		0.910		0.850	0.810	0.890	0.830	0.770	0.860	0.820		0.650		
	9-Jul-13 RIDEN		NS		NS	NS	NS	NS	NS	NS	NS		0.669		
	18-Oct-13		2.200		0.270	0.300	1.600	2.300	0.310	4.200	2.700		1.300		
	9-Jan-14		10.000		15.000	0.380	0.400	0.420	0.360	0.820	0.430		0.330		
	24-Apr-14		0.220		0.170	0.250	0.170	0.170	0.170	0.260	0.280		0.170	U	
	1-Aug-14		0.470		0.410	0.980	1.200	1.300	0.550	1.700	1.400		0.990		
	Sept-14 resamp		NS		NS	NS	NS	NS	NS	0.330	NS		NS		
	22-Oct-14		0.590		0.420	0.310	0.260	0.330	0.270	0.300	0.380		0.690		
	20-Jan-15		0.390		0.440	0.360	0.530	0.400	0.550	0.720	0.770		0.800		
	-Mar-15 resamp		NS		NS	NS	NS	NS	NS	NS	NS		0.350		
	22-Apr-15		1.800		1.900	1.800	1.600	2.300	1.400	1.900	1.800		0.560		
	21-Jul-15		1.800		0.720 <sup>A</sup>	0.770	0.800	0.740	0.750	0.720	0.620		0.170 <sup>J</sup>		
	Sept-15 resamp		NS		NS	NS	NS	NS	NS	0.150 <sup>J</sup>	NS		NS		
	29-Oct-15		0.500		1.900	3.600	0.470 <sup>J</sup>	0.500	0.480	0.990	0.320 <sup>J</sup>		0.500	U	
	Dec-15 resamp		NS		0.400	U	NS	NS	NS	NS	NS		NS		
	27-Jan-16		0.75		0.24	0.31	0.25	0.22	0.38	0.55	0.46		0.26		
	20-Apr-16 <sup>3</sup>		0.26		0.17	U	0.17	U	0.17	U	0.17	U	0.17	U	
	20-Jul-16		1.5		1.3	1.9	1.8	2	0.85	1.4	1.				

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 153	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
o-Xylene	8-Feb-08		0.280	0.270	0.870	0.610	0.210	0.170	0.150	0.160	0.200			
	27-Mar-08		0.762	0.718	1.340	1.120	0.920	1.060	0.640	0.668	0.087	U		
	25-Apr-08		0.824	0.724	3.480	0.821	0.750	0.770	0.786	0.680	0.087	U		
	29-May-08		0.130	0.120	2.080	1.000	0.110	0.180	0.150	0.090	0.090	U		
	27-Jun-08		0.463	0.393	1.030	1.030	0.485	0.358	0.833	0.339	0.332			
	31-Jul-08		0.476	0.375	0.822	0.371	0.420	0.583	0.240	0.207	0.246			
	28-Aug-08		0.779	1.020	2.210	2.160	0.683	0.787	0.812	0.702	0.832			
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U		
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U		
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U		
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U		
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U		
	25-Feb-09		2.200	U	2.200	U	2.600	NS	2.200	U	2.200	U		
	26-Mar-09		1.080	0.798	1.090	1.020	0.551	0.718	0.824	0.651	0.826			
	29-Apr-09		0.143	0.186	0.085	0.442	0.165	0.100	0.104	0.108	0.156			
	22-Jul-09		0.347	0.195	0.690	0.247	0.555	0.742	0.911	0.590	1.240			
	9-Oct-09		0.850	0.724	0.954	0.920	0.764	0.720	0.720	0.698	0.759			
	15-Jan-10		0.404	0.321	0.356	0.338	0.273	0.230	0.256	0.230	0.273			
	21-Apr-10		0.425	0.686	1.260	0.577	0.629	0.603	0.564	0.482	0.087	U		
	16-Jul-10		0.273	0.186	0.312	0.304	.503	0.200	0.703	0.230	0.126			
	15-Oct-10		0.186	0.265	0.347	U	0.130	0.139	0.087	2.000	0.087	U	0.104	
	30-Nov-10		NS	0.226	0.325	NS	NS	NS	0.091	NS	NS			
	26-Jan-11		1.000	0.981	1.020	1.150	0.948	1.030	0.922	1.270	# #	1.280		
	26-Jan-11**		NS	1.600	1.900	NS	NS	NS	1.900	NS	NS			
	27-Apr-11		0.133	0.134	0.616	0.208	0.824	0.091	0.152	0.080	0.095			
	26-Jul-11		0.439	1.520	0.643	2.210	0.295	0.395	0.308	0.165	0.139			
	28-Oct-11		0.810	0.360	0.440	0.260	0.450	0.550	0.660	0.470	0.180			
	13-Apr-12	220.0	0.630	0.520	0.530	0.620	0.530	0.580	0.580	0.600	0.590			
	Jul-12 resamp		0.320	0.270	0.320	0.270	0.280	0.300	0.270	0.220	0.200			
	20-Jun-12		0.470	0.056	0.430	0.580	0.490	0.460	0.530	0.510	0.280			
	1-Nov-12		0.860	0.480	0.350	0.510	0.480	0.780	0.930	0.710	0.140			
	1-Feb-13		0.110	0.089	0.087	U	0.087	0.092	0.090	0.220	0.087	U	0.140	
	29-Apr-13		0.590	0.460	0.460	0.450	0.450	0.330	0.910	0.430	0.120			
	9-Jul-13		0.350	0.320	0.300	0.350	0.340	0.300	0.330	0.310	0.290			
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS	0.330			
	18-Oct-13		0.660	0.100	0.100	0.500	0.770	0.110	1.300	0.850	0.460			
	9-Jan-14		4.000	6.100	0.160	0.160	0.160	0.160	0.330	0.190	0.140			
	24-Apr-14		0.087	U	0.087	U	0.087	U	0.087	0.120	0.087	U		
	1-Aug-14		0.200	0.160	0.310	0.700	0.690	0.230	0.940	0.770	0.560			
	Sept-14 resamp		NS	NS	NS	NS	NS	NS	0.130	NS	NS			
	22-Oct-14		0.220	0.160	0.130	U	0.130	U	0.130	U	0.160	0.250		
	20-Jan-15		0.130	0.180	0.140	0.200	0.150	0.200	0.260	0.260	0.270			
	-Mar-15 resamp		NS	NS	NS	NS	NS	NS	NS	0.140	NS			
	22-Apr-15		0.560	0.640	0.590	0.560	0.810	0.460	0.630	0.620	0.200			
	21-Jul-15		0.660	0.260 <sup>A</sup>	0.290	0.330	0.290	0.280	0.300	0.220	0.390 <sup>J</sup>			
	Sept-15 resamp		NS	NS	NS	NS	NS	NS	0.360 <sup>J</sup>	NS	NS			
	29-Oct-15		0.300	0.840	0.390	0.130 <sup>J</sup>	0.200	U	0.150 <sup>J</sup>	0.420	0.130 <sup>J</sup>			
	Dec-15 resamp		NS	0.200	U	NS	NS	NS	NS	U	NS			
	27-Jan-16		0.17	0.087	U	0.13	0.087	U	0.1	0.12	0.17			
	20-Apr-16 <sup>3</sup>		0.11	0.087	U	0.087	U	0.092	0.087	U	0.087	0.087		
	20-Jul-16		0.44 M,W	0.37 M,W	0.50 M,W	0.50 M,W	0.37 M,W	0.48 M,W	0.65 M,W	0.36 M,W	0.13 M,W	U		
	21-Oct-16		0.49	0.64	0.36	0.66	0.34	0.35	0.17	0.33	2.9			
	21-Jan-17		0.17	0.15	0.2	0.13	0.15	0.13	0.14	0.12	0.16			

Notes:

All data presented in micrograms per cubic meter (ug/m<sup>3</sup>).

Two values displayed with a slash indicates dilutions resulting in two different concentrations

U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.

NS: not sampled

None: No Draft Proposed CT Residential TAC for this compound.

: exceedance of interim RIDEM-approved action level</

## APPENDIX C

### Subslab Vapor Analytical Summary

*This page intentionally left blank*

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Acetone	8-Feb-08	17.2		NS		NS		NS		5.62		11.4	
	27-Mar-08	NS		28.7		NS		NS		NS		217	12.4
	25-Apr-08	NS		NS	188	NS		NS		34		NS	33.9
	29-May-08	NS		NS	40.9	NS		NS		92		16.4	NS
	27-Jun-08	107		NS		145		NS		NS		20.4	9.73
	31-Jul-08	NS		101		NS		NS		NS		14.4	NS
	28-Aug-08	NS		NS	1130	NS		NS		30.9		46	NS
	30-Sep-08	NS		NS	32.8	NS		NS		44.1		9.4	12.8
	27-Oct-08	19.6		NS		15		NS		NS		17.9	NS
	25-Nov-08	NS		148		NS		183		NS		13	33.3
	18-Dec-08	NS		NS	856	NS		NS		10.4		24.7	NS
	21-Jan-09	NS		NS	19.1	NS		NS		6.1		37.2	22
	25-Feb-09	28.6		NS		NS		60.9		NS		8.3	NS
	26-Mar-09	NS		102		NS		47.5		NS		50.6	64.8
	29-Apr-09	NS		NS	1980	NS		NS		23.3		5.15	22.1
	22-Jul-09	58.5		NS	58.5	148		87.8		NS		96	NS
	9-Oct-09	NS		25.7		NS		49.7		9.2	11100	6.51	16.8
	15-Jan-10	33.6		NS	90.9	22.8		NS		26.3	NS	12.5	NS
	21-Apr-10	NS		21.9		NS		206		NS		2870	73.4
	16-Jul-10	654		NS	4800	202		NS		11400	NS	8.34	NS
	15-Oct-10	NS		11.3		NS		26		NS		18.3	21.2
	26-Jan-11	114		26.8		NS		54.4		NS		35.4	NS
	28-Feb-11	NS		NS	80.8	NS		NS		NS		NS	NS
	27-Apr-11	NS		106		NS		255		NS		227	58.2
	26-Jul-11	76.2		NS	120	154	E	NS		2730	NS	12.8	NS
	28-Oct-11	NS		48		NS		48	U	NS		48	U
	23-Jan-12	37		NS	36	19		NS		28	NS	38	NS
	13-Apr-12	NS		32		NS		70		NS		83	43
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS	NS
	23-Jun-12	21		NS	30	370		NS		1600	NS	43	21
	1-Nov-12	NS		41		NS		52		NS		35	43
	1-Feb-13	17		NS	12	25		NS		36	NS	16	NS
	29-Apr-13	NS		45		NS		100		NS		62	43
	9-Jul-13	100		NS	170	130		NS		260	NS	80	NS
	18-Oct-13	NS		43		NS		61		NS		57	42
	9-Jan-14	250		NS	16	25		NS		11	NS	24	NS
	24-Apr-14	NS		18		NS		13		NS		42	30
	1-Aug-14	31 <sup>M</sup>		NS	110/99 <sup>M</sup>	E	110/100 <sup>M</sup>	E	NS		NS	31 <sup>M</sup>	NS
	27-Aug-14	NS		NS		NS		NS		NS		57/50 <sup>M</sup>	E
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS	NS
	22-Oct-14	NS		31		NS		NS		14	5.3	17	NS
	20-Jan-15	14		NS	23	23		NS		16	NS	40	19
	30-Mar-15 (resample)	NS		NS		NS		1.9 <sup>V</sup>	U	NS		39	NS
	22-Apr-15	NS		87 <sup>V</sup>		NS		NS		43	NS	45	NS
	21-Jul-15	12		NS	22	20		NS		9.2	NS	42 <sup>o</sup>	11 <sup>o</sup> NS
	23-Sept-15 resample	NS		NS		NS		NS		NS		5.0	NS
	29-Oct-15	NS		4.5		NS		20		NS		9.2	22
	4-Dec-15 resample	NS		1.9		NS		NS		NS		NS	NS
	27-Jan-16	8.4		NS	9.2	7.2		NS		8.6	NS	49	22
	20-Apr-16	NS		7.3		NS		8.4		NS		35	NS
	20-Jul-16	37		NS	56	44		NS		35	NS	70	21
	21-Oct-16	NS		17		NS		25		NS		12	NS
	31-Jan-17	7.4	L,V	NS	8.9	L,V	5.9	L,V	NS	6.7	L,V	NS	21

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Acrylonitrile	8-Feb-08	1.08	U	NS	NS	NS	1.08	U	NS	NS	1.08	U
	27-Mar-08	NS	1.08	U	NS	NS	NS	U	NS	NS	1.08	U
	25-Apr-08	NS	NS	U	1.08	NS	NS	NS	1.08	U	NS	1.08
	29-May-08	NS	NS	U	NS	1.08	U	NS	NS	1.08	U	NS
	27-Jun-08	1.69	U	NS	NS	NS	1.08	U	NS	NS	1.08	U
	31-Jul-08	NS	1.08	U	NS	NS	NS	U	NS	1.08	U	1.08
	28-Aug-08	NS	NS	U	1.08	NS	NS	U	NS	1.08	U	NS
	30-Sep-08	NS	NS	U	NS	2.2	U	NS	NS	2.2	U	2.2
	27-Oct-08	2.2	U	NS	NS	NS	2.2	U	NS	NS	2.2	U
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U	NS
	18-Dec-08	NS	NS	U	2.2	NS	NS	U	NS	2.2	U	2.2
	21-Jan-09	NS	NS	U	NS	2.2	U	NS	NS	2.2	U	2.2
	25-Feb-09	2.2	U	NS	NS	NS	2.2	U	NS	2.2	U	NS
	26-Mar-09	NS	5.42	U	NS	NS	10.8	U	NS	NS	1.08	U
	29-Apr-09	NS	NS	U	1.08	NS	NS	U	NS	1.08	U	1.08
	22-Jul-09	5.42	U	NS	5.42	U	10.8	U	NS	1.08	U	NS
	9-Oct-09	NS	0.051	U	NS	NS	1.08	U	NS	1.08	U	1.08
	15-Jan-10	1.08	U	NS	1.08	U	NS	U	NS	1.08	U	NS
	21-Apr-10	NS	1.08	U	NS	NS	5.42	U	NS	5.42	U	1.08
	16-Jul-10	1.08	U	NS	1.08	U	NS	U	NS	1.08	U	NS
	15-Oct-10	NS	0.108	U	NS	NS	1.08	U	NS	1.08	U	1.08
	26-Jan-11	10.8	U	1.08	U	NS	1.08	U	5.42	U	5.42	U
	28-Feb-11	NS	NS	U	10.8	NS	NS	U	NS	NS	NS	NS
	27-Apr-11	NS	1.08	U	NS	NS	1.08	U	NS	1.08	U	1.08
	26-Jul-11	3.62	U	NS	3.62	U	1.08	U	NS	1.08	U	NS
	28-Oct-11	NS	6.2	U	NS	NS	6.2	U	NS	6.2	U	6.2
	23-Jan-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	1.2
	13-Apr-12	NS	1.2	U	NS	NS	1.2	U	NS	1.2	U	1.2
	2-Jul-12 (resample)	NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS
	23-Jun-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	1.2
	1-Nov-12	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	29-Apr-13	NS	0.62	U	NS	NS	0.25	U	NS	0.25	U	0.25
	9-Jul-13	0.37	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	18-Oct-13	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	9-Jan-14	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	24-Apr-14	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.37
	1-Aug-14	0.25	U	NS	0.37	U	0.37	U	NS	0.25	U	NS
	27-Aug-14	NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	U	NS	NS	NS	U	NS	0.37 L <sup>v</sup>	NS	NS
	22-Oct-14	NS	0.37 L <sup>v</sup>	U	NS	NS	0.37 L <sup>v</sup>	U	0.37 L <sup>v</sup>	U	0.37 L <sup>v</sup>	U
	20-Jan-15	0.25	U	NS	0.25	U	0.25	U	NS	0.37	U	0.25
	30-Mar-15 (resample)	NS	NS	U	0.26 L <sup>v</sup>	NS	NS	U	NS	NS	0.28	NS
	22-Apr-15	NS	NS	U	NS	NS	0.25 L <sup>v</sup>	U	0.25 L <sup>v</sup>	U	0.25 L <sup>v</sup>	0.29 L <sup>v</sup>
	21-Jul-15	0.1	U	NS	0.4	U	2	U	0.1	U	0.1 °	U
	23-Sept-15 resample	NS	NS	U	NS	NS	NS	U	NS	0.1	U	NS
	29-Oct-15	NS	0.1	U	NS	NS	0.1	U	NS	0.1	U	0.1
	4-Dec-15 resample	NS	0.1	U	NS	NS	NS	U	NS	NS	NS	NS
	27-Jan-16	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	20-Apr-16	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	20-Jul-16	1.3	U	NS	1.3	M, W	1.3	U	NS	1.3	U	NS
	21-Oct-16	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	31-Jan-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Benzene	8-Feb-08	0.92		NS		NS		NS		0.54	0.85	
	27-Mar-08	NS		0.54		NS		NS		NS	0.788	0.635
	25-Apr-08	NS		NS	0.584	NS		NS		0.428	NS	0.536
	29-May-08	NS		NS		NS		NS		1.03	1.12	NS
	27-Jun-08	0.626		NS		NS		NS		NS	0.499	0.399
	31-Jul-08	NS		0.418		NS		NS		0.358	NS	0.265
	28-Aug-08	NS		NS	1.02	NS		NS		0.815	0.692	NS
	30-Sep-08	NS		NS		1.6	NS	NS		1.6	U	1.6
	27-Oct-08	1.6	U	NS		NS		NS		1.6	NS	1.6
	25-Nov-08	NS		1.6	U	NS		1.6	U	NS	1.6	NS
	18-Dec-08	NS		NS	1.6	NS		NS		NS	1.6	1.6
	21-Jan-09	NS		NS		1.6	U	NS		1.6	U	1.6
	25-Feb-09	1.6	U	NS		NS		NS		1.6	U	NS
	26-Mar-09	NS		2.1		NS		NS		NS	0.945	1.48
	29-Apr-09	NS		NS		0.603		NS		0.223	NS	0.367
	22-Jul-09	1.12	U	NS	56	2.23	U	1.45	NS	4.27	0.629	NS
	9-Oct-09	NS		1.15		NS		0.974		0.431	NS	0.824
	15-Jan-10	0.763		NS	0.887	0.98		NS		46.6	0.619	NS
	21-Apr-10	NS		0.373		NS		0.16	U	NS	0.964	0.964
	16-Jul-10	0.332		NS	1.53	0.689		2.23	U	1.6	0.635	NS
	15-Oct-10	NS		0.319	U	NS		0.319	U	0.319	U	0.319
	26-Jan-11	3.19	U	2.49		NS		2.46	U	1.6	U	1.9
	28-Feb-11	NS		NS		3.19	U	NS		NS	NS	NS
	27-Apr-11	NS		0.319	U	NS		NS		0.319	U	0.319
	26-Jul-11	1.06	U	NS	1.06	U		0.434	NS	1.6	U	1.6
	28-Oct-11	NS		1.6	U	NS		1.6	U	1.6	U	1.6
	23-Jan-12	0.84		NS	1.2	0.98		NS		NS	1.4	1.5
	13-Apr-12	NS		0.32	U	NS		NS		0.32	U	0.32
	2-Jul-12 (resample)	NS		NS		NS		NS		NS	1.6	U
	23-Jun-12	0.45		NS	0.61	0.88		NS		NS	0.42	NS
	1-Nov-12	NS		0.45		NS		0.43		0.49	0.56	1
	1-Feb-13	0.33		NS	0.45	0.47		NS		NS	0.45	NS
	29-Apr-13	NS		0.41		NS		0.38		0.41	0.47	0.67
	9-Jul-13	0.64		NS	0.93	0.76		NS		NS	0.65	NS
	18-Oct-13	NS		0.66		NS		0.63		NS	0.28	0.92
	9-Jan-14	1.2		NS	1.1	0.97		NS		NS	1.5	NS
	24-Apr-14	NS		0.3		NS		0.22		NS	0.39	0.35
	1-Aug-14	0.49		NS		0.79/0.76		0.68/0.69		NS	0.34	NS
	27-Aug-14	NS		NS		NS		NS		NS	NS	NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS	NS	NS
	22-Oct-14	NS		0.28		NS		NS		0.43	NS	NS
	20-Jan-15	0.42		NS	0.33	0.45		NS		NS	0.36	NS
	30-Mar-15 (resample)	NS		NS		NS		NS		NS	0.46	NS
	22-Apr-15	NS		0.48		NS		0.35		NS	0.41	NS
	21-Jul-15	0.35		NS		0.520 <sup>J</sup>	3	U		NS	0.29 <sup>o</sup>	0.41 <sup>o</sup>
	23-Sept-15 resample	NS		NS		NS		NS		NS	NS	NS
	29-Oct-15	NS		0.15 <sup>J</sup>		NS		NS		0.28	NS	0.23
	4-Dec-15 resample	NS		0.11 <sup>J</sup>		NS		NS		0.26 <sup>J</sup>	0.27	0.24
	27-Jan-16	0.32		NS	0.5	0.53		NS		NS	0.72	0.69
	20-Apr-16	NS		0.21		NS		0.27		NS	0.73	0.47
	20-Jul-16	0.32	U	NS	0.7	0.41		NS		NS	0.43	0.85
	21-Oct-16	NS		0.35		NS		0.84		NS	0.39	NS
	31-Jan-17	0.24		NS	0.43	0.37		NS		NS	0.66	0.49

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
			Qual		Qual		Qual			Qual	Qual	Qual	Qual
Bromodichloromethane	8-Feb-08	0.13	U	NS	NS	NS	0.13	U	NS	NS	0.13	U	0.13
	27-Mar-08	NS		0.134	U	NS	NS	0.134	U	NS	NS	0.134	U
	25-Apr-08	NS		NS	U	0.134	U	NS	0.134	U	NS	0.134	U
	29-May-08	NS		NS	U	NS	0.13	U	NS	0.13	U	0.13	U
	27-Jun-08	0.209	U	NS	U	NS	0.134	U	NS	NS	0.134	U	NS
	31-Jul-08	NS		0.134	U	NS	NS	NS	NS	NS	0.134	U	0.134
	28-Aug-08	NS		NS	U	0.134	U	NS	NS	NS	0.134	U	NS
	30-Sep-08	NS		NS	U	0.52	U	NS	NS	NS	0.23	U	0.13
	27-Oct-08	0.13	U	NS	U	NS	1.07	U	NS	NS	0.13	U	0.13
	25-Nov-08	NS		0.13	U	NS	NS	0.13	U	NS	0.13	U	NS
	18-Dec-08	NS		NS	U	0.13	U	NS	0.13	U	NS	0.13	U
	21-Jan-09	NS		NS	U	0.13	U	NS	NS	0.13	U	NS	0.13
	25-Feb-09	0.13	U	NS	U	NS	0.13	U	NS	NS	0.13	U	NS
	26-Mar-09	NS		0.67	U	NS	NS	1.34	U	NS	NS	0.134	U
	29-Apr-09	NS		NS	U	0.134	U	NS	0.134	U	NS	0.134	U
	22-Jul-09	0.67	U	NS	U	27.3	U	1.34	U	0.67	U	0.134	U
	9-Oct-09	NS		0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134
	15-Jan-10	0.134	U	NS	U	0.134	U	NS	0.134	U	NS	0.134	U
	21-Apr-10	NS		0.134	U	NS	NS	0.67	U	NS	0.67	U	0.134
	16-Jul-10	0.134	U	NS	U	0.134	U	NS	1.01	U	NS	0.134	U
	15-Oct-10	NS		0.134	U	NS	NS	0.134	U	0.134	U	0.134	U
	26-Jan-11	1.34	U	0.134	U	NS	0.134	U	0.67	U	0.67	U	0.67
	28-Feb-11	NS		NS	U	1.34	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134
	26-Jul-11	0.447	U	NS	U	0.447	U	0.134	U	0.67	U	0.134	U
	28-Oct-11	NS		3.4	U	NS	NS	3.4	U	NS	3.4	U	3.4
	23-Jan-12	0.67	U	NS	U	0.67	U	0.67	U	0.67	U	0.67	U
	13-Apr-12	NS		0.34	U	NS	NS	0.34	U	NS	0.34	U	0.34
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	1.7	U
	23-Jun-12	0.67	U	NS	U	0.67	U	NS	0.67	U	0.67	U	NS
	1-Nov-12	NS		0.067	U	NS	NS	0.067	U	0.067	U	0.067	U
	1-Feb-13	0.067	U	NS	U	0.067	U	NS	0.067	U	0.067	U	0.067
	29-Apr-13	NS		0.16	U	NS	NS	0.067	U	0.67	U	0.067	U
	9-Jul-13	0.1	U	NS	U	0.067	U	0.067	U	NS	0.067	U	0.23
	18-Oct-13	NS		0.13	U	NS	NS	0.13	U	0.13	U	0.13	U
	9-Jan-14	0.13	U	NS	U	0.13	U	0.13	U	0.13	U	0.13	U
	24-Apr-14	NS		0.13	U	NS	NS	0.13	U	0.13	U	0.13	U
	1-Aug-14	0.13	U	NS	U	0.20	U	0.20	U	NS	0.13	U	NS
	27-Aug-14	NS		NS	U	NS	NS	0.067	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	NS	NS	0.1	NS	NS
	22-Oct-14	NS		0.10	U	NS	NS	0.10	U	0.10	U	0.10	U
	20-Jan-15	0.067	U	NS	U	0.067	U	NS	0.067	U	NS	0.1	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	0.075	U
	22-Apr-15	NS		0.069	U	NS	NS	0.067	U	0.067	U	0.067	U
	21-Jul-15	0.3	U	NS	U	7	U	NS	0.4	U	NS	0.30 <sup>U</sup>	U
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	NS	NS	NS	0.40 <sup>U</sup>	U
	29-Oct-15	NS		0.4	U	NS	NS	0.4	U	NS	0.3	NS	0.3
	4-Dec-15 resample	NS		0.3	U	NS	NS						
	27-Jan-16	0.067	U	NS	U	0.067	U	NS	0.067	U	0.067	U	0.42
	20-Apr-16	NS		0.067	U	NS	0.83	NS	0.067	U	0.067	U	0.12
	20-Jul-16	0.34	U	NS	U	0.34	U	NS	0.38	NS	0.43	0.34	U
	21-Oct-16	NS		0.067	U	NS	NS	0.067	U	0.067	U	NS	0.067
	31-Jan-17	0.067	U	NS	U	0.067	U	NS	0.067	U	0.067	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromoform	8-Feb-08	0.21	U	NS	NS	0.21	U	NS	NS	0.21	U	0.21
	27-Mar-08	NS		0.206	U	NS	NS	0.206	U	NS	U	0.206
	25-Apr-08	NS		NS	U	NS	NS	0.206	U	NS	U	0.206
	29-May-08	NS		NS	U	NS	NS	NS	U	0.21	U	NS
	27-Jun-08	0.322	U	NS	U	NS	0.206	U	NS	0.21	U	0.206
	31-Jul-08	NS		0.206	U	NS	NS	NS	U	0.206	U	0.206
	28-Aug-08	NS		NS	U	NS	NS	0.206	U	0.206	U	NS
	30-Sep-08	NS		NS	U	0.41	U	NS	0.41	U	0.41	U
	27-Oct-08	0.41	U	NS	NS	NS	0.41	U	NS	0.41	U	0.41
	25-Nov-08	NS		0.14	U	NS	NS	0.41	U	NS	U	NS
	18-Dec-08	NS		NS	U	0.41	U	NS	0.41	U	0.41	U
	21-Jan-09	NS		NS	U	0.41	U	NS	0.41	U	NS	0.41
	25-Feb-09	0.41	U	NS	NS	NS	0.14	U	NS	0.41	U	NS
	26-Mar-09	NS		1.03	U	NS	NS	2.06	U	NS	NS	0.206
	29-Apr-09	NS		NS	U	0.206	U	NS	0.206	U	NS	0.206
	22-Jul-09	1.03	U	NS	U	42	U	2.06	U	1.03	U	0.206
	9-Oct-09	NS		0.206	U	NS	NS	0.206	U	0.206	U	0.206
	15-Jan-10	0.206	U	NS	U	0.206	U	NS	0.206	U	0.206	U
	21-Apr-10	NS		0.206	U	NS	NS	1.03	U	NS	0.206	NS
	16-Jul-10	0.206	U	NS	U	0.206	U	NS	1.56	U	NS	0.206
	15-Oct-10	NS		0.206	U	NS	NS	0.206	U	0.206	U	0.206
	26-Jan-11	2.06	U	0.206	U	NS	0.206	U	1.03	U	0.206	U
	28-Feb-11	NS		NS	U	2.06	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.206	U	NS	NS	0.206	U	0.206	U	0.206
	26-Jul-11	0.69	U	NS	U	0.69	U	0.207	U	1.03	U	0.207
	28-Oct-11	NS		5.2	U	NS	NS	5.2	U	NS	5.2	U
	23-Jan-12	1	U	NS	U	1	U	NS	1	U	1	U
	13-Apr-12	NS		1	U	NS	NS	1	U	1	U	1
	2-Jul-12 (resample)	NS		NS	U	NS						
	23-Jun-12	1	U	NS	U	1	U	NS	1	U	1	U
	1-Nov-12	NS		0.21	U	NS	0.21	U	0.21	U	0.21	U
	1-Feb-13	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	NS
	29-Apr-13	NS		0.52	U	NS	0.21	U	0.21	U	0.21	U
	9-Jul-13	0.31	U	NS	U	0.21	U	NS	0.21	U	0.21	U
	18-Oct-13	NS		0.21	U	NS	0.21	U	NS	0.21	U	0.21
	9-Jan-14	0.21	U	NS	U	0.21	U	0.21	U	NS	0.21	U
	24-Apr-14	NS		0.21	U	NS	0.21	U	NS	0.21	U	0.31
	1-Aug-14	0.21	U	NS	U	0.31	U	NS	0.21	U	0.21	U
	27-Aug-14	NS		NS	U	NS	NS	0.21	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	NS	0.13	U	NS
	22-Oct-14	NS		0.31	U	NS	NS	0.31	U	0.31	U	0.41
	20-Jan-15	0.21	U	NS	U	0.21	U	0.21	U	0.31	U	0.21
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	U	NS
	22-Apr-15	NS		0.21	U	NS	0.21	U	0.21	U	0.21	U
	21-Jul-15	0.5	U	NS	U	2	U	10	U	0.6	U	0.50°
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	NS	0.5	U	NS
	29-Oct-15	NS		0.6	U	NS	0.6	U	NS	0.9	U	0.5
	4-Dec-15 resample	NS		0.5	U	NS						
	27-Jan-16	0.21	U	NS	U	0.21	U	0.21	U	NS	U	0.21
	20-Apr-16	NS		0.21	U	NS	0.21	U	NS	0.21	U	0.21
	20-Jul-16	1.0	U	NS	U	1.0	U	1.0	U	NS	U	1.0
	21-Oct-16	NS		0.21	U	NS	0.21	U	NS	0.21	U	0.21
	31-Jan-17	0.21	U	NS	U	0.21	U	0.21	U	NS	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
2-Butanone	8-Feb-08	126		NS		NS		NS		3.08		10.6
	27-Mar-08	NS		226		NS		NS		NS		11.9
	25-Apr-08	NS		NS		477		NS		NS		3.9
	29-May-08	NS		NS		NS		NS		2.24		1.47
	27-Jun-08	1080		NS		527		NS		591		NS
	31-Jul-08	NS		1350		NS		NS		12		2.56
	28-Aug-08	NS		NS		8380		NS		102		NS
	30-Sep-08	NS		NS		101		NS		194		1.5
	27-Oct-08	53.5		NS		NS		30.5		NS		5.7
	25-Nov-08	NS		802		NS		NS		NS		NS
	18-Dec-08	NS		NS		5630		NS		NS		3.3
	21-Jan-09	NS		NS		NS		209		NS		1.5
	25-Feb-09	30		NS		NS		198		NS		NS
	26-Mar-09	NS		926		NS		NS		29.1		3.02
	29-Apr-09	NS		NS		12400		NS		38.1		3.06
	22-Jul-09	433		NS		433		410		151		NS
	9-Oct-09	NS		289		NS		1.47		U		12.6
	15-Jan-10	29.8		NS		826		64.1		NS		NS
	21-Apr-10	NS		6.44		NS		7.37		U		14.5
	16-Jul-10	5320		NS		21000		441		NS		NS
	15-Oct-10	NS		117		NS		44.9		NS		1.92
	26-Jan-11	940		22.3		NS		16.5		NS		NS
	28-Feb-11	NS		NS		625		NS		NS		NS
	27-Apr-11	NS		6.87		NS		NS		171		10.4
	26-Jul-11	690	E	NS		82.9		93.2		NS		NS
	28-Oct-11	NS		59	U	NS		NS		11000		NS
	23-Jan-12	110		NS		70		12		NS		59
	13-Apr-12	NS		16		NS		NS		20		12
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		12
	23-Jun-12	75		NS		92		3700		NS		NS
	1-Nov-12	NS		24		NS		44		NS		4.2
	1-Feb-13	36		NS		4.9		16		NS		NS
	29-Apr-13	NS		170		NS		NS		110		4.5
	9-Jul-13	98		NS		130		79		NS		NS
	18-Oct-13	NS		91		NS		NS		370		6.4
	9-Jan-14	1900		NS		11		28		NS		NS
	24-Apr-14	NS		32		NS		11		NS		3.5
	1-Aug-14	38		NS		110/81		110/93		NS		NS
	27-Aug-14	NS		NS		NS		NS		12		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS
	22-Oct-14	NS		5.8		NS		NS		NS		NS
	20-Jan-15	5.1		NS		3.9		4.3		16		NS
	30-Mar-15 (resample)	NS		NS		NS		NS		3.5		5.5
	22-Apr-15	NS		17 <sup>v</sup>		NS		NS		U		10
	21-Jul-15	17		NS		55		170		NS		NS
	23-Sept-15 resample	NS		NS		NS		NS		21		NS
	29-Oct-15	NS		10		NS		NS		NS		3.1
	4-Dec-15 resample	NS		3.3		NS		NS		13		NS
	27-Jan-16	2.4	U	NS		2.4		2.4		U		NS
	20-Apr-16	NS		21		NS		NS		29		4.1
	20-Jul-16	36		NS		37		12		NS		NS
	21-Oct-16	NS		21		NS		NS		46		8.3
	31-Jan-17	2.4	U	NS		2.8		2.4		U		NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
n-Butylbenzene	8-Feb-08	2.74	U	NS	NS	NS	NS	NS	NS	2.74	U	2.74
	27-Mar-08	NS		2.74	U	NS	NS	NS	NS	NS	U	2.74
	25-Apr-08	NS		NS	U	2.74	NS	NS	2.74	U	NS	2.74
	29-May-08	NS		NS	U	2.74	U	NS	NS	2.74	U	NS
	27-Jun-08	4.27	U	NS	U	NS	2.74	U	NS	2.74	U	2.74
	31-Jul-08	NS		2.74	U	NS	NS	NS	NS	2.74	U	2.74
	28-Aug-08	NS		NS	U	2.74	NS	NS	2.74	U	2.74	U
	30-Sep-08	NS		NS	U	5.5	U	NS	NS	5.5	U	5.5
	27-Oct-08	22.1		NS	NS	NS	5.5	U	NS	12.8	NS	5.5
	25-Nov-08	NS		5.5	U	NS	NS	5.5	U	5.5	U	NS
	18-Dec-08	NS		NS	U	5.5	NS	NS	5.5	U	5.5	U
	21-Jan-09	NS		NS	U	5.5	U	NS	5.5	U	NS	5.5
	25-Feb-09	5.5	U	NS	NS	NS	5.5	U	NS	5.5	U	NS
	26-Mar-09	NS		13.7	U	NS	NS	27.4	U	NS	2.74	U
	29-Apr-09	NS		NS	U	2.74	NS	NS	2.74	U	NS	2.74
	22-Jul-09	13.7	U	NS	U	13.7	U	27.4	U	NS	2.74	U
	9-Oct-09	NS		1.08	U	NS	NS	2.74	U	573	U	2.74
	15-Jan-10	2.74	U	NS	U	2.74	U	NS	NS	2.74	U	2.74
	21-Apr-10	NS		2.74	U	NS	NS	13.7	U	13.7	U	NS
	16-Jul-10	2.74	U	NS	U	2.74	U	NS	NS	2.74	U	2.74
	15-Oct-10	NS		2.74	U	NS	NS	2.74	U	2.74	U	2.74
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7	U
	28-Feb-11	NS		NS	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		2.745	U	NS	NS	2.74	U	2.74	U	2.74
	26-Jul-11	9.17	U	NS	U	9.17	2.74	U	13.7	U	NS	2.74
	28-Oct-11	NS		7.9	U	NS	NS	7.9	U	7.9	U	7.9
	23-Jan-12	1.6	U	NS	U	1.6	U	1.6	U	1.6	U	1.6
	13-Apr-12	NS		1.6	U	NS	NS	1.6	U	1.6	U	1.6
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	1.6	U	NS	U	1.6	U	1.6	U	1.6	U	1.6
	1-Nov-12	NS		0.32	U	NS	0.32	U	0.44	0.35	0.38	NS
	1-Feb-13	0.32	U	NS	U	0.32	U	0.32	U	0.32	U	0.32
	29-Apr-13	NS		0.79	U	NS	NS	0.32	U	0.32	U	0.32
	9-Jul-13	0.47	U	NS	U	0.32	U	0.32	U	0.32	U	0.32
	18-Oct-13	NS		0.54	U	NS	NS	0.52	NS	0.74	0.65	0.68
	9-Jan-14	0.32	U	NS	U	0.32	U	0.32	U	NS	0.32	U
	24-Apr-14	NS		0.32	U	NS	NS	0.32	U	0.32	U	0.32
	1-Aug-14	0.32	U	NS	U	0.63	0.47 <sup>L</sup>	U	NS	NS	0.32	NS
	27-Aug-14	NS		NS	U	NS	NS	0.32	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	NS	0.47	NS	NS
	22-Oct-14	NS		0.47	U	NS	NS	0.47	U	0.47	U	0.47
	20-Jan-15	0.32	U	NS	U	0.32	U	0.32	U	NS	0.47	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	0.36	NS
	22-Apr-15	NS		0.32	U	NS	NS	0.32	U	0.46	U	0.36
	27-Jan-16	0.32	U	NS	U	0.32	U	0.32	U	0.32	U	0.32
	20-Apr-16	NS		0.32	U	NS	NS	0.32	U	0.32	U	0.32
	20-Jul-16	1.6	U	NS	U	1.6	U	1.6	U	NS	1.6	U
	21-Oct-16	NS		0.32	U	NS	NS	0.32	U	0.32	U	0.32
	31-Jan-17	0.32	U	NS	U	0.32	U	0.32	U	NS	0.32	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual								
sec-Butylbenzene	8-Feb-08	2.74	U	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U
	27-Mar-08	NS		2.74	U	NS	NS	NS	NS	NS	NS	2.74	U
	25-Apr-08	NS		NS	U	2.74	NS	NS	NS	2.74	U	NS	2.74
	29-May-08	NS		NS	U	2.74	NS	NS	NS	2.74	U	2.74	U
	27-Jun-08	4.27	U	NS	U	NS	2.74	U	NS	NS	2.74	U	NS
	31-Jul-08	NS		2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74
	28-Aug-08	NS		NS	U	2.74	NS	NS	NS	2.74	U	2.74	U
	27-Oct-08	NS		NS	U	5.5	NS	NS	NS	5.5	U	5.5	U
	27-Oct-08	5.5	U	NS	NS	NS	5.5	U	NS	NS	5.5	U	5.5
	25-Nov-08	NS		5.5	U	NS	NS	5.5	U	NS	5.5	U	NS
	18-Dec-08	NS		NS	U	5.5	NS	NS	5.5	U	NS	5.5	U
	21-Jan-09	NS		NS	U	5.5	NS	NS	NS	5.5	U	NS	5.5
	25-Feb-09	5.5	U	NS	NS	NS	5.5	U	NS	NS	5.5	U	NS
	26-Mar-09	NS		13.7	U	NS	NS	27.4	U	NS	NS	2.74	U
	29-Apr-09	NS		NS	U	2.74	NS	NS	2.74	U	NS	2.74	U
	22-Jul-09	13.7	U	NS	U	13.7	27.4	U	NS	13.7	U	2.74	U
	9-Oct-09	NS		2.74	U	NS	2.74	U	NS	2.74	U	573	U
	15-Jan-10	2.74	U	NS	U	2.74	U	NS	2.74	U	NS	2.74	U
	21-Apr-10	NS		2.74	U	NS	NS	13.7	U	13.7	U	2.74	U
	16-Jul-10	2.74	U	NS	U	2.74	U	NS	2.74	U	NS	2.74	U
	15-Oct-10	NS		2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	NS	13.7	U
	28-Feb-11	NS		NS	U	27.4	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		2.74	U	NS	NS	2.74	U	NS	2.74	U	2.47
	26-Jul-11	9.17	U	NS	U	9.17	2.74	U	NS	13.7	U	NS	13.7
	28-Oct-11	NS		6.3	U	NS	6.3	U	NS	6.3	U	6.3	U
	23-Jan-12	1.3	U	NS	U	1.3	U	1.3	U	1.3	U	1.3	U
	13-Apr-12	NS		1.3	U	NS	NS	1.3	U	1.3	U	1.3	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	6.3	U
	23-Jun-12	1.3	U	NS	U	1.3	U	1.3	U	1.3	U	1.3	U
	1-Nov-12	NS		0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25
	1-Feb-13	0.25	U	NS	U	0.25	U	0.25	U	0.25	U	0.25	U
	29-Apr-13	NS		0.63	U	NS	NS	0.25	U	0.25	U	0.25	U
	9-Jul-13	0.38	U	NS	U	0.25	U	0.25	U	0.25	U	0.25	U
	18-Oct-13	NS		0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	9-Jan-14	0.25	U	NS	U	0.25	U	0.25	U	0.25	U	0.25	U
	24-Apr-14	NS		0.25	U	NS	0.25	U	NS	0.25	U	0.25	U
	1-Aug-14	0.25	U	NS	U	0.38	0.38	U	NS	NS	0.25	U	NS
	27-Aug-14	NS		NS	U	NS	NS	0.25	U	NS	NS	NS	NS
	12-Sep-14 (resample)	NS		NS	U	NS	NS	NS	NS	0.38	U	NS	NS
	22-Oct-14	NS		0.38	U	NS	NS	0.38	U	0.38	U	0.38	U
	20-Jan-15	0.25	U	NS	U	0.25	U	0.25	U	NS	0.38	U	0.50
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	0.25	U	NS
	22-Apr-15	NS		0.26	U	NS	NS	0.25	U	0.25	U	0.28	U
	27-Jan-16	0.25	U	NS	U	0.25	U	0.25	U	NS	0.25	U	0.29
	20-Apr-16	NS		0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	20-Jul-16	1.3	U	NS	U	1.3	U	1.3	U	NS	1.3	U	0.25
	21-Oct-16	NS		0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25
	31-Jan-17	0.25	U	NS	U	0.25	U	0.25	U	NS	0.25	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Carbon tetrachloride	8-Feb-08	0.44		NS		NS		NS		0.53	0.45	
	27-Mar-08	NS		0.539		NS		0.477		NS	0.576	0.574
	25-Apr-08	NS		NS	0.417	NS		NS		0.459	NS	0.448
	29-May-08	NS		NS	NS	0.46		NS		0.46	0.47	NS
	27-Jun-08	0.478		NS	NS	0.506		NS		NS	0.533	0.553
	31-Jul-08	NS		0.576	NS	NS		NS		0.548	NS	0.495
	28-Aug-08	NS		NS	0.515	NS		NS		0.567	0.563	NS
	30-Sep-08	NS		NS	0.511	NS		NS		0.577	NS	0.469
	27-Oct-08	0.48		NS	NS	0.36		NS		0.41	NS	0.56
	25-Nov-08	NS		0.5	NS	NS		0.42		0.3	0.44	NS
	18-Dec-08	NS		NS	0.23	NS		NS		NS	0.48	0.46
	21-Jan-09	NS		NS	NS	0.36		NS		0.47	NS	0.67
	25-Feb-09	0.39		NS	NS	0.36		NS		0.37	0.36	NS
	26-Mar-09	NS		0.629	U	NS		1.26	U	NS	0.601	0.565
	29-Apr-09	NS		NS	0.484	NS		NS		0.522	NS	0.654
	22-Jul-09	0.629	U	NS	25.6	U	1.26	U	0.629	NS	0.515	0.503
	9-Oct-09	NS		0.691	NS	NS		0.666	NS	0.465	26.2	U
	15-Jan-10	0.427		NS	0.647	0.509		NS		NS	0.541	0.528
	21-Apr-10	NS		0.126	NS	NS		0.629	U	0.629	U	0.503
	16-Jul-10	0.459		NS	0.478	0.515		NS		NS	0.559	0.509
	15-Oct-10	NS		0.509	NS	NS		0.434	NS	0.383	0.402	0.44
	26-Jan-11	1.26	U	0.415	NS	0.415		NS		0.629	U	0.629
	28-Feb-11	NS		NS	1.26	U	NS	NS		NS	NS	NS
	27-Apr-11	NS		0.339	NS	NS		0.339	NS	0.33	0.364	0.327
	26-Jul-11	0.44		NS	0.42	U	0.409	NS	0.629	U	NS	0.402
	28-Oct-11	NS		3.1	U	NS		3.1	U	3.1	U	3.1
	23-Jan-12	0.63	U	NS	0.63	U	0.63	U	0.63	U	0.63	U
	13-Apr-12	NS		0.31	U	NS		0.31	U	0.31	U	0.31
	2-Jul-12 (resample)	NS		NS	NS	NS		NS	NS	NS	1.6	U
	23-Jun-12	0.63	U	NS	0.63	U	0.63	U	0.63	U	0.63	NS
	1-Nov-12	NS		0.48	NS	NS		0.46	NS	0.45	0.47	0.43
	1-Feb-13	0.44		NS	0.43	0.39		NS	NS	NS	0.49	0.5
	29-Apr-13	NS		0.42	NS	NS		0.44	NS	0.42	0.48	0.46
	9-Jul-13	0.52		NS	0.52	0.46		NS	NS	NS	0.45	0.47
	18-Oct-13	NS		0.45	NS	NS		0.41	NS	0.4	0.45	0.47
	9-Jan-14	0.40		NS	0.45	0.40		NS	0.43	NS	0.43	0.43
	24-Apr-14	NS		0.48	NS	NS		0.45	NS	0.42	0.47	0.48
	1-Aug-14	0.30		NS	0.44	0.43		NS	NS	NS	0.56	0.43
	27-Aug-14	NS		NS	NS	NS		NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS		NS	NS	0.43	NS	NS
	22-Oct-14	NS		0.45	NS	NS		0.42	0.43	0.42	0.45	0.44
	20-Jan-15	0.45		NS	0.49	0.42		NS	0.44	NS	0.48	0.48
	30-Mar-15 (resample)	NS		NS	NS	NS		NS	NS	NS	0.43	NS
	22-Apr-15	NS		0.28	NS	NS		0.29	NS	0.34	0.34/0.36	0.33
	21-Jul-15	0.270 <sup>J</sup>		NS	1	U	6	NS	0.28 <sup>J</sup>	NS	NS	0.25 <sup>J,O</sup>
	23-Sept-15 resample	NS		NS	NS	NS		NS	NS	0.29 <sup>J</sup>	NS	NS
	29-Oct-15	NS		0.35	NS	NS		0.29 <sup>J</sup>	NS	0.27 <sup>J</sup>	0.28 <sup>J</sup>	0.27 <sup>J</sup>
	4-Dec-15 resample	NS		0.30 <sup>J</sup>	NS	NS		NS	NS	NS	NS	NS
	27-Jan-16	0.57		NS	0.59	0.53		NS	0.56	NS	0.57	0.59
	20-Apr-16	NS		0.65	NS	NS		0.61	NS	0.62	0.64	0.67
	20-Jul-16	0.42		NS	0.58	0.59		NS	0.64	NS	0.63	0.55
	21-Oct-16	NS		0.49	NS	NS		0.45	NS	0.44	0.46	0.47
	31-Jan-17	0.41		NS	0.38	0.39		NS	0.4	NS	0.45	0.48

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chlorobenzene	8-Feb-08	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	27-Mar-08	NS		0.052	U	NS	NS	0.092	U	NS	NS	0.092
	25-Apr-08	NS		NS	U	NS	NS	NS	0.092	U	NS	0.092
	29-May-08	NS		NS	U	NS	NS	NS	0.092	U	NS	0.092
	27-Jun-08	0.207		NS	U	NS	0.092	U	NS	0.09	U	0.092
	31-Jul-08	NS		0.092	U	NS	NS	NS	NS	0.092	U	NS
	28-Aug-08	NS		NS	U	NS	NS	NS	0.092	U	0.092	U
	30-Sep-08	NS		NS	U	2.3	U	NS	2.3	U	2.3	U
	27-Oct-08	2.3	U	NS	NS	NS	2.3	U	NS	2.3	U	2.3
	25-Nov-08	NS		2.3	U	NS	NS	2.3	U	NS	2.3	U
	18-Dec-08	NS		NS	U	NS	NS	2.3	U	NS	2.3	U
	21-Jan-09	NS		NS	U	2.3	U	NS	2.3	U	NS	2.3
	25-Feb-09	2.3	U	NS	NS	NS	2.3	U	NS	2.3	U	NS
	26-Mar-09	NS		0.46	U	NS	NS	0.92	U	NS	0.092	U
	29-Apr-09	NS		NS	U	0.092	U	NS	0.092	U	0.092	U
	22-Jul-09	0.46	U	NS	U	18.8	U	0.92	U	NS	0.092	U
	9-Oct-09	NS		0.092	U	NS	NS	0.092	U	19.2	U	0.092
	15-Jan-10	0.092	U	NS	U	0.092	U	NS	0.092	U	0.092	U
	21-Apr-10	NS		0.092	U	NS	NS	0.46	U	0.46	U	0.092
	16-Jul-10	0.092	U	NS	U	0.092	U	0.212	U	NS	0.092	U
	15-Oct-10	NS		0.092	U	NS	NS	0.129	U	0.106	U	0.101
	26-Jan-11	0.92	U	0.092	U	NS	0.092	U	0.46	U	0.46	U
	28-Feb-11	NS		NS	U	0.92	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.092	U	NS	NS	0.092	U	0.092	U	0.092
	26-Jul-11	0.307	U	NS	U	0.307	U	0.092	U	0.46	U	0.46
	28-Oct-11	NS		2.3	U	NS	NS	2.3	U	NS	2.3	U
	23-Jan-12	0.46	U	NS	U	0.46	U	0.46	U	0.46	U	0.46
	13-Apr-12	NS		0.46	U	NS	NS	0.46	U	0.46	U	0.46
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	NS	NS
	23-Jun-12	0.46	U	NS	U	0.46	U	0.46	U	0.46	U	0.46
	1-Nov-12	NS		0.092	U	NS	NS	0.092	U	0.16	U	0.092
	1-Feb-13	0.092	U	NS	U	0.092	U	NS	0.092	U	0.092	U
	29-Apr-13	NS		0.12	U	NS	NS	0.046	U	0.046	U	0.046
	9-Jul-13	0.18		NS		0.14		0.15		NS		NS
	18-Oct-13	NS		0.092	U	NS	NS	0.092	U	0.092	U	0.092
	9-Jan-14	0.092	U	NS	U	0.092	U	0.092	U	NS	0.092	U
	24-Apr-14	NS		0.046	U	NS	NS	0.046	U	0.046	U	0.046
	1-Aug-14	0.092	U	NS	U	0.14	U	0.25	U	NS	0.092	U
	27-Aug-14	NS		NS	U	NS	NS	0.092	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	0.14	U	NS
	22-Oct-14	NS		0.14	U	NS	NS	0.14	U	0.14	U	0.14
	20-Jan-15	0.092	U	NS	U	0.092	U	0.092	U	NS	0.092	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.10	U
	22-Apr-15	NS		0.094	U	NS	NS	0.092	U	0.092	U	0.11
	21-Jul-15	0.2	U	NS	U	0.9	U	5	U	0.3	U	0.2
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	0.2	U	NS
	29-Oct-15	NS		0.3	U	NS	NS	0.3	U	0.4	U	0.2
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	U	NS	NS	NS
	27-Jan-16	0.092	U	NS	U	0.092	U	0.092	U	NS	0.092	U
	20-Apr-16	NS		0.092	U	NS	NS	0.092	U	0.092	U	0.092
	20-Jul-16	0.46	U	NS	U	0.46	U	0.46	U	0.46	U	0.46
	21-Oct-16	NS		0.092	U	NS	NS	0.092	U	NS	0.092	U
	31-Jan-17	0.092	U	NS	U	0.092	U	0.092	U	NS	0.092	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloroethane	8-Feb-08	0.05	U	NS	NS	0.05	U	NS	NS	0.05	U	0.05
	27-Mar-08	NS		0.053	U	NS	NS	0.053	U	NS	NS	0.053
	25-Apr-08	NS		NS	U	NS	NS	0.139	NS	0.053	U	0.053
	29-May-08	NS		NS	U	NS	NS	NS	NS	0.07	U	NS
	27-Jun-08	0.082	U	NS	U	NS	0.11	NS	NS	0.05	U	NS
	31-Jul-08	NS		0.053	U	NS	0.132	NS	NS	0.053	U	0.053
	28-Aug-08	NS		NS	U	NS	NS	0.153	NS	0.053	U	NS
	30-Sep-08	NS		NS	U	1.3	U	NS	1.3	U	0.075	NS
	27-Oct-08	1.3	U	NS	NS	1.3	U	NS	NS	1.3	U	1.3
	25-Nov-08	NS		1.3	U	NS	1.3	U	NS	1.3	U	1.6
	18-Dec-08	NS		NS	U	1.3	U	NS	1.3	U	1.3	U
	21-Jan-09	NS		NS	U	1.3	U	NS	1.3	U	NS	1.3
	25-Feb-09	1.3	U	NS	NS	1.3	U	NS	NS	1.3	U	NS
	26-Mar-09	NS		0.264	U	NS	NS	0.527	U	NS	NS	0.1212
	29-Apr-09	NS		NS	U	0.137	NS	NS	0.063	NS	0.053	U
	22-Jul-09	0.264	U	NS	U	10.8	0.527	U	0.277	NS	0.053	U
	9-Oct-09	NS		0.053	U	NS	0.058	NS	0.406	11	U	0.053
	15-Jan-10	0.053	U	NS	U	0.074	0.066	NS	0.053	NS	0.053	U
	21-Apr-10	NS		0.074	NS	NS	0.264	NS	0.303	0.303	U	0.116
	16-Jul-10	0.1	NS	2.55	U	0.166	NS	0.398	U	NS	0.053	0.087
	15-Oct-10	NS		0.053	U	NS	0.082	NS	0.071	0.053	U	0.053
	26-Jan-11	0.527	U	0.053	U	NS	0.077	NS	0.264	U	0.264	U
	28-Feb-11	NS		NS	U	,527	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.053	U	NS	NS	0.079	U	0.082	0.053	U
	26-Jul-11	0.176	U	NS	U	0.176	0.116	NS	0.264	U	0.053	0.264
	28-Oct-11	NS		1.3	U	NS	1.3	U	NS	1.3	U	1.3
	23-Jan-12	0.26	U	NS	U	0.26	U	0.26	U	NS	0.26	U
	13-Apr-12	NS		0.26	U	NS	NS	0.26	U	0.26	U	0.26
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.26	U	NS	U	0.26	U	0.26	U	NS	0.26	U
	1-Nov-12	NS		0.053	U	NS	0.085	NS	0.08	0.053	U	0.087
	1-Feb-13	0.082	NS	0.053	U	0.11	NS	0.053	U	NS	0.053	U
	29-Apr-13	NS		0.4	NS	NS	0.11	U	NS	0.11	U	0.11
	9-Jul-13	0.11	NS	0.12	U	0.31	NS	0.091	NS	0.11	U	0.053
	18-Oct-13	NS		0.053	U	NS	0.11	NS	0.091	0.053	U	0.053
	9-Jan-14	0.084	NS	0.053	U	0.053	0.11	NS	0.053	NS	0.053	U
	24-Apr-14	NS		0.026	U	NS	0.026	U	0.13	0.026	U	0.026
	1-Aug-14	0.23	NS	0.43	U	0.53	NS	NS	NS	0.059	0.053	U
	27-Aug-14	NS		NS	U	NS	NS	0.072	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	NS	0.079	U	NS
	22-Oct-14	NS		0.079	U	NS	0.079	U	0.35	0.079	U	0.11
	20-Jan-15	0.069 <sup>v</sup>	NS	0.094	U	0.062	NS	0.24 <sup>v</sup>	NS	0.079 <sup>v</sup>	U	0.053 <sup>v</sup>
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	U	0.059
	22-Apr-15	NS		0.20 <sup>v</sup>	NS	NS	0.19 <sup>v</sup>	N	0.16	0.077	U	0.72
	21-Jul-15	0.1	U	NS	U	3	NS	0.21	NS	0.1	U	0.1 <sup>o</sup>
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	NS	NS	NS	NS
	29-Oct-15	NS		0.1	U	NS	0.1	U	NS	0.1	U	0.1
	4-Dec-15 resample	NS		0.1	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.1	NS	0.11	U	0.12	NS	0.11	NS	0.053	U	0.053
	20-Apr-16	NS		0.14	NS	NS	0.053	U	0.073	0.053	U	NS
	20-Jul-16	0.26	U,L,V	NS	U,L,V	0.26	U,L,V	0.77	L,V	NS	0.26	U,L,V
	21-Oct-16	NS		0.16	NS	NS	0.069	NS	0.088	0.053	U	NS
	31-Jan-17	0.053	U	NS	U	0.14	0.053	U	NS	NS	0.053	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloroform	8-Feb-08	0.1	U	NS	NS	NS	U	NS	NS	0.12	0.12	NS
	27-Mar-08	NS		0.098	U	NS		0.125	NS	NS	0.453	0.847
	25-Apr-08	NS		NS	0.231	NS		NS	0.203	NS	NS	0.265
	29-May-08	NS		NS	NS	0.14		NS	NS	0.134	NS	NS
	27-Jun-08	0.263		NS	NS	0.623		NS	NS	0.11	0.14	NS
	31-Jul-08	NS		0.145	U	NS		NS	NS	0.13	NS	0.124
	28-Aug-08	NS		NS	0.098	U	NS	NS	1.2	NS	0.386	NS
	30-Sep-08	NS		NS	0.49	U	NS	NS	0.49	U	0.49	U
	27-Oct-08	0.49	U	NS	NS	0.49	U	NS	NS	0.49	U	0.49
	25-Nov-08	NS		0.24	U	NS		0.24	U	NS	0.24	U
	18-Dec-08	NS		NS	0.24	U	NS	NS	U	NS	0.24	U
	21-Jan-09	NS		NS	0.24	U	NS	NS	U	0.24	U	0.24
	25-Feb-09	0.24	U	NS	NS	0.24	U	NS	NS	0.24	U	NS
	26-Mar-09	NS		0.488	U	NS		1.29	NS	NS	0.265	0.2
	29-Apr-09	NS		NS	0.098	U	NS	NS	U	NS	0.098	U
	22-Jul-09	0.488	U	NS	19.9	U	0.976	U	0.488	NS	0.429	NS
	9-Oct-09	NS		0.205	U	NS		0.263	NS	0.268	20.4	NS
	15-Jan-10	0.176		NS	7.22		0.146	U	0.19	NS	0.098	U
	21-Apr-10	NS		0.098	U	NS		0.488	U	0.488	U	0.22
	16-Jul-10	0.361		NS	0.098	U	0.215	U	0.737	NS	0.205	U
	15-Oct-10	NS		0.171	NS	NS		0.366	NS	0.654	0.117	NS
	26-Jan-11	2.78		0.122	NS	0.161		0.488	U	NS	0.488	U
	28-Feb-11	NS		NS	0.976	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.136	NS	NS		0.185	NS	0.117	0.273	0.098
	26-Jul-11	0.326	U	NS	0.326	U	0.239	NS	1.37	NS	0.244	U
	28-Oct-11	NS		2.4	U	NS		2.4	U	2.4	2.4	U
	23-Jan-12	0.49	U	NS	0.84	U	0.49	U	0.49	NS	0.49	U
	13-Apr-12	NS		0.24	U	NS		0.24	U	0.24	U	0.24
	2-Jul-12 (resample)	NS		NS	NS	NS		NS	NS	NS	1.2	U
	23-Jun-12	0.49	U	NS	0.49	U	0.49	U	0.49	NS	0.58	NS
	1-Nov-12	NS		0.088	NS	NS		0.28	NS	0.12	0.076	NS
	1-Feb-13	0.14		NS	0.46	0.15		0.19	NS	NS	0.11	0.18
	29-Apr-13	NS		0.15	NS	NS		0.19	NS	0.13	0.13	NS
	9-Jul-13	0.34		NS	0.63	0.33		0.27	NS	NS	0.24	0.27
	18-Oct-13	NS		0.098	U	NS		0.29	NS	0.12	0.11	NS
	9-Jan-14	0.12		NS	0.94	0.18		0.27	NS	NS	0.16	0.25
	24-Apr-14	NS		0.049	U	NS		0.21	NS	0.11	0.049	0.32
	1-Aug-14	1.0		NS	2.7/3.6	0.32		NS	NS	NS	2.1	NS
	27-Aug-14	NS		NS	NS	NS		0.19	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS		NS	NS	0.12	NS	NS
	22-Oct-14	NS		0.073	U	NS		0.24	0.15	0.16	0.073	0.098
	20-Jan-15	0.049	U	NS	1.4	0.14		0.29	NS	NS	0.073	U
	30-Mar-15 (resample)	NS		NS	NS	NS		NS	NS	NS	0.15	NS
	22-Apr-15	NS		0.17 <sup>v</sup>	NS	NS		0.21 <sup>v</sup>	NS	0.13	0.071	0.17
	21-Jul-15	0.130 <sup>j</sup>		NS	1	5	U	NS	0.21 <sup>j</sup>	NS	0.14 <sup>j,o</sup>	0.17 <sup>j,o</sup>
	23-Sept-15 resample	NS		NS	NS	NS		NS	NS	0.2	NS	NS
	29-Oct-15	NS		0.16 <sup>j</sup>	NS	NS		0.16 <sup>j</sup>	NS	0.4	U	0.28
	4-Dec-15 resample	NS		0.2	U	NS		NS	NS	NS	NS	NS
	27-Jan-16	0.086		NS	1	0.13		0.11	NS	NS	0.094	0.16
	20-Apr-16	NS		0.08	NS	NS		0.18	NS	0.1	0.096	0.13
	20-Jul-16	0.24	U	NS	0.69	0.38		NS	0.47	NS	0.35	0.44
	21-Oct-16	NS		0.13	NS	NS		0.27	NS	0.12	0.23	NS
	31-Jan-17	0.078		NS	0.56	0.2		NS	0.13	NS	0.094	0.41

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
			Qual		Qual	Qual		Qual		Qual	Qual	Qual	Qual
Chloromethane	8-Feb-08	2.44	U	NS		NS		NS		2.44	U	2.44	U
	27-Mar-08	NS		2.67		NS		NS		NS	NS	2.44	U
	25-Apr-08	NS		NS		2.44	U	NS		2.44	U	NS	2.44
	29-May-08	NS		NS		2.44	U	NS		2.44	U	2.44	U
	27-Jun-08	3.8	U	NS		NS		NS		NS	NS	2.44	U
	31-Jul-08	NS		4.64		NS		NS		NS	NS	2.44	U
	28-Aug-08	NS		NS		2.44	U	NS		2.44	U	NS	U
	30-Sep-08	NS		NS		1	U	NS		1	U	1	U
	27-Oct-08	1	U	NS		NS		1	U	NS	1.1	NS	3.5
	25-Nov-08	NS		1	U	NS		NS		1	U	1	U
	18-Dec-08	NS		NS		1	U	NS		1	U	1.4	1
	21-Jan-09	NS		NS		NS		NS		NS	1	NS	1
	25-Feb-09	1		NS		NS		NS		NS	1	1.2	NS
	26-Mar-09	NS		12.2	U	NS		NS		NS	NS	4.58	2.44
	29-Apr-09	NS		NS		22.4		NS		NS	2.44	U	2.44
	22-Jul-09	18.5		NS		497	U	32		NS	2.44	U	6.29
	9-Oct-09	NS		2.44	U	NS		NS		NS	509	U	2.44
	15-Jan-10	2.44	U	NS		2.78		2.44	U	NS	2.44	U	2.44
	21-Apr-10	NS		3.25		NS		NS		12.2	U	12.2	NS
	16-Jul-10	1.32		NS		62.8		1.48		NS	NS	1.03	U
	15-Oct-10	NS		1.03	U	NS		1.03	U	NS	1.03	U	1.03
	26-Jan-11	10.3	U	1.03	U	NS		1.03	U	NS	5.16	U	5.16
	28-Feb-11	NS		NS		10.3	U	NS		NS	NS	NS	NS
	27-Apr-11	NS		1.23		NS		NS		NS	1.03	U	1.29
	26-Jul-11	3.45	U	NS		3.45	U	1.03	U	NS	5.16	U	NS
	28-Oct-11	NS		1	U	NS		1	U	NS	1	U	1.2
	23-Jan-12	0.21	U	NS		0.21	U	0.21	U	NS	NS	0.21	U
	13-Apr-12	NS		0.21	U	NS		0.21	U	NS	0.21	U	0.97
	2-Jul-12 (resample)	NS		NS		NS		NS		NS	NS	1.1	NS
	23-Jun-12	0.21	U	NS		0.21	U	0.21	U	NS	NS	0.21	U
	1-Nov-12	NS		0.041	U	NS		0.041	U	NS	0.041	U	0.37
	1-Feb-13	0.5		NS		1.8		2.1		NS	NS	0.71	NS
	29-Apr-13	NS		0.21	U	NS		0.083	U	NS	0.083	U	0.73
	9-Jul-13	0.12	U	NS		0.083	U	0.083	U	NS	NS	1.0	0.083
	18-Oct-13	NS		0.083	U	NS		0.083	U	NS	0.083	U	0.40
	9-Jan-14	3.2		NS		1.5		0.083	U	NS	0.083	U	0.64
	24-Apr-14	NS		4.6		NS		4.5		NS	3.5	U	0.47
	1-Aug-14	0.083	U	NS		0.12	U	0.12	U	NS	NS	0.083	U
	27-Aug-14	NS		NS		NS		NS		1.7	NS	NS	NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS	0.12 <sup>L,V</sup>	U	NS
	22-Oct-14	NS		1.3		NS		0.12	U	0.74	0.12	U	1.30
	20-Jan-15	0.083 <sup>V</sup>	U	NS		3 <sup>V</sup>		0.083	U	NS	0.12	U	0.74
	30-Mar-15 (resample)	NS		NS		NS		NS		NS	NS	0.69 <sup>V</sup>	NS
	22-Apr-15	NS		0.085 <sup>V</sup>	U	NS		0.083 <sup>V</sup>	U	NS	0.083	U	0.093
	21-Jul-15	0.69		NS		6.9		2	U	NS	NS	0.11 <sup>O</sup>	1.4
	23-Sept-15 resample	NS		NS		NS		NS		NS	0.09	U	NS
	29-Oct-15	NS		11		NS		NS		3.6	1.5	0.73	NS
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS	NS	NS	NS
	27-Jan-16	0.083	U	NS		3.9		0.083	U	2.1	NS	1.4	1
	20-Apr-16	NS		7.7		NS		NS		2.4	1.4	1.1	NS
	20-Jul-16	0.41	U	NS		4.3		0.41	U	5	NS	1.1	1
	21-Oct-16	NS		0.083	U	NS		NS		0.083	U	1.4	0.9
	31-Jan-17	0.083	U	NS		3.8		0.96		1.4	NS	1.1	0.82

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dibromochloromethane	8-Feb-08	0.1	U	NS	NS	NS	0.1	U	NS	NS	0.1	U
	27-Mar-08	NS		0.096	U	NS	NS	0.096	U	NS	0.096	U
	25-Apr-08	NS		NS	U	NS	NS	0.096	U	NS	0.096	U
	29-May-08	NS		NS	U	0.1	U	NS	NS	0.1	U	NS
	27-Jun-08	0.15	U	NS	U	NS	0.096	U	NS	NS	0.096	U
	31-Jul-08	NS		0.096	U	NS	NS	NS	NS	0.096	U	0.096
	28-Aug-08	NS		NS	U	NS	NS	0.096	U	NS	0.096	U
	30-Sep-08	NS		NS	U	4.2	U	NS	4.2	U	4.2	U
	27-Oct-08	4.2	U	NS	NS	NS	4.2	U	NS	4.2	U	4.2
	25-Nov-08	NS		4.2	U	NS	NS	4.2	U	NS	4.2	U
	18-Dec-08	NS		NS	U	NS	NS	4.2	U	NS	4.2	U
	21-Jan-09	NS		NS	U	4.2	U	NS	4.2	U	NS	4.2
	25-Feb-09	4.2	U	NS	NS	NS	4.2	U	NS	4.2	U	NS
	26-Mar-09	NS		0.48	U	NS	NS	0.96	U	NS	0.096	U
	29-Apr-09	NS		NS	U	0.096	U	NS	0.096	U	NS	0.096
	22-Jul-09	0.48	U	NS	U	19.6	U	0.96	U	NS	0.096	U
	9-Oct-09	NS		0.096	U	NS	NS	U	0.096	U	20	U
	15-Jan-10	0.096	U	NS	U	0.096	U	NS	U	NS	0.096	U
	21-Apr-10	NS		0.096	U	NS	NS	0.48	U	NS	0.096	U
	16-Jul-10	0.17	U	NS	U	0.17	U	1.28	U	NS	0.17	U
	15-Oct-10	NS		0.17	U	NS	0.17	U	NS	0.17	U	0.17
	26-Jan-11	1.7	U	0.17	U	NS	0.17	U	0.851	U	NS	0.851
	28-Feb-11	NS		NS	U	1.7	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.17	U	NS	NS	0.17	U	0.17	U	0.17
	26-Jul-11	0.568	U	NS	U	0.568	U	0.852	U	NS	0.17	U
	28-Oct-11	NS		4.3	U	NS	4.3	U	NS	4.3	U	4.3
	23-Jan-12	0.85	U	NS	U	0.85	U	0.85	U	NS	0.85	U
	13-Apr-12	NS		0.85	U	NS	NS	0.85	U	0.85	U	0.85
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	2.1	U
	23-Jun-12	0.85	U	NS	U	0.85	U	0.85	U	NS	0.85	U
	1-Nov-12	NS		0.085	U	NS	0.085	U	0.085	U	0.085	U
	1-Feb-13	0.17	U	NS	U	0.17	U	NS	0.17	U	0.17	U
	29-Apr-13	NS		0.21	U	NS	0.085	U	0.085	U	0.085	U
	9-Jul-13	0.26	U	NS	U	0.17	U	NS	0.17	U	0.17	U
	18-Oct-13	NS		0.17	U	NS	0.17	U	NS	0.17	U	0.17
	9-Jan-14	0.17	U	NS	U	0.17	U	0.17	U	NS	0.17	U
	24-Apr-14	NS		0.085	U	NS	0.085	U	NS	0.085	U	0.085
	1-Aug-14	0.17	U	NS	U	0.26	U	NS	NS	0.17	U	NS
	27-Aug-14	NS		NS	U	NS	NS	0.085	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	0.13	U	NS
	22-Oct-14	NS		0.13	U	NS	NS	0.13	U	0.13	U	0.13
	20-Jan-15	0.085	U	NS	U	0.085	U	0.085	U	NS	0.085	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.096	U
	22-Apr-15	NS		0.087	U	NS	0.085	U	NS	0.083	U	0.085
	21-Jul-15	0.4	U	NS	U	2	U	8	U	0.5	U	0.4
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	0.4	U	NS
	29-Oct-15	NS		0.5	U	NS	NS	0.5	U	0.7	U	0.4
	4-Dec-15 resample	NS		0.4	U	NS						
	27-Jan-16	0.085	U	NS	U	0.085	U	0.085	U	NS	0.085	U
	20-Apr-16	NS		0.085	U	NS	0.085	U	0.085	U	0.085	U
	20-Jul-16	0.43	U	NS	U	0.43	U	0.43	U	NS	0.43	U
	21-Oct-16	NS		0.085	U	NS	0.085	U	0.085	U	0.085	U
	31-Jan-17	0.085	U	NS	U	0.085	U	0.085	U	NS	0.085	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dibromoethane	8-Feb-08	0.15	U	NS	NS	0.15	U	NS	NS	0.15	U	0.15
	27-Mar-08	NS		0.154	U	NS	NS	0.154	U	NS	NS	0.154
	25-Apr-08	NS		NS	U	0.154	U	NS	0.154	U	NS	0.154
	29-May-08	NS		NS	U	0.15	U	NS	NS	0.15	U	NS
	27-Jun-08	0.239	U	NS	U	NS	0.154	U	NS	0.15	U	0.154
	31-Jul-08	NS		0.154	U	NS	NS	NS	NS	0.154	U	0.154
	28-Aug-08	NS		NS	U	0.154	U	NS	0.154	U	0.154	U
	30-Sep-08	NS		NS	U	0.15	U	NS	0.15	U	0.15	U
	27-Oct-08	0.15	U	NS	U	NS	0.15	U	NS	0.15	U	0.15
	25-Nov-08	NS		0.15	U	NS	NS	0.15	U	NS	0.15	U
	18-Dec-08	NS		NS	U	0.15	U	NS	0.15	U	0.15	U
	21-Jan-09	NS		NS	U	0.15	U	NS	0.15	U	0.15	U
	25-Feb-09	0.15	U	NS	U	NS	0.15	U	NS	0.15	U	NS
	26-Mar-09	NS		0.768	U	NS	NS	1.54	U	NS	NS	0.154
	29-Apr-09	NS		NS	U	0.154	U	NS	0.154	U	NS	0.154
	22-Jul-09	0.768	U	NS	U	31.3	U	1.54	U	NS	0.154	U
	9-Oct-09	NS		0.154	U	NS	NS	0.154	U	32	U	0.154
	15-Jan-10	0.154	U	NS	U	0.154	U	NS	0.154	U	0.154	U
	21-Apr-10	NS		0.154	U	NS	NS	0.768	U	0.768	U	0.154
	16-Jul-10	0.154	U	NS	U	0.154	U	NS	1.16	U	NS	0.154
	15-Oct-10	NS		0.154	U	NS	NS	0.154	U	0.154	U	0.154
	26-Jan-11	1.54	U	0.154	U	NS	0.154	U	0.768	U	0.768	U
	28-Feb-11	NS		NS	U	1.54	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.154	U	NS	NS	0.154	U	0.154	U	0.154
	26-Jul-11	0.512	U	NS	U	0.512	U	0.154	U	0.768	U	0.768
	28-Oct-11	NS		3.8	U	NS	NS	3.8	U	NS	3.8	U
	23-Jan-12	0.77	U	NS	U	0.77	U	0.77	U	0.77	U	0.77
	13-Apr-12	NS		0.38	U	NS	NS	0.38	U	0.38	U	0.38
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	1.9	U
	23-Jun-12	0.77	U	NS	U	0.77	U	0.77	U	0.77	U	0.77
	1-Nov-12	NS		0.077	U	NS	0.077	U	0.077	U	0.077	U
	1-Feb-13	0.077	U	NS	U	0.077	U	NS	0.077	U	0.077	U
	29-Apr-13	NS		0.19	U	NS	NS	0.077	U	0.077	U	0.077
	9-Jul-13	0.12	U	NS	U	0.077	U	0.077	U	0.077	U	0.077
	18-Oct-13	NS		0.15	U	NS	NS	0.15	U	0.15	U	0.15
	9-Jan-14	0.15	U	NS	U	0.15	U	0.15	U	0.15	U	0.15
	24-Apr-14	NS		0.077	U	NS	0.077	U	NS	0.077	U	0.077
	1-Aug-14	0.15	U	NS	U	0.23	U	NS	NS	0.15	U	NS
	27-Aug-14	NS		NS	U	NS	NS	0.077	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	0.12	U	NS
	22-Oct-14	NS		0.12	U	NS	NS	0.12	U	0.12	U	0.15
	20-Jan-15	0.077	U	NS	U	0.077	U	0.077	U	0.12	U	0.077
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.086	U
	22-Apr-15	NS		0.079	U	NS	0.077	U	0.077	U	0.077	U
	21-Jul-15	0.4	U	NS	U	2	U	8	U	0.11	U	0.4°
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	0.4	U	NS
	29-Oct-15	NS		0.4	U	NS	NS	0.4	U	0.6	U	0.4
	4-Dec-15 resample	NS		0.4	U	NS	NS	NS	U	NS	NS	NS
	27-Jan-16	0.077	U	NS	U	0.077	U	0.077	U	0.077	U	0.077
	20-Apr-16	NS		0.077	U	NS	NS	0.077	U	0.077	U	0.077
	20-Jul-16	0.38	U	NS	U	0.38	U	0.38	U	0.38	U	0.38
	21-Oct-16	NS		0.077	U	NS	NS	0.077	U	0.077	U	0.077
	31-Jan-17	0.077	U	NS	U	0.077	U	0.077	U	0.077	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
			Qual		Qual		Qual			Qual	Qual	Qual	Qual
1,2-Dichlorobenzene	8-Feb-08	0.12	U	NS	NS	NS	0.12	U	NS	NS	0.12	U	0.55
	27-Mar-08	NS		0.12	U	NS	NS	0.12	U	NS	NS	0.12	U
	25-Apr-08	NS		NS	U	0.12	NS	NS	0.12	U	0.12	U	0.12
	29-May-08	NS		NS	U	0.12	U	NS	NS	0.12	U	0.12	U
	27-Jun-08	0.187	U	NS	U	NS	0.12	U	NS	NS	0.12	U	0.12
	31-Jul-08	NS		0.12	U	NS	NS	NS	NS	0.12	U	NS	0.12
	28-Aug-08	NS		NS	U	0.12	NS	NS	0.12	U	0.12	U	NS
	30-Sep-08	NS		NS	U	3	NS	NS	3	U	3	U	3
	27-Oct-08	3	U	NS	NS	NS	3	U	NS	3	U	NS	3
	25-Nov-08	NS		3	U	NS	NS	3	U	NS	3	U	NS
	18-Dec-08	NS		NS	U	3	NS	NS	3	U	NS	3	U
	21-Jan-09	NS		NS	U	3	NS	NS	3	U	NS	3	U
	25-Feb-09	3	U	NS	NS	NS	3	U	NS	3	U	NS	NS
	26-Mar-09	NS		0.601	U	NS	NS	1.2	U	NS	NS	0.12	U
	29-Apr-09	NS		NS	U	0.12	NS	NS	0.12	U	NS	0.12	U
	22-Jul-09	0.601	U	NS	U	24	U	1.2	U	0.601	NS	0.12	U
	9-Oct-09	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	15-Jan-10	0.12	U	NS	U	0.12	U	NS	0.12	U	NS	0.12	U
	21-Apr-10	NS		0.12	U	NS	NS	0.601	U	NS	0.601	U	0.12
	16-Jul-10	0.12	U	NS	U	0.12	U	NS	0.907	U	NS	0.12	U
	15-Oct-10	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	26-Jan-11	1.2	U	0.12	U	NS	0.12	U	NS	0.601	U	0.601	U
	28-Feb-11	NS		NS	U	1.2	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	26-Jul-11	0.401	U	NS	U	0.401	U	0.12	U	0.601	U	0.601	U
	28-Oct-11	NS		3	U	NS	NS	3	U	NS	3	U	3
	23-Jan-12	0.6	U	NS	U	0.6	U	0.1	U	0.6	U	0.6	U
	13-Apr-12	NS		0.6	U	NS	NS	0.6	U	NS	0.6	U	0.6
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	NS	3	U
	23-Jun-12	0.6	U	NS	U	0.6	U	0.6	U	0.6	U	0.6	U
	1-Nov-12	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	1-Feb-13	0.12	U	NS	U	0.12	U	NS	0.12	U	NS	0.12	U
	29-Apr-13	NS		0.3	U	NS	NS	0.12	U	NS	0.12	U	0.12
	9-Jul-13	0.18	U	NS	U	0.12	U	NS	0.12	U	NS	0.12	U
	18-Oct-13	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	9-Jan-14	0.12	U	NS	U	0.12	U	NS	0.12	U	NS	0.12	U
	24-Apr-14	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	0.18
	1-Aug-14	0.12	U	NS	U	0.18	U	0.69	U	NS	0.12	U	NS
	27-Aug-14	NS		NS	U	NS	NS	0.12	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.18	U	NS
	22-Oct-14	NS		0.18	U	NS	NS	0.18	U	0.18	U	0.18	U
	20-Jan-15	0.12	U	NS	U	0.12	U	NS	0.12	U	NS	0.12	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	U	NS	NS	0.14	U
	22-Apr-15	NS		0.12	U	NS	NS	0.12	U	0.17	U	0.12	NS
	21-Jul-15	0.3	U	NS	U	0.900 <sup>j</sup>	6	U	NS	0.3	U	0.3 <sup>o</sup>	0.84 <sup>o</sup>
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	NS	0.3	U	NS
	29-Oct-15	NS		0.3	U	NS	NS	4	U	NS	0.5	U	0.3
	4-Dec-15 resample	NS		0.3	U	NS	NS	NS	U	NS	NS	NS	NS
	27-Jan-16	0.12	U	NS	U	0.12	U	NS	0.12	U	NS	0.12	U
	20-Apr-16	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	20-Jul-16	0.60	U	NS	U	0.60	U	NS	0.60	U	NS	0.60	U
	21-Oct-16	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	31-Jan-17	0.12	U	NS	U	0.12	U	NS	0.12	U	NS	0.12	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
			Qual		Qual		Qual			Qual	Qual	Qual	Qual
1,3-Dichlorobenzene	8-Feb-08	0.12	U	NS	NS	NS	0.12	U	NS	NS	0.12	U	0.12
	27-Mar-08	NS		0.12	U	NS	0.6		NS	NS	NS	U	0.12
	25-Apr-08	NS		NS	U	0.12	NS		NS	NS	0.12	U	0.12
	29-May-08	NS		NS	U	1.18	NS		NS	NS	0.62	U	NS
	27-Jun-08	0.187	U	NS	0.822	NS	0.257		NS	NS	0.22	U	0.12
	31-Jul-08	NS		NS	U	0.12	NS		NS	NS	0.12	U	0.12
	28-Aug-08	NS		NS	U	NS	NS		NS	NS	0.12	U	NS
	30-Sep-08	NS		NS	U	3	NS		NS	NS	3	U	3
	27-Oct-08	3	U	NS	NS	NS	3	U	NS	NS	3	U	3
	25-Nov-08	NS		3	U	NS	NS	U	NS	NS	3	U	NS
	18-Dec-08	NS		NS	U	3	NS		NS	NS	3	U	3
	21-Jan-09	NS		NS	U	3	NS		NS	NS	3	U	3
	25-Feb-09	3	U	NS	NS	NS	3	U	NS	NS	3	U	NS
	26-Mar-09	NS		0.601	U	NS	NS	U	1.2	NS	NS	0.12	U
	29-Apr-09	NS		NS	U	0.12	NS		NS	NS	0.12	U	0.12
	22-Jul-09	0.601	U	NS	24.5	U	1.2	U	0.601	NS	0.12	U	NS
	9-Oct-09	NS		0.12	U	NS	NS	U	0.12	U	25.1	U	0.12
	15-Jan-10	0.12		NS	U	0.12	U	NS	0.12	U	0.12	U	NS
	21-Apr-10	NS		0.12	U	NS	NS	U	0.601	U	0.12	U	0.12
	16-Jul-10	0.595		NS	U	0.685	1.99	NS	0.907	U	NS	0.132	0.162
	15-Oct-10	NS		0.12	U	NS	NS	U	0.12	U	0.12	U	0.12
	26-Jan-11	1.2	U	0.12	U	NS	0.12	U	0.601	U	0.601	U	0.601
	28-Feb-11	NS		NS	U	1.2	NS		NS	NS	NS	U	NS
	27-Apr-11	NS		0.12	U	NS	NS	U	0.42	NS	0.12	U	0.12
	26-Jul-11	0.401	U	NS	U	0.401	0.12	U	0.601	U	NS	0.12	U
	28-Oct-11	NS		3	U	NS	NS	U	3	U	3	U	3
	23-Jan-12	1.6		NS	U	1.8	2.3	NS	1.6	NS	1.9	U	2.7
	13-Apr-12	NS		0.6	U	NS	NS	U	0.6	U	2	U	0.6
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	NS	U	NS
	23-Jun-12	0.6	U	NS	U	0.6	0.6	U	0.6	U	0.6	U	0.6
	1-Nov-12	NS		1.2		NS	2.6		NS	6	2.2		0.12
	1-Feb-13	0.18		NS		0.34	0.56		NS	NS	0.17	U	NS
	29-Apr-13	NS		1.3		NS	NS		4.5	NS	6	U	0.14
	9-Jul-13	1.3		NS		2.0	3.9		NS	NS	0.12	U	NS
	18-Oct-13	NS		0.52		NS	NS		1.4	NS	2.6		0.22
	9-Jan-14	0.58		NS		0.9	1.1		NS	0.84	NS	3.0	NS
	24-Apr-14	NS		0.12		NS	0.14		NS	0.12	U	0.1	0.18
	1-Aug-14	4.2		NS		4.8/6.7	4.9/7.6		NS	NS	3.6		NS
	27-Aug-14	NS		NS		NS	NS		0.80	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS		NS	NS		NS	NS	0.82	NS	NS
	22-Oct-14	NS		0.18		NS	NS		0.18	U	0.18	U	0.24
	20-Jan-15	0.12	U	NS		0.120	U	0.12	NS	NS	0.2	U	0.12
	30-Mar-15 (resample)	NS		NS		NS	NS		NS	NS	0.14	U	NS
	22-Apr-15	NS		0.13		NS	NS		0.36	NS	0.78/0.87	U	0.17
	21-Jul-15	0.3	U	NS		1	6	U	0.30 <sup>J</sup>	NS	0.3 <sup>O</sup>	U	NS
	23-Sept-15 resample	NS		NS		NS	NS		NS	NS	0.3 <sup>O</sup>	U	NS
	29-Oct-15	NS		0.3		NS	NS		0.3	U	0.3	U	0.3
	4-Dec-15 resample	NS		0.3		NS	NS		NS	NS	NS	U	NS
	27-Jan-16	0.12	U	NS		0.12	0.22 <sup>M</sup>		NS	NS	0.21 <sup>M</sup>	U	NS
	20-Apr-16	NS		0.31		NS	NS		0.51	NS	0.22	NS	0.21
	20-Jul-16	0.60	U	NS		1.3	0.60	U	NS	0.60	0.60	U	NS
	21-Oct-16	NS		0.12		NS	NS		0.12	U	0.12	U	0.12
	31-Jan-17	0.12	U	NS		0.13	0.13		NS	NS	0.41	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,4-Dichlorobenzene	8-Feb-08	1.56		NS		NS	0.26	NS		NS	9.5	7.91
	27-Mar-08	NS		4.33		NS	NS	8.48	NS	NS	NS	6.28
	25-Apr-08	NS		NS	0.347	NS	NS	NS	32.3	NS	17.9	15.1
	29-May-08	NS		NS	NS	5.5	NS	NS	NS	10	9.41	16.3
	27-Jun-08	47.3		NS	NS	38.1	NS	NS	NS	NS	NS	4.18
	31-Jul-08	NS		2.46		NS	NS	NS	NS	NS	NS	40.8
	28-Aug-08	NS		NS	234	NS	NS	NS	214	NS	229	57.9
	30-Sep-08	NS		NS	NS	7.2	NS	NS	NS	3	1.84	2.04
	27-Oct-08	3	U	NS	NS	NS	3	U	NS	NS	NS	6.8
	25-Nov-08	NS		3	U	NS	3	U	NS	NS	3	3
	18-Dec-08	NS		NS	3	U	NS	NS	4.7	NS	NS	10.3
	21-Jan-09	NS		NS	NS	3	U	NS	NS	3	13.9	17.1
	25-Feb-09	3	U	NS	NS	NS	3	U	NS	NS	3	3
	26-Mar-09	NS		5.43	NS	*	NS	4.87	NS	NS	NS	20.6
	29-Apr-09	NS		NS	1.2	NS	NS	NS	1.91	NS	4.12	4.25
	22-Jul-09	0.601	U	NS	24.5	U	1.2	U	0.601	U	NS	0.613
	9-Oct-09	NS		3.31	NS	NS	3.44	NS	2.79	U	6.95	3.82
	15-Jan-10	0.12		NS	1.06	0.715	NS	0.823	NS	NS	2	1.98
	21-Apr-10	NS		0.12	NS	NS	0.601	U	NS	0.601	U	3.27
	16-Jul-10	1.78		NS	2.3	2.86	NS	1.36	NS	NS	1.63	5.05
	15-Oct-10	NS		0.685	NS	NS	1.75	NS	1.37	1.48	1.8	2.47
	26-Jan-11	1.2	U	0.12	U	NS	0.12	U	0.601	U	0.601	0.601
	28-Feb-11	NS		NS	1.2	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.985	NS	NS	1.08	NS	0.967	1.14	1.07	1.24
	26-Jul-11	5.45		NS	5.21	0.715	NS	5.26	NS	NS	5.54	4.69
	28-Oct-11	NS		3	U	NS	3	U	NS	3	U	3
	23-Jan-12	0.6	U	NS	0.6	U	0.6	U	0.6	U	0.6	0.66
	13-Apr-12	NS		0.6	U	NS	0.6	U	0.6	U	0.6	0.6
	2-Jul-12 (resample)	NS		NS	3	NS						
	23-Jun-12	0.6	U	NS	0.6	U	0.6	U	0.6	U	0.6	0.6
	1-Nov-12	NS		0.12	U	NS	0.12	U	NS	0.12	U	0.12
	1-Feb-13	0.12	U	NS	0.12	U	0.4	NS	0.12	U	0.12	0.12
	29-Apr-13	NS		0.3	U	NS	0.12	U	NS	0.12	U	0.12
	9-Jul-13	0.18	U	NS	0.14	0.16	NS	0.18	NS	NS	0.18	0.22
	18-Oct-13	NS		0.12	U	NS	0.12	U	0.12	U	0.12	0.12
	9-Jan-14	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.14	0.12
	24-Apr-14	NS		0.12	U	NS	0.12	U	NS	0.12	U	0.12
	1-Aug-14	0.12	U	NS	0.18	U	0.18	U	NS	0.12	U	0.12
	27-Aug-14	NS		NS								
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	NS	0.18	NS	NS
	22-Oct-14	NS		0.18	U	NS	0.18	U	0.18	U	0.18	0.24
	20-Jan-15	0.12	U	NS	0.120	U	0.12	U	0.12	U	0.18	0.13
	30-Mar-15 (resample)	NS		NS	0.14	NS						
	22-Apr-15	NS		0.12	U	NS	0.12	U	NS	0.12	U	0.14
	21-Jul-15	0.3	U	NS	1	U	6	U	0.3	U	0.3°	0.3°
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS	NS	0.3	NS	NS
	29-Oct-15	NS		0.3	U	NS	0.3	U	NS	0.5	0.3	0.3
	4-Dec-15 resample	NS		0.3	U	NS						
	27-Jan-16	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	0.13
	20-Apr-16	NS		0.12	U	NS	0.52	NS	0.12	U	0.12	NS
	20-Jul-16	0.60	U	NS	0.60	U	0.60	U	0.60	U	0.60	0.60
	21-Oct-16	NS		0.12	U	NS	0.12	U	NS	0.12	U	0.12
	31-Jan-17	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	8-Feb-08	2		NS		NS		NS		1.92	2	NS
	27-Mar-08	NS		2.29		NS		2.15		NS	2.72	4.14
	25-Apr-08	NS		NS	2.01	NS		NS		2.04	NS	2.16
	29-May-08	NS		NS	1.63	NS		NS		1.62	1.66	NS
	27-Jun-08	2.03		NS	NS	2.52		NS		NS	2.27	2.48
	31-Jul-08	NS		1.9	NS	NS		NS		1.81	NS	1.87
	28-Aug-08	NS		NS	3.13	NS		NS		2.75	2.88	NS
	30-Sep-08	NS		NS	2.5	U	NS	NS		2.5	2.5	U
	27-Oct-08	2.5	U	NS	NS	NS		NS		2.5	U	2.5
	25-Nov-08	NS		215	NS	NS		11.7		NS	5.1	NS
	18-Dec-08	NS		NS	25	NS		NS		NS	2.5	U
	21-Jan-09	NS		NS	2.5	U	NS	NS		2.5	U	2.5
	25-Feb-09	2.5	U	NS	NS	NS		19.4		NS	3.4	NS
	26-Mar-09	NS		2.55	NS	NS		2.48		NS	2.46	2.41
	29-Apr-09	NS		NS	2.41	NS		NS		2.26	NS	2.4
	22-Jul-09	2.42	NS	NS	2.42	2.72	NS	2.5		NS	2.37	2.48
	9-Oct-09	NS		2.73	NS	NS		2.77		3.67	51.6	U
	15-Jan-10	2.5	NS	NS	3.57	2.52	NS	2.61		NS	2.29	2.25
	21-Apr-10	NS		0.568	NS	NS		2.2		2.59	2.2	2.43
	16-Jul-10	3.36	NS	NS	2.61	2.55	NS	2.98		NS	3.15	3.29
	15-Oct-10	NS		3.13	NS	NS		2.67		2.43	2.41	2.43
	26-Jan-11	2.47	U	2.2	NS	2.64	NS	1.98		NS	2.57	3.31
	28-Feb-11	NS		NS	2.47	U	NS	NS		NS	NS	NS
	27-Apr-11	NS		2.18	NS	NS		2.27		NS	2.26	2.32
	26-Jul-11	2.41	NS	NS	2.29	2.28	NS	2.08		NS	2.44	2.3
	28-Oct-11	NS		2.7	NS	NS		2.7		2.7	2.9	NS
	23-Jan-12	2.5	NS	NS	2.6	2.6	NS	2.7		NS	2.6	2.6
	13-Apr-12	NS		2.5	NS	NS		2.9		2.4	3.2	NS
	2-Jul-12 (resample)	NS		NS	NS	NS		NS		NS	NS	2.8
	23-Jun-12	2.6	NS	NS	2.3	2.5	NS	2.3		NS	2.3	NS
	1-Nov-12	NS		1.8	NS	NS		1.8		2	1.9	2
	1-Feb-13	1.4	NS	1.4	1.5	NS		1.6		NS	1.6	1.6
	29-Apr-13	NS		2.6	NS	NS		2.3		2.2	2.2	2.3
	9-Jul-13	1	NS	1.1	0.99	NS		1.1		NS	1.0	1.1
	18-Oct-13	NS		2.0	NS	NS		1.9		1.9	2.2	2.1
	9-Jan-14	1.5	NS	1.2	1.3	NS		1.4		NS	1.5	1.5
	24-Apr-14	NS		2.7	NS	NS		2.6		2.3	2.6	3.1
	1-Aug-14	1.1	NS	NS	2.2/1.5	2.3/1.6	NS	NS		NS	1.6	2.2/1.6
	27-Aug-14	NS		NS	NS	NS		NS		NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS		NS		NS	NS	NS
	22-Oct-14	NS		1.3	NS	NS		1.4		1.4	1.6	1.4
	20-Jan-15	0.099	U	NS	1.5	1.4	NS	1.4		NS	1.4	1.5
	30-Mar-15 (resample)	NS		NS	NS	NS		NS		NS	1.4	NS
	22-Apr-15	NS		4.0 <sup>v</sup>	NS	NS		4.1 <sup>v</sup>		1.8	1.8	2.0
	21-Jul-15	0.88	NS	1.6	5	U	NS	0.91		NS	0.74 <sup>o</sup>	0.72 <sup>o</sup>
	23-Sept-15 resample	NS		NS	NS	NS		NS		0.93	NS	NS
	29-Oct-15	NS		1	NS	NS		0.89		0.88	0.89	0.83
	4-Dec-15 resample	NS		0.91	NS	NS		NS		NS	NS	NS
	27-Jan-16	2 <sup>M</sup>	NS	2 <sup>M</sup>	2.1 <sup>M</sup>	NS		2.1 <sup>M</sup>		NS	2.2 <sup>M</sup>	2.1 <sup>M</sup>
	20-Apr-16	NS		1.5	NS	NS		1.6		1.5	1.6	1.7
	20-Jul-16	1.4	NS	1.6	1.6	1.6	NS	1.6		1.7	1.6	1.5
	21-Oct-16	NS		0.55	NS	NS		0.55		0.58	0.56	0.51
	31-Jan-17	0.75	NS	0.79	0.8	NS		0.75		NS	0.78	0.86

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1-Dichloroethane	8-Feb-08	0.08	U	NS	NS	0.08	U	NS	NS	0.08	U	0.08
	27-Mar-08	NS		0.081	U	NS	NS	0.081	U	NS	NS	0.081
	25-Apr-08	NS		NS	U	NS	NS	0.081	U	NS	NS	0.081
	29-May-08	NS		NS	U	NS	NS	NS	NS	0.08	U	0.08
	27-Jun-08	0.126	U	NS	U	NS	NS	NS	NS	NS	NS	0.081
	31-Jul-08	NS		0.081	U	NS	NS	NS	NS	0.081	U	0.081
	28-Aug-08	NS		NS	U	NS	NS	0.081	U	NS	NS	NS
	27-Oct-08	NS		NS	U	NS	NS	NS	NS	2	U	2
	27-Oct-08	2	U	NS	U	NS	NS	NS	NS	NS	U	2
	25-Nov-08	NS		2	U	NS	NS	2	U	NS	U	NS
	18-Dec-08	NS		NS	U	NS	NS	2	U	NS	U	2
	21-Jan-09	NS		NS	U	NS	NS	NS	U	2	U	2
	25-Feb-09	2	U	NS	U	NS	NS	NS	NS	2	U	NS
	26-Mar-09	NS		0.404	U	NS	NS	0.809	U	NS	NS	0.081
	29-Apr-09	NS		NS	U	0.19	NS	NS	U	NS	0.121	NS
	22-Jul-09	0.404	U	NS	U	16.5	NS	0.404	U	NS	0.081	U
	9-Oct-09	NS		0.081	U	NS	NS	0.081	U	16.9	U	0.081
	15-Jan-10	0.137	U	NS	U	0.081	U	0.081	U	NS	0.081	U
	21-Apr-10	NS		0.081	U	NS	NS	0.404	U	0.404	U	0.081
	16-Jul-10	0.081	U	NS	U	2.48	0.081	U	0.611	U	NS	0.081
	15-Oct-10	NS		0.081	U	NS	NS	0.081	U	0.081	U	0.081
	26-Jan-11	0.809	U	0.081	U	NS	0.081	U	7.37	U	0.404	U
	28-Feb-11	NS		NS	U	0.809	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.081	U	NS	NS	0.081	U	0.081	U	0.081
	26-Jul-11	0.27	U	NS	U	0.27	U	0.081	U	0.405	U	0.405
	28-Oct-11	NS		2	U	NS	NS	2	U	2	U	2
	23-Jan-12	0.4	U	NS	U	0.4	U	0.4	U	NS	U	0.4
	13-Apr-12	NS		0.2	U	NS	NS	0.2	U	0.2	U	0.2
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	U	NS
	23-Jun-12	0.4	U	NS	U	0.4	U	0.4	U	NS	U	0.4
	1-Nov-12	NS		0.04	U	NS	0.04	U	0.04	U	0.040	U
	1-Feb-13	0.04	U	NS	U	0.04	U	0.04	U	NS	0.040	U
	29-Apr-13	NS		0.2	U	NS	NS	0.081	U	0.081	U	0.081
	9-Jul-13	0.061	U	NS	U	0.040	U	0.040	U	NS	0.040	U
	18-Oct-13	NS		0.081	U	NS	NS	0.081	U	0.081	U	0.081
	9-Jan-14	0.081	U	NS	U	0.081	U	0.081	U	NS	0.081	U
	24-Apr-14	NS		0.04	U	NS	NS	0.04	U	0.04	U	0.040
	1-Aug-14	0.081	U	NS	U	0.280	0.120	U	NS	NS	U	0.081
	27-Aug-14	NS		NS	U	NS	NS	0.040	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	0.061	U	NS
	22-Oct-14	NS		0.061	U	NS	NS	0.061	U	0.061	U	0.081
	20-Jan-15	0.04	U	NS	U	0.040	U	0.040	U	NS	U	0.040
	30-Mar-15 (resample)	NS		NS	U	0.041 <sup>v</sup>	U	NS	NS	NS	U	0.046
	22-Apr-15	NS		NS	U	NS	NS	0.04 <sup>v</sup>	U	0.04	U	0.040
	21-Jul-15	0.2	U	NS	U	0.8	4	U	0.2	U	NS	0.200 <sup>o</sup>
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	0.2	U	NS
	29-Oct-15	NS		0.2	U	NS	NS	0.2	U	0.3	U	0.2
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	U	0.2	U	NS
	27-Jan-16	0.04	U	NS	U	0.044	0.04	U	0.04	U	NS	0.04
	20-Apr-16	NS		0.040	U	NS	0.040	U	0.040	U	NS	0.040
	20-Jul-16	0.20	U	NS	U	0.37	0.20	U	0.51	NS	U	0.20
	21-Oct-16	NS		0.04	U	NS	NS	0.04	U	0.04	U	NS
	31-Jan-17	0.04	U	NS	U	0.04	U	NS	0.04	U	NS	0.04

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloroethane	8-Feb-08	0.08	U	NS	NS	0.08	U	NS	NS	0.09	0.08	U
	27-Mar-08	NS		0.081	U	NS		0.143	NS	NS	0.081	U
	25-Apr-08	NS		NS	U	NS		NS	0.081	U	NS	0.089
	29-May-08	NS		NS		0.09		NS	0.11	0.08	U	NS
	27-Jun-08	0.126	U	NS	U	NS	0.153	NS	NS	0.11	0.08	U
	31-Jul-08	NS		0.081	U	NS		NS	NS	0.081	U	0.081
	28-Aug-08	NS		NS	U	0.171		NS	NS	0.081	U	NS
	27-Oct-08	NS		NS		0.08	U	NS	NS	0.08	U	0.08
	27-Oct-08	0.08	U	NS		NS	0.08	U	NS	0.08	U	0.08
	25-Nov-08	NS		0.08	U	NS	0.08	U	NS	0.08	U	NS
	18-Dec-08	NS		NS	U	0.08		NS	NS	0.08	U	0.08
	21-Jan-09	NS		NS		0.08	U	NS	NS	0.08	U	0.08
	25-Feb-09	0.08	U	NS		NS	0.08	U	NS	0.08	U	NS
	26-Mar-09	NS		0.404	U	NS		0.809	U	NS	NS	0.098
	29-Apr-09	NS		NS	U	0.319		NS	0.081	U	NS	0.089
	22-Jul-09	0.404	U	NS		16.5	U	0.809	U	NS	0.081	U
	9-Oct-09	NS		0.081	U	NS	0.081	U	NS	0.081	U	0.081
	15-Jan-10	0.081	U	NS		0.081	U	NS	0.081	U	0.081	U
	21-Apr-10	NS		0.081	U	NS	0.404	U	NS	0.404	U	0.081
	16-Jul-10	0.101		NS		1.44		0.081	U	NS	0.081	U
	15-Oct-10	NS		0.081	U	NS	0.081	U	NS	0.081	U	0.081
	26-Jan-11	0.809	U	0.081	U	NS	0.081	U	NS	0.404	U	0.404
	28-Feb-11	NS		NS	U	0.809		NS	NS	NS	NS	NS
	27-Apr-11	NS		0.081	U	NS	0.081	U	NS	0.081	U	0.081
	26-Jul-11	0.27	U	NS		0.27	U	0.101	NS	0.405	U	0.405
	28-Oct-11	NS		2	U	NS		2	U	NS	2	U
	23-Jan-12	0.2	U	NS		0.2	U	NS	0.2	U	0.2	U
	13-Apr-12	NS		0.2	U	NS		NS	NS	NS	NS	0.2
	2-Jul-12 (resample)	NS		NS		NS		NS	NS	NS	1	U
	23-Jun-12	0.4	U	NS		0.4	U	NS	0.4	U	0.4	U
	1-Nov-12	NS		0.04	U	NS		0.04	U	0.04	U	0.057
	1-Feb-13	0.053		NS		0.062	0.062	NS	0.05	NS	0.066	NS
	29-Apr-13	NS		0.19		NS	0.06	NS	0.04	U	0.079	NS
	9-Jul-13	0.12	U	NS		0.081	U	0.081	U	NS	0.092	U
	18-Oct-13	NS		0.081	U	NS	0.081	U	NS	0.081	U	0.081
	9-Jan-14	0.081	U	NS		0.040	U	0.040	U	NS	0.081	U
	24-Apr-14	NS		0.04	U	NS	0.04	U	NS	0.04	U	0.040
	1-Aug-14	0.040	U	NS		0.170	0.061	U	NS	NS	0.04	U
	27-Aug-14	NS		NS		NS		NS	0.040	U	NS	NS
	12-Sept-14 (resample)	NS		NS		NS		NS	NS	0.061	U	NS
	22-Oct-14			0.061	U	NS		0.061	U	0.061	U	0.081
	20-Jan-15	0.040	U	NS		0.040	U	0.040	U	NS	0.061	U
	30-Mar-15 (resample)	NS		NS		NS		NS	NS	NS	0.046	U
	22-Apr-15	NS		0.17 <sup>v</sup>		NS		0.087 <sup>v</sup>	NS	0.04	U	0.040
	21-Jul-15	0.140 <sup>j</sup>		NS		0.8	4	U	0.2	U	NS	0.200 <sup>o</sup>
	23-Sept-15 resample	NS		NS		NS		NS	NS	0.2	U	0.86 <sup>o</sup>
	29-Oct-15	NS		0.2	U	NS		0.2	U	0.3	U	NS
	4-Dec-15 resample	NS		0.2	U	NS		NS	NS	0.2	U	0.18 <sup>j</sup>
	27-Jan-16	0.04	U	NS		0.057		0.042	NS	0.049	NS	0.065
	20-Apr-16	NS		0.053		NS		0.040	U	0.040	U	0.05
	20-Jul-16	0.20	U	NS		0.20	U	NS	0.28	NS	0.21	0.20
	21-Oct-16	NS		0.086		NS		0.04	U	0.04	U	NS
	31-Jan-17	0.04	U	NS		0.078		0.04	U	NS	0.04	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
			Qual		Qual		Qual			Qual		Qual	Qual
1,1-Dichloroethene	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	0.08	U	0.08
	27-Mar-08	NS		0.079	U	NS	NS	0.079	U	NS	NS	0.079	U
	25-Apr-08	NS		NS	U	0.079	U	NS	NS	0.079	U	NS	0.079
	29-May-08	NS		NS	U	0.08	U	NS	NS	0.08	U	0.08	U
	27-Jun-08	0.123	U	NS	U	NS	0.079	U	NS	NS	0.079	U	0.079
	31-Jul-08	NS		0.079	U	NS	NS	NS	NS	0.079	U	NS	0.079
	28-Aug-08	NS		NS	U	0.079	U	NS	NS	0.079	U	0.079	U
	30-Sep-08	NS		NS	U	2	U	NS	NS	2	U	2	U
	27-Oct-08	2	U	NS	U	NS	2	U	NS	NS	2	U	2
	25-Nov-08	NS		2	U	NS	NS	2	U	NS	2	U	NS
	18-Dec-08	NS		NS	U	2	U	NS	NS	2	U	2	U
	21-Jan-09	NS		NS	U	NS	2	U	NS	2	U	2	U
	25-Feb-09	2	U	NS	U	NS	NS	NS	NS	2	U	2	U
	26-Mar-09	NS		0.396	U	NS	NS	0.792	U	NS	NS	0.079	U
	29-Apr-09	NS		NS	U	0.079	U	NS	NS	0.079	U	NS	0.079
	22-Jul-09	0.396	U	NS	U	16.2	U	0.792	U	0.396	U	0.079	U
	9-Oct-09	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	15-Jan-10	0.137	U	NS	U	0.079	U	NS	0.079	U	NS	0.079	U
	21-Apr-10	NS		0.079	U	NS	NS	0.396	U	NS	0.396	U	0.079
	16-Jul-10	0.079	U	NS	U	0.206	U	0.079	U	0.598	U	0.079	U
	15-Oct-10	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	26-Jan-11	0.792	U	0.079	U	NS	0.079	U	NS	0.396	U	0.396	U
	28-Feb-11	NS		NS	U	0.792	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	26-Jul-11	0.264	U	NS	U	0.264	U	0.079	U	0.396	U	0.079	U
	28-Oct-11	NS		2	U	NS	NS	2	U	NS	2	U	2
	23-Jan-12	0.4	U	NS	U	0.4	U	0.4	U	0.4	U	0.4	U
	13-Apr-12	NS		0.2	U	NS	NS	0.2	U	NS	0.2	U	0.2
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	NS	U	NS
	23-Jun-12	0.4	U	NS	U	0.4	U	0.4	U	0.4	U	0.4	U
	1-Nov-12	NS		0.04	U	NS	NS	0.04	U	NS	0.04	U	0.04
	1-Feb-13	0.04	U	NS	U	0.04	U	0.04	U	NS	0.040	U	0.040
	29-Apr-13	NS		0.099	U	NS	NS	0.04	U	NS	0.040	U	0.04
	9-Jul-13	0.059	U	NS	U	0.040	U	0.040	U	NS	0.040	U	NS
	18-Oct-13	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	9-Jan-14	0.079	U	NS	U	0.081	U	0.079	U	0.079	U	0.079	U
	24-Apr-14	NS		0.04	U	NS	NS	0.04	U	NS	0.040	U	0.040
	1-Aug-14	0.079	U	NS	U	0.120	U	0.420	U	NS	0.079	U	0.079
	27-Aug-14	NS		NS	U	NS	NS	0.040	U	NS	NS	U	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.059	U	NS
	22-Oct-14	NS		0.059	U	NS	NS	0.059	U	0.059	U	0.059	U
	20-Jan-15	0.04	U	NS	U	0.040	U	0.040	U	0.040	U	0.040	U
	30-Mar-15 (resample)	NS		NS	U	0.041 <sup>v</sup>	U	NS	0.040 <sup>v</sup>	U	0.04	U	0.045
	22-Apr-15	NS		NS	U	NS	NS	NS	U	0.04	U	0.040	U
	21-Jul-15	0.2	U	NS	U	0.8	U	4	U	0.2	U	0.200°	U
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	NS	0.2	U	NS
	29-Oct-15	NS		0.2	U	NS	NS	0.2	U	NS	0.2	U	0.46
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	U	NS	NS	U	NS
	27-Jan-16	0.04	U	NS	U	0.04	U	0.04	U	NS	0.04	U	0.04
	20-Apr-16	NS		0.040	U	NS	NS	0.040	U	NS	0.040	U	0.040
	20-Jul-16	0.20	U	NS	U	0.21	U	0.20	U	0.24	NS	0.24	NS
	21-Oct-16	NS		0.04	U	NS	NS	0.04	U	NS	0.04	U	0.63
	31-Jan-17	0.04	U	NS	U	0.04	U	0.04	U	NS	0.04	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
cis-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	0.08	U
	27-Mar-08	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U
	25-Apr-08	NS		NS	U	NS	NS	0.079	U	NS	0.079	U
	29-May-08	NS		NS	U	NS	NS	NS	U	NS	0.079	U
	27-Jun-08	0.123	U	NS	U	NS	0.08	U	NS	0.08	U	NS
	31-Jul-08	NS		0.079	U	NS	NS	NS	U	NS	0.079	U
	28-Aug-08	NS		NS	U	NS	NS	0.079	U	NS	0.079	U
	30-Sep-08	NS		NS	U	5.9	U	NS	U	NS	5.9	U
	27-Oct-08	2	U	NS	NS	NS	2	U	NS	2	U	2
	25-Nov-08	NS		2	U	NS	NS	U	NS	2	U	NS
	18-Dec-08	NS		NS	U	NS	NS	2	U	NS	2	U
	21-Jan-09	NS		NS	U	2	U	NS	U	2	U	2
	25-Feb-09	2	U	NS	NS	NS	2	U	NS	2	U	NS
	26-Mar-09	NS		0.396	U	NS	NS	0.792	U	NS	0.079	U
	29-Apr-09	NS		NS	U	0.079	U	NS	U	0.079	U	0.079
	22-Jul-09	0.396	U	NS	595	0.792	U	NS	U	0.079	U	NS
	9-Oct-09	NS		0.079	U	NS	NS	0.079	U	16.5	U	0.079
	15-Jan-10	0.079	U	NS	U	0.079	U	NS	U	0.079	U	NS
	21-Apr-10	NS		0.079	U	NS	NS	0.396	U	0.396	U	0.079
	16-Jul-10	0.079	U	NS	U	0.079	U	0.598	U	NS	0.079	U
	15-Oct-10	NS		0.079	U	NS	NS	0.079	U	0.079	U	0.079
	26-Jan-11	0.792	U	0.079	U	NS	0.079	U	NS	0.396	U	0.396
	28-Feb-11	NS		NS	U	0.792	U	NS	U	NS	NS	NS
	27-Apr-11	NS		0.079	U	NS	NS	0.079	U	0.079	U	0.079
	26-Jul-11	0.264	U	NS	U	0.264	U	0.396	U	NS	0.396	U
	28-Oct-11	NS		2	U	NS	NS	2	U	2	U	2
	23-Jan-12	0.4	U	NS	U	0.4	U	0.4	U	NS	0.4	U
	13-Apr-12	NS		0.2	U	NS	NS	0.2	U	0.2	U	0.2
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.99	U
	23-Jun-12	0.4	U	NS	U	0.4	U	0.4	U	NS	0.4	U
	1-Nov-12	NS		0.04	U	NS	0.04	U	0.04	U	0.040	U
	1-Feb-13	0.04	U	NS	U	0.04	U	0.04	U	NS	0.040	U
	29-Apr-13	NS		0.2	U	NS	NS	0.079	U	0.079	U	0.079
	9-Jul-13	0.059	U	NS	U	0.040	U	0.040	U	NS	0.040	U
	18-Oct-13	NS		0.079	U	NS	NS	0.079	U	0.079	U	0.079
	9-Jan-14	0.079	U	NS	U	0.079	U	0.079	U	NS	0.079	U
	24-Apr-14	NS		0.04	U	NS	NS	0.04	U	0.04	U	0.040
	1-Aug-14	0.079	U	NS	U	0.120	U	0.120	U	NS	0.079	U
	27-Aug-14	NS		NS	U	NS	NS	0.040	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	0.059	U	NS
	22-Oct-14	NS		0.059	U	NS	NS	0.059	U	0.059	U	0.059
	20-Jan-15	0.04	U	NS	U	0.040	U	0.040	U	NS	0.040	U
	30-Mar-15 (resample)	NS		NS	U	0.041 <sup>v</sup>	U	NS	U	0.057	U	0.045
	22-Apr-15	NS		NS	U	NS	NS	0.040 <sup>v</sup>	U	0.040	U	0.046
	21-Jul-15	0.2	U	NS	U	0.8	U	4	U	0.2	U	1.700 <sup>o</sup>
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	0.2	U	NS
	29-Oct-15	NS		0.2	U	NS	NS	0.27	U	0.4	U	0.31
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	U	NS	NS	NS
	27-Jan-16	0.04	U	NS	U	0.04	U	0.04	U	NS	0.04	U
	20-Apr-16	NS		0.040	U	NS	0.040	U	0.040	U	0.040	U
	20-Jul-16	0.20	U	NS	U	0.20	U	0.20	U	NS	0.21	U
	21-Oct-16	NS		0.04	U	NS	NS	0.04	U	0.04	U	0.04
	31-Jan-17	0.04	U	NS	U	0.04	U	NS	U	NS	0.04	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
trans-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	0.08	U
	27-Mar-08	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U
	25-Apr-08	NS		NS	U	NS	NS	0.079	U	NS	0.079	U
	29-May-08	NS		NS	U	NS	NS	NS	0.08	U	0.08	U
	27-Jun-08	0.123	U	NS	U	NS	0.079	U	NS	NS	0.079	U
	31-Jul-08	NS		0.079	U	NS	NS	NS	0.079	U	NS	0.079
	28-Aug-08	NS		NS	U	NS	NS	0.079	U	0.079	U	NS
	30-Sep-08	NS		NS	U	NS	NS	NS	2	U	2	U
	27-Oct-08	2	U	NS	U	NS	2	U	NS	NS	2	U
	25-Nov-08	NS		2	U	NS	2	U	NS	NS	2	U
	18-Dec-08	NS		NS	U	NS	NS	U	NS	NS	2	U
	21-Jan-09	NS		NS	U	NS	NS	U	NS	2	U	2
	25-Feb-09	2	U	NS	U	NS	NS	U	NS	NS	2	U
	26-Mar-09	NS		0.396	U	NS	NS	0.792	U	NS	NS	0.079
	29-Apr-09	NS		NS	U	0.079	U	NS	0.079	U	NS	0.079
	22-Jul-09	0.396	U	NS	U	0.396	U	NS	0.396	U	0.079	U
	9-Oct-09	NS		0.079	U	NS	0.079	U	NS	0.079	U	0.079
	15-Jan-10	0.079		NS	U	0.079	0.079	U	NS	0.079	U	NS
	21-Apr-10	NS		0.079	U	NS	0.396	U	NS	3.96	U	0.079
	16-Jul-10	0.079	U	NS	U	0.079	U	NS	0.598	U	0.079	U
	15-Oct-10	NS		0.079	U	NS	0.079	U	NS	0.079	U	0.079
	26-Jan-11	0.792	U	0.079	U	NS	0.079	U	0.36	U	0.396	U
	28-Feb-11	NS		NS	U	0.792	U	NS	NS	U	NS	NS
	27-Apr-11	NS		0.079	U	NS	NS	0.079	U	NS	NS	0.079
	26-Jul-11	0.264	U	NS	U	0.264	U	NS	0.396	U	NS	0.396
	28-Oct-11	NS		2	U	NS	2	U	NS	2	U	2
	23-Jan-12	0.4	U	NS	U	0.4	U	NS	0.4	U	0.4	U
	13-Apr-12	NS		0.2	U	NS	NS	U	0.2	U	0.2	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	0.99	U
	23-Jun-12	0.4	U	NS	U	0.4	U	NS	0.4	U	0.4	U
	1-Nov-12	NS		0.04	U	NS	0.04	U	NS	0.04	U	0.04
	1-Feb-13	0.04	U	NS	U	0.04	U	NS	0.04	U	0.04	U
	29-Apr-13	NS		0.099	U	NS	0.04	U	NS	0.04	U	0.04
	9-Jul-13	0.059	U	NS	U	0.040	U	NS	0.040	U	0.040	U
	18-Oct-13	NS		0.079	U	NS	0.040	U	NS	0.040	U	0.079
	9-Jan-14	0.079	U	NS	U	0.079	U	NS	0.079	U	0.079	U
	24-Apr-14	NS		0.04	U	NS	0.04	U	NS	0.04	U	0.040
	1-Aug-14	0.079	U	NS	U	0.120	U	NS	0.040	U	0.040	U
	27-Aug-14	NS		NS	U	NS	NS	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	U	NS	0.059	U	NS
	22-Oct-14	NS		0.059	U	NS	NS	U	0.059	U	0.059	U
	20-Jan-15	0.04	U	NS	U	0.040	U	NS	0.040	U	0.040	U
	30-Mar-15 (resample)	NS		NS	U	0.041 <sup>v</sup>	U	NS	0.040 <sup>v</sup>	U	0.057	U
	22-Apr-15	NS		NS	U	NS	NS	U	NS	0.040	U	NS
	21-Jul-15	0.2	U	NS	U	0.8	4	U	0.2	U	0.200 <sup>o</sup>	U
	23-Sept-15 resample	NS		NS	U	NS	NS	U	NS	0.2	U	NS
	29-Oct-15	NS		0.2	U	NS	NS	U	0.3	U	0.2	U
	4-Dec-15 resample	NS		0.2	U	NS	NS	U	NS	NS	NS	NS
	27-Jan-16	0.04	U	NS	U	0.04	U	NS	0.04	U	0.04	U
	20-Apr-16	NS		0.040	U	NS	0.040	U	NS	0.040	U	0.040
	20-Jul-16	0.20	U	NS	U	0.20	U	NS	0.21	NS	0.20	U
	21-Oct-16	NS		0.04	U	NS	0.04	U	NS	0.04	U	0.04
	31-Jan-17	0.04	U	NS	U	0.04	U	NS	0.04	U	0.04	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,2-Dichloropropane	8-Feb-08	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	
	27-Mar-08	NS		0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092
	25-Apr-08	NS		NS	U	0.092	NS	NS	0.092	U	0.092	U	0.092
	29-May-08	NS		NS	U	0.09	U	NS	NS	0.09	U	0.09	U
	27-Jun-08	0.144	U	NS	U	NS	0.092	U	NS	NS	0.092	U	0.092
	31-Jul-08	NS		0.092	U	NS	NS	NS	NS	0.092	U	NS	0.092
	28-Aug-08	NS		NS	U	0.092	U	NS	NS	0.092	U	0.092	U
	30-Sep-08	NS		NS	U	0.09	U	NS	NS	0.09	U	0.09	U
	27-Oct-08	0.09	U	NS	NS	NS	0.09	U	NS	0.09	U	NS	0.09
	25-Nov-08	NS		0.09	U	NS	NS	0.09	U	NS	0.09	U	NS
	18-Dec-08	NS		NS	U	0.09	U	NS	0.09	U	0.09	U	0.09
	21-Jan-09	NS		NS	U	0.09	U	NS	NS	0.09	U	NS	0.09
	25-Feb-09	0.09	U	NS	NS	NS	0.09	U	NS	0.09	U	NS	0.09
	26-Mar-09	NS		0.462	U	NS	NS	0.924	U	NS	NS	0.092	U
	29-Apr-09	NS		NS	U	0.092	U	NS	NS	0.092	U	NS	0.092
	22-Jul-09	0.462	U	NS	U	18.8	0.924	U	NS	0.462	U	NS	0.092
	9-Oct-09	NS		0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092
	15-Jan-10	0.092	U	NS	U	0.092	U	NS	0.092	U	NS	0.092	U
	21-Apr-10	NS		0.092	U	NS	NS	0.462	U	NS	0.462	U	0.092
	16-Jul-10	0.092	U	NS	U	0.092	U	0.698	U	NS	0.092	U	NS
	15-Oct-10	NS		0.092	U	NS	NS	0.092	U	0.092	U	0.092	U
	26-Jan-11	0.924	U	0.092	U	NS	0.092	U	0.462	U	NS	0.462	U
	28-Feb-11	NS		NS	U	0.924	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092
	26-Jul-11	0.308	U	NS	U	0.308	U	0.462	U	NS	0.092	U	NS
	28-Oct-11	NS		2.3	U	NS	NS	2.3	U	NS	2.3	U	2.3
	23-Jan-12	0.23	U	NS	U	0.23	U	0.23	U	NS	0.23	U	NS
	13-Apr-12	NS		0.46	U	NS	NS	0.46	U	0.46	U	NS	0.46
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	1.2	U
	23-Jun-12	0.46	U	NS	U	0.46	U	0.46	U	NS	0.46	U	NS
	1-Nov-12	NS		0.046	U	NS	0.046	U	0.046	U	0.046	U	0.046
	1-Feb-13	0.092	U	NS	U	0.092	U	NS	0.092	U	0.092	U	NS
	29-Apr-13	NS		0.12	U	NS	NS	0.046	U	0.046	U	0.046	U
	9-Jul-13	0.14	U	NS	U	0.092	U	NS	0.092	U	0.092	U	NS
	18-Oct-13	NS		0.092	U	NS	NS	0.092	U	0.092	U	0.092	U
	9-Jan-14	0.092	U	NS	U	0.092	U	0.092	U	NS	0.092	U	NS
	24-Apr-14	NS		0.046 <sup>L,V</sup>	U	NS	0.046 <sup>L,V</sup>	U	0.046 <sup>L,V</sup>	U	0.046 <sup>L,V</sup>	U	0.14 <sup>L,V</sup>
	1-Aug-14	0.092	U	NS	U	0.14	U	NS	NS	NS	0.092	U	NS
	27-Aug-14	NS		NS	U	NS	NS	0.046	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	NS	0.069 <sup>L,V</sup>	U	NS	NS
	22-Oct-14	NS		0.069	U	NS	NS	0.069	U	0.069	U	0.069	U
	20-Jan-15	0.046	U	NS	U	0.046	U	0.046	U	NS	0.069	U	NS
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	0.052	U
	22-Apr-15	NS		0.047	U	NS	0.046	U	0.046	U	0.046	U	0.053
	21-Jul-15	0.2	U	NS	U	0.9	U	5	U	0.3	U	0.200°	U
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	NS	0.2	U	NS	NS
	29-Oct-15	NS		0.3	U	NS	NS	0.3	U	NS	0.2	U	0.2
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.046	U	NS	U	0.046	U	0.046	U	NS	0.046	U	NS
	20-Apr-16	NS		0.046	U	NS	0.046	U	0.046	U	0.046	U	0.046
	20-Jul-16	0.23	U	NS	U	0.23	U	0.23	U	0.27	NS	0.29	NS
	21-Oct-16	NS		0.046	U	NS	NS	0.046	U	NS	0.046	U	0.046
	31-Jan-17	0.046	U	NS	U	0.046	U	0.046	U	NS	0.046	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
cis-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	27-Mar-08	NS		0.091	U	NS	NS	0.091	U	NS	NS	0.091
	25-Apr-08	NS		NS	U	NS	NS	0.091	U	NS	NS	0.091
	29-May-08	NS		NS	U	NS	NS	NS	U	0.091	U	0.091
	27-Jun-08	0.141	U	NS	U	NS	0.091	U	NS	0.09	U	0.091
	31-Jul-08	NS		0.091	U	NS	NS	NS	U	0.091	U	0.091
	28-Aug-08	NS		NS	U	NS	NS	0.091	U	0.091	U	NS
	27-Oct-08	NS		NS	U	NS	NS	NS	U	0.18	U	0.18
	27-Oct-08	0.18	U	NS	U	NS	0.18	U	NS	0.18	U	0.18
	25-Nov-08	NS		0.18	U	NS	NS	0.18	U	NS	0.18	U
	18-Dec-08	NS		NS	U	NS	NS	0.18	U	NS	0.18	U
	21-Jan-09	NS		NS	U	NS	NS	NS	U	0.18	U	0.18
	25-Feb-09	0.18	U	NS	U	NS	0.18	U	NS	0.18	U	NS
	26-Mar-09	NS		0.453	U	NS	NS	0.907	U	NS	NS	0.91
	29-Apr-09	NS		NS	U	0.091	U	NS	U	0.091	U	0.091
	22-Jul-09	0.453	U	NS	U	18.5	U	0.907	U	0.453	U	0.091
	9-Oct-09	NS		0.091	U	NS	NS	0.091	U	0.091	U	0.091
	15-Jan-10	0.091	U	NS	U	0.091	U	NS	U	0.091	U	NS
	21-Apr-10	NS		0.091	U	NS	NS	0.453	U	0.453	U	0.091
	16-Jul-10	0.091	U	NS	U	0.091	U	0.685	U	NS	0.091	U
	15-Oct-10	NS		0.091	U	NS	NS	0.091	U	0.091	U	0.091
	26-Jan-11	0.907	U	0.091	U	NS	0.091	U	0.453	U	0.453	U
	28-Feb-11	NS		NS	U	0.907	U	NS	U	NS	NS	NS
	27-Apr-11	NS		0.091	U	NS	NS	0.091	U	0.091	U	0.091
	26-Jul-11	0.303	U	NS	U	0.303	U	0.091	U	0.454	U	0.454
	28-Oct-11	NS		2.3	U	NS	NS	2.3	U	2.3	U	2.3
	23-Jan-12	0.45	U	NS	U	0.45	U	0.45	U	NS	0.45	U
	13-Apr-12	NS		0.2	U	NS	NS	0.23	U	0.23	U	0.23
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	1.1	U
	23-Jun-12	0.45	U	NS	U	0.45	U	0.45	U	NS	0.45	U
	1-Nov-12	NS		0.045	U	NS	0.045	U	0.045	U	0.045	U
	1-Feb-13	0.045	U	NS	U	0.045	U	0.045	U	NS	0.045	U
	29-Apr-13	NS		0.11	U	NS	NS	0.045	U	0.045	U	0.045
	9-Jul-13	0.068	U	NS	U	0.045	U	0.045	U	NS	0.045	U
	18-Oct-13	NS		0.091	U	NS	NS	0.091	U	0.091	U	0.091
	9-Jan-14	0.091	U	NS	U	0.091	U	0.091	U	NS	0.091	U
	24-Apr-14	NS		0.045	U	NS	NS	0.045	U	0.045	U	0.045
	1-Aug-14	0.091	U	NS	U	0.14	U	0.14	U	NS	0.091	U
	27-Aug-14	NS		NS	U	NS	NS	0.045	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	0.068	U	NS
	22-Oct-14	NS		0.068	U	NS	NS	0.068	U	0.068	U	0.068
	20-Jan-15	0.045	U	NS	U	0.045	U	0.045	U	NS	0.068	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	U	0.066	U	0.051
	22-Apr-15	NS		0.047	U	NS	NS	0.045	U	0.045	U	0.052
	21-Jul-15	0.2	U	NS	U	0.9	U	5	U	0.3	U	NS
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	0.2	U	NS
	29-Oct-15	NS		0.3	U	NS	NS	0.3	U	NS	0.4	U
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	U	NS	NS	NS
	27-Jan-16	0.045	U	NS	U	0.045	U	0.045	U	NS	0.045	U
	20-Apr-16	NS		0.045	U	NS	0.045	U	0.045	U	NS	0.045
	20-Jul-16	0.23	U	NS	U	0.23	U	0.23	U	NS	0.23	U
	21-Oct-16	NS		0.045	U	NS	NS	0.045	U	NS	0.045	U
	31-Jan-17	0.045	U	NS	U	0.045	U	0.045	U	NS	0.045	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
trans-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	27-Mar-08	NS		0.091	U	NS	NS	0.091	U	NS	NS	0.091
	25-Apr-08	NS		NS	U	NS	NS	0.091	U	NS	NS	0.091
	29-May-08	NS		NS	U	NS	NS	NS	NS	0.09	U	0.09
	27-Jun-08	0.141	U	NS	U	NS	0.091	U	NS	NS	0.091	U
	31-Jul-08	NS		0.091	U	NS	NS	NS	NS	0.091	U	0.091
	28-Aug-08	NS		NS	U	NS	NS	0.091	U	NS	0.091	U
	30-Sep-08	NS		NS	U	NS	NS	NS	0.18	U	0.18	U
	27-Oct-08	0.18	U	NS	U	NS	0.18	U	NS	NS	0.18	U
	25-Nov-08	NS		0.18	U	NS	NS	0.18	U	NS	0.18	U
	18-Dec-08	NS		NS	U	NS	NS	0.18	U	NS	0.18	U
	21-Jan-09	NS		NS	U	NS	NS	NS	U	0.18	U	0.18
	25-Feb-09	0.18	U	NS	U	NS	0.18	U	NS	NS	0.18	U
	26-Mar-09	NS		0.453	U	NS	NS	0.907	U	NS	NS	0.091
	29-Apr-09	NS		NS	U	0.091	U	NS	0.091	U	0.091	U
	22-Jul-09	0.453	U	NS	U	0.453	U	0.453	U	NS	0.091	U
	9-Oct-09	NS		0.079	U	NS	0.091	U	0.091	U	18.9	U
	15-Jan-10	0.091		NS	U	0.091	NS	0.091	U	NS	0.091	U
	21-Apr-10	NS		0.091	U	NS	0.453	U	NS	0.453	U	0.091
	16-Jul-10	0.091	U	NS	U	0.091	U	0.685	U	NS	0.091	U
	15-Oct-10	NS		0.091	U	NS	0.091	U	0.091	U	0.091	U
	26-Jan-11	0.907	U	0.091	U	NS	0.091	U	0.453	U	0.453	U
	28-Feb-11	NS		NS	U	0.907	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.091	U	NS	NS	0.091	U	NS	NS	0.091
	26-Jul-11	0.303	U	NS	U	0.303	U	0.454	U	NS	0.091	U
	28-Oct-11	NS		2.3	U	NS	2.3	U	NS	2.3	U	2.3
	23-Jan-12	0.45	U	NS	U	0.45	U	0.45	U	NS	0.45	U
	13-Apr-12	NS		1.2	U	NS	0.23	U	0.23	U	0.23	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	1.1	U
	23-Jun-12	0.45	U	NS	U	0.45	U	0.45	U	NS	0.45	U
	1-Nov-12	NS		0.045	U	NS	0.045	U	0.045	U	0.045	U
	1-Feb-13	0.045	U	NS	U	0.045	U	0.045	U	NS	0.045	U
	29-Apr-13	NS		0.11	U	NS	0.045	U	0.045	U	0.045	U
	9-Jul-13	0.068	U	NS	U	0.045	U	0.045	U	NS	0.045	U
	18-Oct-13	NS		0.091	U	NS	0.091	U	0.091	U	0.091	U
	9-Jan-14	0.091	U	NS	U	0.091	U	0.091	U	NS	0.091	U
	24-Apr-14	NS		0.045	U	NS	0.045	U	0.045	U	0.045	U
	1-Aug-14	0.091	U	NS	U	0.14	U	0.14	U	NS	0.091	U
	27-Aug-14	NS		NS	U	NS	NS	0.045	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	NS	0.068	U	NS
	22-Oct-14	NS		0.068	U	NS	0.068	U	0.068	U	0.068	U
	20-Jan-15	0.045	U	NS	U	0.045	U	0.045	U	NS	0.045	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	0.051	U
	22-Apr-15	NS		0.047	U	NS	0.045	U	0.045	U	0.045	U
	21-Jul-15	0.2	U	NS	U	0.9	U	5	U	0.3	0.200 °	U
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	NS	0.2	0.200 °	U
	29-Oct-15	NS		0.3	U	NS	0.3	U	NS	0.4	NS	NS
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	NS	0.2	NS	NS
	27-Jan-16	0.045	U	NS	U	0.045	U	0.045	U	NS	0.045	U
	20-Apr-16	NS		0.045	U	NS	0.045	U	0.045	U	NS	0.045
	20-Jul-16	0.23	U	NS	U	0.23	U	0.23	U	NS	0.23	U
	21-Oct-16	NS		0.045	U	NS	0.045	U	0.045	U	0.045	U
	31-Jan-17	0.045	U	NS	U	0.045	U	0.045	U	NS	0.045	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Ethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.33	4.89	
	27-Mar-08	NS		0.295		NS		0.157		NS	0.645	0.372
	25-Apr-08	NS		NS	0.291	NS		NS		NS	NS	0.565
	29-May-08	NS		NS	1.49	NS		NS		2.2	2.82	NS
	27-Jun-08	4.34		NS	NS	0.472		NS		NS	0.606	0.699
	31-Jul-08	NS	*	NS	NS	NS		NS		0.758	NS	0.577
	28-Aug-08	NS		NS	0.83	NS		NS		0.711	0.666	NS
	30-Sep-08	NS		NS	2.2	U	NS	NS		2.2	U	2.2
	27-Oct-08	18.4		NS	NS	NS		NS		NS	NS	2.2
	25-Nov-08	NS		2.2	U	NS		2.2	U	NS	2.2	NS
	18-Dec-08	NS		NS	2.2	U	NS	NS		NS	2.2	2.2
	21-Jan-09	NS		NS	2.2	U	NS	NS		2.2	U	2.2
	25-Feb-09	10.8		NS	NS	NS		NS		NS	NS	NS
	26-Mar-09	NS		0.516	NS	NS		0.868	U	NS	NS	0.845
	29-Apr-09	NS		NS	0.19	NS		NS		NS	NS	0.325
	22-Jul-09	11.7		NS	11.7	0.868	U	1.15	NS	NS	38.2	1.04
	9-Oct-09	NS		0.564	NS	NS		0.56	NS	0.291	18.1	0.542
	15-Jan-10	6.95		NS	0.568	0.542		NS		NS	0.712	0.72
	21-Apr-10	NS		0.304	NS	NS		1.34	NS	1.8	1.76	NS
	16-Jul-10	8.23		NS	2.4	1.8		1.44	NS	NS	1.51	1.42
	15-Oct-10	NS		0.534	NS	NS		0.625	NS	0.521	0.573	0.833
	26-Jan-11	1.26		1.62	NS	1.66		1.26	NS	1.21	4.14	4.68
	28-Feb-11	NS		NS	0.868	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.243	NS	NS		0.239	NS	0.286	3.86	0.508
	26-Jul-11	3.91		NS	0.942	0.339		NS	0.434	U	NS	0.304
	28-Oct-11	NS		2.2	U	NS		2.2	U	2.2	3.8	NS
	23-Jan-12	3		NS	0.79	0.56		0.82	NS	NS	1.7	12
	13-Apr-12	NS		0.43	U	NS		0.43	U	0.43	U	0.43
	2-Jul-12 (resample)	NS		NS	NS	NS		NS	NS	NS	2.2	NS
	23-Jun-12	5.1		NS	0.53	0.43	U	NS	0.47	NS	0.76	0.46
	1-Nov-12	NS		0.55	NS	NS		0.57	NS	0.8	0.75	1.3
	1-Feb-13	1.3		NS	0.18	0.15		0.23	NS	NS	0.54	0.52
	29-Apr-13	NS		0.33	NS	NS		0.39	NS	0.37	0.49	0.63
	9-Jul-13	5.1		NS	0.087	U	0.68	NS	0.59	NS	1.1	1.0
	18-Oct-13	NS		1.7	NS	NS		1.9	NS	2.0	2.6	1.9
	9-Jan-14	2.7		NS	2.0	2.6		2.8	NS	NS	6.2	5.5
	24-Apr-14	NS		0.087	U	NS		0.087	U	0.087	U	0.092
	1-Aug-14	1.7		NS	0.84	0.65		NS	NS	NS	0.45	0.85
	27-Aug-14	NS		NS	NS	NS		0.96	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS		NS	NS	0.79	NS	NS
	22-Oct-14	NS		0.13	U	NS		0.13	U	0.15	0.13	0.27
	20-Jan-15	0.400		NS	0.087	U	0.096	NS	0.087	U	NS	0.24
	30-Mar-15 (resample)	NS		NS	NS	NS		NS	NS	NS	NS	0.29
	22-Apr-15	NS		0.22	NS	NS		0.12	NS	0.26	0.21/0.24	0.44
	21-Jul-15	0.54		NS	0.590 <sup>J</sup>	4	U	NS	0.56	NS	0.65 <sup>o</sup>	0.90 <sup>o</sup>
	23-Sept-15 resample	NS		NS	NS	NS		NS	NS	0.41	NS	NS
	29-Oct-15	NS		0.2	U	NS		0.14 <sup>J</sup>	NS	0.22 <sup>J</sup>	0.28	0.27
	4-Dec-15 resample	NS		0.2	U	NS		NS	NS	NS	NS	NS
	27-Jan-16	0.63		NS	0.087	0.12		NS	0.12	NS	0.51	0.54
	20-Apr-16	NS		0.3	NS	NS		0.39	NS	0.56	0.34	0.71
	20-Jul-16	5.8		NS	0.75	0.43	U	NS	0.5	NS	2.7	1.1
	21-Oct-16	NS		0.14	NS	NS		0.35	NS	0.24	0.62	1.2
	31-Jan-17	0.56		NS	0.16	0.17		NS	0.14	NS	0.86	0.61

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
			Qual		Qual		Qual			Qual		Qual	Qual
Isopropylbenzene	8-Feb-08	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U
	27-Mar-08	NS		2.46	U	NS	NS	NS	NS	NS	NS	2.46	U
	25-Apr-08	NS		NS	U	2.46	NS	NS	NS	2.46	U	NS	2.46
	29-May-08	NS		NS	U	2.46	U	NS	NS	2.46	U	2.46	U
	27-Jun-08	3.83	U	NS	U	NS	NS	NS	NS	NS	NS	2.46	U
	31-Jul-08	NS		2.46	U	NS	NS	NS	NS	2.46	U	NS	2.46
	28-Aug-08	NS		NS	U	2.46	NS	NS	NS	2.46	U	2.46	U
	30-Sep-08	NS		NS	U	4.9	U	NS	NS	4.9	U	4.9	U
	27-Oct-08	5.2		NS	U	NS	NS	4.9	U	NS	4.9	NS	4.9
	25-Nov-08	NS		4.9	U	NS	NS	4.9	U	NS	5.9	U	NS
	18-Dec-08	NS		NS	U	4.9	NS	NS	U	NS	4.9	U	4.9
	21-Jan-09	NS		NS	U	4.9	U	NS	NS	4.9	U	NS	4.9
	25-Feb-09	4.9	U	NS	NS	NS	NS	4.9	U	NS	4.9	U	NS
	26-Mar-09	NS		12.3	U	NS	NS	24.6	U	NS	NS	2.46	U
	29-Apr-09	NS		NS	U	2.46	NS	NS	U	NS	2.46	U	2.46
	22-Jul-09	12.3	U	NS	U	12.3	U	24.6	U	12.3	U	3.78	2.46
	9-Oct-09	NS		2.74	U	NS	NS	2.46	U	NS	513	U	2.46
	15-Jan-10	2.46	U	NS	U	2.46	U	NS	U	NS	2.46	U	NS
	21-Apr-10	NS		2.46	U	NS	NS	12.3	U	NS	2.46	U	2.46
	16-Jul-10	2.46	U	NS	U	2.66	U	NS	U	NS	2.46	U	NS
	15-Oct-10	NS		2.46	U	NS	NS	2.46	U	NS	2.46	U	2.46
	26-Jan-11	24.6	U	2.46	U	NS	2.46	U	NS	12.3	U	12.3	U
	28-Feb-11	NS		NS	U	24.6	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		2.46	U	NS	NS	2.46	U	NS	2.46	U	2.46
	26-Jul-11	8.21	U	NS	U	8.21	U	2.46	U	12.3	U	NS	2.46
	28-Oct-11	NS		6.2	U	NS	NS	6.2	U	NS	6.2	U	6.2
	23-Jan-12	1.2	U	NS	U	1.2	U	0.25	U	1.2	U	1.2	U
	13-Apr-12	NS		1.2	U	NS	NS	1.2	U	NS	1.2	U	1.2
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	NS	6.2	U
	23-Jun-12	1.2	U	NS	U	1.2	U	1.2	U	1.2	U	1.2	U
	1-Nov-12	NS		0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	1-Feb-13	0.25	U	NS	U	0.25	U	0.25	U	0.25	U	0.25	U
	29-Apr-13	NS		0.62	U	NS	NS	0.25	U	0.25	U	0.25	U
	9-Jul-13	0.37	U	NS	U	0.25	U	0.25	U	0.25	U	0.25	U
	18-Oct-13	NS		0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	9-Jan-14	0.25	U	NS	U	0.25	U	0.25	U	0.25	U	0.53	0.49
	24-Apr-14	NS		0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	1-Aug-14	0.25		NS	U	0.37	U	0.37	U	NS	0.25	U	0.37
	27-Aug-14	NS		NS	U	NS	NS	0.25	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.37	U	NS
	22-Oct-14	NS		0.37	U	NS	NS	0.37	U	0.37	U	0.37	U
	20-Jan-15	0.25	U	NS	U	0.25	U	0.25	U	NS	0.37	U	0.50
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.25	U	NS
	22-Apr-15	NS		0.26	U	NS	NS	0.25	U	0.25	U	0.28	U
	21-Jul-15	0.140 <sup>J</sup>		NS	U	1	U	5	U	0.19 <sup>J</sup>	NS	0.21 <sup>J, o</sup>	0.20 <sup>J, o</sup>
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	NS	0.2	U	NS
	29-Oct-15	NS		0.3	U	NS	NS	0.3	U	NS	0.4	U	0.2
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	U	NS	NS	NS	NS
	27-Jan-16	0.25	U	NS	U	0.25	U	0.25	U	NS	0.25	U	0.25
	20-Apr-16	NS		0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	20-Jul-16	1.2	U	NS	U	1.2	U	NS	U	1.2	U	1.2	U
	21-Oct-16	NS		0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	31-Jan-17	0.25	U	NS	U	0.25	U	0.25	U	NS	0.25	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
			Qual		Qual		Qual		Qual		Qual		Qual
p-Isopropyltoluene	8-Feb-08	2.74	U	NS	NS	NS	2.74	U	NS	NS	2.74	U	2.74
	27-Mar-08	NS		2.74	U	NS	1.2		NS	NS	2.74	U	2.74
	25-Apr-08	NS		NS	U	2.74	NS	U	NS	2.74	U	NS	2.74
	29-May-08			NS	U	2.74	NS	U	NS	2.74	U	NS	U
	27-Jun-08	4.27	U	NS	U	NS	2.74	U	NS	NS	2.74	U	2.74
	31-Jul-08	NS		2.74	U	NS	NS	U	NS	NS	2.74	U	2.74
	28-Aug-08	NS		NS	U	2.74	NS	U	NS	2.74	U	NS	U
	30-Sep-08	NS		NS	U	5.5	NS	U	NS	5.5	U	5.5	U
	27-Oct-08	12.5		NS	U	NS	5.5	U	NS	NS	18.5	NS	5.5
	25-Nov-08	NS		5.5	U	NS	NS	U	NS	NS	5.5	U	NS
	18-Dec-08	NS		NS	U	5.5	NS	U	NS	NS	5.5	U	5.5
	21-Jan-09	NS		NS	U	5.5	NS	U	NS	5.5	U	NS	5.5
	25-Feb-09	5.5	U	NS	U	NS	5.5	U	NS	NS	5.5	U	NS
	26-Mar-09	NS		13.7	U	NS	NS	U	27.4	U	NS	2.74	U
	29-Apr-09	NS		NS	U	2.74	NS	U	NS	2.74	U	NS	2.74
	22-Jul-09	13.7	U	NS	U	13.7	27.4	U	NS	13.7	U	2.74	U
	9-Oct-09	NS		2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74
	15-Jan-10	2.72	U	NS	U	2.74	U	NS	2.74	U	NS	2.74	U
	21-Apr-10	NS		2.74	U	NS	NS	U	13.7	U	2.74	U	NS
	16-Jul-10	2.74	U	NS	U	2.74	U	NS	20.7	U	NS	2.74	NS
	15-Oct-10	NS		2.74	U	NS	2.74	U	NS	2.74	U	2.74	U
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7	U	13.7
	28-Feb-11	NS		NS	U	27.4	NS	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		2.74	U	NS	NS	U	2.74	U	2.74	U	2.74
	26-Jul-11	9.17	U	NS	U	9.17	2.74	U	NS	13.7	U	NS	2.74
	28-Oct-11	NS		6.3	U	NS	NS	U	6.3	U	6.3	U	6.3
	23-Jan-12	1.3	U	NS	U	1.3	U	NS	1.3	U	NS	1.3	U
	13-Apr-12	NS		1.3	U	NS	NS	U	1.3	U	1.3	U	1.3
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	NS	NS	NS
	23-Jun-12	1.3	U	NS	U	1.3	U	NS	1.3	U	1.3	U	1.3
	1-Nov-12	NS		0.25	U	NS	0.25	U	NS	0.27	U	0.25	NS
	1-Feb-13	0.25	U	NS	U	0.25	0.25	U	NS	0.25	U	0.25	U
	29-Apr-13	NS		0.63	U	NS	NS	U	0.25	U	0.25	U	0.25
	9-Jul-13	0.38	U	NS		0.28	0.29		NS	NS	0.36	NS	NS
	18-Oct-13	NS		0.38		NS	NS	U	0.25	U	0.51	U	0.54
	9-Jan-14	0.25	U	NS		0.33	0.040		NS	NS	1.2	U	NS
	24-Apr-14	NS		0.25	U	NS	NS	U	0.25	U	0.072	U	0.54
	1-Aug-14	0.70		NS		0.88	1.4		NS	NS	0.45	0.61	NS
	27-Aug-14	NS		NS		NS	NS	U	0.38	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS		NS	NS	U	0.38 <sup>L</sup>	U	0.38 <sup>L</sup>	U	NS
	22-Oct-14	NS		0.38 <sup>L</sup>	U	NS	0.25	U	0.38 <sup>L</sup>	U	0.38 <sup>L</sup>	U	0.50 <sup>L</sup>
	20-Jan-15	0.25	U	NS	U	0.25	0.25	U	NS	NS	0.38	U	NS
	30-Mar-15 (resample)	NS		NS		NS	NS	U	NS	NS	0.28	U	NS
	22-Apr-15	NS		0.26	U	NS	0.25	U	NS	0.25	U	NS	0.29
	21-Jul-15	0.3	U	NS	U	1	6	U	0.16 <sup>J</sup>	NS	0.15 <sup>J,O</sup>	U	0.30 <sup>O</sup>
	23-Sept-15 resample	NS		NS		NS	NS	U	NS	NS	NS	NS	NS
	29-Oct-15	NS		0.3	U	NS	NS	U	0.19 <sup>J</sup>	NS	0.34	U	0.19 <sup>J</sup>
	4-Dec-15 resample	NS		0.3	U	NS	NS	U	NS	0.5	U	0.3	NS
	27-Jan-16	0.25	U	NS	U	0.25	0.25	U	NS	NS	0.25	U	NS
	20-Apr-16	NS		0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25
	20-Jul-16	1.3	U	NS		1.3	U,M,W	U	NS	1.3	U	1.3	U
	21-Oct-16	NS		0.25	U	NS	NS	U	NS	0.25	U	NS	0.25
	31-Jan-17	0.25	U	NS		0.25	U	NS	0.25	U	0.43	U	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Methyl tert butyl ether (MTBE)	8-Feb-08	0.07	U	NS	NS	NS	NS	NS	NS	0.14	0.07	U
	27-Mar-08	NS		0.072	U	NS	NS	0.072	U	NS	0.165	0.126
	25-Apr-08	NS		NS	0.072	U	NS	NS	0.072	U	NS	0.079
	29-May-08	NS		NS	0.07	U	NS	NS	0.07	U	0.07	U
	27-Jun-08	0.436		NS	NS	0.072	U	NS	NS	0.072	U	0.072
	31-Jul-08	NS		0.072	U	NS	NS	NS	NS	0.072	U	0.072
	28-Aug-08	NS		NS	0.106	NS	NS	NS	NS	0.172	U	NS
	30-Sep-08	NS		NS	1.8	U	NS	NS	1.8	U	0.14	NS
	27-Oct-08	1.8	U	NS	NS	NS	2.6	NS	NS	3.2	NS	5.8
	25-Nov-08	NS		1.8	U	NS	NS	1.8	U	NS	1.8	U
	18-Dec-08	NS		NS	1.8	U	NS	NS	1.8	U	1.8	U
	21-Jan-09	NS		NS	1.8	U	NS	NS	1.8	U	1.8	U
	25-Feb-09	5.8		NS	NS	NS	1.8	NS	NS	1.8	U	NS
	26-Mar-09	NS		0.36	U	NS	NS	0.72	U	NS	0.072	U
	29-Apr-09	NS		NS	0.072	U	NS	NS	0.072	U	NS	0.072
	22-Jul-09	0.36	U	NS	0.36	U	0.72	U	0.36	U	0.072	U
	9-Oct-09	NS		0.072	U	NS	0.072	U	0.072	U	15	U
	15-Jan-10	0.079		NS	0.072	U	NS	0.072	U	NS	0.072	U
	21-Apr-10	NS		0.072	U	NS	NS	0.36	U	0.36	U	0.072
	16-Jul-10	0.072	U	NS	0.072	U	0.072	U	0.544	U	NS	0.072
	15-Oct-10	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072
	26-Jan-11	0.72	U	0.072	U	NS	0.072	U	0.396	U	0.36	U
	28-Feb-11	NS		NS	0.72	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	26-Jul-11	0.24	U	NS	0.24	U	0.072	U	0.36	U	0.072	U
	28-Oct-11	NS		1.8	U	NS	NS	1.8	U	1.8	U	1.8
	23-Jan-12	0.36	U	NS	0.36	U	0.36	U	0.36	U	0.36	U
	13-Apr-12	NS		0.36	U	NS	NS	0.36	U	0.36	U	0.36
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	1.8	U
	23-Jun-12	0.36	U	NS	0.36	U	0.36	U	0.36	U	0.36	U
	1-Nov-12	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072
	1-Feb-13	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U	NS
	29-Apr-13	NS		0.18	U	NS	0.072	U	NS	0.072	U	0.072
	9-Jul-13	0.17		NS	0.072	U	NS	0.072	U	NS	0.072	U
	18-Oct-13	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072
	9-Jan-14	0.072	U	NS	0.072	U	0.072	U	0.072	U	0.072	U
	24-Apr-14	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.11
	1-Aug-14	0.072	U	NS	0.11	U	0.12		NS	0.072	U	NS
	27-Aug-14	NS		NS	NS	NS	NS	0.072	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	NS	0.11	U	NS
	22-Oct-14	NS		0.11	U	NS	NS	0.11	U	0.11	U	0.14
	20-Jan-15	0.072	U	NS	0.072	U	0.072	U	NS	0.11	U	NS
	30-Mar-15 (resample)	NS		NS	0.074 <sup>v</sup>	U	NS	NS	NS	NS	0.081	U
	22-Apr-15	NS		NS	0.074 <sup>v</sup>	U	NS	0.072	U	0.10	U	0.083
	21-Jul-15	0.2	U	NS	0.7	U	4	U	0.2	U	0.200 <sup>c</sup>	U
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS	NS	0.2	U	NS
	29-Oct-15	NS		0.2	U	NS	NS	0.2	U	0.3	U	0.096 <sup>i</sup>
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	NS	0.2	U	NS
	27-Jan-16	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U	NS
	20-Apr-16	NS		0.072	U	NS	0.072	U	0.072	U	NS	0.072
	20-Jul-16	0.36	U	NS	0.46	U	0.36	U	0.36	U	0.36	U
	21-Oct-16	NS		0.072	U	NS	0.072	U	NS	0.072	U	NS
	31-Jan-17	0.072	U	NS	0.072	U	0.072	U	0.072	U	0.072	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Methylene chloride	8-Feb-08	2.34		NS	NS	1.74	U	NS	NS	1.74	U	1.74	U
	27-Mar-08	NS		1.74	U	NS	NS	2.87	NS	NS	NS	2.1	1.74
	25-Apr-08	NS		NS	U	1.74	NS	NS	NS	1.74	U	NS	1.74
	29-May-08	NS		NS	U	1.74	U	NS	NS	1.74	U	NS	U
	27-Jun-08	4.33	U	NS	U	NS	NS	3.69	NS	NS	NS	2.78	U
	31-Jul-08	NS		1.74	U	NS	NS	NS	NS	1.74	U	NS	1.74
	28-Aug-08	NS		NS	U	1.74	NS	NS	NS	1.74	U	1.74	U
	30-Sep-08	NS		NS	U	1.7	U	NS	NS	1.7	U	1.7	U
	27-Oct-08	1.7	U	NS	NS	NS	U	1.7	NS	NS	1.7	U	1.7
	25-Nov-08	NS		1.7	U	NS	NS	1.7	U	NS	1.7	U	NS
	18-Dec-08	NS		NS	U	1.7	NS	NS	1.7	U	NS	1.7	U
	21-Jan-09	NS		NS	U	1.7	NS	NS	NS	1.7	U	NS	1.7
	25-Feb-09	1.7	U	NS	NS	NS	U	1.7	NS	NS	1.7	U	NS
	26-Mar-09	NS		16.1	NS	NS	NS	17.4	U	NS	NS	1.74	U
	29-Apr-09	NS		NS	U	1.74	NS	NS	1.74	U	NS	1.74	U
	22-Jul-09	86.8	U	NS	U	8.68	17.4	U	NS	8.68	U	1.74	U
	9-Oct-09	NS		1.74	U	NS	NS	1.74	U	NS	1.74	U	1.74
	15-Jan-10	1.74	U	NS	U	1.74	U	NS	1.74	U	NS	1.74	U
	21-Apr-10	NS		1.74	U	NS	NS	0.868	U	NS	8.68	U	1.74
	16-Jul-10	24		NS		21.5		19.5	NS	26.2	U	NS	27.1
	15-Oct-10	NS		3.47	U	NS	NS	3.47	U	NS	3.47	U	3.47
	26-Jan-11	34.7	U	3.47	U	NS	3.47	U	0.404	U	17.4	U	17.4
	28-Feb-11	NS		NS	U	34.7	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		3.47	U	NS	NS	3.47	U	NS	3.47	U	3.47
	26-Jul-11	11.6	U	NS	U	11.6	U	3.47	U	17.4	U	NS	5.7
	28-Oct-11	NS		17	U	NS	NS	17	U	NS	17	U	140
	23-Jan-12	3.5	U	NS	U	3.5	U	3.5	U	NS	NS	U	3.5
	13-Apr-12	NS		4.6		NS		7.3		NS	4.6		3.5
	2-Jul-12 (resample)	NS		NS		NS		NS		NS	NS		17
	23-Jun-12	3.5	U	NS	U	3.5	U	3.5	U	NS	NS	U	3.5
	1-Nov-12	NS		0.74		NS		1.1		0.69	U	0.69	NS
	1-Feb-13	2		NS		0.93		1.6		NS	NS	0.9	2.1
	29-Apr-13	NS		1.7	U	NS		1.4		NS	0.93	1.8	1.1
	9-Jul-13	1.8		NS		25		1.2		NS	NS	31	3.6
	18-Oct-13	NS		0.69	U	NS		0.69	U	NS	0.69	U	0.74
	9-Jan-14	0.85		NS		0.69	U	0.69	U	0.69	U	0.69	1.3
	24-Apr-14	NS		0.90		NS		6.7		NS	2.8	1.5	0.69
	1-Aug-14	1.0		NS		1.7		1.7		NS	NS	1.1	NS
	27-Aug-14	NS		NS		NS		NS		NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS	1.2	NS	NS
	22-Oct-14	NS		1.7		NS		1.0	U	1.7	1.4	1.0	3.0
	20-Jan-15	33		NS		27		25		NS	NS	32	0.69
	30-Mar-15 (resample)	NS		NS		NS		NS		NS	NS	40	NS
	22-Apr-15	NS		0.85 <sup>v</sup>		NS		1.00 <sup>v</sup>		NS	0.73	2.5/2.3	1.0
	21-Jul-15	2.1		NS		3.5	3.1 <sup>j</sup>	NS	1.5	NS	NS	1.7 <sup>o</sup>	2.4 <sup>o</sup>
	23-Sept-15 resample	NS		NS		NS		NS		NS	2.4	NS	NS
	29-Oct-15	NS		1.6		NS		1.4		NS	3.6	2.7	2
	4-Dec-15 resample	NS		1.6		NS		NS		NS	NS	NS	NS
	27-Jan-16	2.3		NS		0.69	U	0.69	U	NS	0.69	U	0.69
	20-Apr-16	NS		0.69	U	NS		0.69	U	1.7	0.69	4.4	NS
	20-Jul-16	3.5	U	NS	U	3.5	U	NS	3.5	U	NS	3.5	8.6
	21-Oct-16	NS		0.69	U	NS		4.6	NS	0.69	U	1.1	NS
	31-Jan-17	0.69	U	NS		0.8		0.69	U	NS	NS	0.69	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
			Qual		Qual		Qual			Qual	Qual	Qual	Qual
4-Methyl-2-pentanone	8-Feb-08	2.05	U	NS	NS	NS	NS	NS	NS	2.05	U	8.7	NS
	27-Mar-08	NS		2.05	U	NS	NS	NS	NS	NS	NS	15.2	2.05
	25-Apr-08	NS		NS	U	2.05	NS	NS	NS	2.05	U	NS	2.05
	29-May-08	NS		NS	U	2.05	NS	NS	NS	2.05	U	2.05	U
	27-Jun-08	3.19	U	NS	U	NS	NS	NS	NS	NS	NS	2.05	U
	31-Jul-08	NS		2.05	U	NS	NS	NS	NS	2.05	U	NS	2.05
	28-Aug-08	NS		NS	U	2.05	NS	NS	NS	2.05	U	2.05	U
	30-Sep-08	NS		NS	U	2	NS	NS	NS	2	U	2	U
	27-Oct-08	2	U	NS	NS	NS	NS	NS	NS	2	U	2	U
	25-Nov-08	NS		3.5	U	NS	NS	NS	NS	2	U	2	NS
	18-Dec-08	NS		NS	U	2	NS	NS	NS	2	U	2	2
	21-Jan-09	NS		NS	U	NS	NS	NS	NS	2	U	NS	2
	25-Feb-09	2	U	NS	NS	NS	NS	NS	NS	2	U	2	U
	26-Mar-09	NS		10.2	U	NS	NS	NS	NS	NS	NS	2.05	U
	29-Apr-09	NS		NS	U	2.05	NS	NS	NS	2.05	U	NS	2.05
	22-Jul-09	10.2	U	NS	U	10.2	NS	20.5	U	NS	NS	2.05	U
	9-Oct-09	NS		2.05	U	NS	NS	2.05	U	NS	427	2.05	U
	15-Jan-10	2.05	U	NS	U	2.05	U	NS	U	NS	2.05	U	NS
	21-Apr-10	NS		2.05	U	NS	NS	10.2	U	10.2	U	2.05	U
	16-Jul-10	2.05	U	NS	U	2.05	U	NS	NS	NS	NS	2.05	U
	15-Oct-10	NS		2.05	U	NS	NS	2.05	U	2.05	U	2.05	U
	26-Jan-11	20.5	U	2.05	U	NS	2.05	U	10.2	U	10.2	U	10.2
	28-Feb-11	NS		NS	U	20.5	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		2.05	U	NS	NS	2.05	U	2.05	U	NS	3.35
	26-Jul-11	6.84	U	NS	U	0.684	U	2.05	U	10.2	U	2.05	U
	28-Oct-11	NS		2	U	NS	NS	2	U	NS	2	U	NS
	23-Jan-12	0.41	U	NS	U	0.44	U	0.41	U	0.41	U	0.41	U
	13-Apr-12	NS		0.41	U	NS	NS	0.41	U	0.41	U	0.41	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	2	U
	23-Jun-12	0.41	U	NS	U	0.41	U	0.41	U	0.41	U	0.46	NS
	1-Nov-12	NS		0.89	NS	NS	NS	0.65	NS	0.9	NS	1.1	NS
	1-Feb-13	0.12		NS	U	0.082	U	0.082	NS	0.095	NS	0.082	NS
	29-Apr-13	NS		0.2	U	NS	NS	0.21	NS	0.21	0.082	0.86	0.78
	9-Jul-13	0.66		NS	U	0.55	0.47	NS	NS	NS	NS	0.92	NS
	18-Oct-13	NS		1.8	NS	NS	NS	2.7	NS	2.2	2.3	3.0	3.8
	9-Jan-14	0.18		NS	U	0.15	0.21	NS	0.082	NS	NS	0.21	NS
	24-Apr-14	NS		0.087	NS	NS	NS	0.082	U	NS	0.13	0.082	0.38
	1-Aug-14	0.64		NS	U	1.0/0.74	1.1/0.86	NS	NS	NS	NS	1.30	2.4/2.0
	27-Aug-14	NS		NS	U	NS	NS	2.4	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	NS	NS	0.44	NS	NS
	22-Oct-14	NS		0.13	NS	NS	NS	0.12	U	0.12	0.12	0.78	0.73
	20-Jan-15	0.087		NS	U	0.085	0.12	NS	0.088	NS	NS	0.35	5.8
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	0.77	NS
	22-Apr-15	NS		0.57	NS	NS	NS	0.34	NS	0.85	0.39/0.40	0.87	0.88
	21-Jul-15	0.2	U	NS	U	0.8	4	U	0.2	U	NS	1.4 °	2.7 °
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	NS	NS	0.2	NS	NS
	29-Oct-15	NS		0.2	NS	NS	NS	0.2	U	0.3	U	0.97	0.42
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.082	U	NS	U	0.082	U	0.082	U	0.082	U	0.61	0.88
	20-Apr-16	NS		0.082	U	NS	NS	0.084	NS	0.21	0.15	0.7	0.74
	20-Jul-16	0.41	U	NS	U	1.2	0.59	NS	0.82	NS	NS	2.4	1.7
	21-Oct-16	NS		0.49	NS	NS	NS	0.56	NS	0.64	0.76	2.5	1.2
	31-Jan-17	0.1		NS	U	0.085	0.082	U	NS	NS	NS	0.32	0.83

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Styrene	8-Feb-08	0.09	U	NS		NS		NS		0.3	3.15	
	27-Mar-08	NS		0.1		NS		NS		NS	0.206	0.404
	25-Apr-08	NS		NS	0.244	NS		NS		0.559	NS	0.351
	29-May-08	NS		NS	0.17	NS		NS		0.36	0.27	NS
	27-Jun-08	0.732		NS		NS		NS		NS	0.598	0.59
	31-Jul-08	NS		0.276		NS		NS		NS	0.255	0.17
	28-Aug-08	NS		NS	1.22	NS		NS		1.02	1.01	NS
	30-Sep-08	NS		NS	2.1	U	NS	NS		2.1	2.1	U
	27-Oct-08	2.1	U	NS		NS		NS		2.1	NS	2.1
	25-Nov-08	NS		2.1	U	NS		NS		2.1	2.1	U
	18-Dec-08	NS		NS	2.1	U	NS		NS	NS	2.1	2.1
	21-Jan-09	NS		NS	2.1	U	NS		NS	2.1	NS	2.1
	25-Feb-09	2.1	U	NS		NS		NS		2.1	U	NS
	26-Mar-09	NS		0.851	U	NS		NS		NS	0.292	0.361
	29-Apr-09	NS		NS	0.174	NS		NS		0.098	NS	0.243
	22-Jul-09	0.426	U	NS	0.426	U	0.851	U	0.426	NS	0.149	NS
	9-Oct-09	NS		0.085	U	NS		0.098		NS	0.153	NS
	15-Jan-10	0.106		NS	0.119	0.089		NS		NS	0.128	0.221
	21-Apr-10	NS		0.085	U	NS		0.426	U	0.426	0.481	NS
	16-Jul-10	0.57		NS	0.911	0.66		NS		NS	0.34	0.864
	15-Oct-10	NS		0.698		NS		1.12		NS	0.877	1.52
	26-Jan-11	0.851	U	0.162		NS		0.426	U	NS	0.426	0.617
	28-Feb-11	NS		NS	0.851	U	NS		NS	NS	NS	NS
	27-Apr-11	NS		0.311		NS		0.302		NS	0.753	0.749
	26-Jul-11	0.724		NS	0.779	0.868		NS		NS	1.23	0.681
	28-Oct-11	NS		2.1	U	NS		2.1	U	2.1	U	2.1
	23-Jan-12	0.84		NS	0.43	U	0.43	U	0.43	NS	0.46	16
	13-Apr-12	NS		0.43	U	NS		0.43	U	0.43	NS	0.43
	2-Jul-12 (resample)	NS		NS		NS		NS		NS	2.1	U
	23-Jun-12	1.7		NS	1.4	1.9		1.9		NS	2.4	2.6
	1-Nov-12	NS		0.14		NS		0.15		0.46	0.17	0.3
	1-Feb-13	0.085	U	NS	0.085	0.085	U	0.085	U	NS	0.22	0.26
	29-Apr-13	NS		0.22		NS		0.27		NS	0.36	0.53
	9-Jul-13	0.43		NS	0.60	0.39		NS		NS	0.12	0.48
	18-Oct-13	NS		0.25		NS		0.26		NS	0.35	0.50
	9-Jan-14	0.10		NS	0.10	0.12		NS		NS	0.44	0.53
	24-Apr-14	NS		0.085		NS		0.085	U	0.085	0.21	0.28
	1-Aug-14	0.32		NS	0.64	2.8/3.8		NS		NS	0.45	0.51
	27-Aug-14	NS		NS		NS		2.7/2.9		NS	NS	NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS	0.81	NS
	22-Oct-14	NS		0.13	U	NS		0.13	U	0.18	0.13	1.1
	20-Jan-15	0.085	U	NS	0.085	U	0.085	U	0.085	NS	0.67	0.085
	30-Mar-15 (resample)	NS		NS		NS		NS		NS	NS	1.4
	22-Apr-15	NS		0.098		NS		0.085	U	0.099	0.12	1.6
	21-Jul-15	0.160 <sup>j</sup>		NS	0.460 <sup>j</sup>	4	U	NS		NS	1.3 <sup>o</sup>	2.9 <sup>o</sup>
	23-Sept-15 resample	NS		NS		NS		NS		NS	NS	NS
	29-Oct-15	NS		0.2	U	NS		0.21 <sup>j</sup>		0.4	0.2	0.71
	4-Dec-15 resample	NS		0.2		NS		NS		NS	NS	NS
	27-Jan-16	0.085	U	NS	0.085	U	0.085	U	0.085	NS	1.3	3.7
	20-Apr-16	NS		0.085	U	NS		0.09		NS	1.5	NS
	20-Jul-16	0.79	L	NS	0.88	L	0.97	L	NS	NS	3.9	5.9
	21-Oct-16	NS		0.12		NS		0.18		NS	0.22	3.2
	31-Jan-17	0.085	U	NS	0.085	U	0.085	U	0.085	NS	0.97	2.8

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,1,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14
	27-Mar-08	NS		0.137	U	NS		0.137	U	NS	NS	0.137
	25-Apr-08	NS		NS	U	NS		NS	0.137	U	NS	0.137
	29-May-08	NS		NS	U	NS		NS	0.137	U	NS	0.137
	27-Jun-08	0.214	U	NS	U	NS	0.137	U	NS	0.14	U	0.14
	31-Jul-08	NS		0.137	U	NS		NS	0.137	U	NS	0.137
	28-Aug-08	NS		NS	U	NS		NS	0.137	U	0.137	U
	30-Sep-08	NS		NS	U	NS		NS	0.14	U	0.14	U
	27-Oct-08	0.14	U	NS	U	NS	0.14	U	NS	0.14	U	0.14
	25-Nov-08	NS		0.14	U	NS		0.14	U	NS	0.14	U
	18-Dec-08	NS		NS	U	NS		NS	0.14	U	0.14	U
	21-Jan-09	NS		NS	U	0.19		NS	0.14	U	NS	0.14
	25-Feb-09	0.14	U	NS	U	NS	0.14	U	NS	0.14	U	NS
	26-Mar-09	NS		0.686	U	NS		1.37	U	NS	NS	0.137
	29-Apr-09	NS		NS	U	0.137		NS	0.137	U	NS	0.137
	22-Jul-09	0.686	U	NS	U	28	U	1.37	U	0.686	U	0.137
	9-Oct-09	NS		0.137	U	NS		0.137	U	0.137	U	0.137
	15-Jan-10	0.109	U	NS	U	0.137		0.137	U	NS	0.137	U
	21-Apr-10	NS		0.137	U	NS		0.686	U	0.686	U	0.137
	16-Jul-10	0.137	U	NS	U	0.137		1.04	U	NS	0.137	U
	15-Oct-10	NS		0.137	U	NS		0.137	U	0.137	U	0.137
	26-Jan-11	1.37	U	0.137	U	NS		0.686	U	NS	0.686	U
	28-Feb-11	NS		NS	U	1.37		NS	NS	NS	NS	NS
	27-Apr-11	NS		0.137	U	NS		0.137	U	0.137	U	0.137
	26-Jul-11	0.458	U	NS	U	0.458		0.687	U	NS	0.137	U
	28-Oct-11	NS		6.2	U	NS		6.2	U	6.2	U	6.2
	23-Jan-12	1.2	U	NS	U	1.2		1.2	U	NS	1.2	U
	13-Apr-12	NS		1.2	U	NS		1.2	U	1.2	U	1.2
	2-Jul-12 (resample)	NS		NS	U	NS		NS	NS	NS	NS	NS
	23-Jun-12	1.2	U	NS	U	1.2		1.2	U	NS	1.2	U
	1-Nov-12	NS		0.25	U	NS		0.25	U	0.25	U	0.25
	1-Feb-13	0.25	U	NS	U	0.25		0.25	U	NS	0.25	U
	29-Apr-13	NS		0.62	U	NS		0.25	U	0.25	U	0.25
	9-Jul-13	0.37	U	NS	U	0.25		0.25	U	NS	0.036	U
	18-Oct-13	NS		0.25	U	NS		0.25	U	0.25	U	0.25
	9-Jan-14	0.25	U	NS	U	0.25		0.25	U	NS	0.25	U
	24-Apr-14	NS		0.25	U	NS		0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>
	1-Aug-14	0.25	U	NS	U	0.37		NS	NS	0.25	U	NS
	27-Aug-14	NS		NS	U	NS		0.25	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS		NS	NS	0.37	U	NS
	22-Oct-14	NS		0.37	U	NS		0.37	U	0.37	U	0.50
	20-Jan-15	0.25	U	NS	U	0.25		0.25	U	NS	0.25	U
	30-Mar-15 (resample)	NS		NS	U	NS		NS	NS	NS	0.28	U
	22-Apr-15	NS		0.29	U	NS		0.25	U	0.36	U	0.29
	27-Jan-16	0.25	U	NS	U	0.25		0.25	U	0.25	U	0.25
	20-Apr-16	NS		0.25	U	NS		0.25	U	0.25	U	0.25
	20-Jul-16	1.2	U	NS	U	1.2		1.2	U	NS	1.2	U
	21-Oct-16	NS		0.25	U	NS		0.25	U	0.25	U	0.25
	31-Jan-17	0.25	U	NS	U	0.25		0.25	U	NS	0.25	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,2,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14
	27-Mar-08	NS		0.137	U	NS		0.137	U	NS	NS	0.137
	25-Apr-08	NS		NS	U	NS		NS	0.137	U	NS	0.137
	29-May-08	NS		NS	U	NS		NS	0.137	U	NS	0.137
	27-Jun-08	0.214	U	NS	U	NS	0.137	U	NS	0.14	U	0.14
	31-Jul-08	NS		0.137	U	NS		NS	0.137	U	NS	0.137
	28-Aug-08	NS		NS	U	NS		NS	0.137	U	0.137	U
	30-Sep-08	NS		NS	U	NS		NS	0.14	U	0.14	U
	27-Oct-08	0.14	U	NS	U	NS	0.14	U	NS	0.14	U	0.14
	25-Nov-08	NS		0.14	U	NS		0.14	U	NS	0.14	U
	18-Dec-08	NS		NS	U	NS		NS	0.14	U	0.14	U
	21-Jan-09	NS		NS	U	NS		NS	0.14	U	NS	0.14
	25-Feb-09	0.14	U	NS	U	NS	0.14	U	NS	0.14	U	NS
	26-Mar-09	NS		0.686	U	NS		1.37	U	NS	NS	0.137
	29-Apr-09	NS		NS	U	NS		NS	0.137	U	NS	0.137
	22-Jul-09	0.686	U	NS	U	28	0.137	U	0.686	U	NS	0.137
	9-Oct-09	NS		0.137	U	NS		0.137	U	0.137	U	0.137
	15-Jan-10	0.109	U	NS	U	0.137	U	0.109	U	NS	0.137	U
	21-Apr-10	NS		0.137	U	NS		0.686	U	0.686	U	0.137
	16-Jul-10	0.137	U	NS	U	0.137	U	1.04	U	NS	0.137	U
	15-Oct-10	NS		0.137	U	NS		0.137	U	0.137	U	0.137
	26-Jan-11	1.37	U	0.137	U	NS		0.686	U	NS	0.686	U
	28-Feb-11	NS		NS	U	1.37	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.137	U	NS		0.137	U	0.137	U	0.137
	26-Jul-11	0.458	U	NS	U	0.458	U	0.687	U	NS	0.137	U
	28-Oct-11	NS		3.4	U	NS		3.4	U	NS	3.4	U
	23-Jan-12	0.69	U	NS	U	0.69	U	0.69	U	NS	0.69	U
	13-Apr-12	NS		0.34	U	NS		0.34	U	0.34	U	0.34
	2-Jul-12 (resample)	NS		NS	U	NS		NS	U	NS	1.7	U
	23-Jun-12	0.69	U	NS	U	0.69	U	0.69	U	NS	0.69	U
	1-Nov-12	NS		0.069	U	NS		0.069	U	0.069	U	0.069
	1-Feb-13	0.069	U	NS	U	0.069	U	NS	0.069	U	0.12	U
	29-Apr-13	NS		0.17	U	NS		0.069	U	0.069	U	0.069
	9-Jul-13	0.10	U	NS	U	0.069	U	0.069	U	NS	0.010	U
	18-Oct-13	NS		0.14	U	NS		0.14	U	0.14	U	0.14
	9-Jan-14	0.14	U	NS	U	0.14	U	0.14	U	NS	0.14	U
	24-Apr-14	NS		0.069	U	NS		0.069 <sup>L</sup>	U	0.069 <sup>L</sup>	U	0.069 <sup>L-V</sup>
	1-Aug-14	0.14	U	NS	U	0.21	U	NS	NS	NS	0.140	U
	27-Aug-14	NS		NS	U	NS		0.069 <sup>L</sup>	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS		NS	U	0.10	U	NS
	22-Oct-14	NS		0.10	U	NS		0.10	U	0.10	U	0.10
	20-Jan-15	0.069	U	NS	U	0.069	U	0.069	U	NS	0.069	U
	30-Mar-15 (resample)	NS		NS	U	NS		NS	U	NS	0.077	U
	22-Apr-15	NS		0.070	U	NS		0.069	U	0.10	U	0.069
	21-Jul-15	0.3	U	NS	U	1	U	7	U	0.3	U	0.300°
	23-Sept-15 resample	NS		NS	U	NS		NS	U	NS	0.400°	U
	29-Oct-15	NS		0.4	U	NS		0.4	U	0.6	U	0.3
	4-Dec-15 resample	NS		0.3	U	NS		NS	U	NS	NS	NS
	27-Jan-16	0.069	U	NS	U	0.069	U	NS	U	NS	0.069	U
	20-Apr-16	NS		0.069	U	NS		0.069	U	0.069	U	0.069
	20-Jul-16	0.34	U	NS	U	0.34	U	NS	U	0.34	U	NS
	21-Oct-16	NS		0.069	U	NS		0.069	U	NS	0.069	U
	31-Jan-17	0.069	U	NS	U	0.069	U	NS	U	NS	0.069	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Tetrachloroethene*	8-Feb-08	0.35		NS		NS		NS		0.53		5.05
	27-Mar-08	NS		0.888		NS		NS		NS		6.99
	25-Apr-08	NS		NS	0.322	NS		NS		0.83		5.25
	29-May-08	NS		NS	NS	1.36		NS		0.24		0.867
	27-Jun-08	1.32		NS	NS	29.6		NS		0.3		NS
	31-Jul-08	NS		0.667	NS	NS		NS		0.618		0.572
	28-Aug-08	NS		NS	1.55	NS		NS		1.37		NS
	30-Sep-08	NS		NS	3.4	NS		NS		3.4		3.4
	27-Oct-08	4.2	U	NS	NS	10		NS		4.2	U	4.2
	25-Nov-08	NS		21.3	NS	4.6		NS		3.4	U	NS
	18-Dec-08	NS		NS	3.4	U	NS	NS		3.4	U	3.4
	21-Jan-09	NS		NS	3.4	NS		NS		3.4	U	3.4
	25-Feb-09	3.4	U	NS	NS	8.3		NS		3.4	U	NS
	26-Mar-09	NS		1.28	NS	NS		1.36		NS		7.11
	29-Apr-09	NS		NS	0.271	NS		NS		0.237		0.691
	22-Jul-09	1.63		NS	1.63	2.1		NS		11.8		NS
	9-Oct-09	NS		0.556	NS	2.07		NS		0.678		1.46
	15-Jan-10	1.31		NS	0.644	1.35		NS		0.447		NS
	21-Apr-10	NS		7.2	NS	NS		31.4		0.501		36.1
	16-Jul-10	12.4		NS	12.7	10.9		NS		62.1		NS
	15-Oct-10	NS		21.9	NS	37.6		NS		15.4		19.2
	26-Jan-11	1.36	U	0.691	NS	1.27		NS		21.8		31.6
	28-Feb-11	NS		NS	1.36	U	NS	NS		2.13		NS
	27-Apr-11	NS		1.44	NS	NS		7.22		NS		NS
	26-Jul-11	3.34		NS	0.834	2.59		NS		1.53		1.98
	28-Oct-11	NS		3.4	U	NS		8.5		1.56		NS
	23-Jan-12	1		NS	0.68	U	1.7	NS		0.976		NS
	13-Apr-12	NS		19	NS	NS		18		3.4	U	3.4
	2-Jul-12 (resample)	NS		NS	NS	NS		NS		3.4	U	U
	23-Jun-12	1.5		NS	0.68	U	3.5	NS		0.68	U	NS
	1-Nov-12	NS		7.4	NS	11		NS		0.68	U	15
	1-Feb-13	1.8		NS	0.76	0.99		4.5		1.3		1.6
	29-Apr-13	NS		8.1	NS	NS		4.7		1.8		NS
	9-Jul-13	2.0		NS	2.1	3.1		NS		2.6		NS
	18-Oct-13	NS		14	NS	NS		7.3		3.2		1.4
	9-Jan-14	0.6		NS	0.22	1.1		NS		0.46		NS
	24-Apr-14	NS		4.7	NS	NS		5.7		0.51		0.30
	1-Aug-01	2.3		NS	3.3/4.9	2.1		NS		0.97		NS
	27-Aug-14	NS		NS	NS	NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS	NS	NS		NS		0.34	U	NS
	22-Oct-14	NS		6.9	NS	NS		5.0		0.10	U	NS
	20-Jan-15	0.9		NS	0.20	0.37		1.0		0.52		NS
	30-Mar-15 (resample)	NS		NS	NS	NS		NS		3.0		NS
	22-Apr-15	NS		5.3	NS	NS		2.6		1.7		1.5
	21-Jul-15	0.34		NS	1	U	7	NS		0.44 <sup>o</sup>		NS
	23-Sept-15 resample	NS		NS	NS	NS		NS		4.0 <sup>o</sup>		NS
	29-Oct-15	NS		18	NS	NS		3.6		1.5		NS
	4-Dec-15 resample	NS		14	NS	NS		NS		0.18 <sup>J</sup>		0.65
	27-Jan-16	3.1		NS	0.19	0.71		NS		0.19		NS
	20-Apr-16	NS		9.7	NS	NS		3.4		6.7		NS
	20-Jul-16	0.5		NS	0.99	1.6		NS		0.22		0.47
	21-Oct-16	NS		40	NS	NS		4.6		0.71		NS
	31-Jan-17	0.33		NS	0.23	0.79		NS		0.75		0.93

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Toluene	8-Feb-08	1.63		NS		NS		NS		2.72		455
	27-Mar-08	NS		2.24		NS		1.45		NS		11.3
	25-Apr-08	NS		NS	1.39	NS		NS		11.2		21.8
	29-May-08	NS		NS	7.74	NS		NS		11.6	21	13
	27-Jun-08	14.7		NS	NS	2.33		NS		NS		10.6
	31-Jul-08	NS		4.15		NS		NS		10.2		6.11
	28-Aug-08	NS		NS	6.48	NS		NS		10		NS
	30-Sep-08	NS		NS	1.9	U	NS	NS		6.1		7.5
	27-Oct-08	56.3		NS	NS	3.2		NS		6.6		8.6
	25-Nov-08	NS		7.8		NS		7.8		NS		18.6
	18-Dec-08	NS		NS	2	NS		NS		NS		4.9
	21-Jan-09	NS		NS	1.9	U	NS	NS		1.9		1.9
	25-Feb-09	7		NS	NS	1.9		NS		1.9		13.8
	26-Mar-09	NS		3.53		NS		NS		NS		7.23
	29-Apr-09	NS		NS	1.99	NS		NS		0.149		4.56
	22-Jul-09	38.7		NS	38.7	2.22		4.71		NS		5.32
	9-Oct-09	NS		3.53		NS		3.06		1.07		3.67
	15-Jan-10	12.8		NS	4.17	4.33		NS		5.81		4.81
	21-Apr-10	NS		0.9		NS		2.97		NS		4.85
	16-Jul-10	22.2		NS	17.9	5.98		5.54		NS		5.08
	15-Oct-10	NS		1.67		NS		2.1		1.72		3.26
	26-Jan-11	6.06		6.82		NS		4.74		NS		12.1
	28-Feb-11	NS		NS	1.88	NS		NS		NS		NS
	27-Apr-11	NS		0.836		NS		0.682		NS		1.62
	26-Jul-11	8.29		NS	3.96	1.15		NS		1.25		NS
	28-Oct-11	NS		1.9	U	NS		1.9		NS		3.8
	23-Jan-12	7.9		NS	3.8	1.9		NS		3.4		NS
	13-Apr-12	NS		0.75		NS		0.38	U	NS		1.5
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS
	23-Jun-12	8.5		NS	3.5	1.5		NS		2.5		2.4
	1-Nov-12	NS		2		NS		1.7		NS		1.8
	1-Feb-13	2.4		NS	0.69	0.69		NS		2.3		4.5
	29-Apr-13	NS		1.7		NS		1.3		NS		3.9
	9-Jul-13	11		NS	3.0	2.0		NS		2.5		3.4
	18-Oct-13	NS		2.3		NS		3.1		NS		1.9
	9-Jan-14	10		NS	7.6	8.6		NS		10		NS
	24-Apr-14	NS		0.23		NS		0.22		NS		0.25
	1-Aug-14	2.7		NS	2.8/3.2	1.3/1.4		NS		0.25		1.1
	27-Aug-14	NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS
	22-Oct-14	NS		0.34		NS		0.32		0.48		1.2
	20-Jan-15	1.5		NS	0.6	0.6		NS		0.44		NS
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS
	22-Apr-15	NS		0.95		NS		0.59		NS		4.3
	21-Jul-15	3.8		NS	4.5	4	U	NS		2		7.6 °
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS
	29-Oct-15	NS		0.41		NS		0.55		NS		2.8
	4-Dec-15 resample	NS		0.42		NS		NS		NS		NS
	27-Jan-16	1.5		NS	0.5	0.4		NS		0.44		NS
	20-Apr-16	NS		0.62		NS		0.77		NS		1.8
	20-Jul-16	1.2	W	NS	1.9	0.77	W	NS		1.2		1.2
	21-Oct-16	NS		0.56		NS		NS		2.6		1.2
	31-Jan-17	1.1		NS	1.2	1		NS		0.98		1.8

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,1-Trichloroethane*	8-Feb-08	0.11	U	NS	NS	0.11	U	NS	NS	0.11	U	0.56
	27-Mar-08	NS		0.109	U	NS		0.109	U	NS		0.522
	25-Apr-08	NS		NS	U	NS		NS	U	NS		0.266
	29-May-08	NS		NS	U	NS		NS	U	0.109	U	0.119
	27-Jun-08	0.17	U	NS	U	NS	0.12	NS	NS	0.11	U	0.54
	31-Jul-08	NS		0.109	U	NS		0.458	NS	NS		0.377
	28-Aug-08	NS		NS	U	NS		NS	U	0.109	U	0.109
	30-Sep-08	NS		NS	U	NS		2.7	U	NS		0.492
	27-Oct-08	3.4	U	NS	U	NS	3.4	U	NS	2.7	U	2.7
	25-Nov-08	NS		2.7	U	NS		2.7	U	NS		3.4
	18-Dec-08	NS		NS	U	NS		NS	U	NS		2.7
	21-Jan-09	NS		NS	U	NS		2.7	U	NS		2.7
	25-Feb-09	2.7	U	NS	U	NS		2.7	U	NS		NS
	26-Mar-09	NS		1.59	U	NS		1.09	U	NS		0.682
	29-Apr-09	NS		NS	U	0.174		NS	U	NS		0.191
	22-Jul-09	0.545	U	NS	U	2.2	U	1.09	U	NS		NS
	9-Oct-09	NS		0.109	U	NS		0.158	U	0.191		0.136
	15-Jan-10	0.109	U	NS	U	0.109	U	1.09	U	NS		NS
	21-Apr-10	NS		0.109	U	NS		0.545	U	NS		0.692
	16-Jul-10	0.109	U	NS	U	0.109	U	0.109	U	0.545	U	1.09
	15-Oct-10	NS		0.272	U	NS		0.349	U	0.109	U	0.109
	26-Jan-11	1.09	U	0.109	U	NS		0.545	U	NS		0.845
	28-Feb-11	NS		NS	U	1.09	U	NS	U	NS		NS
	27-Apr-11	NS		0.109	U	NS		0.109	U	0.109	U	0.109
	26-Jul-11	0.364	U	NS	U	0.364	U	0.109	U	0.873	U	NS
	28-Oct-11	NS		2.7	U	NS		2.7	U	NS		2.7
	23-Jan-12	0.55	U	NS	U	0.55	U	0.55	U	1.5	U	0.55
	13-Apr-12	NS		0.27	U	NS		0.27	U	NS		0.27
	2-Jul-12 (resample)	NS		NS	U	NS		NS	U	NS		NS
	23-Jun-12	0.55	U	NS	U	0.55	U	0.55	U	0.55	U	0.55
	1-Nov-12	NS		0.25	U	NS		0.27	U	NS		0.14
	1-Feb-13	0.055	U	NS	U	0.055	U	0.055	U	0.055	U	0.055
	29-Apr-13	NS		0.15	U	NS		0.076	U	NS		0.055
	9-Jul-13	0.082	U	NS	U	0.055	U	0.061	U	0.055	U	0.055
	18-Oct-13	NS		0.23	U	NS		NS	U	0.061	U	0.055
	9-Jan-14	0.11	U	NS	U	0.11	U	0.11	U	0.11	U	0.11
	24-Apr-14	NS		0.055	U	NS		0.055	U	0.41	U	0.46
	1-Aug-14	0.11	U	NS	U	0.16	U	0.16	U	NS		NS
	27-Aug-14	NS		NS	U	NS		NS	U	0.35	U	0.28
	12-Sept-14 (resample)	NS		NS	U	NS		NS	U	NS		NS
	22-Oct-14	NS		0.19	U	NS		0.19	U	0.082	U	0.082
	20-Jan-15	0.055	U	NS	U	0.055	U	0.055	U	0.31	U	0.28
	30-Mar-15 (resample)	NS		NS	U	NS		NS	U	NS		NS
	22-Apr-15	NS		0.056	U	NS		0.055	U	NS		0.063
	21-Jul-15	0.3	U	NS	U	1	U	5	U	0.27 <sup>j</sup>	U	0.3 <sup>o</sup>
	23-Sept-15 resample	NS		NS	U	NS		NS	U	NS		NS
	29-Oct-15	NS		0.36	U	NS		0.3	U	NS		0.3
	4-Dec-15 resample	NS		0.23 <sup>j</sup>	U	NS		NS	U	NS		NS
	27-Jan-16	0.055	U	NS	U	0.055	U	0.055	U	0.24	U	0.4
	20-Apr-16	NS		0.2	U	NS		0.098	U	NS		0.074
	20-Jul-16	0.27	U	NS	U	0.27	U	0.27	U	0.59	U	0.28
	21-Oct-16	NS		0.59	U	NS		0.19	U	NS		1.4
	31-Jan-17	0.13		NS	U	0.055	U	NS	U	0.2	U	0.57

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,2-Trichloroethane	8-Feb-08	0.11	U	NS	NS	NS	0.11	U	NS	NS	0.11	U
	27-Mar-08	NS		0.109	U	NS	NS	0.109	U	NS	0.109	U
	25-Apr-08	NS		NS	U	NS	NS	0.109	U	NS	0.109	U
	29-May-08	NS		NS	U	NS	NS	NS	U	0.11	U	NS
	27-Jun-08	0.17	U	NS	U	NS	0.109	U	NS	0.11	U	NS
	31-Jul-08	NS		0.109	U	NS	NS	NS	U	0.109	U	0.109
	28-Aug-08	NS		NS	U	NS	NS	0.109	U	0.109	U	NS
	30-Sep-08	NS		NS	U	0.11	U	NS	U	0.11	U	0.11
	27-Oct-08	0.11	U	NS	NS	NS	0.11	U	NS	0.11	U	0.11
	25-Nov-08	NS		0.11	U	NS	NS	0.11	U	NS	0.11	U
	18-Dec-08	NS		NS	U	NS	NS	0.11	U	NS	0.11	U
	21-Jan-09	NS		NS	U	0.11	U	NS	U	0.11	U	0.11
	25-Feb-09	0.11	U	NS	NS	NS	0.11	U	NS	0.11	U	NS
	26-Mar-09	NS		0.545	U	NS	NS	1.09	U	NS	NS	0.109
	29-Apr-09	NS		NS	U	0.109	U	NS	U	0.109	U	0.109
	22-Jul-09	0.545	U	NS	22.2	U	1.09	U	0.545	U	0.109	U
	9-Oct-09	NS		0.109	U	NS	0.109	U	0.109	U	22.8	U
	15-Jan-10	0.109	U	NS	U	0.109	U	0.081	U	NS	0.109	U
	21-Apr-10	NS		0.109	U	NS	0.545	U	NS	0.545	U	0.109
	16-Jul-10	0.109	U	NS	U	0.109	U	0.824	U	NS	1.09	U
	15-Oct-10	NS		0.109	NS	NS	0.109	U	0.109	U	0.109	U
	26-Jan-11	1.09	U	0.109	U	NS	0.109	U	0.545	U	0.547	U
	28-Feb-11	NS		NS	U	1.09	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.109	U	NS	NS	0.109	U	0.109	U	0.109
	26-Jul-11	0.364	U	NS	0.364	U	0.109	U	0.546	U	NS	0.546
	28-Oct-11	NS		2.7	U	NS	2.7	U	NS	2.7	U	2.7
	23-Jan-12	0.55	U	NS	U	0.55	U	0.55	U	NS	0.55	U
	13-Apr-12	NS		0.27	U	NS	0.27	U	NS	0.27	U	0.27
	2-Jul-12 (resample)	NS		NS	1.4	U						
	23-Jun-12	0.55	U	NS	U	0.55	U	0.5	U	NS	0.55	U
	1-Nov-12	NS		0.055	U	NS	0.055	U	0.055	U	0.055	U
	1-Feb-13	0.055	U	NS	0.055	U	0.055	U	NS	NS	0.055	U
	29-Apr-13	NS		0.14	U	NS	0.055	U	0.055	U	0.055	U
	9-Jul-13	0.082	U	NS	U	0.055	U	0.055	U	NS	0.055	U
	18-Oct-13	NS		0.11	U	NS	0.11	U	NS	0.11	U	0.11
	9-Jan-14	0.11	U	NS	U	0.11	U	0.11	U	NS	0.11	U
	24-Apr-14	NS		0.055	U	NS	0.055	U	NS	0.055	U	0.055
	1-Aug-14	0.11	U	NS	U	0.16	U	NS	NS	0.11	U	NS
	27-Aug-14	NS		NS	NS	NS	NS	0.055	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	NS	0.082	U	NS
	22-Oct-14	NS		0.082	U	NS	0.082	U	0.082	U	0.082	U
	20-Jan-15	0.055	U	NS	U	0.055	U	0.055	U	NS	0.055	U
	30-Mar-15 (resample)	NS		NS	0.061	U						
	22-Apr-15	NS		0.056	U	NS	0.055	U	NS	0.055	U	0.063
	21-Jul-15	0.3	U	NS	U	1	5	U	0.3	NS	0.3	U
	23-Sept-15 resample	NS		NS								
	29-Oct-15	NS		0.3	U	NS	0.3	U	NS	0.3	U	0.3
	4-Dec-15 resample	NS		0.3	U	NS						
	27-Jan-16	0.055	U	NS	U	0.055	U	0.055	U	NS	0.055	U
	20-Apr-16	NS		0.055	U	NS	0.055	U	0.055	U	NS	0.055
	20-Jul-16	0.27	U	NS	U	0.27	U	0.27	U	NS	0.27	U
	21-Oct-16	NS		0.055	U	NS	0.055	U	NS	0.055	U	0.055
	31-Jan-17	0.055	U	NS	U	0.055	U	0.055	U	NS	0.055	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Trichloroethene*	8-Feb-08	0.12	NS	NS	NS	0.11	U	NS	NS	0.2	19.6	NS	
	27-Mar-08	NS	0.107	U	NS	NS	0.152	NS	NS	NS	13.4	5.34	
	25-Apr-08	NS	NS	0.199	NS	NS	NS	1.35	NS	0.668	NS	3.39	
	29-May-08	NS	NS	NS	26.5	NS	NS	NS	0.15	0.37	13.6	NS	
	27-Jun-08	0.408	NS	NS	NS	258	NS	NS	NS	NS	13.6	6.56	
	31-Jul-08	NS	1.24	NS	NS	NS	NS	NS	NS	0.126	NS	3.26	
	28-Aug-08	NS	NS	0.558	NS	NS	NS	3.56	NS	0.432	18.4	NS	
	30-Sep-08	NS	NS	NS	56.2	NS	NS	NS	0.8	NS	22.7	3.95	
	27-Oct-08	0.8	U	NS	NS	117	NS	NS	NS	2.99	NS	0.8	U
	25-Nov-08	NS	2.92	NS	NS	NS	1.89	NS	NS	0.54	U	39.8	NS
	18-Dec-08	NS	NS	0.54	U	NS	NS	0.54	NS	NS	4.56	2.48	
	21-Jan-09	NS	NS	NS	19.6	NS	NS	NS	0.54	U	NS	4.99	
	25-Feb-09	0.44	NS	NS	NS	99.5	NS	NS	NS	0.56	10.7	NS	
	26-Mar-09	NS	9.2	NS	NS	NS	3.88	NS	NS	NS	25.1	5.49	
	29-Apr-09	NS	NS	0.22	NS	NS	1.2	NS	NS	0.392	NS	2.96	
	22-Jul-09	0.537	U	NS	0.537	U	12.7	NS	NS	0.354	10.3	NS	
	9-Oct-09	NS	0.091	U	NS	NS	26	NS	1.24	22.4	U	NS	3.26
	15-Jan-10	0.591	NS	0.242	17.7	NS	0.172	NS	NS	0.107	U	18.5	NS
	21-Apr-10	NS	0.107	U	NS	NS	34	NS	0.94	0.537	U	0.891	NS
	16-Jul-10	0.333	NS	0.333	8.14	NS	0.811	U	NS	0.107	27.8	NS	
	15-Oct-10	NS	2.26	NS	NS	129	NS	1.92	0.177	0.317	NS	1.3	
	26-Jan-11	1.07	U	1.63	NS	9.94	NS	0.537	U	0.617	1.23	27.1	NS
	28-Feb-11	NS	NS	1.07	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.231	NS	NS	78.1	NS	0.891	0.107	U	0.107	NS	1.56
	26-Jul-11	1.18	NS	0.358	U	29.6	NS	10.5	NS	0.247	20.5	NS	
	28-Oct-11	NS	2.7	U	NS	110	NS	2.7	U	2.7	U	2.7	U
	23-Jan-12	0.88	NS	0.54	U	6.8	NS	7.8	NS	0.54	U	44	NS
	13-Apr-12	NS	0.27	U	NS	NS	83	NS	1.5	0.27	U	NS	4.1
	2-Jul-12 (resample)	NS	NS	NS	U	NS	NS	NS	NS	NS	32	NS	
	23-Jun-12	1.1	NS	0.54	U	92	NS	0.75	NS	0.54	U	35	NS
	1-Nov-12	NS	2.4	NS	NS	92	NS	1.9	0.32	0.28	NS	6.9	
	1-Feb-13	0.85	NS	0.064	21	NS	5.6	NS	NS	0.077	20	NS	
	29-Apr-13	NS	1.7	NS	NS	46	NS	0.84	0.12	0.44	NS	1.9	
	9-Jul-13	0.60	NS	0.22	27	NS	2.6	NS	NS	0.14	22	U	NS
	18-Oct-13	NS	3.3	NS	NS	76	NS	2.2	0.48	0.66	NS	15	
	9-Jan-14	0.49	NS	0.11	U	36	NS	1.8	NS	0.13	43	NS	
	24-Apr-14	NS	1.0	NS	NS	58	NS	0.81	0.13	1.0	31	2.4	
	1-Aug-14	2.70	NS	0.23	15/19	NS	NS	NS	NS	1.2	16/18	NS	
	27-Aug-14	NS	NS	NS	NS	NS	2.6/3.4	NS	NS	NS	NS	NS	
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.30	NS	NS	U	NS
	22-Oct-14	NS	1.3	NS	NS	88	0.97	1.4	0.19	0.17	18	NS	
	20-Jan-15	0.52	NS	0.054	U	24	NS	1.3	NS	0.081	U	0.054	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	15	NS	
	22-Apr-15	NS	0.96	NS	NS	35	NS	0.80	0.078	U	0.57	NS	3.6
	21-Jul-15	0.2	U	NS	1	U	15	NS	3.1	NS	0.99 °	24 °	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.44	NS	NS	NS	
	29-Oct-15	NS	4.1	NS	NS	54	NS	3.3	0.89	0.55	NS	7.3	
	4-Dec-15 resample	NS	2.1	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Jan-16	2.3	NS	0.13	25	NS	0.98	NS	NS	0.27	36	NS	
	20-Apr-16	NS	1.8	NS	NS	76	NS	0.8	0.17	0.39	NS	9.4	
	20-Jul-16	0.47	NS	0.6	28	NS	3.8	NS	NS	0.63	21	NS	
	21-Oct-16	NS	7.6	NS	NS	66	NS	1.1	0.31	0.18	NS	5.7	
	31-Jan-17	0.23	NS	0.11	32	NS	0.71	NS	NS	0.054	U	44	NS

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Trichlorofluoromethane	8-Feb-08	1.22		NS		NS		NS		1.06	15.9	
	27-Mar-08	NS		1.27		NS		1.18		NS	NS	9.02
	25-Apr-08	NS		NS	1.18	NS		NS		5.2	NS	3.83
	29-May-08	NS		NS	33.5	NS		NS		0.98	1.05	NS
	27-Jun-08	1.29		NS	NS	75.2		NS		NS	NS	8.89
	31-Jul-08	NS		1.01		NS		NS		NS	NS	5.1
	28-Aug-08	NS		NS	2.53	NS		NS		18	NS	NS
	30-Sep-08	NS		NS	NS	53.8		NS		NS	2.8	10.4
	27-Oct-08	2.8	U	NS	NS	NS	44.4	NS		NS	6.1	2.8
	25-Nov-08	NS		10	NS	NS	12.2	NS		NS	2.8	U
	18-Dec-08	NS		NS	2.8	U	NS	NS		4.9	NS	4.8
	21-Jan-09	NS		NS	NS	26.9	NS	NS		NS	7.2	U
	25-Feb-09	2.8	U	NS	NS	NS	14.8	NS		NS	2.8	U
	26-Mar-09	NS		1.43	NS	NS	2.81	U	NS	NS	NS	19.6
	29-Apr-09	NS		NS	1.45	NS	NS	NS		4.23	NS	1.27
	22-Jul-09	1.46		NS	1.46	19.9	NS	3.42		NS	NS	6.46
	9-Oct-09	NS		0.156	NS	NS	20	NS		11	58.6	U
	15-Jan-10	1.39		NS	2.1	16.6	NS	1.78		NS	NS	1.34
	21-Apr-10	NS		0.466	NS	NS	10.1	NS		4.83	1.4	U
	16-Jul-10	2.6		NS	1.84	16.4	NS	2.12	U	NS	2.23	19.8
	15-Oct-10	NS		9.63	NS	NS	72.2	NS	13.7	5.65	9.85	NS
	26-Jan-11	2.81	U	1.16	NS	13.8	NS	1.4	U	NS	1.4	U
	28-Feb-11	NS		NS	2.81	U	NS	NS		NS	NS	NS
	27-Apr-11	NS		1.12	NS	NS	12.8	NS		3.24	1.27	NS
	26-Jul-11	4.27		NS	1.31	41.2	U	NS	15.3	NS	NS	1.62
	28-Oct-11	NS		2.8	U	NS	30	NS		5.1	2.8	U
	23-Jan-12	2.1		NS	1.5	28	NS	29		NS	NS	1.4
	13-Apr-12	NS		1.9	NS	NS	15	NS		6.4	2.1	2
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	21
	23-Jun-12	2.4		NS	1.1	85	NS	2.2		NS	NS	1.2
	1-Nov-12	NS		3.3	NS	NS	33	NS		6.7	1.2	1.2
	1-Feb-13	2.1		NS	1.6	15	NS	17		NS	NS	5.6
	29-Apr-13	NS		2.6	NS	NS	8.3	NS		3.1	1.5	1.6
	9-Jul-13	1.4		NS	2.2	33	NS	3.3		NS	NS	3.6
	18-Oct-13	NS		4.0	NS	NS	19	NS		6.9	3.0	1.6
	9-Jan-14	1.6		NS	1.8	21	NS	11		NS	NS	1.8
	24-Apr-14	NS		2.3	NS	NS	10	NS		3.5	1.7	2.4
	1-Aug-14	2.9		NS	1.7/1.6	23/26	NS	NS		NS	NS	2.4
	27-Aug-14	NS		NS	NS	NS	NS	7.0/6.6		NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS		NS	1.5	NS
	22-Oct-14	NS		2.7	NS	NS	28	4.2		7.0	1.7	1.4
	20-Jan-15	1.6		NS	1.5	9.1	NS	5.2		NS	NS	1.3
	30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	2.8
	22-Apr-15	NS		7.8 <sup>v</sup>	NS	NS	15 <sup>v</sup>	NS		3.5	1.7/2.0	1.9
	21-Jul-15	0.87		NS	1.0 <sup>j</sup>	19	NS	3.2		NS	NS	0.98 <sup>o</sup>
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS		NS	NS	NS
	29-Oct-15	NS		4.3	NS	NS	11	NS		2.6	0.93	0.8
	4-Dec-15 resample	NS		2.5	NS	NS	NS	NS		NS	NS	NS
	27-Jan-16	2.5 <sup>M,V</sup>		NS	1.9 <sup>M,V</sup>	19 <sup>M,V</sup>	NS	7.6 <sup>M,V</sup>		NS	NS	2.4 <sup>M,V</sup>
	20-Apr-16	NS		2.3	NS	NS	8.8	NS		2.5	1.6	1.4
	20-Jul-16	1.3		NS	1.6	16	NS	4.2		NS	NS	4
	21-Oct-16	NS		4.7	NS	NS	15	NS		3.8	1.5	1.3
	31-Jan-17	1.4		NS	1.5	35	NS	3.9		NS	NS	1.4
												9.1

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2,4-Trimethylbenzene	8-Feb-08	0.21		NS		NS		NS		NS		NS
	27-Mar-08	NS		0.304		NS		0.152		NS		0.958
	25-Apr-08	NS		NS	1.72	NS		NS		NS		0.681
	29-May-08	NS		NS		0.6		NS		NS		0.338
	27-Jun-08	7.46		NS		NS	1.15	NS		1		NS
	31-Jul-08	NS		1.86		NS		NS		NS		0.48
	28-Aug-08	NS		NS	0.838	NS		NS		NS		NS
	30-Sep-08	NS		NS		2.5	U	NS		NS		0.685
	27-Oct-08	11.4		NS		NS		NS		NS		2.5
	25-Nov-08	NS		2.5	U	NS		2.5	U	NS		2.9
	18-Dec-08	NS		NS	2.5	U	NS		2.5	U		2.5
	21-Jan-09	NS		NS		2.5	U	NS		2.5	U	
	25-Feb-09	17.5		NS		4		NS		NS		NS
	26-Mar-09	NS		0.491	U	NS		0.982	U	NS		1.09
	29-Apr-09	NS		NS	0.265	NS		NS		0.378		0.801
	22-Jul-09	3.49		NS	20	U	0.982	U	0.737	NS		NS
	9-Oct-09	NS		0.707		NS		0.781		NS		0.584
	15-Jan-10	2.87		NS	0.354		0.29	NS		0.314	NS	1.17
	21-Apr-10	NS		0.211		NS		0.933		NS		0.702
	16-Jul-10	8.3		NS		8.23		8.09		6.27	NS	NS
	15-Oct-10	NS		1.29		NS		1.61		NS		2.35
	26-Jan-11	1.23		1.4		NS		1.6		0.491		NS
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS
	27-Apr-11	NS		0.845		NS		0.855		NS		1.09
	26-Jul-11	1.29		NS		2.67		0.61		0.541	NS	NS
	28-Oct-11	NS		2.5	U	NS		2.5	U	NS		3.1
	23-Jan-12	3		NS		0.76		0.49	U	0.71	NS	
	13-Apr-12	NS		0.49	U	NS		0.49	U	NS		1.3
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS
	23-Jun-12	4.1		NS		1.3		1.2		1.1	NS	
	1-Nov-12	NS		1.7		NS		2.5		NS		3.3
	1-Feb-13	1.2		NS		0.23		0.21		NS		NS
	29-Apr-13	NS		0.54		NS		0.74		NS		0.84
	9-Jul-13	4.2		NS		1.6		1.8		NS		NS
	18-Oct-13	NS		4.8		NS		4.3		NS		5.7
	9-Jan-14	2.7		NS		2.7		3.8		NS		NS
	24-Apr-14	NS		0.098	U	NS		0.098	U	NS		2.6
	1-Aug-14	4.1		NS		6.5/5.1		3.0/3.6		NS		NS
	27-Aug-14	NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS
	22-Oct-14	NS		0.37		NS		0.28		0.6	NS	
	20-Jan-15	0.19		NS		0.098	U	0.098	U	0.098	U	0.5
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		0.55
	22-Apr-15	NS		0.27		NS		0.17		NS		0.43
	21-Jul-15	0.44		NS		1.1	5	U	NS	0.89	NS	0.66°
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS
	29-Oct-15	NS		0.43		NS		0.78		NS		0.76
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS
	27-Jan-16	0.32		NS		0.098	U	0.17		NS		0.38
	20-Apr-16	NS		0.39		NS		0.57		NS		0.94
	20-Jul-16	2.2		NS		2.6		2.3		2.4		NS
	21-Oct-16	NS		0.8		NS		NS		NS		1.3
	31-Jan-17	1.3		NS		0.61		0.69		NS		4.9

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,3,5-Trimethylbenzene	8-Feb-08	0.1	U	NS		NS	0.1	U	NS	NS	0.47	0.66
	27-Mar-08	NS		0.14		NS	0.098	U	NS	NS	0.349	0.275
	25-Apr-08	NS		NS	1.6	NS	NS	U	0.228	NS	0.192	0.134
	29-May-08	NS		NS	0.18	NS	NS	NS	0.32	0.43	0.15	NS
	27-Jun-08	5.16		NS	NS	0.463	NS	NS	NS	NS	0.236	0.25
	31-Jul-08	NS		0.713	NS	NS	NS	NS	NS	0.276	NS	0.224
	28-Aug-08	NS		NS	0.497	NS	NS	NS	0.215	NS	0.248	0.233
	30-Sep-08	NS		NS	2.5	U	NS	NS	2.5	U	NS	2.5
	27-Oct-08	7.8		NS	NS	NS	2.5	U	NS	NS	2.5	2.5
	25-Nov-08	NS		2.5	U	NS	2.5	U	NS	NS	2.5	U
	18-Dec-08	NS		NS	2.5	U	NS	NS	2.5	U	NS	2.5
	21-Jan-09	NS		NS	2.5	U	NS	NS	2.5	U	NS	2.5
	25-Feb-09	9.1		NS	NS	NS	2.5	U	NS	NS	2.5	U
	26-Mar-09	NS		0.491	U	NS	NS	U	0.982	NS	NS	0.337
	29-Apr-09	NS		NS	0.147	NS	NS	U	0.128	NS	0.211	0.241
	22-Jul-09	3		NS	20	U	0.982	U	0.491	NS	22.7	0.275
	9-Oct-09	NS		0.216	NS	NS	0.241	NS	0.187	20.5	0.388	0.226
	15-Jan-10	2.15		NS	0.118	0.098	U	NS	0.108	NS	0.29	0.334
	21-Apr-10	NS		0.098	U	NS	NS	U	0.491	0.491	0.177	0.206
	16-Jul-10	2.76		NS	1.88	1.81	NS	U	1.67	NS	1.08	1.25
	15-Oct-10	NS		0.418	NS	NS	0.383	NS	0.275	0.324	0.545	0.54
	26-Jan-11	0.982	U	0.437	NS	0.472	NS	U	0.491	0.491	1.99	2.87
	28-Feb-11	NS		NS	0.982	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.255	NS	NS	0.27	NS	0.368	0.329	0.599	0.354
	26-Jul-11	0.688		NS	0.885	0.182	NS	U	0.492	NS	0.664	0.492
	28-Oct-11	NS		2.5	U	NS	2.5	U	NS	2.5	U	NS
	23-Jan-12	0.99		NS	0.49	U	0.49	U	0.49	U	0.71	0.83
	13-Apr-12	NS		0.49	NS	NS	0.49	U	0.49	U	1.1	0.49
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	1.6		NS	0.49	U	0.49	U	0.49	U	0.49	0.49
	1-Nov-12	NS		0.25	NS	NS	0.39	U	0.53	0.5	0.56	0.63
	1-Feb-13	0.42		NS	0.098	U	0.098	U	0.098	NS	0.3	0.24
	29-Apr-13	NS		0.25	U	NS	0.22	NS	0.18	0.22	0.3	0.27
	9-Jul-13	1.5		NS	0.39	0.37	NS	NS	0.38	NS	0.43	0.44
	18-Oct-13	NS		0.53	NS	NS	0.52	NS	0.75	0.99	0.44	0.53
	9-Jan-14	0.77		NS	0.69	0.96	NS	U	0.98	NS	2.9	3.1
	24-Apr-14	NS		0.098	U	NS	0.098	U	0.098	U	0.14	0.098
	1-Aug-14	0.90		NS	1.00	0.60	NS	NS	NS	NS	0.46	0.86
	27-Aug-14	NS		NS	NS	NS	NS	U	0.23	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	NS	0.15	NS	NS
	22-Oct-14	NS		0.15	U	NS	0.15	U	0.15	U	0.15	0.20
	20-Jan-15	0.098	U	NS	0.098	U	0.098	U	0.098	U	0.15	0.11
	30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	0.11	NS
	22-Apr-15	NS		0.10	U	NS	0.098	U	0.098	U	0.14	0.098
	21-Jul-15	0.2	U	NS	1	U	5	U	0.3	U	0.20 <sup>o</sup>	0.14 <sup>j, u</sup>
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-15	NS		0.3	U	NS	0.16 <sup>j</sup>	NS	0.4	U	0.13 <sup>j</sup>	0.15 <sup>j</sup>
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.1		NS	0.098	U	0.098	U	0.098	U	0.13	0.098
	20-Apr-16	NS		0.098	U	NS	0.098	U	0.18	0.098	0.26	NS
	20-Jul-16	0.78		NS	1.2	0.88	NS	NS	0.96	NS	1.3	1
	21-Oct-16	NS		0.17	NS	NS	0.18	NS	0.19	0.28	0.53	NS
	31-Jan-17	0.36		NS	0.13	0.15	NS	NS	0.15	NS	1.3	1.2

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Vinyl chloride*	8-Feb-08	0.05	U	NS	NS	0.05	U	NS	NS	0.05	U	0.05
	27-Mar-08	NS		0.051	U	NS	NS	0.051	U	NS	NS	0.051
	25-Apr-08	NS		NS	U	NS	NS	NS	0.75	NS	0.051	U
	29-May-08	NS		NS	U	NS	NS	NS	0.05	U	0.05	U
	27-Jun-08	0.08	U	NS	U	NS	0.051	U	NS	NS	0.051	U
	31-Jul-08	NS		0.051	U	NS	NS	NS	0.051	U	NS	0.051
	28-Aug-08	NS		NS	U	NS	NS	NS	0.051	U	0.051	U
	30-Sep-08	NS		NS	U	0.1	U	NS	0.1	U	0.1	U
	27-Oct-08	0.1	U	NS	NS	NS	0.1	U	NS	0.1	U	0.1
	25-Nov-08	NS		0.1	U	NS	NS	0.1	U	NS	0.1	NS
	18-Dec-08	NS		NS	U	0.1	NS	NS	0.1	U	0.1	U
	21-Jan-09	NS		NS	U	0.1	NS	NS	0.1	U	NS	0.1
	25-Feb-09	0.1	U	NS	NS	NS	0.1	U	NS	0.1	U	NS
	26-Mar-09	NS		0.255	U	NS	NS	0.511	U	NS	NS	0.051
	29-Apr-09	NS		NS	U	0.061	NS	NS	0.051	U	0.051	U
	22-Jul-09	0.255	U	NS	U	0.255	U	NS	0.255	U	0.051	U
	9-Oct-09	NS		1.72	U	NS	0.051	U	NS	0.102	10.7	U
	15-Jan-10	0.051	U	NS	U	0.061	0.051	U	NS	0.051	U	0.051
	21-Apr-10	NS		0.051	U	NS	NS	0.255	U	NS	0.051	U
	16-Jul-10	0.051	U	NS	U	1.98	0.051	U	0.386	U	NS	0.051
	15-Oct-10	NS		0.051	U	NS	NS	0.051	U	0.051	U	0.051
	26-Jan-11	0.511	U	0.051	U	NS	0.051	U	0.255	U	0.255	U
	28-Feb-11	NS		NS	U	0.511	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.051	U	NS	NS	0.051	U	0.051	U	0.051
	26-Jul-11	0.17	U	NS	U	0.17	0.051	U	0.256	U	0.051	U
	28-Oct-11	NS		1.3	U	NS	NS	1.3	U	NS	1.3	U
	23-Jan-12	0.26	U	NS	U	0.26	U	NS	0.26	U	0.26	U
	13-Apr-12	NS		0.13	U	NS	NS	0.13	U	0.13	U	0.13
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	0.64	U
	23-Jun-12	0.26	U	NS	U	0.26	U	NS	0.26	U	0.26	U
	1-Nov-12	NS		0.026	U	NS	0.026	U	0.026	U	0.026	U
	1-Feb-13	0.065		NS	U	0.026	U	NS	0.026	U	0.026	U
	29-Apr-13	NS		0.41	NS	NS	0.045	NS	0.026	U	0.026	U
	9-Jul-13	0.038	U	NS	U	0.026	U	0.085	U	NS	0.026	U
	18-Oct-13	NS		0.051	U	NS	NS	0.074	NS	0.051	U	0.051
	9-Jan-14	0.092		NS	U	0.051	U	0.051	U	NS	0.051	U
	24-Apr-14	NS		0.026	U	NS	0.026	U	NS	0.026	U	0.026
	1-Aug-14	0.21		NS	U	0.38	0.077	U	NS	NS	0.051	U
	27-Aug-14	NS		NS	U	NS	NS	0.026	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	NS	0.038	U	NS
	22-Oct-14	NS		0.038	U	NS	0.038	U	0.038	U	0.038	U
	20-Jan-15	0.093 <sup>v</sup>		NS	U	0.14 <sup>v</sup>	0.026	U	0.072 <sup>v</sup>	NS	0.038 <sup>v</sup>	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	NS	0.029	U
	22-Apr-15	NS		0.069 <sup>v</sup>	NS	NS	0.060 <sup>v</sup>	NS	0.026	U	0.026	U
	21-Jul-15	0.090 <sup>j</sup>		NS	U	0.5	3	U	0.097 <sup>j</sup>	NS	0.096 <sup>j,o</sup>	0.100 <sup>o</sup>
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS	NS	0.1	U	NS
	29-Oct-15	NS		0.13 <sup>j</sup>	NS	NS	0.1	U	NS	0.1	U	0.1
	4-Dec-15 resample	NS		0.14	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.026	U	NS	U	0.2	0.026	U	0.064	NS	0.026	U
	20-Apr-16	NS		0.23	NS	NS	0.072	NS	0.026	U	0.026	U
	20-Jul-16	0.13	U, L	NS	L	0.29	0.13	U,L	0.54	L	NS	0.13
	21-Oct-16	NS		0.34	NS	NS	0.026	U	NS	0.026	U	0.035
	31-Jan-17	0.11		NS	U	0.27	0.026	U	0.15	NS	0.026	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p/m-Xylene	8-Feb-08	0.55		NS		NS		NS		1.04	18.3		NS
	27-Mar-08	NS		0.893		NS		0.389		NS	2.17		1.33
	25-Apr-08	NS		NS	0.815	NS		NS		2.54	NS		1.81
	29-May-08	NS		NS	NS	5		NS		7.58	10.1		NS
	27-Jun-08	12.6		NS	NS	NS	1.5	NS		NS	1.91		2.33
	31-Jul-08	NS		2.4	NS	NS	NS	NS		NS	2.08		1.55
	28-Aug-08	NS		NS	2.33	NS	NS	NS		NS	2.13		NS
	30-Sep-08	NS		NS	NS	4.3	U	NS		4.3	U	4.3	U
	27-Oct-08	41.6		NS	NS	NS	4.3	U	NS	NS	4.3	U	4.3
	25-Nov-08	NS		4.7	NS	NS	4.3	U	NS	NS	8.5	U	8.9
	18-Dec-08	NS		NS	4.3	U	NS	NS		NS	4.3	U	4.3
	21-Jan-09	NS		NS	NS	4.3	U	NS		NS	4.3	U	4.3
	25-Feb-09	37.6		NS	NS	NS	4.3	U	NS	NS	8	U	9.3
	26-Mar-09	NS		1.35	NS	NS	1.74	U	NS	NS	NS	U	2.59
	29-Apr-09	NS		NS	0.468	NS	NS	NS		0.516	NS	U	0.933
	22-Jul-09	25.6		NS	25.6	1.74	U	NS		NS	165	U	3.52
	9-Oct-09	NS		1.62	NS	NS	1.63	NS		0.915	36.2	U	1.7
	15-Jan-10	18.4		NS	1.52	1.48	NS	1.76		NS	NS	U	2.35
	21-Apr-10	NS		0.703	NS	NS	3.28	NS		4.58	4.34	U	6.22
	16-Jul-10	21.8		NS	7.01	6.36	NS	4.82		NS	4.95	U	4.91
	15-Oct-10	NS		1.81	NS	NS	2.18	NS		1.7	1.88	U	3.4
	26-Jan-11	3.08		4.24	NS	4.37	NS	3.06		NS	3.17	U	11.5
	28-Feb-11	NS		NS	1.74	U	NS	NS		NS	NS	U	NS
	27-Apr-11	NS		0.694	NS	NS	0.707	NS		0.889	1.15	U	1.09
	26-Jul-11	9.99		NS	3.96	1.02	NS	0.999		NS	NS	U	0.956
	28-Oct-11	NS		4.3	U	NS	4.3	U		4.3	U	4.3	U
	23-Jan-12	7.9		NS	2	1.3	NS	2		NS	NS	U	4.4
	13-Apr-12	NS		0.87	U	NS	0.87	U		0.87	U	0.87	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	U	4.3
	23-Jun-12	12		NS	1.1	0.87	U	NS		0.94	NS	U	1.7
	1-Nov-12	NS		2.1	NS	NS	2.4	NS		3.3	2.9	U	3.6
	1-Feb-13	3.4		NS	0.44	0.38	NS	0.59		NS	NS	U	1.5
	29-Apr-13	NS		1	NS	NS	1.2	NS		1.2	1.5	U	1.9
	9-Jul-13	12		NS	1.9	1.8	NS	1.7		NS	NS	U	3.2
	18-Oct-13	NS		5.0	NS	NS	5.6	NS		6.3	8.0	U	4.7
	9-Jan-14	8.6		NS	7.2	9.3	NS	9.7		NS	NS	U	23
	24-Apr-14	NS		0.17	U	NS	0.17	U		0.17	U	0.17	U
	1-Aug-14	4.8		NS	2.8/3.0	1.8/2.1	NS	NS		NS	NS	U	0.17
	27-Aug-14	NS		NS	NS	NS	NS	3.6		NS	NS	U	NS
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	U	NS
	22-Oct-14	NS		0.26	U	NS	0.26	U		0.30	0.5	U	0.26
	20-Jan-15	1.1		NS	0.21	0.30	NS	0.20		NS	NS	U	0.76
	30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	U	0.90
	22-Apr-15	NS		0.71	NS	NS	0.40	NS		0.8	0.66/0.76	U	1.3
	21-Jul-15	1.5		NS	1.7 <sup>j</sup>	9	U	NS		1.9	NS	U	1.8 <sup>o</sup>
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS		NS	0.71	U	2.3 <sup>o</sup>
	29-Oct-15	NS		0.29 <sup>j</sup>	NS	NS	0.47 <sup>j</sup>	NS		0.73	0.90	U	0.8
	4-Dec-15 resample	NS		0.4	U	NS	NS	NS		NS	NS	U	0.8
	27-Jan-16	2.4		NS	0.51	0.64	NS	0.64		NS	NS	U	2.5
	20-Apr-16	NS		1	NS	NS	1.5	NS		2.1	1.4	U	2.7
	20-Jul-16	16		NS	1.4	0.91	NS	1.3		NS	NS	U	2.5
	21-Oct-16	NS		0.43	NS	NS	1.1	NS		0.77	2	U	4.1
	31-Jan-17	2		NS	0.5	0.55	NS	0.45		NS	NS	U	3.3

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2017**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
o-Xylene	8-Feb-08	0.2		NS		NS		NS		0.48	7.73	
	27-Mar-08	NS		0.273		NS		NS		NS	0.844	0.478
	25-Apr-08	NS		NS	0.37	NS		NS		0.735	NS	0.62
	29-May-08	NS		NS	1.48	NS		NS		2.26	2.84	NS
	27-Jun-08	4.12		NS	NS	0.55		NS		NS	1.02	NS
	31-Jul-08	NS		0.835		NS		NS		NS	0.672	0.794
	28-Aug-08	NS		NS	0.804	NS		NS		0.748	NS	0.564
	30-Sep-08	NS		NS	2.2	U	NS	NS		0.797	0.725	NS
	27-Oct-08	9.8		NS	NS	NS		NS		NS	2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS	2.2	NS
	18-Dec-08	NS		NS	2.2	U	NS	NS		NS	2.2	U
	21-Jan-09	NS		NS	2.2	U	NS	NS		NS	2.2	U
	25-Feb-09	8.9		NS	NS	NS		NS		NS	3.2	NS
	26-Mar-09	NS		0.486		NS		NS		NS	0.922	1.28
	29-Apr-09	NS		NS	0.174	NS		NS		NS	0.369	0.499
	22-Jul-09	5.34		NS	5.34	0.868	U	NS		NS	72.7	1.27
	9-Oct-09	NS		0.542		NS		NS		NS	0.629	0.616
	15-Jan-10	4.51		NS	0.49	0.49		NS		NS	0.833	0.846
	21-Apr-10	NS		0.256		NS		NS		NS	1.24	NS
	16-Jul-10	5.07		NS	2.84	2.63		NS		NS	1.88	2.05
	15-Oct-10	NS		0.672		NS		NS		NS	1.22	NS
	26-Jan-11	1.08		1.5		NS		1.11		NS	1.15	4.32
	28-Feb-11	NS		NS	0.868	U	NS	NS		NS	NS	NS
	27-Apr-11	NS		0.286		NS		0.286		NS	0.456	0.551
	26-Jul-11	1.87		NS	1.45	0.334		NS		NS	0.365	0.434
	28-Oct-11	NS		2.2	U	NS		2.2		U	2.2	NS
	23-Jan-12	2.3		NS	0.76	0.54		NS		NS	1.7	4.6
	13-Apr-12	NS		0.43	U	NS		0.43		U	1.4	NS
	2-Jul-12 (resample)	NS		NS		NS		NS		NS	2.2	U
	23-Jun-12	3		NS	0.43	U	NS	0.43		NS	0.59	0.44
	1-Nov-12	NS		0.72		NS		0.85		NS	1.1	1.3
	1-Feb-13	1		NS	0.19	0.17		NS		NS	0.64	0.52
	29-Apr-13	NS		0.43		NS		0.46		NS	0.41	0.065
	9-Jul-13	3.2		NS	0.86	0.90		NS		NS	1.3	0.28
	18-Oct-13	NS		1.7		NS		1.9		NS	2.1	1.4
	9-Jan-14	3.4		NS	3.0	4.00		NS		NS	9.8	9.6
	24-Apr-14	NS		0.087	U	NS		0.087		U	0.087	0.087
	1-Aug-14	1.9		NS	1.6/1.8	1.10		NS		NS	0.79	1.2/1.6
	27-Aug-14	NS		NS		NS		1.3		NS	NS	NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS	0.52	NS
	22-Oct-14	NS		0.13	U	NS		0.13		U	0.2	0.28
	20-Jan-15	0.29		NS	0.087	U	0.10	NS		NS	0.23	0.34
	30-Mar-15 (resample)	NS		NS		NS		NS		NS	NS	0.36
	22-Apr-15	NS		0.26		NS		0.13		NS	0.25	0.22/0.25
	21-Jul-15	0.48		NS	0.59 <sup>J</sup>	4	U	NS		NS	0.53	0.54 <sup>o</sup>
	23-Sept-15 resample	NS		NS		NS		NS		NS	1.3	0.73 <sup>o</sup>
	29-Oct-15	NS		0.16 <sup>J</sup>		NS		0.21 <sup>J</sup>		NS	0.34 <sup>J</sup>	0.44
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS	0.28	NS
	27-Jan-16	0.51		NS	0.13	0.17		NS		NS	0.63	0.84
	20-Apr-16	NS		0.36		NS		0.52		NS	0.77	0.92
	20-Jul-16	3.4	W	NS	0.84	0.43	U,W	NS		NS	0.60	0.92
	21-Oct-16	NS		0.18		NS		NS		NS	0.38	0.27
	31-Jan-17	0.88		NS	0.31	0.32		NS		NS	0.27	0.72

Notes:

All data presented in micrograms per cubic meter (ug/m3).

Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multiple dilutions, the lower RL was documented in this table.

U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.

NS: not sampled.

\* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.

M: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.

L: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

V: Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

W: Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

E: Reported result is estimated due to value over calibration range

J: Estimated result as the result was between the MDL and the RDL.

O: One or more method internal standards were recovered outside of the control limits. Sample re-analysis not possible due to sample volume and detection limit constraints.

## **APPENDIX D**

### Rooftop Emission Analytical Summary

*This page intentionally left blank*

**Alvarez School - Sub Slab Depressurization System Emissions Calculations**

Sample Date: 20 July 2016

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm):		2225	Measured Flow Rate (cfm):	109.2		Measured Flow Speed (fpm):		2075	Measured Flow Rate (cfm):	101.9		Measured Flow Speed (fpm):		2420	Measured Flow Rate (cfm):	118.8	
	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)
Acetone	50	B	2.04E-05	4.90E-04	1.79E-01	57		2.17E-05	5.21E-04	1.90E-01	41		1.82E-05	4.37E-04	1.59E-01	6.03E-05	1.45E-03	5.28E-01
Acrylonitrile	0.38	U	1.55E-07	3.72E-06	1.36E-03	1.3	U	4.95E-07	1.19E-05	4.34E-03	1.3	U	5.77E-07	1.39E-05	5.06E-03	1.23E-06	2.95E-05	1.08E-02
Benzene	0.29		1.18E-07	2.84E-06	1.04E-03	0.53		2.02E-07	4.84E-06	1.77E-03	0.32	U	1.42E-07	3.41E-06	1.24E-03	4.62E-07	1.11E-05	4.05E-03
Bromodichloromethane	0.6		2.45E-07	5.88E-06	2.15E-03	0.34	U	1.29E-07	3.11E-06	1.13E-03	0.34	U	1.51E-07	3.62E-06	1.32E-03	5.25E-07	1.26E-05	4.60E-03
Bromoform	0.31	U	1.27E-07	3.04E-06	1.11E-03	1.0	U	3.81E-07	9.14E-06	3.34E-03	1.0	U	4.44E-07	1.07E-05	3.89E-03	9.51E-07	2.28E-05	8.33E-03
2-Butanone	6.9		2.82E-06	6.76E-05	2.47E-02	12	U	4.57E-06	1.10E-04	4.00E-02	12	U	5.33E-06	1.28E-04	4.67E-02	1.27E-05	3.05E-04	1.11E-01
Carbon Tetrachloride	0.4		1.63E-07	3.92E-06	1.43E-03	0.42		1.60E-07	3.84E-06	1.40E-03	0.45		2.00E-07	4.80E-06	1.75E-03	5.23E-07	1.26E-05	4.58E-03
Chlorobenzene	0.14	U	5.72E-08	1.37E-06	5.01E-04	0.46	U	1.75E-07	4.20E-06	1.53E-03	0.46	U	2.04E-07	4.90E-06	1.79E-03	4.37E-07	1.05E-05	3.82E-03
Chloroethane	0.08	U, L	3.27E-08	7.84E-07	2.86E-04	0.26	U, L	9.90E-08	2.38E-06	8.67E-04	0.26	U, L	1.15E-07	2.77E-06	1.01E-03	2.47E-07	5.93E-06	2.16E-03
Chloroform	0.31		1.27E-07	3.04E-06	1.11E-03	0.53		2.02E-07	4.84E-06	1.77E-03	1.1		4.88E-07	1.17E-05	4.28E-03	8.17E-07	1.96E-05	7.16E-03
Chloromethane	0.12	U	4.90E-08	1.18E-06	4.29E-04	6.3		2.40E-06	5.76E-05	2.10E-02	0.41	U	1.82E-07	4.37E-06	1.59E-03	2.63E-06	6.31E-05	2.30E-02
Dibromochloromethane	0.13	U	5.31E-08	1.27E-06	4.65E-04	0.43	U	1.64E-07	3.93E-06	1.43E-03	0.43	U	1.91E-07	4.58E-06	1.67E-03	4.08E-07	9.79E-06	3.57E-03
1,2-Dibromoethane	0.12	U	4.90E-08	1.18E-06	4.29E-04	0.38	U	1.45E-07	3.47E-06	1.27E-03	0.38	U	1.69E-07	4.05E-06	1.48E-03	3.62E-07	8.70E-06	3.17E-03
1,2-Dichlorobenzene	0.18	U	7.35E-08	1.76E-06	6.44E-04	0.60	U	2.28E-07	5.48E-06	2.00E-03	0.60	U	2.66E-07	6.39E-06	2.33E-03	5.68E-07	1.36E-05	4.98E-03
1,3-Dichlorobenzene	0.18	U	7.35E-08	1.76E-06	6.44E-04	0.60	U	2.28E-07	5.48E-06	2.00E-03	0.60	U	2.66E-07	6.39E-06	2.33E-03	5.68E-07	1.36E-05	4.98E-03
1,4-Dichlorobenzene	0.18	U	7.35E-08	1.76E-06	6.44E-04	0.60	U	2.28E-07	5.48E-06	2.00E-03	0.60	U	2.66E-07	6.39E-06	2.33E-03	5.68E-07	1.36E-05	4.98E-03
Dichlorodifluoromethane	1.3		5.31E-07	1.27E-05	4.65E-03	1.4		5.33E-07	1.28E-05	4.67E-03	1.4		6.22E-07	1.49E-05	5.45E-03	1.69E-06	4.05E-05	1.48E-02
1,1-Dichloroethane	0.061	U	2.49E-08	5.98E-07	2.18E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.20	U	8.88E-08	2.13E-06	7.78E-04	1.90E-07	4.56E-06	1.66E-03
1,2-Dichloroethane	0.061	U	2.49E-08	5.98E-07	2.18E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.20	U	8.88E-08	2.13E-06	7.78E-04	1.90E-07	4.56E-06	1.66E-03
1,1-Dichloroethene	0.06	U	2.45E-08	5.88E-07	2.15E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.20	U	8.88E-08	2.13E-06	7.78E-04	1.89E-07	4.55E-06	1.66E-03
cis-1,2-Dichloroethene	0.06		2.45E-08	5.88E-07	2.15E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.58		2.58E-07	6.18E-06	2.26E-03	3.58E-07	8.60E-06	3.14E-03
trans-1,2-Dichloroethene	0.06	U	2.45E-08	5.88E-07	2.15E-04	0.20	U	7.62E-08	1.83E-06	6.67E-04	0.20	U	8.88E-08	2.13E-06	7.78E-04	1.89E-07	4.55E-06	1.66E-03
1,2-Dichloropropane	0.07	U	2.86E-08	6.86E-07	2.50E-04	0.23	U	8.76E-08	2.10E-06	7.67E-04	0.23	U	1.02E-07	2.45E-06	8.95E-04	2.18E-07	5.24E-06	1.91E-03
cis-1,3-Dichloropropene	0.068	U	2.78E-08	6.66E-07	2.43E-04	0.23	U	8.76E-08	2.10E-06	7.67E-04	0.23	U	1.02E-07	2.45E-06	8.95E-04	2.17E-07	5.22E-06	1.91E-03
trans-1,3-Dichloropropene	0.068	U	2.78E-08	6.66E-07	2.43E-04	0.23	U	8.76E-08	2.10E-06	7.67E-04	0.23	U	1.02E-07	2.45E-06	8.95E-04	2.17E-07	5.22E-06	1.91E-03
Ethylbenzene	0.35		1.43E-07	3.43E-06	1.25E-03	0.43	U	1.64E-07	3.93E-06	1.43E-03	7.1		3.15E-06	7.57E-05	2.76E-02	3.46E-06	8.30E-05	3.03E-02
Isopropylbenzene	0.38	U	1.55E-07	3.72E-06	1.36E-03	1.2	U	4.57E-07	1.10E-05	4.00E-03	1.2	U	5.33E-07	1.28E-05	4.67E-03	1.14E-06	2.75E-05	1.00E-02
p-Isopropyltoluene	0.38	U	1.55E-07	3.72E-06	1.36E-03	1.3	U	4.95E-07	1.19E-05	4.34E-03	1.3	U	5.77E-07	1.39E-05	5.06E-03	1.23E-06	2.95E-05	1.08E-02
Methyl tert butyl ether	0.11	U	4.49E-08	1.08E-06	3.93E-04	0.36	U	1.37E-07	3.29E-06	1.20E-03	0.36	U	1.60E-07	3.84E-06	1.40E-03	3.42E-07	8.20E-06	2.99E-03
Methylene chloride	1	U																

## **APPENDIX E**

### **Laboratory Analytical Reports**

*This page intentionally left blank*



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

February 20, 2017

Frank Postma  
EA Engineering Science & Tech. - RI  
301 Metro Center Blvd, Suite 102  
Warwick, RI 02886

Project Location: Alvarez - Providence, RI

Client Job Number:

Project Number: 15066.04

Laboratory Work Order Number: 17B0086

Enclosed are results of analyses for samples received by the laboratory on February 2, 2017. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Aaron L. Benoit". It is written in a cursive style with some variations in line thickness.

Aaron L. Benoit  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	35
QC Data	36
Air Toxics by EPA Compendium Methods	36
B170853	36
B170862	38
Flag/Qualifier Summary	41
Certifications	42
Chain of Custody/Sample Receipt	44



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
 301 Metro Center Blvd, Suite 102  
 Warwick, RI 02886  
 ATTN: Frank Postma

REPORT DATE: 2/20/2017

PURCHASE ORDER NUMBER: 11977

PROJECT NUMBER: 15066.04

#### ANALYTICAL SUMMARY

WORK ORDER NUMBER: 17B0086

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez - Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	17B0086-01	Indoor air		EPA TO-15	
Cafeteria	17B0086-02	Indoor air		EPA TO-15	
Kitchen Storage Room	17B0086-03	Indoor air		EPA TO-15	
Elevator Hallway	17B0086-04	Indoor air		EPA TO-15	
Room 145	17B0086-05	Indoor air		EPA TO-15	
Room 152	17B0086-06	Indoor air		EPA TO-15	
Room 118	17B0086-07	Indoor air		EPA TO-15	
Room 110	17B0086-08	Indoor air		EPA TO-15	
MP-1	17B0086-09	Sub Slab		EPA TO-15	
MP-3	17B0086-10	Sub Slab		EPA TO-15	
MP-4	17B0086-11	Sub Slab		EPA TO-15	
MP-6	17B0086-12	Sub Slab		EPA TO-15	
IMP-1	17B0086-13	Sub Slab		EPA TO-15	
IMP-2	17B0086-14	Sub Slab		EPA TO-15	
Ambient Outdoor Air	17B0086-15	Ambient Air		EPA TO-15	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

#### EPA TO-15

##### **Qualifications:**

##### **L-03**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

##### **Analyte & Samples(s) Qualified:**

##### **Acetone**

17B0086-01[Gymnasium], 17B0086-02[Cafeteria], 17B0086-03[Kitchen Storage Room], 17B0086-04[Elevator Hallway], 17B0086-05[Room 145], 17B0086-06[Room 152],  
17B0086-07[Room 118], 17B0086-08[Room 110], 17B0086-09[MP-1], 17B0086-10[MP-3], 17B0086-11[MP-4], 17B0086-12[MP-6], 17B0086-13[IMP-1],  
17B0086-14[IMP-2], 17B0086-15[Ambient Outdoor Air], B170853-BLK1, B170853-BS1, B170862-BLK1, B170862-BS1

##### **Methylene Chloride**

17B0086-01[Gymnasium], 17B0086-02[Cafeteria], 17B0086-03[Kitchen Storage Room], 17B0086-04[Elevator Hallway], 17B0086-05[Room 145], 17B0086-06[Room 152],  
17B0086-07[Room 118], 17B0086-08[Room 110], 17B0086-15[Ambient Outdoor Air], B170853-BLK1, B170853-BS1

##### **V-05**

Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

##### **Analyte & Samples(s) Qualified:**

##### **Acetone**

17B0086-01[Gymnasium], 17B0086-02[Cafeteria], 17B0086-03[Kitchen Storage Room], 17B0086-04[Elevator Hallway], 17B0086-05[Room 145], 17B0086-06[Room 152],  
17B0086-07[Room 118], 17B0086-08[Room 110], 17B0086-09[MP-1], 17B0086-10[MP-3], 17B0086-11[MP-4], 17B0086-12[MP-6], 17B0086-13[IMP-1],  
17B0086-14[IMP-2], 17B0086-15[Ambient Outdoor Air], B170853-BLK1, B170853-BS1, B170862-BLK1, B170862-BS1

##### **V-20**

Continuing calibration did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

##### **Analyte & Samples(s) Qualified:**

##### **1,1,1,2-Tetrachloroethane**

B170862-BS2

#### EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Tod E. Kopyscinski  
Laboratory Director

**ANALYTICAL RESULTS**

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Gymnasium**Sample ID:** 17B0086-01

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:07

Sample Description/Location:

Sub Description/Location:

Canister ID: 1823

Canister Size: 6 liter

Flow Controller ID: 4039

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -6

Receipt Vacuum(in Hg): -5.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	4.3	0.80	V-05, L-03	10	1.9		0.4	2/17/17 21:52	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/17/17 21:52	CMR
Benzene	0.16	0.020		0.52	0.064		0.4	2/17/17 21:52	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/17/17 21:52	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/17/17 21:52	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/17/17 21:52	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/17/17 21:52	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/17/17 21:52	CMR
Carbon Tetrachloride	0.068	0.010		0.43	0.063		0.4	2/17/17 21:52	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/17/17 21:52	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/17/17 21:52	CMR
Chloroform	0.019	0.010		0.092	0.049		0.4	2/17/17 21:52	CMR
Chloromethane	0.54	0.040		1.1	0.083		0.4	2/17/17 21:52	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/17/17 21:52	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/17/17 21:52	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 21:52	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 21:52	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 21:52	CMR
Dichlorodifluoromethane (Freon 12)	0.15	0.020		0.75	0.099		0.4	2/17/17 21:52	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/17/17 21:52	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/17/17 21:52	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 21:52	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 21:52	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 21:52	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/17/17 21:52	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/17/17 21:52	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/17/17 21:52	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/17/17 21:52	CMR
Ethylbenzene	0.031	0.020		0.13	0.087		0.4	2/17/17 21:52	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/17/17 21:52	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/17/17 21:52	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/17/17 21:52	CMR
Methylene Chloride	ND	0.20	L-03	ND	0.69		0.4	2/17/17 21:52	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082		0.4	2/17/17 21:52	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/17/17 21:52	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/17/17 21:52	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/17/17 21:52	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Gymnasium

**Sample ID:** 17B0086-01

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:07

Sample Description/Location:

Sub Description/Location:

Canister ID: 1823

Canister Size: 6 liter

Flow Controller ID: 4039

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -6

Receipt Vacuum(in Hg): -5.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	2/17/17 21:52	CMR
Toluene	0.22	0.020		0.83	0.075	0.4	2/17/17 21:52	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/17/17 21:52	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/17/17 21:52	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/17/17 21:52	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/17/17 21:52	CMR
1,2,4-Trimethylbenzene	0.078	0.020		0.38	0.098	0.4	2/17/17 21:52	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/17/17 21:52	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/17/17 21:52	CMR
m&p-Xylene	0.10	0.040		0.45	0.17	0.4	2/17/17 21:52	CMR
o-Xylene	0.046	0.020		0.20	0.087	0.4	2/17/17 21:52	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	2/17/17 21:52
4-Bromofluorobenzene (2)	105	70-130	2/17/17 21:52



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Cafeteria

**Sample ID:** 17B0086-02

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:15

Sample Description/Location:

Sub Description/Location:

Canister ID: 2064

Canister Size: 6 liter

Flow Controller ID: 4017

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -5.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	2.6	0.80	L-03, V-05	6.1	1.9	0.4	2/17/17 22:48	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/17/17 22:48	CMR
Benzene	0.16	0.020		0.52	0.064	0.4	2/17/17 22:48	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/17/17 22:48	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/17/17 22:48	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/17/17 22:48	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/17/17 22:48	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/17/17 22:48	CMR
Carbon Tetrachloride	0.067	0.010		0.42	0.063	0.4	2/17/17 22:48	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/17/17 22:48	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/17/17 22:48	CMR
Chloroform	0.058	0.010		0.28	0.049	0.4	2/17/17 22:48	CMR
Chloromethane	0.56	0.040		1.2	0.083	0.4	2/17/17 22:48	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/17/17 22:48	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/17/17 22:48	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/17/17 22:48	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/17/17 22:48	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/17/17 22:48	CMR
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.80	0.099	0.4	2/17/17 22:48	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/17/17 22:48	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/17/17 22:48	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/17/17 22:48	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/17/17 22:48	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/17/17 22:48	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/17/17 22:48	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/17/17 22:48	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/17/17 22:48	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/17/17 22:48	CMR
Ethylbenzene	0.026	0.020		0.11	0.087	0.4	2/17/17 22:48	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/17/17 22:48	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/17/17 22:48	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/17/17 22:48	CMR
Methylene Chloride	ND	0.20	L-03	ND	0.69	0.4	2/17/17 22:48	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	2/17/17 22:48	CMR
Styrene	ND	0.020		ND	0.085	0.4	2/17/17 22:48	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/17/17 22:48	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/17/17 22:48	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Cafeteria

**Sample ID:** 17B0086-02

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:15

Sample Description/Location:

Sub Description/Location:

Canister ID: 2064

Canister Size: 6 liter

Flow Controller ID: 4017

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -5.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.016	0.010		0.11	0.068	0.4	2/17/17 22:48	CMR
Toluene	0.22	0.020		0.82	0.075	0.4	2/17/17 22:48	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/17/17 22:48	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/17/17 22:48	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/17/17 22:48	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/17/17 22:48	CMR
1,2,4-Trimethylbenzene	0.028	0.020		0.14	0.098	0.4	2/17/17 22:48	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/17/17 22:48	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/17/17 22:48	CMR
m&p-Xylene	0.077	0.040		0.33	0.17	0.4	2/17/17 22:48	CMR
o-Xylene	0.034	0.020		0.15	0.087	0.4	2/17/17 22:48	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	2/17/17 22:48
4-Bromofluorobenzene (2)	106	70-130	2/17/17 22:48

**ANALYTICAL RESULTS**

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Kitchen Storage Room**Sample ID:** 17B0086-03

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:16

Sample Description/Location:

Sub Description/Location:

Canister ID: 1811

Canister Size: 6 liter

Flow Controller ID: 4196

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -21.5

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -3.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	4.4	0.80	L-03, V-05	10	1.9		0.4	2/17/17 23:41	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/17/17 23:41	CMR
Benzene	0.27	0.020		0.86	0.064		0.4	2/17/17 23:41	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/17/17 23:41	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/17/17 23:41	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/17/17 23:41	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/17/17 23:41	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/17/17 23:41	CMR
Carbon Tetrachloride	0.068	0.010		0.43	0.063		0.4	2/17/17 23:41	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/17/17 23:41	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/17/17 23:41	CMR
Chloroform	0.10	0.010		0.50	0.049		0.4	2/17/17 23:41	CMR
Chloromethane	0.56	0.040		1.2	0.083		0.4	2/17/17 23:41	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/17/17 23:41	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/17/17 23:41	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 23:41	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 23:41	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 23:41	CMR
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.80	0.099		0.4	2/17/17 23:41	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/17/17 23:41	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/17/17 23:41	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 23:41	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 23:41	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 23:41	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/17/17 23:41	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/17/17 23:41	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/17/17 23:41	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/17/17 23:41	CMR
Ethylbenzene	0.031	0.020		0.14	0.087		0.4	2/17/17 23:41	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/17/17 23:41	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/17/17 23:41	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/17/17 23:41	CMR
Methylene Chloride	0.20	0.20	L-03	0.70	0.69		0.4	2/17/17 23:41	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082		0.4	2/17/17 23:41	CMR
Styrene	0.058	0.020		0.25	0.085		0.4	2/17/17 23:41	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/17/17 23:41	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/17/17 23:41	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Kitchen Storage Room

**Sample ID:** 17B0086-03

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:16

Sample Description/Location:

Sub Description/Location:

Canister ID: 1811

Canister Size: 6 liter

Flow Controller ID: 4196

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -21.5

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -3.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.018	0.010		0.12	0.068	0.4	2/17/17 23:41	CMR
Toluene	0.35	0.020		1.3	0.075	0.4	2/17/17 23:41	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/17/17 23:41	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/17/17 23:41	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/17/17 23:41	CMR
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.3	0.11	0.4	2/17/17 23:41	CMR
1,2,4-Trimethylbenzene	0.029	0.020		0.14	0.098	0.4	2/17/17 23:41	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/17/17 23:41	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/17/17 23:41	CMR
m&p-Xylene	0.093	0.040		0.40	0.17	0.4	2/17/17 23:41	CMR
o-Xylene	0.038	0.020		0.17	0.087	0.4	2/17/17 23:41	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	2/17/17 23:41
4-Bromofluorobenzene (2)	106	70-130	2/17/17 23:41



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Elevator Hallway

**Sample ID:** 17B0086-04

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:10

Sample Description/Location:

Sub Description/Location:

Canister ID: 2206

Canister Size: 6 liter

Flow Controller ID: 4077

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -27

Final Vacuum(in Hg): -1.5

Receipt Vacuum(in Hg): -3.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	7.1	0.80	L-03, V-05	17	1.9		0.4	2/18/17 0:35	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/18/17 0:35	CMR
Benzene	0.17	0.020		0.54	0.064		0.4	2/18/17 0:35	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/18/17 0:35	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/18/17 0:35	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/18/17 0:35	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/18/17 0:35	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/18/17 0:35	CMR
Carbon Tetrachloride	0.064	0.010		0.40	0.063		0.4	2/18/17 0:35	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/18/17 0:35	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/18/17 0:35	CMR
Chloroform	0.030	0.010		0.15	0.049		0.4	2/18/17 0:35	CMR
Chloromethane	0.57	0.040		1.2	0.083		0.4	2/18/17 0:35	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/18/17 0:35	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/18/17 0:35	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 0:35	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 0:35	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 0:35	CMR
Dichlorodifluoromethane (Freon 12)	0.15	0.020		0.76	0.099		0.4	2/18/17 0:35	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 0:35	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 0:35	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 0:35	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 0:35	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 0:35	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/18/17 0:35	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/18/17 0:35	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 0:35	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 0:35	CMR
Ethylbenzene	0.027	0.020		0.12	0.087		0.4	2/18/17 0:35	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/18/17 0:35	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/18/17 0:35	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/18/17 0:35	CMR
Methylene Chloride	ND	0.20	L-03	ND	0.69		0.4	2/18/17 0:35	CMR
4-Methyl-2-pentanone (MIBK)	0.023	0.020		0.095	0.082		0.4	2/18/17 0:35	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/18/17 0:35	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/18/17 0:35	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/18/17 0:35	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Elevator Hallway

**Sample ID:** 17B0086-04

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:10

Sample Description/Location:

Sub Description/Location:

Canister ID: 2206

Canister Size: 6 liter

Flow Controller ID: 4077

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -27

Final Vacuum(in Hg): -1.5

Receipt Vacuum(in Hg): -3.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.018	0.010		0.12	0.068	0.4	2/18/17 0:35	CMR
Toluene	0.24	0.020		0.90	0.075	0.4	2/18/17 0:35	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 0:35	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 0:35	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/18/17 0:35	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/18/17 0:35	CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/18/17 0:35	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/18/17 0:35	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/18/17 0:35	CMR
m&p-Xylene	0.072	0.040		0.31	0.17	0.4	2/18/17 0:35	CMR
o-Xylene	0.029	0.020		0.13	0.087	0.4	2/18/17 0:35	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	2/18/17 0:35
4-Bromofluorobenzene (2)	107	70-130	2/18/17 0:35



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Room 145

**Sample ID:** 17B0086-05

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:26

Sample Description/Location:

Sub Description/Location:

Canister ID: 2014

Canister Size: 6 liter

Flow Controller ID: 4197

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -24.5

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -1.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	7.1	0.80	L-03, V-05	17	1.9		0.4	2/18/17 1:26	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/18/17 1:26	CMR
Benzene	0.16	0.020		0.52	0.064		0.4	2/18/17 1:26	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/18/17 1:26	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/18/17 1:26	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/18/17 1:26	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/18/17 1:26	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/18/17 1:26	CMR
Carbon Tetrachloride	0.057	0.010		0.36	0.063		0.4	2/18/17 1:26	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/18/17 1:26	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/18/17 1:26	CMR
Chloroform	0.020	0.010		0.100	0.049		0.4	2/18/17 1:26	CMR
Chloromethane	0.64	0.040		1.3	0.083		0.4	2/18/17 1:26	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/18/17 1:26	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/18/17 1:26	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 1:26	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 1:26	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 1:26	CMR
Dichlorodifluoromethane (Freon 12)	0.15	0.020		0.76	0.099		0.4	2/18/17 1:26	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 1:26	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 1:26	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 1:26	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 1:26	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 1:26	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/18/17 1:26	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/18/17 1:26	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 1:26	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 1:26	CMR
Ethylbenzene	0.026	0.020		0.11	0.087		0.4	2/18/17 1:26	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/18/17 1:26	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/18/17 1:26	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/18/17 1:26	CMR
Methylene Chloride	ND	0.20	L-03	ND	0.69		0.4	2/18/17 1:26	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082		0.4	2/18/17 1:26	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/18/17 1:26	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/18/17 1:26	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/18/17 1:26	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #: Room 145**

**Sample ID: 17B0086-05**

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:26

Sample Description/Location:

Sub Description/Location:

Canister ID: 2014

Canister Size: 6 liter

Flow Controller ID: 4197

Sample Type: 30 min

**Work Order: 17B0086**

Initial Vacuum(in Hg): -24.5

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -1.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Tetrachloroethylene	0.018	0.010		0.12	0.068	0.4	2/18/17 1:26 CMR
Toluene	0.23	0.020		0.86	0.075	0.4	2/18/17 1:26 CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 1:26 CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 1:26 CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/18/17 1:26 CMR
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/18/17 1:26 CMR
1,2,4-Trimethylbenzene	0.024	0.020		0.12	0.098	0.4	2/18/17 1:26 CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/18/17 1:26 CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/18/17 1:26 CMR
m&p-Xylene	0.076	0.040		0.33	0.17	0.4	2/18/17 1:26 CMR
o-Xylene	0.032	0.020		0.14	0.087	0.4	2/18/17 1:26 CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	2/18/17 1:26
4-Bromofluorobenzene (2)	106	70-130	2/18/17 1:26



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #: Room 152**

**Sample ID: 17B0086-06**

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:35

Sample Description/Location:

Sub Description/Location:

Canister ID: 1986

Canister Size: 6 liter

Flow Controller ID: 4067

Sample Type: 30 min

**Work Order: 17B0086**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	8.2	0.80	L-03, V-05	19	1.9		0.4	2/18/17 2:16	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/18/17 2:16	CMR
Benzene	0.17	0.020		0.56	0.064		0.4	2/18/17 2:16	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/18/17 2:16	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/18/17 2:16	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/18/17 2:16	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/18/17 2:16	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/18/17 2:16	CMR
Carbon Tetrachloride	0.064	0.010		0.40	0.063		0.4	2/18/17 2:16	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/18/17 2:16	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/18/17 2:16	CMR
Chloroform	0.020	0.010		0.100	0.049		0.4	2/18/17 2:16	CMR
Chloromethane	0.66	0.040		1.4	0.083		0.4	2/18/17 2:16	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/18/17 2:16	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/18/17 2:16	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 2:16	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 2:16	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 2:16	CMR
Dichlorodifluoromethane (Freon 12)	0.14	0.020		0.71	0.099		0.4	2/18/17 2:16	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 2:16	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 2:16	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 2:16	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 2:16	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 2:16	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/18/17 2:16	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/18/17 2:16	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 2:16	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 2:16	CMR
Ethylbenzene	0.027	0.020		0.12	0.087		0.4	2/18/17 2:16	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/18/17 2:16	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/18/17 2:16	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/18/17 2:16	CMR
Methylene Chloride	ND	0.20	L-03	ND	0.69		0.4	2/18/17 2:16	CMR
4-Methyl-2-pentanone (MIBK)	0.073	0.020		0.30	0.082		0.4	2/18/17 2:16	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/18/17 2:16	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/18/17 2:16	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/18/17 2:16	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #: Room 152**

**Sample ID: 17B0086-06**

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:35

Sample Description/Location:

Sub Description/Location:

Canister ID: 1986

Canister Size: 6 liter

Flow Controller ID: 4067

Sample Type: 30 min

**Work Order: 17B0086**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.025	0.010		0.17	0.068	0.4	2/18/17 2:16	CMR
Toluene	0.23	0.020		0.88	0.075	0.4	2/18/17 2:16	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 2:16	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 2:16	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/18/17 2:16	CMR
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.2	0.11	0.4	2/18/17 2:16	CMR
1,2,4-Trimethylbenzene	0.032	0.020		0.16	0.098	0.4	2/18/17 2:16	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/18/17 2:16	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/18/17 2:16	CMR
m&p-Xylene	0.084	0.040		0.36	0.17	0.4	2/18/17 2:16	CMR
o-Xylene	0.028	0.020		0.12	0.087	0.4	2/18/17 2:16	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	2/18/17 2:16
4-Bromofluorobenzene (2)	107	70-130	2/18/17 2:16



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Room 118

**Sample ID:** 17B0086-07

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:21

Sample Description/Location:

Sub Description/Location:

Canister ID: 1216

Canister Size: 6 liter

Flow Controller ID: 4066

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -25.5

Final Vacuum(in Hg): -5.5

Receipt Vacuum(in Hg): -6.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	3.8	0.80	L-03, V-05	9.1	1.9		0.4	2/18/17 3:13	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/18/17 3:13	CMR
Benzene	0.17	0.020		0.54	0.064		0.4	2/18/17 3:13	CMR
Bromodichloromethane	0.016	0.010		0.11	0.067		0.4	2/18/17 3:13	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/18/17 3:13	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/18/17 3:13	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/18/17 3:13	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/18/17 3:13	CMR
Carbon Tetrachloride	0.064	0.010		0.40	0.063		0.4	2/18/17 3:13	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/18/17 3:13	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/18/17 3:13	CMR
Chloroform	0.022	0.010		0.11	0.049		0.4	2/18/17 3:13	CMR
Chloromethane	0.56	0.040		1.2	0.083		0.4	2/18/17 3:13	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/18/17 3:13	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/18/17 3:13	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 3:13	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 3:13	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 3:13	CMR
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.77	0.099		0.4	2/18/17 3:13	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 3:13	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 3:13	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 3:13	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 3:13	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 3:13	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/18/17 3:13	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/18/17 3:13	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 3:13	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 3:13	CMR
Ethylbenzene	0.029	0.020		0.13	0.087		0.4	2/18/17 3:13	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/18/17 3:13	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/18/17 3:13	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/18/17 3:13	CMR
Methylene Chloride	ND	0.20	L-03	ND	0.69		0.4	2/18/17 3:13	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082		0.4	2/18/17 3:13	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/18/17 3:13	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/18/17 3:13	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/18/17 3:13	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Room 118

**Sample ID:** 17B0086-07

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:21

Sample Description/Location:

Sub Description/Location:

Canister ID: 1216

Canister Size: 6 liter

Flow Controller ID: 4066

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -25.5

Final Vacuum(in Hg): -5.5

Receipt Vacuum(in Hg): -6.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	2/18/17 3:13	CMR
Toluene	0.24	0.020		0.92	0.075	0.4	2/18/17 3:13	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 3:13	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 3:13	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/18/17 3:13	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/18/17 3:13	CMR
1,2,4-Trimethylbenzene	0.023	0.020		0.11	0.098	0.4	2/18/17 3:13	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/18/17 3:13	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/18/17 3:13	CMR
m&p-Xylene	0.085	0.040		0.37	0.17	0.4	2/18/17 3:13	CMR
o-Xylene	0.035	0.020		0.15	0.087	0.4	2/18/17 3:13	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	2/18/17 3:13
4-Bromofluorobenzene (2)	105	70-130	2/18/17 3:13



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #: Room 110**

**Sample ID: 17B0086-08**

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:23

Sample Description/Location:

Sub Description/Location:

Canister ID: 2032

Canister Size: 6 liter

Flow Controller ID: 4076

Sample Type: 30 min

**Work Order: 17B0086**

Initial Vacuum(in Hg): -28.5

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	8.2	0.80	L-03, V-05	19	1.9		0.4	2/18/17 4:08	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/18/17 4:08	CMR
Benzene	0.17	0.020		0.55	0.064		0.4	2/18/17 4:08	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/18/17 4:08	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/18/17 4:08	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/18/17 4:08	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/18/17 4:08	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/18/17 4:08	CMR
Carbon Tetrachloride	0.068	0.010		0.43	0.063		0.4	2/18/17 4:08	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/18/17 4:08	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/18/17 4:08	CMR
Chloroform	0.55	0.010		2.7	0.049		0.4	2/18/17 4:08	CMR
Chloromethane	0.63	0.040		1.3	0.083		0.4	2/18/17 4:08	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/18/17 4:08	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/18/17 4:08	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 4:08	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/18/17 4:08	CMR
1,4-Dichlorobenzene	0.020	0.020		0.12	0.12		0.4	2/18/17 4:08	CMR
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.78	0.099		0.4	2/18/17 4:08	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 4:08	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/18/17 4:08	CMR
1,1-Dichloroethylene	0.019	0.010		0.075	0.040		0.4	2/18/17 4:08	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 4:08	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/18/17 4:08	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/18/17 4:08	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/18/17 4:08	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 4:08	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/18/17 4:08	CMR
Ethylbenzene	0.026	0.020		0.11	0.087		0.4	2/18/17 4:08	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/18/17 4:08	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/18/17 4:08	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/18/17 4:08	CMR
Methylene Chloride	ND	0.20	L-03	ND	0.69		0.4	2/18/17 4:08	CMR
4-Methyl-2-pentanone (MIBK)	0.034	0.020		0.14	0.082		0.4	2/18/17 4:08	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/18/17 4:08	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/18/17 4:08	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/18/17 4:08	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Room 110

**Sample ID:** 17B0086-08

Sample Matrix: Indoor air

Sampled: 1/31/2017 10:23

Sample Description/Location:

Sub Description/Location:

Canister ID: 2032

Canister Size: 6 liter

Flow Controller ID: 4076

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -28.5

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.018	0.010		0.12	0.068	0.4	2/18/17 4:08	CMR
Toluene	0.26	0.020		0.97	0.075	0.4	2/18/17 4:08	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 4:08	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/18/17 4:08	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/18/17 4:08	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/18/17 4:08	CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/18/17 4:08	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/18/17 4:08	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/18/17 4:08	CMR
m&p-Xylene	0.078	0.040		0.34	0.17	0.4	2/18/17 4:08	CMR
o-Xylene	0.029	0.020		0.13	0.087	0.4	2/18/17 4:08	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	2/18/17 4:08
4-Bromofluorobenzene (2)	105	70-130	2/18/17 4:08



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** MP-1

**Sample ID:** 17B0086-09

Sample Matrix: Sub Slab

Sampled: 1/31/2017 12:37

Sample Description/Location:

Sub Description/Location:

Canister ID: 1948

Canister Size: 6 liter

Flow Controller ID: 4280

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -2.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	3.1	0.80	L-03, V-05	7.4	1.9	0.4	2/19/17 9:24	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/19/17 9:24	CMR
Benzene	0.074	0.020		0.24	0.064	0.4	2/19/17 9:24	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/19/17 9:24	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/19/17 9:24	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/19/17 9:24	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/19/17 9:24	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/19/17 9:24	CMR
Carbon Tetrachloride	0.065	0.010		0.41	0.063	0.4	2/19/17 9:24	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/19/17 9:24	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/19/17 9:24	CMR
Chloroform	0.016	0.010		0.078	0.049	0.4	2/19/17 9:24	CMR
Chloromethane	ND	0.040		ND	0.083	0.4	2/19/17 9:24	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/19/17 9:24	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/19/17 9:24	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/19/17 9:24	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/19/17 9:24	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/19/17 9:24	CMR
Dichlorodifluoromethane (Freon 12)	0.15	0.020		0.75	0.099	0.4	2/19/17 9:24	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/19/17 9:24	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/19/17 9:24	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/19/17 9:24	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/19/17 9:24	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/19/17 9:24	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/19/17 9:24	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/19/17 9:24	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/19/17 9:24	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/19/17 9:24	CMR
Ethylbenzene	0.13	0.020		0.56	0.087	0.4	2/19/17 9:24	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/19/17 9:24	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/19/17 9:24	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/19/17 9:24	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/19/17 9:24	CMR
4-Methyl-2-pentanone (MIBK)	0.024	0.020		0.100	0.082	0.4	2/19/17 9:24	CMR
Styrene	ND	0.020		ND	0.085	0.4	2/19/17 9:24	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/19/17 9:24	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/19/17 9:24	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** MP-1

**Sample ID:** 17B0086-09

Sample Matrix: Sub Slab

Sampled: 1/31/2017 12:37

Sample Description/Location:

Sub Description/Location:

Canister ID: 1948

Canister Size: 6 liter

Flow Controller ID: 4280

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -2.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.049	0.010		0.33	0.068	0.4	2/19/17 9:24	CMR
Toluene	0.30	0.020		1.1	0.075	0.4	2/19/17 9:24	CMR
1,1,1-Trichloroethane	0.024	0.010		0.13	0.055	0.4	2/19/17 9:24	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 9:24	CMR
Trichloroethylene	0.042	0.010		0.23	0.054	0.4	2/19/17 9:24	CMR
Trichlorofluoromethane (Freon 11)	0.25	0.020		1.4	0.11	0.4	2/19/17 9:24	CMR
1,2,4-Trimethylbenzene	0.27	0.020		1.3	0.098	0.4	2/19/17 9:24	CMR
1,3,5-Trimethylbenzene	0.073	0.020		0.36	0.098	0.4	2/19/17 9:24	CMR
Vinyl Chloride	0.042	0.010		0.11	0.026	0.4	2/19/17 9:24	CMR
m&p-Xylene	0.46	0.040		2.0	0.17	0.4	2/19/17 9:24	CMR
o-Xylene	0.20	0.020		0.88	0.087	0.4	2/19/17 9:24	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	110	70-130	2/19/17 9:24
4-Bromofluorobenzene (2)	112	70-130	2/19/17 9:24



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** MP-3

**Sample ID:** 17B0086-10

Sample Matrix: Sub Slab

Sampled: 1/31/2017 12:33

Sample Description/Location:

Sub Description/Location:

Canister ID: 2000

Canister Size: 6 liter

Flow Controller ID: 4304

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -3.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	3.8	0.80	L-03, V-05	8.9	1.9		0.4	2/19/17 10:19	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/19/17 10:19	CMR
Benzene	0.13	0.020		0.43	0.064		0.4	2/19/17 10:19	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/19/17 10:19	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/19/17 10:19	CMR
2-Butanone (MEK)	0.94	0.80		2.8	2.4		0.4	2/19/17 10:19	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/19/17 10:19	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/19/17 10:19	CMR
Carbon Tetrachloride	0.060	0.010		0.38	0.063		0.4	2/19/17 10:19	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/19/17 10:19	CMR
Chloroethane	0.055	0.020		0.14	0.053		0.4	2/19/17 10:19	CMR
Chloroform	0.12	0.010		0.56	0.049		0.4	2/19/17 10:19	CMR
Chloromethane	1.8	0.040		3.8	0.083		0.4	2/19/17 10:19	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/19/17 10:19	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/19/17 10:19	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/19/17 10:19	CMR
1,3-Dichlorobenzene	0.021	0.020		0.13	0.12		0.4	2/19/17 10:19	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/19/17 10:19	CMR
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.79	0.099		0.4	2/19/17 10:19	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/19/17 10:19	CMR
1,2-Dichloroethane	0.019	0.010		0.078	0.040		0.4	2/19/17 10:19	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 10:19	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 10:19	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 10:19	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/19/17 10:19	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/19/17 10:19	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/19/17 10:19	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/19/17 10:19	CMR
Ethylbenzene	0.038	0.020		0.16	0.087		0.4	2/19/17 10:19	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/19/17 10:19	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/19/17 10:19	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/19/17 10:19	CMR
Methylene Chloride	0.23	0.20		0.80	0.69		0.4	2/19/17 10:19	CMR
4-Methyl-2-pentanone (MIBK)	0.021	0.020		0.085	0.082		0.4	2/19/17 10:19	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/19/17 10:19	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/19/17 10:19	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/19/17 10:19	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** MP-3

**Sample ID:** 17B0086-10

Sample Matrix: Sub Slab

Sampled: 1/31/2017 12:33

Sample Description/Location:

Sub Description/Location:

Canister ID: 2000

Canister Size: 6 liter

Flow Controller ID: 4304

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -3.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.034	0.010		0.23	0.068	0.4	2/19/17 10:19	CMR
Toluene	0.32	0.020		1.2	0.075	0.4	2/19/17 10:19	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 10:19	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 10:19	CMR
Trichloroethylene	0.021	0.010		0.11	0.054	0.4	2/19/17 10:19	CMR
Trichlorofluoromethane (Freon 11)	0.27	0.020		1.5	0.11	0.4	2/19/17 10:19	CMR
1,2,4-Trimethylbenzene	0.12	0.020		0.61	0.098	0.4	2/19/17 10:19	CMR
1,3,5-Trimethylbenzene	0.027	0.020		0.13	0.098	0.4	2/19/17 10:19	CMR
Vinyl Chloride	0.11	0.010		0.27	0.026	0.4	2/19/17 10:19	CMR
m&p-Xylene	0.12	0.040		0.50	0.17	0.4	2/19/17 10:19	CMR
o-Xylene	0.071	0.020		0.31	0.087	0.4	2/19/17 10:19	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	2/19/17 10:19
4-Bromofluorobenzene (2)	108	70-130	2/19/17 10:19

**ANALYTICAL RESULTS**

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** MP-4**Sample ID:** 17B0086-11

Sample Matrix: Sub Slab

Sampled: 1/31/2017 12:21

Sample Description/Location:

Sub Description/Location:

Canister ID: 1810

Canister Size: 6 liter

Flow Controller ID: 4281

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -2.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	2.5	0.80	L-03, V-05	5.9	1.9		0.4	2/19/17 11:13	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/19/17 11:13	CMR
Benzene	0.12	0.020		0.37	0.064		0.4	2/19/17 11:13	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/19/17 11:13	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/19/17 11:13	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/19/17 11:13	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/19/17 11:13	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/19/17 11:13	CMR
Carbon Tetrachloride	0.062	0.010		0.39	0.063		0.4	2/19/17 11:13	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/19/17 11:13	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/19/17 11:13	CMR
Chloroform	0.041	0.010		0.20	0.049		0.4	2/19/17 11:13	CMR
Chloromethane	0.47	0.040		0.96	0.083		0.4	2/19/17 11:13	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/19/17 11:13	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/19/17 11:13	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/19/17 11:13	CMR
1,3-Dichlorobenzene	0.021	0.020		0.13	0.12		0.4	2/19/17 11:13	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/19/17 11:13	CMR
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.80	0.099		0.4	2/19/17 11:13	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/19/17 11:13	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/19/17 11:13	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 11:13	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 11:13	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 11:13	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/19/17 11:13	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/19/17 11:13	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/19/17 11:13	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/19/17 11:13	CMR
Ethylbenzene	0.039	0.020		0.17	0.087		0.4	2/19/17 11:13	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/19/17 11:13	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/19/17 11:13	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/19/17 11:13	CMR
Methylene Chloride	ND	0.20		ND	0.69		0.4	2/19/17 11:13	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082		0.4	2/19/17 11:13	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/19/17 11:13	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/19/17 11:13	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/19/17 11:13	CMR

**ANALYTICAL RESULTS**

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** MP-4**Sample ID:** 17B0086-11

Sample Matrix: Sub Slab

Sampled: 1/31/2017 12:21

Sample Description/Location:

Sub Description/Location:

Canister ID: 1810

Canister Size: 6 liter

Flow Controller ID: 4281

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -2.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.12	0.010		0.79	0.068	0.4	2/19/17 11:13	CMR
Toluene	0.27	0.020		1.0	0.075	0.4	2/19/17 11:13	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 11:13	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 11:13	CMR
Trichloroethylene	5.9	0.010		32	0.054	0.4	2/19/17 11:13	CMR
Trichlorofluoromethane (Freon 11)	6.2	0.020		35	0.11	0.4	2/19/17 11:13	CMR
1,2,4-Trimethylbenzene	0.14	0.020		0.69	0.098	0.4	2/19/17 11:13	CMR
1,3,5-Trimethylbenzene	0.030	0.020		0.15	0.098	0.4	2/19/17 11:13	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/19/17 11:13	CMR
m&p-Xylene	0.13	0.040		0.55	0.17	0.4	2/19/17 11:13	CMR
o-Xylene	0.075	0.020		0.32	0.087	0.4	2/19/17 11:13	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	2/19/17 11:13
4-Bromofluorobenzene (2)	110	70-130	2/19/17 11:13



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** MP-6

**Sample ID:** 17B0086-12

Sample Matrix: Sub Slab

Sampled: 1/31/2017 12:31

Sample Description/Location:

Sub Description/Location:

Canister ID: 2027

Canister Size: 6 liter

Flow Controller ID: 4305

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -9.5

Receipt Vacuum(in Hg): -3.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	2.8	0.80	L-03, V-05	6.7	1.9	0.4	2/19/17 12:09	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/19/17 12:09	CMR
Benzene	0.12	0.020		0.37	0.064	0.4	2/19/17 12:09	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/19/17 12:09	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/19/17 12:09	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/19/17 12:09	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/19/17 12:09	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/19/17 12:09	CMR
Carbon Tetrachloride	0.064	0.010		0.40	0.063	0.4	2/19/17 12:09	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/19/17 12:09	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/19/17 12:09	CMR
Chloroform	0.027	0.010		0.13	0.049	0.4	2/19/17 12:09	CMR
Chloromethane	0.68	0.040		1.4	0.083	0.4	2/19/17 12:09	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/19/17 12:09	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/19/17 12:09	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/19/17 12:09	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/19/17 12:09	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/19/17 12:09	CMR
Dichlorodifluoromethane (Freon 12)	0.15	0.020		0.75	0.099	0.4	2/19/17 12:09	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/19/17 12:09	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/19/17 12:09	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/19/17 12:09	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/19/17 12:09	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/19/17 12:09	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/19/17 12:09	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/19/17 12:09	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/19/17 12:09	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/19/17 12:09	CMR
Ethylbenzene	0.033	0.020		0.14	0.087	0.4	2/19/17 12:09	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/19/17 12:09	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/19/17 12:09	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/19/17 12:09	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/19/17 12:09	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	2/19/17 12:09	CMR
Styrene	ND	0.020		ND	0.085	0.4	2/19/17 12:09	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/19/17 12:09	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/19/17 12:09	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** MP-6

**Sample ID:** 17B0086-12

Sample Matrix: Sub Slab

Sampled: 1/31/2017 12:31

Sample Description/Location:

Sub Description/Location:

Canister ID: 2027

Canister Size: 6 liter

Flow Controller ID: 4305

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -9.5

Receipt Vacuum(in Hg): -3.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.11	0.010		0.75	0.068	0.4	2/19/17 12:09	CMR
Toluene	0.26	0.020		0.98	0.075	0.4	2/19/17 12:09	CMR
1,1,1-Trichloroethane	0.037	0.010		0.20	0.055	0.4	2/19/17 12:09	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 12:09	CMR
Trichloroethylene	0.13	0.010		0.71	0.054	0.4	2/19/17 12:09	CMR
Trichlorofluoromethane (Freon 11)	0.70	0.020		3.9	0.11	0.4	2/19/17 12:09	CMR
1,2,4-Trimethylbenzene	0.15	0.020		0.74	0.098	0.4	2/19/17 12:09	CMR
1,3,5-Trimethylbenzene	0.031	0.020		0.15	0.098	0.4	2/19/17 12:09	CMR
Vinyl Chloride	0.057	0.010		0.15	0.026	0.4	2/19/17 12:09	CMR
m&p-Xylene	0.10	0.040		0.45	0.17	0.4	2/19/17 12:09	CMR
o-Xylene	0.063	0.020		0.27	0.087	0.4	2/19/17 12:09	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	2/19/17 12:09
4-Bromofluorobenzene (2)	109	70-130	2/19/17 12:09



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** IMP-1

**Sample ID:** 17B0086-13

Sample Matrix: Sub Slab

Sampled: 1/31/2017 10:06

Sample Description/Location:

Sub Description/Location:

Canister ID: 2037

Canister Size: 6 liter

Flow Controller ID: 4213

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -1

Receipt Vacuum(in Hg): -2.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	8.8	0.80	L-03, V-05	21	1.9		0.4	2/19/17 13:04	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/19/17 13:04	CMR
Benzene	0.21	0.020		0.66	0.064		0.4	2/19/17 13:04	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/19/17 13:04	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/19/17 13:04	CMR
2-Butanone (MEK)	1.7	0.80		5.0	2.4		0.4	2/19/17 13:04	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/19/17 13:04	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/19/17 13:04	CMR
Carbon Tetrachloride	0.071	0.010		0.45	0.063		0.4	2/19/17 13:04	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/19/17 13:04	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/19/17 13:04	CMR
Chloroform	0.019	0.010		0.094	0.049		0.4	2/19/17 13:04	CMR
Chloromethane	0.54	0.040		1.1	0.083		0.4	2/19/17 13:04	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/19/17 13:04	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/19/17 13:04	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/19/17 13:04	CMR
1,3-Dichlorobenzene	0.069	0.020		0.41	0.12		0.4	2/19/17 13:04	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/19/17 13:04	CMR
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.78	0.099		0.4	2/19/17 13:04	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/19/17 13:04	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/19/17 13:04	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 13:04	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 13:04	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 13:04	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/19/17 13:04	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/19/17 13:04	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/19/17 13:04	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/19/17 13:04	CMR
Ethylbenzene	0.20	0.020		0.86	0.087		0.4	2/19/17 13:04	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/19/17 13:04	CMR
p-Isopropyltoluene (p-Cymene)	0.078	0.046		0.43	0.25		0.4	2/19/17 13:04	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/19/17 13:04	CMR
Methylene Chloride	ND	0.20		ND	0.69		0.4	2/19/17 13:04	CMR
4-Methyl-2-pentanone (MIBK)	0.078	0.020		0.32	0.082		0.4	2/19/17 13:04	CMR
Styrene	0.23	0.020		0.97	0.085		0.4	2/19/17 13:04	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/19/17 13:04	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/19/17 13:04	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** IMP-1

**Sample ID:** 17B0086-13

Sample Matrix: Sub Slab

Sampled: 1/31/2017 10:06

Sample Description/Location:

Sub Description/Location:

Canister ID: 2037

Canister Size: 6 liter

Flow Controller ID: 4213

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -1

Receipt Vacuum(in Hg): -2.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.022	0.010		0.15	0.068	0.4	2/19/17 13:04	CMR
Toluene	0.58	0.020		2.2	0.075	0.4	2/19/17 13:04	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 13:04	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 13:04	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/19/17 13:04	CMR
Trichlorofluoromethane (Freon 11)	0.25	0.020		1.4	0.11	0.4	2/19/17 13:04	CMR
1,2,4-Trimethylbenzene	1.0	0.020		5.1	0.098	0.4	2/19/17 13:04	CMR
1,3,5-Trimethylbenzene	0.26	0.020		1.3	0.098	0.4	2/19/17 13:04	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/19/17 13:04	CMR
m&p-Xylene	0.76	0.040		3.3	0.17	0.4	2/19/17 13:04	CMR
o-Xylene	0.39	0.020		1.7	0.087	0.4	2/19/17 13:04	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	2/19/17 13:04
4-Bromofluorobenzene (2)	110	70-130	2/19/17 13:04



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** IMP-2

**Sample ID:** 17B0086-14

Sample Matrix: Sub Slab

Sampled: 1/31/2017 10:34

Sample Description/Location:

Sub Description/Location:

Canister ID: 2043

Canister Size: 6 liter

Flow Controller ID: 4212

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -5.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	8.6	0.80	L-03, V-05	20	1.9		0.4	2/19/17 14:02	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/19/17 14:02	CMR
Benzene	0.15	0.020		0.49	0.064		0.4	2/19/17 14:02	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/19/17 14:02	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/19/17 14:02	CMR
2-Butanone (MEK)	1.9	0.80		5.6	2.4		0.4	2/19/17 14:02	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/19/17 14:02	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/19/17 14:02	CMR
Carbon Tetrachloride	0.076	0.010		0.48	0.063		0.4	2/19/17 14:02	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/19/17 14:02	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/19/17 14:02	CMR
Chloroform	0.084	0.010		0.41	0.049		0.4	2/19/17 14:02	CMR
Chloromethane	0.48	0.040		0.99	0.083		0.4	2/19/17 14:02	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/19/17 14:02	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/19/17 14:02	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/19/17 14:02	CMR
1,3-Dichlorobenzene	0.083	0.020		0.50	0.12		0.4	2/19/17 14:02	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/19/17 14:02	CMR
Dichlorodifluoromethane (Freon 12)	0.17	0.020		0.86	0.099		0.4	2/19/17 14:02	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/19/17 14:02	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/19/17 14:02	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/19/17 14:02	CMR
cis-1,2-Dichloroethylene	0.018	0.010		0.070	0.040		0.4	2/19/17 14:02	CMR
trans-1,2-Dichloroethylene	0.035	0.010		0.14	0.040		0.4	2/19/17 14:02	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/19/17 14:02	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/19/17 14:02	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/19/17 14:02	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/19/17 14:02	CMR
Ethylbenzene	0.14	0.020		0.61	0.087		0.4	2/19/17 14:02	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/19/17 14:02	CMR
p-Isopropyltoluene (p-Cymene)	0.076	0.046		0.42	0.25		0.4	2/19/17 14:02	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/19/17 14:02	CMR
Methylene Chloride	ND	0.20		ND	0.69		0.4	2/19/17 14:02	CMR
4-Methyl-2-pentanone (MIBK)	0.20	0.020		0.83	0.082		0.4	2/19/17 14:02	CMR
Styrene	0.66	0.020		2.8	0.085		0.4	2/19/17 14:02	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/19/17 14:02	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/19/17 14:02	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** IMP-2

**Sample ID:** 17B0086-14

Sample Matrix: Sub Slab

Sampled: 1/31/2017 10:34

Sample Description/Location:

Sub Description/Location:

Canister ID: 2043

Canister Size: 6 liter

Flow Controller ID: 4212

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -5.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	1.8	0.010		12	0.068	0.4	2/19/17 14:02	CMR
Toluene	0.47	0.020		1.8	0.075	0.4	2/19/17 14:02	CMR
1,1,1-Trichloroethane	0.10	0.010		0.57	0.055	0.4	2/19/17 14:02	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/19/17 14:02	CMR
Trichloroethylene	8.3	0.010		44	0.054	0.4	2/19/17 14:02	CMR
Trichlorofluoromethane (Freon 11)	1.6	0.020		9.1	0.11	0.4	2/19/17 14:02	CMR
1,2,4-Trimethylbenzene	0.99	0.020		4.9	0.098	0.4	2/19/17 14:02	CMR
1,3,5-Trimethylbenzene	0.24	0.020		1.2	0.098	0.4	2/19/17 14:02	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/19/17 14:02	CMR
m&p-Xylene	0.44	0.040		1.9	0.17	0.4	2/19/17 14:02	CMR
o-Xylene	0.28	0.020		1.2	0.087	0.4	2/19/17 14:02	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	110	70-130	2/19/17 14:02
4-Bromofluorobenzene (2)	113	70-130	2/19/17 14:02



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Ambient Outdoor Air

**Sample ID:** 17B0086-15

Sample Matrix: Ambient Air

Sampled: 1/31/2017 11:54

Sample Description/Location:

Sub Description/Location:

Canister ID: 1824

Canister Size: 6 liter

Flow Controller ID: 4100

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -6

Receipt Vacuum(in Hg): -5.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	2.2	0.80	L-03, V-05	5.3	1.9		0.4	2/17/17 20:56	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/17/17 20:56	CMR
Benzene	0.16	0.020		0.51	0.064		0.4	2/17/17 20:56	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/17/17 20:56	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/17/17 20:56	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/17/17 20:56	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/17/17 20:56	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/17/17 20:56	CMR
Carbon Tetrachloride	0.070	0.010		0.44	0.063		0.4	2/17/17 20:56	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/17/17 20:56	CMR
Chloroethane	ND	0.020		ND	0.053		0.4	2/17/17 20:56	CMR
Chloroform	0.022	0.010		0.11	0.049		0.4	2/17/17 20:56	CMR
Chloromethane	0.55	0.040		1.1	0.083		0.4	2/17/17 20:56	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/17/17 20:56	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/17/17 20:56	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 20:56	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 20:56	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/17/17 20:56	CMR
Dichlorodifluoromethane (Freon 12)	0.15	0.020		0.74	0.099		0.4	2/17/17 20:56	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/17/17 20:56	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/17/17 20:56	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 20:56	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 20:56	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/17/17 20:56	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/17/17 20:56	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/17/17 20:56	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/17/17 20:56	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/17/17 20:56	CMR
Ethylbenzene	0.030	0.020		0.13	0.087		0.4	2/17/17 20:56	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/17/17 20:56	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/17/17 20:56	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/17/17 20:56	CMR
Methylene Chloride	ND	0.20	L-03	ND	0.69		0.4	2/17/17 20:56	CMR
4-Methyl-2-pentanone (MIBK)	0.026	0.020		0.10	0.082		0.4	2/17/17 20:56	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/17/17 20:56	CMR
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	2/17/17 20:56	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/17/17 20:56	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez - Providence, RI

Date Received: 2/2/2017

**Field Sample #:** Ambient Outdoor Air

**Sample ID:** 17B0086-15

Sample Matrix: Ambient Air

Sampled: 1/31/2017 11:54

Sample Description/Location:

Sub Description/Location:

Canister ID: 1824

Canister Size: 6 liter

Flow Controller ID: 4100

Sample Type: 30 min

**Work Order:** 17B0086

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -6

Receipt Vacuum(in Hg): -5.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.037	0.010		0.25	0.068	0.4	2/17/17 20:56	CMR
Toluene	0.30	0.020		1.1	0.075	0.4	2/17/17 20:56	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/17/17 20:56	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/17/17 20:56	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/17/17 20:56	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/17/17 20:56	CMR
1,2,4-Trimethylbenzene	0.029	0.020		0.14	0.098	0.4	2/17/17 20:56	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/17/17 20:56	CMR
Vinyl Chloride	ND	0.010		ND	0.026	0.4	2/17/17 20:56	CMR
m&p-Xylene	0.088	0.040		0.38	0.17	0.4	2/17/17 20:56	CMR
o-Xylene	0.038	0.020		0.16	0.087	0.4	2/17/17 20:56	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	2/17/17 20:56
4-Bromofluorobenzene (2)	106	70-130	2/17/17 20:56



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
17B0086-01 [Gymnasium]	B170853	1	1	N/A	1000	400	1000	02/17/17
17B0086-02 [Cafeteria]	B170853	1	1	N/A	1000	400	1000	02/17/17
17B0086-03 [Kitchen Storage Room]	B170853	1	1	N/A	1000	400	1000	02/17/17
17B0086-04 [Elevator Hallway]	B170853	1	1	N/A	1000	400	1000	02/17/17
17B0086-05 [Room 145]	B170853	1	1	N/A	1000	400	1000	02/17/17
17B0086-06 [Room 152]	B170853	1	1	N/A	1000	400	1000	02/17/17
17B0086-07 [Room 118]	B170853	1	1	N/A	1000	400	1000	02/17/17
17B0086-08 [Room 110]	B170853	1	1	N/A	1000	400	1000	02/17/17
17B0086-15 [Ambient Outdoor Air]	B170853	1	1	N/A	1000	400	1000	02/17/17

**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
17B0086-09 [MP-1]	B170862	1	1	N/A	1000	400	1000	02/18/17
17B0086-10 [MP-3]	B170862	1	1	N/A	1000	400	1000	02/18/17
17B0086-11 [MP-4]	B170862	1	1	N/A	1000	400	1000	02/18/17
17B0086-12 [MP-6]	B170862	1	1	N/A	1000	400	1000	02/18/17
17B0086-13 [IMP-1]	B170862	1	1	N/A	1000	400	1000	02/18/17
17B0086-14 [IMP-2]	B170862	1	1	N/A	1000	400	1000	02/18/17



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### QUALITY CONTROL

##### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

**Batch B170853 - TO-15 Prep**

<b>Blank (B170853-BLK1)</b>	Prepared & Analyzed: 02/17/17										
Acetone	ND	1.4									L-03, V-05
Acrylonitrile	ND	0.20									
Benzene	ND	0.035									
Bromodichloromethane	ND	0.018									
Bromoform	ND	0.035									
2-Butanone (MEK)	ND	1.4									
n-Butylbenzene	ND	0.10									
sec-Butylbenzene	ND	0.080									
Carbon Tetrachloride	ND	0.018									
Chlorobenzene	ND	0.035									
Chloroethane	ND	0.035									
Chloroform	ND	0.018									
Chloromethane	ND	0.070									
Dibromochloromethane	ND	0.018									
1,2-Dibromoethane (EDB)	ND	0.018									
1,2-Dichlorobenzene	ND	0.035									
1,3-Dichlorobenzene	ND	0.035									
1,4-Dichlorobenzene	ND	0.035									
Dichlorodifluoromethane (Freon 12)	ND	0.035									
1,1-Dichloroethane	ND	0.018									
1,2-Dichloroethane	ND	0.018									
1,1-Dichloroethylene	ND	0.018									
cis-1,2-Dichloroethylene	ND	0.018									
trans-1,2-Dichloroethylene	ND	0.018									
1,2-Dichloropropane	ND	0.018									
1,3-Dichloropropane	ND	0.095									
cis-1,3-Dichloropropene	ND	0.018									
trans-1,3-Dichloropropene	ND	0.018									
Ethylbenzene	ND	0.035									
Isopropylbenzene (Cumene)	ND	0.089									
p-Isopropyltoluene (p-Cymene)	ND	0.080									
Methyl tert-Butyl Ether (MTBE)	ND	0.035									
Methylene Chloride	ND	0.35									L-03
4-Methyl-2-pentanone (MIBK)	ND	0.035									
Styrene	ND	0.035									
1,1,1,2-Tetrachloroethane	ND	0.064									
1,1,2,2-Tetrachloroethane	ND	0.018									
Tetrachloroethylene	ND	0.018									
Toluene	ND	0.035									
1,1,1-Trichloroethane	ND	0.018									
1,1,2-Trichloroethane	ND	0.018									
Trichloroethylene	ND	0.018									
Trichlorofluoromethane (Freon 11)	ND	0.035									
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.035									
1,2,4-Trimethylbenzene	ND	0.035									
1,3,5-Trimethylbenzene	ND	0.035									



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	--------	------------	--------------	-----------

**Batch B170853 - TO-15 Prep**

<b>Blank (B170853-BLK1)</b>	Prepared & Analyzed: 02/17/17									
Vinyl Chloride	ND	0.018								
m&p-Xylene	ND	0.070								
o-Xylene	ND	0.035								
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.47		8.00		106		70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.43		8.00		105		70-130			
<b>LCS (B170853-BS1)</b>	Prepared & Analyzed: 02/17/17									
Acetone	3.36		5.00		67.1	*	70-130			L-03, V-05
Benzene	3.87		5.00		77.3		70-130			
Bromodichloromethane	4.01		5.00		80.3		70-130			
Bromoform	4.91		5.00		98.2		70-130			
2-Butanone (MEK)	3.82		5.00		76.5		70-130			
Carbon Tetrachloride	3.91		5.00		78.3		70-130			
Chlorobenzene	4.44		5.00		88.7		70-130			
Chloroethane	4.76		5.00		95.3		70-130			
Chloroform	4.63		5.00		92.6		70-130			
Chloromethane	4.96		5.00		99.1		70-130			
Dibromochloromethane	4.60		5.00		91.9		70-130			
1,2-Dibromoethane (EDB)	4.33		5.00		86.6		70-130			
1,2-Dichlorobenzene	4.87		5.00		97.3		70-130			
1,3-Dichlorobenzene	5.32		5.00		106		70-130			
1,4-Dichlorobenzene	5.10		5.00		102		70-130			
Dichlorodifluoromethane (Freon 12)	4.67		5.00		93.4		70-130			
1,1-Dichloroethane	4.39		5.00		87.7		70-130			
1,2-Dichloroethane	4.27		5.00		85.4		70-130			
1,1-Dichloroethylene	3.70		5.00		73.9		70-130			
cis-1,2-Dichloroethylene	4.21		5.00		84.3		70-130			
trans-1,2-Dichloroethylene	4.35		5.00		87.0		70-130			
1,2-Dichloropropane	3.79		5.00		75.8		70-130			
cis-1,3-Dichloropropene	3.93		5.00		78.6		70-130			
trans-1,3-Dichloropropene	4.09		5.00		81.9		70-130			
Ethylbenzene	4.04		5.00		80.8		70-130			
Methyl tert-Butyl Ether (MTBE)	4.35		5.00		86.9		70-130			
Methylene Chloride	3.31		5.00		66.3	*	70-130			L-03
4-Methyl-2-pentanone (MIBK)	4.26		5.00		85.2		70-130			
Styrene	4.44		5.00		88.7		70-130			
1,1,2,2-Tetrachloroethane	4.19		5.00		83.8		70-130			
Tetrachloroethylene	4.36		5.00		87.1		70-130			
Toluene	4.02		5.00		80.5		70-130			
1,1,1-Trichloroethane	3.53		5.00		70.5		70-130			
1,1,2-Trichloroethane	4.34		5.00		86.8		70-130			
Trichloroethylene	4.08		5.00		81.7		70-130			
Trichlorofluoromethane (Freon 11)	4.59		5.00		91.8		70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	4.55		5.00		90.9		70-130			
1,2,4-Trimethylbenzene	4.38		5.00		87.6		70-130			
1,3,5-Trimethylbenzene	4.32		5.00		86.3		70-130			



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

**Batch B170853 - TO-15 Prep**

<b>LCS (B170853-BS1)</b>	Prepared & Analyzed: 02/17/17					
Vinyl Chloride	4.72		5.00		94.3	70-130
m&p-Xylene	8.22		10.0		82.2	70-130
o-Xylene	4.20		5.00		84.0	70-130
Surrogate: 4-Bromofluorobenzene (1)	8.58		8.00		107	70-130
<b>LCS (B170853-BS2)</b>	Prepared & Analyzed: 02/17/17					
Acrylonitrile	2.38		2.88		82.8	70-130
n-Butylbenzene	0.906		1.14		79.5	70-130
sec-Butylbenzene	0.887		1.14		77.8	70-130
1,3-Dichloropropane	1.20		1.35		88.9	70-130
Isopropylbenzene (Cumene)	1.07		1.27		84.0	70-130
p-Isopropyltoluene (p-Cymene)	1.00		1.14		87.9	70-130
1,1,1,2-Tetrachloroethane	1.10		0.910		120	70-130
Surrogate: 4-Bromofluorobenzene (2)	8.37		8.00		105	70-130

**Batch B170862 - TO-15 Prep**

<b>Blank (B170862-BLK1)</b>	Prepared & Analyzed: 02/18/17					
Acetone	ND	0.80				L-03, V-05
Acrylonitrile	ND	0.12				
Benzene	ND	0.020				
Bromodichloromethane	ND	0.010				
Bromoform	ND	0.020				
2-Butanone (MEK)	ND	0.80				
n-Butylbenzene	ND	0.058				
sec-Butylbenzene	ND	0.046				
Carbon Tetrachloride	ND	0.010				
Chlorobenzene	ND	0.020				
Chloroethane	ND	0.020				
Chloroform	ND	0.010				
Chloromethane	ND	0.040				
Dibromochloromethane	ND	0.010				
1,2-Dibromoethane (EDB)	ND	0.010				
1,2-Dichlorobenzene	ND	0.020				
1,3-Dichlorobenzene	ND	0.020				
1,4-Dichlorobenzene	ND	0.020				
Dichlorodifluoromethane (Freon 12)	ND	0.020				
1,1-Dichloroethane	ND	0.010				
1,2-Dichloroethane	ND	0.010				
1,1-Dichloroethylene	ND	0.010				
cis-1,2-Dichloroethylene	ND	0.010				
trans-1,2-Dichloroethylene	ND	0.010				
1,2-Dichloropropane	ND	0.010				
1,3-Dichloropropane	ND	0.054				
cis-1,3-Dichloropropene	ND	0.010				
trans-1,3-Dichloropropene	ND	0.010				
Ethylbenzene	ND	0.020				



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

**Batch B170862 - TO-15 Prep**

<b>Blank (B170862-BLK1)</b>	Prepared & Analyzed: 02/18/17										
Isopropylbenzene (Cumene)	ND	0.051									
p-Isopropyltoluene (p-Cymene)	ND	0.046									
Methyl tert-Butyl Ether (MTBE)	ND	0.020									
Methylene Chloride	ND	0.20									
4-Methyl-2-pentanone (MIBK)	ND	0.020									
Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.036									
1,1,2,2-Tetrachloroethane	ND	0.010									
Tetrachloroethylene	ND	0.010									
Toluene	ND	0.020									
1,1,1-Trichloroethane	ND	0.010									
1,1,2-Trichloroethane	ND	0.010									
Trichloroethylene	ND	0.010									
Trichlorofluoromethane (Freon 11)	ND	0.020									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.010									
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.35		8.00		104		70-130				
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.34		8.00		104		70-130				

<b>LCS (B170862-BS1)</b>	Prepared & Analyzed: 02/18/17							
Acetone	3.41		5.00		68.2	*	70-130	L-03, V-05
Benzene	3.88		5.00		77.6		70-130	
Bromodichloromethane	3.99		5.00		79.9		70-130	
Bromoform	5.12		5.00		102		70-130	
2-Butanone (MEK)	3.78		5.00		75.6		70-130	
Carbon Tetrachloride	4.03		5.00		80.6		70-130	
Chlorobenzene	4.55		5.00		91.1		70-130	
Chloroethane	4.96		5.00		99.1		70-130	
Chloroform	4.77		5.00		95.5		70-130	
Chloromethane	5.28		5.00		106		70-130	
Dibromochloromethane	4.73		5.00		94.6		70-130	
1,2-Dibromoethane (EDB)	4.39		5.00		87.8		70-130	
1,2-Dichlorobenzene	5.06		5.00		101		70-130	
1,3-Dichlorobenzene	5.58		5.00		112		70-130	
1,4-Dichlorobenzene	5.34		5.00		107		70-130	
Dichlorodifluoromethane (Freon 12)	4.76		5.00		95.3		70-130	
1,1-Dichloroethane	4.56		5.00		91.3		70-130	
1,2-Dichloroethane	4.44		5.00		88.7		70-130	
1,1-Dichloroethylene	3.86		5.00		77.2		70-130	
cis-1,2-Dichloroethylene	4.24		5.00		84.7		70-130	
trans-1,2-Dichloroethylene	4.37		5.00		87.4		70-130	
1,2-Dichloropropane	3.70		5.00		73.9		70-130	
cis-1,3-Dichloropropene	3.89		5.00		77.9		70-130	
trans-1,3-Dichloropropene	4.02		5.00		80.3		70-130	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### QUALITY CONTROL

##### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
<b>Batch B170862 - TO-15 Prep</b>											
<b>LCS (B170862-BS1)</b>											
Prepared & Analyzed: 02/18/17											
Ethylbenzene	4.03				5.00		80.5	70-130			
Methyl tert-Butyl Ether (MTBE)	4.35				5.00		87.0	70-130			
Methylene Chloride	3.50				5.00		70.1	70-130			
4-Methyl-2-pentanone (MIBK)	3.94				5.00		78.9	70-130			
Styrene	4.70				5.00		94.0	70-130			
1,1,2,2-Tetrachloroethane	4.28				5.00		85.6	70-130			
Tetrachloroethylene	4.49				5.00		89.7	70-130			
Toluene	4.00				5.00		80.1	70-130			
1,1,1-Trichloroethane	3.64				5.00		72.8	70-130			
1,1,2-Trichloroethane	4.33				5.00		86.6	70-130			
Trichloroethylene	4.08				5.00		81.6	70-130			
Trichlorofluoromethane (Freon 11)	4.93				5.00		98.7	70-130			
1,2,4-Trimethylbenzene	4.54				5.00		90.7	70-130			
1,3,5-Trimethylbenzene	4.43				5.00		88.5	70-130			
Vinyl Chloride	5.02				5.00		100	70-130			
m&p-Xylene	8.35				10.0		83.5	70-130			
o-Xylene	4.26				5.00		85.1	70-130			
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.82				8.00		110	70-130			
<b>LCS (B170862-BS2)</b>											
Prepared & Analyzed: 02/18/17											
Acrylonitrile	2.40				2.88		83.3	70-130			
n-Butylbenzene	0.912				1.14		80.0	70-130			
sec-Butylbenzene	0.891				1.14		78.2	70-130			
1,3-Dichloropropane	1.22				1.35		90.1	70-130			
Isopropylbenzene (Cumene)	1.09				1.27		85.7	70-130			
p-Isopropyltoluene (p-Cymene)	1.01				1.14		88.2	70-130			
1,1,1,2-Tetrachloroethane	1.15				0.910		126	70-130			V-20
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.71				8.00		109	70-130			



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level
- ND Not Detected
- RL Reporting Limit
- DL Method Detection Limit
- MCL Maximum Contaminant Level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

- L-03 Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
- V-05 Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
- V-20 Continuing calibration did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
<b>EPA TO-15 in Air</b>	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
<i>EPA TO-15 in Air</i>	


o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO17025:2005	100033	02/1/2018
MA	Massachusetts DEP	M-MA100	06/30/2017
CT	Connecticut Department of Public Health	PH-0567	09/30/2017
NY	New York State Department of Health	10899 NELAP	04/1/2017
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2018
RI	Rhode Island Department of Health	LAO00112	12/30/2017
NC	North Carolina Div. of Water Quality	652	12/31/2017
NJ	New Jersey DEP	MA007 NELAP	06/30/2017
FL	Florida Department of Health	E871027 NELAP	06/30/2017
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2017
ME	State of Maine	2011028	06/9/2017
VA	Commonwealth of Virginia	460217	12/14/2017
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2017







www.contestlabs.com



Page 1 of 2

39 Spruce St.  
East Longmeadow, MA.  
01028  
P: 413-525-2332  
F: 413-525-6405

**AIR Only Receipt Checklist**

CLIENT NAME EA Engineering RECEIVED BY: PB DATE: \_\_\_\_\_

1) Was the chain(s) of custody relinquished and signed? Yes  No \_\_\_\_\_

2) Does the chain agree with the samples? Yes  No \_\_\_\_\_

If not, explain:

3) Are all the samples in good condition? Yes  No \_\_\_\_\_

If not, explain:

4) Are there any samples "On Hold"? Yes \_\_\_\_\_ No  Stored where: \_\_\_\_\_

5) Are there any RUSH or SHORT HOLDING TIME samples? Yes \_\_\_\_\_ No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Location where samples are stored: Air Lab

Permission to subcontract samples? Yes  No   
(Walk-in clients only) if not already approved  
Client Signature: \_\_\_\_\_

7) Number of cans Individually Certified or Batch Certified? 15 Train

**Containers received at Con-Test**

		# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)		15	14 ft IC Train
Tedlar Bags			
TO-17 Tubes			
Regulators		15	30 min
Restrictors			
Hg/Hopcalite Tube (NIOSH 6009)			
(TO-4A/ TO-10A/TO-13) PUFs			
PCB Florisil Tubes (NIOSH 5503)			
Air cassette			
PM 2.5/PM 10			
TO-11A Cartridges			
Other			

Unused Summas/PUF Media:

Unused Regulators:

1) Was all media (used & unused) checked into the WASP?

2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:	1823	2014	1948	2037	4100	4107	4281	4077			
	2064	1986	2000	2043	4196	4212	4304	4066			
	1811	1216	1810	1824	4197	4213	4305	4077			
	2206	2032	2021		4039	4280	4076				

**Page 2 of 2**  
**Login Sample Receipt Checklist**  
**(Rejection Criteria Listing - Using Sample Acceptance Policy)**  
**Any False statement will be brought to the attention of Client**

<u>Question</u>	<u>Answer (True/False)</u>	<u>Comment</u>
	T/F/NA	
1) The coolers'/boxes' custody seal, if present, is intact.	NA	
2) The cooler or samples do not appear to have been compromised or tampered with.	T	
3) Samples were received on ice.	NA	
4) Cooler Temperature is acceptable.	NA	
5) Cooler Temperature is recorded.	NA	
6) COC is filled out in ink and legible.	T	
7) COC is filled out with all pertinent information.	T	
8) Field Sampler's name present on COC.	T	
9) Samples are received within Holding Time.	T	
10) Sample containers have legible labels.	T	
11) Containers/media are not broken or leaking and valves and caps are closed tightly.	T	
12) Sample collection date/times are provided.	T	
13) Appropriate sample/media containers are used.	T	
14) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T	
15) Trip blanks provided if applicable.	NA	

Doc #278 Rev. 5 October 2014

Who notified of False statements?  
 Log-In Technician Initials: PB

Date/Time:  
 Date/Time: 2-2-17  
 18:40

## **APPENDIX F**

### **Laboratory MRL Correspondence**

*This page intentionally left blank*



39 Spruce Street  
East Longmeadow, MA 01089

March 31, 2017

Frank Postma  
EA Engineering Science & Technology  
2350 Post Road  
Warwick, RI 02886  
RE: RIDEM – Approved Action Level – Work Order 17B0086

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane  
1,1,2,2-Tetrachloroethane  
1,1,1,2-Tetrachloroethane  
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is fluid and cursive, with the first name "Tod" and the last name "Kopyscinski" connected by a single stroke.

Tod Kopyscinski  
Laboratory Director