



EA Engineering, Science, and Technology, Inc., PBC

301 Metro Center Blvd, Suite 102  
Warwick, Rhode Island 02886  
Telephone: 401-736-3440  
www.eaest.com

27 September 2019

Mr. Joseph T. Martella II, Senior Engineer  
Site Remediation Program  
Office of Waste Management  
RI Department of Environmental Management  
235 Promenade Street  
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 48  
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island  
Case No. 2005-029  
EA Project No. 15066.07*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently completed Site activities related to compliance subslab vapor and indoor air sampling for the period from June 2019 through August 2019.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 1809.

Sincerely,

EA ENGINEERING, SCIENCE,  
AND TECHNOLOGY, INC., PBC

Frank B. Postma, LSP, LEP, PG  
Project Manager

cc: C. Maher, Prov. Dept. of Public Schools      A. Bucu, Prov. Dept. of Public Property  
B. Nickerson, Prov. Redevelopment Agency      Knight Memorial Library Repository  
R. Dorr, Neighborhood Resident      Principal Hawkins, Alvarez High School  
Rep. Scott Slater

*This page intentionally left blank*



# **Quarterly O&M Status Report No. 48**

## **Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities**

### **Alvarez High School Site (Formerly Adelaide Avenue High School) Providence, Rhode Island**

*Prepared for*

City of Providence School Department  
797 Westminister Street  
Providence, Rhode Island 02903

*Prepared by:*

EA Engineering, Science, and Technology, Inc., PBC  
301 Metro Center Blvd., Suite 102  
Warwick, Rhode Island 02886  
(401) 736-3440

EA Project No. 15066.07  
September 2019

*This page intentionally left blank*

## TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND .....	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING. SYSTEM PERFORMANCE .....	2
2.1 SSD System and Related Monitoring .....	2
2.2 Indoor Methane Monitoring System .....	2
2.3 Ambient Outdoor and Indoor Air Sampling .....	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect .....	4
2.5 Summary of Rooftop VOC Emissions .....	5
2.6 Conclusions .....	5
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT .....	7

### FIGURES

FIGURE 1:	SITE LOCATION MAP
FIGURE 2:	INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM
FIGURE 3:	AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

### APPENDICES

APPENDIX A:	O&M FIELD FORMS
APPENDIX B:	INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
APPENDIX C:	SUBSLAB VAPOR ANALYTICAL SUMMARY
APPENDIX D:	ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E:	INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR LABORATORY ANALYTICAL REPORTS
APPENDIX F:	LABORATORY DETECTION LIMITS CORRESPONDENCE

## 1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 48 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the three-month period from June 2019 through August 2019 (Quarterly Reporting Period No. 48). Please refer to Quarterly O&M Status Reports No. 1 through No. 47 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

## 2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

### 2.1 SSD SYSTEM AND RELATED MONITORING

The following SSD system performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly sub-slab monitoring of vacuum pressure and vapor-phase constituents (18 June 2019, 29 July 2019, and 16 August 2019) at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Monthly inspections and monitoring (air velocity and vacuum) of the three rooftop fans to verify proper operation and effluent concentrations.
- Quarterly sampling (29 July 2019) of eight indoor air locations, one ambient outdoor air location, and six subslab points.
- Annual sampling (29 July 2019) of the three rooftop extraction fans.
- Monthly inspections of the electronic monitoring system associated with each of three SSD system extraction fans and the methane sensor system (automatic alarm notification via audible signal and phone notification).

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations ranged from -0.01 to -0.14 in. of water column. Negative measurements confirm that a negative pressure exists beneath the building slab due to continuous fan operation. All rooftop fans were observed to be operating correctly during this reporting period; pressure and air velocity recorded at all rooftop fans were within normal ranges.

On 12 November 2018, it was discovered that the electronic monitoring system associated with each of three SSD system extraction fans was not functioning as intended. On 15 April 2019, a certified electrician replaced and calibrated the pressure sensors on each fan, installed an additional alarm panel which is triggered when a change in pressure is detected in the rooftop exhaust fans, and connected the new alarm panel to the existing autodialer system. The exhaust fan alarm system was also connected to the existing back-up battery packs in the control panel, which have sufficient capacity to operate for multiple days in the event of an electrical outage or power disruption to the system.

On the morning of 26 July 2019, EA received an alarm notification from the rooftop exhaust fan autodialer system indicating that a malfunction had occurred. EA mobilized to the site and inspected the auto dialer alarm panel in the school administration office; The panel indicated that a rooftop fan malfunction had occurred. EA proceeded to Rooftop Fan #1 and Rooftop Fan #2;

pressure and air velocity of Rooftop Fans #1 and #2 were within normal ranges. EA measured the subslab pressure at IMP-1, directly beneath Rooftop Fan #3; a negative pressure of was observed. The negative fan vacuums, fan speeds, and the negative subslab pressures observed at the site were within normal ranges and the system appeared to be operating properly.

According to school staff, an Aramark electrician had been onsite testing the lighting system throughout the school that morning. EA spoke with the electrician and determined that the emergency notification was likely triggered due to the power disruption to the exhaust fan system; the fans had lost momentary power when the electrical breaker was tested but returned to normal operation once power was restored. The exhaust fan alarm, autodialer emergency notification system, and the autodialer back-up battery were functioning as intended and the April 2019 upgrades to the rooftop fan alarm system proved to be effective.

A new area of erosion near the back entrance to the kitchen storage room/loading ramp was observed in May 2019. Additionally, the previously noted 6-inch hole under a roof leader downspout at the back of the building and another eroded area approximately 3-4 inches deep observed near the back door to the school remain present. Depth of landscape erosion at the back door has been slowly increasing since spring 2017. EA met with city staff in 2018 to correct the deficiencies as soon as possible. EA has been informed that the Providence Public School Department will be correcting deficiencies.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

## **2.2 INDOOR METHANE MONITORING SYSTEM**

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system equipped with automatic alarm notification via audible signal and phone notification within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. The annual autodialer cell phone contract was renewed on 21 December 2018 for another year of service. The methane monitoring system was inspected during each monitoring event, and the filters were replaced on 29 July 2019. The next filter replacement is scheduled for October 2019.

## **2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING**

One ambient outdoor air sample and the eight indoor air samples were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 29 July 2019. The samples collected in July 2019 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of VOCs via Method TO-15 Selective Ion Monitoring (SIM). Each summa canister used during this monitoring period was individually certified to ensure that all containers were devoid of residual contamination. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling results.



Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA. Sampling locations for the indoor air samples are illustrated on Figure 3. The 29 July 2019 ambient outdoor air sample was collected upwind (southwest) of the school. A data summary table is provided as Appendix B and a copy of the laboratory data report associated with this sampling event is provided in Appendix E.

The laboratory method detection limits (MDLs) for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analysis was performed using the method with the lowest available detection levels (SIM procedure). The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of these analytes have never been detected in indoor air at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not significant and do not disqualify the dataset. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable.

No analytes were identified in indoor air samples above the CT RTACs and RIDEM threshold levels during the July 2019 quarterly sampling event.

#### **2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT**

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Six subslab samples were collected on the rotating schedule in accordance with the Amended OA and analyzed for VOCs via US EPA Method TO-15 SIM. Four exterior subslab vapor samples and two interior subslab vapor samples were collected on 29 July 2019. The subslab analytical results are presented in Appendix C and a copy of the laboratory data report associated with this sampling event is included in Appendix E. The locations for sub-slab sampling are illustrated on Figure 3.

The subslab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period though these variations were within historical ranges and do not constitute an increasing trend.

#### **2.5 SUMMARY OF ROOFTOP VOC EMISSIONS**

The Amended OA requires that rooftop VOC sampling be completed on an annual basis; Rooftop fan sampling was conducted on 29 July 2019. The analytical results of rooftop fan sampling are summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or annual emissions were observed. The next annual rooftop effluent VOC sampling event is scheduled for July 2020.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, July 2012, July 2013, October 2014, July 2015, July 2016 and July 2017 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. RIDEM conducted roofline and downwind outdoor air sampling during the 22 October 2014 monitoring event to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicated that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building.

## 2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- Deficiencies noted in the engineered cap near the kitchen storage room, the back (northern) entrance to the school, and the roof leader downspout at the northwestern corner of the school need to be corrected.
- The subslab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- The use of certified clean summa canisters, as requested by RIDEM, yielded confidence in the samples collected in July 2019. EA will continue to use certified clean canisters in the upcoming sampling events.
- During the 12 November 2018 alarm system inspection, it was discovered that the rooftop fan alarm and autodialer system was without power and not functioning as intended. This deficiency was corrected on 15 April 2019 and the exhaust fan alarm system and autodialer is now operating as intended.


### 3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from September 2019 to November 2019:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a calibrated photoionization detector with part-per-billion sensitivity and a Landtec multi-gas meter
- Collection of air samples from eight indoor locations, one ambient location, six subslab monitoring points, and the three rooftop fans in October 2019;
- Initiate erosion repairs to prevent damage to the engineered cap.

These activities will be summarized in the next status report (Quarterly Status Report No. 49), expected to be submitted by the end of December 2019.

# **FIGURES**




ALVAREZ HIGH SCHOOL  
 333 ADELAIDE AVENUE  
 PROVIDENCE, RHODE ISLAND

FIGURE 1  
 SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



METHANE SENSOR CALIBRATION LOCATION  
IN WEST WING; ELECTRICAL ROOM AREA




METHANE SYSTEM CONTROLLER LOCATION;  
ADMINISTRATION WORK ROOM

METHANE SENSOR LOCATION  
(TYP.)

PLC LOCATION IN EAST WING;  
ELECTRICAL ROOM/MAINTENANCE  
OFFICE AREA

PROJECT NORTH



NOTE: NOT TO SCALE





DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. -	FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM - ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 2

**LEGEND :**

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- ||— SLOTTED 1 INCH PVC PIPING
- ⊕ ROOFTOP FAN LOCATION
- SP-1  
□ SUB-SLAB SUCTION PIT (TYP.)
- - - - - SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3	AS-BUILT SUB SLAB MONITORING AND SAMPLING LOCATIONS ALVAREZ HIGH SCHOOL PROVIDENCE, RHODE ISLAND
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3	

QUARTERLY STATUS REPORT  
FIGURE 3

# **APPENDIX A**

## **O&M Field Forms**





**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 6/18/2019

Performed by: DA & JM

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10

Date of last Methane Sensor Filter Replacement: \_\_\_\_\_

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: \_\_\_\_\_

General Status of Methane Monitoring System: \_\_\_\_\_

Eng. Cap/Fence Inspection Performed/Notes: \_\_\_\_\_

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time		End Vac (in. Hg)
Gymnasium	NA	NA	5	0	0	0							
Cafeteria	NA	NA	3	0	0	0							
Kitchen Storage Room	NA	NA	0	0	0	0							
Elevator Hallway	NA	NA	0	0	0	0							
Room 145	NA	NA	33	0	0	0							
Room 152	NA	NA	17	0	0	0							
Room 118	NA	NA	18	0	0	0							
Room 110	NA	NA	170	0	0	0							Strong perfume
MP-1	.07	NA	2600	NA	0	0							Pid peaked at 2600 and began to slowly fall
MP-2	.13	NA	24	NA	0	0							
MP-3	.02	NA	90	NA	0	0							
MP-4	.05	NA	1	NA	0	0							
MP-5	.07	NA	72	NA	0	0							
MP-6	.05	NA	22	NA	0	0							
MP-7	0.01	NA	0	NA	0	0							
MP-8	.12	NA	14	NA	0	0							
IMP-1	0.01	NA	60	NA	0	0							Magnahelic Gauge barely twitched
IMP-2	0.02	NA	80	NA	0	0							
IMP-3	0.01	NA	110	NA	0	0							Magnahelic Gauge barely twitched
Roof-Top Fan 1	-2	2150	11	NA	0	0							
Roof-Top Fan 2	-2	2305	32	NA	0	0							
Roof-Top Fan 3	-2	2275	45	NA	0	0							
Ambient Outdoor Air	NA	NA	7	NA	0	0							

NA: not applicable.  
 NM: not monitored on this date.  
 NS : not sampled on this date.  
 \* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc.  
PBC

**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 7/29/19

Performed by: BC/GJ/WJS

PID/Methane Calibration? Y (yes/no)

PID Calibration Result: 100 ppm

Date of last Methane Sensor Filter Replacement: 7/29/19

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: good

General Status of Methane Monitoring System: good

Eng. Cap/Fence Inspection Performed/Notes: good

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc ... continue on separate sheet)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time		End Vac (inches Hg)
Gymnasium	NA	NA	0	0	0	0	1039	4283	12:38	-29	13:44	0	
Cafeteria	NA	NA	0	0	0	0	2194	4073	12:20	-29	12:45	0	
* Kitchen Storage Room	NA	NA	0	0	0	0	2074	4197	12:24	-25	12:57	0	
Elevator Hallway	NA	NA	0	0	0	0	2061	4079	13:06	-29	13:38	0	
Room 145	NA	NA	0	0	0	0	2463	4285	13:30	-28	14:01	-2	
Room 152	NA	NA	0	0	0	0	2442	4194	13:38	-28	14:16	-2	
Room 118	NA	NA	0	0	0	0	1342	4042	1:10	-30	13:48	-2	
Room 110	NA	NA	0	0	0	0	1326	4100	13:27	-30	14:04	-2	
MP-1	-0.1	NA	0	NA	0	0	2220	4365	11:02	-30	11:35	-2.5	
MP-2	-0.07	NA	0	NA	0	0	-	-	-	-	-	-	
MP-3	-0.06	NA	0	NA	0	0	1244	4366	10:55	-29	11:29	-3.5	
MP-4	-0.05	NA	0	NA	0	0	2204	4067	11:30	-30	11:45	-4.5	
MP-5	-0.05	NA	0	NA	0	0	-	-	-	-	-	-	
MP-6	-0.01	NA	0	NA	0	0	2461	4304	10:50	-30	11:22	-2.5	
MP-7	-0.01	NA	0	NA	0	0	-	-	-	-	-	-	
MP-8	-0.11	NA	0	NA	0	0	-	-	-	-	-	-	
IMP-1	-0.01	NA	0	NA	0	0	1649	4375	12:55	-30	13:35	0	
IMP-2	-0.02	NA	0	NA	0	0	1327	4376	13:37	-30	14:12	-2	
IMP-3	-0.02	NA	0	NA	0	0	-	-	-	-	-	-	
Roof-Top Fan 1	-1.8	2312	0	NA	0	0	1588	4292	14:00	-28	14:33	-1	
Roof-Top Fan 2	-1.8	1992	0	NA	0	0	1357	4293	11:13	-28	14:27	-2.5	
Roof-Top Fan 3	-2	2201	0	NA	0	0	2162	4291	12:40	-29	13:15	-4.5	
Ambient Outdoor Air	NA	NA	0	NA	0	0	1242	4196	11:58	-29	12:31	-1	SW corner of school

NA: not applicable.

NM: not monitored on this date.

NS: not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 8/16/2019

Performed by: Dan A & Greta J

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10

Date of last Methane Sensor Filter Replacement: 7/29/19

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: Good  
 General Status of Methane Monitoring System: Good  
 Eng. Cap/Fence Inspection Performed/Notes: Good (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time		End Vac (in. Hg)
Gymnasium	NA	NA	0	0	0	0							
Cafeteria	NA	NA	0	0	0	0							Taken from doorway, fresh wax on floor
Kitchen Storage Room	NA	NA	0	0	0	0							Door open
Elevator Hallway	NA	NA	0	0	0	0							
Room 145	NA	NA	0	0	0	0							
Room 152	NA	NA		0									Floor waxing in process, couldn't test
Room 118	NA	NA	0	0	0	0							
Room 110	NA	NA	0	0	0	0							
MP-1	-0.09	NA	0	NA	0	0							
MP-2	-0.08	NA	0	NA	0	0							
MP-3	-.05	NA	0	NA	0	0							
MP-4	-.06	NA	0	NA	0	0							
MP-5	-.1	NA	0	NA	0	0							
MP-6	-.05	NA	0	NA	0	0							
MP-7	-.01	NA	0	NA	0	0							
MP-8	-.14	NA	0	NA	0	0							
IMP-1	-.01	NA	0	NA	0	0							
IMP-2		NA		NA									Floor waxing in process, couldn't test
IMP-3	-.01	NA	0	NA	0	0							
Roof-Top Fan 1	-1.5	2035	0	NA	0	0							
Roof-Top Fan 2	-1.5	2089	0	NA	0	0							
Roof-Top Fan 3	-2	2163	0	NA	0	0							
Ambient Outdoor Air	NA	NA	0	NA	0	0							

NA: not applicable.  
 NM: not monitored on this date.  
 NS : not sampled on this date.  
 \* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

## **APPENDIX B**

### **Indoor and Ambient Outdoor Air Analytical Summary**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
			Acetone	180.0	8-Feb-08	20.20		8.24		4.75	U	4.75	U	6.87		8.06		4.75	U	4.78						4.750
		27-Mar-08 <sup>2</sup>	576.00		186.00		108.00		89.90		24.70		38.30		76.70		47.40						5.870			
		25-Apr-08	61.70		12.90		19.00		15.10		14.80		18.60		12.50		17.10						6.670			
		29-May-08	19.50		16.00		12.80		16.20		10.90		17.20		13.20		11.60						7.480			
		27-Jun-08	87.90		20.00		20.50		27.70		28.90		29.00		26.00		29.80						19.700			
		31-Jul-08	32.20		17.20		20.80		16.80		23.80		20.00		18.60		23.50						20.000			
		28-Aug-08	33.10		21.10		21.50		25.80		27.00		32.40		29.10		23.80						37.000			
		30-Sep-08	39.40		10.40		7.60		11.20		44.80		29.90		19.60		55.60						6.800			
		27-Oct-08	56.20		23.10		14.90		24.10		15.90		26.50		34.30		25.10						109.000			
		25-Nov-08	21.30		8.20		5.30		14.00		15.60		9.70		6.50		10.00						7.000			
		18-Dec-08	39.30		18.50		16.90		21.50		23.10		41.90		22.00		28.80						40.000			
		21-Jan-09	5.30		2.40		2.40	U	3.60		5.60		5.00		3.30		4.00						2.400	U		
		25-Feb-09	2.40	U	2.90		2.40	U	NS		9.60		5.00		3.80		4.10						2.400	U		
		26-Mar-09	34.40		10.70		8.82		11.30		13.80		12.00		10.50		12.00						9.680			
		29-Apr-09	4.75	U	5.70		7.23		8.24		19.20		9.42		7.57		9.61						7.700			
		22-Jul-09	2.37	U	13.10		18.70		11.70		28.90		29.40		17.10		11.000						11.000			
		9-Oct-09	19.50		10.10		9.22		11.00		15.50		12.00		10.60		11.60						8.570			
		15-Jan-10	11.90		8.16		5.08		6.70		7.32		7.27		5.26		8.11						6.190			
		21-Apr-10	26.70		22.00		23.20		19.90		19.90		21.80		20.50		4.960						4.960			
		16-Jul-10	28.20		16.50		13.80		16.10		36.90		24.90		40.70		16.00						14.300			
		15-Oct-10	32.70		8.18		4.75	U	11.50		7.36		6.01		5.53		6.69						7.630			
		30-Nov-10	NS		13.20		NS		NS		NS		NS		6.46		NS						NS			
		26-Jan-11	28.50		20.80		11.60		14.90		13.50		33.20		12.60		24.00		21.50		15.90		9.850			
		26-Jan-11**	NS		17.00		15.00		NS		NS		NS		NS		NS						NS			
		27-Apr-11	6.82		12.80		11.30		14.70		14.60		7.55		12.30		5.93						5.600			
		26-Jul-11	51.80		48.00		22.80		82.20		28.70		7.17		25.40		39.40						8.840			
		28-Oct-11	17.00		12.00		7.40		9.90		11.00		9.70		13.00		15.00						8.000			
		23-Jan-12	15.00		15.00		18.00		18.00		10.00		37.00		19.00		18.00						13.000			
		13-Apr-12	11.00		16.00		11.00		11.00		11.00		21.00		9.10		19.00						24.000			
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		21.00						9.100			
		20-Jun-12	19.00		22.00		17.00		21.00		20.00		15.00		15.00		22.00						11.000			
		1-Nov-12	12.00		11.00		9.50		16.00		8.30		12.00		13.00		11.00						9.000			
		1-Feb-13	16.00		15.00		12.00		14.00		9.10		39.00		16.00		18.00						8.200			
		29-Apr-13	26.00		23.00		22.00		21.00		28.00		32.00		27.00		35.00						18.000			
		9-Jul-13	25.00		26.00		22.00		24.00		41.00		28.00		35.00		24.000						24.000			
		9-Jul-13 RIDEM	NS		NS		NS		NS		18.83		NS		NS		NS						11.710			
		18-Oct-13	34.00		32.00		30.00		42.00		29.00		29.00		46.00		34.00						20.000			
		9-Jan-14	8.90		19.00		16.00		20.00		21.00		24.00		27.00		45.00						8.300			
		24-Apr-14	19.00		12.00		18.00		17.00		17.000 <sup>M</sup>		12.00		16.00		76.000 <sup>M</sup>						6.100			
		1-Aug-14	35.000 <sup>M</sup>		12.000 <sup>M</sup>		29.000 <sup>M</sup>		37.000 <sup>M</sup>		43.000 <sup>M</sup>		38.000 <sup>M</sup>		81.000/62.000 <sup>M</sup>		35.000 <sup>M</sup>						27.000 <sup>M</sup>			
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		33.00		NS						NS			
		22-Oct-14	17.00		12.00		2.90	U	18.00		27.00		34.00		26.00		51.00						13.000			
		20-Jan-15	37.00		30.00		30.00		34.00		39.00		44.00		57.00		17.00						49.000			
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		23.00						NS			
		22-Apr-15	16.00		21.00		79.000 <sup>V</sup>		15.00		20.00		1.90	U	34.00		43.00						17.000			
		21-Jul-15	36.00		15.000 <sup>A</sup>		24.00		23.00		16.00		17.00		22.00		23.00						13.000			
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		7.90		NS						NS			
		29-Oct-15	4.80		19.00		22.00		18.00		7.70		33.00		22.00		16.00						9.200			
		4-Dec-15 resample	NS		13.000		NS		NS		NS		NS		NS		NS						NS			
		27-Jan-16	20		19		14		20		16		38		13		51						9.8			
		20-Apr-16 <sup>3</sup>	15		7.2		8.1		7.2		11		6.4		11		8.1						8.1			
		20-Jul-16	19 <sup>B</sup>		16 <sup>B</sup>		34 <sup>B</sup>		43 <sup>B</sup>		18 <sup>B</sup>		27 <sup>B</sup>		57 <sup>B</sup>		57 <sup>B</sup>						12 <sup>B</sup>			
		21-Oct-16	25		30		27		28		30		37		24		35						28			
		31-Jan-17	10 <sup>L.V</sup>		6.1 <sup>L.V</sup>		10 <sup>L.V</sup>		17 <sup>L.V</sup>		9.1 <sup>L.V</sup>		19 <sup>L.V</sup>		17 <sup>L.V</sup>		19 <sup>L.V</sup>						5.3 <sup>L.V</sup>			
		17-Apr-17 <sup>4</sup>	13		14		17		11		12		17		12		9.1						8.2			
		26-Jul-17	19		13		16		12		13		16		19		18						15			
		12-Oct-17	5.3		8.5		36		11		18		23		15		14						4.9			
		10-Jan-18	10.0		15.0		13.0		14.0		14.0		16.0		16.0		21.0						7.0			
		11-Apr-18	20.0		18.0		16.0		17.0		16.0		27.0		17.0		22.0						9.5 <sup>D</sup>	U		
		27-Jul-18	23		18		14		18		15		16		16		6.7						15			
		24-Oct-18	16		16		15		25		22		35		15		11						9.6			
		16-Jan-19	31		28		16		29		270		34		23		17						11			
		12-Apr-19	21		26		20		22		14		30		15		35						10			
		29-Jul-19	19		22		15																			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Acrylonitrile	None	8-Feb-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		27-Mar-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		25-Apr-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		29-May-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		27-Jun-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		31-Jul-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		28-Aug-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Feb-09	2.200	U	2.200	U	2.200	U	2.200	U	NS	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		26-Mar-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		29-Apr-09	1.080	U	1.080	U	2.740	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		22-Jul-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		9-Oct-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		15-Jan-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		21-Apr-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		16-Jul-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		15-Oct-10	1.080	U	0.108	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		30-Nov-10	NS	U	1.080	U	1.080	U	NS	U	NS	U	NS	U	NS	U	1.080	U	NS	U					NS	U
		26-Jan-11	1.850	U	1.840	U	1.850	U	0.185	U	1.850	U	1.840	U	1.840	U	1.840	U	1.850	U	1.840	U	1.840	U	1.850	U
		26-Jan-11**	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U
		27-Apr-11	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		26-Jul-11	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.250	U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					0.440	U
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.500	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.370	U					0.370	U
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jul-13 RIDEEM	NS	U	NS	U	NS	U	NS	U	0.164	U	NS	U	NS	U	NS	U	NS	U					0.164	U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250 <sup>M</sup>	U					0.250	U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.250 <sup>L,Y</sup>	U	NS	U					NS	U
		22-Oct-14	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U	0.370 <sup>L</sup>	U					0.370 <sup>L</sup>	U
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.370 <sup>L</sup>	U	0.250	U					0.370	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.290	U					NS	U
		22-Apr-15	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U	0.250 <sup>L</sup>	U					0.250 <sup>L</sup>	U
		21-Jul-15	0.100	U	0.100 <sup>A</sup>	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U
		29-Oct-15	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		4-Dec-15 resample	NS	U	0.100	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
20-Apr-16 <sup>S</sup>	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		
20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28	U	0.28	U					0.37	U		
21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		
31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		
17-Apr-17 <sup>T</sup>	0.37	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U					0.38	U		
26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		
12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		
10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		
11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					1.2 <sup>D</sup>	U		
27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.38	U	0.38	U	0.38	U	0.25	U	0.25	U					0.25	U		
24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		
16-Jan-19	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		
12-Apr-19	0.25	U	0.25	U	0.																					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Benzene	3.3	8-Feb-08	0.910		0.840		0.730		0.780		0.810		0.800		0.750		0.790								0.870	
		27-Mar-08	1.420		1.350		1.600		1.420		0.218		2.130		1.730		1.680								0.372	
		25-Apr-08	1.360		1.300		1.150		1.400		1.270		1.120		1.130		1.120								0.413	
		29-May-08	0.370		0.430		0.300		0.400		0.300		0.450		0.410		0.310								0.230	
		27-Jun-08	0.631		0.603		0.666		0.644		0.657		0.604		0.849		0.582								0.726	
		31-Jul-08	0.568		0.477		0.419		0.451		0.528		0.465		0.378		0.390								0.405	
		28-Aug-08	1.190		1.110		1.010		0.953		0.935		1.060		1.060		1.020								1.280	
		30-Sep-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	0.204	1.600	U						1.600	U	
		27-Oct-08	2.100		1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.900								3.600	
		25-Nov-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U					1.600	U
		18-Dec-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U					1.600	U
		21-Jan-09	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U					1.600	U
		25-Feb-09	1.600	U	1.600	U	1.600	U	NS		1.600	U	1.600	U	1.600	U	1.600	U	1.600	U					1.600	U
		26-Mar-09	2.330		1.840		1.740		1.650		1.540		2.210		0.316		1.880								2.390	
		29-Apr-09	0.594		0.358		0.332		0.332		0.303		0.358		1.460		0.335								0.351	
		22-Jul-09	0.626		0.546		0.642		0.574		0.852		1.560		1.460		1.080								4.330	
		9-Oct-09	1.130		0.954		0.903		0.878		0.919		1.050		1.070		0.996								1.100	
		15-Jan-10	1.670		1.510		1.420		1.460		1.420		1.450		1.540		1.550								1.370	
		21-Apr-10	1.020		1.320		1.080		1.380		1.270		1.210		1.230		1.240								0.335	
		16-Jul-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.485		0.319	U							0.319	U
		15-Oct-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U							0.319	U
		30-Nov-10	NS		0.514		0.594		NS		NS		NS		0.412		NS								NS	
		26-Jan-11	2.920		2.890		3.290		2.970		3.430		2.940		3.660		3.660		2.940		2.850				3.350	
		26-Jan-11**	NS		3.600		3.800		NS		NS		NS		3.800		NS								NS	
		27-Apr-11	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U							0.319	U
		26-Jul-11	0.559		0.664		0.319		0.326		0.319		0.319		0.329		0.319		U						0.319	U
		28-Oct-11	0.640		0.500		0.380		0.390		0.410		0.450		0.460		0.430								0.300	
		23-Jan-12	1.300		1.200		1.200		1.200		1.200		1.200		1.200		1.300								1.200	
		13-Apr-12	0.680		0.670		0.590		0.600		0.580		0.650		0.580		0.520								0.220	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.290								0.140	
		20-Jun-12	0.490		0.540		0.410		0.510		0.440		0.440		0.460		0.540								0.740	
		1-Nov-12	1.300		1.000		1.200		0.990		1.500		1.700		1.300		1.300								0.470	
		1-Feb-13	0.470		0.410		0.400		0.420		0.410		0.490		0.500		0.430								0.410	
		29-Apr-13	0.960		0.920		0.900		0.930		0.760		0.710		0.940		0.840								0.300	
		9-Jul-13	0.440		0.420		0.400		0.450		0.420		0.450		0.440		0.440								0.520	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.537		NS		NS		NS								0.597	
		18-Oct-13	0.240		1.000		0.880		0.660		1.100		0.830		0.800		1.000								1.000	
		9-Jan-14	1.400		1.700		0.910		0.860		0.730		0.810		0.960		0.820								0.750	
		24-Apr-14	0.300		0.240		0.300		0.230		0.240		0.210		0.240		0.300								0.210	
		1-Aug-14	0.570		0.360		0.350		0.820		0.740		0.600		0.790		0.550								0.590	
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.410		NS								NS			
22-Oct-14	0.560		0.340		0.270		0.350	U	0.550		0.250		0.450		0.610								0.420			
20-Jan-15	0.450		0.440		0.440		0.430		0.500		0.500		0.580		0.480								0.510			
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.490								NS			
22-Apr-15	0.950		1.200		0.920		0.950		1.100		0.750		0.930		0.880								0.880			
21-Jul-15	0.580		0.500 <sup>^</sup>		0.510		0.470		0.530		0.570		0.480		0.480								0.350			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.360		NS								NS			
29-Oct-15	0.130 <sup>†</sup>		0.250		0.580		0.180 <sup>‡</sup>		0.140 <sup>‡</sup>		0.160 <sup>‡</sup>		0.220		0.110 <sup>‡</sup>								0.110 <sup>‡</sup>			
4-Dec-15 resample	NS		0.220		NS		NS		NS		NS		NS		NS								NS			
27-Jan-16	0.87		0.8		1		0.76		0.72		0.8		0.88		0.86								0.72			
20-Apr-16 <sup>§</sup>	0.59		0.33		0.34		0.4		0.39		0.38		0.33		0.33								0.4			
20-Jul-16	0.23		0.25		0.22		0.16		0.34		0.28		0.11		0.19								0.18			
21-Oct-16	0.82		0.92		0.30		0.93		0.45		0.5		0.29		0.55								3.3			
31-Jan-17	0.86		0.52		0.52		0.54		0.54		0.55		0.52		0.56								0.51			
17-Apr-17 <sup>¶</sup>	0.31		0.26		0.24		0.21		0.21		0.23		0.23		0.23								0.24			
26-Jul-17	0.43		0.39		0.37		0.46		0.5		0.51		0.48		0.51								0.2			
12-Oct-17	0.19		0.23		0.37		0.23		0.21		0.27		0.23		0.23								0.15			
10-Jan-18	0.58		0.74		0.68		0.71		0.48		0.53		0.85		0.58								0.37			
11-Apr-18	0.78		0.63		0.57		0.61		0.47		0.56		0.50		0.58								0.47 <sup>¶</sup>			
27-Jul-18	3.3		0.41		0.23		0.3		0.28		1		0.32		0.32								0.27			
24-Oct-18	0.9		0.37		0.39		0.47		0.38		0.44		0.34		0.31								0.29			
16-Jan-19	0.87		0.64		0.61		0.61		0.67		0.72		0.7		0.62								0.55			
12-Apr-19	0.54		0.4		0.39		0.45		0.41		0.43		0.37		0.42								0.47			
29-Jul-19	0.30		0.21		0.17		0.19		0.2		0.26		0.22		0.2								0.22			



**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)					
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual			
			Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value		
Bromodichloromethane	0.034/0.13	8-Feb-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U		
		27-Mar-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		25-Apr-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		29-May-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U		
		27-Jun-08	0.134	U	0.134	U	0.130	U	0.130	U	0.134	U	0.130	U	0.130	U	0.231	U	0.134	U					0.134	U		
		31-Jul-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		28-Aug-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		30-Sep-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U		
		27-Oct-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U		
		25-Nov-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U		
		18-Dec-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U		
		21-Jan-09	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U		
		25-Feb-09	0.130	U	0.130	U	0.130	U	0.130	U	NS	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U		
		26-Mar-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		29-Apr-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		22-Jul-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		9-Oct-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		15-Jan-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		21-Apr-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		16-Jul-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		15-Oct-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U		
		30-Nov-10	NS		0.134	U	0.134	U	0.134	U	NS	U	NS	U	NS	U	0.134	U	NS	U					NS	U		
		26-Jan-11	0.228	U	0.228	U	0.228	U	0.228	U	0.228	U	0.228	U	0.227	U	0.228	U	0.228	U	0.228	U	0.228	U	0.228	U	0.228	U
		26-Jan-11**	NS		0.340	U	0.340	U	0.340	U	NS	U	NS	U	NS	U	0.340	U	NS	U					NS	U	NS	U
		27-Apr-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U	0.134	U
		26-Jul-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U	0.134	U
		28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.067	U	0.067	U
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U	0.240	U
		13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U	0.100	U
		2-Jul-12 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.100	U					0.100	U	0.100	U
		20-Jun-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U	0.130	U
		1-Nov-12	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U
		1-Feb-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U
		29-Apr-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U
		9-Jul-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U
		18-Oct-13	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U	0.130	U
		9-Jan-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U	0.130	U
		24-Apr-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U	0.130	U
		1-Aug-14	0.130	U	0.130	U	0.130	U	0.130	U	0.200	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U	0.130	U
		12-Sept-14 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.067	U	NS	U					NS	U	NS	U
22-Oct-14	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U	0.100	U		
20-Jan-15	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.100	U	0.067	U					0.100	U	0.100	U		
30-Mar-15 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.077	U					NS	U	NS	U		
22-Apr-15	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U		
21-Jul-15	0.300	U	0.300 <sup>A</sup>	U	0.200	U	0.300	U	0.300	U	0.400	U	0.300	U	0.400	U	0.300	U					0.400	U	0.400	U		
23-Sept-15 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.400	U	NS	U					NS	U	NS	U		
29-Oct-15	0.400	U	0.300	U	0.300	U	0.300	U	0.400	U	0.400	U	0.400	U	0.300	U	0.300	U					0.400	U	0.400	U		
4-Dec-15 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U	NS	U		
27-Jan-16	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U		
20-Apr-16 <sup>5</sup>	0.067		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U		
20-Jul-16	0.080	U	0.100	U	0.073	U	0.082	U	0.078	U	0.088	U	0.078	U	0.088	U	0.075	U					0.10	U	0.10	U		
21-Oct-16	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U		
31-Jan-17	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.11	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U		
17-Apr-17 <sup>4</sup>	0.1	U	0.10	U	0.10	U	0.10	U	0.10	U	0.1	U	0.10	U	0.1	U	0.1	U					0.1	U	0.1	U		
26-Jul-17	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U		
12-Oct-17	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U		
10-Jan-18	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U	0.067	U		
11-Apr-18	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.130	U	0.067	U	0.067	U					0.067	U	0.067	U		
27-Jul-18	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.10	U	0.067	U	0.10	U	0.067	U					0.067	U	0.067	U		





**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
2-Butanone	500.0	8-Feb-08	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U							1.470	U
		27-Mar-08	8.560		6.540		5.650		3.170		5.140		3.950		4.440		0.360		5.680						1.470	U
		25-Apr-08	2.140		1.470	U	1.470	U	2.840		2.240		1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		29-May-08	1.470	U	1.470	U	2.840		2.240		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		27-Jun-08	7.850		2.520		3.810		3.890		3.050		2.420		2.840		2.340		2.340						3.080	
		31-Jul-08	2.080		1.720		3.080		1.650		3.980		2.080		2.160		1.470	U	1.490						1.470	U
		30-Sep-08	2.280		1.790		3.980		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					1.650	
		30-Sep-08	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	2.200		1.500	U	1.500	U	6.100						1.500	U
		27-Oct-08	1.900		3.200		1.500	U	3.600		1.500	U	2.000		1.500		2.300								2.800	
		25-Nov-08	2.600		1.500		1.500	U	1.900		1.500	U	1.500	U	1.500	U	2.900		1.500	U					1.600	
		18-Dec-08	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U					1.500	U
		21-Jan-09	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U					1.500	U
		25-Feb-09	1.500	U	1.500	U	0.079		NS		NS		1.500	U	1.500	U	1.500	U	1.500	U					1.500	U
		26-Mar-09	2.410		1.560		1.470	U	1.470	U	1.470	U	1.590		1.470	U	1.470	U	1.470	U					1.470	U
		29-Apr-09	1.470	U	1.470	U	1.470	U	1.460	U	1.470	U	1.470	U	1.470	U	1.740	U	1.470	U					1.470	U
		22-Jul-09	1.470	U	1.470	U	4.750		1.470	U	2.070		21.900		1.740		1.480		4.360						1.470	U
		9-Oct-09	1.470	U	1.470	U	1.540		1.640		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		15-Jan-10	6.610		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		21-Apr-10	1.850		1.470	U	2.770		1.590		1.470	U	1.480		1.470	U	1.470	U	1.470	U					1.470	U
		16-Jul-10	2.520		1.900		2.100		2.210		3.180		2.800		24.600		1.870		1.630						1.470	U
		15-Oct-10	4.300		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					0.021	I
		30-Nov-10	NS		1.470	U	1.470	U	NS		NS		NS		1.470	U	NS		NS						NS	
		26-Jan-11	2.720		3.190		2.510	U	2.510	U	2.520	U	2.500	U	2.640	U	2.710		2.500	U	2.510	U			2.500	U
		26-Jan-11**	NS		2.300		2.100		NS		NS		NS		1.600		NS		NS						NS	
		27-Apr-11	1.470	U	1.470	U	2.220		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		26-Jul-11	1.600		1.470	U	2.320		1.520		1.470	U	1.470	U	1.470	U	3.010		1.470	U					1.470	U
		28-Oct-11	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U					2.400	U
		23-Jan-12	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U					4.100	U
		13-Apr-12	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.600	U	3.500	U	3.500	U					4.700	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		3.500		NS						3.500	U
		20-Jun-12	2.600		2.400	U	3.300		2.700		2.800		2.400	U	2.400	U	2.400	U	2.400	U					2.400	U
		1-Nov-12	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U					2.400	U
		1-Feb-13	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U					2.400	U
		29-Apr-13	5.100		3.500		3.500		3.800		4.800		3.600		4.100		3.300		4.500						4.500	U
		9-Jul-13	2.800		3.000		2.800	U	2.400	U	3.600	U	2.400	U	5.400		2.900		3.200						3.200	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		2.525		NS		NS		NS		1.886						1.886	
		18-Oct-13	4.800		4.700		3.500		5.800		2.800		2.800		6.900		3.100		3.200						3.200	
		9-Jan-14	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	3.200		2.400	U					2.400	U
		24-Apr-14	2.400	U	2.400	U	2.500		2.400	U	4.500		2.400	U	2.400	U	2.400	U	2.400	U					2.400	U
		1-Aug-14	2.600		2.600		3.100		3.600		5.900		2.600		3.700		2.400	U	5.100						5.100	
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		2.600		NS		NS						NS			
22-Oct-14	3.500	U	3.500	U	4.300		3.500	U	3.600	U	3.500	U	3.500	U	3.500	U	3.500	U					3.500	U		
20-Jan-15	5.500		2.400	U	2.700		3.600		5.700		2.400		3.900		2.400	U	3.600						3.600			
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		2.700		NS						NS			
22-Apr-15	2.600		4.500		6.600 <sup>L</sup>		2.400	U	3.900		3.200		4.600		4.800		10.000						10.000			
21-Jul-15	3.800		1.500 <sup>A</sup>		2.800		2.200		2.000		1.500		1.700		2.100		1.200						1.200			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.610		NS		NS						NS			
29-Oct-15	0.430		1.800		0.670		1.200		0.550		1.100		0.550		1.400		0.710						0.710			
4-Dec-15 resample	NS		0.460		NS		NS		NS		NS		NS		NS		NS						NS			
27-Jan-16	3.3		2.4	U	4.3		2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U		
20-Apr-16 <sup>S</sup>	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U		
20-Jul-16	2.8	U	3.7	U	2.7		2.9	U	3.8		2.8		3.1	U	2.7	U	3.5						3.5	U		
21-Oct-16	2.4	U	2.7		2.4	U	2.4	U	2.4	U	2.5		3.1	U	2.4	U	2.4	U					5			
31-Jan-17	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U		
17-Apr-17 <sup>T</sup>	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.500	U	3.500	U	3.5	U					3.5	U		
26-Jul-17	3.6		2.4	U	3.2		2.4	U	2.4	U	2.4	U	2.6		2.6		3.3						3.3			
12-Oct-17	2.4	U	2.4	U	3.8		2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U		
10-Jan-18	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U		
11-Apr-18	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4 <sup>D</sup>	U		
27-Jul-18	3.90		2.4	U	2.4	U	2.4	U	2.4	U	3.5	U	3.5	U	2.4	U	2.4	U					2.4	U		
24-Oct-18	2.40	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U		
16-Jan-19	2.40	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U		
12-Apr-19	2.40	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.7		2.4	U					2.4	U		
29-Jul-19	2.40	U	2.9		2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U		



**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
			sec-Butylbenzene	73.0	8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740
		27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		30-Sep-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	56.600				5.500	U		
		27-Oct-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500				5.500	U		
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500				5.500	U		
		18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500				5.500	U		
		21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500				5.500	U		
		25-Feb-09	5.500	U	5.500	U	5.500	U	NS	U	5.500	U	5.500	U	NS	U	5.500	U	5.500				5.500	U		
		26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		29-Apr-09	2.740	U	2.740	U	2.460	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		22-Jul-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		30-Nov-10	NS	U	2.740	U	2.74	U	NS	U	NS	U	NS	U	2.740	U	NS	U	NS				NS	U		
		26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.660	U	4.680	U	4.680	4.660	U	4.680	U	4.660	U	
		26-Jan-11**	NS	U		U		U	NS	U	NS	U	NS	U	NS	U	NS	U	NS				NS	U		
		27-Apr-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740				2.740	U		
		28-Oct-11	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380				0.250	U		
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440				0.440	U		
		13-Apr-12	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380				0.500	U		
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.380				0.380	U		
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.250	U	NS				NS	U		
		22-Oct-14	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380				0.380	U		
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.380	U	0.250				0.380	U		
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.290				NS	U		
		22-Apr-15	0.250	U	0.250 <sup>A</sup>	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250				0.250	U		
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				0.25	U		
		20-Apr-16 <sup>3</sup>	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				0.25	U		
		20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28	U	0.28				0.37	U		
		21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				0.25	U		
		31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				0.25	U		
		17-Apr-17 <sup>4</sup>	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38				0.38	U		
		26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				0.25	U		
		12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				0.25	U		
		10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				0.25	U		
		11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				1.3 <sup>D</sup>	U		
		27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.38	U	0.38	U	0.25	U	0.25	U	0.25				0.25	U		
		24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25				0.25	U		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)				
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	
Carbon tetrachloride	0.5	8-Feb-08	0.500		0.480		0.440		0.450		0.460		0.470		0.470		0.470		0.470						0.470		
		27-Mar-08	0.540		0.541		0.547		0.537		0.580		0.577		0.552		0.586		0.586						0.565		
		25-Apr-08	0.436		0.439		0.448		0.405		0.441		0.439		0.465		0.450		0.450						0.416		
		29-May-08	0.470		0.470		0.450		0.470		0.480		0.490		0.520		0.460		0.460						0.460		
		27-Jun-08	0.544		0.535		0.526		0.534		0.526		0.538		0.555		0.547		0.537						0.537		
		31-Jul-08	0.526		0.532		0.528		0.554		0.554		0.542		0.564		0.551		0.557						0.557		
		28-Aug-08	0.552		0.548		0.551		0.545		0.566		0.559		0.556		0.572		0.551						0.551		
		30-Sep-08	0.489		0.446		0.404		0.497		0.461		0.250	U	0.491		0.531		0.547						0.547		
		27-Oct-08	0.370		0.510		0.260		0.450		0.450		0.280		0.510		0.480		0.460						0.460		
		25-Nov-08	0.400		0.400		0.400		0.440		0.440		0.420		0.350		0.370		0.470						0.470		
		18-Dec-08	0.350		0.330		0.440		0.410		0.420		0.350		0.340		0.310		0.520						0.520		
		21-Jan-09	0.490		0.460		0.570		0.460		0.500		0.490		0.570		0.540		0.620						0.620		
		25-Feb-09	0.360		0.190		0.380		0.400		NS		4.000		0.410		0.400		0.440						0.440		
		26-Mar-09	0.568		0.592		0.542		0.561		0.584		0.561		0.566		0.542		0.604						0.604		
		29-Apr-09	0.534		0.522		0.597		0.534		0.528		0.622		0.578		0.559		0.515						0.515		
		22-Jul-09	0.597		0.591		0.585		0.597		0.585		0.578		0.585		0.585		0.591						0.591		
		9-Oct-09	0.503		0.566		0.471		0.497		0.471		0.497		0.478		0.484		0.478						0.478		
		15-Jan-10	0.585		0.603		0.578		0.597		0.585		0.610		0.616		0.610		0.635						0.635		
		21-Apr-10	0.490		0.547		0.559		0.484		0.126	U	0.459		0.530		0.484		0.484						0.484		
		16-Jul-10	0.497		0.503		0.484		0.528		0.465		0.547		0.484		0.484		0.541						0.541		
		15-Oct-10	0.459		0.427		0.509		0.434		0.440		0.408		0.453		0.446		0.503						0.503		
		30-Nov-10	NS		0.478		0.559		NS		NS		NS		0.484		NS		NS						NS		
		26-Jan-11	0.558		0.502		0.504		0.567		0.472		0.566		0.481		0.558		0.481		0.481	0.481		0.557	0.481		
		26-Jan-11**	NS		0.540		0.500		NS		NS		NS		0.500		NS		NS						NS		
		27-Apr-11	0.371		0.358		0.364		0.408		0.352		0.364		0.358		0.358		0.434						0.434		
		26-Jul-11	0.409		0.442		0.409		0.428		0.402		0.421		0.402		0.421		0.459						0.459		
		28-Oct-11	0.410		0.380		0.430		0.430		0.420		0.410		0.430		0.430		0.440						0.440		
		23-Jan-12	0.490		0.490		0.480		0.480		0.470		0.460		0.490		0.460		0.480						0.480		
		13-Apr-12	0.480		0.490		0.420		0.460		0.450		0.460		0.470		0.460		0.300						0.300		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.390		0.400						0.400		
		20-Jun-12	0.560		0.610		0.520		0.530		0.590		0.500		0.550		0.570		0.490						0.490		
		1-Nov-12	0.510		0.520		0.480		0.480		0.490		0.520		0.490		0.530		0.500						0.530		
		1-Feb-13	0.520		0.510		0.520		0.510		0.550		0.510		0.520		0.540		0.500						0.540		
		29-Apr-13	0.540		0.530		0.530		0.510		0.490		0.470		0.490		0.500		0.500						0.500		
		9-Jul-13	0.430		0.440		0.430		0.440		0.440		0.450		0.440		0.430		0.440						0.440		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.516		NS		NS		NS		0.500						0.500		
		18-Oct-13	0.450		0.450		0.450		0.440		0.420		0.420		0.440		0.440		0.440						0.440		
		9-Jan-14	0.400		0.430		0.450		0.450		0.400		0.450		0.430		0.430		0.480						0.480		
		24-Apr-14	0.430		0.270		0.410		0.430		0.400		0.440		0.350		0.430		0.430						0.430		
		1-Aug-14	0.570		0.700		0.510		0.460		0.410		0.410		0.440		0.430		0.420						0.420		
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.470		NS		NS						NS		
		22-Oct-14	0.430		0.410		0.430		0.460		0.370		0.460		0.420		0.440		0.410						0.410		
		20-Jan-15	0.480		0.480		0.330		0.480		0.460		0.450		0.450		0.490		0.520						0.520		
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.400		NS						NS		
		22-Apr-15	0.320		0.350		0.320		0.330		0.340		0.330		0.360		0.290		0.320						0.320		
		21-Jul-15	0.270 <sup>1</sup>		0.280 <sup>1, A</sup>		0.300 <sup>1</sup>		0.250 <sup>1</sup>		0.260 <sup>1</sup>		0.260 <sup>1</sup>		0.260 <sup>1</sup>		0.250 <sup>1</sup>		0.300 <sup>1</sup>						0.300 <sup>1</sup>		
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.290 <sup>1</sup>		NS		NS						NS		
		29-Oct-15	0.310 <sup>1</sup>		0.300 <sup>1</sup>		0.320 <sup>1</sup>		0.310 <sup>1</sup>		0.290 <sup>1</sup>		0.300 <sup>1</sup>		0.310 <sup>1</sup>		0.310		0.330 <sup>1</sup>						0.330 <sup>1</sup>		
		4-Dec-15 resample	NS		0.28 <sup>1</sup>		NS		NS		NS		NS		NS		NS		NS						NS		
		27-Jan-16	0.59		0.58		0.61		0.56		0.58		0.58		0.59		0.49		0.58						0.58		
20-Apr-16 <sup>3</sup>	0.95		0.65		0.71		0.65		0.64		0.67		0.65		0.66		0.58						0.58				
20-Jul-16	0.47		0.48		0.41		0.46		0.38		0.42		0.43		0.45		0.44						0.44				
21-Oct-16	0.49		0.49		0.54		0.43		0.48		0.47		0.46		0.46		0.47						0.47				
31-Jan-17	0.43		0.42		0.43		0.4		0.4		0.43		0.36		0.4		0.44						0.44				
17-Apr-17 <sup>4</sup>	0.45		0.45		0.43		0.44		0.45		0.51		0.45		0.48		0.45						0.45				
26-Jul-17	0.4		0.38		0.38		0.37		0.39		0.38		0.39		0.37		0.39						0.39				
12-Oct-17	0.39		0.39		0.41		0.38		0.31		0.37		0.32		0.35		0.43						0.43				
10-Jan-18	0.39		0.35		0.36		0.37		0.35		0.37		0.36		0.35		0.36						0.36				
11-Apr-18	0.50		0.48		0.47		0.49		0.45		0.52		0.47		0.41		0.48						0.48				
27-Jul-18	0.43		0.50		0.43		0.46		0.48		0.47		0.44		0.45		0.42						0.42				
24-Oct-18	0.47		0.46		0.49		0.46		0.48		0.47		0.48		0.47		0.46						0.46				
16-Jan-19	0.44		0.42		0.4		0.41		0.41		0.41		0.43		0.39		0.43						0.43				
12-Apr-19	0.45		0.51		0.41		0.48		0.45		0.46		0.4		0.42		0.44						0.44				
29-Jul-19	0.47		0.44		0.39		0.46		0.46		0.46		0.46		0.44		0.44						0.44				

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)					
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual		
Chlorobenzene	37.0	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U		
		27-Mar-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		25-Apr-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U		
		27-Jun-08	0.092	U	0.090	U	0.090	U	0.092	U	0.092	U	0.090	U	0.090	U	0.314	U	0.092	U					0.092	U		
		31-Jul-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		28-Aug-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		30-Sep-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U		
		27-Oct-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U		
		25-Nov-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U		
		18-Dec-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U		
		21-Jan-09	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U		
		25-Feb-09	2.300	U	2.300	U	2.300	U	2.300	U	NS	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U		
		26-Mar-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		29-Apr-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		22-Jul-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		9-Oct-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		15-Jan-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		21-Apr-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		16-Jul-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		15-Oct-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U		
		30-Nov-10	NS		0.092	U	0.092	U	NS	U	NS	U	NS	U	NS	U	0.092	U	NS	U					NS	U		
		26-Jan-11	0.157	U	0.156	U	0.157	U	0.157	U	0.157	U	0.157	U	0.156	U	0.156	U	0.157	U	0.156	U	0.156	U	0.157	U	0.156	U
		26-Jan-11**	NS		0.230	U	0.230	U	NS	U	NS	U	NS	U	NS	U	0.230	U	NS	U			0.157	U	0.157	U	NS	U
		27-Apr-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		26-Jul-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		28-Oct-11	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U	0.069	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U					0.160	U	0.160	U
		13-Apr-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U	0.140	U
		2-Jul-12 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.140	U					0.140	U	0.140	U
		20-Jun-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		1-Nov-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		1-Feb-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		29-Apr-13	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U	0.046	U
		9-Jul-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		9-Jul-13 RIDEM	NS		NS	U	NS	U	NS	U	NS	U	0.009	J	NS	U	NS	U	NS	U					0.002	J	0.002	J
		18-Oct-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		9-Jan-14	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		24-Apr-14	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U	0.046	U
		1-Aug-14	0.092	U	0.092	U	0.092	U	0.092	U	0.140	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		12-Sept-14 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.092	U	NS	U					NS	U	NS	U
		22-Oct-14	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U	0.140	U
		20-Jan-15	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.140	U	0.092	U					0.140	U	0.140	U
		30-Mar-15 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.110	U					NS	U	NS	U
		22-Apr-15	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
		21-Jul-15	0.200	U	0.200 <sup>^</sup>	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.300	U	0.300	U
		23-Sept-15 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.300	U	NS	U					NS	U	NS	U
		29-Oct-15	0.300	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U					0.300	U	0.300	U
		4-Dec-15 resample	NS		0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U	NS	U
		27-Jan-16	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U
20-Apr-16 <sup>3</sup>	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U		
20-Jul-16	0.11	U	0.14	U	0.10	U	0.11	U	0.11	U	0.11	U	0.11	U	0.12	U	0.10	U					0.11	U	0.14	U		
21-Oct-16	0.092	U	0.092	U	0.09	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.09	U					0.092	U	0.092	U		
31-Jan-17	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U		
17-Apr-17 <sup>4</sup>	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U					0.14	U	0.14	U		
26-Jul-17	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U		
12-Oct-17	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U		
10-Jan-18	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U	0.092	U		
11-Apr-18	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.46 <sup>5</sup>	U	0.46 <sup>5</sup>	U		
27-Jul-18	0.092	U	0.092	U																								

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
Chloroethane	500.0	8-Feb-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U					0.050	U
		27-Mar-08	0.062	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		25-Apr-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		29-May-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U					0.050	U
		27-Jun-08	0.053	U	0.050	U	0.053	U	0.053	U	0.053	U	0.050	U	0.050	U	0.050	U	0.050	U					0.053	U
		31-Jul-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		28-Aug-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		30-Sep-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		27-Oct-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		25-Nov-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		18-Dec-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		21-Jan-09	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		25-Feb-09	1.300	U	1.300	U	1.300	U	1.300	U	NS	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		26-Mar-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		29-Apr-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		22-Jul-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		9-Oct-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		15-Jan-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		21-Apr-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		16-Jul-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		15-Oct-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		30-Nov-10	NS	U	0.053	U	0.053	U	0.053	U	NS	U	NS	U	NS	U	0.053	U	NS	U					NS	U
		26-Jan-11	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		26-Jan-11**	NS	U	0.130	U	0.130	U	0.130	U	NS	U	NS	U	NS	U	0.130	U	NS	U					NS	U
		27-Apr-11	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		26-Jul-11	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		28-Oct-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		23-Jan-12	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U					0.093	U
		13-Apr-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.110	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.079	U					0.079	U
		20-Jun-12	0.072	U	0.150	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		1-Nov-12	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.061	U	0.053	U	0.053	U					0.053	U
		1-Feb-13	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		29-Apr-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		9-Jul-13	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.092	U	0.053	U	0.053	U	0.053	U					0.053	U
		18-Oct-13	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		9-Jan-14	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		24-Apr-14	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.053	U	0.026	U	0.026	U	0.053	U					0.026	U
		1-Aug-14	0.053	U	0.053	U	0.053	U	0.053	U	0.079	U	0.053	U	0.062	U	0.059	U	0.053	U					0.053	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.053	U	NS	U					NS	U
		22-Oct-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.095	U
		20-Jan-15	0.053 <sup>L</sup>	U	0.053 <sup>L</sup>	U	0.053 <sup>L</sup>	U	0.053 <sup>L</sup>	U	0.060 <sup>L</sup>	U	0.053 <sup>L</sup>	U	0.053 <sup>L</sup>	U	0.079 <sup>L</sup>	U	0.053 <sup>L</sup>	U					0.079 <sup>L</sup>	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.061	U					NS	U
		22-Apr-15	0.053	U	0.053	U	0.110 <sup>V</sup>	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.061	U					0.053	U
		21-Jul-15	0.100	U	0.100 <sup>A</sup>	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.200	U	0.100	U					0.100	U
		23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U					NS	U
		29-Oct-15	0.200	U	0.100	U	0.100	U	0.100	U	0.200	U	0.100	U	0.100	U	0.100	U	0.100	U					0.200	U
		4-Dec-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U
		27-Jan-16	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		20-Apr-16 <sup>S</sup>	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
20-Jul-16	0.063 <sup>V,L</sup>	U	0.082 <sup>V,L</sup>	U	0.057 <sup>V,L</sup>	U	0.065 <sup>V,L</sup>	U	0.063 <sup>V,L</sup>	U	0.062 <sup>V,L</sup>	U	0.059 <sup>V,L</sup>	U	0.070 <sup>V,L</sup>	U	0.059 <sup>V,L</sup>	U					0.079 <sup>V,L</sup>	U		
21-Oct-16	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U		
31-Jan-17	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U		
17-Apr-17 <sup>4</sup>	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
26-Jul-17	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U		
12-Oct-17	0.053	U	0.053	U	0.27	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U		
10-Jan-18	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U		
11-Apr-18	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.26 <sup>D</sup>	U		
27-Jul-18	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.079	U	0.053	U	0.053	U	0.053	U					0.053	U		
24-Oct-18	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U		
16-Jan-19	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	U	U	U	U	0.053	U		
12-Apr-19	0.053	U	0.053	U	0.053	U																				

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Chloroform	0.5	8-Feb-08	0.110		0.110		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		27-Mar-08	0.840		0.690		0.593		0.523		0.410		0.337		0.605		0.503		0.130						0.098	U
		25-Apr-08	0.186		0.210		0.193		0.122		0.125		0.134		0.110		0.130		0.100						0.098	U
		29-May-08	0.110		0.110		0.100		0.110		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		27-Jun-08	0.238		0.257		0.202		0.207		0.196		0.200		0.245		0.223		0.106						0.167	U
		31-Jul-08	0.230		0.151		0.136		0.194		0.204		0.227		0.098	U	0.106		0.271						0.098	U
		28-Aug-08	0.342		0.373		0.298		0.312		0.269		0.602		0.269		0.271		0.490	U					0.490	U
		30-Sep-08	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U					0.490	U
		27-Oct-08	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U					0.490	U
		25-Nov-08	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		18-Dec-08	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		21-Jan-09	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		25-Feb-09	0.240	U	0.240	U	0.240	U	NS		0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		26-Mar-09	0.236		0.142		0.110		0.115		0.133		0.119		0.098	U	0.109		0.108						0.108	U
		29-Apr-09	0.190		0.122		0.098	U	0.102		0.102		0.098	U	0.146		0.098	U	0.098	U					0.098	U
		22-Jul-09	0.229		0.151		0.166		0.141		0.205		0.180		0.146		0.171		0.439						0.439	U
		9-Oct-09	0.576		0.098	U	0.283		0.302		0.283		0.307		0.322		0.302		0.171						0.171	U
		15-Jan-10	0.527		0.473		0.122		0.132		0.112		0.117		0.117		0.180		1.070						1.070	U
		21-Apr-10	0.156		0.790		0.205		0.771		0.136		0.141		1.460		0.224		0.098						0.098	U
		16-Jul-10	0.317		0.249		0.141		0.161		0.190		0.141		0.258		0.156		0.132						0.132	U
		15-Oct-10	0.263		0.195		0.098	U	0.102		0.098	U	0.098	U	0.107		0.098	U	0.098	U					0.098	U
		30-Nov-10	NS		0.234		0.112		NS		NS		NS		0.098	U	NS		NS						NS	U
		26-Jan-11	0.350		0.340		0.166	U	0.241		0.166	U	0.182		0.166	U	0.166	U	0.166	U	0.166	U	0.166	U	0.166	U
		26-Jan-11**	NS		0.380		0.240	U	NS		NS		NS		0.240	U	NS		NS						NS	U
		27-Apr-11	0.098	U	0.220		0.098	U	0.141		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		26-Jul-11	0.230		0.249		0.166		0.986		0.127		0.156		0.244		0.146		0.146						0.146	U
		28-Oct-11	0.120		0.110		0.085		0.097		0.079		0.082		0.082		0.082		0.049						0.049	U
		23-Jan-12	0.170	U	0.240		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		13-Apr-12	0.270		0.420		0.140		0.270		0.130		0.130		0.280		0.098		0.098						0.098	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.100		0.094						0.094	U
		20-Jun-12	0.210		0.520		0.140		0.220		0.180		0.140		0.580		0.110		0.110						0.110	U
		1-Nov-12	0.098		0.140		0.082		0.100		0.088		0.110		0.100		0.072		0.072						0.072	U
		1-Feb-13	0.390		0.240		0.088		0.120		0.088		0.092		0.088		0.088		0.088						0.088	U
		29-Apr-13	0.180		0.140		0.140		0.160		0.140		0.120		0.140		0.082		0.082						0.082	U
		9-Jul-13	0.260		0.240		0.170		0.300		0.310		0.200		0.200		0.200		0.200						0.200	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.217		NS		NS		NS		0.175						0.175	U
		18-Oct-13	0.098	U	0.300		0.098	U	0.130		0.098	U	0.110		0.110		0.120		0.098	U					0.098	U
		9-Jan-14	0.120		0.140		0.098	U	0.120		0.098	U	0.120		0.120		0.140		0.140						0.140	U
		24-Apr-14	0.670		0.160		0.310		0.098		0.120		0.098	U	0.120	U	0.120	U	0.049	U					0.049	U
		1-Aug-14	3.400		5.100		1.400		1.200		0.450		0.330		0.870		0.410		6.000						6.000	U
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS						NS	U		
22-Oct-14	0.073	U	0.073	U	0.073	U	0.190		0.073	U	0.150		0.073	U	0.073	U	0.073	U					0.073	U		
20-Jan-15	0.120		0.120		0.049	U	0.100		0.110		0.130		0.073	U	0.140		0.088						0.088	U		
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.200		0.049						0.049	U		
22-Apr-15	0.170		0.220		0.270 <sup>y</sup>		0.220		0.190		0.120		0.180		0.200		0.049						0.049	U		
21-Jul-15	0.250		0.200 <sup>z,A</sup>		0.170 <sup>j</sup>	U	0.260		0.210 <sup>j</sup>		0.270		11.000		0.170 <sup>j</sup>		0.160 <sup>j</sup>						0.160 <sup>j</sup>	U		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS		NS						NS	U		
29-Oct-15	0.300	U	0.370		0.300	U	0.300	U	0.300	U	0.220 <sup>j</sup>		0.590		0.200	U	0.300	U					0.300	U		
4-Dec-15 resample	NS		0.520		NS		NS		NS		NS		NS		NS		NS						NS	U		
27-Jan-16	0.16		0.13		0.11		0.11		0.10		0.16		0.12		0.11		0.19						0.19	U		
20-Apr-16 <sup>s</sup>	3.8		0.086		0.049	U	0.12		0.11		0.09		0.049	U	0.094		0.086						0.086	U		
20-Jul-16	0.96		0.63		0.07		0.25		0.20		0.31		0.20		0.20		0.079						0.079	U		
21-Oct-16	1.5		0.58		0.11		0.19		0.13		0.13		0.09		0.13		0.18						0.18	U		
31-Jan-17	0.5		0.28		0.092		0.15		0.11		2.7		0.1		0.1		0.11						0.11	U		
17-Apr-17 <sup>t</sup>	0.83		0.12		0.11		0.11		0.11		0.15		0.2		0.073	U	0.11						0.11	U		
26-Jul-17	0.42		0.29		0.13		0.44		0.22		0.45		0.25		0.26		0.092						0.092	U		
12-Oct-17	0.12		0.28		0.15		0.17		0.13		0.15		0.18		0.2		0.11						0.11	U		
10-Jan-18	0.79		0.35		0.13		0.16		0.13		0.31		0.17		0.15		0.049						0.049	U		
11-Apr-18	0.92		0.31		0.13		0.18		0.13		0.18		0.12		0.13		0.49 <sup>p</sup>						0.49 <sup>p</sup>	U		
27-Jul-18	0.12		0.8		0.12		0.49		0.2		0.23		0.19		0.18		0.13						0.13	U		
24-Oct-18	0.47		0.12		0.049	U	0.19		0.11		0.41		0.049	U	0.049	U	0.049	U					0.049	U		
16-Jan-19	0.99		0.16		0.049	U	0.12		0.1		0.17		0.049	U	0.049	U	0.049	U					0.049	U		
12-Apr-19	0.65		0.37		0.11		0.25		0.17		0.18		0.11		0.15		0.049						0.049	U		
29-Jul-19	0.38		0.21		0.096		0.21		0.21		0.22		0.34		0.17		0.16						0.16	U		



**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)				
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	
Chloromethane	14.0	8-Feb-08	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U	2.440	U					2.440	U	
		27-Mar-08	2.830		3.070		2.680		2.440	U	2.830		2.440	U	2.480		2.440	U							2.440	U	
		25-Apr-08	2.820		2.440	U	2.440	U	2.440	U	2.440	U	3.000	U	2.440	U	3.140	U							2.440	U	
		29-May-08	2.790		3.000		7.100		11.000		2.940		6.280		6.420		2.770								2.440	U	
		27-Jun-08	2.650		2.440	U	2.440	U	2.830	U	2.830	U	3.260	U	2.620	U	2.440	U	2.500	U					2.440	U	
		31-Jul-08	3.580		3.880		3.330		4.370		3.440		3.740		2.440	U	2.440	U	2.440	U					2.440	U	
		28-Aug-08	2.440		3.140		5.310		6.880		3.150		2.440	U	2.540	U	2.540	U							2.440	U	
		30-Sep-08	1.400		1.300		1.100		1.400		1.000	U	1.700	U	1.600	U	1.000	U							1.200	U	
		27-Oct-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.200	U	1.000	U	1.000	U	1.000	U					1.000	U	
		25-Nov-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U					1.000	U	
		18-Dec-08	1.000	U	1.000	U	1.000	U	1.400	U	1.000	U	1.000	U	1.000	U	1.000	U	1.300	U					1.000	U	
		21-Jan-09	1.000	U	1.000	U	1.000	U	1.500	U	1.000	U	1.000	U	1.400	U	1.100	U							1.200	U	
		25-Feb-09	1.000	U	1.000	U	1.000	U	NS	U	1.000	U	1.000	U	1.000	U	1.000	U	1.100	U					1.000	U	
		26-Mar-09	2.490		2.680		2.550		2.920		2.910		2.440	U	2.440	U	2.440	U	2.440	U					2.440	U	
		29-Apr-09	2.710		2.910		3.600		3.730		3.130		2.660		3.390		2.960									2.510	U
		22-Jul-09	2.670		2.520		2.440		2.540		2.440	U	2.780	U	3.320	U									2.440	U	
		9-Oct-09	3.450		2.740		2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U					2.440	U	
		15-Jan-10	3.850		3.690		2.820		3.180		3.240		3.630		3.120		3.750								2.600	U	
		21-Apr-10	2.550		2.440	U	2.440	U	2.440	U	2.440	U	2.400	U	2.520	U	2.440	U							2.460	U	
		16-Jul-10	1.510		1.660		1.050		1.090		1.680		1.110		1.300		1.100								1.510	U	
		15-Oct-10	1.080		1.080		1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U					1.030	U	
		30-Nov-10	NS		1.030	U	1.030	U	NS	U	NS	U	NS	U	1.030	U	NS	U							NS	U	
		26-Jan-11	1.760	U	1.750	U	1.760	U	1.760	U	1.760	U	1.750	U	1.750	U	1.760	U	1.760	U	1.750	U	1.750	U	1.760	U	U
		26-Jan-11**	NS		1.100		1.000		NS		NS		NS		1.000		NS								NS	U	
		27-Apr-11	1.050		1.660		1.400		2.160		1.440		1.510		1.740		1.460								1.270	U	
		26-Jul-11	1.160		1.600		1.030	U	1.120	U	1.030	U	1.030	U	1.030	U	1.030	U							1.030	U	
		28-Oct-11	1.400		1.000		1.300		1.500		1.300		0.960		1.000		1.100								1.300	U	
		23-Jan-12	1.300		1.100		1.100		1.200		1.400		1.900		1.400		1.500								1.100	U	
		13-Apr-12	1.300		1.400		1.500		1.100		1.100		1.000		1.200		1.000								0.840	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		1.500								1.100	U	
		20-Jun-12	1.700		0.041	U	0.041	U	0.041	U	0.041	U	0.041	U	1.500	U	0.041	U							1.300	U	
		1-Nov-12	1.100		0.910		1.200		1.200		1.200		1.000		1.100		1.100								0.990	U	
		1-Feb-13	1.200		1.300		1.200		1.200		1.200		1.400		1.300		1.100								1.100	U	
		29-Apr-13	1.300		1.300		1.300		1.200		1.800		1.100		1.300		1.300								1.100	U	
		9-Jul-13	1.100		0.900		1.100		2.200		1.000		0.980		1.100		1.000								1.000	U	
		9-Jul-13 RIDEEM	NS		NS		NS		NS		1.142		NS		NS		NS								1.164	U	
		18-Oct-13	0.880		1.100		1.200		1.100		1.200		1.200		1.300		1.300								1.100	U	
		9-Jan-14	0.900		0.950		1.000		1.100		1.000		1.100		1.100		1.200								1.100	U	
		24-Apr-14	1.100		1.300		1.100		1.100		1.100		1.400		1.600		0.940								0.940	U	
		1-Aug-14	0.083	U	0.083	U	0.083	U	0.120	U	0.083	U	0.083	U	0.083	U	0.083	U							0.083	U	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		1.100 <sup>L-V</sup>		NS								NS	U	
		22-Oct-14	0.780 <sup>L</sup>		0.810 <sup>L</sup>		1.100 <sup>L</sup>		0.880 <sup>L</sup>		1.000 <sup>L</sup>		1.300 <sup>L</sup>		1.200 <sup>L</sup>		0.890 <sup>L</sup>								0.890 <sup>L</sup>	U	
		20-Jan-15	0.820 <sup>L</sup>		0.970 <sup>L</sup>		0.072 <sup>L</sup>		0.081 <sup>L</sup>		0.089 <sup>L</sup>		1.100 <sup>L</sup>		1.000 <sup>L</sup>		0.820 <sup>L</sup>								0.820 <sup>L</sup>	U	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		0.095		NS								NS	U	
		22-Apr-15	1.200		1.300		4.600 <sup>V</sup>		1.400		1.400		1.200		2.700		1.100								1.100	U	
		21-Jul-15	1.200		1.200 <sup>A</sup>		1.200		1.200		1.500		1.500		0.970		1.200								0.770	U	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.100	U	NS								NS	U	
		29-Oct-15	1.100		1.400		1.200		1.300		1.200		1.700		1.200		1.100								1.100	U	
		4-Dec-15 resample	NS		1.000		NS		NS		NS		NS		NS	U	NS								NS	U	
		27-Jan-16	1.2		1.2		1		1.2		1.3		2.4		1.5		1.6								1.3	U	
20-Apr-16 <sup>S</sup>	1.4		1.1		1.1		1.1		1.4		1.2		1.2		1.2								1.6	U			
20-Jul-16	0.94		0.99		0.71		0.93		1.2		1.3		1.4		1.2								0.78	U			
21-Oct-16	1.1		1		0.9		1.1		1.1		1.1		1		1.3								0.93	U			
31-Jan-17	1.2		1.2		1.1		1.2		1.2		1.3		1.3		1.4								1.1	U			
17-Apr-17 <sup>L</sup>	1.2		1.3		1.3		1.3		1.3		1.4		1.4		1.3								1.2	U			
26-Jul-17	0.86		0.78		0.083	U	0.81		0.96		0.93		0.95		0.98								0.87	U			
12-Oct-17	0.94		1		1.5		1.1		1.1		1.3		1.2		1.1								1.1	U			
10-Jan-18	1.10		1.10		0.99		1.10		1.20		1.30		1.20		1.30								0.98	U			
11-Apr-18	1.60		1.50		1.30		1.30		1.50		1.80		1.70		1.3								1.3	U			
27-Jul-18	1.4		1.2		1		1.3		1.4		1.3		1.6		1.1								1.1	U			
24-Oct-18	0.99		1		0.94		1.1		1.1		1.4		1.1		1.1								0.95	U			
16-Jan-19	1.4		1.0		0.93		1		1		1.1		1.1		1								1.3	U			
12-Apr-19	1.3 <sup>V</sup>		1.2 <sup>V</sup>		1.4 <sup>V</sup>		1.3 <sup>V</sup>		1.2 <sup>V</sup>		1.3 <sup>V</sup>		1.6 <sup>V</sup>		1.2 <sup>V</sup>								1.2 <sup>V</sup>	U			
29-Jul-19	0.083	U	0.1	U	0.98		1.1		0.083	U	0.083	U	0.083	U	0.083	U							1.2	U			



**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)					
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual		
1,2-Dibromoethane (EDB)	0.0028/0.15	8-Feb-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U		
		27-Mar-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		25-Apr-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		29-May-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U		
		27-Jun-08	0.150	U	0.150	U	0.154	U	0.154	U	0.154	U	0.150	U	0.150	U	0.629	U	0.154	U					0.150	U		
		31-Jul-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		28-Aug-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		27-Oct-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U		
		27-Oct-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U		
		25-Nov-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U		
		18-Dec-08	0.150	U	0.150	U	0.280	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U		
		21-Jan-09	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U		
		25-Feb-09	0.150	U	0.150	U	0.150	U	0.150	U	NS	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U		
		26-Mar-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		29-Apr-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		22-Jul-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		9-Oct-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		15-Jan-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		21-Apr-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		16-Jul-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		15-Oct-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U		
		30-Nov-10	NS	U	0.154	U	0.154	U	0.154	U	NS	U	NS	U	NS	U	0.154	U	NS	U					NS	U		
		26-Jan-11	0.262	U	0.261	U	0.262	U	0.262	U	0.261	U	0.262	U	0.261	U	0.261	U	0.262	U	0.261	U	0.261	U	0.262	U	0.261	U
		26-Jan-11**	NS	U	0.380	U	0.380	U	0.380	U	NS	U	NS	U	NS	U	0.380	U	NS	U					NS	U	NS	U
		27-Apr-11	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U	0.154	U
		26-Jul-11	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U	0.154	U
		28-Oct-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.077	U	0.077	U
		23-Jan-12	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U					0.270	U	0.270	U
		13-Apr-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U	0.120	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					0.120	U	0.120	U
		20-Jun-12	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U	0.150	U
		1-Nov-12	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U
		1-Feb-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U
		29-Apr-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U
		9-Jul-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U
		18-Oct-13	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U	0.150	U
		9-Jan-14	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.170	U	0.150	U					0.150	U	0.150	U
		24-Apr-14	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.150	U	0.077	U	0.077	U	0.150	U					0.077	U	0.077	U
		1-Aug-14	0.150	U	0.150	U	0.150	U	0.230	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U	0.150	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.077	U	NS	U					NS	U	NS	U
		22-Oct-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U	0.120	U
		20-Jan-15	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.120	U	0.120	U					0.120	U	0.120	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.088	U					NS	U	NS	U
		22-Apr-15	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U
		21-Jul-15	0.400	U	0.400 <sup>A</sup>	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.500	U	0.400	U					0.400	U	0.400	U
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.400	U	NS	U					NS	U	NS	U		
29-Oct-15	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U					0.500	U	0.500	U		
4-Dec-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U	NS	U		
27-Jan-16	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U		
20-Apr-16 <sup>5</sup>	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U		
20-Jul-16	0.092	U	0.12	U	0.083	U	0.094	U	0.092	U	0.09	U	0.10	U	0.086	U	0.11	U					0.11	U	0.11	U		
21-Oct-16	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U		
31-Jan-17	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U		
17-Apr-17 <sup>4</sup>	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U	0.12	U		
26-Jul-17	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U		
12-Oct-17	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U		
10-Jan-18	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U	0.077	U		
11-Apr-18	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.150	U	0.077	U	0.077	U					0.077	U	0.077	U		
27-Jul-18	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.12	U	0.12	U	0.077	U	0.077	U					0.077	U	0.077	U		
24-Oct-1																												





**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDE M-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
1,4-Dichlorobenzene	24.0	8-Feb-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		27-Mar-08	0.292		0.272		0.206		0.596		0.728		0.793		0.228		0.237								0.120	U
		25-Apr-08	0.415		0.287		0.267		0.247		0.261		0.245		0.205		0.220								0.222	
		29-May-08	0.230		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		27-Jun-08	0.506		0.176		0.391		0.315		0.130		0.273		1.340		0.582								0.132	
		31-Jul-08	0.309		0.524		0.254		0.323		0.458		0.669		0.272		0.320								0.259	
		28-Aug-08	0.198		0.252		0.216		0.262		0.205		0.211		0.202		0.222								0.213	
		30-Sep-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		27-Oct-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		25-Nov-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		18-Dec-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		21-Jan-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		25-Feb-09	3.000	U	3.000	U	3.000	U	3.000	U	NS		3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		26-Mar-09	0.149		0.129		0.120	U	0.120	U	0.193		0.146		0.204		0.150								0.120	U
		29-Apr-09	0.246		0.144		0.180		1.740		0.210		0.168		0.144		0.168								0.366	
		22-Jul-09	0.198		0.120	U	0.553		0.120	U	0.174		0.204		0.144		0.270								0.444	
		9-Oct-09	0.360		0.402		0.336		0.360		0.354		0.487		0.324		0.366								0.186	
		15-Jan-10	0.156		0.186		0.120	U	0.432		0.150		0.198		0.144		0.120	U							0.138	
		21-Apr-10	0.120	U	0.180		0.120	U	0.156		0.156		0.126		0.126		1.200								1.200	U
		16-Jul-10	1.580		0.493		0.637		0.306		0.499		0.655		11.400		0.553								0.384	
		15-Oct-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		30-Nov-10	NS		0.282		0.318		NS		NS		NS		0.120	U	NS								NS	
		26-Jan-11	0.205	U	0.470		0.205	U	0.205	U	0.205	U	0.316	U	0.204	U	0.205	U	0.204	U	0.204	U	0.204	U	0.204	U
		26-Jan-11**	NS		0.740		0.300	U	NS		NS		NS		0.300	U	NS								NS	
		27-Apr-11	0.120	U	0.174		0.120	U	0.222		0.120		0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		26-Jul-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		28-Oct-11	0.190		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.120	U
		23-Jan-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		13-Apr-12	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.240	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.180	U							0.180	U
		20-Jun-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Nov-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Feb-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		29-Apr-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jul-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jul-13 RIDE M	NS		NS		NS		NS		0.038	J	NS		NS		NS								0.030	J
		18-Oct-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jan-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		24-Apr-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Aug-14	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.120	U	NS								NS			
22-Oct-14	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U		
20-Jan-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U	0.120	U					0.180	U		
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		0.140	U									NS			
22-Apr-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U		
21-Jul-15	0.300	U	0.300 <sup>^</sup>	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U	0.300	U					0.300	U		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS								NS			
29-Oct-15	0.300	U	0.300	U	0.170 <sup>^</sup>		0.300	U	0.300	U	0.210 <sup>^</sup>		0.300	U	0.300	U	0.300	U					0.400	U		
4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS		NS								NS			
27-Jan-16	0.12	U	0.13		0.12	U	0.14		0.12	U	0.12	U	0.61	U	0.12	U	10						0.12	U		
20-Apr-16 <sup>3</sup>	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U		
20-Jul-16	0.14	U	0.19	U	0.13	U	0.15	U	0.14	U	0.14	U	0.24	U	0.17								0.18	U		
21-Oct-16	0.12	U	0.14		0.12	U	0.16		0.12	U	0.13		0.14		0.12	U							0.12	U		
31-Jan-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U		
17-Apr-17 <sup>4</sup>	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	1.1		0.18	U	0.18	U	0.18	U					0.18	U		
26-Jul-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	2.4		0.12	U	0.12	U	0.12	U					0.12	U		
12-Oct-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.36		0.12	U	0.12	U	0.12	U					0.12	U		
10-Jan-18	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.13		0.12	U	0.12	U	0.12	U					0.12	U		
11-Apr-18	0.21		0.37		0.24		0.31		0.14		3.00		0.24		0.19								0.6 <sup>D</sup>	U		
27-Jul-18	0.12	U	0.12	U	0.12	U	0.12	U	0.18	U	0.18	U	0.12	U	0.12	U	0.12	U					0.12	U		
24-Oct-18	0.12	U	0.12	U	0.12	U	0.25		0.12	U	0.16		0.12	U	0.12	U	0.12	U					0.12	U		
16-Jan-19	0.15		0.15		0.12		0.12		0.12		0.17		0.12	U	0.12	U	0.12	U					0.12	U		
12-Apr-19	0.12	U	0.34		0.12	U	0.35		0.12	U	0.24		0.36		0.45								0.12	U		
29-Jul-19	0.13		0.12	U	0.12	U	0.12	U	0.12	U	0.13		0.12	U	0.12	U	0.12	U					0.12	U		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Dichlorodifluoromethane	91.0	27-Mar-08	2.420		2.380		2.280		2.110		2.600		2.560		2.700		2.070								2.210	
		25-Apr-08	2.060		2.100		2.010		2.170		2.030		1.990		2.080		2.030								1.860	
		29-May-08	1.700		1.630		1.540		1.760		1.630		1.610		1.780		1.600								1.560	
		27-Jun-08	2.280		2.280		2.370		2.330		2.240		2.220		2.250		2.250								2.220	
		31-Jul-08	2.030		2.020		1.970		1.970		1.910		1.920		1.920		1.900								1.850	
		28-Aug-08	3.600		2.870		2.920		2.870		2.920		2.800		2.800		2.980								2.770	
		30-Sep-08	2.500		2.700		2.500	U	2.500	U	2.500	U	2.500	U	2.800		2.500	U		U					2.500	U
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	3.400		2.500	U	2.500	U	2.500	U					2.500	U
		18-Dec-08	2.700		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	3.000		2.500	U					2.500	U
		25-Feb-09	2.500	U	2.500	U	2.500	U	NS		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		26-Mar-09	2.220		2.190		2.120		2.090		2.090		2.220		2.180		2.080		2.120						2.500	U
		29-Apr-09	2.500		2.260		2.460		2.320		2.320		2.260		2.320		2.380		2.360						2.160	
		22-Jul-09	3.140		3.120		2.920		3.090		2.780		2.780		3.170		2.690		2.960						3.130	
		9-Oct-09	2.290		2.320		2.300		2.320		2.300		2.320		2.280		2.300		2.290						2.210	
		15-Jan-10	27.800		2.550		2.480		2.590		2.410		2.540		2.450		2.410		2.410						2.430	
		21-Apr-10	2.340		2.320		2.520		2.330		2.330		2.260		2.320		2.330		2.330						2.240	
		16-Jul-10	2.480		2.560		2.430		2.520		3.690		2.480		2.550		2.480		2.480						2.740	
		15-Oct-10	2.460		2.410		2.560		2.400		2.470		2.410		2.450		2.450		2.450						2.630	
		30-Nov-10	NS		2.480		2.550		NS		NS		NS		2.390		NS		NS						NS	
		26-Jan-11	2.680		2.640		2.340		2.660		2.150		2.580		2.370		2.560		2.560		2.230		2.480		2.440	
		26-Jan-11**	NS		2.800		2.700		NS		NS		NS		2.600		NS		NS						NS	
		27-Apr-11	2.070		2.820		2.200		2.450		2.160		2.210		2.220		2.210		2.210						2.460	
		26-Jul-11	2.290		2.270		2.270		2.360		2.260		2.340		2.250		2.260		2.260						2.350	
		28-Oct-11	2.700		2.400		2.800		2.600		2.800		2.800		2.500		2.800		2.800						2.500	
		23-Jan-12	1.700		1.800		1.600		1.500		2.000		2.000		1.800		1.900		1.700						2.000	
		13-Apr-12	2.100		2.100		2.000		2.000		1.800		1.900		1.700		1.700		1.700						1.300	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS						2.500	
		20-Jun-12	2.500		2.600		2.500		2.400		2.700		2.300		2.500		2.500		2.500						2.300	
		1-Nov-12	2.000		2.200		2.100		2.200		2.000		2.100		2.000		2.000		2.000						2.100	
		1-Feb-13	1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.700		1.600						1.600	
		29-Apr-13	2.400		2.600		2.600		2.400		2.400		2.300		2.400		2.400		2.400						2.400	
		9-Jul-13	0.950		0.980		0.930		0.960		0.990		1.000		0.980		0.970		1.000						1.000	
		18-Oct-13	2.000		2.200		1.900		2.000		1.900		2.000		1.900		2.000		2.000						2.000	
		9-Jan-14	1.400		1.500		1.400		1.400		1.400		1.500		1.500		1.600		1.600						1.600	
		24-Apr-14	2.300		2.400		2.300		2.400		2.800		2.400		2.500		4.100		2.500						2.500	
		1-Aug-14	1.500		1.600		1.500		1.600		1.500		1.600		2.300/1.500		1.500		1.500						1.700	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS						NS	
		22-Oct-14	1.400		1.400		1.400		1.500		1.400		1.400		1.500		1.400		1.300						1.500	
20-Jan-15	1.400		1.500		1.300		1.400		1.500		1.400		1.500		1.500		1.500						1.500			
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS						NS			
22-Apr-15	1.800		1.800		4.200 <sup>y</sup>		1.800		1.700		1.700		1.900		1.700		1.700						1.600			
21-Jul-15	0.870		0.940 <sup>^</sup>		0.890		0.840		0.910		0.880		0.930		0.840		0.840						0.980			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS						NS			
29-Oct-15	1.100		1.000		1.100		1.000		0.930		0.970		1.000		1.000		1.000						1.100			
27-Jan-16	2.1 <sup>m</sup>		2 <sup>m</sup>		1.9 <sup>m</sup>		2 <sup>m</sup>		2.1 <sup>m</sup>		2.1 <sup>m</sup>		2 <sup>m</sup>		2.1 <sup>m</sup>		2 <sup>m</sup>						2.1 <sup>m</sup>			
20-Apr-16 <sup>z</sup>	1.5		1.7		1.5		1.6		1.6		1.5		1.6		1.6		1.6						1.8			
20-Jul-16	1.2		1.3		1		1.2		1.3		1.2		1.2		1.2		1.2						1.2			
21-Oct-16	0.5		0.5		0.48		0.48		0.54		0.51		0.51		0.49		0.49						0.55			
31-Jan-17	0.8		0.8		0.75		0.76		0.77		0.78		0.76		0.71		0.71						0.74			
17-Apr-17 <sup>4</sup>	0.86		1.2		0.99		1.1		1		1		1		1.1		1.1						1			
26-Jul-17	1.8		1.8		0.099	U	1.8		1.8		1.8		1.8		1.9		1.9						1.8			
12-Oct-17	0.73		0.75		0.84		0.72		0.75		0.76		0.76		0.73		0.73						0.89			
10-Jan-18	0.67		0.69		0.65		0.69		0.69		0.72		0.69		0.70		0.70						0.65			
11-Apr-18	1.1		1.1		1.2		1.0		1.30		1.1		1.4		1.1		1.1						2.2			
27-Jul-18	0.8		0.78		0.78		0.97		1		0.96		0.99		0.93		0.93						0.79			
24-Oct-18	0.66		0.61		0.62		0.68		0.63		0.67		0.75		0.69		0.69						0.6			
16-Jan-19	0.89		0.74		0.73		0.76		0.83		0.84		0.85		0.82		0.82						0.94			
12-Apr-19	0.84 <sup>LV</sup>		0.75 <sup>LV</sup>		0.95		0.89 <sup>LV</sup>		0.81 <sup>LV</sup>		0.77 <sup>LV</sup>		0.88 <sup>LV</sup>		0.88 <sup>LV</sup>		0.88 <sup>LV</sup>						0.81 <sup>LV</sup>			
29-Jul-19	1.5		1.5		1.2		1.4		0.099	U	1.5		1.3		0.099	U	0.099						1.40			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)					
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual		
1,1-Dichloroethane	77.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U		
		27-Mar-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		25-Apr-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U		
		27-Jun-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U		
		31-Jul-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		28-Aug-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		25-Feb-09	2.000	U	2.000	U	2.000	U	2.000	U	NS	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		26-Mar-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		29-Apr-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		22-Jul-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		9-Oct-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		15-Jan-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		21-Apr-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		16-Jul-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		15-Oct-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
		30-Nov-10	NS	U	0.081	U	0.081	U	0.081	U	NS	U	NS	U	NS	U	0.081	U	NS	U					NS	U		
		26-Jan-11	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U
		26-Jan-11**	NS	U	0.200	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	0.200	U	NS	U					NS	U	NS	U
		27-Apr-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U	0.081	U
		26-Jul-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U	0.081	U
		28-Oct-11	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U	0.061	U
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U	0.140	U
		13-Apr-12	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U	0.061	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.061	U					0.061	U	0.061	U
		20-Jun-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U	0.081	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		29-Apr-13	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U	0.081	U
		9-Jul-13	0.040	U	0.040	U	0.400	U	0.400	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		9-Jul-13 RIDEM	NS	U	NS	U	NS	U	NS	U	NS	U	0.006	J	NS	U	NS	U	NS	U					0.006	J	0.006	J
		18-Oct-13	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U	0.081	U
		9-Jan-14	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U	0.081	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		1-Aug-14	0.081	U	0.081	U	0.081	U	0.081	U	0.120	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U	0.081	U
12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.040	U	NS	U					NS	U	NS	U		
22-Oct-14	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U	0.061	U		
20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.061	U					0.061	U	0.061	U		
30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.047	U					NS	U	NS	U		
22-Apr-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U		
21-Jul-15	0.200	U	0.200 <sup>^</sup>	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U					0.200	U	0.200	U		
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U	NS	U		
29-Oct-15	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U	0.200	U		
4-Dec-15 resample	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U	NS	U		
27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U	0.04	U		
20-Apr-16 <sup>^</sup>	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U		
20-Jul-16	0.048	U	0.063	U	0.044	U	0.050	U	0.048	U	0.047	U	0.053	U	0.046	U	0.046	U					0.060	U	0.060	U		
21-Oct-16	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U		
31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U	0.04	U		
17-Apr-17 <sup>^</sup>	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U	0.061	U		
26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U	0.04	U		
12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U	0.04	U		
10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U	0.04	U		
11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.4 <sup>D</sup>	U	0.4 <sup>D</sup>	U		
27-Jul-18	0.040	U	0.040	U	0.040																							



**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
1,2-Dichloroethane	0.07/0.08	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Mar-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		25-Apr-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Jun-08	0.080	U	0.081	U	0.080	U	0.080	U	0.084	U	0.080	U	0.080	U	0.178	U	0.080	U					0.081	U
		31-Jul-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		28-Aug-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		30-Sep-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Oct-08	0.080	U	0.150	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		25-Nov-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		18-Dec-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		21-Jan-09	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		25-Feb-09	0.080	U	0.080	U	0.080	U	0.080	U	NS	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		26-Mar-09	0.102	U	0.084	U	0.087	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		29-Apr-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.089	U	0.081	U	0.081	U	0.081	U					0.081	U
		22-Jul-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		9-Oct-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		15-Jan-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		21-Apr-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		16-Jul-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.087	U	0.081	U					0.081	U
		15-Oct-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		30-Nov-10	NS	U	0.081	U	0.081	U	0.081	U	NS	U	NS	U	NS	U	0.081	U	NS	U					NS	U
		26-Jan-11	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U
		26-Jan-11**	NS	U	0.200	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	0.200	U	NS	U					NS	U
		27-Apr-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.093	U	0.081	U	0.081	U	0.081	U	0.089	U			0.081	U
		26-Jul-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		28-Oct-11	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.040	U
		23-Jan-12	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.091	U	0.071	U	0.071	U					0.071	U
		13-Apr-12	0.066	U	0.068	U	0.061	U	0.063	U	0.063	U	0.063	U	0.063	U	0.061	U	0.075	U					0.081	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.061	U					0.061	U
		20-Jun-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.080	U	0.081	U	0.081	U					0.081	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Feb-13	0.076	U	0.084	U	0.083	U	0.086	U	0.089	U	0.089	U	0.089	U	0.079	U	0.099	U					0.110	U
		29-Apr-13	0.094	U	0.099	U	0.099	U	0.096	U	0.160	U	0.099	U	0.091	U	0.092	U	0.092	U					0.084	U
		9-Jul-13	0.058	U	0.060	U	0.047	U	0.052	U	0.081	U	0.049	U	0.053	U	0.047	U	0.047	U					0.047	U
		9-Jul-13 RIDEM	NS	U	NS	U	NS	U	NS	U	0.084	U	NS	U	NS	U	NS	U	NS	U					0.051	U
		18-Oct-13	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		9-Jan-14	0.040	U	0.097	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.150	U					0.040	U
		1-Aug-14	0.040	U	0.040	U	0.040	U	0.040	U	0.060	U	0.100	U	0.040	U	0.040	U	0.040	U					0.040	U
12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.040	U	NS	U					NS	U		
22-Oct-14	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U		
20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.061	U	0.040	U					0.061	U		
30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.047	U					NS	U		
22-Apr-15	0.040	U	0.040	U	0.170 <sup>v</sup>	U	0.040	U	0.096	U	0.040	U	0.040	U	0.086	U	0.040	U					0.040	U		
21-Jul-15	0.100 <sup>t</sup>	U	0.200 <sup>^</sup>	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.200	U		
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U					NS	U		
29-Oct-15	0.200	U	0.890	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.430	U	0.200	U					0.200	U		
4-Dec-15 resample	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U		
27-Jan-16	0.06	U	0.063	U	0.081	U	0.065	U	0.068	U	0.068	U	0.068	U	0.063	U	0.076	U					0.057	U		
20-Apr-16 <sup>s</sup>	0.057	U	0.055	U	0.040	U	0.068	U	0.058	U	0.060	U	0.060	U	0.040	U	0.058	U					0.062	U		
20-Jul-16	0.048	U	0.063	U	0.044	U	0.050	U	0.050	U	0.047	U	0.053	U	0.049	U	0.049	U					0.060	U		
21-Oct-16	0.040	U	0.062	U	0.050	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U		
31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U		
17-Apr-17 <sup>d</sup>	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U		
26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U		
12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U		
10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U		
11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.071	U	0.040	U	0.081	U	0.040	U	0.040	U					0.4 <sup>p</sup>	U		
27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.061	U	0.061	U	0.040	U	0.040	U					0.040	U		
24-Oct-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U		
16-Jan-19	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U		
12-Apr-19	0.																									

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)				
			Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	
1,1-Dichloroethylene	10.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U							0.080	U	
		27-Mar-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		25-Apr-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U							0.080	U	
		27-Jun-08	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U							0.080	U	
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U							2.000	U	
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U							2.000	U	
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U							2.000	U	
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U							2.000	U	
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U							2.000	U	
		25-Feb-09	2.000	U	2.000	U	2.000	U	2.000	U	NS	U	2.000	U	2.000	U	2.000	U							2.000	U	
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		29-Apr-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.111	U	0.079	U							0.079	U	
		9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		21-Apr-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		30-Nov-10	NS	U	0.079	U	0.079	U	0.079	U	NS	U	NS	U	NS	U	0.079	U							NS	U	
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U			0.135	U		0.135	U	0.135	U
		26-Jan-11**	NS	U	0.200	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	0.200	U							NS	U	
		27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		26-Jul-11	0.079	U	0.079	U	0.079	U	0.790	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		28-Oct-11	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U							0.040	U	
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U							0.140	U	
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U							0.079	U	
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U							0.059	U	
		20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U							0.040	U	
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U							0.040	U	
		29-Apr-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U							0.040	U	
		9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U							0.040	U	
		9-Jul-13 RIDEM	NS	U	NS	U	NS	U	NS	U	NS	U	0.029	U	NS	U	NS	U							0.029	U	
		18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U							0.079	U	
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U							0.040	U	
		1-Aug-14	0.079	U	0.079	U	0.079	U	0.079	U	0.120	U	0.079	U	0.079	U	0.079	U							0.079	U	
12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.040	U							NS	U			
22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U							0.059	U			
20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.098	U	0.059	U							0.059	U			
30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U							NS	U			
22-Apr-15	0.040	U	0.040	U	0.040	U	0.040 <sup>y</sup>	U	0.040	U	0.040	U	0.040	U	0.040	U							0.040	U			
21-Jul-15	0.200	U	0.200 <sup>^</sup>	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U							0.200	U			
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.200	U							NS	U			
29-Oct-15	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U							0.200	U			
4-Dec-15 resample	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U							NS	U			
27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U							0.04	U			
20-Apr-16 <sup>s</sup>	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U							0.040	U			
20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	0.045	U							0.059	U			
21-Oct-16	0.040	U	0.040	U	0.044	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U							0.040	U			
31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U							0.04	U			
17-Apr-17 <sup>t</sup>	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U							0.059	U			
26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U							0.04	U			
12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U							0.04	U			
10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U							0.04	U			
11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.079	U	0.040	U							0.4 <sup>D</sup>	U			
27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	0.059	U	0.040	U							0.040	U			
24-Oct-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U							0.040	U			
16-Jan-19	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U							0.040	U			
12-Apr-19	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U							0.040	U			
29-Jul-19	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U							0.040	U			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)					
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual		
cis-1,2-Dichloroethene*	18.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U		
		27-Mar-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U		
		25-Apr-08	0.080	U	0.080	U	0.080	U	0.080	U	0.100	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U		
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U		
		27-Jun-08	0.080	U	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.079	U		
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.092	U	0.079	U					0.090	U		
		30-Sep-08	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U					5.900	U		
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		25-Feb-09	2.000	U	2.000	U	2.000	U	2.000	U	NS	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U		
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		29-Apr-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.127	U	0.079	U	0.079	U					0.079	U		
		9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		21-Apr-10	0.079	U	0.780	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		30-Nov-10	NS	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U		
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U
		26-Jan-11**	NS	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U	0.200	U
		27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U	0.079	U
		26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U	0.079	U
		28-Oct-11	0.069	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.040	U	0.040	U
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U	0.140	U
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.079	U	0.079	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					0.059	U	0.059	U
		20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U	0.079	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		29-Apr-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U	0.079	U
		9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U	0.079	U
		9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U	0.079	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		1-Aug-14	0.079	U	0.079	U	0.079	U	0.079	U	0.120	U	0.500	U	0.079	U	0.079	U	0.079	U					0.160	U	0.160	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.040	U	NS	U					NS	U	NS	U
		22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.240	U	0.240	U
		20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.059	U	0.059	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U	NS	U
		22-Apr-15	0.040	U	0.040	U	0.040	U	0.040 <sup>y</sup>	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U
		21-Jul-15	0.200	U	0.200 <sup>h</sup>	U	0.110 <sup>j</sup>	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.200	U	0.200	U
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U					NS	U	NS	U		
29-Oct-15	0.200	U	0.510	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U	0.200	U		
4-Dec-15 resample	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U	NS	U		
27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U	0.04	U		
20-Apr-16 <sup>5</sup>	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U		
20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	0.045	U	0.045	U					0.059	U	0.059	U		
21-Oct-16	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U	0.040	U		
31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U	0.04	U		
17-Apr-17 <sup>4</sup>	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.059	U	0.059	U		
26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U	0.04	U		
12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U	0.04	U		
10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U	0.04	U		
11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.079	U	0.040	U	0.040	U					0.40 <sup>D</sup>	U	0.40 <sup>D</sup>	U		
27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	0.059	U	0.040	U	0.040	U					0					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
trans-1,2-Dichloroethene	37.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Mar-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		25-Apr-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Jun-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.079	U	0.080	U	0.080	U					0.079	U
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Feb-09	2.000	U	2.000	U	2.000	U	2.000	U	NS	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		29-Apr-09	0.079	U	0.079	U	0.091	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		21-Apr-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		30-Nov-10	NS	U	0.079	U	0.079	U	NS	U	NS	U	NS	U	NS	U	0.079	U	NS	U					NS	U
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U
		26-Jan-11**	NS	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U					NS	U
		27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		28-Oct-11	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.040	U
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.079	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.059	U					0.059	U
		20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		29-Apr-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Aug-14	0.079	U	0.079	U	0.079	U	0.079	U	0.120	U	0.250	U	0.079	U	0.079	U	0.079	U					0.090	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.040	U	NS	U					NS	U
22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.059	U		
20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.059	U		
30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.046	U					NS	U		
22-Apr-15	0.040	U	0.040	U	0.040 <sup>v</sup>	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U		
21-Jul-15	0.200	U	0.200 <sup>h</sup>	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.200	U		
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U					NS	U		
29-Oct-15	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U		
4-Dec-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U		
27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U		
20-Apr-16 <sup>5</sup>	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U		
20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	0.045	U	0.045	U					0.059	U		
21-Oct-16	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U		
31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U		
17-Apr-17 <sup>4</sup>	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.059	U		
26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U		
12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U		
10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U		
11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.079	U	0.040	U	0.040	U					0.4 <sup>D</sup>	U		
27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	0.059	U	0.040	U	0.040	U					0.040	U		
24-Oct-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U		
16-Jan-19	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U		
12-Apr-19	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U		
29-Jul-19	0.056	U	0.04																							



**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
cis-1,3-Dichloropropene	None	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U		
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U		
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.185	U	0.090	U					0.091	U
		31-Jul-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		30-Sep-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		25-Feb-09	0.180	U	0.180	U	0.180	U	0.180	U	NS	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		29-Apr-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		15-Oct-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		30-Nov-10	NS	U	0.091	U	0.091	U	0.091	U	NS	U	NS	U	NS	U	0.091	U	NS	U					NS	U
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	0.154	U	0.154	U	0.154	U
		26-Jan-11**	NS	U	0.230	U	0.230	U	0.230	U	NS	U	NS	U	NS	U	0.230	U	NS	U					NS	U
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		28-Oct-11	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.091	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U					0.160	U
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.091	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.068	U					0.068	U
		20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		29-Apr-13	0.045	U	0.250	U	0.045	U	0.045	U	0.045	U	0.250	U	0.045	U	0.450	U	0.045	U					0.045	U
		9-Jul-13	0.045	U	0.250	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		9-Jul-13 RIDEM	NS	U	NS	U	NS	U	NS	U	NS	U	0.026	U	NS	U	NS	U	NS	U					0.026	U
		18-Oct-13	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		9-Jan-14	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		24-Apr-14	0.045	U	0.045	U	0.045	U	0.045	U	0.040	U	0.091	U	0.045	U	0.045	U	0.045	U					0.045	U
		1-Aug-14	0.091	U	0.091	U	0.091	U	0.091	U	0.140	U	1.000	U	0.091	U	0.091	U	0.091	U					0.091	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.045	U	NS	U					NS	U
		22-Oct-14	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U
		20-Jan-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.068	U	0.046	U					0.068	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.052	U					NS	U
		22-Apr-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		21-Jul-15	0.200	U	0.200 ^	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.300	U
		23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.300	U	NS	U					NS	U
		29-Oct-15	0.300	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U					0.300	U
		4-Dec-15 resample	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U
		27-Jan-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
20-Apr-16 ^	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U		
20-Jul-16	0.054	U	0.07	U	0.049	U	0.056	U	0.054	U	0.053	U	0.060	U	0.051	U	0.051	U					0.068	U		
21-Oct-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U		
31-Jan-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U		
17-Apr-17 ^	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U		
26-Jul-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U		
12-Oct-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U		
10-Jan-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U		
11-Apr-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.091	U	0.045	U	0.045	U					0.45 <sup>9</sup>	U		
27-Jul-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.068	U	0.068	U	0.045	U	0.045	U					0.045	U		
24-Oct-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U		
16-Jan-19	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U		
12-Apr-19	0.045	U	0.045	U	0.045	U	0.045	U	0.																	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)					
			Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual		
rans-1,3-Dichloropropen	None	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U		
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U		
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.340	U	0.090	U					0.091	U		
		31-Jul-08	0.090	U	0.090	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		27-Oct-08	0.180	U	0.180	U	0.200	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U		
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U		
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U		
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U		
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U		
		25-Feb-09	0.180	U	0.180	U	0.180	U	0.180	U	NS	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U		
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		29-Apr-09	0.091	U	0.091	U	0.107	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		15-Oct-10	0.091	U	0.092	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U		
		30-Nov-10	NS	U	0.091	U	0.091	U	NS	U	NS	U	NS	U	NS	U	0.091	U	NS	U					NS	U		
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	0.154	U
		26-Jan-11**	NS	U	0.230	U	0.230	U	NS	U	NS	U	NS	U	NS	U	0.230	U	NS	U					NS	U	NS	U
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U	0.091	U
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U	0.091	U
		28-Oct-11	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U	0.045	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U					0.160	U	0.160	U
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U	0.091	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.068	U					0.068	U	0.068	U
		20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U	0.091	U
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U
		29-Apr-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U
		9-Jul-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U
		9-Jul-13 RIDEEM	NS	U	NS	U	NS	U	NS	U	NS	U	0.049	U	NS	U	NS	U	NS	U					0.049	U	0.049	U
		18-Oct-13	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U	0.091	U
		9-Jan-14	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U	0.091	U
		24-Apr-14	0.045	U	0.045	U	0.045	U	0.045	U	0.040	U	0.091	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U
		1-Aug-14	0.091	U	0.091	U	0.091	U	0.091	U	0.140	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U	0.091	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.045	U	NS	U					NS	U	NS	U
		22-Oct-14	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U	0.068	U
		20-Jan-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.068	U	0.046	U					0.068	U	0.068	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.052	U					NS	U	NS	U
		22-Apr-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U
		21-Jul-15	0.200	U	0.200 ^	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.300	U	0.300	U
		23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.300	U	NS	U					NS	U	NS	U
		29-Oct-15	0.300	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U					0.300	U	0.300	U
		4-Dec-15 resample	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U	NS	U
		27-Jan-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U
20-Apr-16 ^	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U		
20-Jul-16	0.054	U	0.07	U	0.049	U	0.056	U	0.054	U	0.053	U	0.060	U	0.051	U	0.051	U					0.068	U	0.068	U		
21-Oct-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U		
31-Jan-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U		
17-Apr-17 ^	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U	0.068	U		
26-Jul-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U		
12-Oct-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U		
10-Jan-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U	0.045	U		
11-Apr-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.091	U	0.045	U					0.045	U	0.45 <sup>9</sup>	U		
27-Jul-18	0.045	U</																										

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Ethylbenzene	53.0	8-Feb-08	0.260		0.230		0.620		0.450		0.250		0.170		0.160		0.180								0.220	
		27-Mar-08	0.841		0.669		1.020		0.869		0.894		1.000		0.628		0.619								0.096	
		25-Apr-08	0.770		0.637		2.200		0.711		0.678		0.712		0.705		0.650								0.087	U
		29-May-08	0.140		0.120		1.310		0.620		0.120		0.160		0.150		0.110								0.090	U
		27-Jun-08	0.555		0.412		1.080		0.987		0.478		0.400		0.802		0.360								0.369	
		31-Jul-08	0.553		0.449		1.140		0.424		0.426		0.491		0.262		0.216								0.255	
		28-Aug-08	0.868		1.150		3.010		2.820		0.761		0.854		0.870		0.783								0.944	
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	15.500								2.200	U
		27-Oct-08	2.200	U	2.200		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Feb-09	2.200	U	2.200	U	3.600		NS		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		26-Mar-09	0.932		0.803		1.120		1.060		0.511		0.648		0.738		0.589								0.727	
		29-Apr-09	0.195		0.234		0.633		0.538		0.195		0.139		0.139		0.152								0.178	
		22-Jul-09	0.442		0.212		1.090		0.291		0.625		0.807		0.542		1.180								0.746	
		9-Oct-09	0.859		0.759		1.090		1.030		0.794		0.681		0.668		0.633								0.286	
		15-Jan-10	0.447		0.334		0.386		0.351		0.321		0.256		0.273		0.252								0.087	U
		21-Apr-10	0.468		0.716		1.280		0.612		0.681		0.603		0.542		0.538								0.143	
		16-Jul-10	0.334		0.226		0.416		0.408		0.573		0.286		0.872		0.260								0.121	
		15-Oct-10	0.252		0.308		0.412		0.152		0.126		0.087	U	0.200		0.087	U							NS	
		30-Nov-10	NS		0.217		0.338		NS		NS		NS		0.108		NS								1.300	
		26-Jan-11	1.040		1.000		1.100		1.220		1.000		1.100		1.320		1.320		0.988		0.466				NS	
		26-Jan-11**	NS		1.600		1.800		NS		NS		NS		1.800		NS								NS	
		27-Apr-11	0.108		0.139		0.625		0.221		0.837		0.087		0.200		0.087	U							0.091	
		26-Jul-11	0.473		1.020		0.873		0.417		0.300		0.191		0.356		0.178								0.161	
		28-Oct-11	0.600		0.320		0.400		0.230		0.480		0.490		0.490		0.420								0.130	
		23-Jan-12	0.610		0.480		0.470		0.660		0.580		0.500		0.560		0.560								0.540	
		13-Apr-12	0.300		0.250		0.300		0.240		0.250		0.280		0.240		0.200								0.170	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U							0.130	U
		20-Jun-12	0.490		0.500		0.490		0.560		0.550		0.460		0.530		0.470								0.470	
		1-Nov-12	0.760		0.330		0.450		0.530		0.730		0.630		0.810		0.130								0.130	
		1-Feb-13	0.130		0.087	U	0.087	U	0.087	U	0.110		0.089		0.190		0.087	U							0.130	
		29-Apr-13	0.760		0.540		0.540		0.540		0.670		0.430		1.600		0.530								0.150	
		9-Jul-13	0.340		0.320		0.310		0.330		0.390		0.310		0.350		0.320								0.310	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.464		NS		NS		NS								0.330	
		18-Oct-13	0.710		0.096		0.110		0.540		0.770		0.120		1.400		0.900								0.430	
		9-Jan-14	3.100		4.500		0.160		0.170		0.170		0.160		0.570		0.210								0.140	
		24-Apr-14	0.110		0.087		0.096		0.087	U	0.087	U	0.150	U	0.120		0.087	U							0.087	U
		1-Aug-14	0.190		0.150		0.360		0.400		0.470		0.200		0.650		0.460								0.280	
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.150		NS								NS			
22-Oct-14	0.160		0.130		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U							0.210			
20-Jan-15	0.130		0.130		0.110		0.170		0.130		0.160		0.230		0.240								0.210			
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.140								NS			
22-Apr-15	0.520		0.560		0.710		0.460		0.710		0.420		0.610		0.620								0.180			
21-Jul-15	0.590		0.260 <sup>^</sup>		0.270		0.260		0.290		0.320		0.380		0.230								0.160 <sup>^</sup>			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.140 <sup>^</sup>		NS								NS			
29-Oct-15	0.300	U	0.590		1.800		0.150 <sup>^</sup>		0.200	U	0.180 <sup>^</sup>	U	0.340		0.110 <sup>^</sup>								0.300	U		
4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS								NS			
27-Jan-16	0.21		0.087	U	0.13		0.087	U	0.087	U	0.1		0.17		0.13								0.1			
20-Apr-16 <sup>^</sup>	0.1		0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U							0.087	U		
20-Jul-16	0.41		0.33		0.49		0.49		0.34		0.39		0.48		0.27								0.13	U		
21-Oct-16	0.44		0.56		0.32		0.69		0.29		0.31		0.15		0.30								2.4			
31-Jan-17	0.14		0.11		0.13		0.12		0.13		0.11		0.12		0.12								0.13			
17-Apr-17 <sup>^</sup>	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U							0.13	U		
26-Jul-17	0.29		0.3		0.36		0.35		0.34		0.33		0.32		0.32								0.089			
12-Oct-17	0.087	U	0.14		0.26		0.23		0.14		0.17		0.13		0.15								0.087	U		
10-Jan-18	0.29		0.56		0.47		0.53		0.24		0.25		0.58		0.30								0.087	U		
11-Apr-18	0.26		0.20		0.17		0.19		0.15		0.16		0.14		0.19								0.43 <sup>^</sup>	U		
27-Jul-18	0.12		0.16		0.17		0.17		0.13	U	1.1		0.17		0.15								0.11			
24-Oct-18	0.43		0.15		0.19		0.2		0.13		0.22		0.11		0.087	U							0.11			
16-Jan-19	0.26		0.2		0.2		0.19		0.21		0.24		0.22		0.13								0.094			
12-Apr-19	0.18		0.1		0.087	U	0.11		0.097		0.092		0.12		0.099								0.099			
29-Jul-19	0.29		0.14		0.13		0.17		0.19		0.22		0.24		0.14								0.14			





**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)					
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual		
p-Isopropyltoluene	67.0	8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		30-Sep-08	5.500	U	5.500	U	5.5	U	5.500	U	6.400	U	5.500	U	5.500	U	5.500	U	67.000	U					5.500	U		
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.5	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U		
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U		
		18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U		
		21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U		
		25-Feb-09	5.500	U	5.500	U	5.500	U	5.500	U	NS	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U		
		26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		29-Apr-09	2.740	U	2.740	U	0.274	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		22-Jul-09	2.740	U	2.740	U	2.740	U	3.890	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		30-Nov-10	NS	U	2.740	U	2.740	U	NS	U	NS	U	NS	U	NS	U	2.740	U	NS	U					NS	U		
		26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.660	U	4.660	U	4.680	U	4.660	U	4.660	U	4.680	U	4.660	U
		26-Jan-11**	NS	U		U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U		
		27-Apr-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U		
		28-Oct-11	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U					0.250	U		
		23-Jan-12	0.080	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					0.440	U		
		13-Apr-12	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U					0.500	U		
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.380	U					0.380	U		
		20-Jun-12	0.250	U	2.000	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		
		1-Feb-13	0.290	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		
		29-Apr-13	0.480	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.320	U	0.250	U	0.250	U	0.370	U					0.250	U		
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U		
22-Oct-14	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U	0.380 <sup>L</sup>	U					0.380 <sup>L</sup>	U				
20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U					0.380	U				
30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.290	U					NS	U				
22-Apr-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U				
21-Jul-15	0.170 <sup>T</sup>	U	0.300 <sup>A</sup>	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U	0.300	U					-	U				
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.300	U	NS	U					NS	U				
29-Oct-15	0.300	U	0.250 <sup>T</sup>	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.160 <sup>T</sup>	U	0.300	U					0.300	U				
4-Dec-15 resample	NS	U	0.300	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U				
27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U				
20-Apr-16 <sup>S</sup>	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U				
20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28 <sup>W</sup>	U	0.25	U					0.37	U				
21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U				
31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U				
17-Apr-17 <sup>4</sup>	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U					0.38	U				
26-Jul-17	0.25	U	0.25	U	0.25	U	0																					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Methyl tert butyl ether (MTBE)	160.0	8-Feb-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U					0.070	U
		27-Mar-08	0.440		0.102		0.102		0.091		0.095		0.098		0.102		0.090		0.090						0.072	U
		25-Apr-08	0.116		0.116		0.107		0.126		0.121		0.126		0.131		0.113		0.113						0.072	U
		29-May-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U					0.070	U
		27-Jun-08	0.072	U	0.070	U	0.070	U	0.074	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U					0.072	U
		31-Jul-08	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		28-Aug-08	0.095		0.130		0.123		0.091		0.106		0.091		0.115		0.089		0.089						0.072	U
		30-Sep-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U					1.800	U
		27-Oct-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	2.600	U	2.300	U	1.800	U	1.800	U					1.800	U
		25-Nov-08	2.100		1.800	U	1.800	U	1.800	U	1.800	U	2.800	U	1.800	U	1.800	U	1.800	U					1.800	U
		18-Dec-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U					1.800	U
		21-Jan-09	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U					1.800	U
		25-Feb-09	1.800	U	2.700	U	1.800	U	NS		1.800	U	2.700	U	1.800	U	1.800	U	1.800	U					1.800	U
		26-Mar-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		29-Apr-09	0.072	U	0.072	U	2.350	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		22-Jul-09	0.072	U	0.072	U	0.223	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.169	U
		9-Oct-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		15-Jan-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		21-Apr-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		16-Jul-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		15-Oct-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		30-Nov-10	NS		0.072	U	0.072	U	NS		NS		NS		0.072	U	NS		NS						NS	U
		26-Jan-11	0.123	U	0.122	U	0.123	U	0.123	U	0.123	U	0.123	U	0.122	U	0.122	U	0.123	U	0.122	U	0.123	U	0.122	U
		26-Jan-11**	NS		0.180	U	0.180	U	NS		NS		NS		0.180	U	NS		NS						NS	U
		27-Apr-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		26-Jul-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		28-Oct-11	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.072	U
		23-Jan-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		13-Apr-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.140	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.110	U					0.110	U
		20-Jun-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		1-Nov-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		1-Feb-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		29-Apr-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		9-Jul-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		9-Jul-13 RIDEEM	NS		NS		NS		NS		NS		0.041	J	NS		NS		NS						0.200	U
		18-Oct-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		9-Jan-14	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		24-Apr-14	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		1-Aug-14	0.072	U	0.072	U	0.072	U	0.072	U	0.110	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		NS		0.072	U	NS						NS	U
		22-Oct-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		20-Jan-15	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.110	U	0.072	U					0.110	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.083	U	NS						NS	U
		22-Apr-15	0.072	U	0.072	U	0.072 <sup>y</sup>	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		21-Jul-15	0.180		0.200 <sup>^</sup>	U	0.200	U	0.550	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS						NS	U
		29-Oct-15	0.200	U	0.230	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.760	U					0.200	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS		NS		NS						NS	U
		27-Jan-16	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
20-Apr-16 <sup>s</sup>	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
20-Jul-16	0.086	U	0.11	U	0.078	U	0.088	U	0.086	U	0.084	U	0.095	U	0.081	U	0.081	U					0.11	U		
21-Oct-16	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
31-Jan-17	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
17-Apr-17 <sup>t</sup>	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U					0.11	U		
26-Jul-17	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
12-Oct-17	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
10-Jan-18	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
11-Apr-18	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.36 <sup>g</sup>	U		
27-Jul-18	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.11	U	0.95	U	0.072	U	0.072	U					0.072	U		
24-Oct-18	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
16-Jan-19	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
12-Apr-19	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U		
29-Jul-19</																										

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Methylene chloride	3.0	8-Feb-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		27-Mar-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		25-Apr-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	2.210	U					1.740	U
		29-May-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		27-Jun-08	1.740	U	1.740	U	1.740	U	1.740	U	3.210	U	1.740	U	6.940	U	1.740	U	1.740	U					19.000	U
		31-Jul-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		28-Aug-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		30-Sep-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		27-Oct-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		25-Nov-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		18-Dec-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		21-Jan-09	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		25-Feb-09	1.700	U	1.700	U	1.700	U	1.700	U	NS	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		26-Mar-09	7.540	U	1.870	U	4.010	U	2.100	U	1.850	U	3.230	U	4.060	U	1.990	U							11.600	U
		29-Apr-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	0.147	U	1.740	U	1.740	U	1.740	U					1.740	U
		22-Jul-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		9-Oct-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		15-Jan-10	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		21-Apr-10	5.410	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		16-Jul-10	18.400	U	23.300	U	16.900	U	13.900	U	19.900	U	48.200	U	46.700	U	22.200	U							20.600	U
		15-Oct-10	3.470	U	4.440	U	4.510	U	3.470	U	3.470	U	3.470	U	5.840	U	3.470	U							3.470	U
		30-Nov-10	NS	U	3.570	U	11.600	U	NS	U	NS	U	NS	U	5.770	U	NS	U							NS	U
		26-Jan-11	4.530	U	2.950	U	2.960	U	2.960	U	2.960	U	2.950	U	5.290	U	2.960	U			4.880		2.960	U	2.950	U
		26-Jan-11**	NS	U	2.500	U	1.700	U	NS	U	NS	U	NS	U	1.600	U	NS	U							NS	U
		27-Apr-11	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	5.040	U	3.470	U							3.470	U
		26-Jul-11	3.470	U	5.800	U	4.240	U	3.470	U	3.470	U	3.470	U	3.510	U	10.200	U							5.380	U
		28-Oct-11	1.900	U	1.900	U	1.800	U	1.900	U	1.000	U	1.200	U	5.700	U	5.500	U							0.690	U
		23-Jan-12	2.500	U	1.200	U	2.300	U	2.200	U	2.500	U	6.300	U	1.900	U	1.200	U							1.900	U
		13-Apr-12	5.800	U	4.600	U	3.100	U	1.100	U	1.000	U	1.700	U	1.000	U	50.000	U							53.000	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	1.000	U									1.000	U
		20-Jun-12	0.920	U	1.600	U	0.880	U	1.300	U	1.200	U	1.400	U	1.100	U	1.400	U							1.700	U
		1-Nov-12	0.690	U	1.200	U	0.690	U	0.750	U	0.690	U	0.760	U	1.200	U	0.690	U							1.200	U
		1-Feb-13	0.800	U	0.690	U	0.690	U	0.690	U	0.810	U	2.200	U	0.810	U	0.760	U							0.690	U
		29-Apr-13	1.400	U	0.950	U	0.950	U	1.200	U	1.200	U	1.100	U	1.400	U	1.100	U							1.500	U
		9-Jul-13	1.100	U	0.730	U	0.990	U	1.800	U	0.890	U	1.300	U	1.800	U	0.850	U							1.200	U
		9-Jul-13 RIDEEM	NS	U	NS	U	NS	U	NS	U	0.298	U	NS	U	NS	U	NS	U							0.477	U
		18-Oct-13	0.730	U	0.780	U	0.690	U	0.760	U	0.690	U	0.740	U	0.840	U	0.690	U							0.710	U
		9-Jan-14	0.690	U	0.880	U	0.690	U	2.000	U	0.690	U	1.100	U	1.400	U	0.810	U							3.700	U
		24-Apr-14	0.690	U	0.690	U	3.000	U	0.690	U	3.000	U	0.690	U	0.690	U	260 <sup>u</sup>	U							0.690	U
		1-Aug-14	2.800	U	1.500	U	1.300	U	1.900	U	4.300	U	1.800	U	1.600	U	2.000	U							2.200	U
12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	1.000	U	NS	U							NS	U		
22-Oct-14	1.800	U	2.600	U	1.500	U	1.200	U	1.200	U	1.700	U	1.400	U	3.100	U							1.300	U		
20-Jan-15	28.000	U	27.000	U	2.900	U	29.000	U	25.000	U	30.000	U	37.000	U	0.690	U							40.000	U		
30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	1.300	U									NS	U		
22-Apr-15	1.800	U	1.400	U	1.100 <sup>v</sup>	U	1.500	U	1.200	U	1.100	U	1.000	U	0.890	U							0.870	U		
21-Jul-15	4.800	U	1.100 <sup>^</sup>	U	1.600	U	20.000	U	2.100	U	1.500	U	1.700	U	1.900	U							1.600	U		
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	1.300	U	NS	U							NS	U		
29-Oct-15	2.100	U	12.000	U	1.500	U	1.800	U	1.400	U	1.400	U	23.000	U	1.200	U							5.000	U		
4-Dec-15 resample	NS	U	0.840	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U							NS	U		
27-Jan-16	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U							0.69	U		
20-Apr-16 <sup>s</sup>	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U							0.69	U		
20-Jul-16	1.2	U	1.1	U	0.75	U	1.2	U	0.83	U	0.81	U	0.92	U	0.78	U							2.4	U		
21-Oct-16	1.4	U	0.95	U	1.1	U	0.72	U	1.1	U	1.2	U	0.69	U	4.6	U							0.69	U		
31-Jan-17	0.7	L	0.69	U,L	0.69	U,L	0.69	U,L	0.69	U,L	0.69	U,L	0.69	U,L	0.69	U,L							0.69	U,L		
17-Apr-17 <sup>t</sup>	1.0	U	1.8	U	1	U	1	U	1	U	1	U	1	U	1	U							1.3	U		
26-Jul-17	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.77	U							0.69	U		
12-Oct-17	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	1.3	U	0.69	U	0.69	U							1.2	U		
10-Jan-18	0.69	U	0.69	U	0.69	U	0.76	U	1.0	U	0.69	U	0.74	U	0.70	U							0.69	U		
11-Apr-18	1.30	U	0.70	U	0.92	U	4.8	U	0.69	U	0.69	U	1.00	U									3.5 <sup>p</sup>	U		
27-Jul-18	1.2	U	1.3	U	0.85	U	0.69	U	1	U	1	U	0.69	U	0.9	U							0.69	U		
24-Oct-18	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	1.3	U	0.69	U	0.69	U							0.69	U		
16-Jan-19	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.87	U	0.69	U	0.72	U							0.69	U		
12-Apr-19	1.5	U	1.4	U	2	U	1.6	U	1.2	U	1.1	U	1.3	U									1.2	U		
29-Jul-19	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U									5.4	U		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
4-Methyl-2-pentanone	37.0	8-Feb-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		27-Mar-08	2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		25-Apr-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		29-May-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		27-Jun-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		31-Jul-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		28-Aug-08	2.050	U	2.050	U	2.050	U	2.050	U	2.540	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Feb-09	2.000	U	2.000	U	2.000	U	2.000	U	NS	U	2.600	U	2.000	U	2.000	U	2.000	U					2.000	U
		26-Mar-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		29-Apr-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		22-Jul-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		9-Oct-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		15-Jan-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		21-Apr-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		16-Jul-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		15-Oct-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		30-Nov-10	NS	U	2.050	U	2.050	U	2.050	U	NS	U	NS	U	NS	U	2.050	U	NS	U					NS	U
		26-Jan-11	3.490	U	3.480	U	3.490	U	3.480	U	3.480	U	3.490	U	59.500	U	3.480	U	6.760	U	3.480	U	3.490	U	3.480	U
		26-Jan-11**	NS	U	0.200	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	0.200	U	NS	U					NS	U
		27-Apr-11	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.930	U	2.050	U	2.050	U	2.050	U					2.050	U
		26-Jul-11	11.700	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		28-Oct-11	2.100	U	0.490	U	0.840	U	0.560	U	0.800	U	0.930	U	1.500	U	1.200	U	1.200	U					0.390	U
		23-Jan-12	0.140	U	0.140	U	0.210	U	0.190	U	26.000	U	2.900	U	0.230	U	270.000	U	0.140	U					0.540	U
		13-Apr-12	0.120	U	0.120	U	0.200	U	0.120	U	0.150	U	0.230	U	0.120	U	0.140	U	0.140	U					0.160	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.140	U					0.120	U
		20-Jun-12	0.230	U	0.082	U	0.460	U	0.250	U	0.320	U	0.270	U	0.190	U	0.320	U	0.320	U					0.120	U
		1-Nov-12	0.082	U	0.260	U	0.180	U	0.420	U	0.650	U	0.500	U	0.220	U	0.220	U	0.220	U					0.170	U
		1-Feb-13	0.093	U	0.100	U	0.120	U	0.082	U	0.190	U	0.280	U	0.082	U	0.082	U	0.082	U					0.095	U
		29-Apr-13	2.900	U	0.290	U	0.290	U	0.420	U	0.510	U	0.320	U	0.450	U	0.400	U	0.400	U					0.390	U
		9-Jul-13	0.250	U	0.320	U	0.300	U	0.320	U	0.350	U	0.400	U	0.270	U	0.280	U	0.280	U					0.220	U
		18-Oct-13	1.800	U	0.220	U	0.190	U	1.500	U	2.200	U	0.850	U	3.300	U	2.400	U	2.400	U					1.500	U
		9-Jan-14	0.082	U	0.082	U	0.110	U	0.130	U	0.150	U	0.360	U	0.110	U	1.400	U	0.082	U					0.082	U
		24-Apr-14	0.240	U	0.120	U	0.300	U	0.130	U	0.082	U	0.140	U	0.120	U	0.082	U	0.082	U					0.082	U
		1-Aug-14	0.082 <sup>+</sup>	U	0.082 <sup>+</sup>	U	0.560 <sup>+</sup>	U	0.380 <sup>+</sup>	U	0.082 <sup>+</sup>	U	0.380	U	0.082 <sup>+</sup>	U	0.280	U	0.280	U					0.620	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.250	U	NS	U					NS	U
		22-Oct-14	0.120	U	0.120	U	0.170	U	0.140	U	0.280	U	1.200	U	0.120	U	0.250	U	0.250	U					0.120	U
		20-Jan-15	0.500	U	0.570	U	0.610	U	0.800	U	0.560	U	0.800	U	0.550	U	0.310	U	0.310	U					1.700	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.440	U	0.440	U					NS	U
		22-Apr-15	0.350	U	0.450	U	0.710	U	0.260	U	0.290	U	0.260	U	0.460	U	0.860	U	0.860	U					0.490	U
		21-Jul-15	0.370	U	0.100 <sup>+,A</sup>	U	0.250	U	2.100	U	0.340	U	0.340	U	2.300	U	78.000	U	78.000	U					0.200	U
23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U	NS	U					NS	U		
29-Oct-15	0.200	U	0.310	U	0.110 <sup>+</sup>	U	0.280	U	0.200	U	2.100	U	0.220	U	1.400	U	1.400	U					0.200	U		
4-Dec-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U		
27-Jan-16	0.11	U	0.097	U	0.17	U	0.17	U	0.17	U	0.082	U	0.8	U	0.11	U	0.16	U					0.088	U		
20-Apr-16 <sup>5</sup>	0.35	U	0.082	U	0.082	U	0.17	U	0.17	U	0.12	U	0.19	U	0.082	U	0.11	U					0.11	U		
20-Jul-16	0.16	U	0.13	U	0.24	U	0.20	U	0.27	U	0.39	U	0.35	U	3.2	U	3.2	U					0.38	U		
21-Oct-16	0.2	U	0.32	U	0.14	U	0.45	U	0.58	U	0.28	U	0.11	U	0.99	U	0.99	U					1.1	U		
31-Jan-17	0.082	U	0.082	U	0.082	U	0.095	U	0.082	U	0.14	U	0.082	U	0.3	U	0.3	U					0.1	U		
17-Apr-17 <sup>4</sup>	0.12	U	0.15	U	0.12	U	0.12	U	0.12	U	0.15	U	0.12	U	0.12	U	0.12	U					0.12	U		
26-Jul-17	0.31	U	0.29	U	0.23	U	0.21	U	0.17	U	0.38	U	0.33	U	0.19	U	0.19	U					0.25	U		
12-Oct-17	0.082	U	0.082	U	0.24	U	0.082	U	0.47	U	0.12	U	0.18	U	0.082	U	0.082	U					0.082	U		
10-Jan-18	0.082	U	0.09	U	0.820	U	0.082	U	0.082	U	0.082	U	0.12	U	0.11	U	0.14	U					0.082	U		
11-Apr-18	0.082	U	0.08	U	0.082	U	0.082	U	0.082	U	0.082	U	0.08	U	0.082	U	0.082	U					0.41 <sup>D</sup>	U		
27-Jul-18	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.12	U	0.12	U	0.082	U	0.082	U					0.082	U		
24-Oct-18	0.082	U	0.082	U	0.082	U	0.082	U	0.170	U	0.082	U	0.082	U	0.082	U	0.082	U					0.082	U		
16-Jan-19	0.082	U	0.082	U	0.082	U	0.082	U	0.08	U	0.082	U	0.082	U	0.082	U	0.082	U					0.082	U		
12-Apr-19	0.082	U	0.082	U	0.140	U	0.08	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.082	U		
29-Jul-19	0.082																									

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
			Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value
Styrene	52.0	8-Feb-08	0.710		0.130		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Mar-08	1.200		0.118		0.120		0.165		0.140		0.175		0.114		0.139		0.139						0.085	U
		25-Apr-08	0.856		0.156		0.180		0.184		0.137		0.124		0.158		0.124		0.124						0.085	U
		29-May-08	0.550		0.085	U	0.130		0.260		0.090	U	0.110		0.090		0.090	U	0.090	U					0.090	U
		27-Jun-08	1.830		0.085	U	0.112		0.186		0.191		0.085	U	0.481		0.090	U	0.090	U					0.085	U
		31-Jul-08	1.890		0.254		0.153		0.266		0.285		0.288		0.109		0.090		0.090						0.085	U
		28-Aug-08	0.654		0.368		0.262		0.392		0.203		0.165		0.169		0.140		0.140						0.108	U
		30-Sep-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		27-Oct-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		25-Nov-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		18-Dec-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		21-Jan-09	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		25-Feb-09	2.100	U	2.100	U	2.100	U	2.100	U	NS		2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		26-Mar-09	0.814		0.113		0.110		0.110		0.110		0.125		0.111		0.128		0.138						0.122	U
		29-Apr-09	0.515		0.085	U	0.136	U	0.085	U	0.136	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		22-Jul-09	1.280		0.085	U	0.153	U	0.085	U	0.285	U	0.272		0.213		0.217		0.217						0.187	U
		9-Oct-09	0.838		0.153		0.149		0.174		0.566		0.179		0.140		0.149		0.149						0.140	U
		15-Jan-10	1.100		0.221		0.085	U	0.089		0.196		0.098		0.085	U	0.085	U	0.085	U					0.085	U
		21-Apr-10	0.281		0.204		0.289		0.187		0.328		0.174		0.145		0.140		0.140						0.085	U
		16-Jul-10	0.702		0.085	U	0.085	U	0.085	U	0.779		0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		15-Oct-10	0.549		0.085	U	0.085	U	0.085	U	0.098		0.805	U	0.085	U	0.085	U	0.085	U					0.085	U
		30-Nov-10	NS		0.149		0.119		NS		NS		NS		0.085	U	NS		NS						NS	U
		26-Jan-11	0.327		0.224		0.174		0.217		0.182		0.202		0.145	U	0.182		0.182		0.174		0.145	U	0.188	U
		26-Jan-11**	NS		0.510		0.370		NS		NS		NS		0.370		NS		NS						NS	U
		27-Apr-11	0.166		0.166		0.170		0.192		0.277		0.085	U	0.145		0.085	U	0.085	U					0.085	U
		26-Jul-11	0.677		2.460		0.132		11.700		0.315		1.320		0.200		0.085	U	0.085	U					0.085	U
		28-Oct-11	0.300		0.130	U	0.130	U	0.130	U	0.330		0.130	U	0.130	U	0.130	U	0.130	U					0.085	U
		23-Jan-12	0.820		0.250		0.410		0.480		0.270		0.510		0.150		0.150		0.150						0.150	U
		13-Apr-12	0.560		0.130	U	0.130	U	0.130	U	0.550		0.130	U	0.280		0.130	U	0.130	U					0.170	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U	0.130	U					0.130	U
		20-Jun-12	0.720		0.300		0.240		1.200		0.430		0.150		0.085	U	0.200		0.200						0.200	U
		1-Nov-12	0.280		0.140	U	0.085	U	0.130	U	0.150		0.160		0.160		0.160		0.160						0.085	U
		1-Feb-13	0.870		0.085	U	0.085	U	0.085	U	0.095		0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		29-Apr-13	1.600		0.230		0.230		0.200		0.740		0.150		0.520		0.210		0.210						0.085	U
		9-Jul-13	0.410		0.120	U	0.085	U	0.140	U	0.410		0.085	U	0.110		0.085	U	0.085	U					0.085	U
		9-Jul-13 RIDEEM	NS		NS		NS		NS		0.420		NS		NS		NS		NS						0.039	J
		18-Oct-13	0.200		0.085	U	0.085	U	0.130	U	0.270		0.110		0.340		0.290		0.290						0.130	U
		9-Jan-14	0.260		0.260		0.085	U	0.085	U	0.085	U	0.085	U	0.120		0.085	U	0.085	U					0.085	U
		24-Apr-14	1.100		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	4.500		0.160		4.500						0.085	U
		1-Aug-14	0.880		0.260		0.260		0.210		0.560		0.350		0.680		0.430		0.430						0.085	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.130		NS		NS						NS	U
		22-Oct-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		20-Jan-15	0.120		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.130	U	0.230	U					0.130	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		0.098		0.098	U	0.098	U					NS	U
		22-Apr-15	0.670		0.220		0.085	U	0.120	U	0.190		0.085	U	0.200		0.360		0.360						0.085	U
		21-Jul-15	0.300		0.200 <sup>^</sup>	U	0.200	U	0.380	U	0.150 <sup>^</sup>	U	0.380	U	0.270		0.200	U	0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS		NS						NS	U
		29-Oct-15	0.200	U	0.530		0.200	U	0.200	U	0.200	U	0.200	U	0.350		0.200	U	0.200	U					0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS		NS						NS	U
		27-Jan-16	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.12		0.085	U	0.085	U					0.085	U
20-Apr-16 <sup>^</sup>	0.15		0.085	U	0.085	U	0.12	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U		
20-Jul-16	0.36		0.25		0.16		0.22		0.58		0.43		0.40		0.37		0.37						0.2	U		
21-Oct-16	0.89		0.15		0.085	U	0.24		0.14		0.11		0.09		0.18		0.18						0.37	U		
31-Jan-17	0.25		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U		
17-Apr-17 <sup>^</sup>	0.2		0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U					0.13	U		
26-Jul-17	0.19		0.085	U	0.085	U	0.085	U	0.13		0.11		0.11		0.16		0.16						0.085	U		
12-Oct-17	0.1		0.085	U	0.085	U	0.085	U	0.085	U	0.1		0.085	U	0.13		0.13						0.085	U		
10-Jan-18	0.21		0.09	U	0.09	U	0.09	U	0.09	U	0.09	U	0.09	U	0.09	U	0.09	U					0.085	U		
11-Apr-18	1.3 <sup>^</sup>		0.085 <sup>^</sup>	U	0.085 <sup>^</sup>	U	0.085 <sup>^</sup>	U	0.085 <sup>^</sup>	U	0.085 <sup>^</sup>	U	0.085 <sup>^</sup>	U	0.085 <sup>^</sup>	U	0.085 <sup>^</sup>	U					0.43 <sup>^</sup>	U		
27-Jul-18	0.085	U	0.085	U	0.085	U	0.085	U	0.13	U	0.13	U	0.085	U	0.085	U	0.085	U					0.085	U		
24-Oct-18	0.370		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.26		0.085	U	0.085	U					0.085	U		
16-Jan-19	0.25 <sup>w</sup>		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U		
12-Apr-19	0.77		0.085	U	0.085	U	0.100	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U		
29-Jul-19	0.34		0.085	U	0.085	U	0.085	U	0.085	U	0.1	U	0.085	U	0.150	U	0.085	U					0.085	U		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)					
			Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual	Conc	Qual		
1,1,1,2-Tetrachloroethane	0.082/0.14	8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U		
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U		
		27-Jun-08	0.137	U	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.179	U	0.140	U					0.140	U		
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.137	U					0.140	U		
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U		
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U		
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U		
		21-Jan-09	0.140	U	0.140	U	0.140	U	5.000	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U		
		25-Feb-09	0.140	U	0.140	U	0.140	U	0.320	U	NS	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U		
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		
		30-Nov-10	NS	U	0.137	U	0.137	U	0.137	U	NS	U	NS	U	NS	U	0.137	U	NS	U					NS	U		
		26-Jan-11	0.234	U	0.233	U	0.234	U	0.234	U	0.234	U	0.234	U	0.233	U	0.233	U	0.234	U	0.233	U	0.233	U	0.234	U	0.233	U
		26-Jan-11**	NS	U		U		U		U	NS	U	NS	U	NS	U		U	NS	U					NS	U		U
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		U
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U		U
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.250	U		U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					0.440	U		U
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.500	U		U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.370	U					0.370	U		U
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.025	U		U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.250	U	NS	U					NS	U		U
22-Oct-14	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.370	U		U		
20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U					0.370	U		U		
30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.290	U					NS	U		U		
22-Apr-15	0.250	U	0.250 <sup>A</sup>	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U		U		
27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
20-Apr-16 <sup>3</sup>	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28	U	0.28	U					0.37	U		U		
21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
17-Apr-17 <sup>4</sup>	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U					0.37	U		U		
26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.37	U	0.37	U	0.25	U	0.25	U					0.25	U		U		
24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
16-Jan-19	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
12-Apr-19	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U		U		
29-Jul-19	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U					0.25 <sup>L</sup>	U		U		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDE M- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
1,1,2,2-Tetrachloroethane	0.011/0.14	8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Jun-08	0.140	U	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.992	U	0.140	U					0.140	U
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		21-Jan-09	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		25-Feb-09	0.140	U	0.140	U	0.140	U	0.140	U	NS	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		30-Nov-10	NS		0.137	U	0.137	U	0.137	U	NS	U	NS	U	NS	U	0.137	U	NS	U					NS	U
		26-Jan-11	0.234	U	0.233	U	0.234	U	0.234	U	0.234	U	0.234	U	0.233	U	0.233	U	0.234	U	0.233	U	0.233	U	0.233	U
		26-Jan-11**	NS		0.340	U	0.340	U	0.340	U	NS	U	NS	U	NS	U	0.340	U	NS	U			0.234	U	NS	U
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.069	U
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.140	U
		2-Jul-12 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.100	U					0.100	U
		20-Jun-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		1-Nov-12	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		1-Feb-13	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		29-Apr-13	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		9-Jul-13	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		9-Jul-13 RIDE M	NS		NS	U	NS	U	NS	U	NS	U	0.093	U	NS	U	NS	U	NS	U					0.093	U
		18-Oct-13	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		9-Jan-14	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		24-Apr-14	0.069	U	0.069 <sup>h-v</sup>	U	0.069	U	0.069	U	0.069 <sup>h-v</sup>	U	0.069	U	0.069 <sup>h-v</sup>	U	0.069 <sup>h-v</sup>	U	0.069 <sup>h-v</sup>	U					0.069	U
		1-Aug-14	0.140	U	0.140	U	0.140	U	0.140	U	0.210	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		12-Sept-14 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.069	U	NS	U					NS	U
		22-Oct-14	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		20-Jan-15	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.100	U	0.069	U					0.100	U
		30-Mar-15 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.079	U					NS	U
		22-Apr-15	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		21-Jul-15	0.300	U	0.300 <sup>^</sup>	U	0.300	U	0.300	U	0.400	U	0.400	U	0.400	U	0.400	U	0.300	U					0.400	U
		23-Sept-15 resample	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.400	U	NS	U					NS	U
		29-Oct-15	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.300	U					0.400	U
		4-Dec-15 resample	NS		0.300	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U
		27-Jan-16	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
20-Apr-16 <sup>s</sup>	0.069	U	0.069	U	0.069	U	0.069	U	0.096	U	0.069	U	0.069	U	0.36	U	0.069	U					0.069	U		
20-Jul-16	0.082	U	0.11	U	0.074	U	0.084	U	0.082	U	0.082	U	0.080	U	0.091	U	0.077	U					0.10	U		
21-Oct-16	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U		
31-Jan-17	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U		
17-Apr-17 <sup>t</sup>	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U					0.1	U		
26-Jul-17	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U		
12-Oct-17	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U		
10-Jan-18	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U		
11-Apr-18	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.140	U	0.069	U	0.069	U					0.069 <sup>h</sup>	U		
27-Jul-18	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.10	U	0.10	U	0.069	U	0.069	U					0.069	U		
24-Oct-18	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.07	U	0.07	U	0.069	U	0.069	U					0.069	U		
16-Jan-19	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.07	U	0.07	U	0.069	U	0.069	U								



**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Tetrachloroethene*	5.0	8-Feb-08	0.140		0.140	U	0.140	U	0.150		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.350	
		27-Mar-08 <sup>2</sup>	12.500		6.680		13.300		16.100		26.000		7.730		23.300		4.310								0.153	
		25-Apr-08	0.180		0.254		0.179		0.282		0.231		0.276		0.228		0.298								0.136	U
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Jun-08	0.249		0.449		0.397		0.459		0.424		0.243		0.460		0.246								0.216	
		31-Jul-08	1.030		1.000		0.877		0.880		0.795		0.872		0.252		0.287								0.154	
		28-Aug-08	0.321		0.367		0.283		0.323		0.274		0.434		0.294		0.282								0.445	
		30-Sep-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		27-Oct-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U					4.200	U
		25-Nov-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		18-Dec-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		21-Jan-09	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		25-Feb-09	3.400	U	3.400	U	3.400	U	3.400	U	NS		3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		26-Mar-09	1.530		1.210		1.170		0.980		1.080		1.320		1.420		1.890								1.380	
		29-Apr-09	0.136	U	0.136	U	0.697		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U					0.136	U
		22-Jul-09	0.291		0.190		0.224		0.196		0.196		0.196		0.183		0.210								0.535	
		9-Oct-09	2.250		1.550		1.580		1.580		1.380		1.700		2.080		1.960								0.779	
		15-Jan-10	0.359		0.346		0.339		0.373		0.312		3.460		0.346		0.312								2.450	
		21-Apr-10	0.637		0.752		0.650		0.440		0.508		0.447		0.407		0.474								0.562	
		16-Jul-10	0.318		0.420		0.420		0.427		0.501		0.230		0.447		0.474								0.230	
		15-Oct-10	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U					0.142	
		30-Nov-10	NS		0.461		0.291		NS		NS		NS		0.169		NS								NS	
		26-Jan-11	0.636		0.484		0.370		0.566		0.440		0.725		0.346		0.578				0.472		0.428		0.426	
		26-Jan-11**	NS		0.580		0.490	U	NS		NS		NS		0.480		NS								NS	
		27-Apr-11	0.142		0.176		0.176		0.352		0.176		0.136	U	0.149		0.136	U							0.285	
		26-Jul-11	0.529		0.563		0.522		0.631		0.549		0.325		0.739		0.461								0.224	
		28-Oct-11	0.100	U	0.140		0.100	U	0.100	U	0.100	U	0.110	U	0.100	U	0.100	U	0.100	U					0.068	U
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.590	U	0.320		0.510		0.260		0.410								0.260	
		13-Apr-12	0.150		0.110		0.120		0.250		0.150		0.160		0.190		0.190								0.140	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.190								0.130	
		20-Jun-12	0.390		0.800		0.310		0.370		0.390		0.400		0.410		0.440								0.240	
		1-Nov-12	0.360		0.460		0.400		0.730		0.470		0.600		0.560		0.120								0.120	
		1-Feb-13	0.130		0.095		0.073		0.120		0.090		0.210		0.440		0.092								0.140	
		29-Apr-13	0.610		0.560		0.560		0.630		0.880		0.046		0.650		0.580								0.320	
		9-Jul-13	0.270		0.240		0.230		0.260		0.320		0.440		0.280		0.280								0.280	
		9-Jul-13 RIDEEM	NS		NS		NS		NS		0.279		NS		NS		NS								0.281	
		18-Oct-13	0.140	U	0.140	U	0.150		0.140		0.180		0.210		0.170		0.180								0.140	U
		9-Jan-14	0.140		0.190		0.140	U	0.160		0.190		0.190		0.160		0.520								0.190	
		24-Apr-14	0.068	U	0.068	U	0.068	U	0.068	U	0.140	U	0.068	U	0.068	U	0.140	U							0.068	U
		1-Aug-14	0.590		0.510		0.240		0.970		3.800		0.360		10.000/14.000		0.810								15.000	
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.084		NS								NS			
22-Oct-14	0.420		0.360		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.500			
20-Jan-15	0.068	U	0.160		0.150		0.170		0.068	U	0.280	U	0.100	U	4.200	U							0.100	U		
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.094								NS			
22-Apr-15	0.620		0.790		1.300		1.200		2.000		0.790		1.500		1.300								0.190			
21-Jul-15	1.300		0.410 <sup>^</sup>		2.700		0.350 <sup>^</sup>		0.390		0.390		26.000		0.740								0.350 <sup>^</sup>			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.400	U	NS								NS			
29-Oct-15	0.400	U	0.240 <sup>^</sup>		0.400	U	0.400	U	0.400	U	0.400	U	0.300	U	0.180 <sup>^</sup>								0.400	U		
4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS								NS			
27-Jan-16	0.17		0.9		0.16		0.14		0.095		0.2		0.16		0.18								0.17			
20-Apr-16 <sup>3</sup>	0.16		0.068	U	0.068	U	0.09	U	0.084	U	0.068	U	0.071	U	0.071	U							0.068	U		
20-Jul-16	0.081		0.11	U	0.074	U	0.083	U	0.081	U	0.079	U	0.089	U	0.076	U							0.10	U		
21-Oct-16	0.59		0.89		0.3		0.72		1.4		0.46		0.21		0.46								0.75			
31-Jan-17	0.12		0.11		0.068	U	0.12	U	0.068	U	0.12	U	0.12	U	0.17								0.25			
17-Apr-17 <sup>4</sup>	0.10	U	0.17		0.19		0.19		0.17		0.19		0.2		0.1	U							0.1	U		
26-Jul-17	0.21		0.17		0.18		0.16		0.18		0.18		0.18		0.23								0.12			
12-Oct-17	0.25		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U		
10-Jan-18	0.27		0.59		0.45		0.50	U	0.20	U	0.23	U	0.61	U	0.29								0.068	U		
11-Apr-18	0.21		0.14	U	0.14	U	0.14	U	0.14	U	0.16	U	0.14	U	0.14	U							0.68 <sup>0</sup>	U		
27-Jul-18	0.14	U	0.18		0.16		0.24		0.26		0.2	U	0.17	U	0.14	U							0.14	U		
24-Oct-18	0.26		0.22		0.22		0.27		0.2		0.23		0.14	U	0.14	U							0.14	U		
16-Jan-19	0.22		0.15		0.14	U	0.14	U	0.14	U	0.17	U	0.18	U	0.14	U							0.27			
12-Apr-19	0.17		0.14		0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U							0.14	U		
29-Jul-19	0.23		0.19		0.14		0.18		0.21		0.22		0.2		0.17								0.17			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
Toluene	210.0	8-Feb-08	1.240		1.140		1.120		1.150		1.240		0.990		0.910		1.030							1.480		
		27-Mar-08	6.470		4.040		4.520		4.150		5.920		5.570		4.210		4.040							1.560		
		25-Apr-08	4.800		4.000		2.810		3.900		3.790		4.070		3.660		4.010							0.465		
		29-May-08	0.930		0.790		1.630		1.330		0.870		1.060		1.020		0.670							0.320		
		27-Jun-08	3.870		3.060		3.200		3.850		4.110		3.840		4.520		3.020							2.410		
		31-Jul-08	2.760		2.020		2.690		1.990		2.720		2.200		1.680		1.440							1.850		
		28-Aug-08	5.230		5.960		7.800		7.530		5.920		5.640		5.680		5.240							6.050		
		30-Sep-08	1.900	U	1.900	U	2.500		1.900	U	5.000		1.900	U	1.900	U	2.300							1.900	U	
		27-Oct-08	6.700		6.300		3.500		6.100		2.300		5.500		3.800		6.600							8.400		
		25-Nov-08	5.500		1.900	U	1.900	U	2.000	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U				1.900	U	
		18-Dec-08	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U				1.900	U	
		21-Jan-09	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U				1.900	U	
		25-Feb-09	1.900	U	1.900	U	1.900	U	1.900	U	NS		1.900	U	1.900	U	1.900	U	1.900	U				1.900	U	
		26-Mar-09	6.110		4.060		3.990		3.540		3.900		4.730		5.870		6.080							5.310		
		29-Apr-09	0.779		0.595		0.079	U	0.704		1.050		0.595		0.614		0.610							0.953		
		22-Jul-09	1.550		1.010		2.540		1.130		3.410		3.880		7.670		6.850							6.850		
		9-Oct-09	4.740		3.690		4.190		3.900		4.500		4.170		4.220		4.090							4.580		
		15-Jan-10	1.920		1.580		1.520		1.690		1.690		1.540		1.620		1.630							2.860		
		21-Apr-10	4.770		8.610		5.220		7.430		4.490		4.140		4.030		3.900							0.414		
		16-Jul-10	2.070		1.210		1.180		1.360		2.250		1.570		3.760		1.330							0.787		
		15-Oct-10	7.230		0.618		0.565		0.715		0.501		0.358		0.565		0.312							0.625		
		30-Nov-10	NS		1.280		1.200		NS		NS		0.825		NS		NS							NS		
		26-Jan-11	5.860		5.970		5.640		6.490		5.840		6.050		5.830		7.230		5.650		4.000			7.210		
		26-Jan-11**	NS		7.700		8.400		NS		NS		8.300		NS		NS							NS		
		27-Apr-11	0.764		0.855		1.070		1.070		1.030		0.840		0.783		0.625							0.648		
		26-Jul-11	2.040		3.920		1.590		1.210		1.620		1.060		1.400		0.934							0.652		
		28-Oct-11	6.700		2.800		2.900		1.800		2.500		3.600		5.200		3.100							1.400		
		23-Jan-12	3.200		2.500		0.130		2.700		2.800		3.000		2.700		3.000							3.600		
		13-Apr-12	1.800		1.300		1.400		1.400		1.400		1.500		1.400		1.200							0.320		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.550							0.550		
		20-Jun-12	2.200		2.500		1.800		2.300		2.300		2.000		2.200		2.400							2.600		
		1-Nov-12	4.300		1.800		2.400		3.000		2.400		4.000		4.600		3.500							0.750		
		1-Feb-13	0.810		0.460		0.430		0.520		0.650		0.780		0.950		0.510							0.460		
		29-Apr-13	3.900		3.100		3.100		3.100		2.700		2.200		5.000		2.600							0.690		
		9-Jul-13	2.300		2.100		2.300		2.300		2.300		2.200		2.500		2.200							2.500		
		18-Oct-13	0.970		0.510		0.470		0.800		1.200		0.670		2.300		1.200							0.660		
		9-Jan-14	12.000		15.000		0.840		0.990		0.830		0.870		1.200		1.100							0.810		
		24-Apr-14	0.770		0.340		0.360		0.330		0.280		0.320		0.590		0.280							0.280		
		1-Aug-14	2.000		1.600		2.800		4.400		9.900		4.200		4.600/5.300		3.500							0.650		
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.930		NS							NS		
		22-Oct-14	1.000		0.820		0.650		0.420		1.400		0.800		0.620		0.710							1.200		
		20-Jan-15	0.890		0.880		0.780		1.100		0.890		1.100		3.500		0.970							1.500		
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.840							NS		
		22-Apr-15	4.500		4.100		4.300		3.900		5.200		3.100		4.300		4.400							1.400		
		21-Jul-15	6.100		2.400 <sup>A</sup>		2.700		2.200		2.500		2.700		2.400		2.200							1.600		
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		1.100		NS							NS		
		29-Oct-15	0.470		11.000		0.760		0.590		0.420		0.670		3.400		0.620							0.220 <sup>I</sup>		
		4-Dec-15 resample	NS		0.540		NS		NS		NS		NS		NS		NS							NS		
		27-Jan-16	1.3		0.65		0.7		0.66		0.83		0.92		1.1		1.2							0.8		
		20-Apr-16 <sup>J</sup>	0.63		0.26		0.2		0.27		0.44		0.27		0.24		0.25							0.21		
20-Jul-16	0.97		0.76		0.35		0.95		1.8		1.4		1.5		1.1							0.57				
21-Oct-16	2.7		3.5		0.94		3.8		1.8		2.0		0.92		2.1							16				
31-Jan-17	1.3		0.82		0.83		0.9		0.92		0.97		0.86		0.88							1.1				
17-Apr-17 <sup>K</sup>	0.98		0.71		0.3		0.36		0.79		0.58		0.59		1							1.2				
26-Jul-17	2		1.7		1.7		1.7		1.9		1.8		1.9		1.9							0.6				
12-Oct-17	0.49		0.45		0.79		0.45		0.69		0.76		0.51		0.58							0.31				
10-Jan-18	1.50		2.10		1.90		2.0		1.0		1.10		2.40		1.50							0.42				
11-Apr-18	1.70		1.40		1.20		1.3		1.0		1.40		1.00		1.40							0.78 <sup>D</sup>				
27-Jul-18	1.2		1.3		0.71		1.1		0.81		1.7		1		0.99							0.69				
24-Oct-18	1.8		0.76		0.76		1.6		1		1.5		0.6		0.49							0.56				
16-Jan-19	1.4		1.2		1.1		1.2		1.2		1.3		1.3		0.89							0.66				
12-Apr-19	0.82		0.48		0.45		0.57		0.5		0.54		0.51		0.63							0.59				
29-Jul-19	0.88		0.43		0.4		0.48		0.5		0.61		0.75		0.39							0.38				





**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Trichloroethene*	1.0	8-Feb-08	0.110		0.120		0.110	U	0.107	U	0.110	U	0.110	U	0.350		0.110	U							0.110	U
		27-Mar-08	0.239		0.233		0.218		0.226		0.325		0.308		0.217		0.170								0.107	U
		25-Apr-08	0.107	U	0.164		0.147		0.272		0.152		0.158		0.158		0.229								0.107	U
		29-May-08	0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110	U	0.110	U							0.110	U
		27-Jun-08	0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.107	U	0.143		0.195								0.107	U
		31-Jul-08	0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U							0.107	U
		28-Aug-08	0.193		0.116		0.107		0.107		0.107		0.146		0.134		0.110		0.107						0.838	
		30-Sep-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U					0.800	U
		27-Oct-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U					0.800	U
		25-Nov-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U					0.540	U
		18-Dec-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U					0.540	U
		21-Jan-09	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U					0.540	U
		25-Feb-09	0.110	U	0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U					0.130	U
		26-Mar-09	4.000		0.326		1.510		0.438		0.639		1.180		1.610		0.450		6.870						6.870	
		29-Apr-09	0.107	U	0.107	U	1.340		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		22-Jul-09	0.177		0.107		0.123		0.188		0.123		0.709		0.140		0.177		0.209						0.107	U
		9-Oct-09	0.231		0.215		0.182		0.193		0.242		0.156		0.156		0.156		0.107						0.107	U
		15-Jan-10	0.107		0.107		0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		21-Apr-10	0.247		0.580		0.279		0.505		0.376		0.360		0.419		0.456		0.107						0.107	U
		16-Jul-10	0.107	U	0.107	U	0.107	U	0.220		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		15-Oct-10	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		30-Nov-10	NS		0.107	U	0.107	U	NS		NS		NS		0.109	U	NS		NS						NS	
		26-Jan-11	0.568		0.502		0.531		0.604		0.504		0.584		0.429		0.550		0.484		0.467				0.767	
		26-Jan-11**	NS		0.570		0.600		NS		NS		NS		0.600		NS		NS						NS	
		27-Apr-11	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		26-Jul-11	0.107	U	0.107	U	0.118		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		28-Oct-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.054	U
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.290		0.190	U	0.190	U	0.190	U	0.190	U	0.190	U					0.190	U
		13-Apr-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.090		0.081	U	0.081	U	0.081	U					0.110	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.081						0.081	U
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.120		0.110	U	0.110	U	0.110	U					0.110	U
		1-Nov-12	0.054	U	0.054	U	0.067		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U
		1-Feb-13	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U
		29-Apr-13	0.120		0.110		0.110		0.110		0.130		0.120		0.110		0.110		0.110						0.054	U
		9-Jul-13	0.160		0.140		0.150		0.120		0.400		0.280		0.310		0.080		0.080						0.080	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.119		NS		NS		0.088		NS						0.088	
		18-Oct-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.390						0.110	U
		9-Jan-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		24-Apr-14	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.110	U	0.054	U	0.110	U	0.110	U					0.054	U
		1-Aug-14	0.110	U	0.110	U	0.110	U	0.170		1.700		0.110	U	0.270		0.140		1.100						1.100	
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.054		NS		NS						NS			
22-Oct-14	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.180			
20-Jan-15	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.081	U	20.000		0.081	U					0.081	U		
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.062		NS						NS			
22-Apr-15	0.260		0.440		0.270		0.410		0.270		0.370		0.290		0.370		0.290						0.054	U		
21-Jul-15	0.260		0.14 <sup>1, A</sup>		0.260 <sup>1</sup>		0.240 <sup>1</sup>		0.300	U	0.200 <sup>1</sup>		0.190 <sup>1</sup>		0.300	U	0.300	U					0.300	U		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS						NS			
29-Oct-15	0.300	U	1.100		0.300	U	0.300	U	0.220 <sup>1</sup>		0.300	U	0.290		0.200	U	0.290	U					0.300	U		
4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS		NS		NS						NS			
27-Jan-16	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.071		0.054	U	0.054	U					0.054	U		
20-Apr-16 <sup>3</sup>	0.11		0.054	U	0.054	U	0.097		0.06		0.077		0.054	U	0.064		0.054	U					0.075	U		
20-Jul-16	0.24		0.17		0.058		0.066		0.077		0.086		0.088		0.060		0.080						0.080	U		
21-Oct-16	0.12		0.12		0.086		0.15		0.088		0.058		0.054		0.067		0.088						0.088	U		
31-Jan-17	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U		
17-Apr-17 <sup>4</sup>	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U		
26-Jul-17	0.18		0.18		0.18		0.15		0.16		0.19		0.17		0.16		0.071						0.071	U		
12-Oct-17	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U		
10-Jan-18	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U		
11-Apr-18	0.084		0.080		0.054		0.064		0.069		0.110		0.073		0.084		0.54 <sup>B</sup>						0.54 <sup>B</sup>	U		
27-Jul-18	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.081	U	0.081	U	0.054	U	0.054	U					0.054	U		
24-Oct-18	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U		
16-Jan-19	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U		
12-Apr-19	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U		
29-Jul-19	0.088		0.060		0.054		0.060		0.064		0.082		0.086		0.080		0.071						0.071	U		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Trichlorofluoromethane	370.0	8-Feb-08	1.140		1.020		1.110		1.010		0.990		1.050		1.040		1.020								1.080	
		27-Mar-08	1.740		1.520		1.540		1.250		2.320		2.120		2.140		1.210								1.380	
		25-Apr-08	1.740		1.660		1.240		1.640		1.480		1.520		1.660		1.500								1.030	
		29-May-08	1.020		0.930		0.870		1.060		0.930		0.930		0.990		0.910								0.880	
		27-Jun-08	1.240		1.220		1.290		1.300		1.160		1.150		1.170		1.160								1.180	
		31-Jul-08	1.080		1.100		1.010		1.010		1.010		1.010		1.000		0.973								0.926	
		28-Aug-08	2.740		3.360		3.470		3.260		3.660		3.420		3.380		3.860								2.310	
		30-Sep-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		27-Oct-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		25-Nov-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		18-Dec-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		21-Jan-09	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		25-Feb-09	2.800	U	2.800	U	2.800	U	NS		NS		2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		26-Mar-09	1.220		1.160		1.180		1.140		1.230		1.190		1.120		1.130								1.160	
		29-Apr-09	1.490		1.170		0.051	U	1.270		1.180		1.190		1.270		1.290								1.190	
		22-Jul-09	1.950		1.920		1.62		1.900		1.630		2.050		1.540		1.900								2.120	
		9-Oct-09	1.520		1.830		1.510		0.019		1.620		1.310		1.410		1.430								1.180	
		15-Jan-10	11.900		1.260		1.210		1.290		1.210		1.290		1.220		1.270								1.240	
		21-Apr-10	4.170		3.780		2.540		3.200		3.500		3.400		2.500		3.190								1.260	
		16-Jul-10	1.470		1.470		1.480		1.470		2.160		1.470	U	1.470		1.470								1.560	
		15-Oct-10	1.410		1.360		1.380		1.350		1.360		1.300		1.320		1.340								1.490	
		30-Nov-10	NS		1.520		1.490		NS		NS		NS		1.340		NS								NS	
		26-Jan-11	1.780		1.960		1.720		1.740		1.620		1.960		1.630		1.950			1.490			1.930		1.780	
		26-Jan-11**	NS		2.300		2.100		NS		NS		NS		2.100		NS								NS	
		27-Apr-11	1.200		1.250		1.110		1.240		1.080		1.140		1.280		1.120								1.250	
		26-Jul-11	1.210		1.210		1.300		1.250		1.220		1.180		1.290		1.170								1.210	
		28-Oct-11	2.500		1.400		1.600		1.600		1.900		1.900		1.900		1.800								1.500	
		23-Jan-12	1.500		1.500		1.500		1.500		1.500		1.400		1.500		1.500								1.400	
		13-Apr-12	2.200		2.000		1.700		2.000		2.300		2.400		2.300		2.400								1.200	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		1.500								1.800	
		20-Jun-12	1.200		1.400		1.300		1.200		1.500		1.100		1.400		1.400								1.100	
		1-Nov-12	1.200		1.200		1.300		1.200		1.200		1.200		1.300		1.200								1.300	
		1-Feb-13	1.600		1.600		1.700		1.600		1.600		1.700		1.600		1.600								1.600	
		29-Apr-13	1.400		1.600		1.600		1.400		1.400		1.300		1.400		1.300								1.400	
		9-Jul-13	1.200		1.200		1.200		1.300		1.300		1.200		1.200		1.200								1.500	
		18-Oct-13	1.100		2.100		1.300		1.800		1.300		1.200		1.900		1.200								1.100	
		9-Jan-14	1.500		2.200		1.800		1.700		1.600		1.600		1.700		1.900								2.000	
		24-Apr-14	1.500		1.700		1.700		1.600		1.800		1.700		1.700		3.200								1.500	
		1-Aug-14	1.900		1.700		0.110	U	1.600		1.900		1.700		1.800/1.600		1.800								1.500	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		1.300		NS								NS	
22-Oct-14	1.500		1.300		1.500		1.500		1.500		1.500		1.500		1.500								1.300			
20-Jan-15	1.300		1.300		1.200		1.300		1.300		1.300		1.400		4.500								1.400			
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		1.100								NS			
22-Apr-15	1.700		2.000		4.900 <sup>v</sup>		1.800		1.900		1.700		2.200		2.100								1.600			
21-Jul-15	0.770		0.830 <sup>h</sup>		0.850		0.750		0.790		0.780		0.790		0.740								1.200			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.820		NS								NS			
29-Oct-15	0.900		0.900		0.950		0.890		0.810		0.830		0.900		0.880								0.960			
4-Dec-15 resample	NS		0.850		NS		NS		NS		NS		NS		NS								NS			
27-Jan-16	1.9 <sup>M,v</sup>		1.8 <sup>M,v</sup>		1.9 <sup>M,v</sup>		1.9 <sup>M,v</sup>		1.8 <sup>M,v</sup>		2.2 <sup>M,v</sup>		1.9 <sup>M,v</sup>		1.8 <sup>M,v</sup>								1.7 <sup>M,v</sup>			
20-Apr-16 <sup>5</sup>	1.3		1.7		1.5		1.5		1.7		1.3		1.3		1.6								1.7			
20-Jul-16	1.2		1.2		1.0		1.2		1.1		1.2		1.1		1.1								1.3			
21-Oct-16	1.2		1.3		1.2		1.1		1.2		1.2		1.1		1.3								1.2			
31-Jan-17	1.3		1.3		1.3		1.3		1.3		1.3		1.3		1.2								1.3			
17-Apr-17 <sup>4</sup>	1.5		1.6		1.5		1.6		1.5		1.5		1.5		1.5								1.5			
26-Jul-17	0.97		0.96		0.98		0.96		0.95		0.97		0.96		0.97								0.97			
12-Oct-17	1.2		1.2		1.3		1.2		1.2		1.2		1.3		1.2								1.4			
10-Jan-18	1.10		1.10		1.10		1.20		1.20		1.20		1.20		1.10								1.1			
11-Apr-18	1.4		1.4		1.4		1.4		1.4		1.4		1.4		1.4								2.2 <sup>D</sup>	U		
27-Jul-18	1.1		1.1		1.1		1.2		1.2		1.2		1.2		1.2								1.1			
24-Oct-18	1.3		1.2		1.3		1.3		1.2		1.3		1.3		1.3								1.2			
16-Jan-19	1.2		1.1		1.1		1.2		1.2		1.2		1.2		1.2								1.3			
12-Apr-19	1.1		1.2		1.1		1		1		1		1		1								1			
29-Jul-19	1.2		1.2		1.1		1.2		1.2		1.3		1.2		1.2								1.3			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
			1,2,4-Trimethylbenzene	9.3	8-Feb-08	0.900		0.970		2.520		1.890		0.210		0.210		0.210		0.310						
		27-Mar-08	1.330		1.590		3.390		3.240		0.920		1.390		0.828		0.989							0.098	U	
		25-Apr-08	0.998		1.760		11.700		1.640		0.909		0.839		0.911		0.750							0.098	U	
		29-May-08	0.300		0.470		8.320		6.680		0.270		0.960		0.690		0.110							0.100	U	
		27-Jun-08	1.560		0.443		2.120		3.040		0.634		0.246		0.722		0.206							0.175		
		31-Jul-08	1.650		1.360		1.380		2.080		0.959		1.940		0.207		0.142							0.157		
		28-Aug-08	0.438		1.430		3.690		5.340		0.642		0.461		0.455		0.464							0.354		
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.000	U	6.800	U	2.500	U	2.500	U	9.300	U						2.500	U	
		27-Oct-08	2.500	U	2.500	U	2.500	U	3.500	U	2.500	U	2.500	U	2.500	U	2.500	U						2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U						2.500	U	
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U						2.500	U	
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U						2.500	U	
		25-Feb-09	2.500	U	2.500	U	3.900	U	NS	U	2.500	U	2.500	U	2.500	U	2.500	U						2.500	U	
		26-Mar-09	0.942		0.859		1.500		1.300		0.526		0.563		0.737		0.564							0.739		
		29-Apr-09	1.520		0.368		1.340		1.200		0.192		0.098	U	0.108		0.098							0.142		
		22-Jul-09	1.010		0.216		0.339		0.791		0.594		0.889		0.673		0.894							0.894		
		9-Oct-09	1.240		1.080		1.250		1.460		0.712		0.796		0.702		0.717							0.069		
		15-Jan-09	0.609		0.550		0.452		0.521		0.206		0.196		0.216		0.196							0.196		
		21-Apr-10	0.393		0.845		4.590		0.643		0.570		0.545		0.427	U	0.476							0.098	U	
		16-Jul-10	0.354		0.216		0.388		0.344		0.250		0.138		0.511		0.187							0.108		
		15-Oct-10	0.319		0.408		0.329		0.211	U	0.098	U	0.098	U	0.319		0.098	U						0.098	U	
		30-Nov-10	NS		0.334		0.560		NS		NS		0.098		NS	U	NS							NS		
		26-Jan-11	1.010		1.120		1.100		1.200		0.780		0.917		0.868		1.030		1.000		0.168	U		0.994		
		26-Jan-11**	NS		1.900		2.100		NS		NS		NS		2.000		NS							NS		
		27-Apr-11	0.138		0.280		2.080		0.255		0.147		0.113		0.172		0.113							0.128		
		26-Jul-11	0.575		2.160		1.120		0.285		0.236		0.157		0.290		0.177							0.123		
		28-Oct-11	0.340		0.220		0.300		0.290		0.230		0.260		0.310		0.330							0.098	U	
		23-Jan-12	0.660		0.580		0.580		0.710		0.380		1.000		0.520		0.650							0.470		
		13-Apr-12	0.400		0.410		0.760		0.480		0.340		0.340		0.290		0.360							0.240		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.150	U						0.150	U	
		20-Jun-12	0.560		1.200		0.910		0.680		0.600		0.470		0.560		0.610							0.310		
		1-Nov-12	0.720		0.480		0.310		0.300		0.650		0.750		0.600		0.600							0.120		
		1-Feb-13	0.330		0.180		0.170		0.160		0.150		0.120		0.220		0.160							0.098	U	
		29-Apr-13	0.990		0.540		0.540		0.510		0.700		0.320		0.580		0.440							0.130		
		9-Jul-13	0.480		0.410		0.280		0.340		0.440		0.230		0.300		0.240							0.190		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.470		NS		NS		NS							0.230		
		18-Oct-13	2.600		0.098	U	0.120		2.400		3.200		0.140		3.600		3.200							2.300		
		9-Jan-14	4.500		8.900		0.220		0.180		0.180		0.180		0.290		0.240							0.120		
		24-Apr-14	0.120		0.098	U	0.210		0.098	U	0.098	U	0.098	U	0.098	U	0.130							0.098	U	
		1-Aug-14	0.320		0.270		0.630		1.300		1.500		0.220		1.100		1.200							1.200		
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.120		NS							NS		
		22-Oct-14	0.150	U	0.170		0.160		0.150	U	0.150		0.150	U	0.150		0.150	U						0.160		
		20-Jan-15	0.150		0.560		0.098	U	0.160		0.098	U	0.370		0.170		0.490							0.150	U	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.160							NS		
		22-Apr-15	0.380		0.510		0.570		0.450		0.630		0.350		0.480		0.510							0.190		
		21-Jul-15	0.750		0.360 <sup>^</sup>		0.250		0.190 <sup>^</sup>		0.200 <sup>^</sup>		0.290		0.180 <sup>^</sup>		0.150 <sup>^</sup>							0.300	U	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS							NS		
		29-Oct-15	0.300	U	0.780		0.420		0.160 <sup>^</sup>		0.300	U	0.180 <sup>^</sup>		0.410		0.320							0.300	U	
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS							NS		
		27-Jan-16	0.098	U	0.098	U	0.21		0.098	U	0.098	U	0.15		0.37		0.2							0.11		
		20-Apr-16 <sup>^</sup>	0.1		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U						0.098	U	
		20-Jul-16	0.67		0.77		0.6		0.69		0.72		0.75		0.74		0.68							0.6		
		21-Oct-16	0.48		0.58		0.25		1		0.34		0.36		0.21		0.43							2.6		
		31-Jan-17	0.14		0.14		0.38		0.098	U	0.11		0.098	U	0.12		0.16							0.14		
		17-Apr-17 <sup>^</sup>	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U						0.15	U	
		26-Jul-17	0.12		0.19		0.2		0.25		0.27		0.27		0.25		0.26							0.098	U	
		12-Oct-17	0.098	U	0.13		0.098	U	0.18		0.15		0.3		0.13		0.18							0.098	U	
		10-Jan-18	0.33		0.56		0.51		0.59		0.27		0.29		0.61		0.46							0.098	U	
		11-Apr-18	0.31		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.49 <sup>^</sup>							0.098	U	
		27-Jul-18	0.098	U	0.098	U	0.098	U	0.098	U	0.15	U	0.15	U	0.098	U										

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)				
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	
1,3,5-Trimethylbenzene	9.3	8-Feb-08	0.460		0.450		1.300		0.980		0.100	U	0.100	U	0.100	U	0.100	U							0.100	U	
		27-Mar-08	0.535		0.652		1.620		1.530		0.292		0.438		0.256		0.334								0.098	U	
		25-Apr-08	0.367		0.816		7.170		0.802		0.342		0.293		0.375		0.280								0.098	U	
		29-May-08	0.170		0.220		4.710		4.050		0.140		0.640		0.470		0.100	U							0.100	U	
		27-Jun-08	0.942		0.232		1.100		1.580		0.385		0.102		0.387		0.100	U							0.098	U	
		31-Jul-08	1.040		0.782		0.671		1.360		0.570		1.190		0.098	U	0.098	U							0.098	U	
		28-Aug-08	0.170		0.732		1.950		2.990		0.270		0.181		0.181		0.155								0.100	U	
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	9.300						2.500	U	
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U	
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U	
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U	
		25-Feb-09	2.500	U	2.500	U	2.500	U	2.500	U	NS		2.500	U	2.500	U	2.500	U	2.500	U					2.500	U	
		26-Mar-09	0.330		0.315		0.678		0.540		0.194		0.185		0.246		0.198									0.238	U
		29-Apr-09	0.098	U	0.192		0.678		0.629		0.098		0.098	U	0.098	U	0.098	U							0.098	U	
		22-Jul-09	0.378		0.098	U	0.427		0.138		0.246		0.270		0.295		0.241									0.241	U
		9-Oct-09	0.550		0.452		0.476		0.599		0.255		0.265		0.221		0.241									0.226	U
		15-Jan-10	0.265		0.260		0.192		0.206		0.098	U	0.098	U	0.098	U	0.098	U							0.098	U	
		21-Apr-10	0.118		0.368		2.100		2.600		0.206		0.187		0.162		0.177									0.098	U
		16-Jul-10	0.113		0.098	U	0.138		0.118		0.098	U	0.098	U	0.147		0.098	U							0.098	U	
		15-Oct-10	0.128		0.172		0.123		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U	
		30-Nov-10	NS		0.133		0.177		NS		NS		NS		0.098	U	NS								NS	U	
		26-Jan-11	0.293		0.326		0.360		0.410		0.260		0.267		0.292		0.302				0.334		0.168	U		0.342	U
		26-Jan-11**	NS		0.590		0.700		NS		NS		NS		0.630		NS									NS	U
		27-Apr-11	0.098	U	0.128		0.820		0.113		0.098	U	0.098	U	0.098	U	0.098	U							0.098	U	
		26-Jul-11	0.206		0.737		0.393		0.108	U	0.098	U	0.108	U	0.098	U	0.098	U							0.098	U	
		28-Oct-11	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U							0.098	U	
		23-Jan-12	0.220		0.170	U	0.200		0.230		0.170	U	0.220	U	0.180		0.180	U							0.170	U	
		13-Apr-12	0.150	U	0.150	U	0.270		0.170		0.150	U	0.150	U	0.150	U	0.150	U							0.270	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.150	U							0.150	U	
		20-Jun-12	0.180		0.450		0.340		0.250		0.220		0.150		0.140		0.200									0.110	U
		1-Nov-12	0.220		0.098	U	0.140		0.098	U	0.120		0.140		0.190		0.220									0.098	U
		1-Feb-13	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U	
		29-Apr-13	0.250		0.180		0.180		0.180		0.250		0.130		0.190		0.150									0.098	U
		9-Jul-13	0.180		0.150	U	0.098	U	0.110		0.160	U	0.098	U	0.098	U	0.098	U							0.098	U	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.143		NS		NS		NS									0.037	J
		18-Oct-13	0.170		0.098	U	0.098	U	0.180		0.290		0.098	U	0.420		0.280									0.180	U
		9-Jan-14	1.100		2.100		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U	
		24-Apr-14	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U	
		1-Aug-14	0.130		0.120		0.220		0.290		0.310		0.098	U	0.290		0.280									0.230	U
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.098	U	NS								NS	U			
22-Oct-14	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U							0.150	U			
20-Jan-15	0.098	U	0.110		0.098	U	0.098	U	0.098	U	0.098	U	0.150	U	0.098	U							0.150	U			
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.110	U							NS	U			
22-Apr-15	0.130		0.150		0.170		0.140		0.190		0.100		0.160		0.140									0.098	U		
21-Jul-15	0.230 <sup>1</sup>		0.200 <sup>^</sup>	U	0.200	U	0.300	U	0.300	U	0.300	U	0.300	U	0.200	U							0.300	U			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS								NS	U			
29-Oct-15	0.300	U	0.220 <sup>1</sup>		0.200 <sup>1</sup>		0.300	U	0.300	U	0.300	U	0.200	U	0.200	U							0.300	U			
4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS		NS								NS	U			
27-Jan-16	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U			
20-Apr-16 <sup>3</sup>	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U			
20-Jul-16	0.21		0.25		0.20		0.23		0.24		0.24		0.24		0.23									0.15	U		
21-Oct-16	0.13		0.16		0.10	U	0.18		0.098	U	0.098	U	0.098	U	0.098	U							0.71	U			
31-Jan-17	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U			
17-Apr-17 <sup>4</sup>	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U							0.15	U			
26-Jul-17	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U			
12-Oct-17	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U			
10-Jan-18	0.098	U	0.18		0.14		0.18		0.18		0.098	U	0.19		0.10									0.098	U		
11-Apr-18	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.49 <sup>9</sup>	U			
27-Jul-18	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.15	U	0.97		0.098	U							0.098	U			
24-Oct-18	0.11		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U			
16-Jan-19	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U			
12-Apr-19	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U							0.098	U			
29-Jul-19	0.1		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.1		0.098	U							0.098	U			





**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
p/m-Xylene	220.0	8-Feb-08	0.710		0.660		2.110		1.460		0.550		0.450		0.390		0.420								0.580	
		27-Mar-08	2.460		2.080		3.510		2.960		2.620		2.890		1.810		1.910								0.269	
		25-Apr-08	2.220		1.870		8.240		2.170		2.080		2.150		1.850		1.850								0.205	
		29-May-08	0.350		0.290		5.110		2.260		0.290		0.410		0.340		0.250								0.170	U
		27-Jun-08	1.060		1.080		3.280		3.000		1.250		0.994		2.160		0.926								0.795	
		31-Jul-08	1.360		1.160		3.330		1.140		1.140		1.370		0.656		0.488								0.656	
		28-Aug-08	2.130		3.220		8.690		8.200		1.910		2.190		2.280		1.960								2.240	
		30-Sep-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	22.000		4.300						4.300	U
		27-Oct-08	4.300	U	4.300	U	4.300	U	4.300	U	5.000		4.300	U	4.300	U	4.300	U	4.300						4.700	
		25-Nov-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300						4.300	U
		18-Dec-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300						4.300	U
		21-Jan-09	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300						4.300	U
		25-Feb-09	4.300	U	4.300	U	15.000		NS		NS		4.300	U	4.300	U	4.300	U	4.300						4.300	U
		26-Mar-09	3.080		2.850		4.530		4.340		1.580		1.990		2.340		1.870								2.310	
		29-Apr-09	0.456		0.733		0.534		1.950		0.477		0.308		0.312		0.347								0.442	
		22-Jul-09	0.920		0.577		2.680		1.560		2.070		1.720		2.510		1.720								3.510	
		9-Oct-09	2.610		2.240		3.360		3.190		2.200		2.090		1.960		1.910								2.290	
		15-Jan-10	1.080		0.915		1.040		0.946		0.724		0.603		0.672		0.607								0.672	
		21-Apr-10	1.200		2.000		4.380		1.610		1.800		1.670		1.430		1.350								0.174	U
		16-Jul-10	0.868		0.568		1.290		1.120		1.290		0.729		1.890		0.694								0.330	
		15-Oct-10	0.642		0.972		1.340		0.408		0.299		0.174		0.468		0.174	U							0.317	
		30-Nov-10	NS		0.620		1.000		NS		NS		NS		0.230		NS								NS	
		26-Jan-11	2.810		2.600		2.910		3.320		2.590		2.790		3.450		2.700		2.700						3.480	
		26-Jan-11**	NS		4.300		5.100		NS		NS		NS		4.900		NS								NS	
		27-Apr-11	0.295		0.412		2.030		0.642		3.020		0.260		0.412		0.191								0.256	
		26-Jul-11	1.240		3.650		2.630		3.670		0.799		0.816		0.864		0.486								0.404	
		28-Oct-11	2.400		1.100		1.400		0.750		1.300		1.700		1.900		1.500								0.480	
		23-Jan-12	1.600		1.300		1.300		1.500		1.300		1.400		1.400		1.500								1.500	
		13-Apr-12	0.810		0.690		0.670		0.660		0.670		0.740		0.640		0.520								0.350	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.260	U							0.260	U
		20-Jun-12	1.200		1.300		1.200		1.400		1.300		1.200		1.400		1.400								0.770	
		1-Nov-12	2.300		0.960		1.300		1.400		2.100		1.800		2.500		1.800								0.340	
		1-Feb-13	0.270		0.210		0.220		0.230		0.220		0.210		0.510		0.210								0.400	
		29-Apr-13	1.700		1.300		1.300		1.300		1.200		0.920		2.400		1.200								0.320	
		9-Jul-13	0.910		0.850		0.890		0.830		0.770		0.860		0.820		0.650								0.650	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.929		NS		NS		NS								0.669	
		18-Oct-13	2.200		0.270		0.300		1.600		2.300		0.310		4.200		2.700								1.300	
		9-Jan-14	10.000		15.000		0.380		0.400		0.420		0.360		0.820		0.430								0.330	
		24-Apr-14	0.220		0.170	U	0.250		0.170	U	0.170	U	0.260	U	0.280	U	0.170	U							0.170	U
		1-Aug-14	0.470		0.410	U	0.980		1.200	U	1.300	U	0.550	U	1.700	U	1.400	U							0.990	
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.330		NS								NS			
22-Oct-14	0.590		0.310	U	0.260		0.330	U	0.270		0.300		0.380		0.380								0.690			
20-Jan-15	0.390		0.440		0.360		0.530		0.400		0.550		0.720		0.770								0.800			
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		0.350		NS								NS			
22-Apr-15	1.800		1.900		1.800		1.600		2.300		1.400		1.900		1.800								0.560			
21-Jul-15	1.800		0.720 <sup>^</sup>		0.770		0.800		0.740		0.750		0.720		0.620								0.170 <sup>^</sup>			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.150 <sup>^</sup>		NS								NS			
29-Oct-15	0.500	U	1.900	U	3.600	U	0.470 <sup>^</sup>	U	0.500	U	0.480	U	0.990	U	0.320 <sup>^</sup>	U							0.500	U		
4-Dec-15 resample	NS		0.400	U	NS		NS		NS		NS		NS	U	NS								NS			
27-Jan-16	0.75		0.24		0.31		0.25		0.22		0.38		0.55		0.46								0.26			
20-Apr-16 <sup>^</sup>	0.26		0.17	U	0.17	U	0.17	U	0.17	U	0.17	U	0.17	U	0.17	U							0.17	U		
20-Jul-16	1.5		1.3		1.9		1.8		0.85		1.4		1.6		1								0.29			
21-Oct-16	1.4		1.9		1.1		2		0.93		0.98		0.44		0.98								8.3			
31-Jan-17	0.4		0.33		0.45		0.31		0.37		0.34		0.33		0.36								0.38			
17-Apr-17 <sup>^</sup>	0.3		0.26	U	0.26	U	0.26	U	0.26	U	0.26	U	0.26	U	0.26	U							0.26	U		
26-Jul-17	1		1.1		1.3		1.2		1.1		1		1		1								0.19			
12-Oct-17	0.17	U	0.47		0.76		0.78		0.41		0.51		0.43		0.46								0.17	U		
10-Jan-18	0.86		1.90		1.60		1.80		0.73		0.77		2.0		0.94								0.17	U		
11-Apr-18	0.68		0.54		0.49		0.55		0.40		0.49		0.55		0.87 <sup>^</sup>								0.87 <sup>^</sup>	U		
27-Jul-18	0.27		0.37		0.46		0.42		0.3		1.2		0.41		0.36								0.23			
24-Oct-18	1.1		0.44		0.57		0.54		0.36		0.65		0.28		0.21								0.34			
16-Jan-19	0.85		0.7		0.68		0.73		0.71		0.8		0.76		0.35								0.26			
12-Apr-19	0.37		0.23		0.19		0.28		0.24		0.29		0.26		0.29								0.31			
29-Jul-19	0.98		0.34		0.46		0.49		0.55		0.64		0.69		0.34								0.39			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM- Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
			Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
o-Xylene	220.0	8-Feb-08	0.280		0.270		0.870		0.610		0.210		0.170		0.150		0.160								0.200	
		27-Mar-08	0.762		0.718		1.340		1.120		0.920		1.060		0.640		0.668								0.087	U
		25-Apr-08	0.824		0.724		3.480		0.821		0.750		0.770		0.786		0.680								0.087	U
		29-May-08	0.130		0.120		2.080		1.000		0.110		0.180		0.150		0.090	U							0.090	U
		27-Jun-08	0.463		0.393		1.030		1.030		0.485		0.358		0.833		0.339								0.332	
		31-Jul-08	0.476		0.375		0.822		0.371		0.420		0.583		0.240		0.207								0.246	
		28-Aug-08	0.779		1.020		2.210		2.160		0.683		0.787		0.812		0.702								0.832	
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.600								2.200	U
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200								2.200	U
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200								2.200	U
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200								2.200	U
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200								2.200	U
		25-Feb-09	2.200	U	2.200	U	2.600		NS		2.200		2.200		2.200		2.200								2.200	U
		26-Mar-09	1.080		0.798		1.090		1.020		0.551		0.718		0.824		0.651								0.826	
		29-Apr-09	0.143		0.186		0.085		0.442	U	0.165		0.100		0.104		0.108								0.156	
		22-Jul-09	0.347		0.195		0.690		0.247		0.555		0.742		0.911		0.590								1.240	
		9-Oct-09	0.850		0.724		0.954		0.920		0.764		0.764		0.720		0.698								0.759	
		15-Jan-10	0.404		0.321		0.356		0.338		0.273		0.230		0.256		0.230								0.273	
		21-Apr-10	0.425		0.686		1.260		0.577		0.603		0.564		0.482		0.087								0.087	U
		16-Jul-10	0.273		0.186		0.312		0.304		.503		0.200		0.703		0.230								0.126	
		15-Oct-10	0.186		0.265		0.347		0.130	U	0.139	U	0.087	U	2.000		0.087	U							0.104	
		30-Nov-10	NS		0.226		0.325		NS		NS		NS		0.091		NS								NS	
		26-Jan-11	1.000		0.981		1.020		1.150		0.948		1.030		0.922		1.270		1.000		0.392				1.280	
		26-Jan-11**	NS		1.600		1.900		NS		NS		NS		1.900		NS								NS	
		27-Apr-11	0.133		0.134		0.616		0.208		0.824		0.091		0.152		0.080	U							0.095	
		26-Jul-11	0.439		1.520		0.643		0.295		0.395		0.308		0.165		0.139								0.139	
		28-Oct-11	0.810		0.360		0.440		0.260		0.450		0.550		0.660		0.470								0.180	
		23-Jan-12	0.630		0.520		0.530		0.620		0.530		0.580		0.600		0.590								0.590	
		13-Apr-12	0.320		0.270		0.320		0.270		0.280		0.300		0.220		0.200								0.200	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U							0.130	U
		20-Jun-12	0.470		0.056		0.430		0.580		0.490		0.460		0.530		0.510								0.280	
		1-Nov-12	0.860		0.480		0.350		0.480		0.780		0.930		0.710		0.140								0.140	
		1-Feb-13	0.110		0.089		0.087	U	0.087	U	0.092	U	0.090	U	0.220	U	0.087	U							0.140	
		29-Apr-13	0.590		0.460		0.460		0.450		0.450		0.330		0.910		0.430								0.120	
		9-Jul-13	0.350		0.320		0.300		0.350		0.340		0.300		0.330		0.310								0.290	
		9-Jul-13 RIDEM	NS		NS		NS		NS		NS		NS		NS		NS								0.330	
		18-Oct-13	0.660		0.100		0.100		0.500		0.770		0.110		1.300		0.850								0.460	
		9-Jan-14	4.000		6.100		0.160		0.160		0.160		0.160		0.330		0.190								0.140	
		24-Apr-14	0.087	U	0.087	U	0.094		0.087	U	0.087	U	0.087	U	0.099	U	0.120								0.087	U
		1-Aug-14	0.200		0.160		0.310		0.700		0.690		0.230		0.940		0.770								0.560	
12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.130		NS								NS			
22-Oct-14	0.220		0.160		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.160								0.250			
20-Jan-15	0.130		0.180		0.200		0.150		0.200		0.150		0.260		0.270								0.270			
30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.140								NS			
22-Apr-15	0.560		0.640		0.590		0.560		0.810		0.460		0.630		0.200								0.200			
21-Jul-15	0.660		0.260 <sup>^</sup>		0.290		0.330		0.280		0.300		0.390		0.220								0.390 <sup>'</sup>			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.360 <sup>'</sup>		NS								NS			
29-Oct-15	0.300	U	0.840		0.390		0.130 <sup>^</sup>		0.200	U	0.150 <sup>^</sup>	U	0.420		0.130 <sup>^</sup>								0.300	U		
4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS								NS			
27-Jan-16	0.17		0.087	U	0.13		0.087	U	0.1		0.12		0.17		0.15								0.11			
20-Apr-16 <sup>^</sup>	0.11		0.087	U	0.087	U	0.087	U	0.092	U	0.087	U	0.087	U	0.087	U							0.087	U		
20-Jul-16	0.44 <sup>MLW</sup>		0.37 <sup>MLW</sup>		0.50 <sup>MLW</sup>		0.50 <sup>MLW</sup>		0.37 <sup>MLW</sup>		0.48 <sup>MLW</sup>		0.65 <sup>MLW</sup>		0.36 <sup>MLW</sup>								0.13 <sup>MLW</sup>	U		
21-Oct-16	0.49		0.64		0.36		0.36		0.34		0.35		0.17		0.33								2.9			
31-Jan-17	0.17		0.15		0.2		0.13		0.13		0.13		0.14		0.12								0.16			
17-Apr-17 <sup>^</sup>	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U							0.13	U		
26-Jul-17	0.35		0.37		0.44		0.41		0.38		0.36		0.35		0.35								0.09			
12-Oct-17	0.09	U	0.14		0.21		0.23		0.14		0.19		0.14		0.16								0.087	U		
10-Jan-18	0.32		0.67		0.58		0.64		0.29		0.29		0.68		0.37								0.087	U		
11-Apr-18	0.24		0.20		0.19		0.22		0.16		0.18		0.16		0.21								0.43 <sup>D</sup>	U		
27-Jul-18	0.12		0.087	U	0.17		0.17		0.13	U	1		0.17		0.16								0.12			
24-Oct-18	0.4		0.16		0.2		0.22		0.15		0.28		0.12		0.087	U							0.13			
16-Jan-19	0.28		0.22		0.23		0.24		0.24		0.29		0.26		0.13								0.099			
12-Apr-19	0.14		0.087		0.089		0.11		0.11		0.12		0.13		0.12								0.14			
29-Jul-19	0.35		0.14		0.15		0.19		0.21		0.25		0.28		0.15								0.15			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - July 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
				Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
<p>* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.                      **- Analyzed by Con-Test Analytical Laboratory  <sup>1</sup> Elevated Data is a result of inadvertant cross-contamination at the laboratory, and not resultant from soil vapor intrusion. Media Center/Room 145 was resampled on 28 January 2008 with Tetrachloroethylene concentration not detected by the laboratory (MDL = 0.14 ug/m<sup>3</sup>).  <sup>2</sup> Elevated Tetrachloroethylene and Acetone data detected on 27 March 2008 was determined to be the result of cleaning products (e.g., graffiti remover, stainless steel polish, etc.) introduced to the school in February and March, and not the result of soil vapor intrusion.  <sup>3</sup>: All samples collected on 20 April 2016 except for the Kitchen Storage Room, which was collected on 25 April 2016 due to inaccessibility of the room during spring break.  <sup>4</sup> All samples collected on 17 April 2017 except for the Kitchen Storage Room, which was collected on 25 April 2017 due to inaccessibility of the room during spring break.  <sup>A</sup> Summa canister had low pressure upon beginning sample collection, possible interference.Re-sampling effort on 25 April 2008 indicates no exceedences of applicable Acetone and Tetrachloroethylene Action Levels.  <sup>B</sup> Analyte found in associated blank as well as the sample but not expected to affect data due to sample concentration &gt;10x concentration found in blank.  <sup>M</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.  <sup>L</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.  <sup>V</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.  <sup>W</sup> Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.  <sup>J</sup> Estimated result as the result was between the MDL and the RDL.  <sup>I</sup> Initial calibration verification did not meet standard. Reported value is likely to be biased on the high side.  <sup>D</sup> Elevated method detection limits due to failure of Con-test internal standards. Applies to Ambient Outdoor Air sample.</p> <p>NOTES:                      All data presented in micrograms per cubic meter (ug/m<sup>3</sup>).                      Two values displayed with a slash indicates dilutions resulting in two different concentrations                      U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.                      NS = Not sampled.                      None = No Draft Proposed CT Residential TAC for this compound.                      = exceedance of interim RIDEM-approved action level</p>																								

## **APPENDIX C**

### **Subslab Vapor Analytical Summary**

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Acetone	8-Feb-08	17.2		NS		NS		NS		4.75	U	NS		NS		NS		5.62		11.4		NS		
	27-Mar-08	NS		28.7		NS		NS		NS		NS		NS		NS		NS		217		12.4		
	25-Apr-08	NS		NS		188		NS		NS		NS		513		NS		34		NS		33.9		
	29-May-08	NS		NS		NS		40.9		NS		NS		NS		92		9.82		16.4		NS		
	27-Jun-08	107		NS		NS		NS		145		NS		NS		NS		NS		20.4		NS		
	31-Jul-08	NS		101		NS		NS		NS		NS		NS		NS		14.4		NS		18.1		
	28-Aug-08	NS		NS		1130		NS		NS		NS		30.9		NS		46		47.8		NS		
	30-Sep-08	NS		NS		NS		32.8		NS		NS		NS		44.1		NS		9.4		12.8		
	27-Oct-08	19.6		NS		NS		NS		15		NS		NS		NS		17.9		NS		33.3		
	25-Nov-08	NS		148		NS		NS		NS		183		NS		NS		13		24.7		NS		
	18-Dec-08	NS		NS		856		NS		NS		NS		10.4		NS		NS		37.2		22		
	21-Jan-09	NS		NS		NS		19.1		NS		NS		NS		6.1		NS	U	2.4		NS		4.8
	25-Feb-09	28.6		NS		NS		NS		60.9		NS		NS		NS		9.5		8.3		NS		
	26-Mar-09	NS		102		NS		NS		NS		47.5	U	NS		NS		NS		50.6		64.8		
	29-Apr-09	NS		NS		1980		NS		NS		NS		23.3		NS		5.15		NS		22.1		
	22-Jul-09	58.5		NS		58.5		148		NS		87.8		NS		NS		96		88.1		NS		
	9-Oct-09	NS		25.7		NS		NS		49.7		NS		9.2		11100		6.51		NS		16.8		
	15-Jan-10	33.6		NS		90.9		22.8		NS		26.3		NS		NS		12.5		11.2		NS		
	21-Apr-10	NS		21.9		NS		NS		206		NS		263		2870		72.8		NS		73.4		
	16-Jul-10	654		NS		4800		202		NS		11400		NS		NS		8.34		21.1		NS		
	15-Oct-10	NS		11.3		NS		NS		26		NS		10.2		18.3		7.03		NS		21.2		
	26-Jan-11	114		26.8		NS		54.4		NS		34.4		NS		35.4		25.3		33.3		NS		
	28-Feb-11	NS		NS		80.8		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		106		NS		NS		255		NS		220		227		17.8		NS		58.2		
	26-Jul-11	76.2		NS		120		154	E	NS		2730		NS		NS		12.8		23.8		NS		
	28-Oct-11	NS		48	U	NS		NS		48		NS	U	48	U	48	U	51		NS		48	U	
	23-Jan-12	37		NS		36		19		NS		28		NS		NS		38		29		NS		
	13-Apr-12	NS		32		NS		NS		70		NS		32		83		54		NS		43		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		48		NS	U	
	23-Jun-12	21		NS		30		370		NS		1600		NS		NS		43		21		NS		
	1-Nov-12	NS		41		NS		NS		52		NS		75		44		35		NS		43		
	1-Feb-13	17		NS		12		25		NS		36		NS		NS		16		12		NS		
	29-Apr-13	NS		45		NS		NS		100		NS		68		62		33		NS		43		
	9-Jul-13	100		NS		170		130		NS		260		NS		NS		80		15		NS		
	18-Oct-13	NS		43		NS		NS		61		NS		47		57		48		NS		42		
	9-Jan-14	250		NS		16		25		NS		11		NS		NS		24		33		NS		
	24-Apr-14	NS		18		NS		13		NS		NS		41		15		42		24		30		
	1-Aug-14	31 <sup>M</sup>		NS		110/99 <sup>ME</sup>		110/100 <sup>ME</sup>		NS		NS		NS		NS		31 <sup>M</sup>		57/50 <sup>ME</sup>		NS		
	27-Aug-14	NS		NS		NS		NS		NS		210 <sup>F</sup> /130		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		15		NS		NS		NS		
	22-Oct-14	NS		31		NS		NS		14		5.3		17		3.8		40		19		NS		
	20-Jan-15	14		NS		23		23		NS		16		NS		NS		39		72		NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		45		NS		
	22-Apr-15	NS		87 <sup>V</sup>		NS		NS		1.9 <sup>V</sup>		NS	U	43		55 <sup>L.V</sup> /68		42		NS		49		
	21-Jul-15	12		NS		22		20		NS		9.2		NS		NS		42 <sup>O</sup>		11 <sup>O</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		5.0		NS		NS		NS		
	29-Oct-15	NS		4.5		NS		NS		20		NS		11		9.2		11		NS		22		
	4-Dec-15 resample	NS		1.9		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	8.4		NS		9.2		7.2		NS		8.6		NS		NS		49		22		NS		
	20-Apr-16	NS		7.3		NS		NS		8.4		NS		11		11		35		NS		21		
20-Jul-16	37		NS		56		44		NS		35		NS		NS		70		51		NS			
21-Oct-16	NS		17		NS		NS		25		NS		22		12		29		NS		52			
31-Jan-17	7.4 <sup>L.V</sup>		NS <sup>L.V</sup>		8.9 <sup>L.V</sup>		5.9 <sup>L.V</sup>		NS		6.7 <sup>L.V</sup>		NS		NS		21 <sup>L.V</sup>		20 <sup>L.V</sup>		NS			
17-Apr-17	NS		7		NS		NS		17		NS		13		7.5		33		NS		49			
26-Jul-17	19		NS		15		17		NS		11		NS		NS		18		16		NS			
12-Oct-17	NS		32		NS		NS		20		NS		52		29		22		NS		33			
10-Jan-18	39		NS		17		8.1		NS		NS		14		NS		26		NS		28			
11-Apr-18	NS		34		NS		NS		26		NS		36		63		38		NS		40			
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		19		NS			
27-Jul-18	73		NS		110		130		NS		77		NS		NS		83		63		NS			
24-Oct-18	NS		13		NS		NS		13		NS		16		21		30		NS		35			
16-Jan-19	33		NS		6.9		6.1		NS		6.8		NS		NS		14		21		NS			
12-Apr-19	NS		8.8		NS		NS		17		NS		9.2		7.7		25		NS		51			
29-Jul-19	130 <sup>E</sup>		NS		92 <sup>E</sup>		130 <sup>E</sup>		NS		110 <sup>E</sup>		NS		NS		72 <sup>E</sup>		65 <sup>E</sup>		NS			

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	1.08	U	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	NS	
	27-Mar-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		NS		1.08	U	1.08	U
	25-Apr-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS		1.08	U
	29-May-08	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	1.08	U	NS	
	27-Jun-08	1.69	U	NS		NS		NS		1.08	U	NS		NS		NS		NS		1.08	U	1.08	U
	31-Jul-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		1.08	U	NS		1.08	U
	28-Aug-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	1.08	U	NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS		2.2	U
	25-Feb-09	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS	
	26-Mar-09	NS		5.42	U	NS		NS		NS		10.8	U	NS		NS		NS		1.08	U	1.08	U
	29-Apr-09	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS		1.08	U
	22-Jul-09	5.42	U	NS		5.42	U	10.8	U	NS		5.42	U	NS		NS		1.08	U	1.08	U	NS	
	9-Oct-09	NS		0.051	U	NS		NS		1.08	U	NS		1.08	U	226	U	1.08	U	NS		1.08	U
	15-Jan-10	1.08	U	NS		1.08	U	1.08	U	NS		1.08	U	NS		NS		1.08	U	1.08	U	NS	
	21-Apr-10	NS		1.08	U	NS		NS		5.42	U	NS		5.42	U	5.42	U	1.08	U	NS		1.08	U
	16-Jul-10	1.08	U	NS		1.08	U	1.08	U	NS		8.19	U	NS		NS		1.08	U	1.08	U	NS	
	15-Oct-10	NS		0.108	U	NS		NS		1.08	U	NS		1.08	U	1.08	U	1.08	U	NS		1.08	U
	26-Jan-11	10.8	U	1.08	U	NS		1.08	U	NS		5.42	U	NS		5.42	U	5.42	U	5.42	U	NS	
	28-Feb-11	NS		NS		10.8	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.08	U	NS		NS		1.08	U	NS		1.08	U	1.08	U	1.08	U	NS		1.08	U
	26-Jul-11	3.62	U	NS		3.62	U	1.08	U	NS		5.42	U	NS		NS		1.08	U	5.42	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25	U	NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37 <sup>L</sup>	U	NS		NS		NS	
	22-Oct-14	NS		0.37 <sup>L</sup>	U	NS		NS		0.37 <sup>L</sup>	U	0.37 <sup>L</sup>	U	0.37 <sup>L</sup>	U	0.37 <sup>L</sup>	U	0.37 <sup>L</sup>	U	0.50 <sup>L</sup>	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26 <sup>L</sup>	U	NS		NS		0.25 <sup>L</sup>	U	NS		0.25 <sup>L</sup>	U	0.50	U	0.25 <sup>L</sup>	U	NS		0.29 <sup>L</sup>	U
	21-Jul-15	0.1	U	NS		0.4	U	2	U	NS		0.1	U	NS		NS		0.1 <sup>O</sup>	U	0.1 <sup>O</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	
	29-Oct-15	NS		0.1	U	NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3 <sup>MW</sup>	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	17-Apr-17	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.63	U	0.71	U	NS		0.63	U
	10-Jan-18	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.38	U	NS	
	27-Jul-18	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	24-Oct-18	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	16-Jan-19	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	0.25	U	NS	
	12-Apr-19	NS		0.25	U	NS		NS		0.25	U	NS		0.31	U	0.38	U	0.38	U	NS		0.38	U
	29-Jul-19	0.38	U	NS		0.38	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Benzene	8-Feb-08	0.92		NS		NS		NS		0.98		NS		NS		NS		0.54		0.85		NS	
	27-Mar-08	NS		0.54		NS		NS		NS		0.462		NS		NS		NS		0.788		0.635	
	25-Apr-08	NS		NS		0.584		NS		NS		NS		0.745		NS		0.428		NS		0.536	
	29-May-08	NS		NS		NS		0.73		NS		NS		NS		1.03		1.12		0.61		NS	
	27-Jun-08	0.626		NS		NS		NS		0.468		NS		NS		NS		NS		0.499		0.399	
	31-Jul-08	NS		0.418		NS		NS		NS		NS		NS		NS		0.358		NS		0.265	
	28-Aug-08	NS		NS		1.02		NS		NS		NS		0.537		NS		0.815		0.692		NS	
	30-Sep-08	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	1.6	U
	27-Oct-08	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U
	25-Nov-08	NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	18-Dec-08	NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U
	21-Jan-09	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	NS	
	25-Feb-09	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		NS		1.6	U	1.6	U
	26-Mar-09	NS		2.1		NS		NS		NS		2.23	U	NS		NS		NS		0.945		1.48	
	29-Apr-09	NS		NS		0.603		NS		NS		NS		0.246		NS		0.223		NS		0.367	
	22-Jul-09	1.12	U	NS		56		2.23	U	NS		1.45		NS		NS		4.27		0.629		NS	
	9-Oct-09	NS		1.15		NS		NS		0.974		NS		0.431		46.6	U	0.619		NS		0.824	
	15-Jan-10	0.763		NS		0.887		0.98		NS		1.26		NS		NS		0.964		0.964		NS	
	21-Apr-10	NS		0.373		NS		NS		0.16	U	NS		1.6	U	1.61		0.635		NS		1.26	
	16-Jul-10	0.332		NS		1.53		0.689		NS		2.41	U	NS		NS		0.319	U	0.319	U	NS	
	15-Oct-10	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.319	U	0.319	U	NS		0.319	U
	26-Jan-11	3.19	U	2.49		NS		2.46		NS		1.6	U	NS		1.85		1.8		1.9		NS	
	28-Feb-11	NS		NS		3.19	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.354		0.319	U	NS		0.319	
	26-Jul-11	1.06	U	NS		1.06	U	0.434		NS		1.6	U	NS		NS		0.319	U	1.6	U	NS	
	28-Oct-11	NS		1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U	NS	
	23-Jan-12	0.84		NS		1.2		0.98		NS		0.81		NS		NS		1.4		1.5		NS	
	13-Apr-12	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6	U	NS	
	23-Jun-12	0.45		NS		0.61		0.88		NS		0.43		NS		NS		0.42		0.4		NS	
	1-Nov-12	NS		0.45		NS		NS		0.43		NS		0.49		0.56		0.61		NS		1	
	1-Feb-13	0.33		NS		0.45		0.47		NS		0.35		NS		NS		0.45		0.46		NS	
	29-Apr-13	NS		0.41		NS		NS		0.38		NS		0.41		0.47		0.63		NS		0.67	
	9-Jul-13	0.64		NS		0.93		0.76		NS		0.70		NS		NS		0.65		0.42		NS	
	18-Oct-13	NS		0.66		NS		NS		0.63		NS		0.86		1.0		0.28		NS		0.92	
	9-Jan-14	1.2		NS		1.1		0.97		NS		1.1		NS		NS		1.5		1.5		NS	
	24-Apr-14	NS		0.3		NS		NS		0.22		NS		0.32		0.23		0.39		0.34		0.35	
	1-Aug-14	0.49		NS		0.79/0.76		0.68/0.69		NS		NS		NS		NS		0.34		0.43		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.69		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS	U	NS	
	22-Oct-14	NS		0.28		NS		NS		0.21		0.19		0.34		0.14		0.36		0.32		NS	
	20-Jan-15	0.42		NS		0.33		0.45		NS		0.31		NS		NS		0.63		0.46		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.41		NS	
	22-Apr-15	NS		0.48		NS		NS		0.35		NS		0.46		0.57/0.60		0.84		NS		0.93	
	21-Jul-15	0.35		NS		0.520 <sup>1</sup>		3	U	NS		0.29		NS		NS		0.29 <sup>0</sup>		0.41 <sup>0</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.28		NS		NS		NS	
	29-Oct-15	NS		0.15 <sup>1</sup>		NS		NS		0.19		NS		0.26 <sup>1</sup>		0.27		0.24		NS		0.23	
	4-Dec-15 resample	NS		0.11 <sup>1</sup>		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.32		NS		0.5		0.53		NS		0.43		NS		NS		0.72		0.69		NS	
	20-Apr-16	NS		0.21		NS		NS		0.27		NS		0.27		0.32		0.73		NS		0.47	
20-Jul-16	0.32	U	NS		0.7		0.41		NS		0.68		NS		NS		0.43		0.85		NS		
21-Oct-16	NS		0.35		NS		NS		0.84		NS		0.58		1.3		0.39		NS		0.064	U	
31-Jan-17	0.24		NS		0.43		0.37		NS		0.37		NS		NS		0.66		0.49		NS		
17-Apr-17	NS		0.25		NS		NS		0.26		NS		0.24		0.33		0.29		NS		0.39		
26-Jul-17	0.2		NS		0.41		0.36		NS		0.37		NS		NS		0.4		0.5		NS		
12-Oct-17	NS		0.18		NS		NS		0.17		NS		0.23		0.4		0.37		NS		0.32		
10-Jan-18	0.26		NS		0.46		0.46		NS		0.44		NS		NS		0.73		NS		0.35		
11-Apr-18	NS		0.36		NS		NS		0.64	U	NS		0.64	U	0.64	U	0.99		NS		0.81		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.3		NS		
27-Jul-18	0.32	U	NS		0.6		0.39		NS		0.43		NS		NS		0.37		0.38		NS		
24-Oct-18	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.47		
16-Jan-19	0.55		NS		0.5		0.64		NS		0.48		NS		NS		1		0.75		NS		
12-Apr-19	NS		0.44		NS		NS		0.37		NS		NS		0.71		0.67		NS		0.54		
29-Jul-19	0.6		NS		0.73		0.88		NS		1.3		NS		NS		0.34		1.1		NS		



**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS	
	27-Mar-08	NS		0.134	U	NS		NS		NS		0.134	U	NS		NS		NS		0.134	U	0.134	U
	25-Apr-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	29-May-08	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	0.13	U	NS	
	27-Jun-08	0.209	U	NS		NS		NS		0.134	U	NS		NS		NS		NS		0.134	U	0.134	U
	31-Jul-08	NS		0.134	U	NS		NS		NS		NS		NS		NS		0.134	U	NS		0.134	U
	28-Aug-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	0.134	U	NS	
	30-Sep-08	NS		NS		NS		0.52		NS		NS		NS		0.13	U	NS		0.23		0.13	U
	27-Oct-08	0.13	U	NS		NS		NS		1.07		NS		NS		NS		0.13	U	NS		0.13	U
	25-Nov-08	NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	3		NS	
	18-Dec-08	NS		NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	0.13	U
	21-Jan-09	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS		0.13	U
	25-Feb-09	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS	
	26-Mar-09	NS		0.67	U	NS		NS		NS		1.34	U	NS		NS		NS		0.134	U	0.134	U
	29-Apr-09	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	22-Jul-09	0.67	U	NS		27.3	U	1.34		NS		0.67	U	NS		NS		0.134	U	0.134	U	NS	
	9-Oct-09	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	28	U	0.134	U	NS		0.134	U
	15-Jan-10	0.134	U	NS		0.134	U	0.134		NS		0.134	U	NS		NS		0.134	U	0.134	U	NS	
	21-Apr-10	NS		0.134	U	NS		NS		0.67	U	NS		0.67	U	0.67	U	0.134	U	NS		0.134	U
	16-Jul-10	0.134	U	NS		0.134	U	0.134		NS		1.01	U	NS		NS		0.134	U	0.134	U	NS	
	15-Oct-10	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jan-11	1.34	U	0.134	U	NS		0.134		NS		0.67	U	NS		0.67	U	0.67	U	0.67	U	NS	
	28-Feb-11	NS		NS		1.34	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jul-11	0.447	U	NS		0.447	U	0.134		NS		0.67	U	NS		NS		0.134	U	0.67	U	NS	
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	0.67	U	NS		0.67	U	0.67		NS		0.67	U	NS		NS		0.67	U	0.67	U	NS	
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	
	23-Jun-12	0.67	U	NS		0.67	U	0.67		NS		0.67	U	NS		NS		0.67	U	0.67	U	NS	
	1-Nov-12	NS		0.067	U	NS		NS		0.067	U	NS		0.067	U	0.067	U	0.067	U	NS		0.067	U
	1-Feb-13	0.067	U	NS		0.067	U	0.067		NS		0.067	U	NS		NS		0.067	U	0.067	U	NS	
	29-Apr-13	NS		0.16	U	NS		NS		0.067	U	NS		0.67	U	0.067	U	0.067	U	NS		0.067	U
	9-Jul-13	0.1	U	NS		0.067	U	0.067		NS		0.067	U	NS		NS		0.067	U	0.23		NS	
	18-Oct-13	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	
	9-Jan-14	0.13	U	NS		0.13	U	0.13		NS		0.13	U	NS		NS		0.13	U	0.13	U	NS	
	24-Apr-14	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	0.13	U	0.20	U
	1-Aug-14	0.13	U	NS		0.20	U	0.20		NS		NS		NS		NS		0.13	U	0.13	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.067	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.1		NS		NS	U	NS	
	22-Oct-14	NS		0.10	U	NS		NS		0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.13	U	NS	
	20-Jan-15	0.067	U	NS		0.067	U	0.067		NS		0.067	U	NS		NS		0.1	U	0.067	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.075	U	NS	
	22-Apr-15	NS		0.069	U	NS		NS		0.067	U	NS		0.067	U	0.097	U	0.067	U	NS		0.077	U
	21-Jul-15	0.3	U	NS		NS		7	U	NS		0.4	U	NS		NS		0.30 <sup>o</sup>	U	0.40 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.067	U	NS		0.067	U	0.067		NS		0.067	U	NS		NS		0.067	U	0.42		NS	
	20-Apr-16	NS		0.067	U	NS		NS		0.83		NS		0.067	U	0.067	U	0.067	U	NS		0.12	
	20-Jul-16	0.34	U	NS		0.34	U	0.34		NS		0.38	U	NS		NS		0.43	U	0.34	U	NS	
	21-Oct-16	NS		0.067	U	NS		NS		0.067	U	NS		0.067	U	0.067	U	0.067	U	NS		0.067	U
	31-Jan-17	0.067	U	NS		0.067	U	0.067		NS		0.067	U	NS		NS		0.067	U	0.067	U	NS	
	17-Apr-17	NS		0.10	U	NS		NS		0.10	U	NS		0.10	U	0.1	U	0.10	U	NS		0.1	U
	26-Jul-17	0.067	U	NS		0.067	U	0.067		NS		0.067	U	NS		NS		0.067	U	0.067	U	NS	
	12-Oct-17	NS		0.067	U	NS		NS		0.067	U	NS		0.2	U	0.17	U	0.19	U	NS		0.17	U
	10-Jan-18	0.067	U	NS		0.067	U	0.067		NS		0.067	U	NS		NS		0.067	U	NS		0.067	U
	11-Apr-18	NS		0.13	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	0.13	U	NS		1.3	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.1	U	NS	
	27-Jul-18	0.34	U	NS		0.34	U	0.34		NS		0.34	U	NS		NS		0.34	U	0.34	U	NS	
	24-Oct-18	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U
	16-Jan-19	0.067	U	NS		0.067	U	0.067		NS		0.067	U	NS		NS		0.067	U	0.067	U	NS	
	12-Apr-19	NS		0.067	U	NS		NS		0.067	U	NS		0.084	U	0.1	U	0.1	U	NS		0.1	U
	29-Jul-19	0.1	U	NS		0.1	U	0.067		NS		0.067	U	NS		NS		0.067	U	1.6		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.21	U	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	NS	U
	27-Mar-08	NS		0.206	U	NS		NS		NS		0.206	U	NS		NS		NS		0.206	U	0.206	U
	25-Apr-08	NS		NS		NS		NS		NS		NS		0.206	U	NS		0.206	U	NS		0.206	U
	29-May-08	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	NS		NS	U
	27-Jun-08	0.322	U	NS		NS		NS		0.206	U	NS		NS		NS		NS		0.206	U	0.206	U
	31-Jul-08	NS		0.206	U	NS		NS		NS		NS		NS		NS		0.206	U	NS		0.206	U
	28-Aug-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	0.206	U	NS	U
	30-Sep-08	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U	NS	U
	27-Oct-08	0.41	U	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	0.41	U	NS	U
	18-Dec-08	NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	NS	U
	21-Jan-09	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		NS		0.41	U
	25-Feb-09	0.41	U	NS		NS		NS		0.14	U	NS		NS		NS		0.41	U	0.41	U	NS	U
	26-Mar-09	NS		1.03	U	NS		NS		NS		2.06	U	NS		NS		NS		0.206	U	0.206	U
	29-Apr-09	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	NS		0.206	U
	22-Jul-09	1.03	U	NS		42	U	2.06	U	NS		1.03	U	NS		NS		0.206	U	0.206	U	NS	U
	9-Oct-09	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	43.1	U	0.206	U	NS		0.206	U
	15-Jan-10	0.206	U	NS		0.206	U	0.206	U	NS		0.206	U	NS		NS		0.206	U	0.206	U	NS	U
	21-Apr-10	NS		0.206	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	0.206	U	NS		0.206	U
	16-Jul-10	0.206	U	NS		0.206	U	0.206	U	NS		1.56	U	NS		NS		0.206	U	0.206	U	NS	U
	15-Oct-10	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS		0.206	U
	26-Jan-11	2.06	U	0.206	U	NS		0.206	U	NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS	U
	28-Feb-11	NS		NS		2.06	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS		0.206	U
	26-Jul-11	0.69	U	NS		0.69	U	0.207	U	NS		1.03	U	NS		NS		0.207	U	1.03	U	NS	U
	28-Oct-11	NS		5.2	U	NS		NS		5.2	U	NS		5.2	U	5.2	U	5.2	U	NS		5.2	U
	23-Jan-12	1	U	NS		1	U	1	U	NS		1	U	NS		NS		1	U	1	U	NS	U
	13-Apr-12	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1	U	NS		1	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		5.2	U	NS	U
	23-Jun-12	1	U	NS		1	U	1	U	NS		1	U	NS		NS		1	U	1	U	NS	U
	1-Nov-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	1-Feb-13	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	29-Apr-13	NS		0.52	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	9-Jul-13	0.31	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	18-Oct-13	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	9-Jan-14	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	24-Apr-14	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	0.21	U	0.31	U
	1-Aug-14	0.21	U	NS		0.31	U	0.31	U	NS		NS		NS		NS		0.21	U	0.21	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.21	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS		NS	U
	22-Oct-14	NS		0.31	U	NS		NS		0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.41	U	NS	U
	20-Jan-15	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.31	U	0.21	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.23	U	NS	U
	22-Apr-15	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.03	U	0.21	U	NS		0.24	U
	21-Jul-15	0.5	U	NS		2	U	10	U	NS		0.6	U	NS		NS		0.50 <sup>o</sup>	U	0.60 <sup>o</sup>	U	NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.5	U	NS		NS		NS	U
	29-Oct-15	NS		0.6	U	NS		NS		0.6	U	NS		0.9	U	0.5	U	0.5	U	NS		0.5	U
	4-Dec-15 resample	NS		0.5	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Jan-16	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	20-Apr-16	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	20-Jul-16	1.0	U	NS		1.0	U	1.0	U	NS		1.0	U	NS		NS		1.0	U	1.0	U	NS	U
	21-Oct-16	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.2	U	NS		0.21	U
	31-Jan-17	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	17-Apr-17	NS		0.310	U	NS		NS		0.310	U	NS		0.310	U	0.310	U	0.310	U	NS		0.310	U
	26-Jul-17	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.210	U	0.21	U	NS	U
	12-Oct-17	NS		0.21	U	NS		NS		0.21	U	NS		0.63	U	0.52	U	0.590	U	NS		0.52	U
	10-Jan-18	0.21	U	NS		0.21	U	NS		NS		0.21	U	NS		NS		0.210	U	NS		0.21	U
	11-Apr-18	NS		0.21	U	NS		NS		2.1 <sup>D</sup>	U	NS		2.1 <sup>D</sup>	U	2.1 <sup>D</sup>	U	0.210	U	NS		2.1 <sup>D</sup>	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.31	U	NS	U
	27-Jul-18	1.0	U	NS		1.0	U	1.0	U	NS		1.0	U	NS		NS		1.0	U	1.0	U	NS	U
	24-Oct-18	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1.0	U	NS		1	U
	16-Jan-19	0.2	U	NS		0.2	U	0.2	U	NS		0.2	U	NS		NS		0.2	U	0.2	U	NS	U
	12-Apr-19	NS		0.1	U	NS		NS		0.1	U	NS		0.13	U	0.16	U	0.16	U	NS		0.16	U
	29-Jul-19	0.31	U	NS		0.31	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	3.1		NS	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
2-Butanone	8-Feb-08	126		NS		NS		NS		1.47	U	NS		NS		NS		3.08		10.6		NS		
	27-Mar-08	NS		226		NS		NS		NS		NS		NS		NS		NS		11.9		3.9		
	25-Apr-08	NS		NS		477		NS		NS		NS		1680		NS		2.24		NS		1.47	U	
	29-May-08	NS		NS		NS		527		NS		NS		NS		591		2.27		3.04		NS		
	27-Jun-08	1080		NS		NS		NS		596		NS		NS		NS		NS		6.92		3.64		
	31-Jul-08	NS		1350		NS		NS		NS		NS		NS		NS		12		NS		2.56		
	28-Aug-08	NS		NS		8380		NS		NS		NS		102		NS		5.29		9.18		NS		
	30-Sep-08	NS		NS		NS		101		NS		NS		NS		194		NS		2		1.5	U	
	27-Oct-08	53.5		NS		NS		NS		30.5		NS		NS		NS		2.4		NS		5.7		
	25-Nov-08	NS		802		NS		NS		NS		259		NS		NS		1.8		2.4		NS		
	18-Dec-08	NS		NS		5630		NS		NS		NS		8.3		NS		NS		2.6		3.3		
	21-Jan-09	NS		NS		NS		209		NS		NS		24		NS		1.5	U	NS		1.5	U	
	25-Feb-09	30		NS		NS		NS		198		NS		NS		NS		1.5	U	1.5	U	NS		
	26-Mar-09	NS		926		NS		NS		NS		29.1		NS		NS		NS		2.66		3.02		
	29-Apr-09	NS		NS		12400		NS		NS		NS		38.1		NS		1.47	U	NS		3.06		
	22-Jul-09	433		NS		433		410		NS		151		NS		NS		21.6		2.8		NS		
	9-Oct-09	NS		289		NS		NS		1.47	U	NS		19.1		22700		2.75		NS		12.6		
	15-Jan-10	29.8		NS		826		64.1		NS		38.4		NS		NS		2.64		1.6		NS		
	21-Apr-10	NS		6.44		NS		NS		7.37	U	NS		34.6		1840		16.8		NS		14.5		
	16-Jul-10	5320		NS		21000		441		NS		10400		NS		NS		1.54		2.8		NS		
	15-Oct-10	NS		117		NS		NS		44.9		NS		2.85		18.2		1.47	U	NS		1.92		
	26-Jan-11	940		22.3		NS		16.5		NS		7.37	U	NS		50.4		7.37	U	7.37	U	NS		
	28-Feb-11	NS		NS		625		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		6.87		NS		NS		171		NS		11.3		15.3		5.38		NS		10.4		
	26-Jul-11	690	E	NS		82.9		93.2		NS		11000		NS		NS		2.07		7.37	U	NS		
	28-Oct-11	NS		59	U	NS		NS		59	U	NS		59	U	59	U	59	U	59	U	59	U	
	23-Jan-12	110		NS		70		12	U	NS		20		NS		NS		12	U	12	U	NS		
	13-Apr-12	NS		16		NS		NS		74		NS		12	U	12	U	12	U	NS		12	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		59		NS		
	23-Jun-12	75		NS		92		3700		NS		1900		NS		NS		12	U	12	U	NS		
	1-Nov-12	NS		24		NS		NS		44		NS		3.6		12		3.7		NS		4.2		
	1-Feb-13	36		NS		4.9		16		NS		20		NS		NS		2.4		2.4	U	NS		
	29-Apr-13	NS		170		NS		NS		110		NS		6.1		7		7.2		NS		4.5		
	9-Jul-13	98		NS		130		79		NS		370		NS		NS		6.8		2.4	U	NS		
	18-Oct-13	NS		91		NS		NS		28		NS		4		52		8.2		NS		6.4		
	9-Jan-14	1900		NS		11		26		NS		11		NS		NS		4.2		2.6		NS		
	24-Apr-14	NS		32		NS		NS		11		NS		3.2		19		8.1		2.5		3.5	U	
	1-Aug-14	38		NS		110/81		110/93		NS		NS		NS		NS		5.8		4.3		NS		
	27-Aug-14	NS		NS		NS		NS		NS		12		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		7.0		NS		NS		NS		
	22-Oct-14	NS		5.8		NS		NS		16		3.5	U	3.9		3.5	U	15		4.7	U	NS		
	20-Jan-15	5.1		NS		3.9		4.3		NS		2.4	U	NS		NS		7.5		6.2	U	NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		5.5		NS		
	22-Apr-15	NS		17 <sup>v</sup>		NS		NS		23 <sup>v</sup>		NS		11		11		19		NS		10		
	21-Jul-15	17		NS		55		170		NS		21		NS		NS		20 <sup>o</sup>		2.2 <sup>o</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		7.9		NS		NS		NS		
	29-Oct-15	NS		10		NS		NS		13		NS		11		5.7		2.1		NS		3.1		
	4-Dec-15 resample	NS		3.3		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	2.4	U	NS		2.4		2.4	U	NS		2.4	U	NS		NS		12		4.4		NS		
	20-Apr-16	NS		21		NS		NS		29		NS		34		21		12		NS		4.1		
20-Jul-16	36		NS		37		12	U	NS		46		NS		NS		32		12	U	NS			
21-Oct-16	NS		21		NS		NS		12		NS		3.3		3.3		5.1		NS		8.3			
31-Jan-17	2.4	U	NS		2.8		2.4	U	NS		2.4	U	NS		NS		5		5.6		NS			
17-Apr-17	NS		13		NS		NS		21		NS		4.2		16		8		NS		7			
26-Jul-17	29		NS		16		6.1		NS		7.3		NS		NS		6.8		3.5		NS			
12-Oct-17	NS		8.3		NS		NS		8.3		NS		7.1	U	5.9	U	6.7	U	NS		5.9	U		
10-Jan-18	96 <sup>f</sup>		NS		18		2.4	U	NS		8.1		NS		NS		4.7		NS		3.5			
11-Apr-18	NS		6		NS		NS		24	U	NS		24	U	24	U	5.1		NS		24	U		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.5		NS			
27-Jul-18	22		NS		24		12	U	NS		12	U	NS		NS		20		12	U	NS			
24-Oct-18	NS		12	U	NS		NS		12	U	NS		12	U	12	U	12	U	NS		12	U		
16-Jan-19	41		NS		3		2.4	U	NS		2.4	U	NS		NS		3.6		3.9		NS			
12-Apr-19	NS		7.3		NS		NS		6.4		NS		3	U	3.5	U	4.1		NS		4.4			
29-Jul-19	6.4		NS		25		12		NS		11		NS		NS		9.7		3.2		NS			

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	22.1		NS		NS		NS		5.5	U	NS		NS		NS		12.8		NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	11.5		NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		1.08	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	NS		NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.745	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		7.9	U	NS		NS		7.9	U	NS		7.9	U	7.9	U	7.9	U	NS		7.9	U
	23-Jan-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	13-Apr-12	NS		1.6	U	NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		7.9	U	NS	
	23-Jun-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	1-Nov-12	NS		0.32	U	NS		NS		0.32	U	NS		0.44		0.35		0.38		NS		0.32	U
	1-Feb-13	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	29-Apr-13	NS		0.79	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	9-Jul-13	0.47	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	18-Oct-13	NS		0.54		NS		NS		0.52		NS		0.74		0.65		0.68		NS		0.87	
	9-Jan-14	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	24-Apr-14	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	0.32	U	0.47	U
	1-Aug-14	0.32	U	NS		0.63		0.47 <sup>L</sup>	U	NS		NS		NS		NS		0.32	U	0.56		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.32	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.47	U	NS		NS		NS	
	22-Oct-14	NS		0.47	U	NS		NS		0.47	U	0.47	U	0.47	U	0.47	U	0.47	U	0.63	U	NS	
	20-Jan-15	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.47	U	0.032	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.36	U	NS	
	22-Apr-15	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.46	U	0.32	U	NS		0.36	U
	27-Jan-16	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	20-Apr-16	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	20-Jul-16	1.6	U	NS		1.6 <sup>MV</sup>	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	21-Oct-16	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	31-Jan-17	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	17-Apr-17	NS		0.47	U	NS		NS		0.47	U	NS		0.47	U	0.47	U	0.47	U	NS		0.47	U
	26-Jul-17	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	12-Oct-17	NS		0.32	U	NS		NS		0.32	U	NS		0.96	U	0.79	U	0.9	U	NS		0.79	U
	10-Jan-18	0.32	U	NS		0.32	U	NS		0.32	U	NS		NS		NS		0.32	U	NS		0.32	U
	11-Apr-18	NS		0.32	U	NS		NS		3.2	U	NS		3.2	U	3.2	U	0.32	U	NS		3.2	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.47	U	NS	
	27-Jul-18	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	24-Oct-18	NS		1.6	U	NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U
	16-Jan-19	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	12-Apr-19	NS		0.32	U	NS		NS		0.32	U	NS		0.4	U	0.47	U	0.47	U	NS		0.47	U
	29-Jul-19	0.47	U	NS		0.47	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	27-Oct-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	NS	
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.74		NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	2.74	U	NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.47	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	6.3	U	6.3	U	NS		6.3	U
	23-Jan-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	13-Apr-12	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.3	U	NS	
	23-Jun-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.63	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.38	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.38	U
	1-Aug-14	0.25	U	NS		0.38	U	0.38	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.38	U	NS		NS		NS	
	22-Oct-14	NS		0.38	U	NS		NS		0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.50	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.38	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3 <sup>MW</sup>	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	17-Apr-17	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.63	U	0.71	U	NS		0.63	U
	10-Jan-18	0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.38	U	NS	
	27-Jul-18	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	24-Oct-18	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	16-Jan-19	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Apr-19	NS		0.25	U	NS		NS		0.25	U	NS		0.31	U	0.38	U	0.38	U	NS		0.38	U
	29-Jul-19	0.38	U	NS		0.38	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
Carbon tetrachloride	8-Feb-08	0.44		NS		NS		NS		0.46		NS		NS		NS		0.53		0.45		NS			
	27-Mar-08	NS		0.539		NS		NS		NS		0.477		NS		NS		NS		0.576		NS		0.574	
	25-Apr-08	NS		NS		0.417		NS		NS		NS		0.448		NS		0.459		NS		0.448			
	29-May-08	NS		NS		NS		0.46		NS		NS		NS		0.46		0.47		0.46		NS			
	27-Jun-08	0.478		NS		NS		NS		0.506		NS		NS		NS		NS		0.533		NS		0.553	
	31-Jul-08	NS		0.576		NS		NS		NS		NS		NS		NS		0.548		NS		NS		0.495	
	28-Aug-08	NS		NS		0.515		NS		NS		NS		0.549		NS		0.567		0.563		NS			
	30-Sep-08	NS		NS		NS		0.511		NS		NS		NS		0.577		NS		0.451		NS		0.469	
	27-Oct-08	0.48		NS		NS		NS		0.36		NS		NS		NS		0.41		NS		NS		0.56	
	25-Nov-08	NS		0.5		NS		NS		NS		NS		0.42		NS		0.3		0.44		NS			
	18-Dec-08	NS		NS		0.23		NS		NS		NS		0.28		NS		NS		0.48		NS		0.46	
	21-Jan-09	NS		NS		NS		0.36		NS		NS		NS		0.47		NS		NS		NS		0.67	
	25-Feb-09	0.39		NS		NS		NS		0.36		NS		NS		NS		0.37		0.36		NS			
	26-Mar-09	NS		0.629	U	NS		NS		NS		1.26	U	NS		NS		NS		0.601		NS		0.565	
	29-Apr-09	NS		NS		0.484		NS		NS		NS		0.528		NS		0.522		NS		NS		0.654	
	22-Jul-09	0.629	U	NS		25.6	U	1.26	U	NS		0.629	U	NS		NS		0.515		0.503		NS			
	9-Oct-09	NS		0.691		NS		NS		0.666		NS		0.465		26.2	U	0.71		NS		NS		0.691	
	15-Jan-10	0.427		NS		0.647		0.509		NS		0.541		NS		NS		0.541		0.528		NS			
	21-Apr-10	NS		0.126		NS		NS		0.629	U	NS		0.629	U	0.629	U	0.61		NS		NS		0.503	
	16-Jul-10	0.459		NS		0.478		0.515		NS		0.95	U	NS		NS		0.559		0.509		NS			
	15-Oct-10	NS		0.509		NS		NS		0.434		NS		0.383		0.402		0.421		NS		NS		0.44	
	26-Jan-11	1.26	U	0.415		NS		0.415		NS		0.629	U	NS		0.629	U	0.629	U	0.629	U	0.629	U	NS	
	28-Feb-11	NS		NS		1.26	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.339		NS		NS		0.339		NS		NS		0.33		0.364		0.339		NS		0.327	
	26-Jul-11	0.44		NS		0.42	U	0.409		NS		0.629	U	NS		NS		0.402		0.629	U	NS			
	28-Oct-11	NS		3.1	U	NS		NS		3.1	U	NS		3.1	U	3.1	U	3.1	U	NS		NS		3.1	U
	23-Jan-12	0.63	U	NS		0.63	U	0.63	U	NS		0.63	U	NS		NS		0.63	U	0.63	U	0.63	U	NS	
	13-Apr-12	NS		0.31	U	NS		NS		0.31	U	NS		0.31	U	0.31	U	0.31	U	NS		NS		0.31	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6		NS			
	23-Jun-12	0.63	U	NS		0.63	U	0.63	U	NS		0.63	U	NS		NS		0.63	U	0.63	U	0.63	U	NS	
	1-Nov-12	NS		0.48		NS		NS		0.46		NS		0.46		0.45		0.47		NS		NS		0.43	
	1-Feb-13	0.44		NS		0.43		0.39		NS		0.42		NS		NS		0.49		0.5		NS			
	29-Apr-13	NS		0.42		NS		NS		0.44		NS		NS		0.48		NS		0.48		NS		0.46	
	9-Jul-13	0.52		NS		0.52		0.46		NS		0.48		NS		NS		0.45		0.47		NS			
	18-Oct-13	NS		0.45		NS		NS		0.41		NS		0.4		0.45		0.44		NS		NS		0.47	
	9-Jan-14	0.40		NS		0.45		0.40		NS		0.43		NS		NS		0.43		0.43		NS			
	24-Apr-14	NS		0.48		NS		NS		0.45		NS		0.42		0.47		0.47		0.47		NS		0.48	
	1-Aug-14	0.30		NS		0.44		0.43		NS		NS		NS		NS		0.56		0.43		NS			
	27-Aug-14	NS		NS		NS		NS		NS		0.45		NS		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS		NS	U	NS	
	22-Oct-14	NS		0.45		NS		NS		0.42		0.43		0.42		0.45		0.43		0.44		NS		NS	
	20-Jan-15	0.45		NS		0.49		0.42		NS		0.44		NS		NS		0.48		0.48		NS		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS	
	22-Apr-15	NS		0.28		NS		NS		0.29		NS		NS		0.34/0.36		NS		0.33		NS		0.33	
	21-Jul-15	0.270 <sup>J</sup>		NS		1	U	6	U	NS		0.28 <sup>J</sup>		NS		NS		0.25 <sup>JO</sup>		0.24 <sup>JO</sup>		NS		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.29 <sup>J</sup>		NS		NS		NS		NS	
	29-Oct-15	NS		0.35		NS		NS		0.29 <sup>J</sup>		NS		NS		0.27 <sup>J</sup>		0.27 <sup>J</sup>		NS		NS		NS	
	4-Dec-15 resample	NS		0.30 <sup>J</sup>		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.57		NS		0.59		0.53		NS		0.56		NS		NS		0.57		0.59		NS		NS	
	20-Apr-16	NS		0.65		NS		NS		0.61		NS		0.62		0.65		0.64		NS		NS		0.67	
20-Jul-16	0.42		NS		0.58		0.59		NS		0.64		NS		NS		0.63		NS		NS		NS		
21-Oct-16	NS		0.49		NS		NS		0.45		NS		0.44		0.46		0.48		NS		NS		0.47		
31-Jan-17	0.41		NS		0.38		0.39		NS		0.4		NS		NS		0.45		0.48		NS		NS		
17-Apr-17	NS		0.49		NS		NS		0.44		NS		0.43		0.49		NS		0.48		NS		0.48		
26-Jul-17	0.4		NS		0.44		0.41		NS		0.4		NS		NS		0.39		0.39		NS		NS		
12-Oct-17	NS		0.38		NS		NS		0.37		NS		0.43		0.62		0.47		NS		NS		0.41		
10-Jan-18	0.34		NS		0.35		0.36		NS		0.35		NS		NS		0.37		NS		NS		0.37		
11-Apr-18	NS		0.49		NS		NS		1.3 <sup>D</sup>	U	NS		1.3 <sup>D</sup>	U	1.3 <sup>D</sup>	U	0.55		NS		NS		1.3 <sup>D</sup>	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.45		NS		NS		
27-Jul-18	0.31	U	NS		0.31	U	0.31	U	NS		0.31	U	NS		NS		0.31	U	0.31	U	NS		NS		
24-Oct-18	NS		0.31	U	NS		NS		0.31	U	NS		0.31	U	0.31	U	0.31	U	NS		NS		0.31	U	
16-Jan-19	0.4		NS		0.39		NS		NS		0.4		NS		NS		0.44		0.44		NS		NS		
12-Apr-19	NS		0.47		NS		NS		0.44		NS		0.39		0.42		0.45		NS		NS		0.43		
29-Jul-19	0.37		NS		0.44		0.47		NS		0.49		NS		NS		0.46		1.8		NS		NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Chlorobenzene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.052	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS	
	27-Jun-08	0.207		NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	NS	
	30-Sep-08	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		2.3	U	2.3	U
	27-Oct-08	2.3	U	NS		NS		2.3	U	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U
	25-Nov-08	NS		2.3	U	NS		NS		NS		2.3	U	NS		NS		2.3	U	2.3	U	NS	
	18-Dec-08	NS		NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	NS		2.3	U	2.3	U
	21-Jan-09	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		2.3	U	NS	
	25-Feb-09	2.3	U	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	2.3	U	NS	
	26-Mar-09	NS		0.46	U	NS		NS		NS		0.92	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	22-Jul-09	0.46	U	NS		18.8	U	0.92	U	NS		0.46	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	19.2	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	21-Apr-10	NS		0.092	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.092	U	NS		0.092	U
	16-Jul-10	0.092	U	NS		0.092	U	0.212	U	NS		0.695	U	NS		NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.129	U	NS		0.106	U	0.101	U	0.092	U	NS		0.101	U
	26-Jan-11	0.92	U	0.092	U	NS		0.092	U	NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS	
	28-Feb-11	NS		NS		0.92	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.307	U	NS		0.307	U	0.092	U	NS		0.46	U	NS		NS		0.092	U	0.46	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	12		NS	
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.3	U	NS	
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
	1-Nov-12	NS		0.092	U	NS		NS		0.092	U	NS		0.16	U	0.092	U	0.092	U	NS		0.092	U
	1-Feb-13	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	29-Apr-13	NS		0.12	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	9-Jul-13	0.18		NS		0.14		0.15		NS		0.15		NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	24-Apr-14	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	0.046	U	0.14	U
	1-Aug-14	0.092	U	NS		0.14	U	0.25		NS		NS		NS		NS		0.092	U	0.092	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.092	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.14	U	NS		NS		NS	
	22-Oct-14	NS		0.14	U	NS		NS		0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.18	U	NS	
	20-Jan-15	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.14	U	0.092	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.10	U	NS	
	22-Apr-15	NS		0.094	U	NS		NS		0.092	U	NS		0.092	U	0.13	U	0.092	U	NS		0.11	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.2 <sup>o</sup>	U	0.2 <sup>o</sup>	U	NS	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	NS		NS		0.2	U	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS		
20-Apr-16	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U	
20-Jul-16	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS		
21-Oct-16	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U	
31-Jan-17	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS		
17-Apr-17	NS		0.14	U	NS		NS		0.14	U	NS		0.14	U	0.14	U	0.14	U	NS		0.14	U	
26-Jul-17	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS		
12-Oct-17	NS		0.092	U	NS		NS		0.092	U	NS		0.28	U	0.23	U	0.26	U	NS		0.23	U	
10-Jan-18	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	
11-Apr-18	NS		0.092	U	NS		NS		0.92	U	NS		0.92	U	0.92	U	0.092	U	NS		0.92	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS		
27-Jul-18	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS		
24-Oct-18	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U	
16-Jan-19	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	
12-Apr-19	NS		0.092	U	NS		NS		0.092	U	NS		0.12	U	0.14	U	0.14	U	NS		0.14	U	
29-Jul-19	0.14	U	NS		0.14	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS	
	27-Mar-08	NS		0.053	U	NS		NS		NS		0.053	U	NS		NS		NS		0.053	U	NS	U
	25-Apr-08	NS		NS		0.053	U	NS		NS		NS		0.139		NS		0.053	U	NS		0.053	U
	29-May-08	NS		NS		NS		0.11		NS		NS		NS		0.1		0.07		0.05		NS	U
	27-Jun-08	0.082	U	NS		NS		NS		0.132		NS		NS		NS		NS		0.053		0.053	U
	31-Jul-08	NS		0.053	U	NS		NS		NS		NS		NS		NS		0.053	U	NS		0.053	U
	28-Aug-08	NS		NS		0.053	U	NS		NS		NS		0.153		NS		0.053	U	0.075		NS	
	30-Sep-08	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	1.3	U
	27-Oct-08	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		NS	1.6
	25-Nov-08	NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	1.3
	18-Dec-08	NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3	U
	21-Jan-09	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	NS	1.3
	25-Feb-09	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	1.3	U	NS	U
	26-Mar-09	NS		0.264	U	NS		NS		NS		0.527	U	NS		NS		NS		0.1212		0.063	
	29-Apr-09	NS		NS		0.137		NS		NS		NS		0.063		NS		0.053	U	NS		0.053	U
	22-Jul-09	0.264	U	NS		10.8	U	0.527	U	NS		0.277		NS		NS		0.053	U	0.061		NS	U
	9-Oct-09	NS		0.053	U	NS		NS		0.058		NS		0.406		11	U	0.053	U	NS		0.053	U
	15-Jan-10	0.053	U	NS		0.074		0.066		NS		0.053		NS		NS		0.053	U	0.053		NS	U
	21-Apr-10	NS		0.074		NS		NS		0.264		NS		0.303		0.303		0.053	U	NS		0.116	U
	16-Jul-10	0.1		NS		2.55		0.166		NS		0.398	U	NS		NS		0.053		0.087		NS	
	15-Oct-10	NS		0.053	U	NS		NS		0.082		NS		0.071		0.053	U	0.053	U	NS		0.053	U
	26-Jan-11	0.527	U	0.053	U	NS		0.077		NS		0.264	U	NS		0.264	U	0.264	U	0.264	U	NS	U
	28-Feb-11	NS		NS		.527	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.053	U	NS		NS		0.079		NS		0.082		0.053	U	0.053	U	NS		0.053	U
	26-Jul-11	0.176	U	NS		0.176	U	0.116		NS		0.264	U	NS		NS		0.053	U	0.264		NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	NS		1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	U
	13-Apr-12	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	0.26	U	0.26	U	NS		0.26	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.3	U	NS	U
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	U
	1-Nov-12	NS		0.053	U	NS		NS		0.085		NS		0.08		0.053	U	0.053	U	NS		0.087	U
	1-Feb-13	0.082		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	0.053	U	NS	U
	29-Apr-13	NS		0.4		NS		NS		0.11	U	NS		0.11		0.11	U	NS	U	NS		0.11	U
	9-Jul-13	0.11		NS		0.12		0.31		NS		0.091		NS		NS		0.11		0.053	U	NS	U
	18-Oct-13	NS		0.053	U	NS		NS		0.11		NS		0.091		0.053	U	0.053	U	NS		0.053	U
	9-Jan-14	0.084		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	0.053	U	NS	U
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.13		0.026	U	0.026	U	0.026	U	NS	U
	1-Aug-14	0.23		NS		0.43		0.53		NS		NS		NS		NS		0.059		0.053	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.072		NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.079	U	NS		NS	U	NS	U
	22-Oct-14	NS		0.079	U	NS		NS		0.079	U	0.079	U	0.35		0.079	U	0.079	U	0.11	U	NS	U
	20-Jan-15	0.069 <sup>v</sup>		NS		0.094		0.062		NS		0.24 <sup>v</sup>		NS		NS		0.079 <sup>v</sup>	U	0.053 <sup>v</sup>	U	NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	U
	22-Apr-15	NS		0.20 <sup>v</sup>		NS		NS		0.19 <sup>v</sup>		N		0.16		0.077	U	0.72		NS		0.061	U
	21-Jul-15	0.1	U	NS		0.5	U	3	U	NS		0.21		NS		NS		0.1 <sup>o</sup>	U	0.1 <sup>o</sup>	U	NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	U
	29-Oct-15	NS		0.1	U	NS		NS		0.1	U	NS		0.2	U	0.1	U	NS		NS		0.1	U
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Jan-16	0.1		NS		0.11		NS		NS		0.11		NS		NS		0.053	U	0.053	U	NS	U
	20-Apr-16	NS		0.14		NS		NS		0.053	U	NS		0.073		0.053	U	0.053	U	NS		0.053	U
	20-Jul-16	0.26 <sup>lv</sup>	U	NS		0.26 <sup>lv</sup>	U	0.26 <sup>lv</sup>	U	NS		0.77 <sup>lv</sup>		NS		NS		0.26 <sup>lv</sup>	U	0.26 <sup>lv</sup>	U	NS	U
	21-Oct-16	NS		0.16		NS		NS		0.069		NS		0.088		0.053	U	0.053	U	NS		0.053	U
	31-Jan-17	0.053	U	NS		0.14		0.053	U	NS		0.053	U	NS		NS		0.053	U	0.053	U	NS	U
	17-Apr-17	NS		0.16		NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-17	0.053	U	NS		0.18		0.12		NS		0.053	U	NS		NS		0.053 <sup>l</sup>	U	0.053 <sup>l</sup>	U	NS	U
	12-Oct-17	NS		0.15		NS		NS		0.066		NS		0.16	U	0.13	U	0.15	U	NS		0.13	U
	10-Jan-18	0.13		NS		0.17		0.07		NS		0.36		NS		NS		0.053	U	NS		0.084	U
	11-Apr-18	NS		0.053	U	NS		NS		0.53	U	NS		0.53	U	0.53	U	0.053	U	NS		0.53	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.079	U	NS	U
	27-Jul-18	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	U
	24-Oct-18	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	0.26	U	0.26	U	NS		0.26	U
	16-Jan-19	0.053	U	NS		0.053	U	0.053	U	NS		0.29		NS		NS		0.053	U	0.053	U	NS	U
	12-Apr-19	NS		0.053	U	NS		NS		0.053	U	NS		0.066	U	0.079	U	0.079	U	NS		0.079	U
	29-Jul-19	0.079	U	NS		0.079	U	0.053	U	NS		0.053	U	NS		NS		0.053	U	0.75		NS	U



Summary of Subslab Air Sampling Data  
 Alvarez School  
 Volatile Organic Compounds  
 February 2008 - July 2019

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.1	U	NS		NS		NS		NS	U	NS		NS		NS		0.12		0.12		NS	
	27-Mar-08	NS		0.098	U	NS		NS		NS		0.125		NS		NS		NS		0.453		0.847	
	25-Apr-08	NS		NS		0.231		NS		NS		NS		0.203		NS		0.134		NS		0.265	
	29-May-08	NS		NS		NS		0.14		NS		NS		NS		0.1	U	0.11		0.14		NS	
	27-Jun-08	0.263		NS		NS		NS		0.623		NS		NS		NS		NS		0.305		0.395	
	31-Jul-08	NS		0.145		NS		NS		NS		NS		NS		NS		0.13		NS		0.124	
	28-Aug-08	NS		NS		0.098	U	NS		NS		NS		1.2		NS		0.331		0.386		NS	
	30-Sep-08	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U	0.49	U
	27-Oct-08	0.49	U	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U
	25-Nov-08	NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U	NS	U
	18-Dec-08	NS		NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U
	21-Jan-09	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS		0.24	U
	25-Feb-09	0.24	U	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS	U
	26-Mar-09	NS		0.488	U	NS		NS		NS		1.29		NS		NS		NS		0.265		0.2	
	29-Apr-09	NS		NS		0.098	U	NS		NS		NS		0.136		NS		0.098	U	NS		1.34	
	22-Jul-09	0.488	U	NS		19.9	U	0.976	U	NS		0.488	U	NS		NS		0.429		0.22		NS	
	9-Oct-09	NS		0.205		NS		NS		0.263		NS		0.268		20.4	U	0.317		NS		0.312	
	15-Jan-10	0.176		NS		7.22		0.146		NS		0.19		NS		NS		0.098	U	0.185		NS	
	21-Apr-10	NS		0.098	U	NS		NS		0.488	U	NS		0.488	U	0.488	U	0.22		NS		0.2	
	16-Jul-10	0.361		NS		0.098	U	0.215		NS		0.737	U	NS		NS		0.205	U	0.346		NS	
	15-Oct-10	NS		0.171		NS		NS		0.366		NS		0.654		0.117		0.102		NS		0.166	
	26-Jan-11	2.78		0.122		NS		0.161		NS		0.488	U	NS		0.488	U	0.488	U	0.488	U	NS	
	28-Feb-11	NS		NS		0.976	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.136		NS		NS		0.185		NS		0.117		0.273		0.098	U	NS		0.122	
	26-Jul-11	0.326	U	NS		0.326	U	0.239		NS		1.37		NS		NS		0.244		0.488	U	NS	
	28-Oct-11	NS		2.4	U	NS		NS		2.4	U	NS		2.4	U	2.4	U	2.4	U	NS		2.4	U
	23-Jan-12	0.49	U	NS		0.84		0.49	U	NS		0.49	U	NS		NS		0.49	U	0.84		NS	
	13-Apr-12	NS		0.24	U	NS		NS		0.24	U	NS		0.24	U	0.24	U	0.24	U	NS		0.24	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49	U	0.58		NS	
	1-Nov-12	NS		0.088		NS		NS		0.28		NS		0.12		0.076		0.092		NS		0.17	
	1-Feb-13	0.14		NS		0.46		0.15		NS		0.19		NS		NS		0.11		0.18		NS	
	29-Apr-13	NS		0.15		NS		NS		0.19		NS		0.13		0.13		0.16		NS		0.41	
	9-Jul-13	0.34		NS		0.63		0.33		NS		0.27		NS		NS		0.24		0.27		NS	
	18-Oct-13	NS		0.098	U	NS		NS		0.29		NS		0.12		0.11		0.11		NS		0.31	
	9-Jan-14	0.12		NS		0.94		0.18		NS		0.27		0.18		NS		0.16		0.25		NS	
	24-Apr-14	NS		0.049	U	NS		NS		0.21		NS		0.11		0.049	U	0.16		0.16		0.32	
	1-Aug-14	1.0		NS		2.7/3.6		0.32		NS		NS		NS		NS		2.1		0.55		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.19		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12		NS		NS	U	NS	
	22-Oct-14	NS		0.073	U	NS		NS		0.24		0.15		0.16		0.073	U	0.073	U	0.098	U	NS	
	20-Jan-15	0.049	U	NS		1.4		0.14		NS		0.29		NS		NS		0.073	U	0.14		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15		NS	
	22-Apr-15	NS		0.17 <sup>v</sup>		NS		NS		0.21 <sup>v</sup>		NS		0.13		0.071	U	0.17		NS		0.17	
	21-Jul-15	0.130 <sup>j</sup>		NS		1	U	5	U	NS		0.21 <sup>j</sup>		NS		NS		0.14 <sup>1,0</sup>		0.17 <sup>1,0</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.16 <sup>j</sup>		NS		NS		0.16 <sup>j</sup>		NS		0.4	U	0.2	U	0.2	U	NS		0.28	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.086		NS		1		0.13		NS		0.11		NS		NS		0.094		0.16		NS	
	20-Apr-16	NS		0.08		NS		NS		0.18		NS		0.1		0.096		0.1		NS		0.13	
	20-Jul-16	0.24	U	NS		0.69		0.38		NS		0.47		NS		NS		0.35		0.44		NS	
	21-Oct-16	NS		0.13		NS		NS		0.27		NS		0.12		0.23		0.1		NS		0.2	
	31-Jan-17	0.078		NS		0.56		0.2		NS		0.13		NS		NS		0.094		0.41		NS	
	17-Apr-17	NS		0.11		NS		NS		0.20		NS		0.073	U	0.11		0.073	U	NS		0.18	
	26-Jul-17	0.13		NS		0.62		0.24		NS		0.13		NS		NS		0.14		0.33		NS	
	12-Oct-17	NS		0.18		NS		NS		0.28		NS		0.15	U	0.4		0.14	U	NS		0.12	U
	10-Jan-18	0.1		NS		0.68		0.14		NS		0.18		NS		NS		0.12		NS		0.3	
	11-Apr-18	NS		0.14		NS		NS		0.98	U	NS		0.98	U	0.98	U	0.13		NS		0.98	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.073	U	NS	
	27-Jul-18	0.24	U	NS		0.24	U	0.24	U	NS		0.24	U	NS		NS		3.2		0.24	U	NS	
	24-Oct-18	NS		0.24	U	NS		NS		0.24	U	NS		0.24	U	0.24	U	0.24	U	NS		0.24	U
	16-Jan-19	0.1		NS		0.14		0.26		NS		0.12		NS		NS		0.049	U	0.15		NS	
	12-Apr-19	NS		0.12		NS		NS		0.15		NS		0.061	U	0.073	U	0.073	U	NS		0.21	
	29-Jul-19	0.073	U	NS		0.69		0.31		NS		0.3		NS		NS		0.2		1.6		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
Chloromethane	8-Feb-08	2.44	U	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	NS			
	27-Mar-08	NS		2.67		NS		NS		NS		3.24		NS		NS		NS		2.44	U	2.44	U		
	25-Apr-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	NS		2.44	U		
	29-May-08	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	2.44	U	NS			
	27-Jun-08	3.8	U	NS		NS		NS		2.44	U	NS		NS		NS		NS		2.44	U	2.44	U		
	31-Jul-08	NS		4.64		NS		NS		NS		NS		NS		NS		2.44	U	NS		2.44	U		
	28-Aug-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	2.44	U	NS			
	30-Sep-08	NS		NS		NS		1	U	NS		NS		NS		NS		1	U	NS		1	U		
	27-Oct-08	1	U	NS		NS		NS		1	U	NS		NS		NS		NS		1.1		NS		3.5	
	25-Nov-08	NS		1	U	NS		NS		NS		1	U	NS		NS		1	U	1		1	U	NS	
	18-Dec-08	NS		NS		1	U	NS		NS		NS		1	U	NS		NS		1.4		1		1	U
	21-Jan-09	NS		NS		NS		1	U	NS		NS		NS		3.1		NS		1	U	NS		1	U
	25-Feb-09	1		NS		NS		NS		1	U	NS		NS		NS		1	U	1.2		NS		NS	
	26-Mar-09	NS		12.2	U	NS		NS		NS		24.4	U	NS		NS		NS		4.58		2.44		2.44	U
	29-Apr-09	NS		NS		22.4		NS		NS		NS		19.4		NS		2.44	U	2.44	U	2.44		2.44	U
	22-Jul-09	18.5		NS		497	U	32		NS		41.9		NS		NS		2.44	U	6.29		NS		NS	
	9-Oct-09	NS		2.44	U	NS		NS		2.44	U	NS		2.44	U	509	U	2.44	U	NS		2.44		2.44	U
	15-Jan-10	2.44	U	NS		2.78		2.44	U	NS		2.44		NS		NS		2.44	U	2.44	U	NS		NS	
	21-Apr-10	NS		3.25		NS		NS		12.2	U	NS		12.2	U	12.2	U	2.44	U	NS		2.44		2.44	U
	16-Jul-10	1.32		NS		62.8		1.48		NS		7.79	U	NS		NS		1.03	U	1.03		1.03		NS	
	15-Oct-10	NS		1.03	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS		1.03		1.03	U
	26-Jan-11	10.3	U	1.03	U	NS		1.03	U	NS		5.16	U	NS		5.16	U	5.16	U	5.16	U	NS		NS	
	28-Feb-11	NS		NS		10.3		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.23		NS		NS		1.03	U	NS		1.03	U	1.18		1.03	U	NS		NS		1.29	
	26-Jul-11	3.45	U	NS		3.45		1.03	U	NS		5.16	U	NS		NS		1.03	U	5.16	U	NS		NS	
	28-Oct-11	NS		1	U	NS		NS		1	U	NS		1	U	1	U	NS		1		NS		1.2	
	23-Jan-12	0.21	U	NS		0.21		0.21	U	NS		0.21	U	NS		NS		1.2		0.21	U	NS		NS	
	13-Apr-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	1.2		NS		0.97		NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		NS		NS	
	23-Jun-12	0.21	U	NS		0.21		0.21	U	NS		2.1		NS		NS		0.21	U	0.21		NS		NS	
	1-Nov-12	NS		0.041	U	NS		NS		0.041	U	NS		0.041	U	0.041	U	0.37		NS		1.1		NS	
	1-Feb-13	0.5		NS		1.8		2.1		NS		0.19		NS		NS		0.71		NS		NS		NS	
	29-Apr-13	NS		0.21	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.73		NS		1.2		NS	
	9-Jul-13	0.12	U	NS		0.083		0.083	U	NS		0.083	U	NS		NS		1.0		0.083	U	NS		NS	
	18-Oct-13	NS		0.083	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.40		NS		1.1		NS	
	9-Jan-14	3.2		NS		1.5		0.083	U	NS		0.053	U	NS		NS		0.64		0.083	U	NS		NS	
	24-Apr-14	NS		4.6		NS		NS		4.5		NS		3.5		1.2		0.47		NS		1.0		NS	
	1-Aug-14	0.083	U	NS		0.12		0.12	U	NS		NS		NS		NS		0.083	U	0.083	U	NS		NS	
	27-Aug-14	NS		NS		NS		NS		NS		1.7		NS		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12 <sup>L,V</sup>	U	NS		NS		NS		NS	
	22-Oct-14	NS		1.3		NS		NS		0.12	U	0.74		0.12	U	1.30		0.74		1.1		NS		NS	
	20-Jan-15	0.083 <sup>V</sup>	U	NS		3 <sup>V</sup>		0.083	U	NS		0.083 <sup>V</sup>	U	NS		NS		0.69 <sup>V</sup>		1.2 <sup>V</sup>	U	NS		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.093	U	NS		NS	
	22-Apr-15	NS		0.085 <sup>V</sup>	U	NS		NS		0.083 <sup>V</sup>	U	NS		0.083	U	1.7/1.6		0.72		NS		1.4		NS	
	21-Jul-15	0.69		NS		6.9		2	U	NS		2.6		NS		NS		0.11 <sup>O</sup>		0.1 <sup>O</sup>	U	NS		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.09	U	NS		NS		NS		NS	
	29-Oct-15	NS		11		NS		NS		6.5		NS		3.6		1.5		0.73		NS		NS		0.84	
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.083	U	NS		3.9		0.083	U	NS		2.1		NS		NS		1.4		1		NS		NS	
	20-Apr-16	NS		7.7		NS		NS		<0.083		NS		2.4		1.4		1.1		NS		1		NS	
20-Jul-16	0.41	U	NS		4.3		0.41	U	NS		5		NS		NS		1.1		1.6		NS		NS		
21-Oct-16	NS		0.083	U	NS		NS		0.083	U	NS		0.083	U	1.4		0.9		NS		0.82		NS		
31-Jan-17	0.083	U	NS		3.8		0.96		NS		1.4		NS		NS		1.1		0.99		NS		NS		
17-Apr-17	NS		0.12	U	NS		NS		0.12	U	NS		1.7		1.4		1.2		NS		1.1		NS		
26-Jul-17	0.083	U	NS		0.083		0.083	U	NS		0.083	U	NS		NS		0.71		0.56		NS		NS		
12-Oct-17	NS		0.083	U	NS		NS		0.083	U	NS		0.25	U	1.5		1.5		NS		1.2		NS		
10-Jan-18	5.3		NS		3.8		1.4		NS		2.8		NS		NS		0.99		NS		1.1		NS		
11-Apr-18	NS		0.083	U	NS		NS		0.83	U	NS		3.4		1.8		1.4		NS		0.83		NS		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99		NS		NS		
27-Jul-18	4.5		NS		3.4		5.5		NS		2.6		NS		NS		<0.41	U	2.8		NS		NS		
24-Oct-18	NS		0.41	U	NS		NS		0.41	U	NS		0.41	U	0.41	U	1		NS		1.2		NS		
16-Jan-19	0.083	U	NS		2		0.083	U	NS		0.083	U	NS		NS		1		0.083	U	NS		NS		
12-Apr-19	NS		0.083 <sup>V</sup>	U	NS		NS		0.083 <sup>V</sup>	U	NS		0.1 <sup>V</sup>	U	0.12 <sup>V</sup>	U	1.1 <sup>V</sup>		NS		0.12 <sup>V</sup>		NS		
29-Jul-19	0.12	U	NS		0.12		0.083	U	NS		0.083	U	NS		NS		0.083	U	0.083	U	NS		NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Dibromochloromethane	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS		
	27-Mar-08	NS		0.096	U	NS		NS		NS		0.096	U	NS		NS		NS		0.096	U	0.096	U	
	25-Apr-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS		0.096	U	
	29-May-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	0.1	U	NS		
	27-Jun-08	0.15	U	NS		NS		NS		0.096	U	NS		NS		NS		NS		0.096	U	0.096	U	
	31-Jul-08	NS		0.096	U	NS		NS		NS		NS		NS		NS		0.096	U	NS		0.096	U	
	28-Aug-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	0.096	U	NS		
	30-Sep-08	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U	4.2	U	
	27-Oct-08	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U	
	25-Nov-08	NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	4.2	U	NS		
	18-Dec-08	NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	4.2	U	
	21-Jan-09	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U	NS		
	25-Feb-09	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	4.2	U	NS		
	26-Mar-09	NS		0.48	U	NS		NS		NS		0.96		NS		NS		NS		0.096	U	0.096	U	
	29-Apr-09	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS		0.096	U	
	22-Jul-09	0.48	U	NS		19.6	U	0.96	U	NS		0.48	U	NS		NS		0.096	U	0.096	U	NS		
	9-Oct-09	NS		0.096	U	NS		NS		NS		NS		0.096	U	20	U	0.096	U	NS		0.096	U	
	15-Jan-10	0.096	U	NS		0.096	U	0.096	U	NS		0.096	U	NS		NS		0.096	U	0.096	U	NS		
	21-Apr-10	NS		0.096	U	NS		0.48	U	NS		0.48	U	0.48	U	0.48	U	0.096	U	NS		0.096	U	
	16-Jul-10	0.17	U	NS		0.17	U	0.17	U	NS		1.28	U	NS		NS		0.17	U	0.17	U	NS		
	15-Oct-10	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U	
	26-Jan-11	1.7	U	0.17	U	NS		0.17	U	NS		0.851	U	NS		0.851	U	0.851	U	0.851	U	NS		
	28-Feb-11	NS		NS		1.7	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U	
	26-Jul-11	0.568	U	NS		0.568	U	0.17	U	NS		0.852	U	NS		NS		0.17	U	0.852	U	NS		
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	NS		4.3	U	NS		
	23-Jan-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	0.85	U	NS		
	13-Apr-12	NS		0.85	U	NS		NS		0.85	U	NS		0.85	U	0.85	U	0.85	U	NS		0.85	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U	NS		
	23-Jun-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	0.85	U	NS		
	1-Nov-12	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U	
	1-Feb-13	0.17	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS		
	29-Apr-13	NS		0.21	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U	
	9-Jul-13	0.26	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS		
	18-Oct-13	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U	
	9-Jan-14	0.17	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS		
	24-Apr-14	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	0.085	U	0.26	U	
	1-Aug-14	0.17	U	NS		0.26	U	0.26	U	NS		NS		NS		NS		0.17	U	0.17	U	NS		
	27-Aug-14	NS		NS		NS		NS		NS		0.085	U	NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS		NS		
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.17	U	NS		
	20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.13	U	0.085	U	NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.096	U	NS		
	22-Apr-15	NS		0.087	U	NS		NS		0.085	U	NS		0.083	U	0.12	U	0.085	U	NS		0.098	U	
	21-Jul-15	0.4	U	NS		2	U	8	U	NS		0.5	U	NS		NS		0.4 <sup>o</sup>	U	0.5 <sup>o</sup>	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.4	U	NS		NS			
29-Oct-15	NS		0.5	U	NS		NS		0.5	U	NS		0.7	U	0.4	U	0.4	U	NS		NS			
4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS			
20-Apr-16	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		NS			
20-Jul-16	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS			
21-Oct-16	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		NS			
31-Jan-17	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS			
17-Apr-17	NS		0.13 <sup>v</sup>	U	NS		NS		0.13 <sup>v</sup>	U	NS		0.13 <sup>v</sup>	U	0.13 <sup>v</sup>	U	0.13 <sup>v</sup>	U	NS		0.13 <sup>v</sup>	U		
26-Jul-17	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS			
12-Oct-17	NS		0.085	U	NS		NS		0.085	U	NS		0.26	U	0.21	U	0.24	U	NS		0.21	U		
10-Jan-18	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U		
11-Apr-18	NS		0.17	U	NS		NS		1.7	U	NS		1.7	U	1.7	U	0.17	U	NS		1.7	U		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.13	U	NS			
27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS			
24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.43	U	NS		0.43	U		
16-Jan-19	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS			
12-Apr-19	NS		0.085	U	NS		NS		0.085	U	NS		0.11	U	0.13	U	0.13	U	NS		0.13	U		
29-Jul-19	0.13	U	NS		0.13	U	0.085	U	NS		0.12	U	NS		NS		0.11	U	2.3	U	NS			

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS	
	27-Mar-08	NS		0.154	U	NS		NS		NS		0.154	U	NS		NS		NS		0.154	U	0.154	U
	25-Apr-08	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	29-May-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS		NS	
	27-Jun-08	0.239	U	NS		NS		NS		0.154	U	NS		NS		NS		NS		0.154	U	0.154	U
	31-Jul-08	NS		0.154	U	NS		NS		NS		NS		NS		NS		0.154	U	NS		0.154	U
	28-Aug-08	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	0.154	U	NS	
	30-Sep-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U	0.15	U
	27-Oct-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U
	25-Nov-08	NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS	
	18-Dec-08	NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		0.15	U	0.15	U
	21-Jan-09	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		0.15	U
	25-Feb-09	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS	
	26-Mar-09	NS		0.768	U	NS		NS		NS		1.54	U	NS		NS		NS		0.154	U	0.154	U
	29-Apr-09	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	22-Jul-09	0.768	U	NS		31.3	U	1.54	U	NS		0.768	U	NS		NS		0.154	U	0.154	U	NS	
	9-Oct-09	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	32	U	0.154	U	NS		0.154	U
	15-Jan-10	0.154	U	NS		0.154	U	0.154	U	NS		0.154	U	NS		NS		0.154	U	0.154	U	NS	
	21-Apr-10	NS		0.154	U	NS		0.768	U	NS		0.768	U	0.768	U	0.768	U	0.154	U	NS		0.154	U
	16-Jul-10	0.154	U	NS		0.154	U	0.154	U	NS		1.16	U	NS		NS		0.154	U	0.154	U	NS	
	15-Oct-10	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	0.154	U	0.154	U	NS		0.154	U
	26-Jan-11	1.54	U	0.154	U	NS		0.154	U	NS		0.768	U	NS		0.768	U	0.768	U	0.768	U	NS	
	28-Feb-11	NS		NS		1.54	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	0.154	U	0.154	U	NS		0.154	U
	26-Jul-11	0.512	U	NS		0.512	U	0.154	U	NS		0.768	U	NS		NS		0.154	U	0.768	U	NS	
	28-Oct-11	NS		3.8	U	NS		NS		3.8	U	NS		3.8	U	NS		3.8	U	NS		3.8	U
	23-Jan-12	0.77	U	NS		0.77	U	0.77	U	NS		0.77	U	NS		NS		0.77	U	0.77	U	NS	
	13-Apr-12	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9	U	NS	
	23-Jun-12	0.77	U	NS		0.77	U	0.77	U	NS		0.77	U	NS		NS		0.77	U	0.77	U	NS	
	1-Nov-12	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	1-Feb-13	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS	
	29-Apr-13	NS		0.19	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	9-Jul-13	0.12	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	18-Oct-13	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U	0.15	U	0.15	U	NS		0.15	U
	9-Jan-14	0.15	U	NS		0.15	U	0.15	U	NS		0.15	U	NS		NS		0.15	U	0.15	U	NS	
	24-Apr-14	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	0.077	U	0.23	U
	1-Aug-14	0.15	U	NS		0.23	U	0.23	U	NS		NS		NS		NS		0.15	U	0.15	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.077	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12	U	NS		NS		NS	
	22-Oct-14	NS		0.12	U	NS		NS		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.15	U	NS	
	20-Jan-15	0.077	U	NS		0.077	U	NS		NS		0.077	U	NS		NS		0.12	U	0.077	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.086	U	NS	
	22-Apr-15	NS		0.079	U	NS		NS		0.077	U	NS		0.077	U	0.11	U	0.077	U	NS		0.088	U
	21-Jul-15	0.4	U	NS		2	U	8	U	NS		0.4	U	NS		NS		0.4 <sup>o</sup>	U	0.4 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.4	U	NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.4	U	0.4	U	NS		0.4	U
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	20-Apr-16	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	20-Jul-16	0.38	U	NS		0.38	U	0.38	U	NS		0.38	U	NS		NS		0.38	U	0.38	U	NS	
	21-Oct-16	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	31-Jan-17	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	17-Apr-17	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jul-17	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	12-Oct-17	NS		0.077	U	NS		NS		0.077	U	NS		0.23	U	0.19	U	0.22	U	NS		0.19	U
	10-Jan-18	0.077	U	NS		0.077	U	NS		NS		0.077	U	NS		NS		0.077	U	NS		0.077	U
	11-Apr-18	NS		0.15	U	NS		NS		1.5	U	NS		1.5	U	1.5	U	0.15	U	NS		1.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.12	U	NS	
	27-Jul-18	0.38	U	NS		0.38	U	NS		NS		0.38	U	NS		NS		0.38	U	0.38	U	NS	
	24-Oct-18	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	16-Jan-19	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	12-Apr-19	NS		0.077	U	NS		NS		0.077	U	NS		0.096	U	0.12	U	0.12	U	NS		0.12	U
	29-Jul-19	0.12	U	NS		0.12	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	2.1		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.55		NS	
	27-Mar-08	NS		0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	0.12		NS	
	27-Jun-08	0.187	U	NS		NS		NS		0.12	U	NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.12	U	NS		NS		NS		NS		NS		NS		0.12	U	NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	0.12		NS	
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	22-Jul-09	0.601	U	NS		24	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.12	U	NS	
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.12	U	NS		0.12	U	0.12	U	NS		0.907	U	NS		NS		0.12	U	1.2	U	NS	
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U	NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.1	U	NS		0.6	U	NS		NS		0.6	U	7.5		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
	1-Nov-12	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	1-Feb-13	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	29-Apr-13	NS		0.3	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jul-13	0.18	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	18-Oct-13	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jan-14	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.12	U	0.18	U
	1-Aug-14	0.12	U	NS		0.18	U	0.69		NS		NS		NS		NS		0.12	U	0.12	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		NS	U	NS	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.18	U	0.12	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	22-Apr-15	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.17	U	0.12	U	NS		0.14	U
	21-Jul-15	0.3	U	NS		0.900 <sup>1</sup>	U	6	U	NS		0.3	U	NS		NS		0.3 <sup>o</sup>	U	0.84 <sup>o</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		4		NS		0.5	U	0.3	U	NS		NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	20-Apr-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	20-Jul-16	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	
	21-Oct-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	31-Jan-17	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	17-Apr-17	NS		0.18	U	NS		NS		0.18	U	NS		0.18	U	0.18	U	0.18	U	NS		0.18	U
	26-Jul-17	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	12-Oct-17	NS		0.12	U	NS		NS		0.12	U	NS		0.36	U	0.32		0.34	U	NS		0.3	U
	10-Jan-18	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U
	11-Apr-18	NS		0.12	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	0.12	U	NS		1.2	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.18	U	NS	
	27-Jul-18	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	
	24-Oct-18	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.60	U	NS		0.6	U
	16-Jan-19	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	12-Apr-19	NS		0.12	U	NS		NS		0.12	U	NS		0.15	U	0.18	U	0.18	U	NS		0.18	U
	29-Jul-19	0.18	U	NS		0.18	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	

1,2-Dichlorobenzene

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	NS	
	27-Mar-08	NS		0.12	U	NS		0.6		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		1.18		NS		NS		NS		3.47		0.62		0.22		NS	
	27-Jun-08	0.187	U	NS		NS		NS		0.257		NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.822		NS		NS		NS		NS		NS		NS		0.136		NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	0.12	U	NS	
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.36		NS	
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12		NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.595		NS		0.685		1.99		NS		0.907	U	NS		NS		0.132		0.162		NS	
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.12	U	NS		NS		0.42		NS		0.156		0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U	NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	1.6		NS		1.8		2.3		NS		1.6		NS		NS		1.9		2.7		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	2		0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
	1-Nov-12	NS		1.2		NS		NS		2.6		NS		6		2.2		0.18		NS		0.12	U
	1-Feb-13	0.18		NS		0.34		0.56		NS		0.44		NS		NS		0.17		0.12	U	NS	
	29-Apr-13	NS		1.3		NS		NS		4.5		NS		6.5		6		0.12	U	NS		0.14	
	9-Jul-13	1.3		NS		2.0		3.9		NS		3.8		NS		NS		0.12	U	0.12	U	NS	
	18-Oct-13	NS		0.52		NS		NS		1.4		NS		2.6		2.2		0.16		NS		0.22	
	9-Jan-14	0.58		NS		0.9		1.1		NS		0.84		NS		NS		3.0		4.1		NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.14		NS		0.12	U	0.12	U	0.1	U	0.12	U	0.18	U
	1-Aug-14	4.2		NS		4.8/6.7		4.9/7.6		NS		NS		NS		NS		3.6		5.1/6.2		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.80		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.82		NS		NS	U	NS	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.2		0.12	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	22-Apr-15	NS		0.13		NS		NS		0.36		NS		1.5		0.78/0.87		0.12	U	NS		0.17	
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.30 <sup>J</sup>		NS		NS		0.3 <sup>O</sup>	U	0.3 <sup>O</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.12	U	NS		0.12	U	0.22 <sup>M</sup>		NS		0.12	U	NS		NS		0.21 <sup>M</sup>		0.12	U	NS	
	20-Apr-16	NS		0.31		NS		NS		0.51		NS		0.9		0.24		0.22		NS		0.21	
	20-Jul-16	0.60	U	NS		1.3		0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	
	21-Oct-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	31-Jan-17	0.12	U	NS		0.13		0.13		NS		0.12	U	NS		NS		0.41		0.5		NS	
	17-Apr-17	NS		0.92		NS		NS		0.79		NS		1.3		1.8		0.18	U	NS		0.18	U
	26-Jul-17	0.2		NS		0.12	U	2.3		NS		3.5		NS		NS		0.12	U	0.12	U	NS	
	12-Oct-17	NS		2.2		NS		NS		0.73		NS		4.2		4.5		0.34	U	NS		1	
	10-Jan-18	0.12	U	NS		0.19		0.28		NS		0.12	U	NS		NS		0.37		NS		0.69	
	11-Apr-18	NS		0.12	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	0.58		NS		1.2	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.2		NS	
	27-Jul-18	3.4		NS		6.4		4.4		NS		4.1		NS		NS		1.1		1.1		NS	
	24-Oct-18	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	16-Jan-19	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.19		0.24		NS	
	12-Apr-19	NS		0.2		NS		NS		0.13		NS		0.15	U	0.18	U	0.18	U	NS		0.18	U
	29-Jul-19	3.3		NS		3		6.4		NS		6.7		NS		NS		1.4		3.6		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,4-Dichlorobenzene	8-Feb-08	1.56		NS		NS		NS		0.26		NS		NS		NS		9.5		7.91		NS	
	27-Mar-08	NS		4.33		NS		NS		NS		8.48		NS		NS		NS		6.28		15.1	
	25-Apr-08	NS		NS		0.347		NS		NS		NS		32.3		NS		17.9		NS		16.3	
	29-May-08	NS		NS		NS		5.5		NS		NS		NS		10		9.41		4.18		NS	
	27-Jun-08	47.3		NS		NS		NS		38.1		NS		NS		NS		NS		40.8		57.9	
	31-Jul-08	NS		2.46		NS		NS		NS		NS		NS		NS		1.84		NS		2.04	
	28-Aug-08	NS		NS		234		NS		NS		NS		214		NS		229		208		NS	
	30-Sep-08	NS		NS		NS		7.2		NS		NS		NS		3	U	NS		6.8		5.6	
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		4.7		NS		NS		10.3		17.1	
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	13.9		NS		27.2	
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		5.43		NS		*		NS		4.87		NS		NS		NS		20.6		33	
	29-Apr-09	NS		NS		1.2		NS		NS		NS		1.91		NS		4.12		NS		4.25	
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.348		0.613		NS	
	9-Oct-09	NS		3.31		NS		NS		3.44		NS		2.79		25.1	U	6.95		NS		3.82	
	15-Jan-10	0.12		NS		1.06		0.715		NS		0.823		NS		NS		2		1.98		NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	3.27		NS		2.84	
	16-Jul-10	1.78		NS		2.3		2.86		NS		1.36		NS		NS		1.63		5.05		NS	
	15-Oct-10	NS		0.685		NS		NS		1.75		NS		1.37		1.48		1.8		NS		2.47	
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.985		NS		NS		1.08		NS		0.967		1.14		1.07		NS		1.24	
	26-Jul-11	5.45		NS		5.21		0.715		NS		5.26		NS		NS		5.54		4.69		NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.66		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
	1-Nov-12	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	1-Feb-13	0.12	U	NS		0.12	U	0.4		NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	29-Apr-13	NS		0.3	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jul-13	0.18	U	NS		0.14		0.16		NS		0.18		NS		NS		0.18		0.22		NS	
	18-Oct-13	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jan-14	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.14		0.12	U	NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.12	U	0.18	U
	1-Aug-14	0.12	U	NS		0.18	U	0.18	U	NS		NS		NS		NS		0.12	U	0.12	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		NS	U	NS	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.18	U	0.13		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
22-Apr-15	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.17	U	0.12	U	NS		0.14	U	
21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.3	U	NS		NS		0.3 <sup>o</sup>	U	0.3 <sup>o</sup>	U	NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.13		NS		
20-Apr-16	NS		0.12	U	NS		NS		0.52		NS		0.12	U	0.12	U	0.12	U	NS		0.12	U	
20-Jul-16	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS		
21-Oct-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U	
31-Jan-17	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS		
17-Apr-17	NS		0.18	U	NS		NS		0.18	U	NS		0.18	U	0.18	U	0.18	U	NS		0.18	U	
26-Jul-17	0.12	U	NS		1.8		0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS		
12-Oct-17	NS		0.12	U	NS		NS		0.12	U	NS		0.36	U	0.37		0.34	U	NS		0.3	U	
10-Jan-18	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	
11-Apr-18	NS		0.12	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	0.12	U	NS		1.2	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		
27-Jul-18	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS		
24-Oct-18	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.60	U	NS		0.6	U	
16-Jan-19	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS		
12-Apr-19	NS		0.12	U	NS		NS		0.12	U	NS		0.15	U	0.18	U	0.18	U	NS		0.18	U	
29-Jul-19	0.18	U	NS		0.18	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	2.2		NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2		NS		NS		NS		2.03		NS		NS		NS		1.92		2		NS	
	27-Mar-08	NS		2.29		NS		NS		NS		2.15		NS		NS		NS		2.72		4.14	
	25-Apr-08	NS		NS		2.01		NS		NS		NS		2.11		NS		2.04		NS		2.16	
	29-May-08	NS		NS		NS		1.63		NS		NS		NS		1.62		1.68		1.66		NS	
	27-Jun-08	2.03		NS		NS		NS		2.52		NS		NS		NS		NS		2.27		2.48	
	31-Jul-08	NS		1.9		NS		NS		NS		NS		NS		NS		1.81		NS		1.87	
	28-Aug-08	NS		NS		3.13		NS		NS		NS		2.8		NS		2.75		2.88		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U	2.7	
	27-Oct-08	2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		215		NS		NS		NS		11.7		NS		NS		2.5	U	5.1		NS	
	18-Dec-08	NS		NS		25		NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		5.8		2.5	U	NS		2.5	U
	25-Feb-09	2.5	U	NS		NS		NS		19.4		NS		NS		NS		2.5	U	3.4		NS	
	26-Mar-09	NS		2.55		NS		NS		NS		2.48		NS		NS		NS		2.46		2.41	
	29-Apr-09	NS		NS		2.41		NS		NS		NS		3.78		NS		2.26		NS		2.4	
	22-Jul-09	2.42		NS		2.42		2.72		NS		2.5		NS		NS		2.37		2.48		NS	
	9-Oct-09	NS		2.73		NS		NS		2.77		NS		3.67		51.6	U	2.64		NS		2.79	
	15-Jan-10	2.5		NS		3.57		2.52		NS		2.61		NS		NS		2.29		2.25		NS	
	21-Apr-10	NS		0.568		NS		NS		2.2		NS		2.59		NS		2.64		NS		2.43	
	16-Jul-10	3.36		NS		2.61		2.55		NS		2.98		NS		NS		3.15		3.29		NS	
	15-Oct-10	NS		3.13		NS		NS		2.67		NS		2.43		2.41		2.46		NS		2.43	
	26-Jan-11	2.47	U	2.2		NS		2.64		NS		1.98		NS		2.57		3.31		3.24		NS	
	28-Feb-11	NS		NS		2.47	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.18		NS		NS		2.27		NS		2.26		2.5		2.32		NS		2.31	
	26-Jul-11	2.41		NS		2.29		2.28		NS		2.08		NS		NS		2.44		2.3		NS	
	28-Oct-11	NS		2.7		NS		NS		2.7		NS		2.7		NS		2.9		NS		3.1	
	23-Jan-12	2.5		NS		2.6		2.6		NS		2.7		NS		NS		2.6		2.6		NS	
	13-Apr-12	NS		2.5		NS		NS		2.9		NS		2.4		3.2		2.5		NS		2.8	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	23-Jun-12	2.6		NS		2.3		2.5		NS		2.3		NS		NS		2.3		2.3		NS	
	1-Nov-12	NS		1.8		NS		NS		1.8		NS		2		1.9		2		NS		1.9	
	1-Feb-13	1.4		NS		1.4		1.5		NS		1.6		NS		NS		1.6		1.6		NS	
	29-Apr-13	NS		2.6		NS		NS		2.3		NS		2.2		2.2		2.3		NS		2.3	
	9-Jul-13	1		NS		1.1		0.99		NS		1.1		NS		NS		1.0		1.1		NS	
	18-Oct-13	NS		2.0		NS		NS		1.9		NS		1.9		2.2		2.0		NS		2.1	
	9-Jan-14	1.5		NS		1.2		1.3		NS		1.4		NS		NS		1.5		1.5		NS	
	24-Apr-14	NS		2.7		NS		NS		2.6		NS		2.3		2.6		2.7		2.6		3.1	
	1-Aug-14	1.1		NS		2.2/1.5		2.3/1.6		NS		NS		NS		NS		1.6		2.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9/3.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		2.3		NS		NS	U	NS	
	22-Oct-14	NS		1.3		NS		NS		1.4		1.4		1.4		1.6		1.4		1.4		NS	
	20-Jan-15	0.099	U	NS		1.5		1.4		NS		1.4		NS		NS		1.4		1.5		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	22-Apr-15	NS		4.0 <sup>V</sup>		NS		NS		4.1 <sup>V</sup>		NS		1.8		1.7/2.0		1.8		NS		2.0	
	21-Jul-15	0.88		NS		1.6		5	U	NS		0.91		NS		NS		0.74 <sup>O</sup>		0.72 <sup>O</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.93		NS		NS		NS	
	29-Oct-15	NS		1		NS		NS		0.89		NS		NS		0.88		0.83		NS		0.84	
	4-Dec-15 resample	NS		0.91		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2 <sup>M</sup>		NS		2 <sup>M</sup>		2.1 <sup>M</sup>		NS		2.1 <sup>M</sup>		NS		NS		2.2 <sup>M</sup>		2.1 <sup>M</sup>		NS	
	20-Apr-16	NS		1.5		NS		NS		1.6		NS		1.5		1.7		1.6		NS		1.7	
	20-Jul-16	1.4		NS		1.6		1.6		NS		1.6		NS		NS		1.5		1.5		NS	
	21-Oct-16	NS		0.55		NS		NS		0.55		NS		0.58		0.56		0.51		NS		0.51	
	31-Jan-17	0.75		NS		0.79		0.8		NS		0.75		NS		NS		0.78		0.86		NS	
	17-Apr-17	NS		0.84		NS		NS		0.89		NS		0.91		0.96		0.86		NS		0.93	
	26-Jul-17	1.8		NS		1.8		1.8		NS		1.7		NS		NS		1.8		1.8		NS	
	12-Oct-17	NS		0.82		NS		NS		0.73		NS		1.3		1.2		1.4		NS		1.2	
	10-Jan-18	0.66		NS		0.67		0.65		NS		0.63		NS		NS		0.63		NS		0.63	
	11-Apr-18	NS		1.2		NS		NS		2.8		NS		2.7		2.7		1.1		NS		2.7	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6		NS	
	27-Jul-18	1.6		NS		1.7		1.6		NS		1.5		NS		NS		1.4		1.6		NS	
	24-Oct-18	NS		1.7		NS		NS		1.2		NS		1.1		1.1		1.3		NS		1.2	
	16-Jan-19	0.75		NS		0.78		0.75		NS		0.8		NS		NS		0.79		0.99		NS	
	12-Apr-19	NS		0.84 <sup>LV</sup>		NS		NS		0.83 <sup>LV</sup>		NS		0.86 <sup>LV</sup>		0.79		0.8		NS		1.1	
	29-Jul-19	0.15	U	NS		0.15	U	0.099		NS		0.099	U	NS		NS		0.099	U	0.099	U	NS	



**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.081	U	NS		NS		NS		0.081	U	0.081	U
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.081	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	0.08	U	NS	
	27-Jun-08	0.126	U	NS		NS		NS		0.081	U	NS		NS		NS		NS		0.081	U	0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	0.081	U	NS	
	27-Oct-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	NS	
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.081	U	0.081	U
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.081	U	NS		0.121		NS		0.081	U
	22-Jul-09	0.404	U	NS		16.5	U	0.801	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.137	U	NS		0.081	U	0.801	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.081	U	NS		2.48		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		7.37	U	NS		0.404	U	0.404	U	0.404	U	NS	
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jul-11	0.27	U	NS		0.27	U	0.081	U	NS		0.405	U	NS		NS		0.081	U	0.405	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	NS		NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.040	U	NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jul-13	0.061	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.081	U	0.081	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.081	U	NS		0.280		0.120	U	NS		NS		NS		NS		0.081	U	0.081	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS		NS	
	22-Oct-14	NS		0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081	U	NS	
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS	
	22-Apr-15	NS		0.041 <sup>v</sup>	U	NS		NS		0.04 <sup>v</sup>	U	NS		0.04	U	0.059	U	0.040	U	NS		0.047	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 <sup>o</sup>	U	0.200 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.044		0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.37		0.20	U	NS		0.51	U	NS		NS		0.20	U	0.20	U	NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.24	
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	17-Apr-17	NS		0.061	U	NS		NS		0.061	U	NS		0.061	U	0.061	U	0.061	U	NS		0.061	U
	26-Jul-17	0.04	U	NS		0.2		0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.1	U	0.11	U	NS		0.1	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.081	U	NS		NS		0.81	U	NS		0.81	U	0.81	U	0.081	U	NS		0.81	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U
	16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		0.051	U	0.061	U	0.061	U	NS		0.061	U
	29-Jul-19	0.061	U	NS		0.24		0.04	U	NS		0.13		NS		NS		0.04	U	1.1		NS	

Summary of Subslab Air Sampling Data  
 Alvarez School  
 Volatile Organic Compounds  
 February 2008 - July 2019

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.09		0.08	U	NS	
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.143		NS		NS		NS		0.081	U	0.1	
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	29-May-08	NS		NS		NS		0.09		NS		NS		NS		0.11		0.08	U	0.08	U	NS	
	27-Jun-08	0.126	U	NS		NS		NS		0.153		NS		NS		NS		NS		0.11		0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.171		NS		NS		NS		NS		NS		0.081	U	0.081	U	NS	
	27-Oct-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.08	U	0.08	U
	27-Oct-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.095	U
	25-Nov-08	NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		0.08	U	0.08	U	NS	
	18-Dec-08	NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		0.08	U	0.08	U
	21-Jan-09	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		0.08	U
	25-Feb-09	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.098		0.133	
	29-Apr-09	NS		NS		0.319		NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	22-Jul-09	0.404	U	NS		16.5	U	0.809	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.081	U	NS		0.081	U	0.081	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.101		NS		1.44		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		0.404	U	NS		0.404	U	0.404	U	0.404	U	NS	
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	
	26-Jul-11	0.27	U	NS		0.27	U	0.101		NS		0.405	U	NS		NS		0.081	U	0.405	U	NS	
	28-Oct-11	NS		2	U	NS		2	U	NS		2	U	NS		2	U	2	U	NS		2	U
	23-Jan-12	0.2	U	NS		0.2	U	0.2	U	NS		0.2	U	NS		NS		0.2	U	0.97		NS	
	13-Apr-12	NS		0.2	U	NS		0.2	U	NS		0.2	U	NS		0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.057	
	1-Feb-13	0.053		NS		0.062		0.062		NS		0.05		NS		NS		0.066		0.049		NS	
	29-Apr-13	NS		0.19		NS		NS		0.06		NS		0.04	U	0.081		0.079		NS		0.094	
	9-Jul-13	0.12	U	NS		0.081	U	0.081		NS		0.081	U	NS		NS		0.092	U	0.081	U	NS	
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.081	U	0.040	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.040	U	0.073	
	1-Aug-14	0.040	U	NS		0.170		0.061	U	NS		NS		NS		NS		0.04	U	0.040	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS	U	NS	
	22-Oct-14			0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081	U	NS	
	20-Jan-15	0.040	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.100		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS	
	22-Apr-15	NS		0.17 <sup>V</sup>		NS		NS		0.087 <sup>V</sup>		NS		0.04	U	0.059	U	0.040	U	NS		0.047	U
	21-Jul-15	0.140 <sup>J</sup>		NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 <sup>O</sup>		0.86 <sup>O</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.18 <sup>J</sup>	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.057		0.042		NS		0.049		NS		NS		0.065		0.05		NS	
	20-Apr-16	NS		0.053		NS		NS		0.040	U	NS		0.040	U	0.049		0.058		NS		0.060	
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.28		NS		NS		0.21		0.20	U	NS	
	21-Oct-16	NS		0.086		NS		NS		0.04	U	NS		0.04	U	0.045		0.04	U	NS		0.052	
	31-Jan-17	0.04	U	NS		0.078		0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	17-Apr-17	NS		0.061	U	NS		NS		0.061	U	NS		0.061	U	0.061	U	0.061	U	NS		0.061	U
	26-Jul-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.23		0.11	U	NS		0.1	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.081	U	NS		NS		0.81 <sup>P</sup>	U	NS		0.81 <sup>P</sup>	U	0.81 <sup>P</sup>	U	0.087		NS		0.81 <sup>P</sup>	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U
	16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		0.051	U	0.061	U	0.061	U	NS		0.061	U
	29-Jul-19	0.061	U	NS		0.061	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		NS	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		16.2	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.137	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.206	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		3.96	U	0.396	U	0.396	U	NS	
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	NS		2	U	NS	
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.040	U	NS	
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.081	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.420		NS		NS		NS		NS		0.079	U	0.079	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS		NS	
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS	
	22-Apr-15	NS		0.041 <sup>v</sup>	U	NS		NS		0.040 <sup>v</sup>	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 <sup>o</sup>	U	0.200 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.46	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.21	U	0.20	U	NS		0.24	U	NS		NS		0.24	U	0.21	U	NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.63	U
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	17-Apr-17	NS		0.059	U	NS		NS		0.059	U	NS		0.059	U	0.059	U	0.059	U	NS		0.059	U
	26-Jul-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.099	U	0.11	U	NS		0.099	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.079	U	NS		NS		0.79	U	NS		0.79	U	0.79	U	0.079	U	NS		0.79	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U
	16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		0.05	U	0.059	U	0.059	U	NS		0.059	U
	29-Jul-19	0.059	U	NS		0.059	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	1.1		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08		NS		NS		NS		0.08	U	0.08	U	NS		NS	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	
	30-Sep-08	NS		NS		NS		5.9	U	NS		NS		NS		5.9	U	NS		5.9	U	5.9	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	NS	
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		595		0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		0.396	U	0.396	U	0.396	U	NS	
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	NS		NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.53		NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.04	U	NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.054	U	NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.120	U	NS		NS		NS		NS		0.079	U	0.079	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS	U	NS	
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS	
	22-Apr-15	NS		0.041 <sup>v</sup>	U	NS		NS		0.040 <sup>v</sup>	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.11 <sup>1,0</sup>		1.700 <sup>0</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.27		NS		NS		0.31		0.2	U	NS		2.7	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.2	U	NS		NS		0.21		0.20	U	NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.07		NS	
	17-Apr-17	NS		0.059	U	NS		NS		0.059	U	NS		0.059	U	0.059	U	0.059	U	NS		0.059	U
	26-Jul-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.099	U	0.11	U	NS		0.099	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.079	U	NS		NS		0.79	U	NS		0.79	U	0.79	U	0.079	U	NS		0.79	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U
	16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		0.05	U	0.059	U	0.059	U	NS		0.059	U
	29-Jul-19	0.059	U	NS		0.059	U	0.071	U	NS		0.062	U	NS		NS		0.059	U	1.1		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
	25-Apr-08	NS		NS		NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		NS	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	NS	
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		0.396	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.079		NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.079		NS		0.079		0.079		NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		3.96	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.36	U	NS		0.396	U	0.396	U	0.396	U	NS	
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.04	U	NS	
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.120	U	NS		NS		NS		NS		0.079	U	0.079	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS		NS	
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS	
	22-Apr-15	NS		0.041 <sup>v</sup>	U	NS		NS		0.040 <sup>v</sup>	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 <sup>o</sup>	U	2.000 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.21	U	NS		NS		0.20	U	0.2	U	NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.14	U	NS	
	17-Apr-17	NS		0.071	U	NS		NS		0.079	U	NS		0.059	U	0.086	U	0.059	U	NS		0.059	U
	26-Jul-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.099	U	0.11	U	NS		0.099	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.079	U	NS		NS		0.79	U	NS		0.79	U	0.79	U	0.079	U	NS		0.79	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U
	16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		0.05	U	0.059	U	0.059	U	NS		0.059	U
	29-Jul-19	0.059	U	NS		0.059	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	1		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
1,2-Dichloropropane	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS			
	27-Mar-08	NS		0.092	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U		
	25-Apr-08	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U		
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS			
	27-Jun-08	0.144	U	NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U		
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U		
	28-Aug-08	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U		
	30-Sep-08	NS		NS		NS		0.09	U	NS		NS		NS		NS		0.09	U	NS		0.09	U		
	27-Oct-08	0.09	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.09	U
	25-Nov-08	NS		0.09	U	NS		NS		NS		NS		0.09	U	NS		NS		0.09	U	0.09	U	NS	
	18-Dec-08	NS		NS		NS		0.09	U	NS		NS		NS		NS		NS		NS		0.09	U	0.09	U
	21-Jan-09	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.09	U
	25-Feb-09	0.09	U	NS		NS		NS		NS		NS		NS		NS		NS		0.09	U	0.09	U	NS	
	26-Mar-09	NS		NS		0.462	U	NS		NS		NS		0.924	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	22-Jul-09	0.462	U	NS		NS		18.8	U	0.924		NS		0.462	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		NS		0.092	U	NS		NS		19.3	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		NS		0.092	U	0.092		NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	21-Apr-10	NS		0.092	U	NS		NS		NS		0.462	U	NS		0.462	U	0.462	U	0.092	U	NS		0.092	U
	16-Jul-10	0.092	U	NS		0.092	U	0.092	U	0.092		NS		0.698	U	NS		NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jan-11	0.924	U	0.092	U	NS		0.092	U	0.092		NS		0.462	U	NS		0.462	U	0.462	U	0.462	U	NS	
	28-Feb-11	NS		NS		NS		0.924	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.308	U	NS		NS		0.308	U	0.092		NS		0.462	U	NS		NS		0.092	U	0.462	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.23	U	NS		NS		0.23	U	0.23		NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	13-Apr-12	NS		0.46	U	NS		NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.46	U	NS		NS		0.46	U	0.46		NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
	1-Nov-12	NS		0.046	U	NS		NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	1-Feb-13	0.092	U	NS		NS		0.092	U	0.092		NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	29-Apr-13	NS		0.12	U	NS		NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.098	U
	9-Jul-13	0.14	U	NS		NS		0.092	U	0.092		NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		NS		0.092	U	0.092		NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	24-Apr-14	NS		0.046 <sup>L-V</sup>	U	NS		NS		NS		0.046 <sup>L-V</sup>	U	NS		0.046 <sup>L-V</sup>	U	0.046 <sup>L-V</sup>	U	0.046 <sup>L-V</sup>	U	0.046 <sup>L-V</sup>	U	0.14 <sup>L-V</sup>	U
	1-Aug-14	0.092	U	NS		NS		0.14	U	0.14		NS		NS		NS		NS		0.092	U	0.092	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.046	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.069 <sup>L-V</sup>	U	NS		NS		NS	
	22-Oct-14	NS		0.069	U	NS		NS		NS		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.092	U	NS	
	20-Jan-15	0.046	U	NS		NS		0.046	U	0.046		NS		0.046	U	NS		NS		0.069	U	0.046	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.052	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		NS		0.046	U	NS		0.046	U	0.067	U	0.046	U	NS		0.053	U
	21-Jul-15	0.2	U	NS		NS		0.9	U	5		NS		0.3	U	NS		NS		0.200 <sup>O</sup>	U	0.200 <sup>O</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		NS		0.3	U	NS		0.4	U	0.2	U	NS		NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.046	U	NS		NS		0.046	U	0.046		NS		0.046	U	NS		NS		0.046	U	0.046	U	NS	
	20-Apr-16	NS		0.046	U	NS		NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
20-Jul-16	0.23	U	NS		NS		0.23	U	NS		0.27	U	NS		NS		NS		0.29	U	0.24	U	NS		
21-Oct-16	NS		0.046	U	NS		NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U	
31-Jan-17	0.046	U	NS		NS		0.046	U	0.046		NS		0.046	U	NS		NS		0.046	U	0.046	U	NS		
17-Apr-17	NS		0.069	U	NS		NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U	
26-Jul-17	0.046	U	NS		NS		0.046	U	0.046		NS		0.046	U	NS		NS		0.046	U	0.046	U	NS		
12-Oct-17	NS		0.046	U	NS		NS		NS		0.046	U	NS		NS		NS		NS		NS		NS		
10-Jan-18	0.046	U	NS		NS		0.046	U	0.046		NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	
11-Apr-18	NS		0.092	U	NS		NS		NS		0.92 <sup>D</sup>	U	NS		0.92 <sup>D</sup>	U	0.92 <sup>D</sup>	U	0.092	U	NS		0.92 <sup>D</sup>	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.069	U	NS		
27-Jul-18	0.23	U	NS		NS		0.23	U	NS		0.23	U	NS		NS		NS		NS		0.23	U	NS		
24-Oct-18	NS		0.23	U	NS		NS		NS		0.23	U	NS		NS		0.23	U	NS		NS		0.23	U	
16-Jan-19	0.046	U	NS		NS		0.046	U	0.046		NS		0.046	U	NS		NS		0.046	U	0.046	U	NS		
12-Apr-19	NS		0.046	U	NS		NS		NS		0.046	U	NS		0.058	U	0.069	U	0.069	U	NS		0.069	U	
29-Jul-19	0.069	U	NS		NS		0.069	U	0.046		NS		0.046	U	NS		NS		0.046	U	1.1	U	NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	27-Oct-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U	NS	
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS	
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.91	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		18.5	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		NS		NS	
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	NS	
	20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.051	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 <sup>o</sup>	U	0.200 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	21-Oct-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	31-Jan-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	17-Apr-17	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	NS		0.068	U
	26-Jul-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	12-Oct-17	NS		0.045	U	NS		NS		0.045	U	NS		0.14	U	0.11	U	0.13	U	NS		0.11	U
	10-Jan-18	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U
	11-Apr-18	NS		0.091	U	NS		NS		0.91	U	NS		0.91	U	0.91	U	0.091	U	NS		0.91	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.068	U	NS	
	27-Jul-18	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	24-Oct-18	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	16-Jan-19	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	12-Apr-19	NS		0.045	U	NS		NS		0.045	U	NS		0.057	U	0.068	U	0.068	U	NS		0.068	U
	29-Jul-19	0.068	U	NS		0.068	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	30-Sep-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U	NS	
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS	
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.091	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		0.453	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091		NS		0.091	U	0.091		NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		NS		NS	
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	NS	
	20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.051	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 <sup>o</sup>	U	0.200 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	21-Oct-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	31-Jan-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	17-Apr-17	NS		0.068	U	NS		NS		0.068	U	NS		0.068	U	0.068	U	0.068	U	NS		0.068	U
	26-Jul-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	12-Oct-17	NS		0.045	U	NS		NS		0.045	U	NS		0.14	U	0.11	U	0.13	U	NS		0.11	U
	10-Jan-18	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U
	11-Apr-18	NS		0.091	U	NS		NS		0.91	U	NS		0.91	U	0.91	U	0.091	U	NS		0.91	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.27	U	NS	
	27-Jul-18	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	24-Oct-18	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	16-Jan-19	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	12-Apr-19	NS		0.045	U	NS		NS		0.045	U	NS		0.057	U	0.068	U	0.068	U	NS		0.068	U
	29-Jul-19	0.068	U	NS		0.068	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	



**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.33		4.89		NS	
	27-Mar-08	NS		0.295		NS		NS		NS		0.157		NS		NS		NS		0.645		0.372	
	25-Apr-08	NS		NS		0.291		NS		NS		NS		0.32		NS		NS		NS		0.565	
	29-May-08	NS		NS		NS		1.49		NS		NS		NS		2.2		2.82		1.01		NS	
	27-Jun-08	4.34		NS		NS		NS		0.472		NS		NS		NS		NS		0.606		0.699	
	31-Jul-08	NS		*		NS		NS		NS		NS		NS		NS		0.758		NS		0.577	
	28-Aug-08	NS		NS		0.83		NS		NS		NS		0.482		NS		0.711		0.666		NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	18.4		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.3		2.2	U	NS	U
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS		2.2	U
	25-Feb-09	10.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS	U
	26-Mar-09	NS		0.516		NS		NS		NS		0.868	U	NS		NS		NS		0.845		1.18	
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.191		NS		0.304		NS		0.325	
	22-Jul-09	11.7		NS		11.7	U	0.868		NS		1.15		NS		NS		38.2		1.04		NS	
	9-Oct-09	NS		0.564		NS		NS		0.56		NS		0.291		18.1	U	0.542		NS		0.542	
	15-Jan-10	6.95		NS		0.568		0.542		NS		0.659		NS		NS		0.712		0.72		NS	
	21-Apr-10	NS		0.304		NS		NS		1.34		NS		1.8		1.76		2.12		NS		1.56	
	16-Jul-10	8.23		NS		2.4		1.8		NS		1.44		NS		NS		1.51		1.42		NS	
	15-Oct-10	NS		0.534		NS		NS		0.625		NS		0.521		0.573		1.07		NS		0.833	
	26-Jan-11	1.26		1.62		NS		1.66		NS		1.26		NS		1.21		4.14		4.68		NS	
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.243		NS		NS		0.239		NS		0.286		3.86		0.364		NS		0.508	
	26-Jul-11	3.91		NS		0.942		0.339		NS		0.434	U	NS		NS		0.304		0.434	U	NS	
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	NS	U	3.8		NS		2.2	U
	23-Jan-12	3		NS		0.79		0.56		NS		0.82		NS		NS		1.7		12		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	1.5		NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2	U	NS	
	23-Jun-12	5.1		NS		0.53		0.43	U	NS		0.47		NS		NS		0.76		0.46		NS	
	1-Nov-12	NS		0.55		NS		NS		0.57		NS		0.8		0.75		0.87		NS		1.3	
	1-Feb-13	1.3		NS		0.18		0.15		NS		0.23		NS		NS		0.54		0.52		NS	
	29-Apr-13	NS		0.33		NS		NS		0.39		NS		0.37		0.49		0.63		NS		0.8	
	9-Jul-13	5.1		NS		0.087	U	0.68		NS		0.59		NS		NS		1.1		1.0		NS	
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.0		2.6		1.5		NS		1.9	
	9-Jan-14	2.7		NS		2.0		2.6		NS		2.8		NS		NS		6.2		5.5		NS	
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.092		0.087	U	0.49	
	1-Aug-14	1.7		NS		0.84		0.65		NS		NS		NS		NS		0.45		0.85		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.96		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.79		NS		NS	U	NS	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.15	U	0.13	U	0.27		0.27		NS	
	20-Jan-15	0.400		NS		0.087	U	0.096		NS		0.087	U	NS		NS		0.24		0.29		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.29		NS	
	22-Apr-15	NS		0.22		NS		NS		0.12		NS		0.26		0.21/0.24		0.44		NS		0.53	
	21-Jul-15	0.54		NS		0.590 <sup>j</sup>		4	U	NS		0.56		NS		NS		0.65 <sup>o</sup>		0.90 <sup>o</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.41		NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.14 <sup>j</sup>		NS		0.22 <sup>j</sup>		0.28		NS		NS		0.33	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.63		NS		0.087		0.12		NS		0.12		NS		NS		0.51		0.54		NS	
	20-Apr-16	NS		0.3		NS		NS		0.39		NS		0.56		0.34		0.71		NS		0.61	
	20-Jul-16	5.8		NS		0.75		0.43	U	NS		0.5		NS		NS		2.7		1.1		NS	
	21-Oct-16	NS		0.14		NS		NS		0.35		NS		0.24		0.62		1.2		NS		0.52	
	31-Jan-17	0.56		NS		0.16		0.17		NS		0.14		NS		NS		0.86		0.61		NS	
	17-Apr-17	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.17		NS		0.17	
	26-Jul-17	0.53		NS		0.27		0.21		NS		0.38		NS		NS		0.4		0.35		NS	
	12-Oct-17	NS		0.16		NS		NS		0.2		NS		0.26	U	0.36		0.32		NS		0.31	
	10-Jan-18	0.5		NS		0.11		0.22		NS		0.19		0.22		NS		0.94		NS		0.4	
	11-Apr-18	NS		0.13		NS		NS		0.87	U	NS		0.87	U	0.87	U	0.37		NS		0.87	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.19		NS	
	27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS	U
	24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.7		0.43		0.49		NS		0.43	U
	16-Jan-19	0.51		NS		0.087	U	0.11		NS		0.13		NS		NS		0.26		0.31		NS	
	12-Apr-19	NS		0.1		NS		NS		0.11		NS		0.11	U	0.2		0.19		NS		0.37	
	29-Jul-19	3.6		NS		3.7		4.6		NS		5.5		NS		NS		2.4		3.3		NS	

Ethylbenzene

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.46	U	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS	
	27-Mar-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		NS		2.46	U	2.46	U
	25-Apr-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	29-May-08	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	2.46	U	NS	
	27-Jun-08	3.83	U	NS		NS		NS		2.46	U	NS		NS		NS		NS		2.46	U	2.46	U
	31-Jul-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		2.46	U	NS		2.46	U
	28-Aug-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	2.46	U	NS	
	30-Sep-08	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U	4.9	U
	27-Oct-08	5.2		NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U
	25-Nov-08	NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		5.9	U	4.9	U	NS	
	18-Dec-08	NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		4.9	U	4.9	U
	21-Jan-09	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS		4.9	U
	25-Feb-09	4.9	U	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS	
	26-Mar-09	NS		12.3	U	NS		NS		NS		24.6	U	NS		NS		NS		2.46	U	2.46	U
	29-Apr-09	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	22-Jul-09	12.3	U	NS		12.3	U	24.6	U	NS		12.3	U	NS		NS		3.78		2.46	U	2.46	U
	9-Oct-09	NS		2.74	U	NS		NS		2.46	U	NS		2.46	U	513	U	2.46	U	NS		2.46	U
	15-Jan-10	2.46	U	NS		2.46	U	2.46	U	NS		2.46	U	NS		NS		2.46	U	2.46	U	NS	
	21-Apr-10	NS		2.46	U	NS		NS		12.3	U	NS		12.3	U	NS		2.46	U	NS		2.46	U
	16-Jul-10	2.46	U	NS		2.66	U	2.46	U	NS		18.5	U	NS		NS		2.46	U	2.46	U	NS	
	15-Oct-10	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jan-11	24.6	U	2.46	U	NS		2.46	U	NS		12.3	U	NS		12.3	U	12.3	U	12.3	U	NS	
	28-Feb-11	NS		NS		24.6	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jul-11	8.21	U	NS		8.21	U	2.46	U	NS		12.3	U	NS		NS		2.46	U	12.3	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	NS		6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	0.25	U	NS		1.2	U	NS		NS		1.2	U	1.4		NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.27	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.53		0.49		NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25		NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37	U	NS		NS	U	NS	
	22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	21-Jul-15	0.140 <sup>J</sup>		NS		1	U	5	U	NS		0.19 <sup>J</sup>		NS		NS		0.21 <sup>J,O</sup>		0.20 <sup>J,O</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.2	U	NS		1.2	U,M,W	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	17-Apr-17	NS		0.37	U	NS		NS		0.37	U	NS		0.37	U	NS		0.37	U	NS		0.37	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.62	U	0.71	U	NS		0.62	U
	10-Jan-18	0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.37	U	NS	
	27-Jul-18	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	24-Oct-18	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	16-Jan-19	0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U	NS	
	12-Apr-19	NS		0.25	U	NS		NS		0.25	U	NS		0.31	U	0.37	U	0.37	U	NS		0.37	U
	29-Jul-19	0.37	U	NS		0.37	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		1.2		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	12.5		NS		NS		NS		5.5	U	NS		NS		NS		18.5		NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	NS	
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.72	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	NS		NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	6.3	U	6.3	U	NS		6.3	U
	23-Jan-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	13-Apr-12	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.3	U	NS	
	23-Jun-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.27		0.25	U	0.29		NS		0.45	
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.63	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.38	U	NS		0.28		0.29		NS		0.29		NS		NS		0.36		0.53		NS	
	18-Oct-13	NS		0.38		NS		NS		0.25	U	NS		0.25	U	0.51		0.25	U	NS		0.54	
	9-Jan-14	0.25	U	NS		0.33		0.040		NS		0.25	U	NS		NS		1.2		1.2		NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.072	U	0.25	U	0.25	U	0.54	
	1-Aug-14	0.70		NS		0.88		1.4		NS		NS		NS		NS		0.45		0.61		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.38		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.66		NS		NS	U	NS	
	22-Oct-14	NS		0.38 <sup>L</sup>	U	NS		NS		0.38 <sup>L</sup>	U	0.38 <sup>L</sup>	U	0.38 <sup>L</sup>	U	0.38 <sup>L</sup>	U	0.38 <sup>L</sup>	U	0.50 <sup>L</sup>	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.38		0.51		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.16 <sup>J</sup>		NS		NS		0.15 <sup>L,D</sup>		0.30 <sup>D</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.19 <sup>J</sup>		NS		0.5	U	0.3	U	0.3	U	NS		0.19 <sup>J</sup>	
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3 <sup>M,W</sup>	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.43		0.42		NS	
	17-Apr-17	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.63	U	0.71	U	NS		0.63	U
	10-Jan-18	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.38	U	NS	
	27-Jul-18	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	24-Oct-18	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	16-Jan-19	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Apr-19	NS		0.25	U	NS		NS		0.25	U	NS		0.31	U	0.38	U	0.38	U	NS		0.41	
	29-Jul-19	0.38	U	NS		0.38	U	0.26		NS		0.31		NS		NS		0.25	U	0.25	U	NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.07	U	NS		NS		NS		0.07	U	NS		NS		NS		0.14		0.07	U	NS	
	27-Mar-08	NS		0.072	U	NS		NS		NS		0.072	U	NS		NS		NS		0.165		0.126	
	25-Apr-08	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.079	
	29-May-08	NS		NS		NS		0.07	U	NS		NS		NS		0.07	U	0.07	U	0.07	U	NS	
	27-Jun-08	0.436		NS		NS		NS		0.072	U	NS		NS		NS		NS		0.072	U	0.072	U
	31-Jul-08	NS		0.072	U	NS		NS		NS		NS		NS		NS		0.072	U	NS		0.072	U
	28-Aug-08	NS		NS		0.106		NS		NS		NS		0.072	U	NS		0.172	U	0.14		NS	
	30-Sep-08	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		1.8	U	1.8	U
	27-Oct-08	1.8	U	NS		NS		NS		2.6		NS		NS		NS		3.2		NS		5.8	
	25-Nov-08	NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U	NS	
	18-Dec-08	NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U
	21-Jan-09	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	1.8	U	NS		1.8	U
	25-Feb-09	5.8		NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	1.8	U	NS	
	26-Mar-09	NS		0.36	U	NS		NS		NS		0.72	U	NS		NS		NS		0.072	U	0.072	U
	29-Apr-09	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.072	U
	22-Jul-09	0.36	U	NS		0.36	U	0.72	U	NS		0.36	U	NS		NS		0.072	U	0.072	U	NS	
	9-Oct-09	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	15	U	0.086		NS		0.083	
	15-Jan-10	0.079		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	21-Apr-10	NS		0.072	U	NS		NS		0.36	U	NS		3.6	U	0.36	U	0.072	U	NS		0.072	U
	16-Jul-10	0.072	U	NS		0.072	U	0.072	U	NS		0.544	U	NS		NS		0.072	U	0.072	U	NS	
	15-Oct-10	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	26-Jan-11	0.72	U	0.072	U	NS		0.072	U	NS		0.396	U	NS		0.36	U	0.36	U	0.36	U	NS	
	28-Feb-11	NS		NS		NS	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	26-Jul-11	0.24	U	NS		0.24	U	0.072	U	NS		0.36	U	NS		NS		0.072	U	0.36	U	NS	
	28-Oct-11	NS		1.8	U	NS		NS		1.8	U	NS		1.8	U	NS		1.8	U	NS		1.8	U
	23-Jan-12	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	13-Apr-12	NS		0.36	U	NS		NS		0.36	U	NS		0.36	U	0.36	U	0.36	U	NS		0.36	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.8	U	NS	
	23-Jun-12	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	1-Nov-12	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	1-Feb-13	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	29-Apr-13	NS		0.18	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	9-Jul-13	0.17		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	18-Oct-13	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	9-Jan-14	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	24-Apr-14	NS		0.072	U	NS		NS		0.072	U	NS		0.077	U	0.072	U	0.072	U	0.072	U	0.11	U
	1-Aug-14	0.072	U	NS		0.11	U	0.12		NS		NS		NS		NS		0.072	U	0.072	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.072	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.11	U	NS		NS	U	NS	
	22-Oct-14	NS		0.11	U	NS		NS		0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.14	U	NS	
	20-Jan-15	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.11	U	0.072	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.081	U	NS	
	22-Apr-15	NS		0.074 <sup>v</sup>	U	NS		NS		0.072 <sup>v</sup>	U	NS		0.072	U	0.10	U	0.072	U	NS		0.083	U
	21-Jul-15	0.2	U	NS		0.7	U	4	U	NS		0.2	U	NS		NS		0.200 <sup>o</sup>	U	0.200 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	NS		0.2	U	NS		0.096 <sup>j</sup>	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	20-Apr-16	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	20-Jul-16	0.36	U	NS		0.46		0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	21-Oct-16	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	31-Jan-17	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	17-Apr-17	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U	0.11	U	0.11	U	NS		0.11	U
	26-Jul-17	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	12-Oct-17	NS		0.072	U	NS		NS		0.072	U	NS		0.22	U	0.18	U	0.2	U	NS		0.18	U
	10-Jan-18	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U
	11-Apr-18	NS		0.072	U	NS		NS		0.72	U	NS		0.72	U	0.72	U	0.72	U	NS		0.72	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.11	U	NS	
	27-Jul-18	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	24-Oct-18	NS		0.36	U	NS		NS		0.36	U	NS		0.36	U	0.36	U	0.36	U	NS		0.36	U
	16-Jan-19	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	12-Apr-19	NS		0.072	U	NS		NS		0.072	U	NS		0.09	U	0.11	U	0.11	U	NS		0.11	U
	29-Jul-19	0.11	U	NS		0.11	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	1		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.34		NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS	
	27-Mar-08	NS		1.74	U	NS		NS		NS		2.87		NS		NS		NS		2.1		1.74	U
	25-Apr-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	29-May-08	NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	2.91		1.74	U	NS	
	27-Jun-08	4.33	U	NS		NS		NS		3.69		NS		NS		NS		NS		2.78	U	2.78	U
	31-Jul-08	NS		1.74	U	NS		NS		NS		NS		NS		NS		1.74	U	NS		1.74	U
	28-Aug-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	1.74	U	NS	
	30-Sep-08	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U	1.7	U
	27-Oct-08	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U
	25-Nov-08	NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U	NS	
	18-Dec-08	NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U
	21-Jan-09	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U	NS		1.7	UI
	25-Feb-09	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U	NS	
	26-Mar-09	NS		16.1		NS		NS		NS		17.4	U	NS		NS		NS		1.74	U	1.8	
	29-Apr-09	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	22-Jul-09	86.8	U	NS		8.68	U	17.4	U	NS		8.68	U	NS		NS		1.74	U	1.74	U	NS	
	9-Oct-09	NS		1.74	U	NS		NS		1.74	U	NS		1.74	U	362	U	1.74	U	NS		1.74	U
	15-Jan-10	1.74	U	NS		1.74	U	1.74	U	NS		1.74	U	NS		NS		1.74	U	1.74	U	NS	
	21-Apr-10	NS		1.74	U	NS		NS		0.868	U	NS		8.68	U	8.68	U	1.74	U	NS		1.74	U
	16-Jul-10	24		NS		21.5		19.5		NS		26.2	U	NS		NS		27.1		26.5		NS	
	15-Oct-10	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	NS		3.47	U
	26-Jan-11	34.7	U	3.47	U	NS		3.47	U	NS		0.404	U	NS		17.4	U	17.4	U	17.4	U	NS	
	28-Feb-11	NS		NS		34.7	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	NS		3.47	U
	26-Jul-11	11.6	U	NS		11.6	U	3.47	U	NS		17.4	U	NS		NS		5.7		17.4	U	NS	
	28-Oct-11	NS		17	U	NS		NS		17	U	NS		17	U	17	U	140		NS		17	U
	23-Jan-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	
	13-Apr-12	NS		4.6		NS		NS		7.3		NS		3.5	U	4.6		3.9		NS		3.5	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		17	U	NS	
	23-Jun-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	
	1-Nov-12	NS		0.74		NS		NS		1.1		NS		0.69	U	1.1		0.69	U	NS		6.2	
	1-Feb-13	2		NS		0.93		1.6		NS		1.1		NS		NS		0.9		2.1		NS	
	29-Apr-13	NS		1.7	U	NS		NS		1.4		NS		0.93		1.8		1.1		NS		1.4	
	9-Jul-13	1.8		NS		25		1.2		NS		1.1		NS		NS		31		3.6		NS	
	18-Oct-13	NS		0.69	U	NS		NS		0.69	U	NS		0.69	U	0.77		0.69	U	NS		0.74	
	9-Jan-14	0.85		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	1.3		NS	
	24-Apr-14	NS		0.90		NS		NS		6.7		NS		2.8		1.5		0.69	U	0.69	U	1.0	U
	1-Aug-14	1.0		NS		1.7		1.7		NS		NS		NS		NS		1.1		1.1		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS	U	NS	
	22-Oct-14	NS		1.7		NS		NS		1.0	U	1.7		1.4		1.0	U	2.0		3.0		NS	
	20-Jan-15	33		NS		27		25		NS		31		NS		NS		32		0.69	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		40		NS	
	22-Apr-15	NS		0.85 <sup>v</sup>		NS		NS		1.00 <sup>v</sup>		NS		0.73		2.5/2.3		1.0		NS		1.3	
	21-Jul-15	2.1		NS		3.5		3.1 <sup>j</sup>		NS		1.5		NS		NS		1.7 <sup>o</sup>		2.4 <sup>o</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		2.4		NS		NS		NS	
	29-Oct-15	NS		1.6		NS		NS		1.4		NS		3.6		2.7		2		NS		4.7	
	4-Dec-15 resample	NS		1.6		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.3		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	20-Apr-16	NS		0.69	U	NS		NS		0.69	U	NS		1.7		0.69	U	4.4		NS		0.86	
	20-Jul-16	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	8.6		NS	
	21-Oct-16	NS		0.69	U	NS		NS		4.6		NS		0.69	U	2.3		1.1		NS		1.7	
	31-Jan-17	0.69	U	NS		0.8		0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	17-Apr-17	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1	U	NS		1	U
	26-Jul-17	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	12-Oct-17	NS		0.79		NS		NS		0.92		NS		2.1	U	2.8		2	U	NS		1.7	U
	10-Jan-18	0.78		NS		0.69	U	0.69	U	NS		1.1		NS		NS		1.1		NS		0.69	U
	11-Apr-18	NS		0.69	U	NS		NS		6.9 <sup>d</sup>	U	NS		6.9 <sup>d</sup>	U	8.8 <sup>d</sup>		1.7		NS		6.9 <sup>d</sup>	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	27-Jul-18	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	
	24-Oct-18	NS		3.5	U	NS		NS		3.5	U	NS		3.5	U	3.5	U	3.5	U	NS		3.5	U
	16-Jan-19	0.69	U	NS		0.69	U	0.69	U	NS		1.6		NS		NS		1.1		0.69	U	NS	
	12-Apr-19	NS		0.69	U	NS		NS		0.69	U	NS		0.87	U	1.1		2.6		NS		1	U
	29-Jul-19	1	U	NS		1	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	1.3		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
4-Methyl-2-pentanone	8-Feb-08	2.05	U	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	8.7		NS	
	27-Mar-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		NS		15.2		2.05	U
	25-Apr-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	29-May-08	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	2.05	U	2.05	U	NS	
	27-Jun-08	3.19	U	NS		NS		NS		2.05	U	NS		NS		NS		NS		2.05	U	2.05	U
	31-Jul-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		2.05	U	NS		2.05	U
	28-Aug-08	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		NS		2	U	NS		2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		3.5		NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		NS		2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		NS		2	U	2	U
	26-Mar-09	NS		10.2	U	NS		NS		NS		20.5	U	NS		NS		NS		2.05	U	2.05	U
	29-Apr-09	NS		NS		NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	22-Jul-09	10.2	U	NS		NS		10.2	U	20.5	U	NS		10.2	U	NS		2.05	U	2.05	U	NS	
	9-Oct-09	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	427	U	2.05	U	NS		2.05	U
	15-Jan-10	2.05	U	NS		2.05	U	2.05	U	NS		2.05	U	NS		NS		2.05	U	2.05	U	NS	
	21-Apr-10	NS		2.05	U	NS		NS		10.2	U	NS		10.2	U	NS		2.05	U	NS		2.05	U
	16-Jul-10	2.05	U	NS		2.05	U	2.05	U	NS		15.4	U	NS		NS		2.05	U	2.05	U	NS	
	15-Oct-10	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	2.05	U	2.05	U	NS		2.05	U
	26-Jan-11	20.5	U	2.05	U	NS		2.05	U	NS		10.2	U	NS		10.2	U	10.2	U	10.2	U	NS	
	28-Feb-11	NS		NS		20.5	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	2.05	U	2.05	U	NS		3.35	
	26-Jul-11	6.84	U	NS		0.684	U	2.05	U	NS		10.2	U	NS		NS		2.05	U	10.2	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	NS		2	U	NS		2	U
	23-Jan-12	0.41	U	NS		0.44	U	0.41	U	NS		0.41	U	NS		NS		0.41	U	1.8		NS	
	13-Apr-12	NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U	0.41	U	NS		0.41	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2	U	NS	
	23-Jun-12	0.41	U	NS		0.41	U	0.41	U	NS		0.41	U	NS		NS		0.41	U	0.46		NS	
	1-Nov-12	NS		0.89		NS		NS		0.65		NS		0.9		0.84		1.1		NS		1.1	
	1-Feb-13	0.12		NS		0.082	U	0.082	U	NS		0.095		NS		NS		0.082	U	0.29		NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.21		NS		0.21		0.082	U	0.86		NS		0.78	
	9-Jul-13	0.66		NS		0.55		0.47		NS		0.51		NS		NS		0.92		0.39		NS	
	18-Oct-13	NS		1.8		NS		NS		2.7		NS		2.2		2.3		3.0		NS		3.8	
	9-Jan-14	0.18		NS		0.15		0.21		NS		0.082	U	NS		NS		0.21		0.77		NS	
	24-Apr-14	NS		0.087		NS		NS		0.082	U	NS		0.13		0.082	U	0.38		0.32		0.66	
	1-Aug-14	0.64		NS		1.0/0.74		1.1/0.86		NS		NS		NS		NS		1.30		2.4/2.0		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.4		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS	U	NS	
	22-Oct-14	NS		0.13		NS		NS		0.12	U	0.12	U	0.26		0.12	U	0.78		0.73		NS	
	20-Jan-15	0.087		NS		0.085		0.12		NS		0.088		NS		NS		0.35		5.8		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.77		NS	
	22-Apr-15	NS		0.57		NS		NS		0.34		NS		0.85		0.39/0.40		0.87		NS		0.88	
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		1.4 <sup>o</sup>		2.7 <sup>o</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.97		NS		0.42	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.082	U	NS		0.082	U	0.082	U	NS		0.082	U	NS		NS		0.61		0.88		NS	
	20-Apr-16	NS		0.082	U	NS		NS		0.084		NS		0.21		0.15		0.7		NS		0.74	
20-Jul-16	0.41	U	NS		1.2		0.59		NS		0.82		NS		NS		2.4		NS		NS		
21-Oct-16	NS		0.49		NS		NS		0.56		NS		0.64		0.76		2.5		NS		1.2		
31-Jan-17	0.1		NS		0.085		0.082	U	NS		0.082	U	NS		NS		0.32		0.83		NS		
17-Apr-17	NS		0.12	U	NS		NS		0.17		NS		0.22		0.12	U	0.41		NS		0.71		
26-Jul-17	0.64		NS		0.86		0.76		NS		1.5		NS		NS		1.1		1.4		NS		
12-Oct-17	NS		0.15		NS		NS		0.082	U	NS		0.25	U	0.32		0.48		NS		0.39		
10-Jan-18	0.084		NS		0.082	U	0.082	U	NS		0.15		NS		NS		0.28		NS		0.55		
11-Apr-18	NS		0.082	U	NS		NS		0.82	U	NS		0.82	U	0.82	U	0.19 <sup>M</sup>		NS		0.82	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.12	U	NS		
27-Jul-18	0.41	U	NS		0.41	U	0.41	U	NS		0.41	U	NS		NS		1.4		0.87		NS		
24-Oct-18	NS		0.41	U	NS		NS		0.41	U	NS		0.41	U	0.41	U	0.41	U	NS		0.41	U	
16-Jan-19	0.082	U	NS		0.082	U	0.082	U	NS		0.082	U	NS		NS		0.082	U	0.082	U	NS		
12-Apr-19	NS		0.082	U	NS		NS		0.31		NS		0.1	U	0.12	U	0.12	U	NS		0.12	U	
29-Jul-19	0.4		NS		0.12	U	0.74 <sup>V</sup>		NS		0.71 <sup>V</sup>		NS		NS		0.082 <sup>V</sup>	U	1.8 <sup>V</sup>		NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Styrene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.3		3.15		NS		
	27-Mar-08	NS		0.1		NS		NS		NS		0.177		NS		NS		NS		0.206		0.404		
	25-Apr-08	NS		NS		0.244		NS		NS		NS		1.07		NS		0.559		NS		0.351		
	29-May-08	NS		NS		NS		0.17		NS		NS		NS		0.3		0.36		0.27		NS		
	27-Jun-08	0.732		NS		NS		NS		0.354		NS		NS		NS		NS		0.598		0.59		
	31-Jul-08	NS		0.276		NS		NS		NS		NS		NS		NS		0.255		NS		0.17		
	28-Aug-08	NS		NS		1.22		NS		NS		NS		0.754		NS		1.02		1.01		NS		
	30-Sep-08	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U	2.1	U	
	27-Oct-08	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U	U
	25-Nov-08	NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U	NS		U
	18-Dec-08	NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U	U
	21-Jan-09	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U	NS		U
	25-Feb-09	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS		U
	26-Mar-09	NS		0.851	U	NS		NS		NS		1.7	U	NS		NS		NS		0.292		0.361		
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.085	U	NS		0.098		NS		0.243		
	22-Jul-09	0.426	U	NS		0.426	U	0.851	U	NS		0.426	U	NS		NS		NS		0.6		0.149		
	9-Oct-09	NS		0.085	U	NS		NS		NS		0.098		NS		0.085	U	17.8	U	0.153		NS		0.204
	15-Jan-10	0.106		NS		0.119		0.089		NS		0.098		NS		NS		NS		0.128		0.221		
	21-Apr-10	NS		0.085	U	NS		NS		0.426	U	NS		0.426	U	0.426	U	NS		0.481		NS		0.579
	16-Jul-10	0.57		NS		0.911		0.66		NS		0.643	U	NS		NS		NS		0.34		0.864		
	15-Oct-10	NS		0.698		NS		NS		NS		1.12		NS		0.779		0.919		0.877		NS		1.52
	26-Jan-11	0.851	U	0.162		NS		0.179		NS		0.426	U	NS		0.426	U	0.426		0.426		0.617		
	28-Feb-11	NS		NS		0.851	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.311		NS		NS		0.302		NS		0.366		NS		0.4		0.753		NS		0.749
	26-Jul-11	0.724		NS		0.779		0.868		NS		0.788	U	NS		NS		NS		1.23		0.681		
	28-Oct-11	NS		2.1	U	NS		NS		2.1	U	NS		2.1	U	2.1	U	NS		2.1	U	NS		2.1
	23-Jan-12	0.84		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		NS		0.46		16		NS
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.43	U	0.43	U	NS		0.43
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U	NS
	23-Jun-12	1.7		NS		1.4		1.9		NS		1.9		NS		NS		NS		2.4		2.6		NS
	1-Nov-12	NS		0.14		NS		NS		0.15		NS		0.46		0.17		0.3		NS		NS		0.34
	1-Feb-13	0.085	U	NS		0.085		0.085	U	NS		0.085	U	NS		NS		NS		0.22		0.26		NS
	29-Apr-13	NS		0.22		NS		NS		0.27		NS		0.3		NS		0.36		NS		0.53		NS
	9-Jul-13	0.43		NS		0.60		0.39		NS		0.43		NS		NS		NS		0.12		0.48		NS
	18-Oct-13	NS		0.25		NS		NS		0.26		NS		0.35		0.35		0.35		0.50		NS		0.57
	9-Jan-14	0.10		NS		0.10		0.12		NS		0.14		NS		NS		NS		0.44		0.53		NS
	24-Apr-14	NS		0.085		NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	0.21		0.21		0.28
	1-Aug-14	0.32		NS		0.64		2.8/3.8		NS		NS		NS		NS		NS		0.45		0.51		NS
	27-Aug-14	NS		NS		NS		NS		NS		2.7/2.9		NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.81		NS		NS	U	NS
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.18		0.13	U	1.1		0.98		NS		NS
	20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		NS		0.67		0.085	U	NS
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS
	22-Apr-15	NS		0.098		NS		NS		0.085	U	NS		0.099		0.12		NS		1.6		NS		0.80
	21-Jul-15	0.160 <sup>j</sup>		NS		0.460 <sup>j</sup>		4	U	NS		0.23 <sup>j</sup>		NS		NS		NS		1.3 <sup>o</sup>		2.9 <sup>o</sup>		NS
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.13 <sup>j</sup>		NS		NS		NS		NS	
29-Oct-15	NS		0.2	U	NS		NS		0.21 <sup>j</sup>		NS		0.4	U	NS		NS		0.2		NS		0.8	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
27-Jan-16	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		NS		1.3		3.7		NS	
20-Apr-16	NS		0.085	U	NS		NS		0.09		NS		0.13		0.085	U	NS		1.5		NS		0.52	
20-Jul-16	0.79 <sup>l</sup>	L	NS		0.88 <sup>l</sup>		0.97 <sup>l</sup>		NS		NS		NS		NS		NS		3.9 <sup>l</sup>		5.9 <sup>l</sup>		NS	
21-Oct-16	NS		0.12		NS		NS		0.18		NS		0.17		0.22		0.22		3.2		NS		0.63	
31-Jan-17	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		NS		0.97		2.8		NS	
17-Apr-17	NS		0.13	U	NS		NS		0.13		NS		0.15		0.41		NS		0.68		NS		0.61	
26-Jul-17	0.18		NS		0.22		0.21		NS		0.32		NS		NS		NS		0.53		2.3		NS	
12-Oct-17	NS		0.14		NS		NS		0.17		NS		NS		0.26	U	0.4		NS		NS		0.79	
10-Jan-18	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		NS		0.18		NS		0.82	
11-Apr-18	NS		0.085	U	NS		NS		0.85	U	NS		0.85	U	0.85	U	0.85	U	0.085	U	NS		0.85	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.42		NS	
27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		NS		0.68		0.43	U	NS	
24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.43	U	0.43	U	NS		0.43	
16-Jan-19	0.085	U	NS		0.085	U	0.085	U	NS		NS		NS		NS		NS		0.25		NS		0.29	
12-Apr-19	NS		0.11		NS		NS		0.085	U	NS		NS		0.11	U	0.16		0.42		NS		0.88	
29-Jul-19	0.61		NS		0.78		1.1		NS		NS		1.3		NS		NS		0.48		2.8		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS		NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS	
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U	NS	
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U
	21-Jan-09	NS		NS		NS		0.19		NS		NS		NS		0.14	U	0.14	U	NS		0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	22-Jul-09	0.686	U	NS		28	U	1.37		NS		0.686	U	NS		NS		0.137	U	0.137	U	NS	
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U
	15-Jan-10	0.109	U	NS		0.137	U	1.37		NS		0.137	U	NS		NS		0.137	U	0.137	U	NS	
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	0.137	U	NS		0.137	U
	16-Jul-10	0.137	U	NS		0.137	U	0.137		NS		1.04	U	NS		NS		0.137	U	0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137		NS		0.687	U	NS		NS		0.137	U	0.687	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	1.2		NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2		NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25		NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25		NS		0.25	U	NS		NS		0.036	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25		NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25 <sup>L</sup>	U	NS		0.25 <sup>L</sup>	U	0.25	U	0.25 <sup>L</sup>	U	0.25	U	0.37	U
	1-Aug-14	0.25	U	NS		0.37	U	0.37		NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37	U	NS		NS	U	NS	
	22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25		NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.29	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	27-Jan-16	0.25	U	NS		0.25	U	0.25		NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.2	U	NS		1.2	U	1.2		NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25		NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	17-Apr-17	NS		0.37	U	NS		NS		0.37	U	NS		0.37	U	0.37	U	0.37	U	NS		0.37	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25		NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.62	U	0.71	U	NS		0.62	U
	10-Jan-18	0.25	U	NS		0.25	U	NS		NS		NS		NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.37	U	NS	
	27-Jul-18	1.2	U	NS		1.2	U	1.2		NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	24-Oct-18	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	16-Jan-19	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Apr-19	NS		0.25	U	NS		NS		0.25	U	NS		0.31	U	0.37	U	0.37	U	NS		0.37	U
	29-Jul-19	0.37	U	NS		0.37	U	0.25 <sup>L</sup>		NS		0.25 <sup>L</sup>	U	NS		NS		0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	NS	



**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
1,1,2,2-Tetrachloroethane	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS			
	27-Mar-08	NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U		
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U		
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS		0.14	U		
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U		
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U		
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS			
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	NS			
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		NS		0.14	U	NS		0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U	NS	
	21-Jan-09	NS		NS		NS		0.14	U	NS		NS		NS		NS		0.14	U	NS		0.14	U	NS	
	25-Feb-09	0.14	U	NS		NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		0.137	U	NS		0.137	U
	22-Jul-09	0.686	U	NS		28	U	0.137	U	NS		0.686	U	NS		NS		NS		0.137	U	0.137	U	NS	
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U	NS	
	15-Jan-10	0.109	U	NS		0.137	U	0.137	U	NS		0.109	U	NS		NS		0.137	U	0.137	U	0.137	U	NS	
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	0.137	U	NS		0.137	U	NS	
	16-Jul-10	0.137	U	NS		0.137	U	0.137	U	NS		1.04	U	NS		NS		0.137	U	0.137	U	0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		0.137	U	0.687	U	NS		NS	
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	NS		3.4	U	NS		3.4	U
	23-Jan-12	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	0.69	U	NS	
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	
	23-Jun-12	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		NS		0.69	U	0.69	U	NS	
	1-Nov-12	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		NS		0.069	U
	1-Feb-13	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		NS		0.12	U	0.069	U	NS	
	29-Apr-13	NS		0.17	U	NS		NS		0.069	U	NS		0.069	U	0.69	U	NS		0.069	U	NS		0.069	U
	9-Jul-13	0.10	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.010	U	0.069	U	NS		NS	
	18-Oct-13	NS		0.14	U	NS		NS		0.14	U	NS		0.14	U	0.14	U	0.140	U	NS		0.14	U	NS	
	9-Jan-14	0.14	U	NS		0.14	U	0.14	U	NS		0.14	U	NS		NS		0.140	U	0.14	U	NS		NS	
	24-Apr-14	NS		0.069	U	NS		NS		0.069 <sup>L</sup>	U	NS		0.069 <sup>L</sup>	U	0.069 <sup>L-V</sup>	U	0.069 <sup>L</sup>	U	0.069	U	0.069	U	0.21	U
	1-Aug-14	0.14	U	NS		0.21	U	0.21	U	NS		NS		NS		NS		0.140	U	0.14	U	NS		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.069 <sup>L</sup>	U	NS		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	22-Oct-14	NS		0.10	U	NS		NS		0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	NS		0.14	U	NS	
	20-Jan-15	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.10	U	0.069	U	NS		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	NS	
	22-Apr-15	NS		0.070	U	NS		NS		0.069	U	NS		0.069	U	0.10	U	NS		NS		NS		0.079	U
	21-Jul-15	0.3	U	NS		1	U	7	U	NS		0.4	U	NS		NS		0.300 <sup>o</sup>	U	0.400 <sup>o</sup>	U	NS		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.3	U	NS		NS		NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	0.069	U	NS	
	20-Apr-16	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		NS		0.069	U
20-Jul-16	0.34	U	NS		0.34	U	0.34	U	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	NS		
21-Oct-16	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		NS		0.069	U	
31-Jan-17	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	0.069	U	NS		
17-Apr-17	NS		0.10	U	NS		NS		0.10	U	NS		0.10	U	0.1	U	NS		NS		NS		0.1	U	
26-Jul-17	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	0.069	U	NS		
12-Oct-17	NS		0.069	U	NS		NS		0.069	U	NS		NS		0.21	U	0.45	U	NS		NS		0.17	U	
10-Jan-18	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	NS		NS		0.069	U	
11-Apr-18	NS		0.14	U	NS		NS		1.4	U	NS		1.4	U	1.4	U	NS		NS		NS		1.4	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		
27-Jul-18	0.34	U	NS		0.34	U	0.34	U	NS		0.34	U	NS		NS		0.34	U	0.34	U	NS		NS		
24-Oct-18	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	NS		NS		NS		0.34	U	
16-Jan-19	0.069	U	NS		0.069	U	0.069	U	NS		NS		NS		NS		0.069	U	NS		0.069	U	NS		
12-Apr-19	NS		0.069	U	NS		NS		0.069	U	NS		NS		0.086	U									

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Tetrachloroethene*	8-Feb-08	0.35		NS		NS		NS		0.14	U	NS		NS		NS		0.53		5.05		NS		
	27-Mar-08	NS		0.888		NS		NS		NS		0.875		NS		NS		NS		6.99		NS		
	25-Apr-08	NS		NS		0.322		NS		NS		NS		0.99		NS		0.83		NS		0.867		
	29-May-08	NS		NS		NS		1.36		NS		NS		NS		0.24		0.3		3.21		NS		
	27-Jun-08	1.32		NS		NS		NS		29.6		NS		NS		NS		NS		5.08		NS		
	31-Jul-08	NS		0.667		NS		NS		NS		NS		NS		NS		0.618		NS		0.572		
	28-Aug-08	NS		NS		1.55		NS		NS		NS		1.52		NS		1.37		6.26		NS		
	30-Sep-08	NS		NS		NS		3.4		NS		NS		NS		3.4	U	NS		6.1		3.4	U	
	27-Oct-08	4.2	U	NS		NS		NS		10		NS		NS		NS		4.2	U	NS		4.2	U	
	25-Nov-08	NS		21.3		NS		NS		NS		4.6		NS		NS		3.4	U	8.9		NS		
	18-Dec-08	NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		NS		3.4	U	3.4	U	
	21-Jan-09	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		3.4	U	NS	U	
	25-Feb-09	3.4	U	NS		NS		NS		8.3		NS		NS		NS		3.4	U	3.7		NS		
	26-Mar-09	NS		1.28		NS		NS		NS		1.36	U	NS		NS		NS		7.11		2.08		
	29-Apr-09	NS		NS		0.271		NS		NS		NS		0.305		NS		0.237		NS		0.691		
	22-Jul-09	1.63		NS		1.63		2.1		NS		3.08		NS		NS		11.8		3.25		NS		
	9-Oct-09	NS		0.556		NS		NS		2.07		NS		0.678		28.3	U	1.17		NS		1.46		
	15-Jan-10	1.31		NS		0.644		1.35		NS		0.691		NS		NS		0.447		0.501		NS		
	21-Apr-10	NS		7.2		NS		31.4		NS		35.5		NS		36.8		62.1		NS		36.1		
	16-Jul-10	12.4		NS		12.7		10.9		NS		10		NS		NS		15.4		19.2		NS		
	15-Oct-10	NS		21.9		NS		NS		37.6		NS		NS		21.3		22.1		NS		31.6		
	26-Jan-11	1.36	U	0.691		NS		1.27		NS		0.678	U	NS		0.813		2.13		8.3		NS		
	28-Feb-11	NS		NS		1.36	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		1.44		NS		NS		7.22		NS		1.53		1.56		1.46		NS		1.98		
	26-Jul-11	3.34		NS		0.834		2.59		NS		9.29		NS		NS		0.976		6.78		NS		
	28-Oct-11	NS		3.4	U	NS		8.5		NS		3.4	U	3.4	U	3.4	U	3.4	U	NS		3.4	U	
	23-Jan-12	1		NS		0.68	U	1.7		NS		5.3		NS		NS		0.76		26		NS		
	13-Apr-12	NS		19		NS		NS		18		NS		12		18		18		NS		15		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		9.6		NS		
	23-Jun-12	1.5		NS		0.68	U	3.5		NS		0.8		NS		NS		0.68	U	8.9		NS		
	1-Nov-12	NS		7.4		NS		NS		11		NS		0.78		0.57		1.3		NS		1.6		
	1-Feb-13	1.8		NS		0.76		0.99		NS		4.5		NS		NS		1.8		7.7		NS		
	29-Apr-13	NS		8.1		NS		NS		4.7		NS		1.1		1		1.3		NS		1.8		
	9-Jul-13	2.0		NS		2.1		3.1		NS		2.9		NS		NS		2.6		8.8		NS		
	18-Oct-13	NS		14		NS		NS		7.3		NS		0.61		0.32		0.32		NS		1.4		
	9-Jan-14	0.6		NS		0.22		1.1		NS		1.8		NS		NS		0.46		11		NS		
	24-Apr-14	NS		4.7		NS		NS		5.7		NS		0.41		0.068	U	0.51		10		0.30		
	1-Aug-01	2.3		NS		3.3/4.9		2.1		NS		NS		NS		NS		0.97		4.0/5.9		NS		
	27-Aug-14	NS		NS		NS		NS		NS		2.4/3.5		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS	U	NS		
	22-Oct-14	NS		6.9		NS		NS		5.0		0.61		0.43		0.10	U	0.10	U	4.0		NS		
	20-Jan-15	0.9		NS		0.20		0.37		NS		1.0		NS		NS		0.52		0.21		NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.0		NS		
	22-Apr-15	NS		5.3		NS		NS		2.6		NS		0.85		0.48/0.52		1.7		NS		1.5		
	21-Jul-15	0.34		NS		1	U	7	U	NS		3.2		NS		NS		0.44 <sup>o</sup>		4.0 <sup>o</sup>		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS			
29-Oct-15	NS		18		NS		NS		3.6		NS		1.2		6.6		0.18 <sup>†</sup>		NS		0.65			
4-Dec-15 resample	NS		14		NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	3.1		NS		0.19		0.71		NS		0.63		NS		NS		0.19		6.7		NS			
20-Apr-16	NS		9.7		NS		NS		3.4		NS		0.22		0.11		0.14		NS		0.47			
20-Jul-16	0.5		NS		0.99		1.6		NS		4.8		NS		NS		0.71		NS		5.6			
21-Oct-16	NS		40		NS		NS		4.6		NS		0.75		0.83		0.39		NS		0.93			
31-Jan-17	0.33		NS		0.23		0.79		NS		0.75		NS		NS		0.15		12		NS			
17-Apr-17	NS		8.1		NS		NS		3.2		NS		0.99		0.16		0.21		NS		1.1			
26-Jul-17	0.26		NS		0.34		1.3		NS		1.1		NS		NS		0.22		5.4		NS			
12-Oct-17	NS		7.5		NS		NS		4.2		NS		0.44		0.43		0.41		NS		1.7			
10-Jan-18	0.21		NS		0.15		0.64		NS		2		NS		NS		0.33		NS		4.9			
11-Apr-18	NS		10		NS		NS		1.8		NS		1.4	U	1.4	U	0.24		NS		2			
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS			
27-Jul-18	0.68	U	NS		0.68	U	2.5		NS		2.2		NS		NS		0.68	U	18		NS			
24-Oct-18	NS		6.1		NS		NS		6.8		NS		0.68	U	0.68	U	0.68	U	NS		0.68	U		
16-Jan-19	0.44		NS		0.27		0.97		NS		1.8		NS		NS		0.24		5.9		NS			
12-Apr-19	NS		11		NS		NS		2.3		NS		0.29		0.2	U	0.2	U	NS		2.2			
29-Jul-19	0.86		NS		0.92		1.4		NS		6.7		NS		NS		0.4		5.9		NS			

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Toluene	8-Feb-08	1.63		NS		NS		NS		1.8		NS		NS		NS		2.72		455		NS		
	27-Mar-08	NS		2.24		NS		NS		NS		1.45		NS		NS		NS		11.3		16.1		
	25-Apr-08	NS		NS		1.39		NS		NS		NS		1.34		NS		11.2		NS		21.8		
	29-May-08	NS		NS		NS		7.74		NS		NS		NS		11.6		21		13		NS		
	27-Jun-08	14.7		NS		NS		NS		2.33		NS		NS		NS		NS		10.6		22.2		
	31-Jul-08	NS		4.15		NS		NS		NS		NS		NS		NS		10.2		NS		6.11		
	28-Aug-08	NS		NS		6.48		NS		NS		NS		3.44		NS		10		11.2		NS		
	30-Sep-08	NS		NS		NS		1.9	U	NS		NS		NS		6.1		NS		7.5		8.6		
	27-Oct-08	56.3		NS		NS		NS		3.2		NS		NS		NS		6.6		NS		8.2		
	25-Nov-08	NS		7.8		NS		NS		NS		7.8		NS		NS		29.9		18.6		NS		
	18-Dec-08	NS		NS		2		NS		NS		1.9		NS	U	NS		NS		4.8		4.9		
	21-Jan-09	NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	1.9	U	NS		1.9	U	
	25-Feb-09	7		NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	13.8		NS		
	26-Mar-09	NS		3.53		NS		NS		NS		3.92		NS		NS		NS		7.23		9.75		
	29-Apr-09	NS		NS		1.99		NS		NS		NS		0.651		NS		0.149		NS		4.56		
	22-Jul-09	38.7		NS		38.7		2.22		NS		4.71		NS		NS		80.1		5.32		NS		
	9-Oct-09	NS		3.53		NS		NS		3.06		NS		1.07		23.6		3.12		NS		3.67		
	15-Jan-10	12.8		NS		4.17		4.33		NS		5.81		NS		NS		4.81		4.85		NS		
	21-Apr-10	NS		0.9		NS		NS		2.97		NS		3.75		NS		5.2		2.84		5.08		
	16-Jul-10	22.2		NS		17.9		5.98		NS		5.54		NS		NS		5.77		5.85		NS		
	15-Oct-10	NS		1.67		NS		NS		2.1		NS		1.72		3.37		2.23		NS		3.26		
	26-Jan-11	6.06		6.82		NS		6.82		NS		4.74		NS		5.95		12.1		11.9		NS		
	28-Feb-11	NS		NS		1.88		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.836		NS		NS		0.682		NS		1.25		3.62		2.08		NS		1.62		
	26-Jul-11	8.29		NS		3.96		1.15		NS		1.62		NS		NS		2.31		1.68		NS		
	28-Oct-11	NS		1.9	U	NS		NS		1.9	U	NS		1.9	U	3.3		4.7		NS		3.8		
	23-Jan-12	7.9		NS		3.8		1.9		NS		3.4		NS		NS		5.2		15		NS		
	13-Apr-12	NS		0.75		NS		NS		NS	U	NS		0.38	U	1.3		2.4		NS		1.5		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9		U	NS	
	23-Jun-12	8.5		NS		3.5		1.5		NS		2.5		NS		NS		2.4		NS		1.8		
	1-Nov-12	NS		2		NS		NS		1.7		NS		2.3		2.8		2.8		NS		4.5		
	1-Feb-13	2.4		NS		0.69		0.69		NS		0.71		NS		NS		1.4		1.6		NS		
	29-Apr-13	NS		1.7		NS		NS		1.3		NS		1.7		2.1		3.1		NS		3.9		
	9-Jul-13	11		NS		3.0		2.0		NS		2.5		NS		NS		6.8		3.4		NS		
	18-Oct-13	NS		2.3		NS		NS		3.1		NS		2.8		7.5		1.3		NS		1.9		
	9-Jan-14	10		NS		7.6		8.6		NS		10		NS		NS		20		16		NS		
	24-Apr-14	NS		0.23		NS		NS		0.22		NS		0.25		0.36		0.28		0.25		1.1		
	1-Aug-14	2.7		NS		2.8/3.2		1.3/1.4		NS		NS		NS		NS		1.6		1.9		NS		
	27-Aug-14	NS		NS		NS		NS		NS		2.2/2.8		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS		U	NS	
	22-Oct-14	NS		0.34		NS		NS		0.32		0.48		0.94		0.51		1.2		1.2		NS		
	20-Jan-15	1.5		NS		0.6		0.6		NS		0.44		NS		NS		1.4		1.5		NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2		NS		
	22-Apr-15	NS		0.95		NS		NS		0.59		NS		NS		1.4/1.6		3.4		NS		4.3		
	21-Jul-15	3.8		NS		4.5		4	U	NS		2		NS		NS		5.4 <sup>o</sup>		7.6 <sup>o</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.4		NS		NS		NS		
	29-Oct-15	NS		0.41		NS		NS		0.55		NS		0.64		1.1		1.2		NS		2.8		
	4-Dec-15 resample	NS		0.42		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	1.5		NS		0.5		0.4		NS		0.44		NS		NS		1.2		0.89		NS		
	20-Apr-16	NS		0.62		NS		NS		0.77		NS		1.3		0.85		3.5		NS		1.8		
20-Jul-16	1.2 <sup>w</sup>		NS		1.9 <sup>w</sup>		0.77 <sup>w</sup>		NS		1.2 <sup>w</sup>		NS		NS		1.6 <sup>w</sup>		44 <sup>w</sup>		NS			
21-Oct-16	NS		0.56		NS		NS		2.6		NS		1.8		4.2		1.9		NS		2.5			
31-Jan-17	1.1		NS		1.2		1.0		NS		0.98		NS		NS		2.2		1.8		NS			
17-Apr-17	NS		1.0		NS		NS		1.1		NS		1.3		1.5		1.0		NS		1.5			
26-Jul-17	1.1		NS		1.5		0.73		NS		1.2		NS		NS		1.8		1.4		NS			
12-Oct-17	NS		0.41		NS		NS		0.47		NS		0.55		1		0.99		NS		0.81			
10-Jan-18	0.88		NS		0.99		1.1		NS		1		NS		NS		2.4		NS		1.7			
11-Apr-18	NS		0.61		NS		NS		0.75	U	NS		0.75	U	0.75	U	3.4		NS		1.9			
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.72		NS			
27-Jul-18	1.2		NS		1.9		0.75		NS		1.6		NS		NS		1.4		0.9		NS			
24-Oct-18	NS		0.49		NS		NS		0.38	U	NS		0.47		1.2		1.4		NS		1.5			
16-Jan-19	1.4		NS		0.65		0.7		NS		0.77		NS		NS		1.6		1.2		NS			
12-Apr-19	NS		0.48		NS		NS		0.34		NS		0.24		1.1		1.5		NS		0.88			
29-Jul-19	1.6		NS		2		1.9		NS		3.2		NS		NS		1.3		2.2		NS			

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.56		NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.522		0.266	
	25-Apr-08	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U	NS		0.119	
	29-May-08	NS		NS		NS		0.12		NS		NS		NS		0.11	U	0.11	U	0.54		NS	
	27-Jun-08	0.17	U	NS		NS		NS		0.458		NS		NS		NS		NS		0.377		0.138	
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.153		NS		0.109	U	0.492		NS	
	30-Sep-08	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		2.7	U	2.7	U
	27-Oct-08	3.4	U	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		3.4	U
	25-Nov-08	NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U	NS	
	18-Dec-08	NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U
	21-Jan-09	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS		2.7	U
	25-Feb-09	2.7	U	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS	
	26-Mar-09	NS		1.59		NS		NS		NS		1.09	U	NS		NS		NS		0.682		0.213	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.147		NS		0.158		NS		0.191	
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.278		NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.158		NS		0.191		22.8	U	0.109	U	NS		0.136	
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.109	U	NS		NS		0.109	U	0.692		NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		1.09	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		0.109	U	0.562		NS	
	15-Oct-10	NS		0.272		NS		NS		0.349		NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.545	U	0.545	U	0.845		NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.873	U	NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		1.5	U	NS		NS		0.55	U	1.3		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		0.55	U	NS		NS		0.55	U	0.7		NS	
	1-Nov-12	NS		0.25		NS		NS		0.27		NS		0.055	U	0.055	U	0.055	U	NS		0.14	
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.83		NS		NS		0.055	U	0.23		NS	
	29-Apr-13	NS		0.15		NS		NS		0.076		NS		0.055	U	0.061		0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.061		NS		0.33		NS		NS		0.055	U	0.26		NS	
	18-Oct-13	NS		0.23		NS		NS		0.19		NS		0.11	U	0.11	U	0.11	U	NS		0.28	
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.41		NS		NS		0.11	U	0.46		NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.42		0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	0.16	U	NS		NS		NS		NS		0.11	U	0.22		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.35		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS	U	NS	
	22-Oct-14	NS		0.19		NS		NS		0.19		0.082	U	0.082	U	0.082	U	0.082	U	0.28		NS	
	20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.31		NS		NS		0.082	U	0.055	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14		NS	
	22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U
	21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.27 <sup>j</sup>		NS		NS		0.3 <sup>o</sup>	U	0.3 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.36		NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.23 <sup>j</sup>		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.24		NS		NS		0.055	U	0.4		NS	
	20-Apr-16	NS		0.2		NS		NS		0.098		NS		0.055	U	0.055	U	0.055	U	NS		0.074	
	20-Jul-16	0.27	U	NS		0.27	U	0.27	U	NS		0.59	U	NS		NS		0.28		NS		0.4	
	21-Oct-16	NS		0.59		NS		NS		0.19		NS		0.083		0.094		0.089		NS		1.4	
	31-Jan-17	0.13		NS		0.055	U	0.055	U	NS		0.2		NS		NS		0.055	U	0.57		NS	
	17-Apr-17	NS		0.12		NS		NS		0.082	U	NS		0.082	U	0.082	U	0.082	U	NS		0.082	U
	26-Jul-17	0.055	U	NS		0.055	U	0.055	U	NS		0.12		NS		NS		0.055	U	0.22		NS	
	12-Oct-17	NS		0.12		NS		NS		0.15		NS		0.17	U	0.28		0.16	U	NS		0.14	U
	10-Jan-18	0.055 <sup>l</sup>	U	NS		0.055 <sup>l</sup>	U	0.055 <sup>l</sup>	U	NS		0.29 <sup>l</sup>		NS		NS		0.055 <sup>l</sup>	U	NS		0.37 <sup>l</sup>	
	11-Apr-18	NS		0.12		NS		NS		1.1	U	NS		1.1	U	1.1	U	0.110	U	NS		1.1	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.082	U	NS	
	27-Jul-18	0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	NS		NS		0.27	U	0.56		NS	
	24-Oct-18	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	16-Jan-19	0.055	U	NS		0.055	U	0.055	U	NS		0.2		NS		NS		0.055	U	0.26		NS	
	12-Apr-19	NS		0.16		NS		NS		0.055	U	NS		0.068	U	0.082	U	0.082	U	NS		0.082	U
	29-Jul-19	0.082	U	NS		0.082		0.1		NS		0.36		NS		NS		0.076		1.3		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1,2-Trichloroethane	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.109	U	0.109	U
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	29-May-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS		NS	
	27-Jun-08	0.17	U	NS		NS		NS		0.109	U	NS		NS		NS		NS		0.109	U	0.109	U
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	0.109	U	NS	
	30-Sep-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U	NS	
	27-Oct-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U
	25-Nov-08	NS		0.11	U	NS		NS		NS		NS		0.11	U	NS		0.11	U	0.11	U	NS	
	18-Dec-08	NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U
	21-Jan-09	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U	NS	
	25-Feb-09	0.11	U	NS		NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U	NS	
	26-Mar-09	NS		0.545	U	NS		NS		NS		1.09	U	NS		NS		NS		0.109	U	0.109	U
	29-Apr-09	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.109	U	NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	22.8	U	0.109	U	NS		0.109	U
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.081	U	NS		NS		0.109	U	0.109	U	NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		0.109	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		1.09	U	0.109	U	NS	
	15-Oct-10	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.547	U	0.545	U	0.545	U	NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.546	U	NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		0.55	U	NS		NS		0.55	U	4.2		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		0.5	U	NS		NS		0.55	U	0.55	U	NS	
	1-Nov-12	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	29-Apr-13	NS		0.14	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	18-Oct-13	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U	0.11	U	0.11	U	NS		0.11	U
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.11	U	NS		NS		0.11	U	0.11	U	NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.055	U	0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	0.16	U	NS		NS		NS		NS		0.11	U	0.11	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.055	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS		NS	
	22-Oct-14	NS		0.082	U	NS		NS		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.11	U	NS	
	20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.082	U	0.055	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS	
	22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U
	21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.3 <sup>o</sup>	U	0.3 <sup>o</sup>	U	NS	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U	
4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS		
20-Apr-16	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U	
20-Jul-16	0.27	U	NS		0.27	U	NS		0.27	U	NS		0.27	U	NS		0.27	U	0.27	U	NS		
21-Oct-16	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U	
31-Jan-17	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS		
17-Apr-17	NS		0.082	U	NS		NS		0.082	U	NS		0.082	U	0.082	U	0.082	U	NS		0.082	U	
26-Jul-17	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS		
12-Oct-17	NS		0.055	U	NS		NS		0.055	U	NS		0.17	U	0.14	U	0.16	U	NS		0.14	U	
10-Jan-18	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	
11-Apr-18	NS		0.11	U	NS		NS		1.1	U	NS		1.1	U	1.1	U	0.11	U	NS		1.1	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		
27-Jul-18	0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	NS		NS		0.27	U	0.27	U	NS		
24-Oct-18	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U	
16-Jan-19	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS		
12-Apr-19	NS		0.055	U	NS		NS		0.055	U	NS		0.068	U	0.082	U	0.082	U	NS		0.082	U	
29-Jul-19	0.082	U	NS		0.082	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	1.5		NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Trichloroethene*	8-Feb-08	0.12		NS		NS		NS		0.11	U	NS		NS		NS		0.2		19.6		NS		
	27-Mar-08	NS		0.107	U	NS		NS		NS		0.152		NS		NS		NS		13.4		5.34		
	25-Apr-08	NS		NS		0.199		NS		NS		NS		1.35		NS		0.668		NS		3.39		
	29-May-08	NS		NS		NS		26.5		NS		NS		NS		0.15		0.37		13.6		NS		
	27-Jun-08	0.408		NS		NS		NS		258		NS		NS		NS		NS		13.6		6.56		
	31-Jul-08	NS		1.24		NS		NS		NS		NS		NS		NS		0.126		NS		3.26		
	28-Aug-08	NS		NS		0.558		NS		NS		NS		3.56		NS		0.432		18.4		NS		
	30-Sep-08	NS		NS		NS		56.2		NS		NS		NS		0.8	U	NS		22.7		3.95		
	27-Oct-08	0.8	U	NS		NS		NS		117		NS		NS		NS		2.99		NS		0.8	U	
	25-Nov-08	NS		2.92		NS		NS		NS		1.89		NS		NS		0.54	U	39.8		NS		
	18-Dec-08	NS		NS		0.54	U	NS		NS		NS		0.54	U	NS		NS		4.56		2.48		
	21-Jan-09	NS		NS		NS		19.6		NS		NS		NS		0.54	U	NS	U	NS		4.99		
	25-Feb-09	0.44		NS		NS		NS		99.5		NS		NS		NS		0.56		10.7		NS		
	26-Mar-09	NS		9.2		NS		NS		NS		3.88		NS		NS		NS		25.1		5.49		
	29-Apr-09	NS		NS		0.22		NS		NS		1.2		NS		NS		0.392		NS		2.96		
	22-Jul-09	0.537	U	NS		0.537	U	12.7		NS		3.19		NS		NS		0.354		NS		10.3		
	9-Oct-09	NS		0.091	U	NS		NS		26		NS		1.24		22.4	U	0.182		NS		3.26		
	15-Jan-10	0.591		NS		0.242		17.7		NS		0.172		NS		NS		0.107	U	18.5		NS		
	21-Apr-10	NS		0.107	U	NS		NS		34		NS		0.94		0.537	U	0.891		NS		2.01		
	16-Jul-10	0.333		NS		0.333		8.14		NS		0.811	U	NS		NS		0.107		27.8		NS		
	15-Oct-10	NS		2.26		NS		NS		129		NS		1.92		0.177		0.317		NS		1.3		
	26-Jan-11	1.07	U	1.63		NS		9.94		NS		0.537	U	NS		0.617		1.23		27.1		NS		
	28-Feb-11	NS		NS		1.07	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.231		NS		NS		78.1		NS		0.891		0.107	U	0.107	U	NS		1.56		
	26-Jul-11	1.18		NS		0.358	U	29.6		NS		10.5		NS		NS		0.247		20.5		NS		
	28-Oct-11	NS		2.7	U	NS		NS		110		NS		2.7	U	2.7	U	2.7	U	NS		2.7	U	
	23-Jan-12	0.88		NS		0.54	U	6.8		NS		7.8		NS		NS		0.54	U	44		NS		
	13-Apr-12	NS		0.27	U	NS		NS		83		NS		1.5		0.27	U	0.27	U	NS		4.1		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		32		NS		
	23-Jun-12	1.1		NS		0.54	U	92		NS		0.75		NS		NS		0.54	U	35		NS		
	1-Nov-12	NS		2.4		NS		NS		92		NS		1.9		0.32		0.28		NS		6.9		
	1-Feb-13	0.85		NS		0.064		21		NS		5.6		NS		NS		0.077		20		NS		
	29-Apr-13	NS		1.7		NS		NS		46		NS		0.84		0.12		0.44		NS		1.9		
	9-Jul-13	0.60		NS		0.22		27		NS		2.6		NS		NS		0.14		22	U	NS		
	18-Oct-13	NS		3.3		NS		NS		76		NS		2.2		0.48		0.66		NS		15		
	9-Jan-14	0.49		NS		0.11	U	36		NS		1.8		NS		NS		0.13		43		NS		
	24-Apr-14	NS		1.0		NS		NS		58		NS		0.81		0.13		1.0		31		2.4		
	1-Aug-14	2.70		NS		0.23		15/19		NS		NS		NS		NS		1.2		16/18		NS		
	27-Aug-14	NS		NS		NS		NS		NS		2.6/3.4		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.30		NS		NS	U	NS		
	22-Oct-14	NS		1.3		NS		NS		88		0.97		1.4		0.19		0.17		18		NS		
	20-Jan-15	0.52		NS		0.054	U	24		NS		1.3		NS		NS		0.081	U	0.054	U	NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		15		NS		
	22-Apr-15	NS		0.96		NS		NS		35		NS		0.80		0.078	U	0.57		NS		3.6		
	21-Jul-15	0.2	U	NS		1	U	15		NS		3.1		NS		NS		0.99 <sup>o</sup>		24 <sup>o</sup>		NS		
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS		NS			
29-Oct-15	NS		4.1		NS		NS		54		NS		3.3		0.89		0.55		NS		7.3			
4-Dec-15 resample	NS		2.1		NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	2.3		NS		0.13		25		NS		0.98		NS		NS		0.27		36		NS			
20-Apr-16	NS		1.8		NS		NS		76		NS		0.8		0.17		0.39		NS		9.4			
20-Jul-16	0.47		NS		0.6		28		NS		3.8		NS		NS		0.63		21		NS			
21-Oct-16	NS		7.6		NS		NS		66		NS		1.1		0.31		0.18		NS		5.7			
31-Jan-17	0.23		NS		0.11		32		NS		0.71		NS		NS		0.054	U	44		NS			
17-Apr-17	NS		1.4		NS		NS		58		0.66		0.66		0.081	U	0.081	U	NS		11			
26-Jul-17	0.23		NS		0.13		33		NS		1.4		NS		NS		0.31		25		NS			
12-Oct-17	NS		1.8		NS		NS		88		NS		0.76		0.38		0.15	U	NS		2.1			
10-Jan-18	0.19		NS		0.054	U	29		NS		2.1		NS		NS		0.43		NS		65			
11-Apr-18	NS		2.1		NS		NS		41		NS		1.1	U	1.1	U	0.13		NS		37			
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		7.0		NS			
27-Jul-18	0.27	U	NS		0.27	U	140		NS		0.68		NS		NS		0.27	U	74		NS			
24-Oct-18	NS		1.7		NS		NS		110		NS		0.69		0.27	U	0.27	U	NS		4.9			
16-Jan-19	0.29		NS		0.054	U	47		NS		1.4		NS		NS		0.054	U	42		NS			
12-Apr-19	NS		1.8		NS		NS		45		NS		0.38		0.081	U	0.081	U	NS		21			
29-Jul-19	0.4		NS		0.15		23		NS		4.7		NS		NS		0.24		21		NS			

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Trichlorofluoromethane	8-Feb-08	1.22		NS		NS		NS		1.22		NS		NS		NS		1.06		15.9		NS		
	27-Mar-08	NS		1.27		NS		NS		NS		1.18		NS		NS		NS		12		9.02		
	25-Apr-08	NS		NS		1.18		NS		NS		NS		5.2		NS		1.66		NS		3.83		
	29-May-08	NS		NS		NS		33.5		NS		NS		NS		0.98		1.05		10.6		NS		
	27-Jun-08	1.29		NS		NS		NS		75.2		NS		NS		NS		NS		8.85		8.89		
	31-Jul-08	NS		1.01		NS		NS		NS		NS		NS		NS		0.958		NS		5.1		
	28-Aug-08	NS		NS		2.53		NS		NS		NS		18		NS		1.79		15.6		NS		
	30-Sep-08	NS		NS		NS		53.8		NS		NS		NS		2.8	U	NS		14.5		10.4		
	27-Oct-08	2.8	U	NS		NS		NS		44.4		NS		NS		NS		6.1		NS		2.8		U
	25-Nov-08	NS		10		NS		NS		NS		12.2		NS		NS		2.8	U	34		NS		
	18-Dec-08	NS		NS		2.8		U		NS		NS		4.9		NS		NS		4.8		7.1		
	21-Jan-09	NS		NS		NS		26.9		NS		NS		NS		7.2		NS		2.8	U	NS		10.4
	25-Feb-09	2.8	U	NS		NS		NS		14.8		NS		NS		NS		NS		2.8	U	7.1		NS
	26-Mar-09	NS		1.43		NS		NS		NS		2.81	U	NS		NS		NS		19.6		10.3		
	29-Apr-09	NS		NS		1.45		NS		NS		NS		4.23		NS		NS		1.27		NS		3.17
	22-Jul-09	1.46		NS		1.46		NS		19.9		3.42		NS		NS		NS		1.28		6.46		NS
	9-Oct-09	NS		0.156		NS		NS		NS		20		NS		11	U	58.6		1.65		NS		9.32
	15-Jan-10	1.39		NS		2.1		16.6		NS		1.78		NS		NS		NS		1.34		15.4		NS
	21-Apr-10	NS		0.466		NS		NS		NS		10.1		4.83		1.4	U	4.95		NS		5.47		
	16-Jul-10	2.6		NS		1.84		16.4		NS		2.12	U	NS		NS		NS		2.23		19.8		NS
	15-Oct-10	NS		9.63		NS		NS		72.2		NS		13.7		5.65		NS		9.85		NS		10
	26-Jan-11	2.81	U	1.16		NS		13.8		NS		NS		1.4	U	NS		1.4	U	1.71		26		NS
	28-Feb-11	NS		NS		2.81		NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Apr-11	NS		1.12		NS		NS		NS		12.8		NS		3.24		1.27		1.17		NS		2.53
	26-Jul-11	4.27		NS		1.31		41.2	U	NS		15.3		NS		NS		NS		1.62		10		NS
	28-Oct-11	NS		2.8	U	NS		NS		NS		30		NS		5.1		2.8	U	2.9		NS		4.2
	23-Jan-12	2.1		NS		1.5		28		NS		29		NS		NS		NS		1.4		16		NS
	13-Apr-12	NS		1.9		NS		NS		NS		15		NS		6.4		2.1		2		NS		8.8
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		21		NS
	23-Jun-12	2.4		NS		1.1		85		NS		2.2		NS		NS		NS		1.2		15		NS
	1-Nov-12	NS		3.3		NS		NS		NS		33		NS		6.7		1.2		1.2		NS		7.2
	1-Feb-13	2.1		NS		1.6		15		NS		17		NS		NS		NS		1.6		5.6		NS
	29-Apr-13	NS		2.6		NS		NS		NS		8.3		NS		3.1		1.5		1.6		NS		2.7
	9-Jul-13	1.4		NS		2.2		33		NS		NS		3.3		NS		NS		3.6		5.5		NS
	18-Oct-13	NS		4.0		NS		NS		NS		19		NS		6.9		3.0		1.6		NS		20
	9-Jan-14	1.6		NS		1.8		21		NS		NS		11		NS		NS		1.8		NS		NS
	24-Apr-14	NS		2.3		NS		NS		NS		10		NS		3.5		1.7		2.4		9.3		4.3
	1-Aug-14	2.9		NS		1.7/1.6		23/26		NS		NS		NS		NS		NS		2.4		6.2		NS
	27-Aug-14	NS		NS		NS		NS		NS		7.0/6.6		NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS	U	NS
	22-Oct-14	NS		2.7		NS		NS		NS		28		4.2		7.0		1.7		1.4		7.4		NS
	20-Jan-15	1.6		NS		1.5		9.1		NS		NS		5.2		NS		NS		1.3		1.4		NS
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS
	22-Apr-15	NS		7.8 <sup>v</sup>		NS		NS		NS		15 <sup>v</sup>		NS		3.5		1.7/2.0		1.9		NS		3.4
	21-Jul-15	0.87		NS		1.0 <sup>j</sup>		19		NS		NS		3.2		NS		NS		0.98 <sup>o</sup>		2.9 <sup>o</sup>		NS
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.98		NS		NS		NS
	29-Oct-15	NS		4.3		NS		NS		NS		11		NS		2.6		0.93		0.8		NS		1.8
	4-Dec-15 resample	NS		2.5		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Jan-16	2.5 <sup>MV</sup>		NS		1.9 <sup>MV</sup>		19 <sup>MV</sup>		NS		NS		7.6 <sup>MV</sup>		NS		NS		2.4 <sup>MV</sup>		7.6 <sup>MV</sup>		NS
	20-Apr-16	NS		2.3		NS		NS		NS		8.8		NS		2.5		1.6		1.4		NS		4.3
20-Jul-16	1.3		NS		1.6		NS		NS		16		NS		4.2		NS		1.7		4		NS	
21-Oct-16	NS		4.7		NS		NS		NS		15		NS		3.8		1.5		1.3		NS		5.9	
31-Jan-17	1.4		NS		1.5		35		NS		NS		3.9		NS		NS		1.4		9.1		NS	
17-Apr-17	NS		2.7		NS		NS		NS		8.6		NS		3.1		1.7		1.7		NS		8.2	
26-Jul-17	0.98		NS		0.98		19		NS		NS		1.9		NS		NS		1.1		3.4		NS	
12-Oct-17	NS		2.3		NS		NS		NS		18		NS		3.8		1.8		1.5		NS		2.2	
10-Jan-18	1.2		NS		1.3		9.1		NS		NS		4.6		NS		NS		1.1		NS		11	
11-Apr-18	NS		2.1		NS		NS		NS		5.3		NS		4.5	U	4.5	U	1.4		NS		9.9	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2		NS	
27-Jul-18	2.2	U	NS		2.2		24		NS		NS	U	NS		NS		NS		2.2	U	6		NS	
24-Oct-18	NS		2.6		NS		NS		NS		14		NS		3.4		2.2	U	2.2	U	NS		2.9	
16-Jan-19	1.1		NS		1.2		NS		NS		NS		2.9		NS		NS		1.2		NS		NS	
12-Apr-19	NS		1.8		NS		NS		NS		4.5		NS		2		1.2		1.1		NS		7.8	
29-Jul-19	1.6		NS		1.2		13		NS		NS		3.9		NS		NS		1.3		4.3		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
1,2,4-Trimethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.69		1.93		NS		
	27-Mar-08	NS		0.304		NS		NS		NS		0.152		NS		NS		NS		0.958		0.681		
	25-Apr-08	NS		NS		1.72		NS		NS		NS		0.644		NS		0.517		NS		0.338		
	29-May-08	NS		NS		NS		0.6		NS		NS		NS		1		1.26		0.48		NS		
	27-Jun-08	7.46		NS		NS		NS		1.15		NS		NS		NS		NS		0.638		0.736		
	31-Jul-08	NS		1.86		NS		NS		NS		NS		NS		NS		0.885		NS		0.685		
	28-Aug-08	NS		NS		0.838		NS		NS		NS		NS		NS		0.669		0.653		NS		
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5		U
	27-Oct-08	11.4		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.9		
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		6.4		5.2		NS		
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5		U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U	NS		U
	25-Feb-09	17.5		NS		NS		NS		4		NS		NS		NS		6.2		2.9		NS		
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		1.09		1.55		
	29-Apr-09	NS		NS		0.265		NS		NS		NS		0.378		NS		0.707		NS		0.801		
	22-Jul-09	3.49		NS		NS	U	0.982	U	NS		0.737		NS		NS		56.4		0.86		NS		
	9-Oct-09	NS		0.707		NS		NS		0.781		NS		0.648		20.5	U	1.36		NS		0.584		
	15-Jan-10	2.87		NS		0.354		0.29		NS		0.314		NS		NS		1.06		1.17		NS		
	21-Apr-10	NS		0.211		NS		NS		0.933		NS		1.42		1.13		0.653		NS		0.702		
	16-Jul-10	8.3		NS		8.23		8.09		NS		6.27		NS		NS		4.28		5.05		NS		
	15-Oct-10	NS		1.29		NS		NS		1.61		NS		1.1		1.38		1.86		NS		2.35		
	26-Jan-11	1.23		1.4		NS		1.6		NS		0.491	U	NS		1.35		6.93		10.4		NS		
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.845		NS		NS		0.855		NS		1.24		1.06		2.06		NS		1.09		
	26-Jul-11	1.29		NS		2.67		0.61		NS		0.541		NS		NS		2.48		0.541		NS		
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	NS		3.7		NS		3.1		
	23-Jan-12	3		NS		0.76		0.49	U	NS		0.71		NS		NS		2.7		2.8		NS		
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	1.1		3.9		NS		1.3		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5		NS		U
	23-Jun-12	4.1		NS		1.3		1.2		NS		1.1		NS		NS		2.1		1.1		NS		
	1-Nov-12	NS		1.7		NS		NS		2.5		NS		3.1		3		3.2		NS		3.3		
	1-Feb-13	1.2		NS		0.23		0.21		NS		0.3		NS		NS		1		0.86		NS		
	29-Apr-13	NS		0.54		NS		NS		0.74		NS		0.66		0.83		1		NS		0.84		
	9-Jul-13	4.2		NS		1.6		1.8		NS		1.8		NS		NS		2		2.0		NS		
	18-Oct-13	NS		4.8		NS		NS		4.3		NS		5.6		6.4		5.0		NS		5.7		
	9-Jan-14	2.7		NS		2.7		3.8		NS		3.8		NS		NS		12.0		13.0		NS		
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.13		0.098	U	0.5		0.1		2.6		
	1-Aug-14	4.1		NS		6.5/5.1		3.0/3.6		NS		NS		NS		NS		2.6		6.3/4.3		NS		
	27-Aug-14	NS		NS		NS		NS		NS		1.1		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS		NS		U
	22-Oct-14	NS		0.37		NS		NS		0.28		0.6		0.59		0.50		1.0		1.2		NS		
	20-Jan-15	0.19		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.4		NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.55		NS		
	22-Apr-15	NS		0.27		NS		NS		0.17		NS		0.24		0.33/0.37		0.33		NS		0.43		
	21-Jul-15	0.44		NS		1.1		5	U	NS		0.89		NS		NS		0.47 <sup>o</sup>		0.66 <sup>o</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.7		NS		NS		NS		
	29-Oct-15	NS		0.43		NS		NS		0.78		NS		0.87		0.64		0.48		NS		0.76		
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	0.32		NS		0.098	U	0.17		NS		0.098	U	NS		NS		0.55		0.38		NS		
	20-Apr-16	NS		0.39		NS		NS		0.57		NS		0.79		0.49		1		NS		0.94		
20-Jul-16	2.2		NS		2.6		2.3		NS		2.4		NS		NS		3.2		2.6		NS			
21-Oct-16	NS		0.8		NS		NS		0.74		NS		1.1		1.2		1.6		NS		1.3			
31-Jan-17	1.3		NS		0.61		0.69		NS		0.74		NS		NS		5.1		4.9		NS			
17-Apr-17	NS		0.16		NS		NS		0.21		NS		0.2		0.2		0.29		NS		0.33			
26-Jul-17	0.28		NS		0.098	U	0.3		NS		0.36		NS		NS		0.34		0.29		NS			
12-Oct-17	NS		0.95		NS		NS		0.58		NS		2.6		2.1		1.9		NS		1.6			
10-Jan-18	0.14		NS		0.098	U	0.18		NS		0.12		NS		NS		0.88		NS		0.76			
11-Apr-18	NS		0.31 <sup>M</sup>		NS		NS		0.98	U	NS		0.98	U	0.98	U	0.098	U	NS		0.98		U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15		NS			
27-Jul-18	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49	U	0.49	U	NS			
24-Oct-18	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	0.49	U	NS		0.49		U	
16-Jan-19	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.098	U	0.098	U	NS			
12-Apr-19	NS		0.098	U	NS		NS		0.098	U	NS		0.12	U	0.15	U	0.15	U	NS		0.15		U	
29-Jul-19	2.9		NS		3.1		4.3		NS		5.3		NS		NS		1.9		3.3		NS			



Summary of Subslab Air Sampling Data  
 Alvarez School  
 Volatile Organic Compounds  
 February 2008 - July 2019

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,3,5-Trimethylbenzene	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.47		0.66		NS	
	27-Mar-08	NS		0.14		NS		NS		NS		0.098	U	NS		NS		NS		0.349		0.275	
	25-Apr-08	NS		NS		1.6		NS		NS		NS		0.228		NS		0.192		NS		0.134	
	29-May-08	NS		NS		NS		0.18		NS		NS		NS		0.32		0.43		0.15		NS	
	27-Jun-08	5.16		NS		NS		NS		0.463		NS		NS		NS		NS		0.236		0.25	
	31-Jul-08	NS		0.713		NS		NS		NS		NS		NS		NS		0.276		NS		0.224	
	28-Aug-08	NS		NS		0.497		NS		NS		NS		0.215		NS		0.248		0.233		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5		2.5	U
	27-Oct-08	7.8		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U	NS	
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		NS	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U	NS	
	25-Feb-09	9.1		NS		NS		NS		2.5	U	NS		NS		NS		NS		2.5	U	NS	
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		0.337		0.425	
	29-Apr-09	NS		NS		0.147		NS		NS		NS		0.128		NS		NS		0.211		NS	
	22-Jul-09	3		NS		NS	U	0.982	U	NS		NS		0.491	U	NS		NS		22.7		0.275	
	9-Oct-09	NS		0.216		NS		NS		0.241		NS		0.187		20.5	U	0.388		NS		0.226	
	15-Jan-10	2.15		NS		0.118		0.098	U	NS		0.108		NS		NS		0.29		0.334		NS	
	21-Apr-10	NS		0.098	U	NS		NS		0.491	U	NS		0.491	U	0.491	U	0.177		NS		0.206	
	16-Jul-10	2.76		NS		1.88		1.81		NS		1.67		NS		NS		1.08		1.25		NS	
	15-Oct-10	NS		0.418		NS		NS		0.383		NS		0.275		0.324		0.545		NS		0.54	
	26-Jan-11	0.982	U	0.437		NS		0.472		NS		0.491	U	NS		0.491	U	1.99		2.87		NS	
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.255		NS		NS		0.27		NS		0.368		0.329		0.599		NS		0.354	
	26-Jul-11	0.688		NS		0.885		0.182		NS		0.492	U	NS		NS		0.664		0.492	U	NS	
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	2.5	U	NS		2.5	U
	23-Jan-12	0.99		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.71		0.83		NS	
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	1.1		NS		0.49	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5		NS	
	23-Jun-12	1.6		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49		0.49	U	NS	
	1-Nov-12	NS		0.25		NS		NS		0.39		NS		0.53		0.5		0.56		NS		0.63	
	1-Feb-13	0.42		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.24		NS	
	29-Apr-13	NS		0.25	U	NS		NS		0.22		NS		0.18		0.22		0.3		NS		0.27	
	9-Jul-13	1.5		NS		0.39		0.37		NS		0.38		NS		NS		0.43		0.44		NS	
	18-Oct-13	NS		0.53		NS		NS		0.52		NS		0.75		0.99		0.44		NS		0.53	
	9-Jan-14	0.77		NS		0.69		0.96		NS		0.98		NS		NS		2.9		3.1		NS	
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.098	U	0.098	U	0.14		0.098	U	0.50	
	1-Aug-14	0.90		NS		1.00		0.60		NS		NS		NS		NS		0.46		0.86		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.23		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.15		NS		NS		NS	
	22-Oct-14	NS		0.15	U	NS		NS		0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.20	U	NS	
	20-Jan-15	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.15	U	0.11		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.11	U	NS	
	22-Apr-15	NS		0.10	U	NS		NS		0.098	U	NS		0.098	U	0.14	U	0.098	U	NS		0.12	
	21-Jul-15	0.2	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.20 <sup>o</sup>	U	0.14 <sup>o</sup>		NS	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.48		NS		NS		NS		
29-Oct-15	NS		0.3	U	NS		NS		0.16 <sup>j</sup>		NS		0.4	U	0.13 <sup>j</sup>		0.15 <sup>j</sup>		NS		0.17 <sup>j</sup>		
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.1		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.13		0.098	U	NS		
20-Apr-16	NS		0.098	U	NS		NS		0.098	U	NS		0.18		0.098		0.26		NS		0.18		
20-Jul-16	0.78		NS		1.2		0.88		NS		0.96		NS		NS		1.3		1		NS		
21-Oct-16	NS		0.17		NS		NS		0.18		NS		0.19		0.28		0.53		NS		0.34		
31-Jan-17	0.36		NS		0.13		0.15		NS		0.15		NS		NS		1.3		1.2		NS		
17-Apr-17	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U	0.15	U	0.15	U	NS		0.15	U	
26-Jul-17	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.098	U	0.098	U	NS		
12-Oct-17	NS		0.16		NS		NS		0.16		NS		0.3	U	0.4		0.28	U	NS		0.25	U	
10-Jan-18	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.17		NS		0.12		
11-Apr-18	NS		0.098	U	NS		NS		0.98	U	NS		0.98	U	0.98	U	0.098	U	NS		0.98	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15	U	
27-Jul-18	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49	U	0.49	U	NS	U	
24-Oct-18	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	0.49	U	NS		0.49	U	
16-Jan-19	0.1		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.098	U	NS		0.12		
12-Apr-19	NS		0.098	U	NS		NS		0.098	U	NS		0.12	U	0.15	U	0.15	U	NS		0.25		
29-Jul-19	0.68		NS		0.75		1		NS		1.2		NS		NS		0.53	U	1.8		NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS	
	27-Mar-08	NS		0.051	U	NS		NS		NS		0.051	U	NS		NS		NS		0.051	U	0.051	U
	25-Apr-08	NS		NS		0.051	U	NS		NS		NS		0.75		NS		0.051	U	NS		0.051	U
	29-May-08	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	0.05	U	NS	
	27-Jun-08	0.08	U	NS		NS		NS		0.051	U	NS		NS		NS		NS		0.051	U	0.051	U
	31-Jul-08	NS		0.051	U	NS		NS		NS		NS		NS		NS		0.051	U	NS		0.051	U
	28-Aug-08	NS		NS		0.051	U	NS		NS		NS		0.051	U	NS		0.051	U	0.051	U	NS	
	30-Sep-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U	0.1	U
	27-Oct-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U
	25-Nov-08	NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U	NS	
	18-Dec-08	NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U
	21-Jan-09	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS		0.1	U
	25-Feb-09	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS	
	26-Mar-09	NS		0.255	U	NS		NS		NS		0.511	U	NS		NS		NS		0.051	U	0.051	U
	29-Apr-09	NS		NS		0.061		NS		NS		NS		0.051	U	NS		0.051	U	NS		0.051	U
	22-Jul-09	0.255	U	NS		0.255	U	0.511	U	NS		0.255	U	NS		NS		0.051	U	0.051	U	NS	
	9-Oct-09	NS		1.72		NS		NS		0.051	U	NS		0.102		10.7	U	0.051	U	NS		0.051	U
	15-Jan-10	0.051	U	NS		0.061		0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	21-Apr-10	NS		0.051	U	NS		NS		0.255	U	NS		0.256	U	0.255	U	0.051	U	NS		0.051	U
	16-Jul-10	0.051	U	NS		1.98		0.051	U	NS		0.386	U	NS		NS		0.051	U	0.051	U	NS	
	15-Oct-10	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jan-11	0.511	U	0.051	U	NS		0.051	U	NS		0.255	U	NS		0.255	U	0.255	U	0.255	U	NS	
	28-Feb-11	NS		NS		0.511	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jul-11	0.17	U	NS		0.17	U	0.051	U	NS		0.256	U	NS		NS		0.051	U	0.256	U	NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	13-Apr-12	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.64	U	NS	
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	1-Nov-12	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	1-Feb-13	0.065		NS		0.026	U	0.026	U	NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	29-Apr-13	NS		0.41		NS		NS		0.045		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	9-Jul-13	0.038	U	NS		0.026	U	0.085		NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	18-Oct-13	NS		0.051	U	NS		NS		0.074		NS		0.051	U	0.063		0.051	U	NS		0.051	U
	9-Jan-14	0.092		NS		0.051	U	0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.10		0.026	U	0.026	U	0.077	U
	1-Aug-14	0.21		NS		0.38	U	0.077	U	NS		NS		NS		NS		0.051	U	0.051	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.026	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.038	U	NS		NS	U	NS	
	22-Oct-14	NS		0.038	U	NS		NS		0.038	U	0.038	U	0.24		0.038	U	0.038	U	0.051	U	NS	
	20-Jan-15	0.093 <sup>v</sup>		NS		0.14 <sup>v</sup>		0.026	U	NS		0.072 <sup>v</sup>		NS		NS		0.038 <sup>v</sup>	U	0.026	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.029	U	NS	
	22-Apr-15	NS		0.069 <sup>v</sup>		NS		NS		0.060 <sup>v</sup>		NS		0.026	U	0.037	U	0.026	U	NS		0.029	U
	21-Jul-15	0.090 <sup>j</sup>		NS		0.5	U	3	U	NS		0.097 <sup>j</sup>		NS		NS		0.096 <sup>j,o</sup>		0.100 <sup>o</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	
	29-Oct-15	NS		0.13 <sup>j</sup>		NS		NS		0.1	U	NS		0.2	U	0.1	U	NS		NS		0.1	U
	4-Dec-15 resample	NS		0.14		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.026	U	NS		0.2		0.026	U	NS		0.064		NS		NS		0.026	U	0.026	U	NS	
	20-Apr-16	NS		0.23		NS		NS		0.072		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	20-Jul-16	0.13 <sup>l</sup>	U	NS		0.29 <sup>l</sup>		0.13 <sup>l</sup>	U	NS		0.54 <sup>l</sup>		NS		NS		0.13 <sup>l</sup>	U	0.13 <sup>l</sup>	U	NS	
	21-Oct-16	NS		0.34		NS		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		0.035	
	31-Jan-17	0.11		NS		0.27		0.026	U	NS		0.15		NS		NS		0.026	U	0.026	U	NS	
	17-Apr-17	NS		0.19		NS		NS		0.038	U	NS		0.038	U	0.038	U	0.038	U	NS		0.038	U
	26-Jul-17	0.026	U	NS		0.3		0.026	U	NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	12-Oct-17	NS		0.31		NS		NS		0.026	U	NS		0.077	U	0.17		0.073	U	NS		0.064	U
	10-Jan-18	0.19		NS		0.24		0.026	U	NS		0.32		NS		NS		0.026	U	NS		0.026	U
	11-Apr-18	NS		0.051	U	NS		NS		0.51 <sup>p</sup>	U	NS		0.51 <sup>p</sup>	U	0.51 <sup>p</sup>	U	0.051	U	NS		0.51 <sup>p</sup>	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	NS	
	27-Jul-18	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	24-Oct-18	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	0.26	U	0.26	U	NS		0.26	U
	16-Jan-19	0.27		NS		0.2		0.051	U	NS		0.33		NS		NS		0.051	U	0.051	U	NS	
	12-Apr-19	NS		0.35		NS		NS		0.051	U	NS		0.064	U	0.077	U	0.077	U	NS		0.077	U
	29-Jul-19	0.077	U	NS		0.077	U	0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
p/m-Xylene	8-Feb-08	0.55		NS		NS		NS		0.63		NS		NS		NS		1.04		18.3		NS	
	27-Mar-08	NS		0.893		NS		NS		NS		0.389		NS		NS		NS		2.17		NS	
	25-Apr-08	NS		NS		0.815		NS		NS		NS		0.97		NS		2.54		NS		1.81	
	29-May-08	NS		NS		NS		5		NS		NS		NS		7.58		10.1		3.34		NS	
	27-Jun-08	12.6		NS		NS		NS		1.5		NS		NS		NS		NS		1.91		NS	
	31-Jul-08	NS		2.4		NS		NS		NS		NS		NS		NS		2.08		NS		1.55	
	28-Aug-08	NS		NS		2.33		NS		NS		NS		1.44		NS		2.13		1.94		NS	
	30-Sep-08	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U	4.3	U
	27-Oct-08	41.6		NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U
	25-Nov-08	NS		4.7		NS		NS		NS		4.3	U	NS		NS		8.5		8.9		NS	
	18-Dec-08	NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		NS		4.3	U	4.3	U
	21-Jan-09	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U	NS	
	25-Feb-09	37.6		NS		NS		NS		4.3	U	NS		NS		NS		8		9.3		NS	
	26-Mar-09	NS		1.35		NS		NS		NS		1.74	U	NS		NS		NS		2.59		3.56	
	29-Apr-09	NS		NS		0.468		NS		NS		NS		0.516		NS		0.933		NS		1.06	
	22-Jul-09	25.6		NS		25.6		1.74	U	NS		3.88		NS		NS		165		3.52		NS	
	9-Oct-09	NS		1.62		NS		NS		1.63		NS		0.915		36.2	U	1.74		NS		1.7	
	15-Jan-10	18.4		NS		1.52		1.48		NS		1.76		NS		NS		2.35		2.65		NS	
	21-Apr-10	NS		0.703		NS		NS		3.28		NS		4.58		4.34		6.22		NS		4.77	
	16-Jul-10	21.8		NS		7.01		6.36		NS		4.82		NS		NS		4.95		4.91		NS	
	15-Oct-10	NS		1.81		NS		NS		2.18		NS		1.7		1.88		3.4		NS		2.88	
	26-Jan-11	3.08		4.24		NS		4.37		NS		3.06		NS		3.17		11.5		13.6		NS	
	28-Feb-11	NS		NS		1.74	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.694		NS		NS		0.707		NS		0.889		1.15		1.09		NS		1.44	
	26-Jul-11	9.99		NS		3.96		1.02		NS		0.999		NS		NS		0.956		1.26		NS	
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	9.8		NS		4.3	U
	23-Jan-12	7.9		NS		2		1.3		NS		2		NS		NS		4.4		14		NS	
	13-Apr-12	NS		0.87	U	NS		NS		0.87	U	NS		0.87	U	0.87		3.6		NS		1.1	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		4.3	U	NS	
	23-Jun-12	12		NS		1.1		0.87	U	NS		0.94		NS		NS		1.7		1.1		NS	
	1-Nov-12	NS		2.1		NS		NS		2.4		NS		3.3		2.9		3.6		NS		5.3	
	1-Feb-13	3.4		NS		0.44		0.38		NS		0.59		NS		NS		1.5		1.4		NS	
	29-Apr-13	NS		1		NS		NS		1.2		NS		1.2		1.5		1.9		NS		2.4	
	9-Jul-13	12		NS		1.9		1.8		NS		1.7		NS		NS		3.2		0.70		NS	
	18-Oct-13	NS		5.0		NS		NS		5.6		NS		6.3		8.0		4.7		NS		5.9	
	9-Jan-14	8.6		NS		7.2		9.3		NS		9.7		NS		NS		23		22.00		NS	
	24-Apr-14	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.28		0.17	U	2.6	
	1-Aug-14	4.8		NS		2.8/3.0		1.8/2.1		NS		NS		NS		NS		1.5		2.4/2.8		NS	
	27-Aug-14	NS		NS		NS		NS		NS		3.6		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS	U	NS	
	22-Oct-14	NS		0.26	U	NS		NS		0.26	U	0.30		0.5		0.26	U	0.76		0.92		NS	
	20-Jan-15	1.1		NS		0.21		0.30		NS		0.20		NS		NS		0.7		0.90		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		NS	
	22-Apr-15	NS		0.71		NS		NS		0.40		NS		0.8		0.66/0.76		1.3		NS		1.6	
	21-Jul-15	1.5		NS		1.7 <sup>j</sup>		9	U	NS		1.9		NS		NS		1.8 <sup>o</sup>		2.3 <sup>o</sup>		NS	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.71		NS		NS		NS		
29-Oct-15	NS		0.29 <sup>j</sup>		NS		NS		0.47 <sup>j</sup>		NS		0.73		0.90		0.8		NS		1		
4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	2.4		NS		0.51		0.64		NS		0.64		NS		NS		2.5		2.7		NS		
20-Apr-16	NS		1		NS		NS		1.5		NS		2.1		1.4		2.7		NS		2.5		
20-Jul-16	16		NS		1.4		0.91		NS		1.3		NS		NS		9.3		3.2		NS		
21-Oct-16	NS		0.43		NS		NS		1.1		NS		0.77		2		4.1		NS		1.7		
31-Jan-17	2		NS		0.5		0.55		NS		0.45		NS		NS		3.3		1.9		NS		
17-Apr-17	NS		0.26	U	NS		NS		0.27		NS		0.27		0.26		NS		0.57		NS		
26-Jul-17	1.6		NS		0.93		0.74		NS		1.4		NS		NS		1.3		0.96		NS		
12-Oct-17	NS		0.58		NS		NS		0.68		NS		0.83		1		0.89		NS		0.96		
10-Jan-18	1.4		NS		0.33		0.62		NS		0.53		NS		NS		3.4		NS		1.3		
11-Apr-18	NS		0.35		NS		NS		1.7	U	NS		1.7	U	1.7	U	0.97		NS		1.7	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.31		NS		
27-Jul-18	0.87	U	NS		0.87	U	0.87	U	NS		0.87	U	NS		NS		0.87	U	0.87	U	NS		
24-Oct-18	NS		0.87	U	NS		NS		0.87	U	NS		2		0.87	U	1.6		NS		1.3		
16-Jan-19	1.5		NS		0.24		0.35		NS		0.42		NS		NS		0.88		NS		1.1		
12-Apr-19	NS		0.3		NS		NS		0.36		NS		0.28		0.52		0.6		NS		1.2		
29-Jul-19	17		NS		17		21		NS		25		NS		NS		12		13		NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
o-Xylene	8-Feb-08	0.2		NS		NS		NS		0.23		NS		NS		NS		0.48		7.73		NS		
	27-Mar-08	NS		0.273		NS		NS		NS		0.142		NS		NS		NS		0.844		0.478		
	25-Apr-08	NS		NS		0.37		NS		NS		NS		0.406		NS		0.735		NS		0.62		
	29-May-08	NS		NS		NS		1.48		NS		NS		NS		2.26		2.84		1.02		NS		
	27-Jun-08	4.12		NS		NS		NS		0.55		NS		NS		NS		NS		0.672		0.794		
	31-Jul-08	NS		0.835		NS		NS		NS		NS		NS		NS		0.748		NS		0.564		
	28-Aug-08	NS		NS		0.804		NS		NS		NS		0.511		NS		0.797		0.725		NS		
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U	
	27-Oct-08	9.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		4		U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		3.1	N	2.2	U	NS		U
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2		U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	NS		U
	25-Feb-09	8.9		NS		NS		NS		2.2	U	NS		NS		NS		NS		2.2		3.2		NS
	26-Mar-09	NS		0.486		NS		NS		NS		0.868	U	NS		NS		NS		NS		0.922		1.28
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.208		NS		NS		0.369		NS		0.499
	22-Jul-09	5.34		NS		5.34		0.868	U	NS		1.39		NS		NS		NS		72.7		1.27		NS
	9-Oct-09	NS		0.542		NS		NS		0.586		NS		0.343		18.1	U	0.629		NS		NS		0.616
	15-Jan-10	4.51		NS		0.49		0.49		NS		0.56		NS		NS		0.833		0.846		NS		NS
	21-Apr-10	NS		0.256		NS		NS		1.17		NS		1.56		1.41		NS		1.24		NS		1.14
	16-Jul-10	5.07		NS		2.84		2.63		NS		2.1		NS		NS		1.88		2.05		NS		NS
	15-Oct-10	NS		0.672		NS		NS		0.837		NS		0.659		0.729		1.22		NS		NS		1.14
	26-Jan-11	1.08		1.5		NS		1.54		NS		1.11		NS		1.15		4.32		5.16		NS		NS
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Apr-11	NS		0.286		NS		NS		0.286		NS		0.369		0.456		0.451		NS		NS		0.551
	26-Jul-11	1.87		NS		1.45		0.334		NS		0.434	U	NS		NS		0.365		0.434		NS		NS
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	NS		3.3		NS		2.2		NS
	23-Jan-12	2.3		NS		0.76		0.54		NS		0.79		NS		NS		1.7		4.6		NS		NS
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43		1.4		NS		0.43		NS
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2		NS		NS
	23-Jun-12	3		NS		0.43	U	0.43		NS		0.43	U	NS		NS		0.59		0.44		NS		NS
	1-Nov-12	NS		0.72		NS		NS		0.85		NS		1.1		1.1		1.3		NS		NS		1.8
	1-Feb-13	1		NS		0.19		0.17		NS		0.24		NS		NS		0.64		0.52		NS		NS
	29-Apr-13	NS		0.43		NS		NS		0.46		NS		0.41		0.52		0.065		NS		0.86		NS
	9-Jul-13	3.2		NS		0.86		0.90		NS		0.84		NS		NS		1.3		0.28		NS		NS
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.1		2.9		1.4		NS		1.7		NS
	9-Jan-14	3.4		NS		3.0		4.00		NS		4.1		NS		NS		9.8		9.6		NS		NS
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087		0.11		0.087	U	1.2		NS
	1-Aug-14	1.9		NS		1.6/1.8		1.10		NS		NS		NS		NS		0.79		1.2/1.6		NS		NS
	27-Aug-14	NS		NS		NS		NS		NS		1.3		NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.52		NS		NS	U	NS		NS
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13		U		0.2		0.13	U	0.28		0.35		NS
	20-Jan-15	0.29		NS		0.087	U	0.10		NS		0.087	U	NS		NS		0.23		0.34		NS		NS
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.36		NS		NS
	22-Apr-15	NS		0.26		NS		NS		0.13		NS		0.25		0.22/0.25		0.38		NS		0.54		NS
	21-Jul-15	0.48		NS		0.59 <sup>j</sup>		4	U	NS		0.53		NS		NS		0.54 <sup>o</sup>		0.73 <sup>o</sup>		NS		NS
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS		NS		NS
	29-Oct-15	NS		0.16 <sup>j</sup>		NS		NS		0.21 <sup>j</sup>		NS		0.34 <sup>j</sup>		0.28		0.32		NS		NS		0.44
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Jan-16	0.51		NS		0.13		0.17		NS		0.17		NS		NS		0.63		0.84		NS		NS
	20-Apr-16	NS		0.36		NS		NS		0.52		NS		0.77		0.49		0.92		NS		0.78		NS
20-Jul-16	3.4 <sup>w</sup>		NS		0.84 <sup>w</sup>		0.43 <sup>fw</sup>	U	NS		0.6 <sup>w</sup>	W	NS		NS		2.7 <sup>w</sup>		1.3 <sup>v</sup>		NS		NS	
21-Oct-16	NS		0.18		NS		NS		0.38		NS		0.27		0.72		1.3		NS		0.62		NS	
31-Jan-17	0.88		NS		0.31		0.32		NS		0.27		NS		NS		1.7		NS		NS		NS	
17-Apr-17	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13		0.25		NS		0.2		NS	
26-Jul-17	0.45		NS		0.28		0.25		NS		0.46		NS		NS		0.41		0.34		NS		NS	
12-Oct-17	NS		0.36		NS		NS		0.44		NS		0.52		0.56		0.46		NS		0.42		NS	
10-Jan-18	0.44		NS		0.12		0.2		NS		0.2		NS		NS		1.2		NS		0.53		NS	
11-Apr-18	NS		0.13		NS		NS		0.87	U	NS		0.87	U	0.87		0.35		NS		0.87		NS	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.16		NS		NS	
27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS		NS	
24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43		0.63		NS		0.57		NS	
16-Jan-19	0.44		NS		0.089		0.13		NS		0.16		NS		NS		0.31		NS		0.38		NS	
12-Apr-19	NS		0.11		NS		NS		0.12		NS		0.11	U	0.19		0.25		NS		0.51		NS	
29-Jul-19	6.7		NS		6.9		8		NS		10		NS		NS		4.6		5.3		NS		NS	

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - July 2019**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
<p>* Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.</p> <p><sup>M</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.</p> <p><sup>L</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.</p> <p><sup>V</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.</p> <p><sup>W</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.</p> <p><sup>E</sup> Reported result is estimated due to value over calibration range</p> <p><sup>J</sup> Estimated result as the result was between the MDL and the RDL.</p> <p><sup>O</sup> One or more method internal standards were recovered outside of the control limits. Sample re-analysis not possible due to sample volume and detection limit constraints.</p> <p><sup>D</sup> Elevated method reporting limits for samples MP-5, MP-7, MP-8 and IMP-3 due to diluted matrices. Con-test internal standards failed and samples were re-pressurized and diluted.</p> <p>NOTES:            All data presented in micrograms per cubic meter (ug/m<sup>3</sup>).            Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multiple dilutions, the lower RL was documented in this table.            U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.            NS = Not sampled.</p>																							

## **APPENDIX D**

### **Rooftop Emission Analytical Summary**

**Sub Slab Depressurization System Emissions Calculations**  
 Alvarez School  
 Sample Date: 29 July 2019

Volatile Organic Compounds	ROOFTOP FAN 1					ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm):		2312	Measured Flow Rate (cfm):	113.5	Measured Flow Speed (fpm):		1992	Measured Flow Rate (cfm):	97.8	Measured Flow Speed (fpm):		2201	Measured Flow Rate (cfm):	108.0	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	
	Concentration (ug/m <sup>3</sup> )	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m <sup>3</sup> )	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m <sup>3</sup> )	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)							
Acetone	33	1.40E-05	3.36E-04	1.23E-01	34	1.24E-05	2.98E-04	1.09E-01	30	1.21E-05	2.91E-04	1.06E-01	3.85E-05	9.25E-04	3.38E-01				
Acrylonitrile	0.12	U	5.09E-08	1.22E-06	4.46E-04	0.12	U	4.39E-08	1.05E-06	3.84E-04	0.12	U	4.85E-08	1.16E-06	4.25E-04	1.43E-07	3.44E-06	1.25E-03	
Benzene	0.21	U	8.91E-08	2.14E-06	7.80E-04	0.095	U	3.47E-08	8.33E-07	3.04E-04	0.16	U	6.46E-08	1.55E-06	5.66E-04	1.88E-07	4.52E-06	1.65E-03	
Bromodichloromethane	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.09	U	3.55E-08	8.53E-07	3.11E-04	4.34E-08	1.04E-06	3.81E-04	
Bromoforn	0.05	U	1.95E-08	4.68E-07	1.71E-04	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05	3.49E-08	8.38E-07	3.06E-04	
2-Butanone	1.6	U	6.79E-07	1.63E-05	5.95E-03	1.2	U	4.39E-07	1.05E-05	3.84E-03	1.2	U	4.85E-07	1.16E-05	4.25E-03	1.60E-06	3.85E-05	1.40E-02	
n-Butylbenzene	0.058	U	2.46E-08	5.91E-07	2.16E-04	0.058	U	2.12E-08	5.09E-07	1.86E-04	0.058	U	2.34E-08	5.62E-07	2.05E-04	-	-	-	
sec-Butylbenzene	0.046	U	1.95E-08	4.68E-07	1.71E-04	0.046	U	1.68E-08	4.04E-07	1.47E-04	0.046	U	1.86E-08	4.46E-07	1.63E-04	-	-	-	
Carbon Tetrachloride	0.097	U	4.12E-08	9.88E-07	3.60E-04	0.071	U	2.60E-08	6.23E-07	2.27E-04	0.15	U	6.06E-08	1.45E-06	5.31E-04	1.28E-07	3.06E-06	1.12E-03	
Chlorobenzene	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05	2.39E-08	5.73E-07	2.09E-04	
Chloroethane	0.12	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05	2.39E-08	5.73E-07	2.09E-04	
Chloroform	0.12	U	5.09E-08	1.22E-06	4.46E-04	0.47	U	1.72E-07	4.12E-06	1.50E-03	0.21	U	8.48E-08	2.04E-06	7.43E-04	3.08E-07	7.38E-06	2.69E-03	
Chloromethane	0.04	U	1.70E-08	4.07E-07	1.49E-04	0.04	U	1.46E-08	3.51E-07	1.28E-04	0.04	U	1.62E-08	3.88E-07	1.42E-04	4.77E-08	1.15E-06	4.18E-04	
Dibromochloromethane	0.042	U	1.78E-08	4.28E-07	1.56E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.098	U	3.96E-08	9.50E-07	3.47E-04	6.11E-08	1.47E-06	5.35E-04	
1,2-Dibromoethane	0.044	U	1.87E-08	4.48E-07	1.64E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.1	U	4.04E-08	9.69E-07	3.54E-04	6.27E-08	1.51E-06	5.49E-04	
1,2-Dichlorobenzene	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05	2.39E-08	5.73E-07	2.09E-04	
1,3-Dichlorobenzene	0.8	U	3.39E-07	8.15E-06	2.97E-03	0.2	U	6.58E-08	1.58E-06	5.76E-04	0.4	U	1.58E-07	3.78E-06	1.38E-03	5.63E-07	1.35E-05	4.93E-03	
1,4-Dichlorobenzene	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05	2.39E-08	5.73E-07	2.09E-04	
Dichlorodifluoromethane	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05	2.39E-08	5.73E-07	2.09E-04	
1,1-Dichloroethane	0.046	U	1.95E-08	4.68E-07	1.71E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.092	U	3.72E-08	8.92E-07	3.25E-04	6.03E-08	1.45E-06	5.28E-04	
1,2-Dichloroethane	0.010	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.010	U	4.04E-09	9.69E-08	3.54E-05	1.19E-08	2.86E-07	1.05E-04	
1,1-Dichloroethene	0.038	U	1.61E-08	3.87E-07	1.41E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.082	U	3.31E-08	7.95E-07	2.90E-04	5.29E-08	1.27E-06	4.63E-04	
cis-1,2-Dichloroethene	0.056	U	2.38E-08	5.70E-07	2.08E-04	0.03	U	9.50E-09	2.28E-07	8.33E-05	0.086	U	3.47E-08	8.34E-07	3.04E-04	6.80E-08	1.63E-06	5.96E-04	
trans-1,2-Dichloroethene	0.041	U	1.74E-08	4.17E-07	1.52E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.093	U	3.76E-08	9.01E-07	3.29E-04	5.86E-08	1.41E-06	5.13E-04	
1,2-Dichloropropane	0.040	U	1.70E-08	4.07E-07	1.49E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.750	U	3.03E-07	7.27E-06	2.65E-03	3.24E-07	7.76E-06	2.83E-03	
cis-1,3-Dichloropropene	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.051	U	2.06E-08	4.94E-07	1.80E-04	2.85E-08	6.84E-07	2.50E-04	
trans-1,3-Dichloropropene	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.051	U	2.06E-08	4.94E-07	1.80E-04	2.85E-08	6.84E-07	2.50E-04	
Ethylbenzene	0.62	U	2.63E-07	6.31E-06	2.30E-03	0.65	U	2.38E-07	5.70E-06	2.08E-03	0.02	U	8.08E-09	1.94E-07	7.08E-05	5.09E-07	1.22E-05	4.46E-03	
Isopropylbenzene	0.051	U	2.16E-08	5.19E-07	1.90E-04	0.051	U	1.86E-08	4.47E-07	1.63E-04	0.2	U	8.08E-08	1.94E-06	7.08E-04	1.21E-07	2.91E-06	1.06E-03	
p-Isopropyltoluene	0.046	U	1.95E-08	4.68E-07	1.71E-04	0.046	U	1.68E-08	4.04E-07	1.47E-04	0.28	U	1.13E-07	2.71E-06	9.91E-04	1.49E-07	3.59E-06	1.31E-03	
Methyl tert butyl ether	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.25	U	1.01E-07	2.42E-06	8.85E-04	1.17E-07	2.80E-06	1.02E-03	
Methylene chloride	0.2	U	8.49E-08	2.04E-06	7.43E-04	0.2	U	7.31E-08	1.75E-06	6.40E-04	0.0	U	1.45E-08	3.49E-07	1.27E-04	1.72E-07	4.14E-06	1.51E-03	
4-Methyl-2-pentanone	0.24	L	1.02E-07	2.44E-06	8.92E-04	0.095	L	3.47E-08	8.33E-07	3.04E-04	0.01	U.L	4.04E-09	9.69E-08	3.54E-05	1.41E-07	3.37E-06	1.23E-03	
Styrene	0.17	U	7.21E-08	1.73E-06	6.32E-04	0.082	U	3.00E-08	7.19E-07	2.63E-04	6.7	U	2.71E-06	6.49E-05	2.37E-02	2.81E-06	6.74E-05	2.46E-02	
1,1,1,2-Tetrachloroethane	0.036	U	1.53E-08	3.67E-07	1.34E-04	0.036	U	1.32E-08	3.16E-07	1.15E-04	0.44	U	1.78E-07	4.27E-06	1.56E-03	-	-	-	
1,1,2,2-Tetrachloroethane	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.15	U	6.06E-08	1.45E-06	5.31E-04	6.85E-08	1.64E-06	6.00E-04	
Tetrachloroethene	3.2	U	1.36E-06	3.26E-05	1.19E-02	1.2	U	4.39E-07	1.05E-05	3.84E-03	0.01	U	4.04E-09	9.69E-08	3.54E-05	1.80E-06	4.32E-05	1.58E-02	
Toluene	0.43	U	1.82E-07	4.38E-06	1.60E-03	0.22	U	8.04E-08	1.93E-06	7.04E-04	4.8	U	1.94E-06	4.65E-05	1.70E-02	2.20E-06	5.28E-05	1.93E-02	
1,1,1-Trichloroethane	0.2	U	8.49E-08	2.04E-06	7.43E-04	0.058	U	2.12E-08	5.09E-07	1.86E-04	0.96	U	3.88E-07	9.31E-06	3.40E-03	4.94E-07	1.19E-05	4.33E-03	
1,1,2-Trichloroethane	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.85	U	3.43E-07	8.24E-06	3.01E-03	3.51E-07	8.43E-06	3.08E-03	
Trichloroethylene	9.3	U	3.95E-06	9.47E-05	3.46E-02	8.8	U	3.22E-06	7.72E-05	2.82E-02	0.28	U	1.13E-07	2.71E-06	9.91E-04	7.28E-06	1.75E-04	6.37E-02	
Trichlorofluoromethane	3.4	U	1.44E-06	3.46E-05	1.26E-02	5.6	U	2.05E-06	4.91E-05	1.79E-02	0.02	U	8.08E-09	1.94E-07	7.08E-05	3.50E-06	8.39E-05	3.06E-02	
1,2,4-Trimethylbenzene	0.57	U	2.42E-07	5.80E-06	2.12E-03	0.33	U	1.21E-07	2.90E-06	1.06E-03	3.3	U	1.33E-06	3.20E-05	1.17E-02	1.70E-06	4.07E-05	1.49E-02	
1,3,5-Trimethylbenzene	0.17	U	7.21E-08	1.73E-06	6.32E-04	0.091	U	3.35E-08	7.98E-07	2.91E-04	1.4	U	5.65E-07	1.36E-05	4.95E-03	6.71E-07	1.61E-05	5.88E-03	
Vinyl chloride	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.077	U	3.11E-08	7.46E-07	2.72E-04	4.69E-08	1.13E-06	4.11E-04	
p/m-Xylene	2.9	U	1.23E-06	2.95E-05	1.08E-02	3.2	U	1.17E-06	2.81E-05	1.02E-02	0.29	U	1.17E-07	2.81E-06	1.03E-03	2.52E-06	6.04E-05	2.21E-02	
o-Xylene	1.2	U	5.09E-07	1.22E-05	4.46E-03	1.3	U	4.75E-07	1.14E-05	4.16E-03	0.14	U	5.65E-08	1.36E-06	4.95E-04	1.04E-06	2.50E-05	9.12E-03	
Total VOCs	5.94E+01		2.52E-05	6.05E-04	2.21E-01	5.85E+01		2.14E-05	5.14E-04	1.87E-01	5.42E+01		2.19E-05	5.25E-04	2.20E-01	6.82E-05	1.64E-03	2.31E-01	
<b>RIDEM Air Pollution Control Permit Applicability Thresholds (lbs) *</b>	<b>10</b>		<b>100</b>	<b>20,000 (Individual VOCs)</b>	<b>50,000 (Total VOCs)</b>	<b>Not Applicable</b>	<b>10</b>	<b>100</b>	<b>20,000 (Individual VOCs)</b>	<b>50,000 (Total VOCs)</b>	<b>Not Applicable</b>	<b>10</b>	<b>100</b>	<b>20,000 (Individual VOCs)</b>	<b>50,000 (Total VOCs)</b>	<b>10</b>	<b>100</b>	<b>20,000 (Individual VOCs)</b>	<b>50,0</b>

## **APPENDIX E**

### **Laboratory Analytical Reports**



August 14, 2019

Frank Postma  
EA Engineering Science & Tech. - RI  
301 Metro Center Blvd, Suite 102  
Warwick, RI 02886

Project Location: Providence, RI  
Client Job Number:  
Project Number: 1506606  
Laboratory Work Order Number: 19G1710

Enclosed are results of analyses for samples received by the laboratory on July 31, 2019. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Kaitlyn A. Feliciano". The signature is fluid and cursive, with a large initial "K" and a long, sweeping underline.

Kaitlyn A. Feliciano  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	41
QC Data	42
Air Toxics by EPA Compendium Methods	42
B237921	42
B238007	44
Flag/Qualifier Summary	47
Certifications	48
Chain of Custody/Sample Receipt	50

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
 301 Metro Center Blvd, Suite 102  
 Warwick, RI 02886  
 ATTN: Frank Postma

REPORT DATE: 8/14/2019

PURCHASE ORDER NUMBER: 18155

PROJECT NUMBER: 1506606

**ANALYTICAL SUMMARY**

WORK ORDER NUMBER: 19G1710

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	19G1710-01	Indoor air		EPA TO-15	
Cafeteria	19G1710-02	Indoor air		EPA TO-15	
Kitchen Storage Room	19G1710-03	Indoor air		EPA TO-15	
Elevater Hallway	19G1710-04	Indoor air		EPA TO-15	
Room 145	19G1710-05	Indoor air		EPA TO-15	
Room 152	19G1710-06	Indoor air		EPA TO-15	
Room 118	19G1710-07	Indoor air		EPA TO-15	
Room 110	19G1710-08	Indoor air		EPA TO-15	
Ambient OutDoor	19G1710-09	Ambient Air		EPA TO-15	
MP-1	19G1710-10	Sub Slab		EPA TO-15	
MP-3	19G1710-11	Sub Slab		EPA TO-15	
MP-4	19G1710-12	Sub Slab		EPA TO-15	
MP-6	19G1710-13	Sub Slab		EPA TO-15	
IMP-1	19G1710-14	Sub Slab		EPA TO-15	
IMP-2	19G1710-15	Sub Slab		EPA TO-15	
Rooftop Fan # 1	19G1710-16	Sub Slab		EPA TO-15	
Rooftop Fan # 2	19G1710-17	Sub Slab		EPA TO-15	
Rooftop Fan # 3	19G1710-18	Sub Slab		EPA TO-15	

## CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

## EPA TO-15

**Qualifications:****E**

Reported result is estimated. Value reported over verified calibration range.

**Analyte & Samples(s) Qualified:****Acetone**

19G1710-10[MP-1], 19G1710-11[MP-3], 19G1710-12[MP-4], 19G1710-13[MP-6], 19G1710-14[IMP-1], 19G1710-15[IMP-2], 19G1710-16[Rooftop Fan # 1], 19G1710-17[Rooftop Fan # 2], 19G1710-18[Rooftop Fan # 3]

**L-03**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

**Analyte & Samples(s) Qualified:****1,1,1,2-Tetrachloroethane**

19G1710-01[Gymnasium], 19G1710-02[Cafeteria], 19G1710-03[Kitchen Storage Room], 19G1710-04[Elevator Hallway], 19G1710-05[Room 145], 19G1710-06[Room 152], 19G1710-07[Room 118], 19G1710-08[Room 110], 19G1710-09[Ambient OutDoor], 19G1710-12[MP-4], 19G1710-13[MP-6], 19G1710-14[IMP-1], 19G1710-15[IMP-2], 19G1710-16[Rooftop Fan # 1], 19G1710-17[Rooftop Fan # 2], 19G1710-18[Rooftop Fan # 3], B237921-BLK1, B237921-BS1

**V-05**

Continuing calibration verification (CCV) did not meet method specifications and was biased on the low side for this compound.

**Analyte & Samples(s) Qualified:****4-Methyl-2-pentanone (MIBK)**

19G1710-01[Gymnasium], 19G1710-02[Cafeteria], 19G1710-03[Kitchen Storage Room], 19G1710-04[Elevator Hallway], 19G1710-05[Room 145], 19G1710-06[Room 152], 19G1710-07[Room 118], 19G1710-08[Room 110], 19G1710-09[Ambient OutDoor], 19G1710-12[MP-4], 19G1710-13[MP-6], 19G1710-14[IMP-1], 19G1710-15[IMP-2], 19G1710-16[Rooftop Fan # 1], 19G1710-17[Rooftop Fan # 2], 19G1710-18[Rooftop Fan # 3], B237921-BLK1, B237921-BS1, S039145-CCV1

## EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Lisa A. Worthington  
Technical Representative

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Gymnasium**  
**Sample ID: 19G1710-01**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 13:14

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1039  
 Canister Size: 6 liter  
 Flow Controller ID: 4283  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -1.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	6.3	0.80		15	1.9	0.4	8/12/19 15:25	BRF	
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 15:25	BRF	
Benzene	0.054	0.020		0.17	0.064	0.4	8/12/19 15:25	BRF	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 15:25	BRF	
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 15:25	BRF	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/12/19 15:25	BRF	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 15:25	BRF	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 15:25	BRF	
Carbon Tetrachloride	0.061	0.010		0.38	0.063	0.4	8/12/19 15:25	BRF	
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 15:25	BRF	
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 15:25	BRF	
Chloroform	0.020	0.010		0.096	0.049	0.4	8/12/19 15:25	BRF	
Chloromethane	0.47	0.040		0.98	0.083	0.4	8/12/19 15:25	BRF	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 15:25	BRF	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 15:25	BRF	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 15:25	BRF	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 15:25	BRF	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 15:25	BRF	
Dichlorodifluoromethane (Freon 12)	0.25	0.020		1.2	0.099	0.4	8/12/19 15:25	BRF	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 15:25	BRF	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 15:25	BRF	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 15:25	BRF	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 15:25	BRF	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 15:25	BRF	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/12/19 15:25	BRF	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 15:25	BRF	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 15:25	BRF	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 15:25	BRF	
Ethylbenzene	0.031	0.020		0.13	0.087	0.4	8/12/19 15:25	BRF	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 15:25	BRF	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 15:25	BRF	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 15:25	BRF	
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 15:25	BRF	
4-Methyl-2-pentanone (MIBK)	ND	0.020	V-05	ND	0.082	0.4	8/12/19 15:25	BRF	
Styrene	ND	0.020		ND	0.085	0.4	8/12/19 15:25	BRF	
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 15:25	BRF	
1,1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 15:25	BRF	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Gymnasium**  
**Sample ID: 19G1710-01**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 13:14

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1039  
 Canister Size: 6 liter  
 Flow Controller ID: 4283  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -1.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.020	0.020		0.14	0.14	0.4	8/12/19	15:25	BRF
Toluene	0.11	0.020		0.40	0.075	0.4	8/12/19	15:25	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19	15:25	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19	15:25	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/12/19	15:25	BRF
Trichlorofluoromethane (Freon 11)	0.20	0.080		1.1	0.45	0.4	8/12/19	15:25	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/12/19	15:25	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/12/19	15:25	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19	15:25	BRF
m&p-Xylene	0.10	0.040		0.46	0.17	0.4	8/12/19	15:25	BRF
o-Xylene	0.036	0.020		0.15	0.087	0.4	8/12/19	15:25	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/12/19 15:25
4-Bromofluorobenzene (2)	99.4	70-130	8/12/19 15:25

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Cafeteria**  
**Sample ID: 19G1710-02**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 12:45

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2194  
 Canister Size: 6 liter  
 Flow Controller ID: 4073  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	9.2	0.80		22	1.9	0.4	8/12/19 16:02	BRF	
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 16:02	BRF	
Benzene	0.065	0.020		0.21	0.064	0.4	8/12/19 16:02	BRF	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 16:02	BRF	
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 16:02	BRF	
2-Butanone (MEK)	0.97	0.80		2.9	2.4	0.4	8/12/19 16:02	BRF	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 16:02	BRF	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 16:02	BRF	
Carbon Tetrachloride	0.069	0.010		0.44	0.063	0.4	8/12/19 16:02	BRF	
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 16:02	BRF	
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 16:02	BRF	
Chloroform	0.043	0.010		0.21	0.049	0.4	8/12/19 16:02	BRF	
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19 16:02	BRF	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 16:02	BRF	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 16:02	BRF	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 16:02	BRF	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 16:02	BRF	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 16:02	BRF	
Dichlorodifluoromethane (Freon 12)	0.30	0.020		1.5	0.099	0.4	8/12/19 16:02	BRF	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 16:02	BRF	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 16:02	BRF	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 16:02	BRF	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 16:02	BRF	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 16:02	BRF	
1,2-Dichloropropane	0.020	0.010		0.091	0.046	0.4	8/12/19 16:02	BRF	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 16:02	BRF	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 16:02	BRF	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 16:02	BRF	
Ethylbenzene	0.031	0.020		0.14	0.087	0.4	8/12/19 16:02	BRF	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 16:02	BRF	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 16:02	BRF	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 16:02	BRF	
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 16:02	BRF	
4-Methyl-2-pentanone (MIBK)	ND	0.020	V-05	ND	0.082	0.4	8/12/19 16:02	BRF	
Styrene	ND	0.020		ND	0.085	0.4	8/12/19 16:02	BRF	
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 16:02	BRF	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 16:02	BRF	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Cafeteria**  
**Sample ID: 19G1710-02**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 12:45

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2194  
 Canister Size: 6 liter  
 Flow Controller ID: 4073  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.028	0.020		0.19	0.14	0.4	8/12/19 16:02		BRF
Toluene	0.11	0.020		0.43	0.075	0.4	8/12/19 16:02		BRF
1,1,1-Trichloroethane	0.012	0.010		0.063	0.055	0.4	8/12/19 16:02		BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 16:02		BRF
Trichloroethylene	0.011	0.010		0.060	0.054	0.4	8/12/19 16:02		BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	8/12/19 16:02		BRF
1,2,4-Trimethylbenzene	0.027	0.020		0.13	0.098	0.4	8/12/19 16:02		BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/12/19 16:02		BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 16:02		BRF
m&p-Xylene	0.079	0.040		0.34	0.17	0.4	8/12/19 16:02		BRF
o-Xylene	0.033	0.020		0.14	0.087	0.4	8/12/19 16:02		BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	8/12/19 16:02
4-Bromofluorobenzene (2)	101	70-130	8/12/19 16:02



**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Kitchen Storage Room**  
**Sample ID: 19G1710-03**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 12:57

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2074  
 Canister Size: 6 liter  
 Flow Controller ID: 4197  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -25  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -2.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	8.0	0.80		19	1.9	0.4	8/12/19 16:41	BRF	
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 16:41	BRF	
Benzene	0.094	0.020		0.30	0.064	0.4	8/12/19 16:41	BRF	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 16:41	BRF	
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 16:41	BRF	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/12/19 16:41	BRF	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 16:41	BRF	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 16:41	BRF	
Carbon Tetrachloride	0.074	0.010		0.47	0.063	0.4	8/12/19 16:41	BRF	
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 16:41	BRF	
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 16:41	BRF	
Chloroform	0.077	0.010		0.38	0.049	0.4	8/12/19 16:41	BRF	
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19 16:41	BRF	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 16:41	BRF	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 16:41	BRF	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 16:41	BRF	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 16:41	BRF	
1,4-Dichlorobenzene	0.021	0.020		0.13	0.12	0.4	8/12/19 16:41	BRF	
Dichlorodifluoromethane (Freon 12)	0.30	0.020		1.5	0.099	0.4	8/12/19 16:41	BRF	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 16:41	BRF	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 16:41	BRF	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 16:41	BRF	
cis-1,2-Dichloroethylene	0.014	0.010		0.054	0.040	0.4	8/12/19 16:41	BRF	
trans-1,2-Dichloroethylene	0.014	0.010		0.056	0.040	0.4	8/12/19 16:41	BRF	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/12/19 16:41	BRF	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 16:41	BRF	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 16:41	BRF	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 16:41	BRF	
Ethylbenzene	0.067	0.020		0.29	0.087	0.4	8/12/19 16:41	BRF	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 16:41	BRF	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 16:41	BRF	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 16:41	BRF	
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 16:41	BRF	
4-Methyl-2-pentanone (MIBK)	ND	0.020	V-05	ND	0.082	0.4	8/12/19 16:41	BRF	
Styrene	0.079	0.020		0.34	0.085	0.4	8/12/19 16:41	BRF	
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 16:41	BRF	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 16:41	BRF	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Kitchen Storage Room**  
**Sample ID: 19G1710-03**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 12:57

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2074  
 Canister Size: 6 liter  
 Flow Controller ID: 4197  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -25  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -2.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.034	0.020		0.23	0.14	0.4	8/12/19 16:41	BRF	
Toluene	0.23	0.020		0.88	0.075	0.4	8/12/19 16:41	BRF	
1,1,1-Trichloroethane	0.013	0.010		0.070	0.055	0.4	8/12/19 16:41	BRF	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 16:41	BRF	
Trichloroethylene	0.016	0.010		0.088	0.054	0.4	8/12/19 16:41	BRF	
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	8/12/19 16:41	BRF	
1,2,4-Trimethylbenzene	0.040	0.020		0.19	0.098	0.4	8/12/19 16:41	BRF	
1,3,5-Trimethylbenzene	0.020	0.020		0.10	0.098	0.4	8/12/19 16:41	BRF	
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 16:41	BRF	
m&p-Xylene	0.23	0.040		0.98	0.17	0.4	8/12/19 16:41	BRF	
o-Xylene	0.080	0.020		0.35	0.087	0.4	8/12/19 16:41	BRF	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/12/19 16:41
4-Bromofluorobenzene (2)	99.2	70-130	8/12/19 16:41

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Elevator Hallway**  
**Sample ID: 19G1710-04**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 13:38

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2061  
 Canister Size: 6 liter  
 Flow Controller ID: 4079  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	6.7	0.80		16	1.9	0.4	8/12/19 17:18		BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 17:18		BRF
Benzene	0.060	0.020		0.19	0.064	0.4	8/12/19 17:18		BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 17:18		BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 17:18		BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/12/19 17:18		BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 17:18		BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 17:18		BRF
Carbon Tetrachloride	0.074	0.010		0.46	0.063	0.4	8/12/19 17:18		BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 17:18		BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 17:18		BRF
Chloroform	0.042	0.010		0.21	0.049	0.4	8/12/19 17:18		BRF
Chloromethane	0.53	0.040		1.1	0.083	0.4	8/12/19 17:18		BRF
Dibromochloromethane	0.010	0.010		0.085	0.085	0.4	8/12/19 17:18		BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 17:18		BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 17:18		BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 17:18		BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 17:18		BRF
Dichlorodifluoromethane (Freon 12)	0.28	0.020		1.4	0.099	0.4	8/12/19 17:18		BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 17:18		BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 17:18		BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 17:18		BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 17:18		BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 17:18		BRF
1,2-Dichloropropane	0.017	0.010		0.078	0.046	0.4	8/12/19 17:18		BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 17:18		BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 17:18		BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 17:18		BRF
Ethylbenzene	0.038	0.020		0.16	0.087	0.4	8/12/19 17:18		BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 17:18		BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 17:18		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 17:18		BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 17:18		BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020	V-05	ND	0.082	0.4	8/12/19 17:18		BRF
Styrene	ND	0.020		ND	0.085	0.4	8/12/19 17:18		BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 17:18		BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 17:18		BRF

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Elevator Hallway**  
**Sample ID: 19G1710-04**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 13:38

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2061  
 Canister Size: 6 liter  
 Flow Controller ID: 4079  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.026	0.020		0.18	0.14	0.4	8/12/19 17:18		BRF
Toluene	0.13	0.020		0.48	0.075	0.4	8/12/19 17:18		BRF
1,1,1-Trichloroethane	0.010	0.010		0.055	0.055	0.4	8/12/19 17:18		BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 17:18		BRF
Trichloroethylene	0.011	0.010		0.060	0.054	0.4	8/12/19 17:18		BRF
Trichlorofluoromethane (Freon 11)	0.21	0.080		1.2	0.45	0.4	8/12/19 17:18		BRF
1,2,4-Trimethylbenzene	0.028	0.020		0.14	0.098	0.4	8/12/19 17:18		BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/12/19 17:18		BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 17:18		BRF
m&p-Xylene	0.11	0.040		0.49	0.17	0.4	8/12/19 17:18		BRF
o-Xylene	0.043	0.020		0.19	0.087	0.4	8/12/19 17:18		BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	8/12/19 17:18
4-Bromofluorobenzene (2)	98.6	70-130	8/12/19 17:18

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Room 145**  
**Sample ID: 19G1710-05**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 14:01

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2463  
 Canister Size: 6 liter  
 Flow Controller ID: 4285  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -3.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	6.0	0.80		14	1.9	0.4	8/12/19 17:57	BRF	
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 17:57	BRF	
Benzene	0.068	0.020		0.22	0.064	0.4	8/12/19 17:57	BRF	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 17:57	BRF	
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 17:57	BRF	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/12/19 17:57	BRF	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 17:57	BRF	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 17:57	BRF	
Carbon Tetrachloride	0.072	0.010		0.46	0.063	0.4	8/12/19 17:57	BRF	
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 17:57	BRF	
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 17:57	BRF	
Chloroform	0.070	0.010		0.34	0.049	0.4	8/12/19 17:57	BRF	
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19 17:57	BRF	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 17:57	BRF	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 17:57	BRF	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 17:57	BRF	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 17:57	BRF	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 17:57	BRF	
Dichlorodifluoromethane (Freon 12)	0.27	0.020		1.3	0.099	0.4	8/12/19 17:57	BRF	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 17:57	BRF	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 17:57	BRF	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 17:57	BRF	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 17:57	BRF	
trans-1,2-Dichloroethylene	0.012	0.010		0.049	0.040	0.4	8/12/19 17:57	BRF	
1,2-Dichloropropane	0.020	0.010		0.091	0.046	0.4	8/12/19 17:57	BRF	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 17:57	BRF	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 17:57	BRF	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 17:57	BRF	
Ethylbenzene	0.056	0.020		0.24	0.087	0.4	8/12/19 17:57	BRF	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 17:57	BRF	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 17:57	BRF	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 17:57	BRF	
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 17:57	BRF	
4-Methyl-2-pentanone (MIBK)	0.15	0.020	V-05	0.62	0.082	0.4	8/12/19 17:57	BRF	
Styrene	0.036	0.020		0.15	0.085	0.4	8/12/19 17:57	BRF	
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 17:57	BRF	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 17:57	BRF	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Room 145**  
**Sample ID: 19G1710-05**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 14:01

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2463  
 Canister Size: 6 liter  
 Flow Controller ID: 4285  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -3.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.029	0.020		0.20	0.14	0.4	8/12/19 17:57		BRF
Toluene	0.20	0.020		0.75	0.075	0.4	8/12/19 17:57		BRF
1,1,1-Trichloroethane	0.012	0.010		0.068	0.055	0.4	8/12/19 17:57		BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 17:57		BRF
Trichloroethylene	0.016	0.010		0.086	0.054	0.4	8/12/19 17:57		BRF
Trichlorofluoromethane (Freon 11)	0.21	0.080		1.2	0.45	0.4	8/12/19 17:57		BRF
1,2,4-Trimethylbenzene	0.038	0.020		0.19	0.098	0.4	8/12/19 17:57		BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/12/19 17:57		BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 17:57		BRF
m&p-Xylene	0.16	0.040		0.69	0.17	0.4	8/12/19 17:57		BRF
o-Xylene	0.064	0.020		0.28	0.087	0.4	8/12/19 17:57		BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/12/19 17:57
4-Bromofluorobenzene (2)	98.9	70-130	8/12/19 17:57

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Room 152**  
**Sample ID: 19G1710-06**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 14:10

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2442  
 Canister Size: 6 liter  
 Flow Controller ID: 4194  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -2.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	8.7	0.80		21	1.9	0.4	8/12/19 18:35	BRF	
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 18:35	BRF	
Benzene	0.062	0.020		0.20	0.064	0.4	8/12/19 18:35	BRF	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 18:35	BRF	
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 18:35	BRF	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/12/19 18:35	BRF	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 18:35	BRF	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 18:35	BRF	
Carbon Tetrachloride	0.069	0.010		0.44	0.063	0.4	8/12/19 18:35	BRF	
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 18:35	BRF	
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 18:35	BRF	
Chloroform	0.035	0.010		0.17	0.049	0.4	8/12/19 18:35	BRF	
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19 18:35	BRF	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 18:35	BRF	
1,2-Dibromoethane (EDB)	0.013	0.010		0.098	0.077	0.4	8/12/19 18:35	BRF	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 18:35	BRF	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 18:35	BRF	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 18:35	BRF	
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/12/19 18:35	BRF	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 18:35	BRF	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 18:35	BRF	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 18:35	BRF	
cis-1,2-Dichloroethylene	0.014	0.010		0.056	0.040	0.4	8/12/19 18:35	BRF	
trans-1,2-Dichloroethylene	0.012	0.010		0.048	0.040	0.4	8/12/19 18:35	BRF	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/12/19 18:35	BRF	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 18:35	BRF	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 18:35	BRF	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 18:35	BRF	
Ethylbenzene	0.033	0.020		0.14	0.087	0.4	8/12/19 18:35	BRF	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 18:35	BRF	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 18:35	BRF	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 18:35	BRF	
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 18:35	BRF	
4-Methyl-2-pentanone (MIBK)	0.11	0.020	V-05	0.45	0.082	0.4	8/12/19 18:35	BRF	
Styrene	ND	0.020		ND	0.085	0.4	8/12/19 18:35	BRF	
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 18:35	BRF	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 18:35	BRF	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Room 152**  
**Sample ID: 19G1710-06**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 14:10

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2442  
 Canister Size: 6 liter  
 Flow Controller ID: 4194  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -2.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.024	0.020		0.17	0.14	0.4	8/12/19 18:35	BRF	
Toluene	0.10	0.020		0.39	0.075	0.4	8/12/19 18:35	BRF	
1,1,1-Trichloroethane	0.013	0.010		0.072	0.055	0.4	8/12/19 18:35	BRF	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 18:35	BRF	
Trichloroethylene	0.015	0.010		0.080	0.054	0.4	8/12/19 18:35	BRF	
Trichlorofluoromethane (Freon 11)	0.21	0.080		1.2	0.45	0.4	8/12/19 18:35	BRF	
1,2,4-Trimethylbenzene	0.023	0.020		0.11	0.098	0.4	8/12/19 18:35	BRF	
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/12/19 18:35	BRF	
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 18:35	BRF	
m&p-Xylene	0.078	0.040		0.34	0.17	0.4	8/12/19 18:35	BRF	
o-Xylene	0.035	0.020		0.15	0.087	0.4	8/12/19 18:35	BRF	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	8/12/19 18:35
4-Bromofluorobenzene (2)	99.8	70-130	8/12/19 18:35



**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Room 118**  
**Sample ID: 19G1710-07**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 13:48

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1342  
 Canister Size: 6 liter  
 Flow Controller ID: 4042  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -2.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	7.9	0.80		19	1.9	0.4	8/12/19 19:13		BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 19:13		BRF
Benzene	0.064	0.020		0.20	0.064	0.4	8/12/19 19:13		BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 19:13		BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 19:13		BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/12/19 19:13		BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 19:13		BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 19:13		BRF
Carbon Tetrachloride	0.074	0.010		0.46	0.063	0.4	8/12/19 19:13		BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 19:13		BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 19:13		BRF
Chloroform	0.042	0.010		0.21	0.049	0.4	8/12/19 19:13		BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19 19:13		BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 19:13		BRF
1,2-Dibromoethane (EDB)	0.012	0.010		0.092	0.077	0.4	8/12/19 19:13		BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 19:13		BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 19:13		BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 19:13		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/12/19 19:13		BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 19:13		BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 19:13		BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 19:13		BRF
cis-1,2-Dichloroethylene	0.014	0.010		0.057	0.040	0.4	8/12/19 19:13		BRF
trans-1,2-Dichloroethylene	0.011	0.010		0.043	0.040	0.4	8/12/19 19:13		BRF
1,2-Dichloropropane	0.017	0.010		0.079	0.046	0.4	8/12/19 19:13		BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 19:13		BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 19:13		BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 19:13		BRF
Ethylbenzene	0.045	0.020		0.19	0.087	0.4	8/12/19 19:13		BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 19:13		BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 19:13		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 19:13		BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 19:13		BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020	V-05	ND	0.082	0.4	8/12/19 19:13		BRF
Styrene	0.024	0.020		0.10	0.085	0.4	8/12/19 19:13		BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 19:13		BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 19:13		BRF

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Room 118**  
**Sample ID: 19G1710-07**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 13:48

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1342  
 Canister Size: 6 liter  
 Flow Controller ID: 4042  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -2.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.030	0.020		0.21	0.14	0.4	8/12/19	19:13	BRF
Toluene	0.14	0.020		0.53	0.075	0.4	8/12/19	19:13	BRF
1,1,1-Trichloroethane	0.010	0.010		0.057	0.055	0.4	8/12/19	19:13	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19	19:13	BRF
Trichloroethylene	0.012	0.010		0.064	0.054	0.4	8/12/19	19:13	BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	8/12/19	19:13	BRF
1,2,4-Trimethylbenzene	0.032	0.020		0.16	0.098	0.4	8/12/19	19:13	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/12/19	19:13	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19	19:13	BRF
m&p-Xylene	0.13	0.040		0.55	0.17	0.4	8/12/19	19:13	BRF
o-Xylene	0.048	0.020		0.21	0.087	0.4	8/12/19	19:13	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	8/12/19 19:13
4-Bromofluorobenzene (2)	100	70-130	8/12/19 19:13

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Room 110**  
**Sample ID: 19G1710-08**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 14:04

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1326  
 Canister Size: 6 liter  
 Flow Controller ID: 4100  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -3.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	7.9	0.80		19	1.9	0.4	8/12/19 19:52	BRF	
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 19:52	BRF	
Benzene	0.080	0.020		0.26	0.064	0.4	8/12/19 19:52	BRF	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 19:52	BRF	
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 19:52	BRF	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/12/19 19:52	BRF	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 19:52	BRF	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 19:52	BRF	
Carbon Tetrachloride	0.073	0.010		0.46	0.063	0.4	8/12/19 19:52	BRF	
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 19:52	BRF	
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 19:52	BRF	
Chloroform	0.044	0.010		0.22	0.049	0.4	8/12/19 19:52	BRF	
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19 19:52	BRF	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 19:52	BRF	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 19:52	BRF	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 19:52	BRF	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 19:52	BRF	
1,4-Dichlorobenzene	0.022	0.020		0.13	0.12	0.4	8/12/19 19:52	BRF	
Dichlorodifluoromethane (Freon 12)	0.29	0.020		1.5	0.099	0.4	8/12/19 19:52	BRF	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 19:52	BRF	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 19:52	BRF	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 19:52	BRF	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 19:52	BRF	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 19:52	BRF	
1,2-Dichloropropane	0.027	0.010		0.12	0.046	0.4	8/12/19 19:52	BRF	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 19:52	BRF	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 19:52	BRF	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 19:52	BRF	
Ethylbenzene	0.050	0.020		0.22	0.087	0.4	8/12/19 19:52	BRF	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 19:52	BRF	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 19:52	BRF	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 19:52	BRF	
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 19:52	BRF	
4-Methyl-2-pentanone (MIBK)	ND	0.020	V-05	ND	0.082	0.4	8/12/19 19:52	BRF	
Styrene	ND	0.020		ND	0.085	0.4	8/12/19 19:52	BRF	
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 19:52	BRF	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 19:52	BRF	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Room 110**  
**Sample ID: 19G1710-08**  
 Sample Matrix: Indoor air  
 Sampled: 7/29/2019 14:04

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1326  
 Canister Size: 6 liter  
 Flow Controller ID: 4100  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -3.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.032	0.020		0.22	0.14	0.4	8/12/19	19:52	BRF
Toluene	0.16	0.020		0.61	0.075	0.4	8/12/19	19:52	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19	19:52	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19	19:52	BRF
Trichloroethylene	0.015	0.010		0.082	0.054	0.4	8/12/19	19:52	BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.3	0.45	0.4	8/12/19	19:52	BRF
1,2,4-Trimethylbenzene	0.042	0.020		0.21	0.098	0.4	8/12/19	19:52	BRF
1,3,5-Trimethylbenzene	0.021	0.020		0.10	0.098	0.4	8/12/19	19:52	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19	19:52	BRF
m&p-Xylene	0.15	0.040		0.64	0.17	0.4	8/12/19	19:52	BRF
o-Xylene	0.057	0.020		0.25	0.087	0.4	8/12/19	19:52	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	8/12/19 19:52
4-Bromofluorobenzene (2)	99.7	70-130	8/12/19 19:52

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Ambient Outdoor**  
**Sample ID: 19G1710-09**  
 Sample Matrix: Ambient Air  
 Sampled: 7/29/2019 12:31

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1242  
 Canister Size: 6 liter  
 Flow Controller ID: 4196  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -1.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	8.4	0.80		20	1.9	0.4	8/12/19 20:30	BRF	
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 20:30	BRF	
Benzene	0.069	0.020		0.22	0.064	0.4	8/12/19 20:30	BRF	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 20:30	BRF	
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 20:30	BRF	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/12/19 20:30	BRF	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 20:30	BRF	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 20:30	BRF	
Carbon Tetrachloride	0.070	0.010		0.44	0.063	0.4	8/12/19 20:30	BRF	
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 20:30	BRF	
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 20:30	BRF	
Chloroform	0.033	0.010		0.16	0.049	0.4	8/12/19 20:30	BRF	
Chloromethane	0.58	0.040		1.2	0.083	0.4	8/12/19 20:30	BRF	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 20:30	BRF	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 20:30	BRF	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 20:30	BRF	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 20:30	BRF	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 20:30	BRF	
Dichlorodifluoromethane (Freon 12)	0.28	0.020		1.4	0.099	0.4	8/12/19 20:30	BRF	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 20:30	BRF	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 20:30	BRF	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 20:30	BRF	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 20:30	BRF	
trans-1,2-Dichloroethylene	0.012	0.010		0.046	0.040	0.4	8/12/19 20:30	BRF	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/12/19 20:30	BRF	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 20:30	BRF	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 20:30	BRF	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 20:30	BRF	
Ethylbenzene	0.033	0.020		0.14	0.087	0.4	8/12/19 20:30	BRF	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 20:30	BRF	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 20:30	BRF	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 20:30	BRF	
Methylene Chloride	1.5	0.20		5.4	0.69	0.4	8/12/19 20:30	BRF	
4-Methyl-2-pentanone (MIBK)	ND	0.020	V-05	ND	0.082	0.4	8/12/19 20:30	BRF	
Styrene	ND	0.020		ND	0.085	0.4	8/12/19 20:30	BRF	
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 20:30	BRF	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 20:30	BRF	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Ambient Outdoor**  
**Sample ID: 19G1710-09**  
 Sample Matrix: Ambient Air  
 Sampled: 7/29/2019 12:31

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1242  
 Canister Size: 6 liter  
 Flow Controller ID: 4196  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -1.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.024	0.020		0.17	0.14	0.4	8/12/19 20:30		BRF
Toluene	0.10	0.020		0.38	0.075	0.4	8/12/19 20:30		BRF
1,1,1-Trichloroethane	0.014	0.010		0.074	0.055	0.4	8/12/19 20:30		BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 20:30		BRF
Trichloroethylene	0.013	0.010		0.071	0.054	0.4	8/12/19 20:30		BRF
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	8/12/19 20:30		BRF
1,2,4-Trimethylbenzene	0.030	0.020		0.15	0.098	0.4	8/12/19 20:30		BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/12/19 20:30		BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 20:30		BRF
m&p-Xylene	0.089	0.040		0.39	0.17	0.4	8/12/19 20:30		BRF
o-Xylene	0.035	0.020		0.15	0.087	0.4	8/12/19 20:30		BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	8/12/19 20:30
4-Bromofluorobenzene (2)	98.5	70-130	8/12/19 20:30

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: MP-1**  
**Sample ID: 19G1710-10**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 11:35

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2220  
 Canister Size: 6 liter  
 Flow Controller ID: 4365  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -2.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	51	1.2	E	120	2.9	0.6	8/13/19 17:20		BRF
Acetone	53	8.0		130	19	4	8/13/19 17:48		BRF
Acrylonitrile	ND	0.17		ND	0.37	0.6	8/13/19 17:20		BRF
Benzene	0.19	0.030		0.60	0.096	0.6	8/13/19 17:20		BRF
Bromodichloromethane	ND	0.015		ND	0.10	0.6	8/13/19 17:20		BRF
Bromoform	ND	0.030		ND	0.31	0.6	8/13/19 17:20		BRF
2-Butanone (MEK)	2.2	1.2		6.4	3.5	0.6	8/13/19 17:20		BRF
n-Butylbenzene	ND	0.086		ND	0.47	0.6	8/13/19 17:20		BRF
sec-Butylbenzene	ND	0.068		ND	0.38	0.6	8/13/19 17:20		BRF
Carbon Tetrachloride	0.059	0.015		0.37	0.094	0.6	8/13/19 17:20		BRF
Chlorobenzene	ND	0.030		ND	0.14	0.6	8/13/19 17:20		BRF
Chloroethane	ND	0.030		ND	0.079	0.6	8/13/19 17:20		BRF
Chloroform	ND	0.015		ND	0.073	0.6	8/13/19 17:20		BRF
Chloromethane	ND	0.060		ND	0.12	0.6	8/13/19 17:20		BRF
Dibromochloromethane	ND	0.015		ND	0.13	0.6	8/13/19 17:20		BRF
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12	0.6	8/13/19 17:20		BRF
1,2-Dichlorobenzene	ND	0.030		ND	0.18	0.6	8/13/19 17:20		BRF
1,3-Dichlorobenzene	0.55	0.030		3.3	0.18	0.6	8/13/19 17:20		BRF
1,4-Dichlorobenzene	ND	0.030		ND	0.18	0.6	8/13/19 17:20		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.030		ND	0.15	0.6	8/13/19 17:20		BRF
1,1-Dichloroethane	ND	0.015		ND	0.061	0.6	8/13/19 17:20		BRF
1,2-Dichloroethane	ND	0.015		ND	0.061	0.6	8/13/19 17:20		BRF
1,1-Dichloroethylene	ND	0.015		ND	0.059	0.6	8/13/19 17:20		BRF
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	8/13/19 17:20		BRF
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	8/13/19 17:20		BRF
1,2-Dichloropropane	ND	0.015		ND	0.069	0.6	8/13/19 17:20		BRF
1,3-Dichloropropane	ND	0.081		ND	0.37	0.6	8/13/19 17:20		BRF
cis-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	8/13/19 17:20		BRF
trans-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	8/13/19 17:20		BRF
Ethylbenzene	0.83	0.030		3.6	0.13	0.6	8/13/19 17:20		BRF
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37	0.6	8/13/19 17:20		BRF
p-Isopropyltoluene (p-Cymene)	ND	0.068		ND	0.38	0.6	8/13/19 17:20		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11	0.6	8/13/19 17:20		BRF
Methylene Chloride	ND	0.30		ND	1.0	0.6	8/13/19 17:20		BRF
4-Methyl-2-pentanone (MIBK)	0.097	0.030		0.40	0.12	0.6	8/13/19 17:20		BRF
Styrene	0.14	0.030		0.61	0.13	0.6	8/13/19 17:20		BRF
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37	0.6	8/13/19 17:20		BRF

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: MP-1**  
**Sample ID: 19G1710-10**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 11:35

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2220  
 Canister Size: 6 liter  
 Flow Controller ID: 4365  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -2.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10	0.6	8/13/19 17:20		BRF
Tetrachloroethylene	0.13	0.030		0.86	0.20	0.6	8/13/19 17:20		BRF
Toluene	0.41	0.030		1.6	0.11	0.6	8/13/19 17:20		BRF
1,1,1-Trichloroethane	ND	0.015		ND	0.082	0.6	8/13/19 17:20		BRF
1,1,2-Trichloroethane	ND	0.015		ND	0.082	0.6	8/13/19 17:20		BRF
Trichloroethylene	0.075	0.015		0.40	0.081	0.6	8/13/19 17:20		BRF
Trichlorofluoromethane (Freon 11)	0.28	0.12		1.6	0.67	0.6	8/13/19 17:20		BRF
1,2,4-Trimethylbenzene	0.59	0.030		2.9	0.15	0.6	8/13/19 17:20		BRF
1,3,5-Trimethylbenzene	0.14	0.030		0.68	0.15	0.6	8/13/19 17:20		BRF
Vinyl Chloride	ND	0.030		ND	0.077	0.6	8/13/19 17:20		BRF
m&p-Xylene	4.0	0.060		17	0.26	0.6	8/13/19 17:20		BRF
o-Xylene	1.6	0.030		6.7	0.13	0.6	8/13/19 17:20		BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	8/13/19 17:20
4-Bromofluorobenzene (1)	102	70-130	8/13/19 17:48
4-Bromofluorobenzene (2)	101	70-130	8/13/19 17:20
4-Bromofluorobenzene (2)	99.0	70-130	8/13/19 17:48



**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: MP-3**  
**Sample ID: 19G1710-11**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 11:29

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1244  
 Canister Size: 6 liter  
 Flow Controller ID: 4366  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -3.5  
 Receipt Vacuum(in Hg): -3.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	38	1.2	E	90	2.9	0.6	8/13/19 18:25		BRF
Acetone	39	8.0		92	19	4	8/13/19 18:54		BRF
Acrylonitrile	ND	0.17		ND	0.37	0.6	8/13/19 18:25		BRF
Benzene	0.23	0.030		0.73	0.096	0.6	8/13/19 18:25		BRF
Bromodichloromethane	ND	0.015		ND	0.10	0.6	8/13/19 18:25		BRF
Bromoform	ND	0.030		ND	0.31	0.6	8/13/19 18:25		BRF
2-Butanone (MEK)	8.4	1.2		25	3.5	0.6	8/13/19 18:25		BRF
n-Butylbenzene	ND	0.086		ND	0.47	0.6	8/13/19 18:25		BRF
sec-Butylbenzene	ND	0.068		ND	0.38	0.6	8/13/19 18:25		BRF
Carbon Tetrachloride	0.070	0.015		0.44	0.094	0.6	8/13/19 18:25		BRF
Chlorobenzene	ND	0.030		ND	0.14	0.6	8/13/19 18:25		BRF
Chloroethane	ND	0.030		ND	0.079	0.6	8/13/19 18:25		BRF
Chloroform	0.14	0.015		0.69	0.073	0.6	8/13/19 18:25		BRF
Chloromethane	ND	0.060		ND	0.12	0.6	8/13/19 18:25		BRF
Dibromochloromethane	ND	0.015		ND	0.13	0.6	8/13/19 18:25		BRF
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12	0.6	8/13/19 18:25		BRF
1,2-Dichlorobenzene	ND	0.030		ND	0.18	0.6	8/13/19 18:25		BRF
1,3-Dichlorobenzene	0.49	0.030		3.0	0.18	0.6	8/13/19 18:25		BRF
1,4-Dichlorobenzene	ND	0.030		ND	0.18	0.6	8/13/19 18:25		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.030		ND	0.15	0.6	8/13/19 18:25		BRF
1,1-Dichloroethane	0.059	0.015		0.24	0.061	0.6	8/13/19 18:25		BRF
1,2-Dichloroethane	ND	0.015		ND	0.061	0.6	8/13/19 18:25		BRF
1,1-Dichloroethylene	ND	0.015		ND	0.059	0.6	8/13/19 18:25		BRF
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	8/13/19 18:25		BRF
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	8/13/19 18:25		BRF
1,2-Dichloropropane	ND	0.015		ND	0.069	0.6	8/13/19 18:25		BRF
1,3-Dichloropropane	ND	0.081		ND	0.37	0.6	8/13/19 18:25		BRF
cis-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	8/13/19 18:25		BRF
trans-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	8/13/19 18:25		BRF
Ethylbenzene	0.84	0.030		3.7	0.13	0.6	8/13/19 18:25		BRF
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37	0.6	8/13/19 18:25		BRF
p-Isopropyltoluene (p-Cymene)	ND	0.068		ND	0.38	0.6	8/13/19 18:25		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11	0.6	8/13/19 18:25		BRF
Methylene Chloride	ND	0.30		ND	1.0	0.6	8/13/19 18:25		BRF
4-Methyl-2-pentanone (MIBK)	ND	0.030		ND	0.12	0.6	8/13/19 18:25		BRF
Styrene	0.18	0.030		0.78	0.13	0.6	8/13/19 18:25		BRF
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37	0.6	8/13/19 18:25		BRF

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: MP-3**  
**Sample ID: 19G1710-11**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 11:29

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1244  
 Canister Size: 6 liter  
 Flow Controller ID: 4366  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -3.5  
 Receipt Vacuum(in Hg): -3.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10	0.6	8/13/19 18:25	BRF	
Tetrachloroethylene	0.14	0.030		0.92	0.20	0.6	8/13/19 18:25	BRF	
Toluene	0.52	0.030		2.0	0.11	0.6	8/13/19 18:25	BRF	
1,1,1-Trichloroethane	0.015	0.015		0.082	0.082	0.6	8/13/19 18:25	BRF	
1,1,2-Trichloroethane	ND	0.015		ND	0.082	0.6	8/13/19 18:25	BRF	
Trichloroethylene	0.029	0.015		0.15	0.081	0.6	8/13/19 18:25	BRF	
Trichlorofluoromethane (Freon 11)	0.22	0.12		1.2	0.67	0.6	8/13/19 18:25	BRF	
1,2,4-Trimethylbenzene	0.62	0.030		3.1	0.15	0.6	8/13/19 18:25	BRF	
1,3,5-Trimethylbenzene	0.15	0.030		0.75	0.15	0.6	8/13/19 18:25	BRF	
Vinyl Chloride	ND	0.030		ND	0.077	0.6	8/13/19 18:25	BRF	
m&p-Xylene	4.0	0.060		17	0.26	0.6	8/13/19 18:25	BRF	
o-Xylene	1.6	0.030		6.9	0.13	0.6	8/13/19 18:25	BRF	

Surrogates	% Recovery	% REC Limits	Date/Time
4-Bromofluorobenzene (1)	102	70-130	8/13/19 18:25
4-Bromofluorobenzene (1)	102	70-130	8/13/19 18:54
4-Bromofluorobenzene (2)	98.8	70-130	8/13/19 18:25
4-Bromofluorobenzene (2)	98.8	70-130	8/13/19 18:54

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: MP-4**  
**Sample ID: 19G1710-12**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 11:45

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2204  
 Canister Size: 6 liter  
 Flow Controller ID: 4067  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -4.5  
 Receipt Vacuum(in Hg): -4.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	54	8.0		130	19	4	8/13/19 19:22		BRF
Acetone	48	0.80	E	120	1.9	0.4	8/12/19 22:25		BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 22:25		BRF
Benzene	0.28	0.020		0.88	0.064	0.4	8/12/19 22:25		BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 22:25		BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 22:25		BRF
2-Butanone (MEK)	3.9	0.80		12	2.4	0.4	8/12/19 22:25		BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 22:25		BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 22:25		BRF
Carbon Tetrachloride	0.075	0.010		0.47	0.063	0.4	8/12/19 22:25		BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 22:25		BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 22:25		BRF
Chloroform	0.063	0.010		0.31	0.049	0.4	8/12/19 22:25		BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19 22:25		BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/12/19 22:25		BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 22:25		BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 22:25		BRF
1,3-Dichlorobenzene	1.1	0.020		6.4	0.12	0.4	8/12/19 22:25		BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 22:25		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/12/19 22:25		BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 22:25		BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 22:25		BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 22:25		BRF
cis-1,2-Dichloroethylene	0.018	0.010		0.071	0.040	0.4	8/12/19 22:25		BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 22:25		BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/12/19 22:25		BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 22:25		BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 22:25		BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 22:25		BRF
Ethylbenzene	1.1	0.020		4.6	0.087	0.4	8/12/19 22:25		BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 22:25		BRF
p-Isopropyltoluene (p-Cymene)	0.047	0.046		0.26	0.25	0.4	8/12/19 22:25		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 22:25		BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 22:25		BRF
4-Methyl-2-pentanone (MIBK)	0.18	0.020	V-05	0.74	0.082	0.4	8/12/19 22:25		BRF
Styrene	0.27	0.020		1.1	0.085	0.4	8/12/19 22:25		BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 22:25		BRF

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: MP-4**  
**Sample ID: 19G1710-12**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 11:45

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2204  
 Canister Size: 6 liter  
 Flow Controller ID: 4067  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -4.5  
 Receipt Vacuum(in Hg): -4.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 22:25	BRF	
Tetrachloroethylene	0.20	0.020		1.4	0.14	0.4	8/12/19 22:25	BRF	
Toluene	0.51	0.020		1.9	0.075	0.4	8/12/19 22:25	BRF	
1,1,1-Trichloroethane	0.018	0.010		0.10	0.055	0.4	8/12/19 22:25	BRF	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 22:25	BRF	
Trichloroethylene	4.4	0.010		23	0.054	0.4	8/12/19 22:25	BRF	
Trichlorofluoromethane (Freon 11)	2.2	0.080		13	0.45	0.4	8/12/19 22:25	BRF	
1,2,4-Trimethylbenzene	0.87	0.020		4.3	0.098	0.4	8/12/19 22:25	BRF	
1,3,5-Trimethylbenzene	0.21	0.020		1.0	0.098	0.4	8/12/19 22:25	BRF	
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 22:25	BRF	
m&p-Xylene	4.8	0.040		21	0.17	0.4	8/12/19 22:25	BRF	
o-Xylene	1.9	0.020		8.0	0.087	0.4	8/12/19 22:25	BRF	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/13/19 19:22
4-Bromofluorobenzene (1)	101	70-130	8/12/19 22:25
4-Bromofluorobenzene (2)	99.0	70-130	8/13/19 19:22
4-Bromofluorobenzene (2)	98.5	70-130	8/12/19 22:25

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: MP-6**  
**Sample ID: 19G1710-13**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 11:22

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2461  
 Canister Size: 6 liter  
 Flow Controller ID: 4304  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -4.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	46	8.0		110	19	4	8/13/19	19:50	BRF
Acetone	42	0.80	E	100	1.9	0.4	8/12/19	23:05	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19	23:05	BRF
Benzene	0.41	0.020		1.3	0.064	0.4	8/12/19	23:05	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19	23:05	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19	23:05	BRF
2-Butanone (MEK)	3.7	0.80		11	2.4	0.4	8/12/19	23:05	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19	23:05	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19	23:05	BRF
Carbon Tetrachloride	0.078	0.010		0.49	0.063	0.4	8/12/19	23:05	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19	23:05	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19	23:05	BRF
Chloroform	0.061	0.010		0.30	0.049	0.4	8/12/19	23:05	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19	23:05	BRF
Dibromochloromethane	0.014	0.010		0.12	0.085	0.4	8/12/19	23:05	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19	23:05	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19	23:05	BRF
1,3-Dichlorobenzene	1.1	0.020		6.7	0.12	0.4	8/12/19	23:05	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19	23:05	BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/12/19	23:05	BRF
1,1-Dichloroethane	0.032	0.010		0.13	0.040	0.4	8/12/19	23:05	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19	23:05	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19	23:05	BRF
cis-1,2-Dichloroethylene	0.016	0.010		0.062	0.040	0.4	8/12/19	23:05	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19	23:05	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/12/19	23:05	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19	23:05	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19	23:05	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19	23:05	BRF
Ethylbenzene	1.3	0.020		5.5	0.087	0.4	8/12/19	23:05	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19	23:05	BRF
p-Isopropyltoluene (p-Cymene)	0.056	0.046		0.31	0.25	0.4	8/12/19	23:05	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19	23:05	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19	23:05	BRF
4-Methyl-2-pentanone (MIBK)	0.17	0.020	V-05	0.71	0.082	0.4	8/12/19	23:05	BRF
Styrene	0.30	0.020		1.3	0.085	0.4	8/12/19	23:05	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19	23:05	BRF

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: MP-6**  
**Sample ID: 19G1710-13**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 11:22

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2461  
 Canister Size: 6 liter  
 Flow Controller ID: 4304  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -4.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 23:05		BRF
Tetrachloroethylene	0.99	0.020		6.7	0.14	0.4	8/12/19 23:05		BRF
Toluene	0.84	0.020		3.2	0.075	0.4	8/12/19 23:05		BRF
1,1,1-Trichloroethane	0.066	0.010		0.36	0.055	0.4	8/12/19 23:05		BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 23:05		BRF
Trichloroethylene	0.87	0.010		4.7	0.054	0.4	8/12/19 23:05		BRF
Trichlorofluoromethane (Freon 11)	0.69	0.080		3.9	0.45	0.4	8/12/19 23:05		BRF
1,2,4-Trimethylbenzene	1.1	0.020		5.3	0.098	0.4	8/12/19 23:05		BRF
1,3,5-Trimethylbenzene	0.25	0.020		1.2	0.098	0.4	8/12/19 23:05		BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 23:05		BRF
m&p-Xylene	5.9	0.040		25	0.17	0.4	8/12/19 23:05		BRF
o-Xylene	2.3	0.020		10.0	0.087	0.4	8/12/19 23:05		BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/13/19 19:50
4-Bromofluorobenzene (1)	101	70-130	8/12/19 23:05
4-Bromofluorobenzene (2)	99.2	70-130	8/13/19 19:50
4-Bromofluorobenzene (2)	98.6	70-130	8/12/19 23:05

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: IMP-1**  
**Sample ID: 19G1710-14**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 13:35

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1649  
 Canister Size: 6 liter  
 Flow Controller ID: 4375  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -1.0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	30	8.0		72	19	4	8/13/19 20:18		BRF
Acetone	29	0.80	E	69	1.9	0.4	8/12/19 23:42		BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/12/19 23:42		BRF
Benzene	0.11	0.020		0.34	0.064	0.4	8/12/19 23:42		BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/12/19 23:42		BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/12/19 23:42		BRF
2-Butanone (MEK)	3.3	0.80		9.7	2.4	0.4	8/12/19 23:42		BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/12/19 23:42		BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/12/19 23:42		BRF
Carbon Tetrachloride	0.073	0.010		0.46	0.063	0.4	8/12/19 23:42		BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/12/19 23:42		BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/12/19 23:42		BRF
Chloroform	0.041	0.010		0.20	0.049	0.4	8/12/19 23:42		BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/12/19 23:42		BRF
Dibromochloromethane	0.013	0.010		0.11	0.085	0.4	8/12/19 23:42		BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/12/19 23:42		BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 23:42		BRF
1,3-Dichlorobenzene	0.23	0.020		1.4	0.12	0.4	8/12/19 23:42		BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/12/19 23:42		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/12/19 23:42		BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 23:42		BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/12/19 23:42		BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 23:42		BRF
cis-1,2-Dichloroethylene	0.015	0.010		0.059	0.040	0.4	8/12/19 23:42		BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/12/19 23:42		BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/12/19 23:42		BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/12/19 23:42		BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 23:42		BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/12/19 23:42		BRF
Ethylbenzene	0.55	0.020		2.4	0.087	0.4	8/12/19 23:42		BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/12/19 23:42		BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/12/19 23:42		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/12/19 23:42		BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/12/19 23:42		BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020	V-05	ND	0.082	0.4	8/12/19 23:42		BRF
Styrene	0.11	0.020		0.48	0.085	0.4	8/12/19 23:42		BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/12/19 23:42		BRF

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: IMP-1**  
**Sample ID: 19G1710-14**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 13:35

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1649  
 Canister Size: 6 liter  
 Flow Controller ID: 4375  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -1.0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/12/19 23:42	BRF	
Tetrachloroethylene	0.058	0.020		0.40	0.14	0.4	8/12/19 23:42	BRF	
Toluene	0.35	0.020		1.3	0.075	0.4	8/12/19 23:42	BRF	
1,1,1-Trichloroethane	0.014	0.010		0.076	0.055	0.4	8/12/19 23:42	BRF	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/12/19 23:42	BRF	
Trichloroethylene	0.045	0.010		0.24	0.054	0.4	8/12/19 23:42	BRF	
Trichlorofluoromethane (Freon 11)	0.24	0.080		1.3	0.45	0.4	8/12/19 23:42	BRF	
1,2,4-Trimethylbenzene	0.39	0.020		1.9	0.098	0.4	8/12/19 23:42	BRF	
1,3,5-Trimethylbenzene	0.11	0.020		0.53	0.098	0.4	8/12/19 23:42	BRF	
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/12/19 23:42	BRF	
m&p-Xylene	2.7	0.040		12	0.17	0.4	8/12/19 23:42	BRF	
o-Xylene	1.1	0.020		4.6	0.087	0.4	8/12/19 23:42	BRF	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/13/19 20:18
4-Bromofluorobenzene (1)	103	70-130	8/12/19 23:42
4-Bromofluorobenzene (2)	99.0	70-130	8/13/19 20:18
4-Bromofluorobenzene (2)	99.9	70-130	8/12/19 23:42



**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: IMP-2**  
**Sample ID: 19G1710-15**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 14:12

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1327  
 Canister Size: 6 liter  
 Flow Controller ID: 4376  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -2.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	27	8.0		65	19	4	8/13/19 20:46		BRF
Acetone	26	0.80	E	61	1.9	0.4	8/13/19 8:46		BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/13/19 8:46		BRF
Benzene	0.33	0.020		1.1	0.064	0.4	8/13/19 8:46		BRF
Bromodichloromethane	0.24	0.010		1.6	0.067	0.4	8/13/19 8:46		BRF
Bromoform	0.30	0.020		3.1	0.21	0.4	8/13/19 8:46		BRF
2-Butanone (MEK)	1.1	0.80		3.2	2.4	0.4	8/13/19 8:46		BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/13/19 8:46		BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/13/19 8:46		BRF
Carbon Tetrachloride	0.29	0.010		1.8	0.063	0.4	8/13/19 8:46		BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/13/19 8:46		BRF
Chloroethane	0.28	0.020		0.75	0.053	0.4	8/13/19 8:46		BRF
Chloroform	0.33	0.010		1.6	0.049	0.4	8/13/19 8:46		BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/13/19 8:46		BRF
Dibromochloromethane	0.27	0.010		2.3	0.085	0.4	8/13/19 8:46		BRF
1,2-Dibromoethane (EDB)	0.27	0.010		2.1	0.077	0.4	8/13/19 8:46		BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/13/19 8:46		BRF
1,3-Dichlorobenzene	0.61	0.020		3.6	0.12	0.4	8/13/19 8:46		BRF
1,4-Dichlorobenzene	0.36	0.020		2.2	0.12	0.4	8/13/19 8:46		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/13/19 8:46		BRF
1,1-Dichloroethane	0.27	0.010		1.1	0.040	0.4	8/13/19 8:46		BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/13/19 8:46		BRF
1,1-Dichloroethylene	0.27	0.010		1.1	0.040	0.4	8/13/19 8:46		BRF
cis-1,2-Dichloroethylene	0.27	0.010		1.1	0.040	0.4	8/13/19 8:46		BRF
trans-1,2-Dichloroethylene	0.26	0.010		1.0	0.040	0.4	8/13/19 8:46		BRF
1,2-Dichloropropane	0.23	0.010		1.1	0.046	0.4	8/13/19 8:46		BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/13/19 8:46		BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/13/19 8:46		BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/13/19 8:46		BRF
Ethylbenzene	0.76	0.020		3.3	0.087	0.4	8/13/19 8:46		BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/13/19 8:46		BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/13/19 8:46		BRF
Methyl tert-Butyl Ether (MTBE)	0.28	0.020		1.0	0.072	0.4	8/13/19 8:46		BRF
Methylene Chloride	0.38	0.20		1.3	0.69	0.4	8/13/19 8:46		BRF
4-Methyl-2-pentanone (MIBK)	0.45	0.020	V-05	1.8	0.082	0.4	8/13/19 8:46		BRF
Styrene	0.65	0.020		2.8	0.085	0.4	8/13/19 8:46		BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/13/19 8:46		BRF

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: IMP-2**  
**Sample ID: 19G1710-15**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 14:12

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1327  
 Canister Size: 6 liter  
 Flow Controller ID: 4376  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -2.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/13/19	8:46	BRF
Tetrachloroethylene	0.86	0.020		5.9	0.14	0.4	8/13/19	8:46	BRF
Toluene	0.58	0.020		2.2	0.075	0.4	8/13/19	8:46	BRF
1,1,1-Trichloroethane	0.24	0.010		1.3	0.055	0.4	8/13/19	8:46	BRF
1,1,2-Trichloroethane	0.28	0.010		1.5	0.055	0.4	8/13/19	8:46	BRF
Trichloroethylene	3.9	0.010		21	0.054	0.4	8/13/19	8:46	BRF
Trichlorofluoromethane (Freon 11)	0.76	0.080		4.3	0.45	0.4	8/13/19	8:46	BRF
1,2,4-Trimethylbenzene	0.66	0.020		3.3	0.098	0.4	8/13/19	8:46	BRF
1,3,5-Trimethylbenzene	0.37	0.020		1.8	0.098	0.4	8/13/19	8:46	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/13/19	8:46	BRF
m&p-Xylene	3.0	0.040		13	0.17	0.4	8/13/19	8:46	BRF
o-Xylene	1.2	0.020		5.3	0.087	0.4	8/13/19	8:46	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	8/13/19 20:46
4-Bromofluorobenzene (1)	102	70-130	8/13/19 8:46
4-Bromofluorobenzene (2)	98.1	70-130	8/13/19 20:46
4-Bromofluorobenzene (2)	99.2	70-130	8/13/19 8:46

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Rooftop Fan # 1**  
**Sample ID: 19G1710-16**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 14:33

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2186  
 Canister Size: 6 liter  
 Flow Controller ID: 4292  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -5.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	33	8.0		79	19	4	8/13/19 21:15		BRF
Acetone	31	0.80	E	73	1.9	0.4	8/13/19 9:27		BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/13/19 9:27		BRF
Benzene	0.21	0.020		0.67	0.064	0.4	8/13/19 9:27		BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/13/19 9:27		BRF
Bromoform	0.046	0.020		0.48	0.21	0.4	8/13/19 9:27		BRF
2-Butanone (MEK)	1.6	0.80		4.9	2.4	0.4	8/13/19 9:27		BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/13/19 9:27		BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/13/19 9:27		BRF
Carbon Tetrachloride	0.097	0.010		0.61	0.063	0.4	8/13/19 9:27		BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/13/19 9:27		BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/13/19 9:27		BRF
Chloroform	0.12	0.010		0.56	0.049	0.4	8/13/19 9:27		BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/13/19 9:27		BRF
Dibromochloromethane	0.042	0.010		0.36	0.085	0.4	8/13/19 9:27		BRF
1,2-Dibromoethane (EDB)	0.044	0.010		0.34	0.077	0.4	8/13/19 9:27		BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/13/19 9:27		BRF
1,3-Dichlorobenzene	0.80	0.020		4.8	0.12	0.4	8/13/19 9:27		BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/13/19 9:27		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/13/19 9:27		BRF
1,1-Dichloroethane	0.046	0.010		0.19	0.040	0.4	8/13/19 9:27		BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/13/19 9:27		BRF
1,1-Dichloroethylene	0.038	0.010		0.15	0.040	0.4	8/13/19 9:27		BRF
cis-1,2-Dichloroethylene	0.056	0.010		0.22	0.040	0.4	8/13/19 9:27		BRF
trans-1,2-Dichloroethylene	0.041	0.010		0.16	0.040	0.4	8/13/19 9:27		BRF
1,2-Dichloropropane	0.040	0.010		0.19	0.046	0.4	8/13/19 9:27		BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/13/19 9:27		BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/13/19 9:27		BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/13/19 9:27		BRF
Ethylbenzene	0.62	0.020		2.7	0.087	0.4	8/13/19 9:27		BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/13/19 9:27		BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/13/19 9:27		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/13/19 9:27		BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/13/19 9:27		BRF
4-Methyl-2-pentanone (MIBK)	0.24	0.020	V-05	1.00	0.082	0.4	8/13/19 9:27		BRF
Styrene	0.17	0.020		0.74	0.085	0.4	8/13/19 9:27		BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/13/19 9:27		BRF

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Rooftop Fan # 1**  
**Sample ID: 19G1710-16**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 14:33

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2186  
 Canister Size: 6 liter  
 Flow Controller ID: 4292  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -5.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/13/19	9:27	BRF
Tetrachloroethylene	3.2	0.020		22	0.14	0.4	8/13/19	9:27	BRF
Toluene	0.43	0.020		1.6	0.075	0.4	8/13/19	9:27	BRF
1,1,1-Trichloroethane	0.20	0.010		1.1	0.055	0.4	8/13/19	9:27	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/13/19	9:27	BRF
Trichloroethylene	9.3	0.010		50	0.054	0.4	8/13/19	9:27	BRF
Trichlorofluoromethane (Freon 11)	3.4	0.080		19	0.45	0.4	8/13/19	9:27	BRF
1,2,4-Trimethylbenzene	0.57	0.020		2.8	0.098	0.4	8/13/19	9:27	BRF
1,3,5-Trimethylbenzene	0.17	0.020		0.81	0.098	0.4	8/13/19	9:27	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/13/19	9:27	BRF
m&p-Xylene	2.9	0.040		13	0.17	0.4	8/13/19	9:27	BRF
o-Xylene	1.2	0.020		5.2	0.087	0.4	8/13/19	9:27	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/13/19 21:15
4-Bromofluorobenzene (1)	101	70-130	8/13/19 9:27
4-Bromofluorobenzene (2)	98.9	70-130	8/13/19 21:15
4-Bromofluorobenzene (2)	98.6	70-130	8/13/19 9:27

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Rooftop Fan # 2**  
**Sample ID: 19G1710-17**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 14:27

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1173  
 Canister Size: 6 liter  
 Flow Controller ID: 4293  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -4.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	34	8.0		80	19	4	8/13/19 21:44		BRF
Acetone	32	0.80	E	76	1.9	0.4	8/13/19 10:07		BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/13/19 10:07		BRF
Benzene	0.095	0.020		0.30	0.064	0.4	8/13/19 10:07		BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/13/19 10:07		BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/13/19 10:07		BRF
2-Butanone (MEK)	1.2	0.80		3.5	2.4	0.4	8/13/19 10:07		BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/13/19 10:07		BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/13/19 10:07		BRF
Carbon Tetrachloride	0.071	0.010		0.45	0.063	0.4	8/13/19 10:07		BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/13/19 10:07		BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/13/19 10:07		BRF
Chloroform	0.47	0.010		2.3	0.049	0.4	8/13/19 10:07		BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/13/19 10:07		BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/13/19 10:07		BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/13/19 10:07		BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/13/19 10:07		BRF
1,3-Dichlorobenzene	0.18	0.020		1.1	0.12	0.4	8/13/19 10:07		BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/13/19 10:07		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/13/19 10:07		BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/13/19 10:07		BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/13/19 10:07		BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/13/19 10:07		BRF
cis-1,2-Dichloroethylene	0.026	0.010		0.10	0.040	0.4	8/13/19 10:07		BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/13/19 10:07		BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/13/19 10:07		BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/13/19 10:07		BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/13/19 10:07		BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/13/19 10:07		BRF
Ethylbenzene	0.65	0.020		2.8	0.087	0.4	8/13/19 10:07		BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/13/19 10:07		BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/13/19 10:07		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/13/19 10:07		BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/13/19 10:07		BRF
4-Methyl-2-pentanone (MIBK)	0.095	0.020	V-05	0.39	0.082	0.4	8/13/19 10:07		BRF
Styrene	0.082	0.020		0.35	0.085	0.4	8/13/19 10:07		BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/13/19 10:07		BRF

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Rooftop Fan # 2**  
**Sample ID: 19G1710-17**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 14:27

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1173  
 Canister Size: 6 liter  
 Flow Controller ID: 4293  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -4.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/13/19 10:07		BRF
Tetrachloroethylene	1.2	0.020		7.9	0.14	0.4	8/13/19 10:07		BRF
Toluene	0.22	0.020		0.84	0.075	0.4	8/13/19 10:07		BRF
1,1,1-Trichloroethane	0.058	0.010		0.31	0.055	0.4	8/13/19 10:07		BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/13/19 10:07		BRF
Trichloroethylene	8.8	0.010		47	0.054	0.4	8/13/19 10:07		BRF
Trichlorofluoromethane (Freon 11)	5.6	0.080		31	0.45	0.4	8/13/19 10:07		BRF
1,2,4-Trimethylbenzene	0.33	0.020		1.6	0.098	0.4	8/13/19 10:07		BRF
1,3,5-Trimethylbenzene	0.091	0.020		0.45	0.098	0.4	8/13/19 10:07		BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/13/19 10:07		BRF
m&p-Xylene	3.2	0.040		14	0.17	0.4	8/13/19 10:07		BRF
o-Xylene	1.3	0.020		5.7	0.087	0.4	8/13/19 10:07		BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/13/19 21:44
4-Bromofluorobenzene (1)	103	70-130	8/13/19 10:07
4-Bromofluorobenzene (2)	99.3	70-130	8/13/19 21:44
4-Bromofluorobenzene (2)	101	70-130	8/13/19 10:07

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Rooftop Fan # 3**  
**Sample ID: 19G1710-18**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 13:15

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2162  
 Canister Size: 6 liter  
 Flow Controller ID: 4291  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -4.5  
 Receipt Vacuum(in Hg): -7.0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	30	8.0		70	19	4	8/13/19 22:12		BRF
Acetone	27	0.80	E	65	1.9	0.4	8/13/19 10:51		BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/13/19 10:51		BRF
Benzene	0.16	0.020		0.53	0.064	0.4	8/13/19 10:51		BRF
Bromodichloromethane	0.088	0.010		0.59	0.067	0.4	8/13/19 10:51		BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/13/19 10:51		BRF
2-Butanone (MEK)	1.2	0.80		3.4	2.4	0.4	8/13/19 10:51		BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/13/19 10:51		BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/13/19 10:51		BRF
Carbon Tetrachloride	0.15	0.010		0.92	0.063	0.4	8/13/19 10:51		BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/13/19 10:51		BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/13/19 10:51		BRF
Chloroform	0.21	0.010		1.0	0.049	0.4	8/13/19 10:51		BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/13/19 10:51		BRF
Dibromochloromethane	0.098	0.010		0.83	0.085	0.4	8/13/19 10:51		BRF
1,2-Dibromoethane (EDB)	0.10	0.010		0.78	0.077	0.4	8/13/19 10:51		BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/13/19 10:51		BRF
1,3-Dichlorobenzene	0.39	0.020		2.4	0.12	0.4	8/13/19 10:51		BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/13/19 10:51		BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/13/19 10:51		BRF
1,1-Dichloroethane	0.092	0.010		0.37	0.040	0.4	8/13/19 10:51		BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/13/19 10:51		BRF
1,1-Dichloroethylene	0.082	0.010		0.32	0.040	0.4	8/13/19 10:51		BRF
cis-1,2-Dichloroethylene	0.14	0.010		0.56	0.040	0.4	8/13/19 10:51		BRF
trans-1,2-Dichloroethylene	0.093	0.010		0.37	0.040	0.4	8/13/19 10:51		BRF
1,2-Dichloropropane	0.083	0.010		0.38	0.046	0.4	8/13/19 10:51		BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/13/19 10:51		BRF
cis-1,3-Dichloropropene	0.086	0.010		0.39	0.045	0.4	8/13/19 10:51		BRF
trans-1,3-Dichloropropene	0.093	0.010		0.42	0.045	0.4	8/13/19 10:51		BRF
Ethylbenzene	0.75	0.020		3.3	0.087	0.4	8/13/19 10:51		BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/13/19 10:51		BRF
p-Isopropyltoluene (p-Cymene)	0.051	0.046		0.28	0.25	0.4	8/13/19 10:51		BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/13/19 10:51		BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/13/19 10:51		BRF
4-Methyl-2-pentanone (MIBK)	0.28	0.020	V-05	1.1	0.082	0.4	8/13/19 10:51		BRF
Styrene	0.25	0.020		1.1	0.085	0.4	8/13/19 10:51		BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	8/13/19 10:51		BRF

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
 Date Received: 7/31/2019  
**Field Sample #: Rooftop Fan # 3**  
**Sample ID: 19G1710-18**  
 Sample Matrix: Sub Slab  
 Sampled: 7/29/2019 13:15

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2162  
 Canister Size: 6 liter  
 Flow Controller ID: 4291  
 Sample Type: 30 min

**Work Order: 19G1710**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -4.5  
 Receipt Vacuum(in Hg): -7.0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/13/19 10:51	BRF	
Tetrachloroethylene	6.7	0.020		46	0.14	0.4	8/13/19 10:51	BRF	
Toluene	0.44	0.020		1.7	0.075	0.4	8/13/19 10:51	BRF	
1,1,1-Trichloroethane	0.15	0.010		0.80	0.055	0.4	8/13/19 10:51	BRF	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/13/19 10:51	BRF	
Trichloroethylene	4.8	0.010		26	0.054	0.4	8/13/19 10:51	BRF	
Trichlorofluoromethane (Freon 11)	0.96	0.080		5.4	0.45	0.4	8/13/19 10:51	BRF	
1,2,4-Trimethylbenzene	0.85	0.020		4.2	0.098	0.4	8/13/19 10:51	BRF	
1,3,5-Trimethylbenzene	0.28	0.020		1.4	0.098	0.4	8/13/19 10:51	BRF	
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/13/19 10:51	BRF	
m&p-Xylene	3.3	0.040		14	0.17	0.4	8/13/19 10:51	BRF	
o-Xylene	1.4	0.020		5.9	0.087	0.4	8/13/19 10:51	BRF	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/13/19 22:12
4-Bromofluorobenzene (1)	102	70-130	8/13/19 10:51
4-Bromofluorobenzene (2)	98.8	70-130	8/13/19 22:12
4-Bromofluorobenzene (2)	99.2	70-130	8/13/19 10:51



**Sample Extraction Data**

**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
19G1710-01 [Gymnasium]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-02 [Cafeteria]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-03 [Kitchen Storage Room]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-04 [Elevater Hallway]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-05 [Room 145]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-06 [Room 152]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-07 [Room 118]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-08 [Room 110]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-09 [Ambient Outdoor]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-12 [MP-4]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-13 [MP-6]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-14 [IMP-1]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-15 [IMP-2]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-16 [Rooftop Fan # 1]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-17 [Rooftop Fan # 2]	B237921	1	1	N/A	1000	400	1000	08/12/19
19G1710-18 [Rooftop Fan # 3]	B237921	1	1	N/A	1000	400	1000	08/12/19

**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
19G1710-10 [MP-1]	B238007	1.5	1	N/A	1000	400	1000	08/13/19
19G1710-10RE1 [MP-1]	B238007	1.5	1	N/A	1000	400	150	08/13/19
19G1710-11 [MP-3]	B238007	1.5	1	N/A	1000	400	1000	08/13/19
19G1710-11RE1 [MP-3]	B238007	1.5	1	N/A	1000	400	150	08/13/19
19G1710-12RE1 [MP-4]	B238007	1	1	N/A	1000	400	100	08/13/19
19G1710-13RE1 [MP-6]	B238007	1	1	N/A	1000	400	100	08/13/19
19G1710-14RE1 [IMP-1]	B238007	1	1	N/A	1000	400	100	08/13/19
19G1710-15RE1 [IMP-2]	B238007	1	1	N/A	1000	400	100	08/13/19
19G1710-16RE1 [Rooftop Fan # 1]	B238007	1	1	N/A	1000	400	100	08/13/19
19G1710-17RE1 [Rooftop Fan # 2]	B238007	1	1	N/A	1000	400	100	08/13/19
19G1710-18RE1 [Rooftop Fan # 3]	B238007	1	1	N/A	1000	400	100	08/13/19

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit	

**Batch B237921 - TO-15 Prep**

**Blank (B237921-BLK1)**

Prepared & Analyzed: 08/12/19

Acetone	ND	2.0								
Acrylonitrile	ND	0.29								
Benzene	ND	0.050								
Bromodichloromethane	ND	0.025								
Bromoform	ND	0.050								
2-Butanone (MEK)	ND	2.0								
n-Butylbenzene	ND	0.14								
sec-Butylbenzene	ND	0.11								
Carbon Tetrachloride	ND	0.025								
Chlorobenzene	ND	0.050								
Chloroethane	ND	0.050								
Chloroform	ND	0.025								
Chloromethane	ND	0.10								
Dibromochloromethane	ND	0.025								
1,2-Dibromoethane (EDB)	ND	0.025								
1,2-Dichlorobenzene	ND	0.050								
1,3-Dichlorobenzene	ND	0.050								
1,4-Dichlorobenzene	ND	0.050								
Dichlorodifluoromethane (Freon 12)	ND	0.050								
1,1-Dichloroethane	ND	0.025								
1,2-Dichloroethane	ND	0.025								
1,1-Dichloroethylene	ND	0.025								
cis-1,2-Dichloroethylene	ND	0.025								
trans-1,2-Dichloroethylene	ND	0.025								
1,2-Dichloropropane	ND	0.025								
1,3-Dichloropropane	ND	0.14								
cis-1,3-Dichloropropene	ND	0.025								
trans-1,3-Dichloropropene	ND	0.025								
Ethylbenzene	ND	0.050								
Isopropylbenzene (Cumene)	ND	0.13								
p-Isopropyltoluene (p-Cymene)	ND	0.11								
Methyl tert-Butyl Ether (MTBE)	ND	0.050								
Methylene Chloride	ND	0.50								
4-Methyl-2-pentanone (MIBK)	ND	0.050								V-05
Styrene	ND	0.050								
1,1,1,2-Tetrachloroethane	ND	0.091								L-03
1,1,2,2-Tetrachloroethane	ND	0.025								
Tetrachloroethylene	ND	0.050								
Toluene	ND	0.050								
1,1,1-Trichloroethane	ND	0.025								
1,1,2-Trichloroethane	ND	0.025								
Trichloroethylene	ND	0.025								
Trichlorofluoromethane (Freon 11)	ND	0.20								
1,2,4-Trimethylbenzene	ND	0.050								
1,3,5-Trimethylbenzene	ND	0.050								
Vinyl Chloride	ND	0.050								

**QUALITY CONTROL**

**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
<b>Batch B237921 - TO-15 Prep</b>											
<b>Blank (B237921-BLK1)</b>						Prepared & Analyzed: 08/12/19					
m&p-Xylene	ND	0.10									
o-Xylene	ND	0.050									
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.16				8.00		102	70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	7.94				8.00		99.2	70-130			
<b>LCS (B237921-BS1)</b>						Prepared & Analyzed: 08/12/19					
Acetone	3.97				5.00		79.3	70-130			
Acrylonitrile	2.08				2.88		72.4	70-130			
Benzene	3.79				5.00		75.9	70-130			
Bromodichloromethane	4.00				5.00		80.0	70-130			
Bromoform	4.84				5.00		96.8	70-130			
2-Butanone (MEK)	3.91				5.00		78.3	70-130			
n-Butylbenzene	0.841				1.14		73.8	70-130			
sec-Butylbenzene	0.807				1.14		70.8	70-130			
Carbon Tetrachloride	3.93				5.00		78.7	70-130			
Chlorobenzene	4.22				5.00		84.4	70-130			
Chloroethane	4.58				5.00		91.7	70-130			
Chloroform	4.54				5.00		90.9	70-130			
Chloromethane	4.70				5.00		94.0	70-130			
Dibromochloromethane	4.47				5.00		89.5	70-130			
1,2-Dibromoethane (EDB)	4.47				5.00		89.5	70-130			
1,2-Dichlorobenzene	5.66				5.00		113	70-130			
1,3-Dichlorobenzene	5.39				5.00		108	70-130			
1,4-Dichlorobenzene	5.34				5.00		107	70-130			
Dichlorodifluoromethane (Freon 12)	4.98				5.00		99.6	70-130			
1,1-Dichloroethane	4.37				5.00		87.4	70-130			
1,2-Dichloroethane	4.54				5.00		90.7	70-130			
1,1-Dichloroethylene	4.67				5.00		93.4	70-130			
cis-1,2-Dichloroethylene	4.34				5.00		86.8	70-130			
trans-1,2-Dichloroethylene	4.24				5.00		84.8	70-130			
1,2-Dichloropropane	3.79				5.00		75.8	70-130			
1,3-Dichloropropane	0.987				1.35		73.1	70-130			
cis-1,3-Dichloropropene	3.87				5.00		77.4	70-130			
trans-1,3-Dichloropropene	4.44				5.00		88.9	70-130			
Ethylbenzene	4.22				5.00		84.4	70-130			
Isopropylbenzene (Cumene)	0.890				1.27		70.1	70-130			
p-Isopropyltoluene (p-Cymene)	0.808				1.14		70.9	70-130			
Methyl tert-Butyl Ether (MTBE)	4.18				5.00		83.5	70-130			
Methylene Chloride	3.95				5.00		79.1	70-130			
4-Methyl-2-pentanone (MIBK)	3.60				5.00		72.1	70-130			V-05
Styrene	4.77				5.00		95.4	70-130			
1,1,1,2-Tetrachloroethane	0.636				0.910		69.9 *	70-130			L-03
1,1,2,2-Tetrachloroethane	4.64				5.00		92.8	70-130			
Tetrachloroethylene	4.37				5.00		87.4	70-130			
Toluene	4.20				5.00		84.0	70-130			
1,1,1-Trichloroethane	3.66				5.00		73.2	70-130			
1,1,2-Trichloroethane	4.44				5.00		88.9	70-130			

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		

**Batch B237921 - TO-15 Prep**

**LCS (B237921-BS1)**

Prepared & Analyzed: 08/12/19

Trichloroethylene	4.10				5.00		82.0	70-130			
Trichlorofluoromethane (Freon 11)	4.36				5.00		87.2	70-130			
1,2,4-Trimethylbenzene	4.75				5.00		95.1	70-130			
1,3,5-Trimethylbenzene	4.44				5.00		88.9	70-130			
Vinyl Chloride	4.18				5.00		83.7	70-130			
m&p-Xylene	8.55				10.0		85.5	70-130			
o-Xylene	4.30				5.00		86.0	70-130			
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>8.40</i>				<i>8.00</i>		<i>105</i>	<i>70-130</i>			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	<i>8.08</i>				<i>8.00</i>		<i>101</i>	<i>70-130</i>			

**Batch B238007 - TO-15 Prep**

**Blank (B238007-BLK1)**

Prepared & Analyzed: 08/13/19

Acetone	ND	0.80									
Acrylonitrile	ND	0.12									
Benzene	ND	0.020									
Bromodichloromethane	ND	0.010									
Bromoform	ND	0.020									
2-Butanone (MEK)	ND	0.80									
n-Butylbenzene	ND	0.058									
sec-Butylbenzene	ND	0.046									
Carbon Tetrachloride	ND	0.010									
Chlorobenzene	ND	0.020									
Chloroethane	ND	0.020									
Chloroform	ND	0.010									
Chloromethane	ND	0.040									
Dibromochloromethane	ND	0.010									
1,2-Dibromoethane (EDB)	ND	0.010									
1,2-Dichlorobenzene	ND	0.020									
1,3-Dichlorobenzene	ND	0.020									
1,4-Dichlorobenzene	ND	0.020									
Dichlorodifluoromethane (Freon 12)	ND	0.020									
1,1-Dichloroethane	ND	0.010									
1,2-Dichloroethane	ND	0.010									
1,1-Dichloroethylene	ND	0.010									
cis-1,2-Dichloroethylene	ND	0.010									
trans-1,2-Dichloroethylene	ND	0.010									
1,2-Dichloropropane	ND	0.010									
1,3-Dichloropropane	ND	0.054									
cis-1,3-Dichloropropene	ND	0.010									
trans-1,3-Dichloropropene	ND	0.010									
Ethylbenzene	ND	0.020									
Isopropylbenzene (Cumene)	ND	0.051									
p-Isopropyltoluene (p-Cymene)	ND	0.046									
Methyl tert-Butyl Ether (MTBE)	ND	0.020									
Methylene Chloride	ND	0.20									
4-Methyl-2-pentanone (MIBK)	ND	0.020									

**QUALITY CONTROL**

**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		

**Batch B238007 - TO-15 Prep**

**Blank (B238007-BLK1)**

Prepared & Analyzed: 08/13/19

Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.036									
1,1,2,2-Tetrachloroethane	ND	0.010									
Tetrachloroethylene	ND	0.020									
Toluene	ND	0.020									
1,1,1-Trichloroethane	ND	0.010									
1,1,2-Trichloroethane	ND	0.010									
Trichloroethylene	ND	0.010									
Trichlorofluoromethane (Freon 11)	ND	0.080									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.020									
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.13				8.00		102		70-130		
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	7.90				8.00		98.8		70-130		

**LCS (B238007-BS1)**

Prepared & Analyzed: 08/13/19

Acetone	4.45				5.00		89.1		70-130		
Acrylonitrile	2.07				2.88		71.8		70-130		
Benzene	4.16				5.00		83.2		70-130		
Bromodichloromethane	4.37				5.00		87.4		70-130		
Bromoform	5.09				5.00		102		70-130		
2-Butanone (MEK)	4.48				5.00		89.5		70-130		
n-Butylbenzene	0.832				1.14		73.0		70-130		
sec-Butylbenzene	0.800				1.14		70.2		70-130		
Carbon Tetrachloride	4.35				5.00		87.0		70-130		
Chlorobenzene	4.48				5.00		89.5		70-130		
Chloroethane	4.98				5.00		99.6		70-130		
Chloroform	5.16				5.00		103		70-130		
Chloromethane	4.98				5.00		99.7		70-130		
Dibromochloromethane	4.72				5.00		94.4		70-130		
1,2-Dibromoethane (EDB)	4.82				5.00		96.4		70-130		
1,2-Dichlorobenzene	5.98				5.00		120		70-130		
1,3-Dichlorobenzene	5.70				5.00		114		70-130		
1,4-Dichlorobenzene	5.62				5.00		112		70-130		
Dichlorodifluoromethane (Freon 12)	5.30				5.00		106		70-130		
1,1-Dichloroethane	4.92				5.00		98.3		70-130		
1,2-Dichloroethane	5.12				5.00		102		70-130		
1,1-Dichloroethylene	4.39				5.00		87.7		70-130		
cis-1,2-Dichloroethylene	4.90				5.00		98.1		70-130		
trans-1,2-Dichloroethylene	4.82				5.00		96.5		70-130		
1,2-Dichloropropane	4.17				5.00		83.4		70-130		
1,3-Dichloropropane	0.982				1.35		72.7		70-130		
cis-1,3-Dichloropropene	4.32				5.00		86.4		70-130		
trans-1,3-Dichloropropene	4.90				5.00		98.0		70-130		
Ethylbenzene	4.53				5.00		90.7		70-130		

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	%REC	Limits	RPD	Limit	
<b>Batch B238007 - TO-15 Prep</b>											
<b>LCS (B238007-BS1)</b>						Prepared & Analyzed: 08/13/19					
Isopropylbenzene (Cumene)	0.907				1.27		71.4	70-130			
p-Isopropyltoluene (p-Cymene)	0.812				1.14		71.2	70-130			
Methyl tert-Butyl Ether (MTBE)	4.79				5.00		95.8	70-130			
Methylene Chloride	4.38				5.00		87.5	70-130			
4-Methyl-2-pentanone (MIBK)	3.88				5.00		77.7	70-130			
Styrene	5.07				5.00		101	70-130			
1,1,1,2-Tetrachloroethane	0.649				0.910		71.3	70-130			
1,1,2,2-Tetrachloroethane	4.80				5.00		96.0	70-130			
Tetrachloroethylene	4.67				5.00		93.4	70-130			
Toluene	4.50				5.00		90.0	70-130			
1,1,1-Trichloroethane	4.03				5.00		80.6	70-130			
1,1,2-Trichloroethane	4.75				5.00		94.9	70-130			
Trichloroethylene	4.48				5.00		89.7	70-130			
Trichlorofluoromethane (Freon 11)	4.67				5.00		93.4	70-130			
1,2,4-Trimethylbenzene	5.03				5.00		101	70-130			
1,3,5-Trimethylbenzene	4.72				5.00		94.4	70-130			
Vinyl Chloride	4.51				5.00		90.3	70-130			
m&p-Xylene	8.98				10.0		89.8	70-130			
o-Xylene	4.61				5.00		92.2	70-130			
Surrogate: 4-Bromofluorobenzene (1)	8.03				8.00		100	70-130			
Surrogate: 4-Bromofluorobenzene (2)	7.96				8.00		99.4	70-130			

---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
E	Reported result is estimated. Value reported over verified calibration range.
L-03	Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
V-05	Continuing calibration verification (CCV) did not meet method specifications and was biased on the low side for this compound.

## CERTIFICATIONS

## Certified Analyses included in this Report

Analyte	Certifications
<i>EPA TO-15 in Air</i>	
Acetone	AIHA,NY,ME,NH
Acrylonitrile	AIHA,NJ,NY,ME,NH
Benzene	AIHA,FL,NJ,NY,ME,NH,VA
Bromodichloromethane	AIHA,NJ,NY,ME,NH,VA
Bromoform	AIHA,NJ,NY,ME,NH,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,ME,NH,VA
Carbon Tetrachloride	AIHA,FL,NJ,NY,ME,NH,VA
Chlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Chloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Chloroform	AIHA,FL,NJ,NY,ME,NH,VA
Chloromethane	AIHA,FL,NJ,NY,ME,NH,VA
Dibromochloromethane	AIHA,NY,ME,NH
1,2-Dibromoethane (EDB)	AIHA,NJ,NY,ME,NH
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
1,3-Dichlorobenzene	AIHA,NJ,NY,ME,NH
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY,ME,NH
1,1-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,ME,NH,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,ME,NH,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,ME,NH,VA
trans-1,3-Dichloropropene	AIHA,NY,ME,NH
Ethylbenzene	AIHA,FL,NJ,NY,ME,NH,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY,ME,NH
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,ME,NH,VA
Methylene Chloride	AIHA,FL,NJ,NY,ME,NH,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY,ME,NH
Styrene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Toluene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Trichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY,ME,NH
1,2,4-Trimethylbenzene	AIHA,NJ,NY,ME,NH
1,3,5-Trimethylbenzene	AIHA,NJ,NY,ME,NH
Vinyl Chloride	AIHA,FL,NJ,NY,ME,NH,VA
m&p-Xylene	AIHA,FL,NJ,NY,ME,NH,VA
o-Xylene	AIHA,FL,NJ,NY,ME,NH,VA



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO17025:2005	100033	03/1/2020
MA	Massachusetts DEP	M-MA100	06/30/2020
CT	Connecticut Department of Public Health	PH-0567	09/30/2019
NY	New York State Department of Health	10899 NELAP	04/1/2020
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2020
RI	Rhode Island Department of Health	LAO00112	12/30/2019
NC	North Carolina Div. of Water Quality	652	12/31/2019
NJ	New Jersey DEP	MA007 NELAP	06/30/2020
FL	Florida Department of Health	E871027 NELAP	06/30/2020
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2020
ME	State of Maine	2011028	06/9/2021
VA	Commonwealth of Virginia	460217	12/14/2019
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2019
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2020
NC-DW	North Carolina Department of Health	25703	07/31/2020
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2020



Company Name: EA Engineering

Address: 301 Metro Center Blvd Suite 102

Phone: 401-736-3440

Project Name: Alvarez High School

Project Location: Providence, RI

Project Number: 1506606

Project Manager: Frank Postma

Con-Test Quote Name/Number:

Invoice Recipient: Melanie Dine

Sampled By: BC/NS/GJ

Client Use

Client Sample ID / Description

Beginning Date/Time

Ending Date/Time

Duration

Total Minutes Sampled

Flow Rate

m<sup>3</sup>/min L/min

Matrix Code

Volume

Liters m<sup>3</sup>

Initial Pressure

Final Pressure

Lab Receipt Pressure

" Hg

Please fill out completely, sign, date and retain the yellow copy for your records

Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply

For summa canister and flow controller information please refer to Con-Test's Air Media Agreement

Summa Can ID

Flow Controller ID

Matrix Codes:  
SG = SOIL GAS  
IA = INDOOR AIR  
AMB = AMBIENT  
SS = SUB SLAB  
D = DUP  
BL = BLANK  
O = Other

NEAC and AIMA-AP, LLC Accredited


Project Entity:  Government  Federal  City

Municipality:  21 J  Brownfield

MWRA  School  MBTA

WRTA  Chromatogram  AIHA-LAP, LLC

PCB ONLY  Soxhlet  Not Soxhlet



Comments: Project specific analyte list  
• Please also report in mg/m<sup>3</sup>

Relinquished by: (signature) Cathleen M... of EA Date/Time: 7/31/19 8:53

Received by: (signature) Paul Chastney Date/Time: 7-31-19 8:53

Relinquished by: (signature) Paul Chastney Date/Time: 7-31-19 16:25

Received by: (signature) AB Date/Time: 7-31-19 16:25

Relinquished by: (signature) AB Date/Time: 7-31-19 17:45

Received by: (signature) Melanie Dine Date/Time: 7/31/2019 1745

Matrix Codes:

SG = SOIL GAS  
IA = INDOOR AIR  
AMB = AMBIENT  
SS = SUB SLAB  
D = DUP  
BL = BLANK  
O = Other



Company Name: **EA Engineering**  
 Address: **301 Metro Center Blvd Suite 102**  
 Phone: **401-736-3440**  
 Project Name: **Alvarez High School**  
 Project Location: **Providence, RI**  
 Project Number: **1506606**  
 Project Manager: **Frank Postma**  
 Con-Test Quote Name/Number:  
 Invoice Recipient: **Melanie Bine**  
 Sampled By: **BC/GS/NS**

Requested Turnaround Time:  7-Day  10-Day  Rush Approval Required:  1-Day  3-Day  2-Day  4-Day

Format: PDF  EXCEL  Other: **ug/m<sup>3</sup>**

CLP Like Data Pkg Required:  Email To: **fpstma@east.com**

Fax To #: **bchambars@east.com**

Lab Use	Client Use	Collection Data	Duration	Flow Rate	Matrix	Volume	Flow Controller ID
Con-Test Work Order#	Client Sample ID / Description	Beginning Date/Time	Total Minutes Sampled	m <sup>3</sup> /min L/min	Code	Liters m <sup>3</sup>	
10	MP-1	7/29/19 11:02	33		SS	6	4365
11	MP-3	1059	34				4366
12	MP-4	1110	35				4067
13	MP-6	1050	32				4304
14	JMP-1	1255	40				4375
15	JMP-2	1337	36				4376
16	Rooftop Fan #1	1400	33				4292
17	Rooftop Fan #2	1357	30				4293
18	Rooftop Fan #3	1240	35				4291

Matrix Codes:  
 SG = SOIL GAS  
 IA = INDOOR AIR  
 AMB = AMBIENT  
 SS = SUB SLAB  
 D = DUP  
 BL = BLANK  
 O = Other

Special Requirements:  
 MA MCP Required  
 MCP Certification Form Required  
 CT RCP Required  
 RCP Certification Form Required  
 Other

Project Entity:  
 Government  
 Federal  
 City  
 Municipality  
 21 J  
 Brownfield  
 MWRA  
 School  
 MBTA  
 WRTA  
 Chromatogram  
 AIHA-LAP, LLC  
 PCB ONLY  
 Soxhlet  
 Non Soxhlet

Comments: **Project Specific Analyte List**  
**-Please also report in ug/m<sup>3</sup>**

Relinquished by: (signature) **Chadley** Date/Time: **7/31/19 0853**  
 Received by: (signature) **Paul Chertney** Date/Time: **8:53**  
 Relinquished by: (signature) **Paul Chertney** Date/Time: **7/31/19 16:25**  
 Received by: (signature) **AB** Date/Time: **7-31-19 16:25**  
 Relinquished by: (signature) **AB** Date/Time: **7-31-19 17:45**  
 Received by: (signature) **Matthew Tamm** Date/Time: **7/31/2019 1745**

I Have Not Confirmed Sample Container Numbers With Lab Staff Before Relinquishing Over Samples \_\_\_\_\_



**con-test**  
ANALYTICAL LABORATORY

Doc# 278 Rev 6 2017

**Air Media Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False Statement will be brought to the attention of the Client - State True or False**

Client EA Engineering

Received By cf Date 7/31/2019 Time 1745

How were the samples received? In Cooler \_\_\_\_\_ On Ice \_\_\_\_\_ No Ice \_\_\_\_\_  
 In Box T Ambient \_\_\_\_\_ Melted Ice \_\_\_\_\_

Were samples within Temperature Compliance? 2-6°C N/A By Gun # \_\_\_\_\_ Actual Temp - \_\_\_\_\_  
 By Blank # \_\_\_\_\_ Actual Temp - \_\_\_\_\_

Was Custody Seal Intact? N/A Were Samples Tampered with? F

Was COC Relinquished? T Does Chain Agree With Samples? T

Are there any loose caps/valves on any samples? F

Is COC in ink/ Legible? T

Did COC Include all Client T Analysis T Sampler Name T  
 Pertinent Information? Project T ID's T Collection Dates/Times T

Are Sample Labels filled out and legible? T

Are there Rushes? F Who was notified? \_\_\_\_\_

Samples are received within holding time? T

Proper Media Used? T Individually Certified Cans? T  
 Are there Trip Blanks? F Is there enough Volume? T

Containers:	#	Size	Regulator	Duration	Accessories:		
Summa Cans	18	6L	18	30 MIN	Nut/Ferrule		IC Train
Tedlar Bags					Tubing		
TO-17 Tubes					T-Connector		Shipping Charges
Radiello					Syringe		
Pufs/TO-11s					Tedlar		

Can #'s	1039	1320	1327	Reg #'s	4283	4100	4376
	2194	1242	2186		4073	4196	4292
	2074	2220	1173		4197	4365	4293
	2061	1244	2162		4079	4366	4291
	2463	2204			4285	4067	
	2442	2461			4194	4304	
	1342	1649			4042	4375	
Unused Media				Pufs/TO-17's			

Comments:

## **APPENDIX F**

### **Laboratory MRL Correspondence**



39 Spruce Street  
East Longmeadow, MA 01089

September 26, 2019

Frank Postma  
EA Engineering Science & Technology  
2350 Post Road  
Warwick, RI 02886  
RE: RIDEM – Approved Action Level – Work Order 19D0806

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane  
1,1,2,2-Tetrachloroethane  
1,1,1,2-Tetrachloroethane  
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is written in a cursive, flowing style.

Tod Kopyscinski  
Laboratory Director