

**QUARTERLY MONITORING REPORT
Springfield Street School Complex
Providence, Rhode Island
May 2008 Monitoring Round**

Project No. 081-12152-04

Prepared for
Providence School Department
797 Westminster Street
Providence, RI 02903

Prepared by
LFR Inc.
300 Metro Center Boulevard
Suite 250
Warwick, RI 02886
www.lfr.com



June 20, 2008

081-12152-04

Mr. Jeffrey Crawford
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

Subject: Quarterly Monitoring for Springfield Street School Complex, 50 Springfield Street,
Providence, RI – May 2008 Monitoring Round

Dear Mr. Crawford:

Quarterly monitoring for soil gas, indoor air and system monitoring was conducted during the week of May 19, 2008. The monitoring was performed in accordance with the *Long-Term Operation and Maintenance Plan and Site Contingency Plan* (O&M Plan) contained in the *Remedial Action Work Plan* prepared by ATC dated April 2, 1999, revised May 3, 1999 and May 9, 1999. The *Remedial Action Work Plan* (RAWP) was approved by the Rhode Island Department of Environmental Management (RIDEM) in a letter dated June 4, 1999.

This work is subject to the Limitations contained in Appendix A. Results of monitoring are provided in the following sections and in the attachments.

COVER MONITORING

LFR conducted a visual survey of the site on May 22, 2008 for evidence of significant soil cover erosion, or for any areas where the orange snow fencing indicator barrier was visible. LFR did not observe any areas where the orange indicator barrier was visible during this monitoring event. No areas of significant settling were observed.

SUB-SLAB VENTILATION SYSTEM

The sub-slab ventilation system was inspected by LFR during the quarterly monitoring on May 22, 2008. All other blowers were operating normally.

Influent and effluent air from the two blowers at the elementary school and the blower in the rear shed at the middle school was monitored. Samples of influent and effluent gas were collected in Tedlar bags at each location and screened for methane, carbon dioxide, carbon monoxide, and hydrogen sulfide using a Landtec GEM2000 Plus, and for volatile organic compounds (VOC) using a MiniRae 2000. Results are provided in Table 1.

Methane, hydrogen sulfide, carbon monoxide and organic vapor concentrations in the subslab ventilation system samples were all measured as zero during this monitoring event. Carbon dioxide readings at the elementary school ranged from 0.3 to 0.4 percent, and carbon dioxide readings at the middle school ranged from 0.0 to 0.4 percent.

INDOOR AIR MONITORING

Indoor air monitoring was conducted on May 22, 2008 using a Landtec Gem 2000 Plus landfill gas monitor (methane and hydrogen sulfide), a Mini Rae photoionization detector (organic vapors), and a Fluke 975 Airmeter (carbon dioxide, carbon monoxide, oxygen). Both schools were occupied at the time of the monitoring. Results of monitoring are provided in the Table 2. Methane, carbon monoxide, hydrogen sulfide, and organic vapors were not detected during the indoor air monitoring.

Carbon dioxide measurements were made with a Fluke 975 Airmeter indoor air quality meter which provides a lower detection limit than the Landtec Gem 200 plus which has been used to measure carbon dioxide concentrations in the past. The Fluke 975 has a range of 0 to 5,000 ppm, with a resolution of 1 ppm. The Landtec Gem 2000 Plus has a range of 0 to 100 percent, with a resolution of 0.1 percent (1000 ppm).

Carbon dioxide concentrations ranged from 453 to 927 ppm in the elementary school, and from 544 to 805 ppm at the middle school. The maximum concentration detected at the elementary school was measured in the cafeteria, which was fully occupied at the time the measurement was made. All concentrations were well below the Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) of 5,000 ppm for carbon dioxide.

Carbon dioxide is a colorless, odorless gas which is a trace constituent of our atmosphere. It is emitted by people and other mammals during respiration, by combustion of fossil fuels, and through many other natural and manmade sources. The US Department of Energy's Carbon Dioxide Information Analysis Center (CDIAC) reports that the average concentration of carbon dioxide in the atmosphere is 377 ppm. The actual concentrations are expected to vary locally based on the proximity of carbon dioxide sources to the measuring site, meteorological conditions, and other factors. The average of two carbon dioxide readings collected outside near the Springfield Street schools was 379 ppm.

Concentrations of carbon dioxide inside occupied buildings are expected to be higher than the concentrations in outdoor air because the building occupants expel carbon dioxide. Therefore, in indoor air, the concentration of carbon dioxide is typically used as an indicator of the effectiveness of the heating, ventilating, and air conditioning (HVAC) system in circulating outdoor air into the building. The American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE) have prepared ASHRAE Standard 62.1-2007 titled *Ventilation for Acceptable Indoor Air Quality*. The purpose of the Standard is to specify minimum ventilation rates and other measures to provide indoor air quality that is acceptable to human occupants and that minimize adverse health affects. A discussion regarding carbon dioxide concentrations in indoor air contained in Informative Appendix C of the Standard states: "... maintaining a steady-state CO₂ concentration in a space of no

greater than about 700 ppm above outdoor air levels will indicate that a substantial majority of visitors entering a space will be satisfied with respect to human bioeffluents (body odor).” This is the basis for ASHRAE’s recommendations for concentrations of carbon dioxide in indoor air. The concentrations measured inside the site buildings were below these levels.

The control panels for the methane monitors at both schools were inspected on May 22, 2008. The methane monitor control panels had stickers that indicated the monitors were last calibrated by Diamond Technical Services personnel on April 16, 2008.

Calibration Certificates from Diamond Calibration indicate that many of the sensors read above 0 when calibrated to the zero gas. This prevents the sensors from giving a fault alarm if the reading drops below zero due to a sudden temperature change, and still provides a conservative measure of protection because the alarm limit does not change.

GROUNDWATER MONITORING

Three of five groundwater monitoring wells were sampled by LFR on May 21, 2008. Two monitoring wells, ATC-2 and ATC-3, were not able to be sampled because they were dry on the day of sampling. Prior to sampling, the depth to water was gauged, and a volume of water equivalent to approximately three well volumes was removed from each well. Depth to groundwater ranged from 12.65 to 17.90 feet below the ground surface. Groundwater samples were collected in laboratory prepared sample jars and delivered under chain-of-custody protocol to Contest Laboratory in East Longmeadow, Massachusetts for analysis for volatile organic compounds by EPA method 8260. The laboratory report is provided as Attachment B. Results of analysis of groundwater samples are summarized in Table 3.

The laboratory analysis of the three groundwater samples did not detect any target analytes.

SOIL GAS MONITORING

Soil gas monitoring was conducted at 29 locations on May 11, 2008. The sampling was conducted by placing an air sampling gripper cap on each well and attaching a piece of tubing. A volume of air equivalent to approximately 3 well volumes was removed from each well using a Sensidyne BDXII air sampling pump. Soil gas was then screened using a Landtec Gem 2000 Plus Landfill Gas Analyzer & Extraction Monitor and a MiniRae Photoionization Detector (PID).

Air samples were also collected in Tedlar bags from wells WB-2 and MPL-6. The Tedlar bags were submitted to Con-test Analytical Laboratory for analysis for VOC via EPA method TO-14.

Soil Gas Field Monitoring Results

Soil gas samples were screened for methane, carbon monoxide, hydrogen sulfide, carbon dioxide, oxygen, and total VOCs. Soil gas survey results are provided in Table 4.

Methane and hydrogen sulfide were not detected in any of the soil gas wells during this round of sampling. Carbon monoxide was detected at concentrations below the action level in 7 wells.

Carbon dioxide was detected at 24 of 28 locations with detectable concentrations ranging from 0.1% to 8.3%. The carbon dioxide Remedial Action Work Plan Action Level is 0.1%, and 21 readings exceeded the action level. The presence of carbon dioxide in soil gas is an indicator of subsurface bacterial activity and does not represent a threat to users of the property. Graphs presenting carbon dioxide, oxygen, and methane concentrations over time for seven representative wells are presented in Attachment C. The maximum concentration of carbon dioxide detected during this round of monitoring was 8.6%, compared with a maximum detected concentration in February of 2008 of 5.6%. The highest concentrations of carbon dioxide were found in wells MPL-6 and MPL-7, located on the northern end of the property adjacent to the parking lot. Carbon dioxide concentrations are expected to be higher here due to the heat generated by the sun on the pavement, and the pavement acting as a barrier to exchange of soil gas with the atmosphere.

Concentrations detected during this round of monitoring appear to be consistent with the patterns of higher carbon dioxide concentrations in the summer and fall, and lower carbon dioxide concentrations in the winter and spring.

Soil Gas Laboratory Results

Soil gas samples were collected from soil gas wells MPL-6 and WB-2 in Tedlar bags and submitted to Con-Test Analytical Laboratories for analysis by method TO-14. Results of the analysis are summarized in Table 5, and the laboratory report is provided in Attachment B. The results of analysis were typical of the concentrations and compounds which have been detected in previous monitoring events.

The Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELs) are provided in Table 5 for comparison purposes even though they are not applicable to soil gas, because it does not represent exposure point concentrations. The PELs are the average concentrations that OSHA allows to be present in a workplace without any respiratory protection or exposure controls. The concentrations detected in soil gas were well below the OSHA PELs.

CONCLUSIONS

Methane, carbon monoxide, hydrogen sulfide and organic vapor concentrations did not exceed RAWP action levels in any soil gas samples, indoor air or subslab ventilation system samples. Carbon dioxide concentrations exceeded the action level at some locations. The detection of carbon dioxide in soil gas is typical of what has been detected during previous monitoring events and appears to be a result of naturally occurring bacterial activity in the subsurface.

Inspection of the cap did not reveal any evidence of exposure of the orange barrier or of breaches of the cap that would allow users of the Site to be exposed to the underlying capped soils.



This report is subject to the limitations contained in Attachment A.

If you have any questions or require any additional information, please contact the undersigned at 401-738-3887.

Sincerely,

Donna Holden Pallister, P.E., L.S.P.
Senior Engineer

Thomas L. Daley
Principal

cc: A. Sepe, City of Providence
S. Tremblay, Providence School Department
Providence Public Building Authority

TABLES

Table 1
System Monitoring Notes
Springfield Street School Complex
Providence, Rhode Island
May 22, 2008

Monitoring Location	Methane % by volume Landtec	Carbon Dioxide % by volume	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
Elementary School inlet 1	0.0	0.4	20.9	0.0	0.0	0.0
Elementary School inlet 2	0.0	0.3	20.9	0.0	0.0	0.0
Elementary School Outlet	0.0	0.3	20.9	0.0	0.0	0.0
Middle School front shed inlet	0.0	0.1	20.9	0.0	0.0	0.0
Middle School front shed after 2 nd carbon	0.0	0.0	20.9	0.0	0.0	0.0
Middle School back shed inlet	0.0	0.4	20.9	0.0	0.0	0.0
Middle School back shed after 2 nd carbon	0.0	0.4	20.6	0.0	0.0	0.0
Remedial Action Work Plan Action Levels	0.5	1,000 ppm (0.1%)	NA	9 ppm	10 ppm	5 ppm

Measurements made with: Landtec GEM 2000 Plus, MiniRae PID, RAE 4 gas meter

Sampling date: May 22, 2008

Measured by: Donna Pallister

Table 2
Indoor Air Monitoring Results
Springfield Street School Complex
Providence, Rhode Island
May 22, 2008

Monitoring Location	Methane % by volume Landtec	Carbon Dioxide PPM	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
E.S. Front office	0.0	523	20.9	0	0	0
E.S. Elevator	0	453	20.9	0	0	0
E.S. Faculty Work Room	0	508	20.9	0	0	0
E.S. Gym Storage Room	0	518	20.9	0	0	0
E.S. Hallway Outside Gym	0	616	20.9	0	0	0
E.S. Library	0	758	20.9	0	0	0
E.S. Elect. Rm. in Mech.Rm.	0	460	20.9	0	0	0
E.S. Stairway Stair B	0	548	20.9	0	0	0
E.S. Room 111	0	533	20.9	0	0	0
E.S. Cafeteria	0	927	20.9	0	0	0

Table 2
Indoor Air Monitoring Notes
Springfield Street School Complex
May 22, 2008

Monitoring Location	Methane % by volume Landtec	Carbon Dioxide PPM	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
M.S. Front Office	0	660	20.9	0	0	0
M.S. Elevator	0	690	20.9	0	0	
M.S. Music Room (now an art room)	0	693	20.9	0	0	0
M.S. Stairway near Elem. School	0	791	20.9	0	0	0
M.S. Near sensor #16 in hall outside cafeteria	0	582	20.9	0	0	0
M.S. Near Sensor in cafeteria (GS-19)	0	544	20.9	0	0	0
M.S. Library	0	585	20.9	0	0	0
M.S. GS-03	0	805	20.9	0	0	0

Table 2
Indoor Air Monitoring Notes
Springfield Street School Complex
May 22, 2008

Monitoring Location	Methane % by volume Landtec	Carbon Dioxide PPM	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
M.S. Faculty Workroom 1st Floor	0	726	20.9	0	0	0
M.S. Front Hall near sensor #4	0	719	20.9	0	0	0
M.S. Hallway across from elevator near sensor #9	0	738	20.9	0	0	0
M.S. Stairway/ Hartford Ave. near sensor #07	0	706	20.9	0	0	0
Remedial Action Work Plan Action Levels	0.5	1,000 ppm (0.1%)	NA	9 ppm	10 ppm	5 ppm

Notes:

E.S. indicates Elementary School, M.S. indicates Middle School

Measurements made with: Landtec GEM 2000 Plus, MiniRae PID, Fluke 975 Airmeter

PPM = Parts per million

Table 3
 Summary of Ground Water Sampling Results
 Springfield Street School Complex
 Springfield Street
 Providence, Rhode Island

Monitoring Wells	Detected Compounds	Sampling Dates and Results in µg/L																									RIDEM GB Groundwater Objective	
		2/28/2001	7/20/2001	*9- 12/2001	8/1/2002	8/28/2002	12/19/2002	3/18/2003	7/17/2003	11/5/2003	1/22/2004	5/21/2004	8/17/2004	12/2/2004	4/6/2005	7/27/2005	10/27&28/2005	2/2/2006	4/27/2006	8/31/2006	11/15/2006	3/27/2007	5/21/2007	8/20/2007	11/13/2007	2/12/2008		5/21/2008
ATC-1	Benzene	6.1	ND	18.9	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140
	n-butylbenzene	1.7	ND	2.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.4	ND	ND	ND	ND	ND	ND	ND	NA
	sec-Butylbenzene	1.1	ND	4.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	ND	ND	ND	NA
	Ethylbenzene	4.5	ND	12.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1600
	Isopropylbenzene	ND	ND	1.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	n-Propylbenzene	ND	ND	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	MTBE	12.4	7.0	28.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5000
	Trichloroethylene	ND	ND	ND	ND	ND	ND	ND	1.27	ND	ND	ND	ND	1.10	ND	ND	1.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	540
	Toluene	2.5	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1700
	1,2,4-Trimethylbenzene	2.2	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	1,3,5-Trimethylbenzene	3.4	ND	5.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	Xylenes	14.6	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
ATC-2	Chloroform	0.9	ND	ND	1.0	ND	ND	ND	ND	ND	NS	1.1	1.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NA
ATC-3	Toluene	ND	ND	ND	ND	NS	ND	ND	ND	ND	3.03	ND	ND	ND	ND	ND	3.0	ND	4.5	13.1	ND	2.3	1.3	ND	ND	NS	1700	
ATC-4	Benzene	ND	ND	2.5	0.6	ND	ND	ND	ND	ND	ND	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140
	Chlorobenzene	2.6	ND	57.3	2.7	5.18	ND	ND	ND	ND	ND	ND	ND	0.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.80	1.90	ND	70
	1,4-dichlorobenzene	4.2	ND	9.2	3.4	3.36	ND	ND	ND	ND	ND	0.80	1.6	2.1	ND	ND	ND	ND	1.2	1.1	ND	1.2	2.1	2.1	ND	ND	NA	
	MTBE	ND	ND	ND	ND	ND	ND	ND	1.19	9.55	1.06	2.90	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5000
	1,2,4-Trimethylbenzene	ND	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
ATC-5	MTBE	ND	ND	2.2	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5000
	Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Sampled By:		ATC	ATC	ATC	ATC	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	LFR	

*ATC Monitoring Report for September through December 2001 did not list date samples were collected.
 ND is not detected above method detection limit
 NS is not sampled
 NA= No applicable standard published
 MTBE is Methyl tert-Butyl Ether
 µg/L = micrograms per liter

Table 4
Soil Gas Survey Field Notes
Springfield Street School Complex
Providence, Rhode Island
May, 2008

Monitoring Well	Methane % by volume	Carbon Dioxide % by volume	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
WB-1	0.0	2.0	18.4	5.0	0	0.0
WB-2	0.0	0.3	20.9	0.0	0	0.0
WB-3	0.0	0.0	20.9	0.0	0	0.0
WB-4	0.0	0.0	20.9	0.0	0	0.0
WB-5	0.0	0.0	20.9	0.0	0	0.0
WB-6	0.0	0.4	20.4	0.0	0	0.0
WB-7	NM	NM	NM	NM	NM	NM
WB-8	0.0	0.1	20.9	0.0	0	0.0
WB-12	0.0	0.8	19.8	0.0	0	0.0
WB-13	0.0	0.5	20.9	0.0	0	0.9
WB-14	0.0	1.6	16.5	3.0	0	0.0
WB-15	0.0	1.4	16.9	3.0	0	0.9
EPL-1	0.0	0.4	20.3	0.0	0	0.2
EPL-2	0.0	0.6	19.6	0.0	0	1.1
EPL-3	0.0	1.9	16.0	4.0	0	0.0
EPL-4	0.0	1.9	16.6	4.0	0	0.5
EPL-5	0.0	3.0	14.6	4.0	0	0.5
ENE-1	0.0	0.1	20.9	0.0	0	0.0

Table 4
Soil Gas Survey Field Notes
Springfield Street School Complex
Providence, Rhode Island
May, 2008

MG1	0.0	1.0	18.2	3.0	0	0.0
MG2	0.0	1.6	18.3	3.0	0	0.0
MG3	0.0	1.5	18.0	3.0	0	0.0
MG4	0.0	0.5	19.2	3.0	0	0.0
MG5	0.0	0.4	19.9	0.0	0	0.0
MPL2	0.0	0.1	14.9	4.0	0	0.0
MPL3	0.0	3.6	12.6	3.0	0	0.0
MPL5	0.0	4.6	13.1	3.0	0	0.0
MPL6	0.0	8.3	9.2	4.0	0	0.0
MPL7	0.0	5.4	9.9	3.0	0	1.3
MPL8	0.0	2.3	16.7	3.0	0	1.2
Remedial Action Work Plan Action Levels	0.5%	1,000 PPM	NA	9 PPM	10 PPM	5 PPM

Sampled by: Chris Jamison

Weather Conditions: Windy, Overcast, Temperature 30 F

Sampling Equipment: Landtec GEM 2000 Plus, MiniRae 2000 PID


NM = Not measured. Well WB-7 contained water to top of casing on day of sampling.

Table 5
Results of Laboratory Analysis of Soil Gas
Springfield Street School Complex
Providence, Rhode Island

Parameter	OSHA PELs (PPBv)	Results of Analysis in parts per billion by volume (PPBv)													
		MPL-6							WB-2						
		2/20/2007	5/17/2007	8/22/2007	11/14/2007	2/12/2008	5/21/2008	2/20/2007	5/17/2007	8/22/2007	11/14/2007	2/12/2008	5/21/2008		
Benzene	1,000	ND	0.36	0.74	ND	ND	0.51	ND	0.29	ND	ND	ND	0.21		
Chloroethane	1,000,000	ND	ND	ND	ND	ND	ND	1.8	ND	ND	ND	ND	ND		
Chloroform	50,000	ND	3.2	0.48	ND	ND	0.25	ND	ND	ND	ND	ND	ND		
Chloromethane	100,000	ND	0.24	0.36	ND	ND	0.28	ND	0.11	ND	ND	ND	ND		
Dichlorodifluoromethane	1,000,000	ND	ND	0.28	ND	ND	0.53	ND	0.5	0.57	0.66	0.57	0.49		
1,4-Dichlorobenzene	75,000	ND	ND	0.54	ND	ND	ND	0.16	0.37	ND	ND	ND	ND		
1,1-Dichloroethane	100,000	ND	ND	0.28	ND	ND	ND	29	ND	ND	ND	ND	ND		
1,1-Dichloroethylene	None	ND	ND	ND	ND	ND	ND	2.5	ND	ND	ND	ND	ND		
Cis-1,2-Dichloroethylene	200,000	ND	ND	ND	ND	ND	ND	3.5	ND	ND	ND	ND	ND		
Ethylbenzene	100,000	ND	0.75	0.7	2.3	0.65	1.3	0.46	0.55	0.46	3.2	0.78	0.41		
Methylene Chloride	100,000	ND	0.84	3.5	3.5	2	2.6	0.53	0.5	4.9	2.5	3.4			
Styrene	100,000	ND	1.6	1.5	1.4	ND	1.1	1	1.1	0.69	ND	0.5			
Tetrachloroethylene	100,000	ND	0.19	0.27	4.6	1.9	0.99	0.16	0.16	0.81	3.2	2.7	0.64		
Toluene	200,000	4.9	17	7.2	15	6.9	7.7	12	5.3	10	9.3	3			
1,1,1-Trichloroethane	350,000	ND	ND	0.36	ND	ND	ND	ND	ND	38	ND	1.3	ND		
Trichloroethylene	100,000	ND	ND	0.25	0.53	1	4.1	ND	ND	4.6	ND	ND	3		
Trichlorofluoromethane (Freon 11)	1,000,000	ND	ND	0.7	0.65	ND	0.27	ND	0.41	0.43	ND	ND	0.26		
1,1,2-Trichloro-1,2,2,-Trifluoroethane	1,000,000	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,3,5-Trimethylbenzene	None	ND	0.12	ND	ND	ND	0.28	ND	ND	ND	0.57	ND	ND		
1,2,4-Trimethylbenzene	None	ND	ND	0.44	1.6	1.3	1.3	1	0.26	1.7	1.1	0.66			
m/p-Xylene	100,000	1.4	3.1	2.4	5.3	2.2	3.7	1.2	2.5	1.8	10	2.6	1.3		
o-Xylene	100,000	ND	0.61	0.68	1.8	0.69	1.6	ND	0.56	0.48	3.5	0.8	0.64		

Notes:
 ND = Not detected
 Only detected compounds are listed, see
 laboratory report for complete list on
 analytes.

FIGURE



NOTES:
 THE FOLLOWING MAP IS REFERENCED: ELEMENTARY & MIDDLE SCHOOLS, PROVIDENCE RHODE ISLAND, ISSUED FOR CITY OF PROVIDENCE, PROVIDENCE, GRADING AND SAMPLING LOCATION PLAN, PREPARED BY NORTHEAST ENGINEERS & CONSULTANTS, INC. DATED MAY 19, 1999. SCALE: 1"=50'.
 THIS MAP HAS BEEN DIGITIZED FROM THE ABOVE REFERENCED MAP, AND SCALE IS APPROXIMATE. FOR USE WITH LFR REPORT ONLY.

- LEGEND:**
- PROPERTY LINE
 - FENCELINE
 - STORM DRAIN LINE
 - SANITARY SEWER LINE
 - CONTOUR
 - SOIL GAS MONITORING WELL
 - ATC-4
 - HVAC UNIT
 - TRANSFORMER
 - CATCH BASIN
 - SILE SHED (LOCATION APPROXIMATE)
 - AREAS OF SETTLING OR EROSION (APPROXIMATE)



LFR
 250 Centerville Road
 Building E, Suite 12
 Warwick, Rhode Island 02886
 Phone: (401) 738-3887
 Fax: (401) 732-1686

DATE:	4-7-03
DRAWN BY:	PPH
REVIEWED BY:	DP
APPROVED BY:	DP
SCALE:	AS NOTED
FILE NO.:	081-12027-00
JOB NO.:	081-12027-00

TITLE:
 SITE PLAN

LOCATION:
 SPRINGFIELD STREET SCHOOL COMPLEX
 SPRINGFIELD STREET
 PROVIDENCE, RHODE ISLAND

FIGURE:
 1

Attachment A

Limitations

LIMITATIONS AND SERVICE CONSTRAINTS

General Reports/Document

The opinions and recommendations presented in this report are based upon the scope of services, information obtained through the performance of the services, and the schedule as agreed upon by LFR and the party for whom this report was originally prepared. This report is an instrument of professional service and was prepared in accordance with the generally accepted standards and level of skill and care under similar conditions and circumstances established by the environmental consulting industry. No representation, warranty, or guarantee, express or implied, is intended or given. To the extent that LFR relied upon any information prepared by other parties not under contract to LFR, LFR makes no representation as to the accuracy or completeness of such information. This report is expressly for the sole and exclusive use of the party for whom this report was originally prepared for a particular purpose. Only the party for whom this report was originally prepared and/or other specifically named parties have the right to make use of and rely upon this report. Reuse of this report or any portion thereof for other than its intended purpose, or if modified, or if used by third parties, shall be at the user's sole risk.

Results of any investigations or testing and any findings presented in this report apply solely to conditions existing at the time when LFR's investigative work was performed. It must be recognized that any such investigative or testing activities are inherently limited and do not represent a conclusive or complete characterization. Conditions in other parts of the project site may vary from those at the locations where data were collected. LFR's ability to interpret investigation results is related to the availability of the data and the extent of the investigation activities. As such, 100% confidence in environmental investigation conclusions cannot reasonably be achieved.

LFR, therefore, does not provide any guarantees, certifications, or warranties regarding any conclusions regarding environmental contamination of any such property. Furthermore, nothing contained in this document shall relieve any other party of its responsibility to abide by contract documents and applicable laws, codes, regulations, or standards.

Attachment B

Laboratory Report for Soil Gas and Groundwater



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 6/5/2008

LFR, INC. - RI
300 METRO CENTER BLVD., SUITE 250
WARWICK, RI 02886
ATTN: DONNA PALLISTER

CONTRACT NUMBER:
PURCHASE ORDER NUMBER: 5131

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-16194
JOB NUMBER: 081-12152-00

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report. Results are based on samples as submitted to the laboratory and relate only to the items collected and tested.

PROJECT LOCATION: SPRINGFIELD ST.

Table with 7 columns: FIELD SAMPLE #, LAB ID, MATRIX, SAMPLE DESCRIPTION, TEST, SUBCONTRACT LAB (IF ANY). Rows include ATC-1, ATC-4, ATC-5, MPL-6, TRIP BLANK, WB-2.

Comments :

LIMS BATCH NO. : LIMIT-16194

Revised Report - Matrix was Groundwater changed to Air for MPL-6 and WB-2.

In method TO-15, any reported result for hexachlorobutadiene in samples 08B18443 and 08B18444 is estimated and likely to be biased on the low side based on continuing calibration bias.

In method 8260, any reported results for 1,4-Dioxane, Acetone, tert Butyl alcohol, Dichlorodifluoromethane, Diethyl ether, 2-Butanone, tert Butyl ethyl ether, Tetrahydrofuran, 1,2-Dichloroethane, MIBK, 2-Hexanone, trans-1,4-Dichloro2-butene, Bromomethane, Chloroethane, and Naphthalene are estimated. Either initial or continuing calibration did not meet required criteria.

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations. AIHA accreditations only apply to NIOSH methods and Environmental Lead Analyses.

Table listing accreditations: AIHA 100033, MASSACHUSETTS MA0100, CONNECTICUT PH-0567, NEW YORK ELAP/NELAP 10899, AIHA ELLAP (LEAD) 100033, NEW HAMPSHIRE NELAP 2516, VERMONT DOH (LEAD) No. LL015036, RHODE ISLAND (LIC. No. 112), NORTH CAROLINA CERT. # 652, NEW JERSEY NELAP NJ MA007 (AIR), FLORIDA DOH E871027 (AIR).

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Signature: Sondra L. Slesinski, Date: 06/05/08

Tod Kopyscinski
Director of Operations

Sondra L. Slesinski
Quality Assurance Officer

Edward Denson
Technical Director

* See end of data tabulation for notes and comments pertaining to this sample

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
 Page 1 of 21

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: ATC-1

Sample ID: 08B18439 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Acetone	ug/l	ND	05/23/08	LBD	50.0			
Acrylonitrile	ug/l	ND	05/23/08	LBD	5.0			
tert-Amylmethyl Ether	ug/l	ND	05/23/08	LBD	0.5			
Benzene	ug/l	ND	05/23/08	LBD	1.0			
Bromobenzene	ug/l	ND	05/23/08	LBD	1.0			
Bromochloromethane	ug/l	ND	05/23/08	LBD	1.0			
Bromodichloromethane	ug/l	ND	05/23/08	LBD	1.0			
Bromoform	ug/l	ND	05/23/08	LBD	1.0			
Bromomethane	ug/l	ND	05/23/08	LBD	5.0			
2-Butanone (MEK)	ug/l	ND	05/23/08	LBD	20.0			
tert-Butyl Alcohol	ug/l	ND	05/23/08	LBD	20.0			
n-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
sec-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
tert-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
tert-Butylethyl Ether	ug/l	ND	05/23/08	LBD	0.5			
Carbon Disulfide	ug/l	ND	05/23/08	LBD	3.0			
Carbon Tetrachloride	ug/l	ND	05/23/08	LBD	1.0			
Chlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
Chlorodibromomethane	ug/l	ND	05/23/08	LBD	0.5			
Chloroethane	ug/l	ND	05/23/08	LBD	2.0			
Chloroform	ug/l	ND	05/23/08	LBD	2.0			
Chloromethane	ug/l	ND	05/23/08	LBD	2.0			
2-Chlorotoluene	ug/l	ND	05/23/08	LBD	1.0			
4-Chlorotoluene	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dibromo-3-Chloropropane	ug/l	ND	05/23/08	LBD	5.0			
1,2-Dibromoethane	ug/l	ND	05/23/08	LBD	0.50			
Dibromomethane	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
1,3-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
LFR, INC. - RI
300 METRO CENTER BLVD., SUITE 250
WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
Page 2 of 21

Project Location: SPRINGFIELD ST.
Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
Job Number: 081-12152-00

Field Sample #: ATC-1

Sample ID: 08B18439 ‡Sampled: 5/21/2008
Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,4-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
trans-1,4-Dichloro-2-Butene	ug/l	ND	05/23/08	LBD	2.0			
Dichlorodifluoromethane	ug/l	ND	05/23/08	LBD	2.0			
1,1-Dichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,1-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
cis-1,2-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
trans-1,2-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichloropropane	ug/l	ND	05/23/08	LBD	1.0			
1,3-Dichloropropane	ug/l	ND	05/23/08	LBD	0.5			
2,2-Dichloropropane	ug/l	ND	05/23/08	LBD	1.0			
1,1-Dichloropropene	ug/l	ND	05/23/08	LBD	2.0			
cis-1,3-Dichloropropene	ug/l	ND	05/23/08	LBD	0.5			
trans-1,3-Dichloropropene	ug/l	ND	05/23/08	LBD	0.5			
Diethyl Ether	ug/l	ND	05/23/08	LBD	2.0			
Diisopropyl Ether	ug/l	ND	05/23/08	LBD	0.5			
1,4-Dioxane	ug/l	ND	05/23/08	LBD	50.0			
Ethyl Benzene	ug/l	ND	05/23/08	LBD	1.0			
Hexachlorobutadiene	ug/l	ND	05/23/08	LBD	1.0			
2-Hexanone	ug/l	ND	05/23/08	LBD	10.0			
Isopropylbenzene	ug/l	ND	05/23/08	LBD	1.0			
p-Isopropyltoluene	ug/l	ND	05/23/08	LBD	1.0			
MTBE	ug/l	ND	05/23/08	LBD	1.0			
Methylene Chloride	ug/l	ND	05/23/08	LBD	5.0			
MIBK	ug/l	ND	05/23/08	LBD	10.0			
Naphthalene	ug/l	ND	05/23/08	LBD	2.0			
n-Propylbenzene	ug/l	ND	05/23/08	LBD	1.0			
Styrene	ug/l	ND	05/23/08	LBD	1.0			
1,1,1,2-Tetrachloroethane	ug/l	ND	05/23/08	LBD	1.0			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

6/5/2008
 Page 3 of 21

Purchase Order No.: 5131

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: ATC-1

Sample ID: 08B18439 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,1,2,2-Tetrachloroethane	ug/l	ND	05/23/08	LBD	0.5			
Tetrachloroethylene	ug/l	ND	05/23/08	LBD	1.0			
Tetrahydrofuran	ug/l	ND	05/23/08	LBD	10.0			
Toluene	ug/l	ND	05/23/08	LBD	1.0			
1,2,3-Trichlorobenzene	ug/l	ND	05/23/08	LBD	5.0			
1,2,4-Trichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
1,1,1-Trichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,1,2-Trichloroethane	ug/l	ND	05/23/08	LBD	1.0			
Trichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
Trichlorofluoromethane	ug/l	ND	05/23/08	LBD	2.0			
1,2,3-Trichloropropane	ug/l	ND	05/23/08	LBD	2.0			
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l	ND	05/23/08	LBD	5.0			
1,2,4-Trimethylbenzene	ug/l	ND	05/23/08	LBD	1.0			
1,3,5-Trimethylbenzene	ug/l	ND	05/23/08	LBD	1.0			
Vinyl Chloride	ug/l	ND	05/23/08	LBD	2.0			
m + p Xylene	ug/l	ND	05/23/08	LBD	2.0			
o-Xylene	ug/l	ND	05/23/08	LBD	1.0			

Analytical Method:

SW846 8260

SAMPLES ARE CONCENTRATED BY PURGE & TRAP, FOLLOWED BY GC/MS TARGET COMPOUND ANALYSIS. REPORTED RESULTS AND REPORTING LIMITS FOR 1,4-DIOXANE AND TERT-BUTYLALCOHOL ARE ESTIMATED SINCE RESPONSE FACTORS FOR THESE COMPOUNDS ARE BELOW METHOD SPECIFICATIONS.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008

Page 4 of 21

Project Location: SPRINGFIELD ST.

LIMS-BAT #: LIMIT-16194

Date Received: 5/22/2008

Job Number: 081-12152-00

Field Sample #: ATC-4

Sample ID: 08B18440

‡Sampled: 5/21/2008

Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Acetone	ug/l	ND	05/23/08	LBD	50.0			
Acrylonitrile	ug/l	ND	05/23/08	LBD	5.0			
tert-Amylmethyl Ether	ug/l	ND	05/23/08	LBD	0.5			
Benzene	ug/l	ND	05/23/08	LBD	1.0			
Bromobenzene	ug/l	ND	05/23/08	LBD	1.0			
Bromochloromethane	ug/l	ND	05/23/08	LBD	1.0			
Bromodichloromethane	ug/l	ND	05/23/08	LBD	1.0			
Bromoform	ug/l	ND	05/23/08	LBD	1.0			
Bromomethane	ug/l	ND	05/23/08	LBD	5.0			
2-Butanone (MEK)	ug/l	ND	05/23/08	LBD	20.0			
tert-Butyl Alcohol	ug/l	ND	05/23/08	LBD	20.0			
n-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
sec-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
tert-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
tert-Butylethyl Ether	ug/l	ND	05/23/08	LBD	0.5			
Carbon Disulfide	ug/l	ND	05/23/08	LBD	3.0			
Carbon Tetrachloride	ug/l	ND	05/23/08	LBD	1.0			
Chlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
Chlorodibromomethane	ug/l	ND	05/23/08	LBD	0.5			
Chloroethane	ug/l	ND	05/23/08	LBD	2.0			
Chloroform	ug/l	ND	05/23/08	LBD	2.0			
Chloromethane	ug/l	ND	05/23/08	LBD	2.0			
2-Chlorotoluene	ug/l	ND	05/23/08	LBD	1.0			
4-Chlorotoluene	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dibromo-3-Chloropropane	ug/l	ND	05/23/08	LBD	5.0			
1,2-Dibromoethane	ug/l	ND	05/23/08	LBD	0.50			
Dibromomethane	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
1,3-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			

RL = Reporting Limit

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

6/5/2008
 Page 5 of 21

Purchase Order No.: 5131

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: ATC-4

Sample ID: 08B18440 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,4-Dichlorobenzene	ug/l	1.5	05/23/08	LBD	1.0			
trans-1,4-Dichloro-2-Butene	ug/l	ND	05/23/08	LBD	2.0			
Dichlorodifluoromethane	ug/l	ND	05/23/08	LBD	2.0			
1,1-Dichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,1-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
cis-1,2-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
trans-1,2-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichloropropane	ug/l	ND	05/23/08	LBD	1.0			
1,3-Dichloropropane	ug/l	ND	05/23/08	LBD	0.5			
2,2-Dichloropropane	ug/l	ND	05/23/08	LBD	1.0			
1,1-Dichloropropene	ug/l	ND	05/23/08	LBD	2.0			
cis-1,3-Dichloropropene	ug/l	ND	05/23/08	LBD	0.5			
trans-1,3-Dichloropropene	ug/l	ND	05/23/08	LBD	0.5			
Diethyl Ether	ug/l	ND	05/23/08	LBD	2.0			
Diisopropyl Ether	ug/l	ND	05/23/08	LBD	0.5			
1,4-Dioxane	ug/l	ND	05/23/08	LBD	50.0			
Ethyl Benzene	ug/l	ND	05/23/08	LBD	1.0			
Hexachlorobutadiene	ug/l	ND	05/23/08	LBD	1.0			
2-Hexanone	ug/l	ND	05/23/08	LBD	10.0			
Isopropylbenzene	ug/l	ND	05/23/08	LBD	1.0			
p-Isopropyltoluene	ug/l	ND	05/23/08	LBD	1.0			
MTBE	ug/l	ND	05/23/08	LBD	1.0			
Methylene Chloride	ug/l	ND	05/23/08	LBD	5.0			
MIBK	ug/l	ND	05/23/08	LBD	10.0			
Naphthalene	ug/l	ND	05/23/08	LBD	2.0			
n-Propylbenzene	ug/l	ND	05/23/08	LBD	1.0			
Styrene	ug/l	ND	05/23/08	LBD	1.0			
1,1,1,2-Tetrachloroethane	ug/l	ND	05/23/08	LBD	1.0			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
LFR, INC. - RI
300 METRO CENTER BLVD., SUITE 250
WARWICK, RI 02886

6/5/2008
Page 6 of 21

Purchase Order No.: 5131

Project Location: SPRINGFIELD ST.
Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
Job Number: 081-12152-00

Field Sample #: ATC-4

Sample ID: 08B18440 ‡Sampled: 5/21/2008
Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,1,2,2-Tetrachloroethane	ug/l	ND	05/23/08	LBD	0.5			
Tetrachloroethylene	ug/l	ND	05/23/08	LBD	1.0			
Tetrahydrofuran	ug/l	ND	05/23/08	LBD	10.0			
Toluene	ug/l	ND	05/23/08	LBD	1.0			
1,2,3-Trichlorobenzene	ug/l	ND	05/23/08	LBD	5.0			
1,2,4-Trichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
1,1,1-Trichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,1,2-Trichloroethane	ug/l	ND	05/23/08	LBD	1.0			
Trichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
Trichlorofluoromethane	ug/l	ND	05/23/08	LBD	2.0			
1,2,3-Trichloropropane	ug/l	ND	05/23/08	LBD	2.0			
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l	ND	05/23/08	LBD	5.0			
1,2,4-Trimethylbenzene	ug/l	ND	05/23/08	LBD	1.0			
1,3,5-Trimethylbenzene	ug/l	ND	05/23/08	LBD	1.0			
Vinyl Chloride	ug/l	ND	05/23/08	LBD	2.0			
m + p Xylene	ug/l	ND	05/23/08	LBD	2.0			
o-Xylene	ug/l	ND	05/23/08	LBD	1.0			

Analytical Method:

SW846 8260

SAMPLES ARE CONCENTRATED BY PURGE & TRAP, FOLLOWED BY GC/MS TARGET COMPOUND ANALYSIS. REPORTED RESULTS AND REPORTING LIMITS FOR 1,4-DIOXANE AND TERT-BUTYLALCOHOL ARE ESTIMATED SINCE RESPONSE FACTORS FOR THESE COMPOUNDS ARE BELOW METHOD SPECIFICATIONS.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
 Page 7 of 21

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: ATC-5

Sample ID: 08B18441 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Acetone	ug/l	ND	05/23/08	LBD	50.0			
Acrylonitrile	ug/l	ND	05/23/08	LBD	5.0			
tert-Amylmethyl Ether	ug/l	ND	05/23/08	LBD	0.5			
Benzene	ug/l	ND	05/23/08	LBD	1.0			
Bromobenzene	ug/l	ND	05/23/08	LBD	1.0			
Bromochloromethane	ug/l	ND	05/23/08	LBD	1.0			
Bromodichloromethane	ug/l	ND	05/23/08	LBD	1.0			
Bromoform	ug/l	ND	05/23/08	LBD	1.0			
Bromomethane	ug/l	ND	05/23/08	LBD	5.0			
2-Butanone (MEK)	ug/l	ND	05/23/08	LBD	20.0			
tert-Butyl Alcohol	ug/l	ND	05/23/08	LBD	20.0			
n-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
sec-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
tert-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
tert-Butylethyl Ether	ug/l	ND	05/23/08	LBD	0.5			
Carbon Disulfide	ug/l	ND	05/23/08	LBD	3.0			
Carbon Tetrachloride	ug/l	ND	05/23/08	LBD	1.0			
Chlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
Chlorodibromomethane	ug/l	ND	05/23/08	LBD	0.5			
Chloroethane	ug/l	ND	05/23/08	LBD	2.0			
Chloroform	ug/l	ND	05/23/08	LBD	2.0			
Chloromethane	ug/l	ND	05/23/08	LBD	2.0			
2-Chlorotoluene	ug/l	ND	05/23/08	LBD	1.0			
4-Chlorotoluene	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dibromo-3-Chloropropane	ug/l	ND	05/23/08	LBD	5.0			
1,2-Dibromoethane	ug/l	ND	05/23/08	LBD	0.50			
Dibromomethane	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
1,3-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
LFR, INC. - RI
300 METRO CENTER BLVD., SUITE 250
WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
Page 8 of 21

Project Location: SPRINGFIELD ST.
Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
Job Number: 081-12152-00

Field Sample #: ATC-5

Sample ID: 08B18441 ‡Sampled: 5/21/2008
Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,4-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
trans-1,4-Dichloro-2-Butene	ug/l	ND	05/23/08	LBD	2.0			
Dichlorodifluoromethane	ug/l	ND	05/23/08	LBD	2.0			
1,1-Dichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,1-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
cis-1,2-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
trans-1,2-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichloropropane	ug/l	ND	05/23/08	LBD	1.0			
1,3-Dichloropropane	ug/l	ND	05/23/08	LBD	0.5			
2,2-Dichloropropane	ug/l	ND	05/23/08	LBD	1.0			
1,1-Dichloropropene	ug/l	ND	05/23/08	LBD	2.0			
cis-1,3-Dichloropropene	ug/l	ND	05/23/08	LBD	0.5			
trans-1,3-Dichloropropene	ug/l	ND	05/23/08	LBD	0.5			
Diethyl Ether	ug/l	ND	05/23/08	LBD	2.0			
Diisopropyl Ether	ug/l	ND	05/23/08	LBD	0.5			
1,4-Dioxane	ug/l	ND	05/23/08	LBD	50.0			
Ethyl Benzene	ug/l	ND	05/23/08	LBD	1.0			
Hexachlorobutadiene	ug/l	ND	05/23/08	LBD	1.0			
2-Hexanone	ug/l	ND	05/23/08	LBD	10.0			
Isopropylbenzene	ug/l	ND	05/23/08	LBD	1.0			
p-Isopropyltoluene	ug/l	ND	05/23/08	LBD	1.0			
MTBE	ug/l	ND	05/23/08	LBD	1.0			
Methylene Chloride	ug/l	ND	05/23/08	LBD	5.0			
MIBK	ug/l	ND	05/23/08	LBD	10.0			
Naphthalene	ug/l	ND	05/23/08	LBD	2.0			
n-Propylbenzene	ug/l	ND	05/23/08	LBD	1.0			
Styrene	ug/l	ND	05/23/08	LBD	1.0			
1,1,1,2-Tetrachloroethane	ug/l	ND	05/23/08	LBD	1.0			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

6/5/2008
 Page 9 of 21

Purchase Order No.: 5131

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: ATC-5

Sample ID: 08B18441 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: GRND WATER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,1,2,2-Tetrachloroethane	ug/l	ND	05/23/08	LBD	0.5			
Tetrachloroethylene	ug/l	ND	05/23/08	LBD	1.0			
Tetrahydrofuran	ug/l	ND	05/23/08	LBD	10.0			
Toluene	ug/l	ND	05/23/08	LBD	1.0			
1,2,3-Trichlorobenzene	ug/l	ND	05/23/08	LBD	5.0			
1,2,4-Trichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
1,1,1-Trichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,1,2-Trichloroethane	ug/l	ND	05/23/08	LBD	1.0			
Trichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
Trichlorofluoromethane	ug/l	ND	05/23/08	LBD	2.0			
1,2,3-Trichloropropane	ug/l	ND	05/23/08	LBD	2.0			
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l	ND	05/23/08	LBD	5.0			
1,2,4-Trimethylbenzene	ug/l	ND	05/23/08	LBD	1.0			
1,3,5-Trimethylbenzene	ug/l	ND	05/23/08	LBD	1.0			
Vinyl Chloride	ug/l	ND	05/23/08	LBD	2.0			
m + p Xylene	ug/l	ND	05/23/08	LBD	2.0			
o-Xylene	ug/l	ND	05/23/08	LBD	1.0			

Analytical Method:

SW846 8260

SAMPLES ARE CONCENTRATED BY PURGE & TRAP, FOLLOWED BY GC/MS TARGET COMPOUND ANALYSIS. REPORTED RESULTS AND REPORTING LIMITS FOR 1,4-DIOXANE AND TERT-BUTYLALCOHOL ARE ESTIMATED SINCE RESPONSE FACTORS FOR THESE COMPOUNDS ARE BELOW METHOD SPECIFICATIONS.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
 Page 10 of 21

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: TRIP BLANK

Sample ID: 08B18442 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: WATER OTHER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Acetone	ug/l	ND	05/23/08	LBD	50.0			
Acrylonitrile	ug/l	ND	05/23/08	LBD	5.0			
tert-Amylmethyl Ether	ug/l	ND	05/23/08	LBD	0.5			
Benzene	ug/l	ND	05/23/08	LBD	1.0			
Bromobenzene	ug/l	ND	05/23/08	LBD	1.0			
Bromochloromethane	ug/l	ND	05/23/08	LBD	1.0			
Bromodichloromethane	ug/l	ND	05/23/08	LBD	1.0			
Bromoform	ug/l	ND	05/23/08	LBD	1.0			
Bromomethane	ug/l	ND	05/23/08	LBD	5.0			
2-Butanone (MEK)	ug/l	ND	05/23/08	LBD	20.0			
tert-Butyl Alcohol	ug/l	ND	05/23/08	LBD	20.0			
n-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
sec-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
tert-Butylbenzene	ug/l	ND	05/23/08	LBD	1.0			
tert-Butylethyl Ether	ug/l	ND	05/23/08	LBD	0.5			
Carbon Disulfide	ug/l	ND	05/23/08	LBD	3.0			
Carbon Tetrachloride	ug/l	ND	05/23/08	LBD	1.0			
Chlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
Chlorodibromomethane	ug/l	ND	05/23/08	LBD	0.5			
Chloroethane	ug/l	ND	05/23/08	LBD	2.0			
Chloroform	ug/l	ND	05/23/08	LBD	2.0			
Chloromethane	ug/l	ND	05/23/08	LBD	2.0			
2-Chlorotoluene	ug/l	ND	05/23/08	LBD	1.0			
4-Chlorotoluene	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dibromo-3-Chloropropane	ug/l	ND	05/23/08	LBD	5.0			
1,2-Dibromoethane	ug/l	ND	05/23/08	LBD	0.50			
Dibromomethane	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
1,3-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
LFR, INC. - RI
300 METRO CENTER BLVD., SUITE 250
WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008

Page 11 of 21

Project Location: SPRINGFIELD ST.
Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
Job Number: 081-12152-00

Field Sample #: TRIP BLANK

Sample ID: 08B18442 ‡Sampled: 5/21/2008
Not Specified

Sample Matrix: WATER OTHER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,4-Dichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
trans-1,4-Dichloro-2-Butene	ug/l	ND	05/23/08	LBD	2.0			
Dichlorodifluoromethane	ug/l	ND	05/23/08	LBD	2.0			
1,1-Dichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,1-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
cis-1,2-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
trans-1,2-Dichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
1,2-Dichloropropane	ug/l	ND	05/23/08	LBD	1.0			
1,3-Dichloropropane	ug/l	ND	05/23/08	LBD	0.5			
2,2-Dichloropropane	ug/l	ND	05/23/08	LBD	1.0			
1,1-Dichloropropene	ug/l	ND	05/23/08	LBD	2.0			
cis-1,3-Dichloropropene	ug/l	ND	05/23/08	LBD	0.5			
trans-1,3-Dichloropropene	ug/l	ND	05/23/08	LBD	0.5			
Diethyl Ether	ug/l	ND	05/23/08	LBD	2.0			
Diisopropyl Ether	ug/l	ND	05/23/08	LBD	0.5			
1,4-Dioxane	ug/l	ND	05/23/08	LBD	50.0			
Ethyl Benzene	ug/l	ND	05/23/08	LBD	1.0			
Hexachlorobutadiene	ug/l	ND	05/23/08	LBD	1.0			
2-Hexanone	ug/l	ND	05/23/08	LBD	10.0			
Isopropylbenzene	ug/l	ND	05/23/08	LBD	1.0			
p-Isopropyltoluene	ug/l	ND	05/23/08	LBD	1.0			
MTBE	ug/l	ND	05/23/08	LBD	1.0			
Methylene Chloride	ug/l	ND	05/23/08	LBD	5.0			
MIBK	ug/l	ND	05/23/08	LBD	10.0			
Naphthalene	ug/l	ND	05/23/08	LBD	2.0			
n-Propylbenzene	ug/l	ND	05/23/08	LBD	1.0			
Styrene	ug/l	ND	05/23/08	LBD	1.0			
1,1,1,2-Tetrachloroethane	ug/l	ND	05/23/08	LBD	1.0			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

6/5/2008
 Page 12 of 21

Purchase Order No.: 5131

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: TRIP BLANK

Sample ID: 08B18442 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: WATER OTHER

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,1,2,2-Tetrachloroethane	ug/l	ND	05/23/08	LBD	0.5			
Tetrachloroethylene	ug/l	ND	05/23/08	LBD	1.0			
Tetrahydrofuran	ug/l	ND	05/23/08	LBD	10.0			
Toluene	ug/l	ND	05/23/08	LBD	1.0			
1,2,3-Trichlorobenzene	ug/l	ND	05/23/08	LBD	5.0			
1,2,4-Trichlorobenzene	ug/l	ND	05/23/08	LBD	1.0			
1,1,1-Trichloroethane	ug/l	ND	05/23/08	LBD	1.0			
1,1,2-Trichloroethane	ug/l	ND	05/23/08	LBD	1.0			
Trichloroethylene	ug/l	ND	05/23/08	LBD	1.0			
Trichlorofluoromethane	ug/l	ND	05/23/08	LBD	2.0			
1,2,3-Trichloropropane	ug/l	ND	05/23/08	LBD	2.0			
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/l	ND	05/23/08	LBD	5.0			
1,2,4-Trimethylbenzene	ug/l	ND	05/23/08	LBD	1.0			
1,3,5-Trimethylbenzene	ug/l	ND	05/23/08	LBD	1.0			
Vinyl Chloride	ug/l	ND	05/23/08	LBD	2.0			
m + p Xylene	ug/l	ND	05/23/08	LBD	2.0			
o-Xylene	ug/l	ND	05/23/08	LBD	1.0			

Analytical Method:

SW846 8260

SAMPLES ARE CONCENTRATED BY PURGE & TRAP, FOLLOWED BY GC/MS TARGET COMPOUND ANALYSIS. REPORTED RESULTS AND REPORTING LIMITS FOR 1,4-DIOXANE AND TERT-BUTYLALCOHOL ARE ESTIMATED SINCE RESPONSE FACTORS FOR THESE COMPOUNDS ARE BELOW METHOD SPECIFICATIONS.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
 Page 13 of 21

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: MPL-6

Sample ID: 08B18443 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: AIR

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Benzene	PPBv	0.51	05/23/08	WSD	0.20			
Bromomethane	PPBv	ND	05/23/08	WSD	0.20			
Carbon Tetrachloride	PPBv	ND	05/23/08	WSD	0.20			
Chlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
Chloroethane	PPBv	ND	05/23/08	WSD	0.20			
Chloroform	PPBv	0.25	05/23/08	WSD	0.20			
Chloromethane	PPBv	0.28	05/23/08	WSD	0.20			
1,2-Dibromoethane	PPBv	ND	05/23/08	WSD	0.20			
1,2-Dichlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
1,3-Dichlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
1,4-Dichlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
Dichlorodifluoromethane	PPBv	0.53	05/23/08	WSD	0.20			
1,1-Dichloroethane	PPBv	ND	05/23/08	WSD	0.20			
1,2-Dichloroethane	PPBv	ND	05/23/08	WSD	0.20			
1,1-Dichloroethylene	PPBv	ND	05/23/08	WSD	0.20			
cis-1,2-Dichloroethylene	PPBv	ND	05/23/08	WSD	0.20			
1,2-Dichloropropane	PPBv	ND	05/23/08	WSD	0.20			
cis-1,3-Dichloropropene	PPBv	ND	05/23/08	WSD	0.20			
trans-1,3-Dichloropropene	PPBv	ND	05/23/08	WSD	0.20			
1,2-Dichlorotetrafluoroethane (114)	PPBv	ND	05/23/08	WSD	0.20			
Ethylbenzene	PPBv	1.3	05/23/08	WSD	0.20			
Hexachlorobutadiene	PPBv	ND	05/23/08	WSD	0.20			
Methylene Chloride	PPBv	2.6	05/23/08	WSD	0.20			
Styrene	PPBv	1.1	05/23/08	WSD	0.20			
1,1,2,2-Tetrachloroethane	PPBv	ND	05/23/08	WSD	0.20			
Tetrachloroethylene	PPBv	0.99	05/23/08	WSD	0.20			
Toluene	PPBv	7.7	05/23/08	WSD	0.20			
1,2,4-Trichlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
1,1,1-Trichloroethane	PPBv	ND	05/23/08	WSD	0.20			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
 Page 14 of 21

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: MPL-6

Sample ID: 08B18443 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: AIR

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,1,2-Trichloroethane	PPBv	ND	05/23/08	WSD	0.20			
Trichloroethylene	PPBv	4.1	05/23/08	WSD	0.20			
Trichlorofluoromethane (Freon 11)	PPBv	0.27	05/23/08	WSD	0.20			
1,1,2-Trichloro-1,2,2-Trifluoroethane	PPBv	ND	05/23/08	WSD	0.20			
1,2,4-Trimethylbenzene	PPBv	1.3	05/23/08	WSD	0.20			
1,3,5-Trimethylbenzene	PPBv	0.28	05/23/08	WSD	0.20			
Vinyl Chloride	PPBv	ND	05/23/08	WSD	0.20			
m/p-Xylene	PPBv	3.7	05/23/08	WSD	0.40			
o-Xylene	PPBv	1.6	05/23/08	WSD	0.20			

Analytical Method:
 EPA TO-14A

SAMPLES ARE TAKEN IN SUMMA CANISTERS AND ANALYZED BY GAS CHROMATOGRAPHY WITH MASS SPECTROMETRY DETECTION. (GC/MS)

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
LFR, INC. - RI
300 METRO CENTER BLVD., SUITE 250
WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008

Page 15 of 21

Project Location: SPRINGFIELD ST.

LIMS-BAT #: LIMIT-16194

Date Received: 5/22/2008

Job Number: 081-12152-00

Field Sample #: WB-2

Sample ID: 08B18444

‡Sampled: 5/21/2008

Not Specified

Sample Matrix: AIR

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Benzene	PPBv	0.21	05/23/08	WSD	0.20			
Bromomethane	PPBv	ND	05/23/08	WSD	0.20			
Carbon Tetrachloride	PPBv	ND	05/23/08	WSD	0.20			
Chlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
Chloroethane	PPBv	ND	05/23/08	WSD	0.20			
Chloroform	PPBv	ND	05/23/08	WSD	0.20			
Chloromethane	PPBv	0.20	05/23/08	WSD	0.20			
1,2-Dibromoethane	PPBv	ND	05/23/08	WSD	0.20			
1,2-Dichlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
1,3-Dichlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
1,4-Dichlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
Dichlorodifluoromethane	PPBv	0.49	05/23/08	WSD	0.20			
1,1-Dichloroethane	PPBv	ND	05/23/08	WSD	0.20			
1,2-Dichloroethane	PPBv	ND	05/23/08	WSD	0.20			
1,1-Dichloroethylene	PPBv	ND	05/23/08	WSD	0.20			
cis-1,2-Dichloroethylene	PPBv	ND	05/23/08	WSD	0.20			
1,2-Dichloropropane	PPBv	ND	05/23/08	WSD	0.20			
cis-1,3-Dichloropropene	PPBv	ND	05/23/08	WSD	0.20			
trans-1,3-Dichloropropene	PPBv	ND	05/23/08	WSD	0.20			
1,2-Dichlorotetrafluoroethane (114)	PPBv	ND	05/23/08	WSD	0.20			
Ethylbenzene	PPBv	0.41	05/23/08	WSD	0.20			
Hexachlorobutadiene	PPBv	ND	05/23/08	WSD	0.20			
Methylene Chloride	PPBv	3.4	05/23/08	WSD	0.20			
Styrene	PPBv	0.50	05/23/08	WSD	0.20			
1,1,2,2-Tetrachloroethane	PPBv	ND	05/23/08	WSD	0.20			
Tetrachloroethylene	PPBv	0.64	05/23/08	WSD	0.20			
Toluene	PPBv	3.0	05/23/08	WSD	0.20			
1,2,4-Trichlorobenzene	PPBv	ND	05/23/08	WSD	0.20			
1,1,1-Trichloroethane	PPBv	ND	05/23/08	WSD	0.20			

RL = Reporting Limit

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

6/5/2008
 Page 16 of 21

Purchase Order No.: 5131

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: **WB-2**

Sample ID: **08B18444** ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: AIR

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,1,2-Trichloroethane	PPBv	ND	05/23/08	WSD	0.20			
Trichloroethylene	PPBv	3.0	05/23/08	WSD	0.20			
Trichlorofluoromethane (Freon 11)	PPBv	0.26	05/23/08	WSD	0.20			
1,1,2-Trichloro-1,2,2-Trifluoroethane	PPBv	ND	05/23/08	WSD	0.20			
1,2,4-Trimethylbenzene	PPBv	0.66	05/23/08	WSD	0.20			
1,3,5-Trimethylbenzene	PPBv	ND	05/23/08	WSD	0.20			
Vinyl Chloride	PPBv	ND	05/23/08	WSD	0.20			
m/p-Xylene	PPBv	1.3	05/23/08	WSD	0.40			
o-Xylene	PPBv	0.64	05/23/08	WSD	0.20			

Analytical Method:
 EPA TO-14A

SAMPLES ARE TAKEN IN SUMMA CANISTERS AND ANALYZED BY GAS CHROMATOGRAPHY WITH MASS SPECTROMETRY DETECTION. (GC/MS)

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008

Page 17 of 21

Project Location: SPRINGFIELD ST.

LIMS-BAT #: LIMIT-16194

Date Received: 5/22/2008

Job Number: 081-12152-00

Field Sample #: MPL-6

Sample ID: 08B18443

‡Sampled: 5/21/2008

Not Specified

Sample Matrix: AIR

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Benzene	ug/m3	1.6	05/23/08	WSD	0.64			
Bromomethane	ug/m3	ND	05/23/08	WSD	0.76			
Carbon Tetrachloride	ug/m3	ND	05/23/08	WSD	1.3			
Chlorobenzene	ug/m3	ND	05/23/08	WSD	0.92			
Chloroethane	ug/m3	ND	05/23/08	WSD	0.53			
Chloroform	ug/m3	1.2	05/23/08	WSD	0.96			
Chloromethane	ug/m3	0.57	05/23/08	WSD	0.40			
1,2-Dibromoethane	ug/m3	ND	05/23/08	WSD	1.6			
1,2-Dichlorobenzene	ug/m3	ND	05/23/08	WSD	1.2			
1,3-Dichlorobenzene	ug/m3	ND	05/23/08	WSD	1.2			
1,4-Dichlorobenzene	ug/m3	ND	05/23/08	WSD	1.2			
Dichlorodifluoromethane	ug/m3	2.6	05/23/08	WSD	0.98			
1,1-Dichloroethane	ug/m3	ND	05/23/08	WSD	0.80			
1,2-Dichloroethane	ug/m3	ND	05/23/08	WSD	0.80			
1,1-Dichloroethylene	ug/m3	ND	05/23/08	WSD	0.78			
cis-1,2-Dichloroethylene	ug/m3	ND	05/23/08	WSD	0.78			
1,2-Dichloropropane	ug/m3	ND	05/23/08	WSD	0.92			
cis-1,3-Dichloropropene	ug/m3	ND	05/23/08	WSD	0.90			
trans-1,3-Dichloropropene	ug/m3	ND	05/23/08	WSD	0.90			
1,2-Dichlorotetrafluoroethane (114)	ug/m3	ND	05/23/08	WSD	1.4			
Ethylbenzene	ug/m3	5.8	05/23/08	WSD	0.86			
Hexachlorobutadiene	ug/m3	ND	05/23/08	WSD	2.2			
Methylene Chloride	ug/m3	9.1	05/23/08	WSD	0.68			
Styrene	ug/m3	4.5	05/23/08	WSD	0.86			
1,1,2,2-Tetrachloroethane	ug/m3	ND	05/23/08	WSD	1.4			
Tetrachloroethylene	ug/m3	6.7	05/23/08	WSD	1.4			
Toluene	ug/m3	29	05/23/08	WSD	0.76			
1,2,4-Trichlorobenzene	ug/m3	ND	05/23/08	WSD	1.5			
1,1,1-Trichloroethane	ug/m3	ND	05/23/08	WSD	1.1			

RL = Reporting Limit

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
 Page 18 of 21

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: MPL-6

Sample ID: 08B18443 ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: AIR

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,1,2-Trichloroethane	ug/m3	ND	05/23/08	WSD	1.1			
Trichloroethylene	ug/m3	22	05/23/08	WSD	1.1			
Trichlorofluoromethane	ug/m3	1.5	05/23/08	WSD	1.2			
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/m3	ND	05/23/08	WSD	1.6			
1,2,4-Trimethylbenzene	ug/m3	6.2	05/23/08	WSD	0.98			
1,3,5-Trimethylbenzene	ug/m3	1.4	05/23/08	WSD	0.98			
Vinyl Chloride	ug/m3	ND	05/23/08	WSD	0.50			
m/p-Xylene	ug/m3	16	05/23/08	WSD	1.8			
o-Xylene	ug/m3	6.9	05/23/08	WSD	0.86			

Analytical Method:
 EPA TO-14A

SAMPLES ARE TAKEN IN SUMMA CANISTERS AND ANALYZED BY GAS CHROMATOGRAPHY WITH MASS SPECTROMETRY DETECTION. (GC/MS)

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
 Page 19 of 21

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: **WB-2**

Sample ID: **08B18444** ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: AIR

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Benzene	ug/m3	0.66	05/23/08	WSD	0.64			
Bromomethane	ug/m3	ND	05/23/08	WSD	0.76			
Carbon Tetrachloride	ug/m3	ND	05/23/08	WSD	1.3			
Chlorobenzene	ug/m3	ND	05/23/08	WSD	0.92			
Chloroethane	ug/m3	ND	05/23/08	WSD	0.53			
Chloroform	ug/m3	ND	05/23/08	WSD	0.96			
Chloromethane	ug/m3	0.42	05/23/08	WSD	0.40			
1,2-Dibromoethane	ug/m3	ND	05/23/08	WSD	1.6			
1,2-Dichlorobenzene	ug/m3	ND	05/23/08	WSD	1.2			
1,3-Dichlorobenzene	ug/m3	ND	05/23/08	WSD	1.2			
1,4-Dichlorobenzene	ug/m3	ND	05/23/08	WSD	1.2			
Dichlorodifluoromethane	ug/m3	2.4	05/23/08	WSD	0.98			
1,1-Dichloroethane	ug/m3	ND	05/23/08	WSD	0.80			
1,2-Dichloroethane	ug/m3	ND	05/23/08	WSD	0.80			
1,1-Dichloroethylene	ug/m3	ND	05/23/08	WSD	0.78			
cis-1,2-Dichloroethylene	ug/m3	ND	05/23/08	WSD	0.78			
1,2-Dichloropropane	ug/m3	ND	05/23/08	WSD	0.92			
cis-1,3-Dichloropropene	ug/m3	ND	05/23/08	WSD	0.90			
trans-1,3-Dichloropropene	ug/m3	ND	05/23/08	WSD	0.90			
1,2-Dichlorotetrafluoroethane (114)	ug/m3	ND	05/23/08	WSD	1.4			
Ethylbenzene	ug/m3	1.8	05/23/08	WSD	0.86			
Hexachlorobutadiene	ug/m3	ND	05/23/08	WSD	2.2			
Methylene Chloride	ug/m3	12	05/23/08	WSD	0.68			
Styrene	ug/m3	2.1	05/23/08	WSD	0.86			
1,1,2,2-Tetrachloroethane	ug/m3	ND	05/23/08	WSD	1.4			
Tetrachloroethylene	ug/m3	4.4	05/23/08	WSD	1.4			
Toluene	ug/m3	11	05/23/08	WSD	0.76			
1,2,4-Trichlorobenzene	ug/m3	ND	05/23/08	WSD	1.5			
1,1,1-Trichloroethane	ug/m3	ND	05/23/08	WSD	1.1			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

DONNA PALLISTER
 LFR, INC. - RI
 300 METRO CENTER BLVD., SUITE 250
 WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
 Page 20 of 21

Project Location: SPRINGFIELD ST.
 Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
 Job Number: 081-12152-00

Field Sample #: **WB-2**

Sample ID: **08B18444** ‡Sampled: 5/21/2008
 Not Specified

Sample Matrix: AIR

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
1,1,2-Trichloroethane	ug/m3	ND	05/23/08	WSD	1.1			
Trichloroethylene	ug/m3	16	05/23/08	WSD	1.1			
Trichlorofluoromethane	ug/m3	1.5	05/23/08	WSD	1.2			
1,1,2-Trichloro-1,2,2-Trifluoroethane	ug/m3	ND	05/23/08	WSD	1.6			
1,2,4-Trimethylbenzene	ug/m3	3.3	05/23/08	WSD	0.98			
1,3,5-Trimethylbenzene	ug/m3	ND	05/23/08	WSD	0.98			
Vinyl Chloride	ug/m3	ND	05/23/08	WSD	0.50			
m/p-Xylene	ug/m3	5.5	05/23/08	WSD	1.8			
o-Xylene	ug/m3	2.8	05/23/08	WSD	0.86			

Analytical Method:
 EPA TO-14A

SAMPLES ARE TAKEN IN SUMMA CANISTERS AND ANALYZED BY GAS CHROMATOGRAPHY WITH MASS SPECTROMETRY DETECTION. (GC/MS)

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DONNA PALLISTER
LFR, INC. - RI
300 METRO CENTER BLVD., SUITE 250
WARWICK, RI 02886

Purchase Order No.: 5131

6/5/2008
Page 21 of 21

Project Location: SPRINGFIELD ST.
Date Received: 5/22/2008

LIMS-BAT #: LIMIT-16194
Job Number: 081-12152-00

** END OF REPORT **

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 1 of 14

QC Batch Number: BATCH-14402

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B18443	4-Bromofluorobenzene	Surrogate Recovery	102.12	%	70-130
08B18444	4-Bromofluorobenzene	Surrogate Recovery	103.87	%	70-130
BLANK-118094	Benzene	Blank	<0.32	ug/m3	
	Carbon Tetrachloride	Blank	<0.62	ug/m3	
	Chloroform	Blank	<0.48	ug/m3	
	1,2-Dichloroethane	Blank	<0.40	ug/m3	
	1,4-Dichlorobenzene	Blank	<0.60	ug/m3	
	Ethylbenzene	Blank	<0.43	ug/m3	
	Styrene	Blank	<0.43	ug/m3	
	Tetrachloroethylene	Blank	<0.67	ug/m3	
	Toluene	Blank	<0.38	ug/m3	
	1,1,1-Trichloroethane	Blank	<0.54	ug/m3	
	Trichloroethylene	Blank	<0.53	ug/m3	
	1,1,2-Trichloro-1,2,2-Trifluoroethane	Blank	<0.76	ug/m3	
	Trichlorofluoromethane	Blank	<0.56	ug/m3	
	o-Xylene	Blank	<0.43	ug/m3	
	m/p-Xylene	Blank	<0.87	ug/m3	
	1,2-Dichlorobenzene	Blank	<0.60	ug/m3	
	1,3-Dichlorobenzene	Blank	<0.60	ug/m3	
	1,1-Dichloroethane	Blank	<0.40	ug/m3	
	1,1-Dichloroethylene	Blank	<0.39	ug/m3	
	Vinyl Chloride	Blank	<0.25	ug/m3	
	Methylene Chloride	Blank	<0.34	ug/m3	
	Chlorobenzene	Blank	<0.46	ug/m3	
	Chloromethane	Blank	<0.20	ug/m3	
	Bromomethane	Blank	<0.38	ug/m3	
	Chloroethane	Blank	<0.27	ug/m3	
	cis-1,3-Dichloropropene	Blank	<0.45	ug/m3	
	trans-1,3-Dichloropropene	Blank	<0.45	ug/m3	
	1,1,2-Trichloroethane	Blank	<0.54	ug/m3	
	1,1,2,2-Tetrachloroethane	Blank	<0.68	ug/m3	
	Hexachlorobutadiene	Blank	<1.1	ug/m3	
	1,2,4-Trichlorobenzene	Blank	<0.74	ug/m3	
	1,2,4-Trimethylbenzene	Blank	<0.49	ug/m3	
	1,3,5-Trimethylbenzene	Blank	<0.49	ug/m3	
	cis-1,2-Dichloroethylene	Blank	<0.39	ug/m3	
	1,2-Dichloropropane	Blank	<0.46	ug/m3	
	Dichlorodifluoromethane	Blank	<0.49	ug/m3	
	1,2-Dibromoethane	Blank	<0.76	ug/m3	
	1,2-Dichlorotetrafluoroethane (114)	Blank	<0.70	ug/m3	

LFBLANK-79702



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 2 of 14

QC Batch Number: BATCH-14402

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-79702					
	Benzene	Lab Fort Blank Amt.	15.95	ug/m3	
		Lab Fort Blk. Found	17.88	ug/m3	
		Lab Fort Blk. % Rec.	112.14	%	70-130
	Carbon Tetrachloride	Lab Fort Blank Amt.	31.45	ug/m3	
		Lab Fort Blk. Found	36.52	ug/m3	
		Lab Fort Blk. % Rec.	116.14	%	70-130
	Chloroform	Lab Fort Blank Amt.	24.33	ug/m3	
		Lab Fort Blk. Found	24.93	ug/m3	
		Lab Fort Blk. % Rec.	102.48	%	70-130
	1,2-Dichloroethane	Lab Fort Blank Amt.	20.24	ug/m3	
		Lab Fort Blk. Found	24.02	ug/m3	
		Lab Fort Blk. % Rec.	118.68	%	70-130
	1,4-Dichlorobenzene	Lab Fort Blank Amt.	30.06	ug/m3	
		Lab Fort Blk. Found	31.66	ug/m3	
		Lab Fort Blk. % Rec.	105.32	%	70-130
	Ethylbenzene	Lab Fort Blank Amt.	21.67	ug/m3	
		Lab Fort Blk. Found	26.82	ug/m3	
		Lab Fort Blk. % Rec.	123.76	%	70-130
	Styrene	Lab Fort Blank Amt.	21.26	ug/m3	
		Lab Fort Blk. Found	25.54	ug/m3	
		Lab Fort Blk. % Rec.	120.12	%	70-130
	Tetrachloroethylene	Lab Fort Blank Amt.	33.90	ug/m3	
		Lab Fort Blk. Found	36.48	ug/m3	
		Lab Fort Blk. % Rec.	107.60	%	70-130
	Toluene	Lab Fort Blank Amt.	18.81	ug/m3	
		Lab Fort Blk. Found	22.38	ug/m3	
		Lab Fort Blk. % Rec.	118.96	%	70-130
	1,1,1-Trichloroethane	Lab Fort Blank Amt.	27.28	ug/m3	
		Lab Fort Blk. Found	33.92	ug/m3	
		Lab Fort Blk. % Rec.	124.34	%	70-130
	Trichloroethylene	Lab Fort Blank Amt.	26.87	ug/m3	
		Lab Fort Blk. Found	31.27	ug/m3	
		Lab Fort Blk. % Rec.	116.40	%	70-130
	1,1,2-Trichloro-1,2,2-Trifluoroethane	Lab Fort Blank Amt.	38.31	ug/m3	
		Lab Fort Blk. Found	34.23	ug/m3	
		Lab Fort Blk. % Rec.	89.34	%	70-130
	Trichlorofluoromethane	Lab Fort Blank Amt.	28.09	ug/m3	
		Lab Fort Blk. Found	26.59	ug/m3	
		Lab Fort Blk. % Rec.	94.65	%	70-130
	o-Xylene	Lab Fort Blank Amt.	21.71	ug/m3	
		Lab Fort Blk. Found	27.12	ug/m3	
		Lab Fort Blk. % Rec.	124.88	%	70-130
	m/p-Xylene	Lab Fort Blank Amt.	43.43	ug/m3	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 3 of 14

QC Batch Number: BATCH-14402

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-79702					
	m/p-Xylene	Lab Fort Blk. Found	55.54	ug/m3	
		Lab Fort Blk. % Rec.	127.88	%	70-130
	1,2-Dichlorobenzene	Lab Fort Blank Amt.	30.06	ug/m3	
		Lab Fort Blk. Found	30.34	ug/m3	
		Lab Fort Blk. % Rec.	100.94	%	70-130
	1,3-Dichlorobenzene	Lab Fort Blank Amt.	30.06	ug/m3	
		Lab Fort Blk. Found	31.40	ug/m3	
		Lab Fort Blk. % Rec.	104.48	%	70-130
	1,1-Dichloroethane	Lab Fort Blank Amt.	20.24	ug/m3	
		Lab Fort Blk. Found	22.07	ug/m3	
		Lab Fort Blk. % Rec.	109.06	%	70-130
	1,1-Dichloroethylene	Lab Fort Blank Amt.	19.83	ug/m3	
		Lab Fort Blk. Found	22.16	ug/m3	
		Lab Fort Blk. % Rec.	111.76	%	70-130
	Vinyl Chloride	Lab Fort Blank Amt.	12.78	ug/m3	
		Lab Fort Blk. Found	14.44	ug/m3	
		Lab Fort Blk. % Rec.	113.00	%	70-130
	Methylene Chloride	Lab Fort Blank Amt.	17.36	ug/m3	
		Lab Fort Blk. Found	16.13	ug/m3	
		Lab Fort Blk. % Rec.	92.94	%	70-130
	Chlorobenzene	Lab Fort Blank Amt.	23.02	ug/m3	
		Lab Fort Blk. Found	26.40	ug/m3	
		Lab Fort Blk. % Rec.	114.66	%	70-130
	Chloromethane	Lab Fort Blank Amt.	10.32	ug/m3	
		Lab Fort Blk. Found	12.38	ug/m3	
		Lab Fort Blk. % Rec.	119.92	%	70-130
	Bromomethane	Lab Fort Blank Amt.	19.40	ug/m3	
		Lab Fort Blk. Found	18.47	ug/m3	
		Lab Fort Blk. % Rec.	95.21	%	70-130
	Chloroethane	Lab Fort Blank Amt.	13.19	ug/m3	
		Lab Fort Blk. Found	14.14	ug/m3	
		Lab Fort Blk. % Rec.	107.25	%	70-130
	cis-1,3-Dichloropropene	Lab Fort Blank Amt.	22.69	ug/m3	
		Lab Fort Blk. Found	27.86	ug/m3	
		Lab Fort Blk. % Rec.	122.74	%	70-130
	trans-1,3-Dichloropropene	Lab Fort Blank Amt.	22.69	ug/m3	
		Lab Fort Blk. Found	29.06	ug/m3	
		Lab Fort Blk. % Rec.	128.06	%	70-130
	1,1,2-Trichloroethane	Lab Fort Blank Amt.	27.28	ug/m3	
		Lab Fort Blk. Found	31.61	ug/m3	
		Lab Fort Blk. % Rec.	115.88	%	70-130
	1,1,2,2-Tetrachloroethane	Lab Fort Blank Amt.	34.33	ug/m3	
		Lab Fort Blk. Found	37.51	ug/m3	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 4 of 14

QC Batch Number: BATCH-14402

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-79702					
	1,1,2,2-Tetrachloroethane	Lab Fort Blk. % Rec.	109.26	%	70-130
	Hexachlorobutadiene	Lab Fort Blank Amt.	53.33	ug/m3	
		Lab Fort Blk. Found	43.18	ug/m3	
		Lab Fort Blk. % Rec.	80.97	%	70-130
	1,2,4-Trichlorobenzene	Lab Fort Blank Amt.	37.10	ug/m3	
		Lab Fort Blk. Found	36.00	ug/m3	
		Lab Fort Blk. % Rec.	97.02	%	70-130
	1,2,4-Trimethylbenzene	Lab Fort Blank Amt.	24.58	ug/m3	
		Lab Fort Blk. Found	31.15	ug/m3	
		Lab Fort Blk. % Rec.	126.74	%	70-130
	1,3,5-Trimethylbenzene	Lab Fort Blank Amt.	24.58	ug/m3	
		Lab Fort Blk. Found	30.61	ug/m3	
		Lab Fort Blk. % Rec.	124.54	%	70-130
	cis-1,2-Dichloroethylene	Lab Fort Blank Amt.	19.82	ug/m3	
		Lab Fort Blk. Found	23.16	ug/m3	
		Lab Fort Blk. % Rec.	116.81	%	70-130
	1,2-Dichloropropane	Lab Fort Blank Amt.	23.10	ug/m3	
		Lab Fort Blk. Found	28.97	ug/m3	
		Lab Fort Blk. % Rec.	125.42	%	70-130
	Dichlorodifluoromethane	Lab Fort Blank Amt.	24.72	ug/m3	
		Lab Fort Blk. Found	26.26	ug/m3	
		Lab Fort Blk. % Rec.	106.24	%	70-130
	1,2-Dibromoethane	Lab Fort Blank Amt.	38.42	ug/m3	
		Lab Fort Blk. Found	45.33	ug/m3	
		Lab Fort Blk. % Rec.	117.98	%	70-130
	1,2-Dichlorotetrafluoroethane (114)	Lab Fort Blank Amt.	34.95	ug/m3	
		Lab Fort Blk. Found	33.90	ug/m3	
		Lab Fort Blk. % Rec.	96.99	%	70-130

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 5 of 14

QC Batch Number: GCMS/VOL-19632

Sample Id	Analysis	QC Analysis	Values	Units	Limits
08B18439	1,2-Dichloroethane-d4	Surrogate Recovery	120.2	%	70-130
	Toluene-d8	Surrogate Recovery	98.5	%	70-130
	Bromofluorobenzene	Surrogate Recovery	96.1	%	70-130
08B18440	1,2-Dichloroethane-d4	Surrogate Recovery	120.1	%	70-130
	Toluene-d8	Surrogate Recovery	97.5	%	70-130
	Bromofluorobenzene	Surrogate Recovery	92.5	%	70-130
08B18441	1,2-Dichloroethane-d4	Surrogate Recovery	119.9	%	70-130
	Toluene-d8	Surrogate Recovery	97.1	%	70-130
	Bromofluorobenzene	Surrogate Recovery	96.2	%	70-130
08B18442	1,2-Dichloroethane-d4	Surrogate Recovery	121.5	%	70-130
	Toluene-d8	Surrogate Recovery	97.6	%	70-130
	Bromofluorobenzene	Surrogate Recovery	94.2	%	70-130
BLANK-118067	Acetone	Blank	<50.0	ug/l	
	Benzene	Blank	<1.0	ug/l	
	Carbon Tetrachloride	Blank	<1.0	ug/l	
	Chloroform	Blank	<2.0	ug/l	
	1,2-Dichloroethane	Blank	<1.0	ug/l	
	1,4-Dichlorobenzene	Blank	<1.0	ug/l	
	Ethyl Benzene	Blank	<1.0	ug/l	
	2-Butanone (MEK)	Blank	<20.0	ug/l	
	MIBK	Blank	<10.0	ug/l	
	Naphthalene	Blank	<2.0	ug/l	
	Styrene	Blank	<1.0	ug/l	
	Tetrachloroethylene	Blank	<1.0	ug/l	
	Toluene	Blank	<1.0	ug/l	
	1,1,1-Trichloroethane	Blank	<1.0	ug/l	
	Trichloroethylene	Blank	<1.0	ug/l	
	1,1,2-Trichloro-1,2,2-Trifluoroethane	Blank	<5.0	ug/l	
	Trichlorofluoromethane	Blank	<2.0	ug/l	
	o-Xylene	Blank	<1.0	ug/l	
	m + p Xylene	Blank	<2.0	ug/l	
	1,2-Dichlorobenzene	Blank	<1.0	ug/l	
	1,3-Dichlorobenzene	Blank	<1.0	ug/l	
	1,1-Dichloroethane	Blank	<1.0	ug/l	
	1,1-Dichloroethylene	Blank	<1.0	ug/l	
	1,4-Dioxane	Blank	<50.0	ug/l	
	MTBE	Blank	<1.0	ug/l	
	trans-1,2-Dichloroethylene	Blank	<1.0	ug/l	
	Vinyl Chloride	Blank	<2.0	ug/l	

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 6 of 14

QC Batch Number: GCMS/VOL-19632

Sample Id	Analysis	QC Analysis	Values	Units	Limits
BLANK-118067	Methylene Chloride	Blank	<5.0	ug/l	
	Chlorobenzene	Blank	<1.0	ug/l	
	Chloromethane	Blank	<2.0	ug/l	
	Bromomethane	Blank	<5.0	ug/l	
	Chloroethane	Blank	<2.0	ug/l	
	cis-1,3-Dichloropropene	Blank	<0.5	ug/l	
	trans-1,3-Dichloropropene	Blank	<0.5	ug/l	
	Chlorodibromomethane	Blank	<0.5	ug/l	
	1,1,2-Trichloroethane	Blank	<1.0	ug/l	
	Bromoform	Blank	<1.0	ug/l	
	1,1,2,2-Tetrachloroethane	Blank	<0.5	ug/l	
	2-Chlorotoluene	Blank	<1.0	ug/l	
	Hexachlorobutadiene	Blank	<1.0	ug/l	
	Isopropylbenzene	Blank	<1.0	ug/l	
	p-Isopropyltoluene	Blank	<1.0	ug/l	
	n-Propylbenzene	Blank	<1.0	ug/l	
	sec-Butylbenzene	Blank	<1.0	ug/l	
	tert-Butylbenzene	Blank	<1.0	ug/l	
	1,2,3-Trichlorobenzene	Blank	<5.0	ug/l	
	1,2,4-Trichlorobenzene	Blank	<1.0	ug/l	
	1,2,4-Trimethylbenzene	Blank	<1.0	ug/l	
	1,3,5-Trimethylbenzene	Blank	<1.0	ug/l	
	Dibromomethane	Blank	<1.0	ug/l	
	cis-1,2-Dichloroethylene	Blank	<1.0	ug/l	
	4-Chlorotoluene	Blank	<1.0	ug/l	
	1,1-Dichloropropene	Blank	<2.0	ug/l	
	1,2-Dichloropropane	Blank	<1.0	ug/l	
	1,3-Dichloropropane	Blank	<0.5	ug/l	
	2,2-Dichloropropane	Blank	<1.0	ug/l	
	1,1,1,2-Tetrachloroethane	Blank	<1.0	ug/l	
	1,2,3-Trichloropropane	Blank	<2.0	ug/l	
	n-Butylbenzene	Blank	<1.0	ug/l	
	Dichlorodifluoromethane	Blank	<2.0	ug/l	
	Bromochloromethane	Blank	<1.0	ug/l	
	Bromobenzene	Blank	<1.0	ug/l	
	Acrylonitrile	Blank	<5.0	ug/l	
	Carbon Disulfide	Blank	<3.0	ug/l	
	2-Hexanone	Blank	<10.0	ug/l	
	trans-1,4-Dichloro-2-Butene	Blank	<2.0	ug/l	
	Diethyl Ether	Blank	<2.0	ug/l	
	Bromodichloromethane	Blank	<1.0	ug/l	
	1,2-Dibromo-3-Chloropropane	Blank	<5.0	ug/l	
	1,2-Dibromoethane	Blank	<0.50	ug/l	

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 7 of 14

QC Batch Number: GCMS/VOL-19632

Sample Id	Analysis	QC Analysis	Values	Units	Limits
BLANK-118067					
	Tetrahydrofuran	Blank	<10.0	ug/l	
	tert-Butyl Alcohol	Blank	<20.0	ug/l	
	Diisopropyl Ether	Blank	<0.5	ug/l	
	tert-Butylethyl Ether	Blank	<0.5	ug/l	
	tert-Amylmethyl Ether	Blank	<0.5	ug/l	
LFBLANK-79675					
	Acetone	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	15.3	ug/l	
		Lab Fort Blk. % Rec.	153.0	%	70-160
	Benzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.3	ug/l	
		Lab Fort Blk. % Rec.	103.8	%	70-130
	Carbon Tetrachloride	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.3	ug/l	
		Lab Fort Blk. % Rec.	113.9	%	70-130
	Chloroform	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.3	ug/l	
		Lab Fort Blk. % Rec.	113.3	%	70-130
	1,2-Dichloroethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	13.4	ug/l	
		Lab Fort Blk. % Rec.	134.9	%	70-130
	1,4-Dichlorobenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.0	ug/l	
		Lab Fort Blk. % Rec.	100.2	%	70-130
	Ethyl Benzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.4	ug/l	
		Lab Fort Blk. % Rec.	114.4	%	70-130
	2-Butanone (MEK)	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	12.3	ug/l	
		Lab Fort Blk. % Rec.	123.3	%	40-160
	MIBK	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	19.0	ug/l	
		Lab Fort Blk. % Rec.	190.9	%	70-160
	Naphthalene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	7.5	ug/l	
		Lab Fort Blk. % Rec.	75.9	%	40-130
	Styrene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.6	ug/l	
		Lab Fort Blk. % Rec.	106.7	%	70-130
	Tetrachloroethylene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.5	ug/l	
		Lab Fort Blk. % Rec.	115.6	%	70-160
	Toluene	Lab Fort Blank Amt.	10.0	ug/l	

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 8 of 14

QC Batch Number: GCMS/VOL-19632

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-79675					
	Toluene	Lab Fort Blk. Found	11.4	ug/l	
		Lab Fort Blk. % Rec.	114.5	%	70-130
	1,1,1-Trichloroethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.7	ug/l	
		Lab Fort Blk. % Rec.	117.7	%	70-130
	Trichloroethylene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.8	ug/l	
		Lab Fort Blk. % Rec.	118.6	%	70-130
	1,1,2-Trichloro-1,2,2-Trifluoroethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.2	ug/l	
		Lab Fort Blk. % Rec.	102.1	%	70-130
	Trichlorofluoromethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.8	ug/l	
		Lab Fort Blk. % Rec.	108.3	%	70-130
	o-Xylene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.7	ug/l	
		Lab Fort Blk. % Rec.	117.0	%	70-130
	m + p Xylene	Lab Fort Blank Amt.	20.0	ug/l	
		Lab Fort Blk. Found	23.0	ug/l	
		Lab Fort Blk. % Rec.	115.4	%	70-130
	1,2-Dichlorobenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.0	ug/l	
		Lab Fort Blk. % Rec.	100.2	%	70-130
	1,3-Dichlorobenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	9.9	ug/l	
		Lab Fort Blk. % Rec.	99.2	%	70-130
	1,1-Dichloroethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.4	ug/l	
		Lab Fort Blk. % Rec.	114.2	%	70-130
	1,1-Dichloroethylene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.8	ug/l	
		Lab Fort Blk. % Rec.	118.0	%	70-130
	1,4-Dioxane	Lab Fort Blank Amt.	50.0	ug/l	
		Lab Fort Blk. Found	62.4	ug/l	
		Lab Fort Blk. % Rec.	124.8	%	40-130
	MTBE	Lab Fort Blank Amt.	20.0	ug/l	
		Lab Fort Blk. Found	23.2	ug/l	
		Lab Fort Blk. % Rec.	116.1	%	70-130
	trans-1,2-Dichloroethylene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.6	ug/l	
		Lab Fort Blk. % Rec.	116.1	%	70-130
	Vinyl Chloride	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	9.2	ug/l	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 9 of 14

QC Batch Number: GCMS/VOL-19632

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-79675					
	Vinyl Chloride	Lab Fort Blk. % Rec.	92.9	%	40-160
	Methylene Chloride	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.3	ug/l	
		Lab Fort Blk. % Rec.	113.5	%	70-130
	Chlorobenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.1	ug/l	
		Lab Fort Blk. % Rec.	101.4	%	70-130
	Chloromethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.3	ug/l	
		Lab Fort Blk. % Rec.	103.2	%	40-160
	Bromomethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	29.0	ug/l	
		Lab Fort Blk. % Rec.	290.1	%	40-160
	Chloroethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	13.3	ug/l	
		Lab Fort Blk. % Rec.	133.7	%	70-130
	cis-1,3-Dichloropropene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.7	ug/l	
		Lab Fort Blk. % Rec.	117.5	%	70-130
	trans-1,3-Dichloropropene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	12.2	ug/l	
		Lab Fort Blk. % Rec.	122.6	%	70-130
	Chlorodibromomethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.2	ug/l	
		Lab Fort Blk. % Rec.	112.9	%	70-130
	1,1,2-Trichloroethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.0	ug/l	
		Lab Fort Blk. % Rec.	110.0	%	70-130
	Bromoform	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.1	ug/l	
		Lab Fort Blk. % Rec.	101.0	%	70-130
	1,1,2,2-Tetrachloroethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.2	ug/l	
		Lab Fort Blk. % Rec.	102.1	%	70-130
	2-Chlorotoluene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.0	ug/l	
		Lab Fort Blk. % Rec.	110.4	%	70-130
	Hexachlorobutadiene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.0	ug/l	
		Lab Fort Blk. % Rec.	100.3	%	70-130
	Isopropylbenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.1	ug/l	
		Lab Fort Blk. % Rec.	111.6	%	70-130



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 10 of 14

QC Batch Number: GCMS/VOL-19632

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-79675	p-Isopropyltoluene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.8	ug/l	
		Lab Fort Blk. % Rec.	108.3	%	70-130
	n-Propylbenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.5	ug/l	
		Lab Fort Blk. % Rec.	115.7	%	70-130
	sec-Butylbenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.2	ug/l	
		Lab Fort Blk. % Rec.	112.0	%	70-130
	tert-Butylbenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	12.9	ug/l	
		Lab Fort Blk. % Rec.	129.4	%	70-130
1,2,3-Trichlorobenzene		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	9.7	ug/l	
		Lab Fort Blk. % Rec.	97.9	%	70-130
1,2,4-Trichlorobenzene		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	8.7	ug/l	
		Lab Fort Blk. % Rec.	87.3	%	70-130
1,2,4-Trimethylbenzene		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.2	ug/l	
		Lab Fort Blk. % Rec.	112.0	%	70-130
1,3,5-Trimethylbenzene		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.2	ug/l	
		Lab Fort Blk. % Rec.	112.2	%	70-130
Dibromomethane		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.9	ug/l	
		Lab Fort Blk. % Rec.	119.4	%	70-130
cis-1,2-Dichloroethylene		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.8	ug/l	
		Lab Fort Blk. % Rec.	118.7	%	70-130
4-Chlorotoluene		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.4	ug/l	
		Lab Fort Blk. % Rec.	114.9	%	70-130
1,1-Dichloropropene		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.5	ug/l	
		Lab Fort Blk. % Rec.	115.5	%	70-130
1,2-Dichloropropane		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	12.1	ug/l	
		Lab Fort Blk. % Rec.	121.7	%	70-130
1,3-Dichloropropane		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.8	ug/l	
		Lab Fort Blk. % Rec.	118.3	%	70-130
2,2-Dichloropropane		Lab Fort Blank Amt.	10.0	ug/l	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 11 of 14

QC Batch Number: GCMS/VOL-19632

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-79675					
	2,2-Dichloropropane	Lab Fort Blk. Found	12.4	ug/l	
		Lab Fort Blk. % Rec.	124.4	%	40-130
	1,1,1,2-Tetrachloroethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.4	ug/l	
		Lab Fort Blk. % Rec.	104.3	%	70-130
	1,2,3-Trichloropropane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.0	ug/l	
		Lab Fort Blk. % Rec.	110.5	%	70-130
	n-Butylbenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	10.5	ug/l	
		Lab Fort Blk. % Rec.	105.6	%	70-130
	Dichlorodifluoromethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	7.0	ug/l	
		Lab Fort Blk. % Rec.	70.8	%	40-160
	Bromochloromethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	9.7	ug/l	
		Lab Fort Blk. % Rec.	97.8	%	70-130
	Bromobenzene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.1	ug/l	
		Lab Fort Blk. % Rec.	111.6	%	70-130
	Acrylonitrile	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	13.9	ug/l	
		Lab Fort Blk. % Rec.	139.5	%	70-130
	Carbon Disulfide	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	9.7	ug/l	
		Lab Fort Blk. % Rec.	97.1	%	70-130
	2-Hexanone	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	14.3	ug/l	
		Lab Fort Blk. % Rec.	143.4	%	70-160
	trans-1,4-Dichloro-2-Butene	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	13.5	ug/l	
		Lab Fort Blk. % Rec.	135.0	%	70-130
	Diethyl Ether	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.7	ug/l	
		Lab Fort Blk. % Rec.	117.3	%	70-130
	Bromodichloromethane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	12.1	ug/l	
		Lab Fort Blk. % Rec.	121.1	%	70-130
	1,2-Dibromo-3-Chloropropane	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	9.9	ug/l	
		Lab Fort Blk. % Rec.	99.6	%	70-130
	1,2-Dibromoethane	Lab Fort Blank Amt.	10.00	ug/l	
		Lab Fort Blk. Found	11.26	ug/l	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 12 of 14

QC Batch Number: GCMS/VOL-19632

Sample Id	Analysis	QC Analysis	Values	Units	Limits
LFBLANK-79675	1,2-Dibromoethane	Lab Fort Blk. % Rec.	112.60	%	70-130
	Tetrahydrofuran	Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.5	ug/l	
	tert-Butyl Alcohol	Lab Fort Blk. % Rec.	115.3	%	70-130
		Lab Fort Blank Amt.	50.0	ug/l	
		Lab Fort Blk. Found	63.0	ug/l	
	Diisopropyl Ether	Lab Fort Blk. % Rec.	126.0	%	40-160
		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	13.5	ug/l	
	tert-Butylethyl Ether	Lab Fort Blk. % Rec.	135.1	%	70-130
		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	13.0	ug/l	
	tert-Amylmethyl Ether	Lab Fort Blk. % Rec.	130.8	%	70-160
		Lab Fort Blank Amt.	10.0	ug/l	
		Lab Fort Blk. Found	11.5	ug/l	
		Lab Fort Blk. % Rec.	115.2	%	70-130

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 6/5/2008

Lims Bat # : LIMIT-16194

Page 13 of 14

NOTES:

QC Batch No. : GCMS/VOL-19632

Sample ID : LFBLANK-79675

Analysis : 1,2-Dichloroethane

LABORATORY FORTIFIED BLANK RECOVERY OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE ALL RESULTS ARE "NOT DETECTED" FOR ALL SAMPLES IN THIS BATCH FOR THIS COMPOUND AND BIAS IS ON THE HIGH SIDE.

QC Batch No. : GCMS/VOL-19632

Sample ID : LFBLANK-79675

Analysis : Acrylonitrile

LABORATORY FORTIFIED BLANK RECOVERY OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE ALL RESULTS ARE "NOT DETECTED" FOR ALL SAMPLES IN THIS BATCH FOR THIS COMPOUND AND BIAS IS ON THE HIGH SIDE.

QC Batch No. : GCMS/VOL-19632

Sample ID : LFBLANK-79675

Analysis : Bromomethane

LABORATORY FORTIFIED BLANK RECOVERY OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE ALL RESULTS ARE "NOT DETECTED" FOR ALL SAMPLES IN THIS BATCH FOR THIS COMPOUND AND BIAS IS ON THE HIGH SIDE.

QC Batch No. : GCMS/VOL-19632

Sample ID : LFBLANK-79675

Analysis : Chloroethane

LABORATORY FORTIFIED BLANK RECOVERY OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE ALL RESULTS ARE "NOT DETECTED" FOR ALL SAMPLES IN THIS BATCH FOR THIS COMPOUND AND BIAS IS ON THE HIGH SIDE.

QC Batch No. : GCMS/VOL-19632

Sample ID : LFBLANK-79675

Analysis : Diisopropyl Ether

LABORATORY FORTIFIED BLANK RECOVERY OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE ALL RESULTS ARE "NOT DETECTED" FOR ALL SAMPLES IN THIS BATCH FOR THIS COMPOUND AND BIAS IS ON THE HIGH SIDE.

QC Batch No. : GCMS/VOL-19632

Sample ID : LFBLANK-79675

Analysis : MIBK

LABORATORY FORTIFIED BLANK RECOVERY OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE ALL RESULTS ARE "NOT DETECTED" FOR ALL SAMPLES IN THIS BATCH FOR THIS COMPOUND AND BIAS IS ON THE HIGH SIDE.

QC Batch No. : GCMS/VOL-19632

Sample ID : LFBLANK-79675

Analysis : trans-1,4-Dichloro-2-Butene

LABORATORY FORTIFIED BLANK RECOVERY OUTSIDE OF CONTROL LIMITS. DATA VALIDATION IS NOT AFFECTED SINCE ALL RESULTS ARE "NOT DETECTED" FOR ALL SAMPLES IN THIS BATCH FOR THIS COMPOUND AND BIAS IS ON THE HIGH SIDE.



QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates BATCH QC: Lab fortified Blanks and Duplicates
Sample Matrix Spikes and Matrix Spike Duplicates Standard Reference Materials and Duplicates
Method Blanks

Report Date: 6/5/2008 Lims Bat #: LIMIT-16194 Page 14 of 14

QUALITY CONTROL DEFINITIONS AND ABBREVIATIONS

QC BATCH NUMBER This is the number assigned to all samples analyzed together that would be subject to comparison with a particular set of Quality Control Data.
LIMITS Upper and Lower Control Limits for the QC ANALYSIS Reported. All values normally would fall within these statistically determined limits, unless there is an unusual circumstance that would be documented in a NOTE appearing on the last page of the QC SUMMARY REPORT. Not all QC results will have Limits defined.
Sample Amount Amount of analyte found in a sample.
Blank Method Blank that has been taken though all the steps of the analysis.
LFBLANK Laboratory Fortified Blank (a control sample)
STDADD Standard Added (a laboratory control sample)
Matrix Spk Amt Added Amount of analyte spiked into a sample
MS Amt Measured Amount of analyte found including amount that was spiked
Matrix Spike % Rec. % Recovery of spiked amount in sample.
Duplicate Value The result from the Duplicate analysis of the sample.
Duplicate RPD The Relative Percent Difference between two Duplicate Analyses.
Surrogate Recovery The % Recovery for non-environmental compounds (surrogates) spiked into samples to determine the performance of the analytical methods.
Sur. Recovery (ELCD) Surrogate Recovery on the Electrolytic Conductivity Detector.
Sur. Recovery (PID) Surrogate Recovery on the Photoionization Detector.
Standard Measured Amount measured for a laboratory control sample
Standard Amt Added Known value for a laboratory control sample
Standard % Recovery % recovered for a laboratory control sample with a known value.
Lab Fort Blank Amt Laboratory Fortified Blank Amount Added
Lab Fort Blk. Found Laboratory Fortified Blank Amount Found
Lab Fort Blk % Rec Laboratory Fortified Blank % Recovered
Dup Lab Fort Bl Amt Duplicate Laboratory Fortified Blank Amount Added
Dup Lab Fort Bl Fnd Duplicate Laboratory Fortified Blank Amount Found
Dup Lab Fort Bl % Rec Duplicate Laboratory Fortified Blank % Recovery
Lab Fort Blank Range Laboratory Fortified Blank Range (Absolute value of difference between recoveries for Lab Fortified Blank and Lab Fortified Blank Duplicate).
Lab Fort Bl. Av. Rec. Laboratory Fortified Blank Average Recovery
Duplicate Sample Amt Sample Value for Duplicate used with Matrix Spike Duplicate
MSD Amount Added Matrix Spike Duplicate Amount Added (Spiked)
MSD Amt Measured Matrix Spike Duplicate Amount Measured
MSD % Recovery Matrix Spike Duplicate % Recovery
MSD Range Absolute difference between Matrix Spike and Matrix Spike Duplicate Recoveries



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
 EAST LONGMEADOW, MA 01028

Company Name: LEER TWA

Telephone: (401) 339-3887

Address: 300 WPRO CENTER RD

Project # 091-10192-00

Attention: Diana Partridge

Client PO #

Project Location: SPRINGFIELD ST

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT

Sampled By: CHRIS JANDSON

Fax #: 401-339-3887
 Email: diana.partridge@leertwa.com

Proposal Provided? (For Billing purposes)
 yes no

State Form Required?
 yes no

Proposal date

Date Sampled

Matrix | Conc. Code

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp-osite	Grab	Matrix Conc. Code	ANALYSIS REQUESTED	# of containers
ARC-1		18439	6/4/09 7:30		X	GW	L		2
ARC-4		18440	6/4/09 17:00		X	GW	L		2
ARC-5		18441	6/4/09 16:40		X	GW	L		2
TRCP BLANK		18442	6/4/09						
APL-6		18443	6/4/09 14:35		X	A			
UB-2		18444	6/4/09 15:10		X	A			

Laboratory Comments: 10-14

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by (signature) [Signature] Date/Time: 6/10/09 19:00

Received by (signature) [Signature] Date/Time: 5/28/09 14:10

Relinquished by (signature) [Signature] Date/Time: 5/23/08 16:35

Received by (signature) [Signature] Date/Time: 5/28/09 16:35

Turnaround **
 7-Day
 10-Day
 Other 2PD
 RUSH *
 *24-Hr *48-Hr
 *72-Hr *4-Day
 * Require lab approval

Detection Limit Requirements
 Regulations? 21 CFR

Data Enhancement Project/RCP? Y N

Special Requirements or DLs: _____

Matrix Code:
 GW = groundwater
 WW = wastewater
 DW = drinking water
 A = air
 S = soil/solid
 SL = sludge
 O = other

Preservation Codes:
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium bisulfate
 O = Other

Cont. Code:
 A = amber glass
 G = glass
 P = plastic
 ST = sterile
 V = vial
 S = summa can
 T = leadar bag
 O = Other

Client Comments: _____

**TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.



www.contestlabs.com

39 Spruce Street
East Longmeadow, MA
Phone: 1-413-525-2332
Fax: 1-413-525-6405

SAMPLE RECEIPT CHECKLIST

CLIENT NAME: LER
RECEIVED BY: CIC DATE: 5/22/08

- 1. Was chain of custody relinquished and signed? YES NO
- 2. Does Chain agree with samples? YES NO

If not, explain: _____

- 3. All Samples in good condition? YES NO

If not, explain: _____

- 4. Were samples received in compliance with Temperature 0-6 degrees C? YES NO
- 5. Are there any dissolved samples for the lab to filter? YES NO

Degrees by temp blank 4.00
Degrees by temp gun _____

Who was notified? _____ Date: _____ Time: _____

- 6. Are there any on hold samples? YES NO STORED WHERE: _____

- 7. ARE THERE ANY RUSH OR SHORT HOLDING TIME SAMPLES? WHO WAS NOTIFIED? _____ DATE _____ TIME _____

- 8. Location where samples are stored: IB

Permission to sub-contract samples? Yes No (circle)
(Walk in clients only) if not already approved.
Client Signature _____

CONTAINERS SENT IN TO CON-TEST	# of container
1 liter amber	
500 ml amber	
250 ml amber (8oz. Amber)	
1 liter plastic	
500 ml plastic	
250 ml plastic	
40 ml vial—which kind—list below	7
Colisure bottle	
Dissolved oxygen bottle	
Flashpoint bottle	

CONTAINERS SENT TO CON-TEST	# of containers
Air Cassettes	
8 oz clear jar	
4 oz clear jar	
2 oz clear jar	
Plastic bag	
Encore	
Brass Sleeves	
Tubes	
Summa cans	2
Other	


Laboratory comments: _____

of HCL Vial _____ # of Methanol vials _____ # of Sodium Bisulfate vials _____
of DI water(to be frozen) vials _____ Time and Date when frozen _____
Do all the samples have the correct pH levels? YES NO If no, please explain above


Attachment C
Soil Gas Graphs




Soil Gas Well EPL1
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island




Soil Gas Well EPL4
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island




Soil Gas Well MG2
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island




Soil Gas Well MPL5
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island




Soil Gas Well WB1
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island



Soil Gas Well WB1
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island



Soil Gas Well WB7
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
 Springfield Street School Complex
 Providence, Rhode Island



Soil Gas Well WB15
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
 Springfield Street School Complex
 Providence, Rhode Island

