

TRANSMITTAL


vi	lence, Rhode Island 02909		Date: 1/21/2020	Job No. 03.0033554.04		
4	21.4140 (fax) 401.751.8613		Attention: Mr. Joseph Martella			
0:	Dhada Island Danastmant of Fr	vironmontol Monogoment	Pou Liquefaction Eacility	Drojost		
0:	Rhode Island Department of Er Office of Waste Management		Re: Liquefaction Facility Project STRAP Perimeter Air Quality Monitoring (AQM)			
	235 Promenade Street		121 Terminal Road/			
	Providence, Rhode Island 0290	 o				
	Providence, Rhode Island 0290	5	Providence, Rhode Is			
			Site Remediation File	e No. SR-28-1152		
			_			
еа	e sending you:					
ic u	Shop Drawings	X Attached	Change Order	Samples		
	Copy of Letter	Prints	Plans	Specifications		
	Under Separate Cover, the	following Items:	via:			
ow S	hipped:					
	X Via Email	Courier	Regular Mail	Hand Delivered/Picked Up		
	ription					
	uality Monitoring (AQM) Results					
Wee	k of 1/13/2020 (1/13/2020, 1/14/		1/17/2020, and 1/18/2020)			
	•	AQM Station 4 Graph				
		AQM Station 5 Graph				
	AQM Station 3 Graph A Summary Figure	AQM Station 6 Graph				

THESE ARE TRANSMITTED as Checked Below:

	For Approval		Approved as Submitted	Resubmit Copies for Approval
Х	For Your Use		Approved as Noted	Submit Copies for Distribution
	As Requested		Returned for Corrections	Return Corrected Prints
	For Review and Comment			PRINTS RETURNED AFTER LOAN TO US
	FOR BIDS DUE:			

Comments:

Comutai	Amy Willoughby National Crid INC IIC	Cianada	Conhia Narkiawiaz D E
Сору То:	Amy Willoughby - National Grid LNG LLC	Signed:	Sophia Narkiewicz, P.E.
	William Howard - National Grid LNG LLC		Project Manager




Equipment Notes	
None	

Notes:

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

Data Summary Statistics						
TVOCs average concentration	0.06	ppm				
TVOCs maximum concentration	1.60	ppm				
TVOCs action level	1	ppm				
PM10 average concentration	12.93	µg/m³				
PM10 maximum concentration	53.47	µg/m³				
PM10 action level	150	µg/m³				




Date	Time	Constituent	Observed Range of Sustained Readings	Response Actions Performed	Data Summary S	tatistics
None	-	-			TVOCs average concentration	0.03 ppm
					TVOCs maximum concentration	0.83 ppm
					TVOCs action level	1 ppm
					PM10 average concentration	10.25 μg/m ³
Equipmen	t Notes				PM10 maximum concentration	42.33 μg/m ³
None					PM10 action level	150 μg/m

Equipment Notes
None

Notes:

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.




Equipment Notes	
None	

Notes:

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

Data Summary Statistics					
TVOCs average concentration	0.01	ppm			
TVOCs maximum concentration	0.51	ppm			
TVOCs action level	1	ppm			
PM10 average concentration	17.08	µg/m³			
PM10 maximum concentration	134.23	µg/m³			
PM10 action level	150	µg/m³			



Date	Time	Constituent	Observed Range of Sustained Readings	Response Actions Performed
1/17/2020	2/2020 10:44 Dust 151.98-245.09 μg/m ³		151.98-245.09 μg/m ³	Contractor from the unrelated project stopped work.

Equipment Notes None


Notes:

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

ixis			
		300	
7/202	0, 10:44-10:51, 151.98-210.39	- 280	
•	63-10:58, 160.90-245.09 μg/m ³ ;	- 260	
	, 168.01-245.09 μg/m ³ . Readings [—] Ited to crushed stone placement	- 240	g/m³)
	related project. Readings were	- 220	in) u
he Cor	Vinds were northwest of project htractor for the unrelated project	- 200	PM10 (respirable dust) Concentration ($\mu g/m^3$)
st	opped work activites.	- 180	Jcen
		- 160	Col
		- 140	dust)
		- 120	able
		- 100	respir
	No Work Conducted	- 80	110 (
		- 60	ЫМ
		- 40	
		- 20	
		- 0	
•	uary 18, 2020 Sunday, Janu D AM 6:00 AM 12:00 PM 6:00 PM 12:0	-	2020

Data Summary Statistics						
TVOCs average concentration	0.03	ppm				
TVOCs maximum concentration	0.48	ppm				
TVOCs action level	1	ppm				
PM10 average concentration	23.93	µg/m³				
PM10 maximum concentration	242.99	µg/m³				
PM10 action level	150	µg/m³				




Equipment Notes	
None	

Notes:

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

Data Summary Statistics					
TVOCs average concentration	0.00	ppm			
TVOCs maximum concentration	0.07	ppm			
TVOCs action level	1	ppm			
PM10 average concentration	18.50	µg/m³			
PM10 maximum concentration	63.55	µg/m³			
PM10 action level	150	µg/m³			



Equipment Notes None


Notes:

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

Data Summary Statistics					
TVOCs average concentration	0.01	ppm			
TVOCs maximum concentration	0.17	ppm			
TVOCs action level	1	ppm			
PM10 average concentration	10.55	µg/m³			
PM10 maximum concentration	61.95	µg/m³			
PM10 action level	150	µg/m³			





REFERENCE NOTES:

- 1. BASE MAP DEVELOPED FROM A GOOGLE PROFESSIONAL ELECTRONIC IMAGE FILE. DIGITAL AERIAL ORTHOPHOTOGRAPHY WAS PUBLISHED IN FEBRUARY 2018.
- 2. SITE BOUNDARIES ARE APPROXIMATE.
- 3. PERIMETER AIR MONITORING PROGRAM CONDUCTED AS DESCRIBED IN THE MAY 12, 2017 SHORT TERM RESPONSE ACTION PLAN (STRAP) AND OCTOBER 11, 2017 STRAP ADDENDUM, WHICH WERE APPROVED BY RIDEM WITH THE OCTOBER 27, 2017 STRAP APPROVAL.

		W				
0 100'	200'	400'				
			Y			
SCALE IN	SCALE IN FEET 1" = 200' S					
THE INFORMATION SHOWN ON THE DRAWING IS SOLELY FOR USE BY NATIONAL GRID OR THE NATIONAL GRID'S DESIGNATED REPRESENTATIVE FOR THE SPECIFIC PROJECT AND LOCATION IDENTIFIED ON THE DRAWING. THE DRAWING SHALL NOT BE TRANSFERRED, REUSED, COPIED, OR ALTERED IN ANY MANNER FOR USE AT ANY OTHER LOCATION OR FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF GZA AND NATIONAL GRID, ANY TRANSFER, REUSE, OR MODIFICATION TO THE DRAWING SY OTHERS, WITHOUT THE PRIOR WRITTEN EXPRESS CONSENT OF GZA AND NATIONAL GRID, WILL BE AT THE USER'S SOLE RISK AND WITHOUT AN Y R IS K OR LIA BILITY TO GZA A N D AT IO NATIO GRID.						
NAT	ONAL GRID LI	QUEFACTION F.	ACILITY			
PER	IMETER AIR M	ONITORING PR	OGRAM			
	PROVIDENCE, RHODE ISLAND					
Summary Figure Week of 1-13-2020						
PREPARED BY:		PREPARED FOR:	PREPARED FOR:			
GZA GeoEnvironmental, Inc. Engineers and Scientists www.gza.com		national grid				
PROJ MGR: SDN	REVIEWED BY: MSF		FIGURE			
DESIGNED BY: SDN	DRAWN BY: LDT PROJECT NO.	SCALE: AS NOT	ED 1			
DATE: W/O 1-13-2020	33554.04	REVISION NO. 0	SHEET NO.			