



EA Engineering, Science,  
and Technology, Inc., PBC

301 Metro Center Blvd, Suite 102  
Warwick, Rhode Island 02886  
Telephone: 401-736-3440  
www.eaest.com

28 December 2022

Mr. Joseph T. Martella II, Senior Engineer  
Site Remediation Program  
Office of Waste Management  
RI Department of Environmental Management  
235 Promenade Street  
Providence, RI 02908

RE: *Quarterly O&M Status Report No. 61*  
*Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island*  
*Case No. 2005-029*  
*EA Project No. 15066.10*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently completed Site activities related to compliance sub-slab vapor and indoor air sampling for the period from September 2022 through November 2022.

If you have any questions or require additional information, please contact me at (401) 287-0370.

Sincerely,

EA ENGINEERING, SCIENCE,  
AND TECHNOLOGY, INC., PBC

Frank B. Postma, LSP, LEP, PG  
Project Manager

cc: Superintendent, Prov. Dept. of Public Schools      Director, Prov. Dept. of Public Property  
A. DeGrace, Prov. Redevelopment Agency      Knight Memorial Library Repository  
R. Dorr, Neighborhood Resident      Principal Biah, Alvarez High School  
Rep. Scott Slater

*This page intentionally left blank*



# **Quarterly O&M Status Report No. 61**

## **Summarizing Sub-slab Depressurization and Indoor Air Monitoring and Sampling Activities**

### **Alvarez High School Site (Formerly Adelaide Avenue High School) Providence, Rhode Island**

*Prepared for*

City of Providence School Department  
797 Westminister Street  
Providence, Rhode Island 02903

*Prepared by:*

EA Engineering, Science, and Technology, Inc., PBC  
301 Metro Center Blvd., Suite 102  
Warwick, Rhode Island 02886  
(401) 736-3440

EA Project No. 15066.10  
December 2022

*This page intentionally left blank*

## TABLE OF CONTENTS

1.	INTRODUCTION AND BACKGROUND .....	1
2.	SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE .....	2
	2.1 SSD SYSTEM AND RELATED MONITORING .....	2
	2.1.1 Sub-Slab Monitoring .....	2
	2.1.2 Rooftop Extraction Fans .....	3
	2.1.3 Engineered Cap .....	3
	2.2 INDOOR METHANE MONITORING SYSTEM .....	3
	2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING .....	3
	2.4 SUB-SLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT .....	5
	2.5 SUMMARY OF ROOFTOP VOC EMISSIONS .....	5
3.	CONCLUSIONS .....	7
4.	FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT .....	8

### FIGURES

FIGURE 1:	SITE LOCATION MAP
FIGURE 2:	INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM
FIGURE 3:	AS-BUILT SUB-SLAB MONITORING AND SAMPLING PLAN
FIGURE 4:	PARCEL C SHOTPUT & DISCUS THROWING FIELD

### APPENDICES

APPENDIX A:	O&M FIELD FORMS
APPENDIX B:	INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
APPENDIX C:	SUB-SLAB VAPOR ANALYTICAL SUMMARY
APPENDIX D:	ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E:	INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUB-SLAB VAPOR LABORATORY ANALYTICAL REPORTS
APPENDIX F:	LABORATORY DETECTION LIMITS CORRESPONDENCE

*This page intentionally left blank*

## 1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 61 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a sub-slab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and sub-slab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the three-month period from September 2022 through November 2022 (Quarterly Reporting Period No. 61). Please refer to Quarterly O&M Status Reports No. 1 through No. 60 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

## 2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

### 2.1 SSD SYSTEM AND RELATED MONITORING

The following SSD system performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly indoor air monitoring of vapor-phase constituents and methane (23 September 2022, 18 October 2022, and 22 November 2022) at 8 monitoring locations, as illustrated on the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2.
- Monthly sub-slab monitoring of vacuum pressure, vapor-phase constituents, and methane (23 September 2022, 18 October 2022, and 22 November 2022) at 11 monitoring locations, as illustrated on the As-Built Sub-slab Monitoring and Sampling Locations provided as Figure 3.
- Monthly inspections and monitoring (air velocity and vacuum) of the three rooftop fans to verify proper operation and effluent concentrations.
- Monthly inspections of the electronic monitoring system associated with each of three SSD system extraction fans and the methane sensor system (automatic alarm notification via audible signal and phone notification).
- Monthly inspections of the RIDEM approved engineered cap.
- Quarterly sampling (18 October 2022) of eight indoor air locations, one ambient outdoor air location, and six sub-slab points.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

#### 2.1.1 Sub-Slab Monitoring

Vacuum measurements taken at each interior and perimeter sub-slab monitoring/sampling locations ranged from -0.07 to 0.03 in. of water column. Negative measurements confirm that a negative pressure was maintained beneath the building slab due to continuous fan operation. The few positive values that were recorded are likely a result of temperature changes or ambient conditions affecting the digital instrument that was used when the typical physical instrument was unavailable. All probes will be evacuated to remove any water that has accumulated prior to the next monitoring event. All rooftop fans were observed to be operating correctly during this reporting period; pressure and air velocity recorded at all rooftop fans were within normal ranges.

### **2.1.2 Rooftop Extraction Fans**

The pressure sensors on each rooftop fan are connected to an alarm panel and autodialer system, which is triggered when a change in pressure is detected in the rooftop exhaust fans. The exhaust fan alarm system is connected to back-up battery packs in the control panel, which have sufficient capacity to operate for multiple days in the event of an electrical outage or power disruption to the system. Negative fan vacuums, fan speeds, and the negative sub-slab pressures observed at the site were within normal ranges and the system is operating properly. No alarm triggers occurred in this 3-month period.

### **2.1.3 Engineered Cap**

The engineered cap appeared in good condition. Previously eroded areas of the cap on Parcel B were filled with clean loam and seeded on 7 July 2022. EA will continue to monitor the cap for any future deficiencies.

In April 2020, the City installed two 10-foot (ft) by 20-ft by 4-in thick concrete throwing pads in the southwestern corner of Parcel C on the grassed recreation field between Dr. Jorge Alvarez High School and Mashapaug Pond. The pads were constructed in accordance with the Temporary Parcel C Cap Disturbance Notification letter submitted to RIDEM on 31 March 2020. The concrete pads remain in place as part of the engineered cap and concrete pad inspections have been incorporated into the routine monitoring events. The concrete pads appeared to be in good condition and no cracks or chips were observed. Shotput and discus landing zones also appeared in good condition and no erosion damages to the cap were present. A site plan depicting the location of the shotput and discus throwing pads is included as Figure 4.

Any future landscaping work at Alvarez High School (Parcel B), and/or the shot-put and discus throwing field (Parcel C) must adhere to the Soil Management Plan and the Amended OA to ensure the engineered cap is not damaged and the protective cover soil layer is maintained. EA will continue to inspect the pads on a monthly basis and report findings and routine maintenance in the Quarterly O&M Status Reports.

## **2.2 INDOOR METHANE MONITORING SYSTEM**

Indoor methane concentrations were monitored by an indoor methane monitoring system equipped with automatic alarm notification via audible signal and phone notification within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. The methane monitoring system was inspected during each monitoring event and the filters were replaced on 18 October 2022. The next filter replacement is scheduled for January 2023.

## **2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING**

Eight indoor air samples and one ambient outdoor air sample were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 18 October 2022.

The samples collected in October 2022 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of VOCs via Method TO-15 Selective Ion Monitoring (SIM). Each summa canister used during this monitoring period was individually certified to ensure that all containers were devoid of residual contamination. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling results.

Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA. Sampling locations for the indoor air samples are illustrated on Figure 3. The 18 October 2022 ambient outdoor air sample was collected upwind (west-southwest) of the school. A data summary table is provided as Appendix B and a copy of the laboratory data report associated with this sampling event is provided in Appendix E.

Two analytes were identified in indoor air above the CT RTACs and RIDEM threshold levels during the 18 October 2022 quarterly sampling event.

Carbon tetrachloride was detected in the gymnasium at a concentration of  $0.55 \mu\text{g}/\text{m}^3$  which exceeds the RIDEM amended threshold value of  $0.5 \mu\text{g}/\text{m}^3$ . Carbon tetrachloride is a documented background ambient compound in the area. The compound has consistently been detected in both indoor and ambient outdoor air during every sampling event completed at the Site at concentrations ranging between  $0.3$  and  $0.95 \mu\text{g}/\text{m}^3$ .

Chloroform was detected in the cafeteria at a concentration of  $0.51 \mu\text{g}/\text{m}^3$  which exceeds the RIDEM amended threshold value of  $0.5 \mu\text{g}/\text{m}^3$ . Chloroform is a common ingredient in, or can form as a byproduct of, cleaning products and some insecticides. It is also a common laboratory contaminant. Insecticides and cleaning chemicals have historically been used at the school, specifically in the kitchen and cafeteria. The detections during the 18 October 2022 sampling event are consistent with historical chloroform detections in the cafeteria and are not believed to be attributable to soil vapor intrusion.

The MDLs for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analysis was performed using the method with the lowest available detection levels (SIM procedure). The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of these analytes have never been detected in indoor air at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not considered significant and do not disqualify the dataset. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable.

## 2.4 SUB-SLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved sub-slab sampling locations are installed at the Site. Six sub-slab samples were collected on the rotating schedule in accordance with the Amended OA and analyzed for VOCs via US EPA Method TO-15 SIM. Two interior sub-slab vapor samples and four exterior sub-slab vapor samples were collected on 18 October 2022. The sub-slab analytical results are presented in Appendix C and a copy of the laboratory data report associated with this sampling event is included in Appendix E. The locations for sub-slab sampling are illustrated on Figure 3.

The sub-slab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period though these variations were within historical ranges and do not constitute an increasing trend.

## 2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, and annually in July thereafter (2010 – 2021) indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Additionally, in October 2014 RIDEM conducted roofline and downwind outdoor air sampling to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust, indicating that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building.

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. Rooftop fan sampling was conducted on 28 July 2022. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or annual emissions were observed. A summary of historical rooftop fan emission data is summarized in Table 1 below.

**Table 1 Annual Rooftop Fan Emissions**

Annual Monitoring Date	Total Emissions <sup>a</sup> (lbs/year)
-	RIDEM Threshold: 50,000 <sup>b</sup>
20 July 2012	3.30
9 July 2013	2.33
1 August 2014	2.49
22 October 2014	1.83
21 July 2015	2.01
20 July 2016	2.34

26 July 2017	1.41
27 July 2018	0.652
29 July 2019	2.15
23 July 2020	0.829
21 July 2021	0.388
28 July 2022	1.24
<sup>a</sup> Sum of all three rooftop fan emissions; emissions based on measured flow speed and EPA Method TO15-SIM air sample analysis <sup>b</sup> RIDEM Air Pollution Control Regulation No. 9 [Amended April 2004] RIDEM = Rhode Island Department of Environmental Management lbs/year = pounds of gas per year	

All emissions are below the RIDEM Air Pollution Control Regulations. Fluctuations in emissions were observed in the 27 July 2018 and 28 July 2022 samples. One possible explanation for this variability may be fluctuating depths to the groundwater table in the vicinity of the school; as the depth to groundwater increases, soil gas emissions to the extraction system are anticipated to decrease due to reduced pressure from the capillary fringe. Full analytical results of rooftop fan sampling are summarized in Appendix D and Quarterly Monitoring Reports No. 1 – No. 60. The next annual rooftop effluent VOC sampling event is scheduled for July 2023.

### 3. CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- Previously eroded areas on the engineered cap were repaired in July 2022 and appear to be in good condition.
- The concrete pads and throwing areas on Parcel C appeared to be in good condition and no signs of cap degradation or erosion were observed.
- The sub-slab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- The use of certified clean summa canisters, as requested by RIDEM, yielded confidence in the samples collected in October 2022. EA will continue to use certified clean canisters in the upcoming sampling events.


#### **4. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT**

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from December 2022 to February 2023:

- Continuous monitoring of the operational status of the three rooftop extraction fans;
- Monthly site inspections and monitoring using a calibrated photoionization detector with part-per-billion sensitivity and a Landtec multi-gas meter;
- Collection of air samples from eight indoor locations, one ambient outdoor location, and six sub-slab monitoring points in January 2023;
- The engineered cap on Parcel B as well as the concrete throwing pads on Parcel C will be inspected during the routine monthly sub-slab inspections and reported in future Quarterly O&M reports;
- Any future landscaping projects and erosion repairs by the City must be conducted in accordance with the site specific Soil Management Plan and the Amended OA to prevent damage to the engineered cap.

These activities will be summarized in the next status report (Quarterly Status Report No. 62), expected to be submitted by the end of March 2023.


# **FIGURES**



ALVAREZ HIGH SCHOOL  
 333 ADELAIDE AVENUE  
 PROVIDENCE, RHODE ISLAND

FIGURE 1  
 SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



METHANE SENSOR CALIBRATION LOCATION  
IN WEST WING; ELECTRICAL ROOM AREA

METHANE SYSTEM CONTROLLER LOCATION;  
ADMINISTRATION WORK ROOM

METHANE SENSOR LOCATION  
(TYP.)

PLC LOCATION IN EAST WING;  
ELECTRICAL ROOM/MAINTENANCE  
OFFICE AREA

PROJECT NORTH



NOTE: NOT TO SCALE




DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. -	FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM - ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 2

**LEGEND :**



- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- ||— SLOTTED 1 INCH PVC PIPING
- ⊕ ROOFTOP FAN LOCATION
- SP-1  
□ SUB-SLAB SUCTION PIT (TYP.)
- - - - - SOLID 4 INCH PVC PIPING




DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT  
SUB SLAB MONITORING AND SAMPLING LOCATIONS  
ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 3



- Legend**
- Area of 12" Soil Cap with Geofabric
  - Supplemental Loam Padding
  - 4" Thick Concrete Pad
  - Temporary Fence



**Figure 4**  
**Gorham Parcel C**  
**Temporary Cap Disturbance**  
Alvarez High School  
Providence, Rhode Island

## **APPENDIX A**

### **O&M Field Forms**



**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 9/23/2022 Performed by: GJ/TC  
 PID/Methane Calibration? yes (yes/no) PID Calibration Result: 10  
 Date of last Methane Sensor Filter Replacement: 7/28/2022 Replaced this O&M Visit? No (yes/no)  
 General Status of SSD System: Functioning properly  
 General Status of Methane Monitoring System: Functioning properly  
 Eng. Cap/Fence Inspection Performed/Notes: Areas that were seeded in June are filling in with grass (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time		End Vac (inches Hg)
Gymnasium	NA	NA	31	0	0	0							
Cafeteria	NA	NA	108	0	0	0							
Kitchen Storage Room	NA	NA	245	0	0	0							
Elevator Hallway	NA	NA	109	0	0	0							
Room 145	NA	NA	28	0	0	0							
Room 152	NA	NA	168	0	0	0							
Room 118	NA	NA	110	0	0	0							
Room 110	NA	NA	150	0	0	0							
MP-1	-0.06	NA	0	NA	0	0							
MP-2	-0.06	NA	0	NA	0	0							
MP-3	-0.07	NA	0	NA	0	0							
MP-4	-0.03	NA	0	NA	0	0							
MP-5	-0.02	NA	0	NA	0	0							
MP-6	-0.05	NA	0	NA	0	0							
MP-7	-0.01	NA	0	NA	0	0							
MP-8	-0.07	NA	0	NA	0	0							
IMP-1	-0.03	NA	0	NA	0	0							
IMP-2	-0.02	NA	>7500	NA	0	0							Cleaning product in subslab point
IMP-3	-0.01	NA	54	NA	0	0							
Roof-Top Fan 1	-2	2244	0	NA	0	0							
Roof-Top Fan 2	-1.8	1890	0	NA	0	0							
Roof-Top Fan 3	-2	1385	0	NA	0	0							
Ambient Outdoor Air	NA	NA	0	NA	0	0							

NA: not applicable.  
 NM: not monitored on this date.  
 NS : not sampled on this date.  
 \* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.  
 If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 10/18/2022

Performed by: GJ/TC

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10

Date of last Methane Sensor Filter

Replacement: 10/18/2022

Replaced this O&M Visit? yes (yes/no)

General Status of SSD System: Functioning properly

General Status of Methane

Monitoring System: Functioning properly

Eng. Cap/Fence Inspection

Performed/Notes: Filled in holes at downspouts with gravel

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	1987	4591	1029	-28	1100	-5	
Cafeteria	NA	NA	0	0	0	0	2442	4588	951	-27	1025	0	
Kitchen Storage Room	NA	NA	0	0	0	0	2455	4725	953	-30	1026	0	
Elevator Hallway	NA	NA	12	0	0	0	2187	4592	943	-29	1013	-1	
Room 145	NA	NA	0	0	0	0	1007	4593	1010	-28	1040	-2.5	
Room 152	NA	NA	345	0	0	0	1720	4594	939	-28	1009	-1	
Room 118	NA	NA	0	0	0	0	1113	4698	946	-30	1017	-2.5	
Room 110	NA	NA	198	0	0	0	2454	4724	947	-27	1018	-1	
MP-1	-0.01	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
MP-2	-0.05	NA	0	NA	0	0	2040	4733	1201	-27.5	1228	0	
MP-3	-0.04	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
MP-4	-0.04	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
MP-5	-0.05	NA	0	NA	0	0	2023	4732	1149	-28	1217	0	
MP-6	-0.03	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
MP-7	-0.05	NA	0	NA	0	0	1881	4730	1145	-28	1215	-5	
MP-8	-0.01	NA	0	NA	0	0	1119	4731	1138	-29	1209	-2.5	
IMP-1	-0.05	NA	0	NA	0	0	1126	4690	1032	-28	1102	-2.5	
IMP-2	-0.06	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
IMP-3	-0.01	NA	0	NA	0	0	1946	4727	1038	-27	1108	-5	
Roof-Top Fan 1	-2.2	NM	0	NA	0	0	NS	NS	NS	NS	NS	NS	
Roof-Top Fan 2	-2	NM	0	NA	0	0	NS	NS	NS	NS	NS	NS	
Roof-Top Fan 3	-2.3	NM	0	NA	0	0	NS	NS	NS	NS	NS	NS	
Ambient Outdoor Air	NA	NA	0	NA	0	0	1822	4598	1133	-28	1205	-1	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 11/22/2022 Performed by: TC  
 PID/Methane Calibration? yes (yes/no) PID Calibration Result: 10  
 Date of last Methane Sensor Filter Replacement: 10/18/2022 Replaced this O&M Visit? no (yes/no)  
 General Status of SSD System: Functioning properly  
 General Status of Methane Monitoring System: Functioning properly  
 Eng. Cap/Fence Inspection Performed/Notes: No visible issues.

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time		End Vac (inches Hg)
Gymnasium	NA	NA	2	0	0	0							
Cafeteria	NA	NA	185	0	0	0							
Kitchen Storage Room	NA	NA	187	0	0	0							
Elevator Hallway	NA	NA	28	0	0	0							
Room 145	NA	NA	63	0	0	0							
Room 152	NA	NA	230	0	0	0							
Room 118	NA	NA	38	0	0	0							
Room 110	NA	NA	437	0	0	0							
MP-1	-0.05	NA	0	NA	0	0							
MP-2	-0.03	NA	0	NA	0	0							
MP-3	0.03	NA	14	NA	0	0							
MP-4	-0.03	NA	0	NA	0	0							
MP-5	-0.03	NA	0	NA	0	0							
MP-6	0	NA	0	NA	0	0							
MP-7	-0.01	NA	0	NA	0	0							
MP-8	-0.02	NA	27	NA	0	0							
IMP-1	-0.03	NA	0	NA	0	0							
IMP-2	0.02	NA	60	NA	0.1	0							
IMP-3	0.01	NA	50	NA	0	0							
Roof-Top Fan 1	-2.1	NM	2	NA	0	0							
Roof-Top Fan 2	-1.8	NM	7	NA	0	0							
Roof-Top Fan 3	-2	NM	0	NA	0	0							
Ambient Outdoor Air	NA	NA	7	NA	0	0							

NA: not applicable.  
 NM: not monitored on this date.  
 NS : not sampled on this date.  
 \* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.  
 If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

## **APPENDIX B**

### **Indoor and Ambient Outdoor Air Analytical Summary**































































































**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - October 2022**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
<p>* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.  ** - Analyzed by Con-Test Analytical Laboratory  <sup>1</sup> Elevated Data is a result of inadvertant cross-contamination at the laboratory, and not resultant from soil vapor intrusion. Media Center/Room 145 was resampled on 28 January 2008 with Tetrachloroethylene concentration not detected by the laboratory (MDL = 0.14 ug/m<sup>3</sup>).  <sup>2</sup> Elevated Tetrachloroethylene and Acetone data detected on 27 March 2008 was determined to be the result of cleaning products (e.g., graffiti remover, stainless steel polish, etc.) introduced to the school in February and March, and not the result of soil vapor intrusion.  <sup>3</sup> All samples collected on 20 April 2016 except for the Kitchen Storage Room, which was collected on 25 April 2016 due to inaccessibility of the room during spring break.  <sup>4</sup> All samples collected on 17 April 2017 except for the Kitchen Storage Room, which was collected on 25 April 2017 due to inaccessibility of the room during spring break.  <sup>A</sup> Summa canister had low pressure upon beginning sample collection, possible interference. Re-sampling effort on 25 April 2008 indicates no exceedences of applicable Acetone and Tetrachloroethylene Action Levels.  <sup>B</sup> Analyte found in associated blank as well as the sample but not expected to affect data due to sample concentration &gt;10x concentration found in blank.  <sup>M</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.  <sup>L</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.  <sup>V</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.  <sup>W</sup> Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.  <sup>E</sup> Estimated result as the result was between the MDL and the RDL.  <sup>I</sup> Initial calibration verification did not meet standard. Reported value is likely to be biased on the high side.  <sup>I</sup> Initial calibration did not meet standard and was biased on the low side. Reported result is estimated.  <sup>D</sup> Elevated method detection limits due to failure of Con-test internal standards. Applies to Ambient Outdoor Air sample.</p> <p>NOTES:  All data presented in micrograms per cubic meter (ug/m<sup>3</sup>).  Two values displayed with a slash indicates dilutions resulting in two different concentrations  U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.  NS = Not sampled.  None = No Draft Proposed CT Residential TAC for this compound.  = exceedance of interim RIDEM-approved action level</p>																								

## **APPENDIX C**

### **Sub-slab Vapor Analytical Summary**



































**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
1,4-Dichlorobenzene	8-Feb-08	1.56		NS		NS		NS		0.26		NS		NS		NS		9.5		7.91		NS		
	27-Mar-08	NS		4.33		NS		NS		NS		8.48		NS		NS		NS		6.28		NS		
	25-Apr-08	NS		NS		0.347		NS		NS		NS		32.3		NS		17.9		NS		NS		
	29-May-08	NS		NS		NS		5.5		NS		NS		NS		10		9.41		4.18		NS		
	27-Jun-08	47.3		NS		NS		NS		38.1		NS		NS		NS		NS		NS		40.8		
	31-Jul-08	NS		2.46		NS		1.84		NS		2.04												
	28-Aug-08	NS		NS		234		NS		NS		NS		214		NS		229		208		NS		
	30-Sep-08	NS		NS		NS		7.2		NS		NS		NS		3	U	NS		6.8		5.6		
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	
	25-Nov-08	NS		3		NS		NS		NS		3	U	NS		NS		3	U	3		NS		
	18-Dec-08	NS		NS		NS		3	U	NS		NS		4.7		NS		NS		NS		10.3		
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	13.9		NS		27.2		
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3		NS		
	26-Mar-09	NS		5.43		NS		*		NS		4.87		NS		NS		NS		20.6		33		
	29-Apr-09	NS		NS		1.2		NS		NS		NS		1.91		NS		4.12		NS		4.25		
	22-Jul-09	0.601	U	NS		24.5		U		1.2	U	0.601		U		NS		0.348		0.613		NS		
	9-Oct-09	NS		3.31		NS		NS		NS		3.44		NS		25.1	U	6.95		NS		3.82		
	15-Jan-10	0.12		NS		1.06		0.715		NS		0.823		NS		NS		2		1.98		NS		
	21-Apr-10	NS		0.12		NS		NS		0.601	U	NS		0.601	U	0.601	U	3.27		NS		2.84		
	16-Jul-10	1.78		NS		2.3		2.86		NS		1.36		NS		NS		1.63		5.05		NS		
	15-Oct-10	NS		0.685		NS		NS		NS		1.75		NS		1.37		1.48		NS		2.47		
	26-Jan-11	1.2	U	NS		NS		0.12		NS		0.601		U		NS		0.601	U	0.601		NS		
	28-Feb-11	NS		NS		1.2		NS		NS		NS		NS										
	27-Apr-11	NS		0.985		NS		NS		1.08		NS		0.967		1.14		1.07		NS		1.24		
	26-Jul-11	5.45		NS		5.21		0.715		NS		5.26		NS		NS		5.54		NS		4.69		
	28-Oct-11	NS		3		NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U	
	23-Jan-12	0.6	U	NS		0.6		NS		0.6	U	NS		NS		NS		0.6	U	0.66		NS		
	13-Apr-12	NS		0.6		NS		NS		0.6	U	NS		0.6	U	NS		0.6	U	NS		0.6	U	
	2-Jul-12 (resample)	NS		NS		3		NS																
	23-Jun-12	0.6	U	NS		0.6		NS		0.6	U	NS		NS		NS		0.6	U	0.6		NS		
	1-Nov-12	NS		0.12		NS		NS		NS		0.12		NS		0.12	U	0.12	U	NS		0.12	U	
	1-Feb-13	0.12	U	NS		0.12		NS		0.4		NS		0.12		NS		0.12	U	0.12		NS		
	29-Apr-13	NS		0.3		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U	NS		0.12	U	
	9-Jul-13	0.18	U	NS		0.14		0.16		NS		0.18		NS		NS		0.18		0.22		NS		
	18-Oct-13	NS		0.12		NS		NS		NS		0.12		NS		0.12	U	0.12	U	NS		0.12	U	
	9-Jan-14	0.12	U	NS		0.12		NS		NS		0.12		NS		NS		0.14		NS		0.12	U	
	24-Apr-14	NS		0.12		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U	0.12		NS		
	1-Aug-14	0.12	U	NS		0.18		NS		0.12	U	0.12		NS										
	27-Aug-14	NS		0.12		NS		NS		NS		NS		NS										
	12-Sept-14 (resample)	NS		NS		NS		NS																
	22-Oct-14	NS		0.18		NS		NS		0.18	U	0.18		U		0.18	U	0.18	U	0.24		NS		
	20-Jan-15	0.12	U	NS		0.120		NS		0.12	U	NS		NS		NS		0.18	U	0.13		NS		
	30-Mar-15 (resample)	NS		NS		0.14		NS																
	22-Apr-15	NS		0.12		NS		NS		0.12	U	NS		NS		0.12	U	0.17	U	NS		0.14	U	
	21-Jul-15	0.3	U	NS		1		6	U	NS		0.3		NS		NS		0.3 <sup>v</sup>	U	0.3 <sup>v</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS																
	29-Oct-15	NS		0.3		NS		NS		0.3	U	NS		NS		0.5	U	NS		0.3		NS		
	4-Dec-15 resample	NS		0.3		NS		NS		NS		NS												
	27-Jan-16	0.12	U	NS		0.12		NS		0.12	U	NS		NS		NS		0.12	U	0.13		NS		
	20-Apr-16	NS		0.12		NS		NS		0.52		NS		0.12		NS		0.12	U	NS		0.12	U	
20-Jul-16	0.60	U	NS		0.60		0.60		NS		0.60		NS		NS		0.60	U	0.60		NS			
21-Oct-16	NS		0.12		NS		NS		NS		0.12		NS		0.12	U	NS		NS		0.12	U		
31-Jan-17	0.12	U	NS		0.12		NS		NS		0.12		NS		NS		0.12	U	NS		0.12	U		
17-Apr-17	NS		0.18		NS		NS		0.18		NS		NS		0.18	U	0.18	U	NS		0.18	U		
26-Jul-17	0.12	U	NS		1.8		0.12		NS		NS		NS		NS		0.12	U	NS		NS			
12-Oct-17	NS		0.12		NS		NS		0.12	U	NS		NS		0.36	U	0.37	U	NS		0.3	U		
10-Jan-18	0.12	U	NS		0.12		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U		
11-Apr-18	NS		NS		NS		NS		1.2	U	NS		1.2	U	NS		1.2	U	NS		1.2	U		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.18		NS			
27-Jul-18	0.60	U	NS		0.60		0.60		NS		0.60		NS		NS		NS		0.60		NS			
24-Oct-18	NS		0.6		NS		NS		0.6	U	NS		0.6	U	NS		0.6	U	NS		0.6	U		
16-Jan-19	0.12	U	NS		0.12		NS		NS		0.12		NS		NS		NS		0.12		NS			
12-Apr-19	NS		0.12		NS		NS		0.12	U	NS		NS		0.15	U	0.18	U	NS		0.18	U		
29-Jul-19	0.18	U	NS		0.18		NS		NS		0.12		NS		NS		NS		0.12		NS			
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.18	U		
29-Oct-19	NS		0.12		NS		NS		0.29		NS		0.12	U	NS		0.6 <sup>d</sup>	U	0.6 <sup>d</sup>		NS			
21-Jan-20	0.12	U	NS		0.12		NS		NS		0.12		NS		NS		0.12	U	0.12		NS			
22-Apr-20	NS		0.12		NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U		
23-Jul-20	0.12	U	NS		NS		NS		0.24		NS		NS		NS		0.24	U	NS		0.24	U		
29-Oct-20	NS		0.12		NS		NS		0.12	U	NS		NS		0.12	U	0.12	U	NS		0.12	U		
19-Jan-21	0.12	U	NS		0.12		NS		NS		0.12		NS		NS		0.12	U	0.18 <sup>f</sup>		NS			
15-Apr-21	NS		NS		NS		NS		0.12	U	NS													

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Dichlorodifluoromethane	8-Feb-08	2		NS		NS		NS		2.03		NS		NS		NS		1.92		2	
	27-Mar-08	NS		2.29		NS		NS		NS		2.15		NS		NS		NS		2.72		4.14	
	25-Apr-08	NS		NS		2.01		NS		NS		NS		2.11		NS		2.04		NS		2.16	
	29-May-08	NS		NS		NS		1.63		NS		NS		NS		1.62		1.68		1.66		NS	
	27-Jun-08	2.03		NS		NS		NS		2.52		NS		NS		NS		NS		2.27		2.48	
	31-Jul-08	NS		1.9		NS		NS		NS		NS		NS		NS		1.81		NS		1.87	
	28-Aug-08	NS		NS		3.13		NS		NS		NS		2.8		NS		2.75		2.88		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5		2.7	
	27-Oct-08	2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		215		NS		NS		NS		11.7		NS		NS		2.5	U	5.1		NS	
	18-Dec-08	NS		NS		25		NS		NS		NS		2.5	U	NS		NS		2.5		2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		5.8		2.5	U	NS		2.5	U
	25-Feb-09	2.5	U	NS		NS		NS		19.4		NS		NS		NS		2.5	U	3.4		NS	
	26-Mar-09	NS		2.55		NS		NS		NS		2.48		NS		NS		NS		2.46		2.41	
	29-Apr-09	NS		NS		2.41		NS		NS		NS		3.78		NS		2.26		NS		2.4	
	22-Jul-09	2.42		NS		2.42		2.72		NS		2.5		NS		NS		2.37		2.48		NS	
	9-Oct-09	NS		2.73		NS		NS		2.77		NS		3.67		51.6	U	2.64		NS		2.79	
	15-Jan-10	2.5		NS		3.57		2.52		NS		2.61		NS		NS		2.29		2.25		NS	
	21-Apr-10	NS		0.568		NS		NS		2.2		NS		2.59		2.2		2.64		NS		2.43	
	16-Jul-10	3.36		NS		2.61		2.55		NS		2.98		NS		NS		3.15		3.29		NS	
	15-Oct-10	NS		3.13		NS		NS		2.67		NS		2.43		2.41		2.46		NS		2.43	
	26-Jan-11	2.47	U	NS		NS		2.64		NS		1.98		NS		2.57		3.31		NS		3.24	
	28-Feb-11	NS		NS		2.47	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.18		NS		NS		2.27		NS		2.26		2.5		2.32		NS		2.31	
	26-Jul-11	2.41		NS		2.29		2.28		NS		2.08		NS		NS		2.44		NS		2.3	
	28-Oct-11	NS		2.7		NS		NS		2.7		NS		2.7		2.7		2.9		NS		3.1	
	23-Jan-12	2.5		NS		2.6		2.6		NS		2.7		NS		2.7		2.6		NS		2.6	
	13-Apr-12	NS		2.5		NS		NS		2.9		NS		2.4		3.2		2.5		NS		2.8	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	23-Jun-12	2.6		NS		2.3		2.5		NS		2.3		NS		NS		2.3		NS		2.3	
	1-Nov-12	NS		1.8		NS		NS		1.8		NS		2		1.9		2		NS		1.9	
	1-Feb-13	1.4		NS		1.4		1.5		NS		1.6		NS		NS		1.6		1.6		NS	
	29-Apr-13	NS		2.6		NS		NS		2.3		NS		2.2		NS		2.2		NS		2.3	
	9-Jul-13	1		NS		1.1		0.99		NS		1.1		NS		NS		1.0		1.1		NS	
	18-Oct-13	NS		2.0		NS		NS		1.9		NS		1.9		2.2		2.0		NS		2.1	
	9-Jan-14	1.5		NS		1.2		NS		1.3		NS		1.4		NS		1.5		NS		1.5	
	24-Apr-14	NS		2.7		NS		NS		2.6		NS		2.3		2.6		2.7		2.6		3.1	
	1-Aug-14	1.1		NS		2.2/1.5		2.3/1.6		NS		NS		NS		NS		1.6		2.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9/3.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		2.3		NS		NS		NS	
	22-Oct-14	NS		1.3		NS		NS		1.4		1.4		1.4		1.6		1.4		1.4		NS	
	20-Jan-15	0.099	U	NS		1.5		1.4		NS		1.4		NS		NS		1.4		1.5		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	22-Apr-15	NS		4.0 <sup>v</sup>		NS		NS		4.1 <sup>v</sup>		NS		1.8		1.7/2.0		1.8		NS		2.0	
	21-Jul-15	0.88		NS		1.6		5	U	NS		0.91		NS		NS		0.74 <sup>v</sup>		0.72 <sup>v</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.93		NS		NS		NS	
	29-Oct-15	NS		1		NS		NS		0.89		NS		0.88		NS		0.83		NS		0.84	
	4-Dec-15 resample	NS		0.91		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2 <sup>m</sup>		NS		2 <sup>m</sup>		2.1 <sup>m</sup>		NS		2.1 <sup>m</sup>		NS		NS		2.2 <sup>m</sup>		2.1 <sup>m</sup>		NS	
	20-Apr-16	NS		1.5		NS		NS		1.6		NS		1.5		1.7		1.6		NS		1.7	
	20-Jul-16	1.4		NS		1.6		1.6		NS		1.6		NS		NS		1.5		NS		NS	
	21-Oct-16	NS		0.55		NS		NS		0.55		NS		0.58		0.56		0.51		NS		0.51	
	31-Jan-17	0.75		NS		0.79		0.8		NS		0.75		NS		NS		0.78		0.86		NS	
	17-Apr-17	NS		0.84		NS		NS		0.89		NS		0.91		0.96		0.86		NS		0.93	
	26-Jul-17	1.8		NS		1.8		NS		NS		1.7		NS		NS		1.8		NS		1.8	
	12-Oct-17	NS		0.82		NS		NS		0.73		NS		1.3		1.2		1.4		NS		1.2	
	10-Jan-18	0.66		NS		0.67		0.65		NS		0.63		NS		NS		0.63		NS		0.63	
	11-Apr-18	NS		1.2		NS		NS		2.8		NS		2.7		NS		2.7		NS		2.7	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jul-18	1.6		NS		1.7		1.6		NS		1.5		NS		NS		1.4		NS		NS	
	24-Oct-18	NS		1.7		NS		NS		1.2		NS		1.1		1.1		1.3		NS		1.2	
	16-Jan-19	0.75		NS		0.78		NS		0.75		NS		0.8		NS		0.79		NS		NS	
	12-Apr-19	NS		0.84 <sup>v</sup>		NS		NS		0.83 <sup>v</sup>		NS		0.86 <sup>v</sup>		0.79		0.8		NS		1.1	
	29-Jul-19	0.15	U	NS		0.15	U	0.099	U	NS		0.099	U	NS		NS		0.099	U	0.099	U	NS	
	26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-19	NS		1.5		NS		NS		1.8		NS		1.6		2.6 <sup>u</sup>		3.4 <sup>u</sup>		2.8 <sup>u</sup>		NS	
	21-Jan-20	2.40		NS		2.40		0.10	U	NS		2.60		NS		NS		0.73		NS		NS	
	22-Apr-20	NS		1.2		NS		NS		1.1		NS		1.1		1.1		1.1		NS		1.3	
	23-Jul-20	0.099	U	NS		1.1		NS		0.2		NS		NS		NS		2.6		NS		NS	
	29-Oct-20	NS		0.099	U	NS		NS		0.099	U	NS		0.099	U	0.099	U	0.099		NS		0.099	U
	19-Jan-21	0.91		NS		0.99		0.099	U	NS		0.96		NS									

**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1-Dichloroethane	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.081	U	NS		NS		NS		0.081	U	0.081	U
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.081	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		NS	
	27-Jun-08	0.126	U	NS		NS		NS		0.081	U	NS		NS		NS		NS		0.081	U	0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	0.081	U	NS	
	27-Oct-08	NS		NS		NS		2	U	NS		NS		NS		NS		2	U	2	U	NS	
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.081	U	0.081	U
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.081	U	NS		0.121		NS		0.081	U
	22-Jul-09	0.404	U	NS		16.5	U	0.801	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.137	U	NS		0.081	U	0.801	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	
	21-Apr-10	NS		NS		0.081	U	NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.081	U	NS		2.48		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		7.37	U	NS		0.404	U	0.404	U	0.404	U	NS	
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jul-11	0.27	U	NS		0.27	U	0.081	U	NS		0.405	U	NS		NS		0.081	U	0.081	U	0.405	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jul-13	0.061	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.081	U	NS		0.081	U	NS		0.081	U	NS		0.081	U	NS		0.081	U
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.04	U	0.12	U
	1-Aug-14	0.081	U	NS		0.280		0.120	U	NS		NS		NS		NS		0.081	U	0.081	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS		NS	
	22-Oct-14	NS		0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081	U
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.061	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U
	22-Apr-15	NS		0.041 <sup>v</sup>	U	NS		NS		0.04 <sup>v</sup>	U	NS		0.04	U	0.059	U	0.040	U	NS		0.040	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 <sup>v</sup>	U	0.200 <sup>v</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	NS		0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.044		0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
20-Jul-16	0.20	U	NS		0.37		0.20	U	NS		0.51		NS		NS		0.20	U	0.20	U	NS		
21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.24	U	
31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		
17-Apr-17	NS		0.061	U	NS		NS		0.061	U	NS		0.061	U	0.061	U	0.061	U	NS		0.061	U	
26-Jul-17	0.04	U	NS		0.2		0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	
12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.1	U	0.11	U	NS		0.1	U	
10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	
11-Apr-18	NS		0.081	U	NS		NS		0.81	U	NS		0.81	U	0.81	U	0.081	U	NS		0.81	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		
27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS		
24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	NS		0.20	U	NS		0.2	U	
16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	
12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		0.051	U	0.061	U	0.061	U	NS		0.061	U	
29-Jul-19	0.061	U	NS		0.24		0.04	U	NS		0.13		NS		NS		0.04	U	1.1		NS		
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		
29-Oct-19	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	
21-Jan-20	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		
22-Apr-20	NS		0.04	U	NS		NS		0.04	U	NS		0.04										

Summary of Subslab Air Sampling Data  
 Alvarez School  
 Volatile Organic Compounds  
 February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
1,2-Dichloroethane	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.09		0.08	U	NS			
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.143		NS		NS		NS		0.081	U	0.1			
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089			
	29-May-08	NS		NS		NS		0.09		NS		NS		NS		0.11		0.08	U	0.08	U	NS			
	27-Jun-08	0.126	U	NS		NS		NS		0.153		NS		NS		NS		NS		0.11		0.081	U		
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U		
	28-Aug-08	NS		NS		0.171		NS		NS		NS		NS		NS		NS		0.081	U	0.081	U		
	27-Oct-08	NS		NS		NS		0.08	U	NS		NS		NS		NS		0.08	U	NS		0.08	U		
	27-Oct-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		NS		0.08	U	NS		0.095	
	25-Nov-08	NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	18-Dec-08	NS		NS		0.08	U	NS		NS		NS		NS		NS		NS		NS		0.08	U	0.08	U
	21-Jan-09	NS		NS		NS		0.08	U	NS		NS		NS		NS		NS		0.08	U	NS		0.08	U
	25-Feb-09	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		NS		0.08	U	0.08	U	NS	
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		NS		0.098		0.133	
	29-Apr-09	NS		NS		0.319		NS		NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	22-Jul-09	0.404	U	NS		16.5	U	0.809	U	NS		NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	
	9-Oct-09	NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.081	U	NS		0.081	U	0.081	U	NS		0.081	U	NS		NS		NS		0.081	U	0.081	U	NS	
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.101		NS		1.44		0.081	U	NS		NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	
	15-Oct-10	NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		0.404	U	NS		0.404	U	NS		0.404	U	0.404	U	NS	
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	NS		0.081	U
	26-Jul-11	0.27	U	NS		0.27	U	0.101		NS		0.405	U	NS		NS		NS		0.081	U	0.405	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.2	U	NS		0.2	U	NS		0.2	U	NS		0.2	U	NS		NS		0.2	U	0.97		NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	NS		0.4	U	NS		NS		NS		NS		0.4	U	NS		NS	
	1-Nov-12	NS		0.04	U	NS		NS		NS		0.04	U	NS		NS		NS		0.04	U	NS		0.057	
	1-Feb-13	0.053		NS		0.062		0.062		NS		0.05		NS		NS		NS		0.066		0.049		NS	
	29-Apr-13	NS		0.19		NS		NS		0.06		NS		NS		0.04	U	NS		0.081		NS		0.094	
	9-Jul-13	0.12	U	NS		0.081	U	0.081		NS		0.081	U	NS		NS		NS		0.092	U	0.081	U	NS	
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.040	U	NS		0.040	U	NS		NS		NS		NS		0.081	U	0.040	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.04	U	0.04	U	0.04	U	0.040	U	0.073	
	1-Aug-14	0.040	U	NS		0.170		0.061	U	NS		NS		NS		NS		NS		0.04	U	0.040	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS		NS	
	22-Oct-14			0.061	U	NS		NS		0.061	U	NS		0.061	U	0.061	U	NS		0.061	U	0.061	U	0.081	U
	20-Jan-15	0.040	U	NS		0.040	U	NS		NS		0.040	U	NS		NS		NS		0.061	U	0.100		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS	
	22-Apr-15	NS		0.17 <sup>v</sup>		NS		NS		0.087 <sup>v</sup>		NS		NS		0.04	U	0.059	U	0.040	U	NS		0.047	U
	21-Jul-15	0.140 <sup>+</sup>		NS		0.8	U	4	U	NS		NS		0.2	U	NS		NS		0.200 <sup>v</sup>		0.86 <sup>v</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		NS		0.3	U	NS		0.2	U	NS		0.18 <sup>+</sup>	
4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.04	U	NS		0.057		NS		0.042		NS		0.049		NS		NS		0.065		0.05		NS		
20-Apr-16	NS		0.053		NS		NS		0.040	U	NS		NS		0.040	U	0.049	U	NS		0.058		NS		
20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.28		NS		NS		NS		0.21		0.20	U	NS		
21-Oct-16	NS		0.086		NS		NS		0.04	U	NS		NS		0.04	U	0.045	U	0.04	U	NS		0.052		
31-Jan-17	0.04	U	NS		0.078		0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	0.04	U	NS		
17-Apr-17	NS		0.061	U	NS		NS		0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	NS		0.061	U	
26-Jul-17	0.04	U	NS		0.04	U	NS		0.04	U	NS		NS		NS		NS		0.04	U	NS		0.04	U	
12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.12	U	0.23		0.11	U	NS		0.1	U	
10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	NS		0.04	U	
11-Apr-18	NS		0.081	U	NS		NS		0.81 <sup>p</sup>	U	NS		NS		0.81 <sup>p</sup>	U	0.81 <sup>p</sup>	U	0.087		NS		0.81 <sup>p</sup>	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		
27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		NS		0.20	U	0.20	U	NS		
24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		NS		0.2	U	NS		0.20	U	NS		0.2	U	
16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	NS		NS		
12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.051	U	0.061	U	0.061	U	NS		0.061	U	
29-Jul-19	0.061	U	NS		0.061	U	0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	0.04	U	NS		
26-Sep-19																									

Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		8-Feb-08	0.08	U	NS	NS	NS	NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U
27-Mar-08	NS		0.079	NS	U	NS	NS	NS	NS	NS	NS	0.079	U	NS	NS	NS	NS	NS	U	0.079	U	0.079	U
25-Apr-08	NS		NS	NS		0.079	U	NS	NS	NS	NS	NS	NS	0.079	U	NS	NS	0.079	U	NS	U	0.079	U
29-May-08	NS		NS	NS		NS		0.08	U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	NS	U	NS	U
27-Jun-08	0.123	U	NS	NS		NS		NS		0.079	U	NS	NS	NS	NS	NS	NS	NS	U	0.079	U	0.079	U
31-Jul-08	NS		0.079	NS	U	NS		NS		NS		NS	NS	NS	NS	NS	NS	0.079	U	NS	U	0.079	U
28-Aug-08	NS		NS	NS		0.079	U	NS		NS		NS	NS	0.079	U	NS	NS	0.079	U	0.079	U	NS	U
30-Sep-08	NS		NS	NS		NS		2	U	NS		NS	NS	NS	NS	2	U	NS	U	2	U	2	U
27-Oct-08	2	U	NS	NS		NS		NS		2	U	NS	NS	NS	NS	NS	2	U	NS	U	2	U	U
25-Nov-08	NS		2	NS	U	NS		NS		NS		2	U	NS	NS	NS	2	U	2	U	2	U	NS
18-Dec-08	NS		NS	NS		2	U	NS		NS		NS	NS	2	U	NS	NS	NS	U	2	U	2	U
21-Jan-09	NS		NS	NS		NS		2	U	NS		NS	NS	NS	NS	2	U	2	U	NS	U	2	U
25-Feb-09	2	U	NS	NS		NS		2	U	NS		NS	NS	NS	NS	NS	2	U	2	U	2	U	NS
26-Mar-09	NS		0.396	NS	U	NS		NS		NS		0.792	U	NS	NS	NS	NS	NS	U	0.079	U	0.079	U
29-Apr-09	NS		NS	NS		0.079	U	NS		NS		NS	NS	0.079	U	NS	NS	0.079	U	NS	U	0.079	U
22-Jul-09	0.396	U	NS	NS		16.2	U	0.792	U	NS		0.396	U	NS	NS	NS	NS	0.079	U	0.079	U	NS	U
9-Oct-09	NS		0.079	NS	U	NS		NS		0.079	U	NS	NS	0.079	U	16.5	U	0.079	U	NS	U	0.079	U
15-Jan-10	0.137	U	NS	NS		0.079	U	0.079	U	NS		0.079	U	NS	NS	NS	NS	0.079	U	0.079	U	NS	U
21-Apr-10	NS		0.079	NS	U	NS		NS		0.396	U	NS	NS	0.396	U	0.396	U	0.079	U	NS	U	0.079	U
16-Jul-10	0.079	U	NS	NS		0.206		0.079	U	NS		0.598	U	NS	NS	NS	NS	0.079	U	0.079	U	NS	U
15-Oct-10	NS		0.079	NS	U	NS		NS		0.079	U	NS	NS	0.079	U	0.079	U	0.079	U	NS	U	0.079	U
26-Jan-11	0.792	U	0.079	NS	U	NS		0.079	U	NS		0.396	U	NS	NS	3.96	U	0.396	U	0.396	U	NS	U
28-Feb-11	NS		NS	NS		0.792	U	NS		NS		NS	NS	NS	NS	NS	NS	NS	U	NS	U	NS	U
27-Apr-11	NS		0.079	NS	U	NS		NS		0.079	U	NS	NS	0.079	U	0.079	U	0.079	U	NS	U	0.079	U
26-Jul-11	0.264	U	NS	NS		0.264	U	0.079	U	NS		0.396	U	NS	NS	NS	NS	0.079	U	0.396	U	NS	U
28-Oct-11	NS		2	NS	U	NS		NS		2	U	NS	NS	2	U	2	U	2	U	NS	U	2	U
23-Jan-12	0.4	U	NS	NS		0.4	U	0.4	U	NS		0.4	U	NS	NS	NS	NS	0.4	U	0.4	U	NS	U
13-Apr-12	NS		0.2	NS	U	NS		NS		0.2	U	NS	NS	0.2	U	0.2	U	0.2	U	NS	U	0.2	U
2-Jul-12 (resample)	NS		NS	NS		NS		NS		NS		NS	NS	NS	NS	NS	NS	NS	U	0.99	U	NS	U
23-Jun-12	0.4	U	NS	NS		0.4	U	0.4	U	NS		0.4	U	NS	NS	NS	NS	0.4	U	0.4	U	NS	U
1-Nov-12	NS		0.04	NS	U	NS		NS		0.04	U	NS	NS	0.04	U	0.04	U	0.040	U	NS	U	0.04	U
1-Feb-13	0.04	U	NS	NS		0.04	U	0.04	U	NS		0.04	U	NS	NS	NS	NS	0.040	U	0.040	U	NS	U
29-Apr-13	NS		0.099	NS	U	NS		NS		0.04	U	NS	NS	0.04	U	0.04	U	0.040	U	NS	U	0.04	U
9-Jul-13	0.059	U	NS	NS		0.040	U	0.040	U	NS		0.040	U	NS	NS	NS	NS	0.040	U	0.040	U	NS	U
18-Oct-13	NS		0.079	NS	U	NS		NS		0.079	U	NS	NS	0.079	U	0.079	U	0.079	U	NS	U	0.079	U
9-Jan-14	0.079	U	NS	NS		0.081	U	0.079	U	NS		0.079	U	NS	NS	NS	NS	0.079	U	0.079	U	NS	U
24-Apr-14	NS		0.04	NS	U	NS		NS		0.04	U	NS	NS	0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
1-Aug-14	0.079	U	NS	NS		0.120	U	0.420	U	NS		NS	U	NS	NS	NS	NS	0.079	U	0.079	U	NS	U
27-Aug-14	NS		NS	NS		NS		NS		NS		0.040	U	NS	NS	NS	NS	NS	U	NS	U	NS	U
12-Sept-14 (resample)	NS		NS	NS		NS		NS		NS		NS	NS	NS	NS	0.059	U	NS	U	NS	U	NS	U
22-Oct-14	NS		0.059	NS	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	NS	U
20-Jan-15	0.04	U	NS	NS		0.040	U	0.040	U	NS		0.040	U	NS	NS	NS	NS	0.059	U	0.040	U	NS	U
30-Mar-15 (resample)	NS		NS	NS		NS		NS		NS		NS	NS	NS	NS	NS	NS	NS	U	0.045	U	NS	U
22-Apr-15	NS		0.041 <sup>v</sup>	NS	U	NS		NS		0.040 <sup>v</sup>	U	NS	NS	0.04	U	0.057	U	0.040	U	NS	U	0.046	U
21-Jul-15	0.2	U	NS	NS		0.8	U	4	U	NS		0.2	U	NS	NS	NS	NS	0.200 <sup>v</sup>	U	0.200 <sup>v</sup>	U	NS	U
23-Sept-15 resample	NS		NS	NS		NS		NS		NS		NS	NS	NS	NS	0.2	U	NS	U	NS	U	NS	U
29-Oct-15	NS		0.2	NS	U	NS		NS		0.2	U	NS	NS	0.3	U	NS	U	0.2	U	NS	U	0.46	U
4-Dec-15 resample	NS		0.2	NS	U	NS		NS		NS		NS	NS	NS	NS	NS	NS	NS	U	NS	U	NS	U
27-Jan-16	0.04	U	NS	NS		0.04	U	0.04	U	NS		0.04	U	NS	NS	NS	NS	0.04	U	0.04	U	NS	U
20-Apr-16	NS		0.040	NS	U	NS		NS		0.040	U	NS	NS	0.040	U	0.040	U	0.040	U	NS	U	0.040	U
20-Jul-16	0.20	U	NS	NS		0.21		0.20	U	NS		0.24	NS	NS	NS	NS	NS	0.24	U	0.21	U	NS	U
21-Oct-16	NS		0.04	NS	U	NS		NS		0.04	U	NS	NS	0.04	U	0.04	U	0.04	U	NS	U	0.63	U
31-Jan-17	0.04	U	NS	NS		0.04	U	0.04	U	NS		0.04	U	NS	NS	NS	NS	0.04	U	0.04	U	NS	U
17-Apr-17	NS		0.059	NS	U	NS		NS		0.059	U	NS	NS	0.059	U	0.059	U	0.059	U	NS	U	0.059	U
26-Jul-17	0.04	U	NS	NS		0.04	U	NS		0.04	U	NS	NS	0.04	U	NS	NS	0.04	U	NS	U	0.04	U
12-Oct-17	NS		0.04	NS	U	NS		NS		0.04	U	NS	NS	0.12	U	0.099	U	0.11	U	NS	U	0.099	U
10-Jan-18	0.04	U	NS	NS		0.04	U	0.04	U	NS		0.04	U	NS	NS	NS	NS	0.04	U	NS	U	0.04	U
11-Apr-18	NS		0.079	NS	U	NS		NS		0.79	U	NS	NS	0.79	U	0.79	U	0.079	U	NS	U	0.79	U
23-May-18	NS		NS	NS		NS		NS		NS		NS	NS	NS	NS	NS	NS	NS	U	0.059	U	NS	U
27-Jul-18	0.20	U	NS	NS		0.20	U	0.20	U	NS		0.20	U	NS	NS	NS	NS	0.20	U	0.20	U	NS	U
24-Oct-18	NS		0.2	NS	U	NS		NS		0.2	U	NS	NS	0.2	U	NS	U	0.20	U	NS	U	0.2	U
16-Jan-19	0.04	U	NS	NS		0.04	U	0.04	U	NS		0.04	U	NS	NS	NS	NS	0.04	U	0.04	U	NS	U
12-Apr-19	NS		0.04	NS	U	NS		NS		0.04	U	NS	NS	0.05	U	0.059	U	0.059	U	NS	U	0.059	U
29-Jul-19	0.059	U	NS	NS		0.059	U	0.04	U	NS		0.04	U	NS	NS	NS	NS	0.04	U	1.1	U	NS	U
26-Sep-19	NS		NS	NS		NS		NS		NS		NS	NS	NS	NS	NS	NS	NS	U	0.059	U	NS	U
29-Oct-19	NS		0.04	NS	U	NS		NS		0.04	U	NS	NS	0.04	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U
21-Jan-20	0.04	U	NS	NS		0.04	U	0.04	U	NS		0.04	U	NS	NS	NS	NS	0.04	U	0.04	U	NS	U
22-Apr-20	NS		0.04	NS	U	NS		NS		0.04	U	NS	NS	0.04	U	0.04	U	0.04	U	NS	U	0.04	U
23-Jul-20	0.04	U	NS	NS		0.04	U	0.04	U	NS		0.079	U	NS	NS	NS	NS	0.079	U	0.079	U	NS	U
29-Oct-20	NS		0.04	NS	U	NS		NS		0.04	U	NS	NS	0.04	U	0.04	U	0.04	U	NS	U	0.04	U
19-Jan-21	0.04	U	NS	NS		0.04	U	0.04	U	NS		0.04	U	NS	NS	NS	NS	0.04	U	0.059 <sup>f</sup>	U	NS	U
15-Apr-21	NS		NS	NS	U	NS		NS		0.04	U	NS	NS	0.04	U	0.04	U	0.04	U	NS	U	0.04	U
21-Jul-21	0.079	U	NS	NS		0.079	U	0.079	U	NS		0.079	U	NS	NS	NS	NS	0.079	U	0.079	U		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08		NS		NS		NS		0.08	U	0.08	U	NS		NS	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	
	30-Sep-08	NS		NS		NS		5.9	U	NS		NS		NS		NS	U	NS		5.9	U	5.9	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2		NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2		NS	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		595		0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		0.396	U	0.396	U	0.396	U	NS	
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.53		NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.04	U	NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.054		NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.079	U	NS		0.079	U	NS		0.079	U	NS		0.079	U	0.079	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.120	U	NS		NS		NS		NS		0.079	U	0.079	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS		NS	
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	NS	
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS	
	22-Apr-15	NS		0.041 <sup>v</sup>	U	NS		NS		0.040 <sup>v</sup>	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.11 <sup>u,v</sup>		1.700 <sup>u</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.27	U	NS		0.4		NS		0.31	U	NS		2.7	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.2	U	NS		NS		0.21	U	0.20	U	NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.07		NS	
	17-Apr-17	NS		0.059	U	NS		NS		0.059	U	NS		0.059	U	0.059	U	0.059	U	NS		0.059	U
	26-Jul-17	0.04	U	NS		0.04	U	NS		0.04	U	NS		0.04	U	NS		NS		0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.099	U	0.11	U	NS		0.099	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.079	U	NS		NS		0.79	U	NS		0.79	U	NS		0.79	U	NS		0.79	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	NS		0.20	U	NS		0.2	U
	16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		0.05	U	0.059	U	0.059	U	NS		0.059	U
	29-Jul-19	0.059	U	NS		0.059	U	0.071	U	NS		0.062		NS		NS		0.059	U	1.1		NS	
	26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	29-Oct-19	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U
	21-Jan-20	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	22-Apr-20	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	23-Jul-20	0.04	U	NS		0.04	U	NS		0.04	U	NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-Oct-20	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	19-Jan-21	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.059 <sup>f</sup>	U	NS	
	15-Apr-21	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	21-Jul-21	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Oct-21	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	9-Feb-22	0.04	U	NS		0.04	U	NS		0.04	U	NS		0.04	U	NS		0.04	U	0.04	U	NS	
	7-Apr-22	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	28-Jul-22	0.04	U	NS		0.04	U	0															

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
trans-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U	
	25-Apr-08	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U	
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		NS		
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	NS		
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U	
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS		
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U	
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	
	25-Nov-08	NS		2	U	NS		NS		2	U	NS		NS		NS		2	U	2	U	2	U	
	18-Dec-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U	
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U	
	25-Feb-09	2	U	NS		NS		2	U	NS		NS		NS		NS		2	U	2	U	NS		
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U	
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U	
	22-Jul-09	0.396	U	NS		0.396	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS		
	9-Oct-09	NS		0.079	U	NS		NS		NS		0.079		NS		0.079	U	16.5	U	0.079	U	NS		
	15-Jan-10	0.079		NS		0.079		0.079		NS		0.079		NS		NS		NS		0.079	U	0.079	U	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		NS		3.96	U	0.079	U	NS		NS		
	16-Jul-10	0.079	U	NS		0.079	U	0.079	U	NS		NS		0.598	U	NS		NS		0.079	U	0.079	U	
	15-Oct-10	NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS		NS		
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.36	U	NS		0.396	U	0.396	U	0.396	U	0.396	U	NS
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		NS		
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		NS		0.079	U	0.396	U	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U	
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		NS		NS		NS		NS		0.4	U	NS		
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		NS		0.2	U	0.2	U	NS		NS		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS		
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		NS		NS		NS		NS		0.4	U	NS		
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		NS		
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	NS		
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		NS		
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		NS		0.040	U	NS		
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		NS		0.079	U	0.079	U	NS		NS		
	9-Jan-14	0.079	U	NS		0.079	U	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.04	U	0.04	U	0.040	U	0.040	U	
	1-Aug-14	0.079	U	NS		0.120	U	0.120	U	NS		NS		NS		NS		NS		0.079	U	0.079	U	
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	NS		0.059	U	NS		NS		0.059	U	NS		
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		NS		0.059	U	0.040	U	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	22-Apr-15	NS		0.041 <sup>v</sup>	U	NS		NS		0.040 <sup>v</sup>	U	NS		NS		0.04	U	0.057	U	0.040	U	NS		
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		NS		0.200 <sup>v</sup>	U	2.000 <sup>v</sup>	U	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		NS		0.3	U	NS		0.2	U	NS		
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	0.04	U	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	NS		0.040	U	NS		NS		
20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.21	U	NS		NS		NS		0.20	U	0.2	U		
21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		NS			
31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	0.14	U		
17-Apr-17	NS		0.071	U	NS		NS		0.079	U	NS		NS		0.059	U	0.086	U	0.059	U	NS			
26-Jul-17	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		NS		NS		0.04	U	NS			
12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.12	U	0.099	U	0.11	U	NS			
10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		NS		NS		NS		NS		0.04	U	NS			
11-Apr-18	NS		0.079	U	NS		NS		0.79	U	NS		NS		0.79	U	0.79	U	NS		NS			
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U		
27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		NS		0.20	U	NS			
24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		NS		0.2	U	NS		0.20	U	NS			
16-Jan-19	0.04	U	NS		0.04	U	0.04	U	NS		NS		NS		NS		NS		0.04	U	0.04	U		
12-Apr-19	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.05	U	0.059	U	NS		NS			
29-Jul-19	0.059	U	NS		0.059	U	0.04	U	NS		NS		NS		NS		NS		0.04	U	1	U		
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
29-Oct-19	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U	0.2 <sup>u</sup>	U		
21-Jan-20	0.04	U	NS		0.04	U	0.04	U	NS		NS		NS		NS		NS		0.04	U	NS			
22-Apr-20	NS		0.04	U	NS		NS		0.04	U	NS		NS		0.04	U	0.04	U	NS		NS			
23-Jul-20	0.04	U	NS		0.04	U	NS		NS		0.079	U	NS											

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.092	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS	
	27-Jun-08	0.144	U	NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	NS	
	30-Sep-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U	NS	
	27-Oct-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U
	25-Nov-08	NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		0.09	U	NS		NS	
	18-Dec-08	NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		0.09	U	NS	
	21-Jan-09	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		NS	
	25-Feb-09	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		NS	
	26-Mar-09	NS		0.462	U	NS		NS		NS		0.924	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	22-Jul-09	0.462	U	NS		18.8	U	0.924	U	NS		0.462	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	19.3	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	NS		NS	
	21-Apr-10	NS		0.092	U	NS		NS		0.462	U	NS		0.462	U	0.462	U	0.092	U	NS		NS	
	16-Jul-10	0.092	U	NS		0.092	U	0.092	U	NS		0.698	U	NS		NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jan-11	0.924	U	0.092	U	NS		0.092	U	NS		0.462	U	NS		0.462	U	0.462	U	0.462	U	NS	
	28-Feb-11	NS		NS		0.924	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.308	U	NS		0.308	U	0.092	U	NS		0.462	U	NS		NS		0.092	U	0.462	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	NS		NS	
	1-Nov-12	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	1-Feb-13	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	NS		NS	
	29-Apr-13	NS		0.12	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		NS	
	9-Jul-13	0.14	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		NS		NS		0.092	U
	24-Apr-14	NS		0.046 <sup>L-V</sup>	U	NS		NS		0.046 <sup>L-V</sup>	U	NS		0.046 <sup>L-V</sup>	U	0.14 <sup>L-V</sup>	U						
	1-Aug-14	0.092	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.092	U	NS		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.046	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.069 <sup>L-V</sup>	U	NS		NS		NS	
	22-Oct-14	NS		0.069	U	NS		NS		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	NS		NS	
	20-Jan-15	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.069	U	0.046	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.052	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.046	U	NS		0.046	U	0.067	U	0.046	U	NS		NS	
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 <sup>V</sup>	U	0.200 <sup>V</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	NS		0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	0.046	U	NS	
	20-Apr-16	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		NS	
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.27	U	NS		NS		0.29	U	NS		NS	
	21-Oct-16	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		NS	
	31-Jan-17	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		NS	
	17-Apr-17	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	26-Jul-17	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		NS	
	12-Oct-17	NS		0.046	U	NS		NS		0.046	U	NS		0.14	U	0.12	U	0.13	U	NS		0.12	U
	10-Jan-18	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U
	11-Apr-18	NS		0.092	U	NS		NS		0.92 <sup>P</sup>	U	NS		0.92 <sup>P</sup>	U	0.92 <sup>P</sup>	U	0.092	U	NS		0.92 <sup>P</sup>	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.069	U	NS	
	27-Jul-18	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	NS		NS	
	24-Oct-18	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	NS		0.23	U	NS		0.23	U
	16-Jan-19	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		NS	
	12-Apr-19	NS		0.046	U	NS		NS		0.046	U	NS		0.058	U	0.069	U	0.069	U	NS		0.069	U
	29-Jul-19	0.069	U	NS		0.069	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		NS	
	26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.069	U	NS	
	29-Oct-19	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.23 <sup>P</sup>	U	0.23 <sup>P</sup>	U	NS		0.23 <sup>P</sup>	U
	21-Jan-20	0.05	U	NS		0.05	U	0.05	U	NS		0.05	U	NS		NS		0.05	U	NS		NS	
	22-Apr-20	NS		0.092 <sup>L</sup>	U	NS		NS		0.092 <sup>L</sup>	U	NS		0.092 <sup>L</sup>	U	0.092 <sup>L</sup>	U	0.092 <sup>L</sup>	U	NS		0.092 <sup>L</sup>	U
	23-Jul-20	0.046	U	NS		0.046	U	0.046	U	NS		0.092	U	NS		NS		NS		NS		NS	
	29-Oct-20	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	19-Jan-21	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	NS		NS	
	15-Apr-21	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		NS	
	21-Jul-21	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		NS	
	20-Oct-21	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		NS	
	9-Feb-22	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		NS	
	7-Apr-22	NS		0.046	U	NS		NS		0.046	U	NS		0.0									

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
cis-1,3-Dichloropropene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		0.09	U
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	NS	
	31-Jul-08	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U								
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	27-Oct-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	NS	
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	NS		0.18	U
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	NS		0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS		0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.91	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		18.5	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.091	U	NS		NS		0.091	U	NS		NS		0.091	U	18.9	U	0.091	U	NS	
	15-Jan-10	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	NS		0.091	U	NS	
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	NS		0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		1.1	U	NS													
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		0.045	U	NS		NS		NS		NS		NS									
	12-Sept-14 (resample)	NS		0.068	U	NS		NS		NS													
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U
	20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		0.051	U												
	22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 <sup>U</sup>	U	0.200 <sup>U</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS													
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	NS		0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS									
	27-Jan-16	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		NS	
20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	
21-Oct-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U	
31-Jan-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS		
17-Apr-17	NS		0.068	U	NS		NS		0.068	U	NS		0.068	U	0.068	U	0.068	U	NS		0.068	U	
26-Jul-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	
12-Oct-17	NS		0.045	U	NS		NS		0.045	U	NS		0.14	U	0.11	U	0.13	U	NS		0.11	U	
10-Jan-18	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	
11-Apr-18	NS		0.091	U	NS		NS		0.91	U	NS		0.91	U	0.91	U	0.091	U	NS		0.91	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		
27-Jul-18	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	
24-Oct-18	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U	
16-Jan-19	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	
12-Apr-19	NS		0.045	U	NS		NS		0.045	U	NS		0.057	U	0.068	U	0.068	U	NS		0.068	U	
29-Jul-19	0.068	U	NS		0.068	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS		
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.068	U	
29-Oct-19	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.23 <sup>U</sup>	U	0.23 <sup>U</sup>	U	0.23 <sup>U</sup>	U	0.23 <sup>U</sup>	U	
21-Jan-20	0.05	U	NS		0.05	U	0.05	U	NS		0.05												

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
trans-1,3-Dichloropropene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U	NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	NS	
	31-Jul-08	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U								
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	30-Sep-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	NS	
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	NS		0.18	U
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	NS	
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.091	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		0.453	U	0.907	U	NS		NS		0.453	U	NS		NS		0.091	U	0.091	U
	9-Oct-09	NS		0.079	U	NS		NS		NS		0.091	U	NS		18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		NS	
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	NS		0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	NS		0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		1.1	U	NS													
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		NS		0.45	U	NS		NS		0.45	U	NS	
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		NS	
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	NS		0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		0.045	U	NS		NS		NS		NS		NS									
	12-Sept-14 (resample)	NS		0.068	U	NS		NS		NS													
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U
	20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		0.051	U	NS													
	22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 <sup>U</sup>	U	0.200 <sup>U</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS													
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	NS		0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS									
	27-Jan-16	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	NS		0.045	U	NS		0.045	U
20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	
21-Oct-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U	
31-Jan-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS		
17-Apr-17	NS		0.068	U	NS		NS		0.068	U	NS		0.068	U	0.068	U	0.068	U	NS		0.068	U	
26-Jul-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	
12-Oct-17	NS		0.045	U	NS		NS		0.045	U	NS		0.14	U	0.11	U	0.13	U	NS		0.11	U	
10-Jan-18	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	
11-Apr-18	NS		0.091	U	NS		NS		0.91	U	NS		0.91	U	NS		0.091	U	NS		0.91	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.27	U	NS		
27-Jul-18	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	
24-Oct-18	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	NS		0.23	U	NS		0.23	U	
16-Jan-19	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	
12-Apr-19	NS		0.045	U	NS		NS		0.045	U	NS		0.057	U	0.068	U	0.068	U	NS		0.068	U	
29-Jul-19	0.068	U	NS		0.068	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS		
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		
29-Oct-19	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.23 <sup>U</sup>	U	0.23 <sup>U</sup>	U	0.23 <sup>U</sup>	U	0.23 <sup>U</sup>	U	
21-Jan-20	0.05	U	NS		0.05	U	0.05	U	NS		0.05	U	NS		NS		0.05	U	0.05	U	NS		
22-Apr-20	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U	
23-Jul-20	0.045	U	NS		0.045	U	0.045	U	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	
29-Oct-20	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U	
19-Jan-21	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.068 <sup>U</sup>	U	NS		
15-Apr-21	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		NS		
21-Jul-21	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS		
20-Oct-21	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		NS		
9-Feb-22	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS		
7-Apr-22	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		NS		
28-Jul-22	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045						



Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Isopropylbenzene	8-Feb-08	2.46	U	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS	
	27-Mar-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		NS		2.46	U	2.46	U
	25-Apr-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	29-May-08	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	2.46	U	NS	
	27-Jun-08	3.83	U	NS		NS		NS		2.46	U	NS		NS		NS		NS		2.46	U	2.46	U
	31-Jul-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		2.46	U	NS		2.46	U
	28-Aug-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	2.46	U	NS	
	30-Sep-08	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U	4.9	U
	27-Oct-08	5.2		NS		NS		NS		NS		NS		NS		NS		4.9	U	NS		4.9	U
	25-Nov-08	NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		5.9	U	4.9	U	NS	
	18-Dec-08	NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		4.9	U	4.9	U
	21-Jan-09	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS		4.9	U
	25-Feb-09	4.9	U	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS	
	26-Mar-09	NS		12.3	U	NS		NS		NS		24.6	U	NS		NS		NS		2.46	U	2.46	U
	29-Apr-09	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	22-Jul-09	12.3	U	NS		12.3	U	24.6	U	NS		12.3	U	NS		NS		3.78	U	2.46	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		NS		2.46	U	NS		2.46	U	513	U	2.46	U	NS	
	15-Jan-10	2.46	U	NS		2.46	U	2.46	U	NS		2.46	U	NS		2.46	U	NS		2.46	U	2.46	U
	21-Apr-10	NS		2.46	U	NS		NS		12.3	U	NS		12.3	U	NS		12.3	U	2.46	U	NS	
	16-Jul-10	2.46	U	NS		2.66	U	2.46	U	NS		18.5	U	NS		NS		2.46	U	2.46	U	NS	
	15-Oct-10	NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	2.46	U	NS		2.46	U
	26-Jan-11	24.6	U	2.46	U	NS		2.46	U	NS		12.3	U	NS		12.3	U	12.3	U	2.46	U	NS	
	28-Feb-11	NS		NS		24.6	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	8-Jul-11	8.21	U	NS		8.21	U	2.46	U	NS		12.3	U	NS		NS		NS		2.46	U	12.3	U
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	0.25	U	NS		1.2	U	NS		NS		NS		1.2	U	1.4	U
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	1.2	U	NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U
	23-Jun-12	1.2	U	NS		1.2	U	NS		1.2	U	NS		1.2	U	NS		NS		1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		NS		0.25	U	NS		0.25	U	0.25	U	NS		NS	
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		NS	
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U
	18-Oct-13	NS		0.25	U	NS		NS		NS		0.25	U	NS		0.27	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		0.53	U	0.49	U
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
	1-Aug-14	0.25		NS		0.37	U	0.37	U	NS		NS		NS		NS		NS		0.25	U	0.25	U
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	NS		NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.37	U	0.25	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	NS		0.25	U	NS	
	21-Jul-15	0.140 <sup>1</sup>		NS		1	U	5	U	NS		0.19 <sup>1</sup>		NS		NS		0.21 <sup>1,2</sup>		0.20 <sup>1,2</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	NS		NS		0.2	U	NS	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		NS		0.25	U	NS	
20-Jul-16	1.2	U	NS		1.2	U,M,W	1.2	U	NS		1.2	U	NS		NS		NS		1.2	U	NS		
21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		
31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U	
17-Apr-17	NS		0.37	U	NS		NS		0.37	U	NS		0.37	U	0.37	U	0.37	U	NS		0.37	U	
26-Jul-17	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		
12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.62	U	0.71	U	NS		0.62	U	
10-Jan-18	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	NS		
11-Apr-18	NS		NS		0.25	U	NS		2.5	U	NS		2.5	U	NS		2.5	U	NS		NS		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.37	U	
27-Jul-18	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		NS		1.2	U	1.2	U	
24-Oct-18	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	NS		NS		1.2	U	NS		
16-Jan-19	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	NS		
12-Apr-19	NS		0.25	U	NS		NS		0.25	U	NS		0.31	U	0.37	U	0.37	U	NS		NS		
29-Jul-19	0.37	U	NS		0.37	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U	
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.37	U	
29-Oct-19	NS		0.25	U	NS		NS		0.25	U	NS		1.2 <sup>2</sup>	U	0.25	U	1.2 <sup>2</sup>	U	1.2 <sup>2</sup>	U	1.2 <sup>2</sup>	U	
21-Jan-20	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	0.25	U	
22-Apr-20	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		NS		
23-Jul-20	0.25	U	NS		0.25	U																	



**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
Methyl tert butyl ether (MTBE)	8-Feb-08	0.07	U	NS		NS		NS		0.07	U	NS		NS		NS		0.14		0.07	U	NS			
	27-Mar-08	NS		0.072	U	NS		NS		NS		0.072	U	NS		NS		NS		0.165		0.126			
	25-Apr-08	NS		NS		NS	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.079			
	29-May-08	NS		NS		NS		0.07	U	NS		NS		NS		0.07	U	0.07	U	0.07	U	NS			
	27-Jun-08	0.436		NS		NS		NS		0.072	U	NS		NS		NS		NS		0.072	U	0.072	U	0.072	U
	31-Jul-08	NS		0.072	U	NS		NS		NS		NS		NS		NS		0.072	U	NS		0.072	U	0.072	U
	28-Aug-08	NS		NS		0.106		NS		NS		NS		0.072	U	NS		0.172	U	0.14		NS			
	30-Sep-08	NS		NS		NS		1.8	U	NS		NS		NS		NS		NS	U	1.8	U	1.8	U	1.8	U
	27-Oct-08	1.8	U	NS		NS		NS		NS		2.6		NS		NS		NS		3.2		NS		5.8	
	25-Nov-08	NS		1.8	U	NS		NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U	NS	
	18-Dec-08	NS		NS		1.8	U	NS		NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U
	21-Jan-09	NS		NS		NS		1.8	U	NS		NS		NS		NS		NS	U	1.8	U	NS		1.8	U
	25-Feb-09	5.8		NS		NS		NS		NS	U	NS		NS		NS		NS		1.8	U	1.8	U	NS	
	26-Mar-09	NS		0.36	U	NS		NS		NS		NS		0.72	U	NS		NS		NS		0.072	U	0.072	U
	29-Apr-09	NS		NS		0.072	U	NS		NS		NS		NS		0.072	U	NS		0.072	U	NS		0.072	U
	22-Jul-09	0.36	U	NS		0.36	U	NS	U	0.72	U	NS		NS	U	0.36	U	NS		0.072	U	0.072	U	NS	
	9-Oct-09	NS		0.072	U	NS		NS		NS	U	NS		NS		0.072	U	15	U	0.086		NS		0.083	
	15-Jan-10	0.079		NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	21-Apr-10	NS		0.072	U	NS		NS		NS	U	0.36		NS	U	3.6	U	0.36	U	0.072	U	NS		0.072	U
	16-Jul-10	0.072	U	NS		0.072	U	0.072	U	NS		NS		0.544	U	NS		NS		0.072	U	0.072	U	NS	
	15-Oct-10	NS		0.072	U	NS		NS		NS	U	NS		NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	26-Jan-11	0.72	U	0.072	U	NS		NS		0.072	U	NS		0.396	U	NS		0.36	U	0.36	U	NS		0.36	U
	28-Feb-11	NS		NS		0.72	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	NS		0.072	U
	26-Jul-11	0.24	U	NS		0.24	U	NS		0.072	U	NS		0.36	U	NS		NS		0.072	U	0.36	U	NS	
	28-Oct-11	NS		1.8	U	NS		NS		NS	U	1.8		NS	U	1.8	U	1.8	U	1.8	U	NS		1.8	U
	23-Jan-12	0.36	U	NS		0.36	U	0.36	U	NS	U	NS		NS	U	NS		NS		0.36	U	0.36	U	NS	
	13-Apr-12	NS		0.36	U	NS		NS		NS	U	0.36		NS		0.36	U	0.36	U	0.36	U	NS		0.36	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS	U	NS		NS		NS		NS		NS		1.8	U	NS	
	23-Jun-12	0.36	U	NS		0.36	U	0.36	U	NS		NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	1-Nov-12	NS		0.072	U	NS		NS		NS	U	NS		NS		0.072	U	NS		0.072	U	NS		0.072	U
	1-Feb-13	0.072	U	NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	29-Apr-13	NS		NS		NS		NS		NS	U	0.072		NS	U	NS		0.072	U	0.072	U	NS		0.072	U
	9-Jul-13	0.17		NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	18-Oct-13	NS		0.072	U	NS		NS		NS	U	NS		NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	9-Jan-14	0.072	U	NS		0.072	U	NS		NS	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	24-Apr-14	NS		0.072	U	NS		NS		NS	U	0.072		NS	U	0.077	U	0.072	U	0.072	U	0.072	U	0.11	U
	1-Aug-14	0.072	U	NS		0.11	U	0.12		NS		NS		NS		NS		NS		0.072	U	0.072	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.072	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	22-Oct-14	NS		0.11	U	NS		NS		NS	U	0.11		NS	U	0.11	U	0.11	U	0.11	U	0.14	U	NS	
	20-Jan-15	0.072	U	NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		NS		0.11	U	0.072	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.081	U	NS	
	22-Apr-15	NS		0.074 <sup>v</sup>	U	NS		NS		NS	U	0.072 <sup>v</sup>		NS	U	0.072	U	0.10	U	0.072	U	NS		0.083	U
	21-Jul-15	0.2	U	NS		0.7	U	4	U	NS		NS		0.2	U	NS		NS		0.200 <sup>v</sup>	U	0.200 <sup>v</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		NS	U	0.2		NS	U	0.3	U	NS		0.2	U	NS		0.096 <sup>v</sup>	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.072	U	NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	20-Apr-16	NS		0.072	U	NS		NS		NS	U	0.072		NS	U	0.072	U	0.072	U	0.072	U	NS		0.072	U
20-Jul-16	0.36	U	NS		0.46		0.36	U	NS		0.36		NS	U	NS		NS		0.36	U	0.36	U	NS		
21-Oct-16	NS		0.072	U	NS		NS		NS	U	0.072		NS	U	0.072	U	0.072	U	0.072	U	NS		0.072	U	
31-Jan-17	0.072	U	NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	0.072	U	NS		
17-Apr-17	NS		0.11	U	NS		NS		NS	U	0.11		NS	U	0.11	U	0.11	U	0.11	U	NS		0.11	U	
26-Jul-17	0.072	U	NS		0.072	U	NS		NS	U	0.072		NS	U	NS		NS		0.072	U	0.072	U	NS		
12-Oct-17	NS		0.072	U	NS		NS		NS	U	0.072		NS	U	0.22	U	0.18	U	0.2	U	NS		0.18	U	
10-Jan-18	0.072	U	NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	
11-Apr-18	NS		0.072	U	NS		NS		NS	U	0.72		NS	U	0.72	U	0.72	U	0.72	U	NS		0.72	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.11	U	NS		
27-Jul-18	0.36	U	NS		0.36	U	0.36	U	NS		NS		0.36	U	NS		NS		0.36	U	0.36	U	NS		
24-Oct-18	NS		0.36	U	NS		NS		NS	U	0.36		NS	U	0.36	U	0.36	U	0.36	U	NS		0.36	U	
16-Jan-19	0.072	U	NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	0.072	U	NS		
12-Apr-19	NS		0.072	U	NS		NS		NS	U	0.072		NS	U	0.09	U	0.11	U	0.11	U	NS		0.11	U	
29-Jul-19	0.11																								

Summary of Subslab Air Sampling Data  
 Alvarez School  
 Volatile Organic Compounds  
 February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
		Methylene chloride	8-Feb-08	2.34		NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS	
	27-Mar-08	NS		1.74	U	NS		NS		NS		2.87		NS		NS		NS		2.1		1.74	U	1.74	U
	25-Apr-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U	1.74	U
	29-May-08	NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	2.91		1.74	U	NS		1.74	U
	27-Jun-08	4.33	U	NS		NS		NS		3.69		NS		NS		NS		NS		NS		2.78	U	2.78	U
	31-Jul-08	NS		1.74	U	NS		NS		NS		NS		NS		NS		1.74	U	NS		1.74	U	1.74	U
	28-Aug-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	1.74		NS		1.74	U
	30-Sep-08	NS		NS		NS		1.7	U	NS		NS		NS		NS		1.7	U	NS		1.7	U	1.7	U
	27-Oct-08	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U	1.7	U
	25-Nov-08	NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7		NS		1.7	U
	18-Dec-08	NS		NS		NS		NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U
	21-Jan-09	NS		NS		NS		1.7	U	NS		NS		NS		NS		1.7	U	NS		1.7	U	1.7	UI
	25-Feb-09	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7		NS		1.7	U
	26-Mar-09	NS		16.1		NS		NS		NS		17.4	U	NS		NS		NS		NS		1.74	U	1.8	U
	29-Apr-09	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U	1.74	U
	22-Jul-09	86.8	U	NS		8.68	U	17.4	U	NS		8.68	U	NS		NS		1.74	U	1.74		NS		1.74	U
	9-Oct-09	NS		1.74	U	NS		NS		1.74	U	NS		1.74	U	362	U	1.74	U	NS		1.74	U	1.74	U
	15-Jan-10	1.74	U	NS		1.74	U	1.74	U	NS		1.74	U	NS		NS		1.74	U	1.74		NS		1.74	U
	21-Apr-10	NS		1.74	U	NS		NS		0.868	U	NS		8.68	U	8.68	U	1.74	U	NS		1.74	U	1.74	U
	16-Jul-10	24		NS		21.5		19.5		NS		26.2	U	NS		NS		27.1		26.5		NS		NS	U
	15-Oct-10	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47		3.47	U	NS		3.47	U	3.47	U
	26-Jan-11	34.7	U	3.47	U	NS		3.47	U	NS		0.404	U	NS		17.4	U	17.4	U	NS		17.4	U	17.4	U
	28-Feb-11	NS		NS		34.7	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47		3.47	U	NS		3.47	U	3.47	U
	26-Jul-11	11.6	U	NS		11.6	U	3.47	U	NS		17.4	U	NS		NS		5.7		17.4		NS		NS	U
	28-Oct-11	NS		17	U	NS		NS		17	U	NS		17	U	17	U	140		NS		17	U	17	U
	23-Jan-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	NS		3.5	U	NS	U
	13-Apr-12	NS		4.6		NS		NS		7.3		NS		3.5	U	4.6		3.9		NS		3.5	U	3.5	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		17		NS		NS	U
	23-Jun-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	NS		3.5	U	NS	U
	1-Nov-12	NS		0.74		NS		NS		1.1		NS		0.69	U	1.1		0.69	U	NS		6.2		NS	U
	1-Feb-13	2		NS		0.93		1.6		NS		1.1		NS		NS		0.9		2.1		NS		NS	U
	29-Apr-13	NS		1.7	U	NS		NS		1.4		NS		0.93		1.8		1.1		NS		1.4		NS	U
	9-Jul-13	1.8		NS		25		1.2		NS		1.1		NS		NS		31		3.6		NS		NS	U
	18-Oct-13	NS		0.69	U	NS		NS		0.69	U	NS		0.69	U	0.77		0.69	U	NS		0.74		NS	U
	9-Jan-14	0.85		NS		0.69	U	NS		NS		0.69	U	NS		NS		0.69	U	1.3		NS		NS	U
	24-Apr-14	NS		0.90		NS		NS		6.7		NS		2.8		1.5		0.69	U	0.69		1.0		NS	U
	1-Aug-14	1.0		NS		1.7		NS		NS		NS		NS		NS		1.1		1.1		NS		NS	U
	27-Aug-14	NS		NS		NS		NS		NS		2.9		NS		NS	U								
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS		NS		NS	U
	22-Oct-14	NS		1.7		NS		NS		1.0	U	1.7		1.4		1.0	U	2.0		3.0		NS		NS	U
	20-Jan-15	33		NS		27		25		NS		31		NS		NS		32		0.69		NS		NS	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		40		NS		NS		NS	U
	22-Apr-15	NS		0.85 <sup>v</sup>		NS		NS		1.00 <sup>v</sup>		NS		0.73		2.5/2.3		1.0		NS		1.3		NS	U
	21-Jul-15	2.1		NS		3.5		3.1 <sup>v</sup>		NS		1.5		NS		NS		1.7 <sup>v</sup>		2.4 <sup>v</sup>		NS		NS	U
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		2.4		NS		NS		NS		NS	U
	29-Oct-15	NS		1.6		NS		NS		1.4		NS		3.6		2.7		2		NS		4.7		NS	U
	4-Dec-15 resample	NS		1.6		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Jan-16	2.3		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69		NS		NS	U
	20-Apr-16	NS		0.69	U	NS		NS		0.69	U	NS		1.7		0.69	U	4.4		NS		0.86		NS	U
	20-Jul-16	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	8.6		NS		NS	U
	21-Oct-16	NS		0.69	U	NS		NS		4.6		NS		0.69	U	2.3		1.1		NS		1.7		NS	U
	31-Jan-17	0.69	U	NS		0.8		0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69		NS		NS	U
	17-Apr-17	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1	U	NS		1		NS	U
	26-Jul-17	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69		NS		NS	U
	12-Oct-17	NS		0.79		NS		NS		0.92		NS		2.1	U	2.8		2	U	NS		1.7		NS	U
	10-Jan-18	0.78		NS		0.69	U	0.69	U	NS		1.1		NS		NS		1.1		NS		0.69		NS	U
	11-Apr-18	NS		0.69	U	NS		NS		6.9 <sup>u</sup>	U	NS		6.9 <sup>u</sup>	U	8.8 <sup>u</sup>		1.7		NS		6.9 <sup>u</sup>		NS	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS		NS	U
	27-Jul-18	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5		NS		NS	U
	24-Oct-18	NS		3.5	U	NS		NS		3.5	U	NS		3.5	U	3.5	U	3.5	U	NS		3.5		NS	U
	16-Jan-19	0.69	U	NS		0.69	U	0.69	U	NS		1.6		NS		NS		1.1		0.69		NS		NS	U
	12-Apr-19	NS		0.69	U	NS		NS		0.69	U	NS		0.87	U	1.1		2.6		NS		1		NS	U
	29-Jul-19	1	U	NS		1	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	1.3</					

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual		
		8-Feb-08	2.05	U	NS		NS		NS		NS		NS		NS		NS		2.05	U	8.7		NS		NS
27-Mar-08	NS		NS	U	NS		NS		NS		NS		NS		NS		NS		15.2		NS		2.05	U	
25-Apr-08	NS		NS		NS	U	NS		NS		NS		NS	U	NS		NS		NS		NS		2.05	U	
29-May-08	NS		NS		NS		NS	U	NS		NS		NS		NS	U	NS		2.05		NS	U	NS		
27-Jun-08	3.19	U	NS		NS		NS		NS	U	NS		NS		NS		NS		2.05		NS		2.05	U	
31-Jul-08	NS		NS	U	NS		NS		NS		NS		NS		NS		NS		2.05		NS		2.05	U	
28-Aug-08	NS		NS		NS	U	NS		NS		NS		NS		NS	U	NS		2.05		NS		2.05	U	
30-Sep-08	NS		NS		NS		NS	U	NS		NS		NS		NS		NS	U	2		NS		2	U	
27-Oct-08	2	U	NS		NS		NS		NS	U	NS		NS		NS		NS		2		NS		2	U	
25-Nov-08	NS		NS		NS		NS		NS		NS	U	NS		NS		NS		2		NS		2	U	
18-Dec-08	NS		NS		NS	U	NS		NS		NS		NS		NS	U	NS		NS		NS		2	U	
21-Jan-09	NS		NS		NS		NS	U	NS		NS		NS		NS		NS	U	2		NS		2	U	
25-Feb-09	2	U	NS		NS		NS		NS	U	NS		NS		NS		NS		2		NS		2	U	
26-Mar-09	NS		NS	U	NS		NS		NS		NS	U	NS		NS		NS		NS		NS		2.05	U	
29-Apr-09	NS		NS		NS	U	NS		NS		NS		NS		NS	U	NS		2.05		NS		2.05	U	
22-Jul-09	10.2	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS		2.05		NS		2.05	U	
9-Oct-09	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		2.05		NS		2.05	U	
15-Jan-10	2.05	U	NS		NS	U	NS		NS		NS	U	NS		NS		NS		2.05		NS		2.05	U	
21-Apr-10	NS		NS	U	NS		NS		NS	U	NS		NS		NS		NS	U	2.05		NS		2.05	U	
16-Jul-10	2.05	U	NS		NS	U	NS		NS		NS	U	NS		NS		NS		2.05		NS		2.05	U	
15-Oct-10	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		2.05		NS		2.05	U	
26-Jan-11	20.5	U	NS		NS	U	NS		NS	U	NS		NS		NS	U	NS		10.2		NS		10.2	U	
28-Feb-11	NS		NS		NS	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Apr-11	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		2.05		NS		3.35		
26-Jul-11	6.84	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS	U	2.05		NS		10.2	U	
28-Oct-11	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		2		NS		2	U	
23-Jan-12	0.41	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS	U	0.41		NS		1.8	U	
13-Apr-12	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		0.41		NS		0.41	U	
2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2	U	
23-Jun-12	0.41	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS	U	0.41		NS		NS		
1-Nov-12	NS		NS		NS		NS		NS		NS	U	NS		NS		NS		1.1		NS		1.1	U	
1-Feb-13	0.12		NS		NS	U	NS		NS		NS		NS		NS		NS	U	0.082		NS		NS		
29-Apr-13	NS		NS	U	NS		NS		NS		NS		NS		NS	U	NS		0.86		NS		0.78	U	
9-Jul-13	0.66		NS		NS		NS		NS		NS		NS		NS		NS		0.92		NS		NS		
18-Oct-13	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.3		NS		3.8	U	
9-Jan-14	0.18		NS		NS		NS		NS		NS	U	NS		NS		NS		0.21		NS		NS		
24-Apr-14	NS		NS		NS		NS		NS		NS	U	NS		NS	U	NS		0.38		NS		0.66	U	
1-Aug-14	0.64		NS		NS	1.0/0.74	NS	1.1/0.86		NS		NS		NS		NS		NS		1.30		NS		2.4/2.0	U
27-Aug-14	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
22-Oct-14	NS		NS		NS		NS		NS	U	NS		NS		NS	U	NS		0.78		NS		NS		
20-Jan-15	0.087		NS		NS		NS		NS		NS	U	NS		NS		NS		0.35		NS		NS		
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
22-Apr-15	NS		NS		NS		NS		NS		NS		NS		NS	0.39/0.40	NS		0.87		NS		NS		
21-Jul-15	0.2	U	NS		NS	U	NS		NS		NS	U	NS		NS		NS		1.4 <sup>v</sup>		NS		2.7 <sup>v</sup>	U	
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-15	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		0.97		NS		NS	U	
4-Dec-15 resample	NS		NS	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	0.082	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS		0.61		NS		NS		
20-Apr-16	NS		NS	U	NS		NS		NS	0.084	NS		NS		NS		NS		0.7		NS		NS	U	
20-Jul-16	0.41	U	NS		NS		NS		NS		NS		NS		NS		NS		2.4		NS		NS		
21-Oct-16	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5		NS		NS		
31-Jan-17	0.1		NS		NS		NS		NS		NS		NS		NS		NS		0.32		NS		NS		
17-Apr-17	NS		NS	U	NS		NS		NS		NS		NS		NS	U	NS		0.41		NS		NS		
26-Jul-17	0.64		NS		NS		NS		NS		NS		NS		NS		NS		1.1		NS		NS		
12-Oct-17	NS		NS		NS		NS		NS		NS	U	NS		NS		NS		0.48		NS		NS		
10-Jan-18	0.084		NS		NS	U	NS		NS		NS		NS		NS		NS		0.28		NS		NS		
11-Apr-18	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		0.19 <sup>u</sup>		NS		NS	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jul-18	0.41	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS		1.4		NS		NS		
24-Oct-18	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		0.41		NS		NS	U	
16-Jan-19	0.082	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS		0.082		NS		NS		
12-Apr-19	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		0.12		NS		NS	U	
29-Jul-19	0.4		NS		NS	U	NS		NS	0.74 <sup>v</sup>	NS		NS		NS		NS		0.082 <sup>v</sup>		NS		NS		
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
29-Oct-19	NS		NS	U	NS		NS		NS	0.082	NS	U	NS		NS	U	NS		0.41 <sup>u</sup>		NS		NS	U	
21-Jan-20	0.08	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS		0.08		NS		NS		
22-Apr-20	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		0.082		NS		NS	U	
23-Jul-20	0.082	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS		0.16		NS		NS	U	
29-Oct-20	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		0.082		NS		NS	U	
19-Jan-21	0.082	U	NS		NS	U	NS		NS	U	NS		NS		NS		NS		0.082		NS		NS		
15-Apr-21	NS		NS	U	NS		NS		NS	U	NS		NS		NS	U	NS		0.082		NS		NS	U	
21-Jul-21	0.22	U	NS		NS		NS		NS		NS		NS		NS		NS		0.93		NS		NS		
20-Oct-21	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.38		NS		NS		
9-Feb-22	0.082	U	NS		NS		NS		NS	0.082	NS	U	NS		NS		NS		0.082		NS		NS		
7-Apr-22	NS		NS	U	NS		NS		NS	0.082	NS	U	NS		NS		NS		0.33		NS		NS		
28-Jul-22	0.96		NS		NS	U	NS		NS		NS		NS		NS		NS		1.4		NS		NS		
18-Oct-22	NS		NS	U	NS		NS		NS	0.082	NS	U	NS		NS	U	NS		0.78		NS		NS		

**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		8-Feb-08	0.09	U	NS	NS	NS	NS	NS	NS	U	0.09	U	NS	NS	NS	NS	NS	NS	0.3	NS	3.15	NS
27-Mar-08	NS		0.1	NS	NS	NS	NS	NS		NS		0.177	NS	NS	NS	NS	NS	NS		0.206	NS	0.404	
25-Apr-08	NS		NS	NS	0.244	NS	NS	NS		NS		NS	NS	1.07	NS	NS	NS	0.559	NS	NS	NS	0.351	
29-May-08	NS		NS	NS	NS	NS	NS	0.17	NS	NS		NS	NS	NS	NS	0.3	NS	0.36	NS	NS	0.27	NS	
27-Jun-08	0.732		NS	NS	NS	NS	NS	NS		0.354		NS	NS	NS	NS	NS	NS	NS	NS	NS	0.598	NS	0.59
31-Jul-08	NS		0.276	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS	NS	0.255	NS	NS	NS	0.17	
28-Aug-08	NS		NS	NS	1.22	NS	NS	NS		NS		NS	NS	0.754	NS	NS	NS	1.02	NS	1.01	NS	NS	
30-Sep-08	NS		NS	NS	NS	NS	NS	2.1	U	NS		NS	NS	NS	NS	NS	NS	2.1	U	NS	NS	2.1	U
27-Oct-08	2.1	U	NS	NS	NS	NS	NS	NS		2.1	U	NS	NS	NS	NS	NS	NS	2.1	U	NS	NS	2.1	U
25-Nov-08	NS		2.1	NS	U	NS	NS	NS		NS		2.1	NS	U	NS	NS	NS	2.1	U	2.1	NS	NS	
18-Dec-08	NS		NS	NS	NS	2.1	U	NS		NS		NS	NS	NS	U	NS	NS	NS	NS	2.1	U	NS	U
21-Jan-09	NS		NS	NS	NS	NS	NS	2.1	U	NS		NS	NS	NS	NS	NS	NS	2.1	U	NS	NS	2.1	U
25-Feb-09	2.1	U	NS	NS	NS	NS	NS	NS		2.1	U	NS	NS	NS	NS	NS	NS	2.1	U	2.1	NS	NS	
26-Mar-09	NS		0.851	NS	U	NS	NS	NS		NS		1.7	U	NS	NS	NS	NS	NS	NS	0.292	NS	0.361	
29-Apr-09	NS		NS	NS	0.174	NS	NS	NS		NS		NS	NS	0.085	U	NS	NS	0.098	NS	NS	0.243	NS	
22-Jul-09	0.426	U	NS	NS	0.426	U	0.851	U		NS		0.426	NS	U	NS	NS	NS	0.6	NS	0.149	NS	NS	
9-Oct-09	NS		0.085	NS	U	NS	NS	NS		0.098		NS	NS	0.085	U	17.8	U	0.153	NS	NS	0.204	NS	
15-Jan-10	0.106		NS	NS	0.119	NS	0.089	NS		NS		0.098	NS	NS	NS	NS	NS	0.128	NS	0.221	NS	NS	
21-Apr-10	NS		0.085	NS	U	NS	NS	NS		0.426	U	NS	NS	0.426	U	0.426	U	NS	NS	0.481	NS	0.579	
16-Jul-10	0.57		NS	NS	0.911	NS	0.66	NS		NS		0.643	U	NS	NS	NS	NS	0.34	NS	0.864	NS	NS	
15-Oct-10	NS		0.698	NS	NS	NS	NS	NS		1.12		NS	NS	0.779	NS	0.919	NS	0.877	NS	NS	1.52	NS	
26-Jan-11	0.851	U	0.162	NS	NS	NS	0.179	NS		NS		0.426	U	NS	NS	0.426	U	NS	NS	0.617	NS	NS	
28-Feb-11	NS		NS	NS	0.851	U	NS	NS		NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
27-Apr-11	NS		0.311	NS	NS	NS	0.302	NS		NS		NS	NS	0.366	NS	0.4	NS	0.753	NS	NS	0.749	NS	
26-Jul-11	0.724		NS	NS	0.779	NS	0.868	NS		NS		0.788	U	NS	NS	NS	NS	1.23	NS	0.681	NS	NS	
28-Oct-11	NS		2.1	NS	U	NS	NS	NS		2.1	U	NS	NS	NS	U	2.1	U	2.1	U	NS	NS	2.1	U
23-Jan-12	0.84		NS	NS	0.43	U	0.43	NS		NS		0.43	U	NS	NS	NS	NS	0.46	NS	16	NS	NS	
13-Apr-12	NS		0.43	NS	U	NS	NS	NS		0.43	U	NS	NS	0.43	U	0.43	U	0.43	U	NS	NS	0.43	U
2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS	NS	NS	NS	2.1	NS	NS	
23-Jun-12	1.7		NS	NS	1.4	NS	1.9	NS		NS		1.9	NS	NS	NS	NS	NS	2.4	NS	2.6	NS	NS	
1-Nov-12	NS		0.14	NS	NS	NS	NS	NS		0.15		NS	NS	0.46	NS	0.17	NS	0.3	NS	NS	0.34	NS	
1-Feb-13	0.085	U	NS	NS	0.085	NS	0.085	NS		NS		0.085	U	NS	NS	NS	NS	0.22	NS	0.26	NS	NS	
29-Apr-13	NS		0.22	NS	NS	NS	NS	NS		0.27		NS	NS	0.3	NS	0.36	NS	0.53	NS	NS	0.53	NS	
9-Jul-13	0.43		NS	NS	0.60	NS	0.39	NS		NS		0.43	NS	NS	NS	NS	NS	0.12	NS	0.48	NS	NS	
18-Oct-13	NS		0.25	NS	NS	NS	NS	NS		0.26		NS	NS	0.35	NS	0.35	NS	0.50	NS	NS	0.57	NS	
9-Jan-14	0.10		NS	NS	0.10	NS	NS	NS		NS		NS	NS	NS	NS	NS	NS	0.44	NS	0.53	NS	NS	
24-Apr-14	NS		0.085	NS	NS	NS	NS	NS		0.085	U	NS	NS	0.085	U	0.085	U	0.21	NS	0.21	NS	0.28	
1-Aug-14	0.32		NS	NS	0.64	NS	2.8/3.8	NS		NS		NS	NS	NS	NS	NS	NS	0.45	NS	0.51	NS	NS	
27-Aug-14	NS		NS	NS	NS	NS	NS	NS		NS		2.7/2.9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	0.81	NS	NS	NS	NS	NS	NS	
22-Oct-14	NS		0.13	NS	U	NS	NS	NS		0.13	U	NS	NS	0.18	U	0.13	U	1.1	NS	0.98	NS	NS	
20-Jan-15	0.085	U	NS	NS	0.085	U	0.085	NS		NS		0.085	U	NS	NS	NS	NS	0.67	NS	0.085	NS	NS	
30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS	NS	
22-Apr-15	NS		0.098	NS	NS	NS	NS	NS		0.085	U	NS	NS	0.099	NS	0.12	U	1.6	NS	NS	0.80	NS	
21-Jul-15	0.160 <sup>†</sup>		NS	NS	0.460 <sup>†</sup>	U	4	NS		NS		0.23 <sup>†</sup>	NS	NS	NS	NS	NS	1.3 <sup>†</sup>	NS	2.9 <sup>†</sup>	NS	NS	
23-Sept-15 resample	NS		NS	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	0.13 <sup>†</sup>	NS	NS	NS	NS	NS	NS	
29-Oct-15	NS		0.2	NS	U	NS	NS	NS		0.21 <sup>†</sup>	U	NS	NS	0.4	U	NS	U	0.71	NS	NS	0.8	NS	
4-Dec-15 resample	NS		0.2	NS	U	NS	NS	NS		NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
27-Jan-16	0.085	U	NS	NS	0.085	U	0.085	NS		NS		0.085	U	NS	NS	NS	NS	1.3	NS	3.7	NS	NS	
20-Apr-16	NS		0.085	NS	U	NS	NS	NS		0.09		NS	NS	0.13	NS	0.085	U	1.5	NS	NS	0.52	NS	
20-Jul-16	0.79 <sup>†</sup>	L	NS	NS	0.88 <sup>†</sup>	U	0.97 <sup>†</sup>	NS		NS		1 <sup>†</sup>	NS	NS	NS	NS	NS	3.9 <sup>†</sup>	NS	5.9 <sup>†</sup>	NS	NS	
21-Oct-16	NS		0.12	NS	NS	NS	NS	NS		0.18		NS	NS	0.17	NS	0.22	NS	3.2	NS	NS	0.63	NS	
31-Jan-17	0.085	U	NS	NS	0.085	U	0.085	NS		NS		0.085	U	NS	NS	NS	NS	0.97	NS	2.8	NS	NS	
17-Apr-17	NS		0.13	NS	U	NS	NS	NS		0.13		NS	NS	0.15	NS	0.41	NS	0.68	NS	NS	0.61	NS	
26-Jul-17	0.18		NS	NS	0.22	NS	NS	NS		NS		0.32	NS	NS	NS	NS	NS	0.53	NS	2.3	NS	NS	
12-Oct-17	NS		0.14	NS	NS	NS	NS	NS		0.17		NS	NS	0.26	U	0.4	NS	0.43	NS	NS	0.79	NS	
10-Jan-18	0.085	U	NS	NS	0.085	U	0.085	NS		NS		0.085	U	NS	NS	NS	NS	0.18	NS	NS	0.82	NS	
11-Apr-18	NS		0.085	NS	U	NS	NS	NS		0.85	U	NS	NS	0.85	U	NS	U	0.085	NS	NS	0.85	NS	
23-May-18	NS		NS	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS	NS	NS	NS	0.42	NS	NS	
27-Jul-18	0.43	U	NS	NS	0.43	U	0.43	NS		NS		0.43	U	NS	NS	NS	NS	0.68	NS	0.43	NS	NS	
24-Oct-18	NS		0.43	NS	U	NS	NS	NS		0.43	U	NS	NS	0.43	U	NS	U	0.43	U	NS	0.43	NS	
16-Jan-19	0.085	U	NS	NS	0.085	U	0.085	NS		NS		0.085	U	NS	NS	NS	NS	0.25	NS	NS	0.29	NS	
12-Apr-19	NS		0.11	NS	NS	NS	NS	NS		0.085	U	NS	NS	0.11	U	0.16	NS	0.42	NS	NS	0.88	NS	
29-Jul-19	0.61		NS	NS	0.78	NS	1.1	NS		NS		1.3	NS	NS	NS	NS	NS	0.48	NS	2.8	NS	NS	
26-Sep-19	NS		NS	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS	NS	NS	NS	0.43	NS	NS	
29-Oct-19	NS		0.085	NS	U	NS	NS	NS		0.19		NS	NS	0.085	U	0.085	U	0.43 <sup>†</sup>	U	0.43 <sup>†</sup>	NS	NS	
21-Jan-20	0.09	U	NS	NS	0.16	NS	0.22	NS		NS		0.12	NS	NS	NS	NS	NS	0.42	NS	1.20	NS	NS	
22-Apr-20	NS		0.085	NS	U	NS	NS	NS		0.085	U	NS	NS	0.085	U	0.085	U	0.12	NS	NS	0.28	NS	
23-Jul-20	0.25		NS	NS	0.085	U	0.085	NS		NS		0.34	NS	NS	NS	NS	NS	0.54	NS	NS	1.9	NS	
29-Oct-20	NS		0.12	NS	NS	NS	NS	NS		0.13		NS	NS	0.11	NS	0.13	NS	0.26	NS	NS	0.4	NS	
19-Jan-21	0.085	U	NS	NS	0.085	U	0.085	NS		NS		0.085	U	NS	NS	NS	NS	0.17	NS	0.36 <sup>†</sup>	NS	NS	
15-Apr-21	NS		0.1	NS	NS	NS	NS	NS		0.085	U	NS	NS	0.085	U	NS	NS	0.12	NS	NS	0.11	NS	
21-Jul-21	0.36		NS	NS	0.39	NS	0.41	NS		NS		0.78	NS	NS	NS	NS	NS	0.41	NS	1	NS	NS	
20-Oct-21	NS		0.087																				



Summary of Subslab Air Sampling Data  
 Alvarez School  
 Volatile Organic Compounds  
 February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,1,2,2-Tetrachloroethane	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS		NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	NS	
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	NS		0.14	U
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	NS	
	21-Jan-09	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS		0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	22-Jul-09	0.686	U	NS		28	U	0.137	U	NS		0.686	U	NS		NS		0.137	U	0.137	U	NS	
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U
	15-Jan-10	0.109	U	NS		0.137	U	0.137	U	NS		0.109	U	NS		NS		0.137	U	0.137	U	NS	
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	0.137	U	NS		0.137	U
	16-Jul-10	0.137	U	NS		0.137	U	0.137	U	NS		1.04	U	NS		NS		0.137	U	0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		0.137	U	NS		0.137	U	NS		0.137	U	0.137	U	NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		0.137	U	0.687	U	NS	
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	0.69	U	NS		0.69	U	NS		0.69	U	NS		0.69	U	NS		0.69	U	0.69	U	NS	
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	
	23-Jun-12	0.69	U	NS		0.69	U	NS		0.69	U	NS		0.69	U	NS		0.69	U	NS		0.69	U
	1-Nov-12	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	1-Feb-13	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.12	U	0.069	U	NS	
	29-Apr-13	NS		0.17	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	9-Jul-13	0.10	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.010	U	0.069	U	NS	
	18-Oct-13	NS		0.14	U	NS		NS		0.14	U	NS		0.14	U	0.14	U	0.14	U	NS		0.14	U
	9-Jan-14	0.14	U	NS		0.14	U	NS		0.14	U	NS		0.14	U	NS		0.140	U	NS		0.14	U
	24-Apr-14	NS		0.069	U	NS		NS		0.069 <sup>+</sup>	U	NS		0.069 <sup>+</sup>	U	0.069	U						
	1-Aug-14	0.14	U	NS		0.21	U	0.21	U	NS		NS		NS		NS		0.140	U	0.14	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.069 <sup>+</sup>	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	22-Oct-14	NS		0.10	U	NS		NS		0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	NS	
	20-Jan-15	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.10	U	0.069	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	NS	
	22-Apr-15	NS		0.070	U	NS		NS		0.069	U	NS		0.069	U	0.10	U	0.069	U	NS		0.079	U
	21-Jul-15	0.3	U	NS		1	U	7	U	NS		0.4	U	NS		NS		0.300 <sup>+</sup>	U	0.400 <sup>+</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	NS		0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
27-Jan-16	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS		
20-Apr-16	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U	
20-Jul-16	0.34	U	NS		0.34	U	0.34	U	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	
21-Oct-16	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U	
31-Jan-17	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS		
17-Apr-17	NS		0.10	U	NS		NS		0.10	U	NS		0.10	U	0.1	U	0.10	U	NS		0.1	U	
26-Jul-17	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS		
12-Oct-17	NS		0.069	U	NS		NS		0.069	U	NS		0.21	U	0.45	U	0.2	U	NS		0.17	U	
10-Jan-18	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	
11-Apr-18	NS		0.14	U	NS		NS		1.4	U	NS		1.4	U	1.4	U	1.4	U	NS		1.4	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		
27-Jul-18	0.34	U	NS		0.34	U	0.34	U	NS		0.34	U	NS		NS		0.34	U	0.34	U	NS		
24-Oct-18	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U	
16-Jan-19	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS		
12-Apr-19	NS		0.069	U	NS		NS		0.069	U	NS		0.086	U	0.1	U	0.1	U	NS		0.1	U	
29-Jul-19	0.1	U	NS		0.1	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS		
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		
29-Oct-19	NS		0.069	U	NS		NS		0.22	U	NS		0.069	U	0.34 <sup>+</sup>	U							
21-Jan-20	0.07	U	NS		0.07	U	0.07	U	NS		0.07	U	NS		NS		0.07						

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Tetrachloroethene*	8-Feb-08	0.35		NS		NS		NS		0.14	U	NS		NS		NS		0.53		5.05		NS		
	27-Mar-08	NS		0.888		NS		NS		NS		0.875		NS		NS		NS		6.99		5.25		
	25-Apr-08	NS		NS		0.322		NS		NS		NS		0.99		NS		0.83		NS		0.867		
	29-May-08	NS		NS		NS		1.36		NS		NS		NS		0.24		0.3		3.21		NS		
	27-Jun-08	1.32		NS		NS		NS		29.6		NS		NS		NS		NS		5.08		1.8		
	31-Jul-08	NS		0.667		NS		NS		NS		NS		NS		NS		0.618		NS		0.572		
	28-Aug-08	NS		NS		1.55		NS		NS		NS		1.52		NS		1.37		6.26		NS		
	30-Sep-08	NS		NS		NS		3.4		NS		NS		NS		NS	U	3.4		6.1		3.4		U
	27-Oct-08	4.2	U	NS		NS		NS		NS		10		NS		NS		4.2	U	NS		4.2		U
	25-Nov-08	NS		21.3		NS		NS		NS		NS		4.6		NS		3.4	U	8.9		NS		U
	18-Dec-08	NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		NS		3.4		NS		U
	21-Jan-09	NS		NS		NS		3.4	U	NS		NS		NS		NS		3.4	U	NS		NS		U
	25-Feb-09	3.4	U	NS		NS		NS		8.3		NS		NS		NS		3.4	U	3.7		NS		U
	26-Mar-09	NS		1.28		NS		NS		NS		1.36	U	NS		NS		NS		7.11		2.08		
	29-Apr-09	NS		NS		0.271		NS		NS		NS		0.305		NS		0.237		NS		0.691		
	22-Jul-09	1.63		NS		1.63		2.1		NS		3.08		NS		NS		11.8		3.25		NS		
	9-Oct-09	NS		0.556		NS		NS		2.07		NS		0.678		28.3	U	1.17		NS		1.46		
	15-Jan-10	1.31		NS		0.644		1.35		NS		0.691		NS		NS		0.447		0.501		NS		
	21-Apr-10	NS		7.2		NS		NS		31.4		NS		35.5		36.8		62.1		NS		36.1		
	16-Jul-10	12.4		NS		12.7		10.9		NS		10		NS		NS		15.4		19.2		NS		
	15-Oct-10	NS		21.9		NS		NS		37.6		NS		21.3		21.8		22.1		NS		31.6		
	26-Jan-11	1.36	U	0.691		NS		1.27		NS		0.678	U	NS		0.813		2.13		NS		8.3		
	28-Feb-11	NS		NS		1.36	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		1.44		NS		NS		7.22		NS		1.53		NS		1.46		NS		1.98		
	26-Jul-11	3.34		NS		0.834		2.59		NS		9.29		NS		NS		0.976		NS		6.78		
	28-Oct-11	NS		3.4	U	NS		NS		8.5		NS		3.4	U	NS		3.4	U	NS		3.4		U
	23-Jan-12	1		NS		0.68	U	1.7		NS		5.3		NS		NS		0.76		NS		26		U
	13-Apr-12	NS		19		NS		NS		18		NS		12		18		18		NS		15		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		9.6		NS		
	23-Jun-12	1.5		NS		0.68	U	3.5		NS		0.8		NS		NS		0.68	U	NS		8.9		
	1-Nov-12	NS		7.4		NS		NS		11		NS		0.78		0.57		1.3		NS		1.6		
	1-Feb-13	1.8		NS		0.76		0.99		NS		4.5		NS		NS		1.8		7.7		NS		
	29-Apr-13	NS		8.1		NS		NS		4.7		NS		1.1		NS		1.3		NS		1.8		
	9-Jul-13	2.0		NS		2.1		3.1		NS		2.9		NS		NS		2.6		8.8		NS		
	18-Oct-13	NS		14		NS		NS		7.3		NS		0.61		0.32		0.32		NS		1.4		
	9-Jan-14	0.6		NS		0.22		1.1		NS		1.8		NS		NS		0.46		NS		11		
	24-Apr-14	NS		4.7		NS		NS		5.7		NS		0.41		0.068	U	0.51		10		0.30		
	1-Aug-01	2.3		NS		3.3/4.9		2.1		NS		NS		NS		NS		0.97		4.0/5.9		NS		
	27-Aug-14	NS		NS		NS		NS		NS		2.4/3.5		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS		NS		U
	22-Oct-14	NS		6.9		NS		NS		5.0		0.61		0.43		0.10	U	0.10	U	4.0		NS		
	20-Jan-15	0.9		NS		0.20		0.37		NS		1.0		NS		NS		0.52		0.21		NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.0		NS		
	22-Apr-15	NS		5.3		NS		NS		2.6		NS		0.85		0.48/0.52		1.7		NS		1.5		
	21-Jul-15	0.34		NS		1	U	7	U	NS		3.2		NS		NS		0.44 <sup>U</sup>		4.0 <sup>U</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS		
	29-Oct-15	NS		18		NS		NS		3.6		NS		1.2		NS		0.18 <sup>U</sup>		NS		0.65		
	4-Dec-15 resample	NS		14		NS		NS		NS		NS		NS		NS		NS		NS		NS		
27-Jan-16	3.1		NS		0.19		0.71		NS		0.63		NS		NS		0.19		6.7		NS			
20-Apr-16	NS		9.7		NS		NS		3.4		NS		0.22		NS		0.11		NS		0.47			
20-Jul-16	0.5		NS		0.99		1.6		NS		4.8		NS		NS		0.71		5.6		NS			
21-Oct-16	NS		40		NS		NS		4.6		NS		0.75		0.83		0.39		NS		0.93			
31-Jan-17	0.33		NS		0.23		0.79		NS		0.75		NS		NS		0.15		12		NS			
17-Apr-17	NS		8.1		NS		NS		3.2		NS		0.99		0.16		0.21		NS		1.1			
26-Jul-17	0.26		NS		0.34		1.3		NS		1.1		NS		NS		0.22		5.4		NS			
12-Oct-17	NS		7.5		NS		NS		4.2		NS		0.44		0.43		0.41		NS		1.7			
10-Jan-18	0.21		NS		0.15		0.64		NS		2		NS		NS		0.33		NS		4.9			
11-Apr-18	NS		10		NS		NS		1.8		NS		1.4	U	NS	U	0.24		NS		2			
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS			
27-Jul-18	0.68	U	NS		0.68	U	2.5		NS		2.2		NS		NS		0.68		18		NS			
24-Oct-18	NS		6.1		NS		NS		6.8		NS		0.68	U	0.68	U	0.68	U	NS		0.68		U	
16-Jan-19	0.44		NS		0.27		0.97		NS		1.8		NS		NS		0.24		5.9		NS			
12-Apr-19	NS		11		NS		NS		2.3		NS		0.29		0.2	U	0.2	U	NS		2.2			
29-Jul-19	0.86		NS		0.92		1.4		NS		6.7		NS		NS		0.4		5.9		NS			
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		4.7		NS			
29-Oct-19	NS		21		NS		NS		7.2		NS		0.14		0.16		0.68 <sup>U</sup>	U	7 <sup>U</sup>		0.68 <sup>U</sup>		U	
21-Jan-20	0.20		NS		0.14		0.41		NS		1.30		NS		NS		1.20	U	7.30		NS		U	
22-Apr-20	NS		2		NS		NS		0.91		NS		0.14	U	0.14	U	0.53		NS		0.88			
23-Jul-20	0.74		NS		0.75		0.84		NS		4.5		NS		NS		0.84		NS		8.2			
29-Oct-20	NS		7.3		NS		NS		2.6		NS		0.44		1.6									

**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
Toluene	8-Feb-08	1.63		NS		NS		NS		1.8		NS		NS		NS		2.72		455		NS		
	27-Mar-08	NS		2.24		NS		NS		NS		1.45		NS		NS		NS		11.3		16.1		
	25-Apr-08	NS		NS		1.39		NS		NS		NS		1.34		NS		11.2		NS		21.8		
	29-May-08	NS		NS		NS		7.74		NS		NS		NS		11.6		21		13		NS		
	27-Jun-08	14.7		NS		NS		NS		2.33		NS		NS		NS		NS		10.6		22.2		
	31-Jul-08	NS		4.15		NS		NS		NS		NS		NS		NS		10.2		NS		6.11		
	28-Aug-08	NS		NS		6.48		NS		NS		NS		3.44		NS		10		11.2		NS		
	30-Sep-08	NS		NS		NS		1.9	U	NS		NS		NS		NS		6.1		NS		7.5		
	27-Oct-08	56.3		NS		NS		NS		NS		NS		NS		NS		6.6		NS		8.2		
	25-Nov-08	NS		7.8		NS		NS		NS		7.8		NS		NS		29.9		18.6		NS		
	18-Dec-08	NS		NS		2		NS		NS		NS		1.9	U	NS		NS		4.8		4.9		
	21-Jan-09	NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	1.9	U	NS		1.9		
	25-Feb-09	7		NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	13.8		NS		
	26-Mar-09	NS		3.53		NS		NS		NS		3.92		NS		NS		NS		7.23		9.75		
	29-Apr-09	NS		NS		1.99		NS		NS		NS		0.651		NS		0.149		NS		4.56		
	22-Jul-09	38.7		NS		38.7		2.22		NS		4.71		NS		NS		80.1		5.32		NS		
	9-Oct-09	NS		3.53		NS		NS		NS		3.06		NS		1.07		23.6		3.12		NS		
	15-Jan-10	12.8		NS		4.17		4.33		NS		5.81		NS		NS		4.81		4.85		NS		
	21-Apr-10	NS		0.9		NS		NS		NS		2.97		NS		3.75		5.2		2.84		NS		
	16-Jul-10	22.2		NS		17.9		5.98		NS		5.54		NS		NS		5.77		5.85		NS		
	15-Oct-10	NS		1.67		NS		NS		NS		2.1		NS		1.72		3.37		2.23		NS		
	26-Jan-11	6.06		6.82		NS		6.82		NS		4.74		NS		5.95		NS		12.1		NS		
	28-Feb-11	NS		NS		1.88		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.836		NS		NS		0.682		NS		1.25		3.62		2.08		NS		1.62		
	26-Jul-11	8.29		NS		3.96		1.15		NS		1.62		NS		NS		2.31		NS		1.68		
	28-Oct-11	NS		1.9	U	NS		NS		1.9	U	NS		1.9	U	3.3		4.7		NS		3.8		
	23-Jan-12	7.9		NS		3.8		1.9		NS		3.4		NS		NS		5.2		15		NS		
	13-Apr-12	NS		0.75		NS		NS		0.38	U	NS		0.38	U	1.3		2.4		NS		1.5		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9		NS		
	23-Jun-12	8.5		NS		3.5		1.5		NS		2.5		NS		NS		2.4		1.8	U	NS		
	1-Nov-12	NS		2		NS		NS		1.7		NS		2.3		2.8		2.8		NS		4.5		
	1-Feb-13	2.4		NS		0.69		0.69		NS		0.71		NS		NS		1.4		1.6		NS		
	29-Apr-13	NS		1.7		NS		NS		1.3		NS		1.7		NS		2.1		NS		3.9		
	9-Jul-13	11		NS		3.0		2.0		NS		2.5		NS		NS		6.8		3.4		NS		
	18-Oct-13	NS		2.3		NS		NS		3.1		NS		2.8		7.5		1.3		NS		1.9		
	9-Jan-14	10		NS		7.6		8.6		NS		10		NS		NS		20		16		NS		
	24-Apr-14	NS		0.23		NS		NS		0.22		NS		0.25		0.36		0.28		0.25		1.1		
	1-Aug-14	2.7		NS		2.8/3.2		1.3/1.4		NS		NS		NS		NS		1.6		1.9		NS		
	27-Aug-14	NS		NS		NS		NS		NS		2.2/2.8		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	NS		
	22-Oct-14	NS		0.34		NS		NS		0.32		0.48		0.94		0.51		1.2		1.2		NS		
	20-Jan-15	1.5		NS		0.6		0.6		NS		0.44		NS		NS		1.4		1.5		NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2		NS		
	22-Apr-15	NS		0.95		NS		NS		0.59		NS		1.2		1.4/1.6		3.4		NS		4.3		
	21-Jul-15	3.8		NS		4.5		4	U	NS		2		NS		NS		5.4 <sup>U</sup>		7.6 <sup>U</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.4		NS		NS		NS		
	29-Oct-15	NS		0.41		NS		NS		0.55		NS		0.64		NS		1.1		NS		2.8		
	4-Dec-15 resample	NS		0.42		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	1.5		NS		0.5		0.4		NS		0.44		NS		NS		1.2		0.89		NS		
	20-Apr-16	NS		0.62		NS		NS		0.77		NS		1.3		0.85		3.5		NS		1.8		
20-Jul-16	1.2 <sup>w</sup>		NS		1.9 <sup>w</sup>		0.77 <sup>w</sup>		NS		1.2 <sup>w</sup>		NS		NS		1.6 <sup>w</sup>		44 <sup>w</sup>		NS			
21-Oct-16	NS		0.56		NS		NS		2.6		NS		1.8		4.2		NS		NS		2.5			
31-Jan-17	1.1		NS		1.2		1.0		NS		0.98		NS		NS		2.2		1.8		NS			
17-Apr-17	NS		1.0		NS		NS		1.1		NS		1.3		1.5		1.0		NS		1.5			
26-Jul-17	1.1		NS		1.5		0.73		NS		1.2		NS		NS		1.8		NS		1.4			
12-Oct-17	NS		0.41		NS		NS		0.47		NS		0.55		1		0.99		NS		0.81			
10-Jan-18	0.88		NS		0.99		1.1		NS		1		NS		NS		2.4		NS		1.7			
11-Apr-18	NS		0.61		NS		NS		0.75		NS		0.75	U	NS	U	3.4		NS		1.9			
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.72		NS			
27-Jul-18	1.2		NS		1.9		0.75		NS		1.6		NS		NS		1.4		0.9		NS			
24-Oct-18	NS		0.49		NS		NS		0.38		NS		0.47	U	NS		1.2		NS		1.5			
16-Jan-19	1.4		NS		0.65		0.7		NS		0.77		NS		NS		1.6		NS		1.2			
12-Apr-19	NS		0.48		NS		NS		0.34		NS		0.24		1.1		1.5		NS		0.88			
29-Jul-19	1.6		NS		2		1.9		NS		3.2		NS		NS		1.3		2.2		NS			
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
29-Oct-19	NS		3		NS		NS		0.89		NS		0.79		2.7 <sup>U</sup>		3.4		4.5 <sup>U</sup>		2.7 <sup>U</sup>			
21-Jan-20	0.82		NS		1.30		1.50		NS		1.00		NS		NS		3.40		4.20		NS			
22-Apr-20	NS		0.13		NS		NS		0.59		NS		0.081	U	0.46		1.1		NS		1.4			
23-Jul-20	4.2		NS		2.8		2.3		NS		NS		NS		NS		NS		NS		4.8			
29-Oct-20	NS		0.92		NS		NS		0.9		NS		0.88		3.2		2		NS		2.5			
19-Jan-21	0.59		NS		0.45		0.3		NS		0.4		NS		NS		1		0.69 <sup>F</sup>		NS			
15-Apr-21	NS		0.47		NS		NS		0.41		NS		0.42		0.66		0.9		NS		0.63			
21-Jul-21	1.5		NS		1.4		1.2		NS		2.													

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
1,1,1-Trichloroethane*	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.56		NS		
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.522		0.266		
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.119		
	29-May-08	NS		NS		NS		0.12		NS		NS		NS		0.11	U	0.11	U	0.54		NS		
	27-Jun-08	0.17	U	NS		NS		NS		0.458		NS		NS		NS		NS		0.377		0.138		
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U	
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.153		NS		0.109	U	0.492		NS		
	30-Sep-08	NS		NS		NS		2.7	U	NS		NS		NS		NS		2.7	U	NS	U	2.7	U	
	27-Oct-08	3.4	U	NS		NS		NS		NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	
	25-Nov-08	NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7		NS		
	18-Dec-08	NS		NS		2.7	U	NS		NS		NS		NS		NS		NS		2.7	U	2.7	U	
	21-Jan-09	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS		2.7	U	
	25-Feb-09	2.7	U	NS		NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U	NS		
	26-Mar-09	NS		1.59		NS		NS		NS		1.09	U	NS		NS		NS		0.682		0.213		
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.147		NS		0.158		NS		0.191		
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.278		NS		
	9-Oct-09	NS		0.109	U	NS		NS		NS		0.158		NS		0.191		22.8	U	0.109	U	NS		
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.109	U	NS		NS		0.109	U	0.692		NS		
	21-Apr-10	NS		0.109	U	NS		NS		0.545		NS	U	NS		0.545	U	0.109	U	NS		1.09	U	
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		NS	U	0.824		NS		0.109	U	0.562		NS		
	15-Oct-10	NS		0.272		NS		NS		NS		0.349		NS		0.109	U	0.109	U	NS		0.109	U	
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		NS	U	0.545		NS		0.545	U	0.845		NS		
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.109	U	NS		NS		0.109		NS	U	NS		0.109	U	0.109	U	NS		0.109	U	
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.873		NS		NS		0.109	U	0.546	U	NS		
	28-Oct-11	NS		2.7	U	NS		NS		NS		2.7	U	NS		2.7	U	2.7	U	NS		2.7	U	
	23-Jan-12	0.55	U	NS		0.55	U	NS		NS		1.5	U	NS		NS		NS	U	1.3		NS		
	13-Apr-12	NS		0.27	U	NS		NS		NS		0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS		
	23-Jun-12	0.55	U	NS		0.55	U	NS		NS		NS	U	NS		NS		NS		0.7		NS		
	1-Nov-12	NS		0.25		NS		NS		NS		0.27		NS		0.055	U	0.055	U	NS		0.14		
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.83		NS		NS		0.055	U	0.23		NS		
	29-Apr-13	NS		0.15		NS		NS		0.076		NS		NS		0.055	U	0.061	U	NS		0.055	U	
	9-Jul-13	0.082	U	NS		0.055	U	0.061		NS		0.33		NS		NS		NS		0.26		NS		
	18-Oct-13	NS		0.23		NS		NS		0.19		NS		NS		0.11	U	0.11	U	NS		0.28		
	9-Jan-14	0.11	U	NS		0.11	U	NS		NS		0.41		NS		NS		NS		0.46		NS		
	24-Apr-14	NS		0.055	U	NS		NS		0.055		NS	U	NS		0.055	U	0.055	U	0.42		0.16	U	
	1-Aug-14	0.11	U	NS		0.16	U	0.16	U	NS		NS		NS		NS		NS		0.22		NS		
	27-Aug-14	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	NS		
	22-Oct-14	NS		0.19		NS		NS		0.19		NS		0.082	U	0.082	U	0.082	U	0.28		NS		
	20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.31		NS		NS		NS		0.055	U	NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14		NS		
	22-Apr-15	NS		0.056	U	NS		NS		NS		0.055	U	NS		0.055	U	0.079	U	NS		0.063	U	
	21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.27 <sup>1</sup>		NS		NS		NS		0.3 <sup>1</sup>	U	0.3 <sup>1</sup>	U	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	29-Oct-15	NS		0.36		NS		NS		0.3		NS	U	NS		0.3	U	NS		0.3	U	NS		
	4-Dec-15 resample	NS		0.23 <sup>1</sup>		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.24		NS		NS		NS		0.4		NS		
	20-Apr-16	NS		0.2		NS		NS		0.098		NS		NS		0.055	U	0.055	U	NS		0.074		
	20-Jul-16	0.27	U	NS		0.27	U	NS		NS		0.59	U	NS		NS		NS		0.4		NS		
	21-Oct-16	NS		0.59		NS		NS		0.19		NS		0.083		0.094		0.089		NS		1.4		
31-Jan-17	0.13		NS		0.055	U	0.055	U	NS		0.2		NS		NS		0.055	U	0.57		NS			
17-Apr-17	NS		0.12		NS		NS		0.082		NS	U	NS		0.082	U	0.082	U	NS		0.082	U		
26-Jul-17	0.055	U	NS		0.055	U	NS		NS		0.12		NS		NS		NS		0.22		NS			
12-Oct-17	NS		0.12		NS		NS		0.15		NS		NS		0.17	U	0.28		0.16	U	NS			
10-Jan-18	0.055 <sup>1</sup>	U	NS		0.055 <sup>1</sup>	U	0.055 <sup>1</sup>	U	NS		0.29 <sup>1</sup>		NS		NS		NS		0.055 <sup>1</sup>	U	NS			
11-Apr-18	NS		0.12		NS		NS		1.1		NS	U	NS		1.1	U	1.1	U	NS		1.1	U		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.082	U	NS			
27-Jul-18	0.27	U	NS		0.27	U	NS		NS		0.27	U	NS		NS		NS		0.27	U	NS			
24-Oct-18	NS		0.27	U	NS		NS		0.27		NS	U	NS		NS		NS		NS		0.27	U		
16-Jan-19	0.055	U	NS		0.055	U	0.055	U	NS		0.2		NS		NS		NS		0.26		NS			
12-Apr-19	NS		0.16		NS		NS		0.055		NS	U	NS		0.068	U	0.082	U	NS		0.082	U		
29-Jul-19	0.082	U	NS		0.082		0.1		NS		NS		0.36		NS		NS		1.3		NS			
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.29			
29-Oct-19	NS		0.22		NS		NS		0.055		NS	U	NS		0.055	U	0.27 <sup>1</sup>	U	0.27 <sup>1</sup>	U	0.27 <sup>1</sup>	U		
21-Jan-20	0.06	U	NS		0.06	U	0.06	U	NS		NS		0.15		NS		NS		0.24		NS			
22-Apr-20	NS		0.055	U	NS		NS		NS		0.055	U	NS		NS		NS		NS		0.055	U		
23-Jul-20	0.055	U	NS		0.055	U	NS		NS		0.11		NS		NS		NS		0.27		NS			
29-Oct-20	NS		0.055																					

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.109	U	0.109	U
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	29-May-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS		NS	
	27-Jun-08	0.17	U	NS		NS		NS		0.109	U	NS		NS		NS		NS		0.109	U	0.109	U
	31-Jul-08	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U								
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	0.109	U	NS	
	30-Sep-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U	NS	
	27-Oct-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U
	25-Nov-08	NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	NS		NS	
	18-Dec-08	NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	NS	
	21-Jan-09	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U
	25-Feb-09	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS	
	26-Mar-09	NS		0.545	U	NS		NS		NS		1.09	U	NS		NS		NS		0.109	U	0.109	U
	29-Apr-09	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.109	U	NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	22.8	U	0.109	U	NS		0.109	U
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.081	U	NS		NS		0.109	U	0.109	U	NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		0.109	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		1.09	U	0.109	U	NS	
	15-Oct-10	NS		0.109		NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.547	U	0.545	U	0.545	U	NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.546	U	NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	NS		0.55	U	NS		NS		NS		0.55	U	4.2		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		1.4	U	NS													
	23-Jun-12	0.55	U	NS		0.55	U	NS		NS		0.5	U	NS		NS		0.55	U	0.55	U	NS	
	1-Nov-12	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	29-Apr-13	NS		0.14	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	18-Oct-13	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U	0.11	U	0.11	U	NS		0.11	U
	9-Jan-14	0.11	U	NS		0.11	U	NS		NS		0.11	U	NS		NS		0.11	U	NS		NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.055	U	0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	NS		NS		NS		NS		NS		0.11	U	0.11	U	NS	
	27-Aug-14	NS		0.055	U	NS		NS		NS		NS		NS									
	12-Sept-14 (resample)	NS		0.082	U	NS		NS		NS													
	22-Oct-14	NS		0.082	U	NS		NS		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.11	U	NS	
	20-Jan-15	0.055	U	NS		0.055	U	NS		NS		0.055	U	NS		NS		0.082	U	0.055	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		0.061	U	NS													
	22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U
	21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.3 <sup>U</sup>	U	0.3 <sup>U</sup>	U	NS	
	23-Sept-15 resample	NS		0.3	U	NS		NS		NS													
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	NS		0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS									
	27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	20-Apr-16	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	20-Jul-16	0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U
	21-Oct-16	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	31-Jan-17	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	17-Apr-17	NS		0.082	U	NS		NS		0.082	U	NS		0.082	U	0.082	U	0.082	U	NS		0.082	U
	26-Jul-17	0.055	U	NS		0.055	U	NS		NS		0.055	U	NS		NS		0.055	U	NS		0.055	U
	12-Oct-17	NS		0.055	U	NS		NS		0.055	U	NS		0.17	U	0.14	U	0.16	U	NS		0.14	U
	10-Jan-18	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U
	11-Apr-18	NS		0.11	U	NS		NS		1.1	U	NS		1.1	U	1.1	U	1.1	U	NS		1.1	U
	23-May-18	NS		NS		NS		0.082	U	NS													
	27-Jul-18	0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U
	24-Oct-18	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	16-Jan-19	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	NS		NS	
	12-Apr-19	NS		0.055	U	NS		NS		0.055	U	NS		0.068	U	0.082	U	0.082	U	NS		0.082	U
	29-Jul-19	0.082	U	NS		0.082	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	1.5		NS	
	26-Sep-19	NS		NS		NS		0.082	U	NS													
	29-Oct-19	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.27 <sup>U</sup>	U	0.27 <sup>U</sup>	U	0.27 <sup>U</sup>	U	0.27 <sup>U</sup>	U
	21-Jan-20	0.06	U	NS		0.06	U	0.06	U	NS		0.06	U	NS		NS		0.06	U	0.06	U	NS	
	22-Apr-20	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	23-Jul-20	0.055	U	NS		0.055	U	NS		NS		0.11	U	NS		NS		0.11	U	NS		NS	
	29-Oct-20	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	19-Jan-21	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.082 <sup>U</sup>	U	NS	
	15-Apr-21	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		NS	
	21-Jul-21	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	20-Oct-21	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		NS	
	9-Feb-22	0.055	U	NS		0.055	U	NS		NS		0.055	U	NS		NS		0.055	U	NS		NS	
	7-Apr-22	NS		0.055	U	NS		NS		0.055	U	NS		NS		0.055	U	0.055	U				

**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
	8-Feb-08	0.12		NS		NS		NS		0.11	U	NS		NS		NS		0.2		19.6		NS		
	27-Mar-08	NS		0.107	U	NS		NS		NS		0.152		NS		NS		NS		13.4		5.34		
	25-Apr-08	NS		NS		0.199	NS	NS		NS		NS		1.35		NS		0.668		NS		3.39		
	29-May-08	NS		NS		NS		26.5		NS		NS		NS		0.15		0.37		13.6		NS		
	27-Jun-08	0.408		NS		NS		NS		258		NS		NS		NS		NS		13.6		6.56		
	31-Jul-08	NS		1.24		NS		NS		NS		NS		NS		NS		0.126		NS		3.26		
	28-Aug-08	NS		NS		0.558		NS		NS		NS		3.56		NS		0.432		18.4		NS		
	30-Sep-08	NS		NS		NS		56.2		NS		NS		NS		0.8	U	NS		22.7		3.95		
	27-Oct-08	0.8	U	NS		NS		NS		117		NS		NS		NS		2.99		NS		0.8		U
	25-Nov-08	NS		2.92		NS		NS		NS		1.89		NS		NS		0.54		39.8		NS		
	18-Dec-08	NS		NS		0.54	U	NS		NS		NS		0.54	U	NS		NS		4.56		2.48		
	21-Jan-09	NS		NS		NS		19.6		NS		NS		NS		0.54	U	0.54	U	NS		4.99		
	25-Feb-09	0.44		NS		NS		NS		99.5		NS		NS		NS		0.56		10.7		NS		
	26-Mar-09	NS		9.2		NS		NS		NS		3.88		NS		NS		NS		25.1		5.49		
	29-Apr-09	NS		NS		0.22		NS		NS		NS		1.2		NS		0.392		NS		2.96		
	22-Jul-09	0.537	U	NS		0.537	U	12.7		NS		3.19		NS		NS		0.354		NS		10.3		
	9-Oct-09	NS		0.091	U	NS		NS		26		NS		1.24		22.4	U	0.182		NS		3.26		
	15-Jan-10	0.591		NS		0.242		17.7		NS		0.172		NS		NS		0.107		18.5		NS		
	21-Apr-10	NS		0.107	U	NS		NS		34		NS		0.94		0.537	U	0.891		NS		2.01		
	16-Jul-10	0.333		NS		0.333		8.14		NS		0.811	U	NS		NS		0.107		27.8		NS		
	15-Oct-10	NS		2.26		NS		NS		129		NS		1.92		0.177		0.317		NS		1.3		
	26-Jan-11	1.07	U	1.63		NS		9.94		NS		0.537	U	NS		0.617		1.23		27.1		NS		
	28-Feb-11	NS		NS		1.07	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.231		NS		NS		78.1		NS		0.891		0.107		0.107	U	NS		1.56		
	26-Jul-11	1.18		NS		0.358	U	29.6		NS		10.5		NS		NS		0.247		20.5		NS		
	28-Oct-11	NS		2.7	U	NS		NS		110		NS		2.7	U	2.7	U	2.7	U	NS		2.7		
	23-Jan-12	0.88		NS		0.54	U	6.8		NS		7.8		NS		NS		0.54	U	44		NS		U
	13-Apr-12	NS		0.27	U	NS		NS		83		NS		1.5		0.27	U	0.27	U	NS		4.1		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		32		NS		
	23-Jun-12	1.1		NS		0.54	U	92		NS		0.75		NS		NS		0.54	U	35		NS		
	1-Nov-12	NS		2.4		NS		NS		92		NS		1.9		0.32		0.28		NS		6.9		
	1-Feb-13	0.85		NS		0.064		21		NS		5.6		NS		NS		0.077		20		NS		
	29-Apr-13	NS		1.7		NS		NS		46		NS		0.84		0.12		0.44		NS		1.9		
	9-Jul-13	0.60		NS		0.22		27		NS		2.6		NS		NS		0.14		22		NS		U
	18-Oct-13	NS		3.3		NS		NS		76		NS		2.2		0.48		0.66		NS		15		
	9-Jan-14	0.49		NS		0.11	U	36		NS		NS		1.8		NS		0.13		43		NS		
	24-Apr-14	NS		1.0		NS		NS		58		NS		0.81		0.13		1.0		31		2.4		
	1-Aug-14	2.70		NS		0.23		15/19		NS		NS		NS		NS		1.2		16/18		NS		
	27-Aug-14	NS		NS		NS		NS		NS		2.6/3.4		NS		NS		NS		NS		NS		
Trichloroethene*	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.30		NS		NS		NS		U
	22-Oct-14	NS		1.3		NS		NS		88		0.97		1.4		0.19		0.17		18		NS		
	20-Jan-15	0.52		NS		0.054	U	24		NS		1.3		NS		NS		0.081	U	0.054	U	NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		15		NS		
	22-Apr-15	NS		0.96		NS		NS		35		NS		0.80		0.078	U	0.57		NS		3.6		
	21-Jul-15	0.2	U	NS		1	U	15		NS		3.1		NS		NS		0.99 <sup>U</sup>		24 <sup>U</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS		NS		
	29-Oct-15	NS		4.1		NS		NS		54		NS		3.3		0.89		0.55		NS		7.3		
	4-Dec-15 resample	NS		2.1		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	2.3		NS		0.13		25		NS		0.98		NS		NS		0.27		36		NS		
	20-Apr-16	NS		1.8		NS		NS		76		NS		0.8		0.17		0.39		NS		9.4		
	20-Jul-16	0.47		NS		0.6		28		NS		3.8		NS		NS		0.63		21		NS		
	21-Oct-16	NS		7.6		NS		NS		66		NS		1.1		0.31		0.18		NS		5.7		
	31-Jan-17	0.23		NS		0.11		32		NS		0.71		NS		NS		0.054		44		NS		
	17-Apr-17	NS		1.4		NS		NS		58		NS		0.66		0.081	U	0.081	U	NS		11		
	26-Jul-17	0.23		NS		0.13		33		NS		NS		NS		NS		0.31		25		NS		
	12-Oct-17	NS		1.8		NS		NS		88		NS		0.76		0.38		0.15		NS		2.1		
	10-Jan-18	0.19		NS		0.054	U	29		NS		2.1		NS		NS		0.43		NS		65		
	11-Apr-18	NS		2.1		NS		NS		41		NS		1.1	U	1.1	U	0.13		NS		37		
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		7.0		NS		
	27-Jul-18	0.27	U	NS		0.27	U	140		NS		0.68		NS		NS		0.27		74		NS		
	24-Oct-18	NS		1.7		NS		NS		110		NS		0.69		0.27	U	0.27	U	NS		4.9		
	16-Jan-19	0.29		NS		0.054	U	47		NS		1.4		NS		NS		0.054		42		NS		
	12-Apr-19	NS		1.8		NS		NS		45		NS		0.38		0.081	U	0.081	U	NS		21		
	29-Jul-19	0.4		NS		0.15		23		NS		4.7		NS		NS		0.24		21		NS		
	26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		22		NS		
	29-Oct-19	NS		4.8		NS		NS		33		NS		0.054	U	0.11		0.27 <sup>U</sup>	U	23 <sup>U</sup>		1.1 <sup>U</sup>		
	21-Jan-20	0.15		NS		0.05	U	10.00		NS		1.10		NS		NS		0.06		24		NS		
	22-Apr-20	NS		0.54		NS		NS		20		NS		0.19										

**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		8-Feb-08	1.22			NS		NS		NS		1.22		NS		NS		NS		1.06		15.9	
27-Mar-08	NS			1.27		NS		NS		NS		1.18		NS		NS		NS		12		9.02	
25-Apr-08	NS			NS		1.18		NS		NS		NS		5.2		NS		1.66		NS		3.83	
29-May-08	NS			NS		NS		33.5		NS		NS		NS		0.98		1.05		NS		10.6	
27-Jun-08	1.29			NS		NS		NS		75.2		NS		NS		NS		NS		8.85		8.89	
31-Jul-08	NS			1.01		NS		NS		NS		NS		NS		NS		0.958		NS		5.1	
28-Aug-08	NS			NS		2.53		NS		NS		NS		18		NS		1.79		NS		15.6	
30-Sep-08	NS			NS		NS		53.8		NS		NS		NS		NS	U	2.8		NS		14.5	
27-Oct-08	2.8		U	NS		NS		NS		44.4		NS		NS		NS		6.1		NS		2.8	U
25-Nov-08	NS			10		NS		NS		NS		12.2		NS		NS		2.8		U		34	
18-Dec-08	NS			NS		2.8		NS	U	NS		NS		4.9		NS		NS		NS		4.8	
21-Jan-09	NS			NS		NS		26.9		NS		NS		NS		7.2		2.8		U		NS	
25-Feb-09	2.8		U	NS		NS		NS		14.8		NS		NS		NS		2.8		U		7.1	
26-Mar-09	NS			1.43		NS		NS		NS		2.81		NS	U	NS		NS		NS		19.6	
29-Apr-09	NS			NS		1.45		NS		NS		NS		4.23		NS		1.27		NS		3.17	
22-Jul-09	1.46			NS		1.46		19.9		NS		3.42		NS		NS		1.28		NS		6.46	
9-Oct-09	NS			0.156		NS		NS		20		NS		11		58.6		U		1.65		NS	
15-Jan-10	1.39			NS		2.1		16.6		NS		1.78		NS		NS		1.34		NS		15.4	
21-Apr-10	NS			0.466		NS		NS		10.1		NS		4.83		1.4		U		4.95		NS	
16-Jul-10	2.6			NS		1.84		16.4		NS		2.12		NS	U	NS		2.23		NS		19.8	
15-Oct-10	NS			9.63		NS		NS		72.2		NS		13.7		5.65		9.85		NS		10	
26-Jan-11	2.81		U	1.16		NS		13.8		NS		1.4		NS	U	NS		1.71		NS		26	
28-Feb-11	NS			NS		2.81		NS	U	NS		NS		NS		NS		NS		NS		NS	
27-Apr-11	NS			1.12		NS		NS		12.8		NS		3.24		1.27		1.17		NS		2.53	
26-Jul-11	4.27			NS		1.31		41.2		NS	U	15.3		NS		NS		1.62		NS		10	
28-Oct-11	NS			2.8		NS	U	NS		30		NS		5.1		2.8		U		2.9		NS	
23-Jan-12	2.1			NS		1.5		28		NS		29		NS		NS		1.4		NS		16	
13-Apr-12	NS			1.9		NS		NS		15		NS		6.4		2.1		2		NS		8.8	
2-Jul-12 (resample)	NS			NS		NS		NS		NS		NS		NS		NS		NS		NS		21	
23-Jun-12	2.4			NS		1.1		85		NS		2.2		NS		NS		1.2		NS		15	
1-Nov-12	NS			3.3		NS		NS		33		NS		6.7		1.2		1.2		NS		7.2	
1-Feb-13	2.1			NS		1.6		15		NS		17		NS		NS		1.6		NS		5.6	
29-Apr-13	NS			2.6		NS		NS		8.3		NS		3.1		NS		1.5		NS		2.7	
9-Jul-13	1.4			NS		2.2		33		NS		3.3		NS		NS		3.6		NS		5.5	
18-Oct-13	NS			4.0		NS		NS		19		NS		6.9		3.0		1.6		NS		20	
9-Jan-14	1.6			NS		1.8		21		NS		11		NS		NS		1.8		NS		11	
24-Apr-14	NS			2.3		NS		NS		10		NS		3.5		1.7		2.4		NS		4.3	
1-Aug-14	2.9			NS		1.7/1.6		23/26		NS		NS		NS		NS		2.4		NS		6.2	
27-Aug-14	NS			NS		NS		NS		NS		7.0/6.6		NS		NS		NS		NS		NS	
12-Sept-14 (resample)	NS			NS		NS		NS		NS		NS		NS		1.5		NS		NS	U	NS	
22-Oct-14	NS			2.7		NS		NS		28		4.2		7.0		1.7		1.4		NS		7.4	
20-Jan-15	1.6			NS		1.5		9.1		NS		5.2		NS		NS		1.3		NS		1.4	
30-Mar-15 (resample)	NS			NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8	
22-Apr-15	NS			7.8 <sup>v</sup>		NS		NS		15 <sup>v</sup>		NS		3.5		1.7/2.0		1.9		NS		3.4	
21-Jul-15	0.87			NS		1.0 <sup>v</sup>		19		NS		3.2		NS		NS		0.98 <sup>v</sup>		2.9 <sup>v</sup>		NS	
23-Sept-15 resample	NS			NS		NS		NS		NS		NS		NS		0.98		NS		NS		NS	
29-Oct-15	NS			4.3		NS		NS		11		NS		2.6		0.93		NS		NS		1.8	
4-Dec-15 resample	NS			2.5		NS		NS		NS		NS		NS		NS		NS		NS		NS	
27-Jan-16	2.5 <sup>M,V</sup>			NS		1.9 <sup>M,V</sup>		19 <sup>M,V</sup>		NS		7.6 <sup>M,V</sup>		NS		NS		2.4 <sup>M,V</sup>		7.6 <sup>M,V</sup>		NS	
20-Apr-16	NS			2.3		NS		NS		8.8		NS		2.5		1.6		NS		NS		4.3	
20-Jul-16	1.3			NS		1.6		16		NS		4.2		NS		NS		1.7		NS		4	
21-Oct-16	NS			4.7		NS		NS		15		NS		3.8		1.5		1.3		NS		5.9	
31-Jan-17	1.4			NS		1.5		35		NS		3.9		NS		NS		1.4		NS		9.1	
17-Apr-17	NS			2.7		NS		NS		8.6		NS		3.1		1.7		NS		NS		8.2	
26-Jul-17	0.98			NS		0.98		19		NS		1.9		NS		NS		1.1		NS		3.4	
12-Oct-17	NS			2.3		NS		NS		18		NS		3.8		1.8		1.5		NS		2.2	
10-Jan-18	1.2			NS		1.3		9.1		NS		4.6		NS		NS		1.1		NS		11	
11-Apr-18	NS			2.1		NS		NS		5.3		NS		4.5		NS	U	4.5		NS		9.9	
23-May-18	NS			NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2	
27-Jul-18	2.2		U	NS		2.2		24		NS		2.2		NS		NS		2.2		U		6	
24-Oct-18	NS			2.6		NS		NS		14		NS		3.4		NS		2.2		U		NS	
16-Jan-19	1.1			NS		1.2		16		NS		2.9		NS		NS		1.2		NS		5.1	
12-Apr-19	NS			1.8		NS		NS		4.5		NS		2		1.2		1.1		NS		7.8	
29-Jul-19	1.6			NS		1.2		13		NS		3.9		NS		NS		1.3		NS		4.3	
26-Sep-19	NS			NS		NS		NS		NS		NS		NS		NS		NS		NS		4.6	
29-Oct-19	NS			3.6		NS		NS		5.6		NS		1.7		2.2 <sup>U</sup>		NS		U		3.9 <sup>U</sup>	2.2 <sup>U</sup>
21-Jan-20	1.30			NS		1.20		7.70		NS		3.10		NS		NS		1.20		NS		4.90	
22-Apr-20	NS			2		NS		NS		4.6		NS		2.1		1.6		1.7		NS		2.5	
23-Jul-20	1.7			NS		1.8 <sup>w</sup>		19 <sup>w</sup>		NS		3.3		NS		NS		NS		NS		1.4	
29-Oct-20	NS			2.2		NS		NS		9.5		NS		3		1.5		1.4		NS		2.7	
19-Jan-21	1.4			NS		1.1		3.6		NS		1.1		NS		NS		1.4		NS		2.5 <sup>t</sup>	
15-Apr-21	NS			1.6		NS		NS		3.4		NS		1.4		NS		1.3		NS		1.4	
21-Jul-21	1.4			NS		1.3		4.4		NS		1.7		NS		NS		1.4		NS		NS	
20-Oct-21	NS			2		NS		NS		7.8		NS		2.3		1.4		1.4		NS		1.9	
9-Feb-22	1.5			NS		1.5		5		NS		3.3		NS		NS		1.4		NS		4.4	
7-Apr-22	NS			1.4		NS		NS		1.6		NS		3.4		1.2		1.2		NS		1.8	
28-Jul-22	1.3 <sup>m</sup>			NS		1.5		1.4		NS		4.4		NS		NS		1		NS		4.2	
18-Oct-22	NS			1.2		NS		NS		1.7		NS		2.2		1.4		1.3		NS		2	

Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
1,2,4-Trimethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.69		1.93		NS		
	27-Mar-08	NS		0.304		NS		NS		NS		0.152		NS		NS		NS		0.958		0.681		
	25-Apr-08	NS		NS		1.72		NS		NS		NS		0.644		NS		0.517		NS		0.338		
	29-May-08	NS		NS		NS		0.6		NS		NS		NS		1		1.26		0.48		NS		
	27-Jun-08	7.46		NS		NS		NS		1.15		NS		NS		NS		NS		0.638		0.736		
	31-Jul-08	NS		1.86		NS		NS		NS		NS		NS		NS		0.885		NS		0.685		
	28-Aug-08	NS		NS		0.838		NS		NS		NS		NS		NS		0.669		0.653		NS		
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		NS	U	2.5		NS		2.5	U	
	27-Oct-08	11.4		NS		NS		NS		NS	U	NS		NS		NS		2.5	U	NS		2.9	U	
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		6.4		5.2		NS		
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U	
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	2.5	U	NS		2.5	U	
	25-Feb-09	17.5		NS		NS		NS		4		NS		NS		NS		6.2		2.9		NS		
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		1.09		1.55		
	29-Apr-09	NS		NS		0.265		NS		NS		NS		0.378		NS		0.707		NS		0.801		
	22-Jul-09	3.49		NS		20	U	0.982	U	NS		0.737		NS		NS		56.4		0.86		NS		
	9-Oct-09	NS		0.707		NS		NS		0.781		NS		0.648		20.5	U	1.36		NS		0.584		
	15-Jan-10	2.87		NS		0.354		0.29		NS		0.314		NS		NS		1.06		1.17		NS		
	21-Apr-10	NS		0.211		NS		NS		0.933		NS		1.42		1.13		0.653		NS		0.702		
	16-Jul-10	8.3		NS		8.23		8.09		NS		6.27		NS		NS		4.28		5.05		NS		
	15-Oct-10	NS		1.29		NS		NS		1.61		NS		1.1		1.38		1.86		NS		2.35		
	26-Jan-11	1.23		1.4		NS		1.6		NS		0.491	U	NS		1.35		6.93		10.4		NS		
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.845		NS		NS		0.855		NS		1.24		1.06		2.06		NS		1.09		
	26-Jul-11	1.29		NS		2.67		0.61		NS		0.541		NS		NS		2.48		0.541		NS		
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	3.7		NS		3.1		
	23-Jan-12	3		NS		0.76		0.49		NS	U	0.71		NS		NS		2.7		2.8		NS		
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	1.1		3.9		NS		1.3		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5	U	NS		
	23-Jun-12	4.1		NS		1.3		1.2		NS		1.1		NS		NS		2.1		1.1		NS		
	1-Nov-12	NS		1.7		NS		NS		2.5		NS		3.1		3		3.2		NS		3.3		
	1-Feb-13	1.2		NS		0.23		0.21		NS		0.3		NS		NS		1		0.86		NS		
	29-Apr-13	NS		NS		0.54		NS		0.74		NS		0.66		NS		0.83		1		NS		
	9-Jul-13	4.2		NS		1.6		1.8		NS		1.8		NS		NS		2		2.0		NS		
	18-Oct-13	NS		4.8		NS		NS		4.3		NS		5.6		6.4		5.0		NS		5.7		
	9-Jan-14	2.7		NS		2.7		3.8		NS		3.8		NS		NS		12.0		13.0		NS		
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.13		0.098	U	0.5		0.1		2.6		
	1-Aug-14	4.1		NS		6.5/5.1		3.0/3.6		NS		NS		NS		NS		2.6		6.3/4.3		NS		
	27-Aug-14	NS		NS		NS		NS		NS		1.1		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	NS		
	22-Oct-14	NS		0.37		NS		NS		0.28		0.6		0.59		0.50		1.0		1.2		NS		
	20-Jan-15	0.19		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.4		NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.55		NS		
	22-Apr-15	NS		0.27		NS		NS		0.17		NS		0.24		0.33/0.37		0.33		NS		0.43		
	21-Jul-15	0.44		NS		1.1		5	U	NS		0.89		NS		NS		0.47 <sup>U</sup>		0.66 <sup>U</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.7		NS		NS		NS		
	29-Oct-15	NS		0.43		NS		NS		0.78		NS		0.87		0.64		NS		0.48		NS		
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	0.32		NS		0.098	U	0.17		NS		0.098	U	NS		NS		0.55		0.38		NS		
	20-Apr-16	NS		0.39		NS		NS		0.57		NS		0.79		NS		0.49		NS		0.94		
20-Jul-16	2.2		NS		2.6		2.3		NS		2.4		NS		NS		3.2		2.6		NS			
21-Oct-16	NS		0.8		NS		NS		0.74		NS		1.1		1.2		1.6		NS		1.3			
31-Jan-17	1.3		NS		0.61		0.69		NS		0.74		NS		NS		5.1		4.9		NS			
17-Apr-17	NS		0.16		NS		NS		0.21		NS		0.2		0.2		0.29		NS		0.33			
26-Jul-17	0.28		NS		0.098	U	0.3		NS		0.36		NS		NS		0.34		NS		0.29			
12-Oct-17	NS		0.95		NS		NS		0.58		NS		2.6		2.1		1.9		NS		1.6			
10-Jan-18	0.14		NS		0.098	U	0.18		NS		0.12		NS		NS		0.88		NS		0.76			
11-Apr-18	NS		0.31 <sup>M</sup>		NS		NS		0.98	U	NS		0.98	U	0.98	U	0.098	U	NS		0.98	U		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15	U	NS	U		
27-Jul-18	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49	U	0.49	U	NS	U		
24-Oct-18	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	NS	U	NS		0.49	U		
16-Jan-19	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.098	U	0.098	U	NS	U		
12-Apr-19	NS		0.098	U	NS		NS		0.098	U	NS		0.12	U	0.15	U	0.15	U	NS		0.15	U		
29-Jul-19	2.9		NS		3.1		4.3		NS		5.3		NS		NS		1.9		3.3		NS			
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.5		NS			
29-Oct-19	NS		1.9		NS		NS		1.5		NS		0.3		2.2 <sup>U</sup>		1.7		2.2 <sup>U</sup>		2.2 <sup>U</sup>			
21-Jan-20	0.17		NS		0.25		0.24		NS		0.22		NS		NS		2.10		3.10		NS			
22-Apr-20	NS		0.098	U	NS		NS		0.098	U	NS		0.098	U	0.098	U	0.098	U	NS		0.098	U		
23-Jul-20	0.098	U	NS		0.098	U	0.098	U	NS		0.2	U	NS		NS		3.9		NS		NS	U		
29-Oct-20	NS		0.098	U	NS		NS		0.098	U	NS		0.098	U	0.098	U	0.098	U	NS		0.098	U		
19-Jan-21	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS									

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
			8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.47		0.66	
	27-Mar-08	NS		0.14		NS		NS		NS		0.098	U	NS		NS		NS		0.349		0.275	
	25-Apr-08	NS		NS		1.6		NS		NS		NS		0.228		NS		0.192		NS		0.134	
	29-May-08	NS		NS		NS		0.18		NS		NS		NS		0.32		0.43		NS		NS	
	27-Jun-08	5.16		NS		NS		NS		0.463		NS		NS		NS		NS		NS		0.236	
	31-Jul-08	NS		0.713		NS		NS		NS		NS		NS		NS		0.276		NS		0.224	
	28-Aug-08	NS		NS		0.497		NS		NS		NS		0.215		NS		0.248		0.233		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		NS	U	2.5		NS		2.5	U
	27-Oct-08	7.8		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5		NS	
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5		2.5		NS		2.5	U
	25-Feb-09	9.1		NS		NS		NS		2.5	U	NS		NS		NS		2.5		2.5		NS	
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		0.337		0.425	
	29-Apr-09	NS		NS		0.147		NS		NS		NS		0.128		NS		0.211		NS		0.241	
	22-Jul-09	3		NS		20	U	0.982	U	NS		NS		0.491	U	NS		NS		22.7		0.275	
	9-Oct-09	NS		0.216		NS		NS		0.241		NS		0.187		20.5	U	0.388		NS		0.226	
	15-Jan-10	2.15		NS		0.118		0.098	U	NS		0.108		NS		NS		0.29		0.334		NS	
	21-Apr-10	NS		0.098	U	NS		NS		0.491	U	NS		0.491	U	0.491	U	0.177		NS		0.206	
	16-Jul-10	2.76		NS		1.88		1.81		NS		1.67		NS		NS		1.08		1.25		NS	
	15-Oct-10	NS		0.418		NS		NS		0.383		NS		0.275		0.324		0.545		NS		0.54	
	26-Jan-11	0.982	U	0.437		NS		0.472		NS		0.491	U	NS		0.491	U	NS		1.99		2.87	
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.255		NS		NS		0.27		NS		0.368		0.329		0.599		NS		0.354	
	26-Jul-11	0.688		NS		0.885		0.182		NS		0.492	U	NS		NS		0.664		0.492	U	NS	
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	2.5		NS		2.5	U
	23-Jan-12	0.99		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.71	U	0.83		NS	
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	1.1		NS		0.49	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5	U	NS	
	23-Jun-12	1.6		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49		NS		NS	
	1-Nov-12	NS		0.25		NS		NS		0.39		NS		0.53		0.5		0.56		NS		0.63	
	1-Feb-13	0.42		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.24		NS	
	29-Apr-13	NS		0.25	U	NS		NS		0.22		NS		0.18		0.22		NS		NS		0.27	
	9-Jul-13	1.5		NS		0.39		0.37		NS		0.38		NS		NS		0.43		0.44		NS	
	18-Oct-13	NS		0.53		NS		NS		0.52		NS		0.75		0.99		0.44		NS		0.53	
	9-Jan-14	0.77		NS		0.69		NS		NS		0.98		NS		NS		2.9		3.1		NS	
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.098	U	0.098	U	0.14		0.098	U	0.50	
	1-Aug-14	0.90		NS		1.00		0.60		NS		NS		NS		NS		0.46		0.86		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.23		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U	NS	
	22-Oct-14	NS		0.15	U	NS		NS		0.15	U	0.15	U	0.15	U	0.15	U	0.15		0.20		NS	
	20-Jan-15	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.15	U	0.11		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.11	U	NS	
	22-Apr-15	NS		0.10	U	NS		NS		0.098	U	NS		0.098	U	0.14	U	0.098	U	NS		0.12	
	21-Jul-15	0.2	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.20 <sup>U</sup>	U	0.14 <sup>U</sup>		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.48		NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.16 <sup>U</sup>		NS		0.4	U	0.13 <sup>U</sup>		NS		0.17 <sup>U</sup>		NS	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.1		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.13		0.098	U	NS	
	20-Apr-16	NS		0.098	U	NS		NS		0.098	U	NS		0.18		0.098		0.26		NS		0.18	
	20-Jul-16	0.78		NS		1.2		0.88		NS		0.96		NS		NS		1.3		1		NS	
	21-Oct-16	NS		0.17		NS		NS		0.18		NS		0.19		0.28		0.53		NS		0.34	
	31-Jan-17	0.36		NS		0.13		0.15		NS		0.15		NS		NS		1.3		1.2		NS	
	17-Apr-17	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U	0.15	U	0.15		NS		0.15	U
	26-Jul-17	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.098	U	0.098	U	NS	
	12-Oct-17	NS		0.16		NS		NS		0.16		NS		0.3	U	0.4		0.28		NS		0.25	U
	10-Jan-18	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.17		NS		0.12	
	11-Apr-18	NS		0.098	U	NS		NS		0.98	U	NS		0.98	U	0.98	U	0.98	U	NS		0.98	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jul-18	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49	U	0.49	U	NS	
	24-Oct-18	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	NS		0.49	U	NS		0.49	U
	16-Jan-19	0.1		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.098	U	NS		NS	
	12-Apr-19	NS		0.098	U	NS		NS		0.098	U	NS		0.12	U	0.15	U	0.15	U	NS		0.25	
	29-Jul-19	0.68		NS		0.75		1		NS		1.2		NS		NS		0.53		1.8		NS	
	26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	29-Oct-19	NS		0.4		NS		NS		0.47		NS		0.098	U	0.38		0.55 <sup>U</sup>		0.73 <sup>U</sup>		0.49 <sup>U</sup>	U
	21-Jan-20	0.10	U	NS		0.10	U	0.10	U	NS		0.10	U	NS		NS		0.54		0.87		NS	
	22-Apr-20	NS		0.098	U	NS		NS		0.098	U	NS		0.098	U	0.098	U	0.29		NS		0.41	
	23-Jul-20	0.3		NS		0.098	U	0.098															

**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Vinyl chloride*	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS	
	27-Mar-08	NS		0.051	U	NS		NS		NS		0.051	U	NS		NS		NS		0.051	U	0.051	U
	25-Apr-08	NS		NS		0.051	U	NS		NS		NS		0.75		NS		0.051	U	NS		0.051	U
	29-May-08	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	0.05	U	NS	
	27-Jun-08	0.08	U	NS		NS		NS		0.051	U	NS		NS		NS		NS		0.051	U	0.051	U
	31-Jul-08	NS		0.051	U	NS		NS		NS		NS		NS		NS		0.051	U	NS		0.051	U
	28-Aug-08	NS		NS		0.051	U	NS		NS		NS		0.051	U	NS		0.051	U	0.051	U	NS	
	30-Sep-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U	NS	
	27-Oct-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U
	25-Nov-08	NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U	NS	
	18-Dec-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U
	21-Jan-09	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U
	25-Feb-09	0.1	U	NS		NS		0.1	U	NS		NS		NS		NS		0.1	U	NS		0.1	U
	26-Mar-09	NS		0.255	U	NS		NS		NS		0.511	U	NS		NS		NS		0.051	U	0.051	U
	29-Apr-09	NS		NS		0.061	U	NS		NS		NS		0.051	U	NS		0.051	U	NS		0.051	U
	22-Jul-09	0.255	U	NS		0.255	U	0.511	U	NS		NS		0.255	U	NS		NS		0.051	U	0.051	U
	9-Oct-09	NS		1.72		NS		NS		0.051	U	NS		0.102		10.7	U	0.051	U	NS		0.051	U
	15-Jan-10	0.051	U	NS		0.061	U	0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	21-Apr-10	NS		0.051	U	NS		NS		0.255	U	NS		0.256	U	0.255	U	0.051	U	NS		NS	
	16-Jul-10	0.051	U	NS		1.98		0.051	U	NS		0.386	U	NS		NS		0.051	U	0.051	U	NS	
	15-Oct-10	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	NS		0.051	U	NS		NS	
	26-Jan-11	0.511	U	0.051	U	NS		0.051	U	NS		0.255	U	NS		0.255	U	0.051	U	0.255	U	NS	
	28-Feb-11	NS		NS		0.511	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jul-11	0.17	U	NS		0.17	U	0.051	U	NS		0.256	U	NS		NS		0.051	U	0.256	U	NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	13-Apr-12	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.64	U	NS	
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U
	1-Nov-12	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	1-Feb-13	0.065		NS		0.026	U	0.026	U	NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	29-Apr-13	NS		0.41		NS		NS		0.045		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	9-Jul-13	0.038	U	NS		0.026	U	0.085		NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	18-Oct-13	NS		0.051	U	NS		NS		0.074		NS		0.051	U	0.063		0.051	U	NS		0.051	U
	9-Jan-14	0.092		NS		0.051	U	NS		NS		0.051	U	NS		NS		0.051	U	NS		0.051	U
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.10		0.026	U	0.026	U	0.077	U
	1-Aug-14	0.21		NS		0.38	U	0.077	U	NS		NS		NS		NS		0.051	U	0.051	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.026	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.038	U	NS		NS		NS	
	22-Oct-14	NS		0.038	U	NS		NS		0.038	U	0.038	U	0.24		0.038	U	0.038	U	0.038	U	0.051	U
	20-Jan-15	0.093 <sup>v</sup>		NS		0.14 <sup>v</sup>		0.026	U	NS		0.072 <sup>v</sup>		NS		NS		0.038 <sup>v</sup>	U	0.026	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	22-Apr-15	NS		0.069 <sup>v</sup>		NS		NS		0.060 <sup>v</sup>		NS		0.026	U	0.037	U	0.026	U	NS		0.029	U
	21-Jul-15	0.090 <sup>f</sup>		NS		0.5	U	3	U	NS		0.097 <sup>f</sup>		NS		NS		0.096 <sup>f,v</sup>		0.100 <sup>v</sup>	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS	
	29-Oct-15	NS		0.13 <sup>f</sup>		NS		NS		0.1	U	NS		0.2	U	NS		0.1	U	NS		NS	
	4-Dec-15 resample	NS		0.14		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.026	U	NS		0.2		0.026	U	NS		0.064		NS		NS		0.026	U	0.026	U	NS	
	20-Apr-16	NS		0.23		NS		0.072		NS		0.026	U	0.026	U	0.026	U	0.026	U	NS		0.026	U
20-Jul-16	0.13 <sup>t</sup>	U	NS		0.29 <sup>t</sup>		0.13 <sup>t</sup>	U	NS		0.54 <sup>t</sup>		NS		NS		0.13 <sup>t</sup>	U	NS		0.13 <sup>t</sup>	U	
21-Oct-16	NS		0.34		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		NS		0.035	U	
31-Jan-17	0.11		NS		0.27		0.026	U	NS		0.15		NS		NS		0.026	U	NS		0.026	U	
17-Apr-17	NS		0.19		NS		NS		0.038	U	NS		0.038	U	0.038	U	0.038	U	NS		0.038	U	
26-Jul-17	0.026	U	NS		0.3		0.026	U	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	
12-Oct-17	NS		0.31		NS		NS		0.026	U	NS		0.077	U	0.17		0.073	U	NS		0.064	U	
10-Jan-18	0.19		NS		0.24		0.026	U	NS		0.32		NS		NS		0.026	U	NS		0.026	U	
11-Apr-18	NS		0.051	U	NS		NS		0.51 <sup>p</sup>	U	NS		0.51 <sup>p</sup>	U	0.51 <sup>p</sup>	U	0.051	U	NS		0.51 <sup>p</sup>	U	
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	NS		
27-Jul-18	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS		
24-Oct-18	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	NS		0.26	U	NS		0.26	U	
16-Jan-19	0.27		NS		0.2		0.051	U	NS		0.33		NS		NS		0.051	U	NS		NS		
12-Apr-19	NS		0.35		NS		NS		0.051	U	NS		0.064	U	0.077	U	0.077	U	NS		0.077	U	
29-Jul-19	0.077	U	NS		0.077	U	0.051	U	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	
29-Oct-19	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.26 <sup>p</sup>	U	0.051	U	0.26 <sup>p</sup>	U	0.26 <sup>p</sup>	U	
21-Jan-20	0.05	U	NS		0.05	U	0.05	U	NS		0.05	U	NS		NS		0.05	U	NS		NS		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
p/m-Xylene	8-Feb-08	0.55		NS		NS		NS		0.63		NS		NS		NS		1.04		18.3		NS		
	27-Mar-08	NS		0.893		NS		NS		NS		0.389		NS		NS		NS		2.17		1.33		
	25-Apr-08	NS		NS		0.815		NS		NS		NS		0.97		NS		2.54		NS		1.81		
	29-May-08	NS		NS		NS		5		NS		NS		NS		7.58		10.1		3.34		NS		
	27-Jun-08	12.6		NS		NS		NS		1.5		NS		NS		NS		NS		1.91		2.33		
	31-Jul-08	NS		2.4		NS		NS		NS		NS		NS		NS		2.08		NS		1.55		
	28-Aug-08	NS		NS		2.33		NS		NS		NS		1.44		NS		2.13		1.94		NS		
	30-Sep-08	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U	4.3	U	
	27-Oct-08	41.6		NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U	
	25-Nov-08	NS		4.7		NS		NS		NS		4.3	U	NS		NS		8.5		8.9		NS		
	18-Dec-08	NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		NS		4.3	U	4.3	U	
	21-Jan-09	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	4.3	U	NS		4.3	U	
	25-Feb-09	37.6		NS		NS		NS		4.3	U	NS		NS		NS		8		9.3		NS		
	26-Mar-09	NS		1.35		NS		NS		NS		1.74	U	NS		NS		NS		2.59		3.56		
	29-Apr-09	NS		NS		0.468		NS		NS		NS		0.516		NS		0.933		NS		1.06		
	22-Jul-09	25.6		NS		25.6		1.74	U	NS		NS		3.88		NS		165		3.52		NS		
	9-Oct-09	NS		1.62		NS		NS		1.63		NS		0.915		36.2	U	1.74		NS		1.7		
	15-Jan-10	18.4		NS		1.52		1.48		NS		1.76		NS		NS		2.35		2.65		NS		
	21-Apr-10	NS		0.703		NS		NS		3.28		NS		4.58		NS		4.34		6.22		NS		
	16-Jul-10	21.8		NS		7.01		6.36		NS		4.82		NS		NS		4.95		4.91		NS		
	15-Oct-10	NS		1.81		NS		NS		2.18		NS		1.7		1.88		3.4		NS		2.88		
	26-Jan-11	3.08		4.24		NS		4.37		NS		3.06		NS		3.17		11.5		NS		13.6		
	28-Feb-11	NS		NS		1.74	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.694		NS		NS		0.707		NS		0.889		1.15		1.09		NS		1.44		
	26-Jul-11	9.99		NS		3.96		1.02		NS		0.999		NS		NS		0.956		NS		1.26		
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	9.8		NS		4.3	U	
	23-Jan-12	7.9		NS		2		1.3		NS		2		NS		NS		4.4		14		NS		
	13-Apr-12	NS		0.87	U	NS		NS		0.87	U	NS		0.87	U	0.87		3.6		NS		1.1		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		4.3	U	NS		
	23-Jun-12	12		NS		1.1		0.87	U	NS		0.94		NS		NS		1.7		NS		1.1		
	1-Nov-12	NS		2.1		NS		NS		2.4		NS		3.3		2.9		3.6		NS		5.3		
	1-Feb-13	3.4		NS		0.44		0.38		NS		0.59		NS		NS		1.5		1.4		NS		
	29-Apr-13	NS		NS		1		NS		1.2		NS		1.2		NS		1.5		1.9		NS		
	9-Jul-13	12		NS		1.9		1.8		NS		1.7		NS		NS		3.2		0.70		NS		
	18-Oct-13	NS		5.0		NS		NS		5.6		NS		6.3		8.0		4.7		NS		5.9		
	9-Jan-14	8.6		NS		7.2		9.3		NS		9.7		NS		NS		23		22.00		NS		
	24-Apr-14	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.28		0.17	U	2.6		
	1-Aug-14	4.8		NS		2.8/3.0		1.8/2.1		NS		NS		NS		NS		1.5		2.4/2.8		NS		
	27-Aug-14	NS		NS		NS		NS		NS		3.6		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS	U	NS		
	22-Oct-14	NS		0.26	U	NS		NS		0.26	U	0.30		0.5		0.26	U	0.76		0.92		NS		
	20-Jan-15	1.1		NS		0.21		0.30		NS		0.20		NS		NS		0.7		0.90		NS		
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		NS		
	22-Apr-15	NS		0.71		NS		NS		0.40		NS		0.8		0.66/0.76		1.3		NS		1.6		
	21-Jul-15	1.5		NS		1.7 <sup>U</sup>		9	U	NS		1.9		NS		NS		1.8 <sup>U</sup>		2.3 <sup>U</sup>		NS		
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.71		NS		NS		NS		
	29-Oct-15	NS		0.29 <sup>U</sup>		NS		NS		0.47 <sup>U</sup>		NS		0.73		NS		0.90		NS		1		
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Jan-16	2.4		NS		0.51		0.64		NS		0.64		NS		NS		2.5		2.7		NS		
	20-Apr-16	NS		1		NS		NS		1.5		NS		2.1		NS		1.4		2.7		NS		
20-Jul-16	16		NS		1.4		0.91		NS		1.3		NS		NS		9.3		3.2		NS			
21-Oct-16	NS		0.43		NS		NS		1.1		NS		0.77		2		4.1		NS		1.7			
31-Jan-17	2		NS		0.5		0.55		NS		0.45		NS		NS		3.3		1.9		NS			
17-Apr-17	NS		0.26	U	NS		NS		0.27		NS		0.27		0.26		0.57		NS		0.49			
26-Jul-17	1.6		NS		0.93		0.74		NS		1.4		NS		NS		1.3		0.96		NS			
12-Oct-17	NS		0.58		NS		NS		0.68		NS		0.83		1		0.89		NS		0.96			
10-Jan-18	1.4		NS		0.33		0.62		NS		0.53		NS		NS		3.4		NS		1.3			
11-Apr-18	NS		0.35		NS		NS		1.7	U	NS		1.7	U	NS	U	0.97		NS		1.7	U		
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.31		NS			
27-Jul-18	0.87	U	NS		0.87	U	0.87	U	NS	U	0.87	U	NS	U	NS	U	0.87	U	0.87	U	NS	U		
24-Oct-18	NS		0.87	U	NS		NS		0.87	U	NS		2		0.87	U	1.6		NS		1.3			
16-Jan-19	1.5		NS		0.24		0.35		NS		0.42		NS		NS		0.88		1.1		NS			
12-Apr-19	NS		0.3		NS		NS		0.36		NS		0.28		0.52		0.6		NS		1.2			
29-Jul-19	17		NS		17		21		NS		25		NS		NS		12		13		NS			
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		4		NS			
29-Oct-19	NS		2.4		NS		NS		1.8		NS		0.64		2.6		4.4 <sup>U</sup>		6.1 <sup>U</sup>		4 <sup>U</sup>			
21-Jan-20	0.83		NS		1.10		0.94		NS		0.69		NS		NS		3.30		3.80		NS			
22-Apr-20	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	1.2		NS		1.6			
23-Jul-20	2.7		NS		0.99		NS		NS		1.2		NS		NS		2.5		NS		4.6			
29-Oct-20	NS		0.53		NS		NS		0.55		NS		0.45		0.71		1.5		NS		2.3			
19-Jan-21	0.4		NS		0.22		0.19		NS		0.26		NS		NS		1.1		0.98 <sup>F</sup>		NS			
15-Apr-21	NS		NS		0.25		NS		0.17	U	NS		0.17											

Summary of Subslab Air Sampling Data  
 Alvarez School  
 Volatile Organic Compounds  
 February 2008 - October 2022

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
o-Xylene	8-Feb-08	0.2		NS		NS		NS		0.23		NS		NS		NS		0.48		7.73		NS		
	27-Mar-08	NS		0.273		NS		NS		NS		0.142		NS		NS		NS		0.844		0.478		
	25-Apr-08	NS		NS		0.37		NS		NS		NS		0.406		NS		0.735		NS		0.62		
	29-May-08	NS		NS		NS		1.48		NS		NS		NS		2.26		2.84		1.02		NS		
	27-Jun-08	4.12		NS		NS		NS		0.55		NS		NS		NS		NS		0.672		0.794		
	31-Jul-08	NS		0.835		NS		NS		NS		NS		NS		NS		0.748		NS		0.564		
	28-Aug-08	NS		NS		0.804		NS		NS		NS		0.511		NS		0.797		0.725		NS		
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		NS	U	2.2		NS		2.2	U	
	27-Oct-08	9.8		NS		NS		NS		NS	U	NS		NS		NS		2.2		NS	U	4		
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		3.1	U	2.2	U	NS		
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2		
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2		2.2	U	NS		2.2	U	
	25-Feb-09	8.9		NS		NS		NS		2.2	U	NS		NS		NS		2.2		2.2		NS		
	26-Mar-09	NS		0.486		NS		NS		NS		0.868	U	NS		NS		NS		0.922		1.28		
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.208		NS		0.369		NS		0.499		
	22-Jul-09	5.34		NS		5.34		0.868	U	NS		1.39		NS		NS		72.7		NS		1.27		
	9-Oct-09	NS		0.542		NS		NS		0.586		NS		0.343		18.1	U	0.629		NS		0.616		
	15-Jan-10	4.51		NS		0.49		0.49		NS		0.56		NS		NS		0.833		0.846		NS		
	21-Apr-10	NS		0.256		NS		NS		1.17		NS		1.56		1.41		NS		1.24		NS		
	16-Jul-10	5.07		NS		2.84		2.63		NS		2.1		NS		NS		1.88		2.05		NS		
	15-Oct-10	NS		0.672		NS		NS		0.837		NS		0.659		0.729		1.22		NS		1.14		
	26-Jan-11	1.08		1.5		NS		1.54		NS		1.11		NS		1.15		4.32		NS		5.16		
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.286		NS		NS		0.286		NS		0.369		0.456		0.451		NS		0.551		
	26-Jul-11	1.87		NS		1.45		0.334		NS		0.434	U	NS		NS		0.365		0.434		NS		
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	2.2	U	3.3		NS		2.2	U	
	23-Jan-12	2.3		NS		0.76		0.54		NS		0.79		NS		NS		1.7		NS		4.6		
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	1.4		NS		0.43	U	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2		NS		
	23-Jun-12	3		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.59		NS		0.44		
	1-Nov-12	NS		0.72		NS		NS		0.85		NS		1.1		1.1		1.3		NS		1.8		
	1-Feb-13	1		NS		0.19		0.17		NS		0.24		NS		NS		0.64		NS		0.52		
	29-Apr-13	NS		NS		0.43		NS		0.46		NS		0.41		NS		0.065		NS		0.86		
	9-Jul-13	3.2		NS		0.86		0.90		NS		0.84		NS		NS		1.3		0.28		NS		
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.1		2.9		1.4		NS		1.7		
	9-Jan-14	3.4		NS		3.0		4.00		NS		4.1		NS		NS		9.8		NS		9.6		
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.11		0.087	U	1.2		
	1-Aug-14	1.9		NS		1.6/1.8		1.10		NS		NS		NS		NS		0.79		NS		1.2/1.6		
	27-Aug-14	NS		NS		NS		NS		NS		1.3		NS		NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.52		NS		NS		NS		
22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.2		0.13	U	0.28		NS		0.35			
20-Jan-15	0.29		NS		0.087	U	0.10		NS		0.087	U	NS		NS		0.23		NS		0.34			
30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.36			
22-Apr-15	NS		0.26		NS		NS		0.13		NS		0.25		0.22/0.25		0.38		NS		0.54			
21-Jul-15	0.48		NS		0.59 <sup>1</sup>	U	4		NS		0.53		NS		NS		0.54 <sup>U</sup>		0.73 <sup>U</sup>		NS			
23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS		NS			
29-Oct-15	NS		0.16 <sup>1</sup>		NS		NS		0.21 <sup>1</sup>		NS		0.34 <sup>1</sup>		NS		0.32		NS		0.44			
4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS			
27-Jan-16	0.51		NS		0.13		0.17		NS		0.17		NS		NS		0.63		NS		0.84			
20-Apr-16	NS		0.36		NS		NS		0.52		NS		0.77		NS		0.49		NS		0.92			
20-Jul-16	3.4 <sup>w</sup>		NS		0.84 <sup>w</sup>	U	0.43 <sup>w</sup>		NS		0.6 <sup>w</sup>	W	NS		NS		2.7 <sup>w</sup>		NS		1.3 <sup>v</sup>			
21-Oct-16	NS		0.18		NS		NS		0.38		NS		0.27		0.72		1.3		NS		0.62			
31-Jan-17	0.88		NS		0.31		0.32		NS		0.27		NS		NS		1.7		NS		1.2			
17-Apr-17	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.25		NS		0.2			
26-Jul-17	0.45		NS		0.28		NS		NS		NS		0.46		NS		0.41		NS		0.34			
12-Oct-17	NS		0.36		NS		NS		0.44		NS		0.52		0.56		0.46		NS		0.42			
10-Jan-18	0.44		NS		0.12		0.2		NS		0.2		NS		NS		1.2		NS		0.53			
11-Apr-18	NS		0.13		NS		NS		0.87	U	NS		0.87	U	0.87	U	0.35		NS		0.87			
23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.16			
27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U		
24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.63		NS		0.57			
16-Jan-19	0.44		NS		0.089		0.13		NS		0.16		NS		NS		0.31		NS		0.38			
12-Apr-19	NS		0.11		NS		NS		0.12		NS		0.11	U	0.19		0.25		NS		0.51			
29-Jul-19	6.7		NS		6.9		8		NS		10		NS		NS		4.6		NS		5.3			
26-Sep-19	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7			
29-Oct-19	NS		1.2		NS		NS		0.96		NS		0.32		1.2		1.8 <sup>U</sup>		2.8 <sup>U</sup>		1.7 <sup>U</sup>			
21-Jan-20	0.33		NS		0.44		0.41		NS		0.32		NS		NS		1.5		NS		1.8			
22-Apr-20	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.47		NS		0.62			
23-Jul-20	0.8		NS		0.42		NS		0.72		NS		NS		NS		1.2		NS		2.1			
29-Oct-20	NS		0.24		NS		NS		0.29		NS		NS		0.21		0.31		NS		1			
19-Jan-21	0.13		NS		0.087	U	0.087	U	NS		0.087	U	NS											

**Summary of Subslab Air Sampling Data  
 Alvarez School  
 Volatile Organic Compounds  
 February 2008 - October 2022**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual																
<p><sup>S</sup> Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.</p> <p><sup>M</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.</p> <p><sup>L</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.</p> <p><sup>V</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.</p> <p><sup>W</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.</p> <p><sup>E</sup> Reported result is estimated due to value over calibration range</p> <p><sup>H</sup> Estimated result as the result was between the MDL and the RDL.</p> <p><sup>O</sup> One or more method internal standards were recovered outside of the control limits. Sample re-analysis not possible due to sample volume and detection limit constraints.</p> <p><sup>D</sup> Elevated method reporting limits due to diluted matrices. Con-test internal standards failed and samples were re-pressurized and diluted.</p> <p><sup>K</sup> Initial calibration did not meet standard and was biased on the low side. Reported result is estimated.</p> <p><sup>F</sup> Elevated reporting limits due to sample miss injection. Samples were re-pressurized for analysis. Applies to IMP-2 sample.</p> <p><sup>G</sup> Initial calibration verification did not meet method specifications and was biased on the high side for this compound</p> <p>NOTES:            All data presented in micrograms per cubic meter (ug/m<sup>3</sup>).            Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multiple dilutions, the lower RL was documented in this table.            U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.            NS = Not sampled.</p>																							

## **APPENDIX D**

### **Rooftop Emission Analytical Summary**

Sub Slab Depressurization System Emissions Calculations  
 Alvarez School  
 Sample Date: 28 July 2022

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm):	2151	Measured Flow Rate (cfm):	105.6	Measured Flow Speed (fpm):	2048	Measured Flow Rate (cfm):	100.5	Measured Flow Speed (fpm):	1895	Measured Flow Rate (cfm):	93.0	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)			
	Concentration (ug/m <sup>3</sup> )	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m <sup>3</sup> )	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m <sup>3</sup> )	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)						
Acetone	28		1.11E-05	2.65E-04	9.68E-02	15		5.64E-06	1.35E-04	4.94E-02	22		7.65E-06	1.84E-04	6.70E-02	2.43E-05	5.84E-04	2.13E-01
Acrylonitrile	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
Benzene	0.67		2.64E-07	6.35E-06	2.32E-03	0.52		1.95E-07	4.69E-06	1.71E-03	0.73		2.54E-07	6.09E-06	2.22E-03	7.14E-07	1.71E-05	6.25E-03
Bromodichloromethane	0.067	U	2.64E-08	6.35E-07	2.32E-04	0.067	U	2.52E-08	6.04E-07	2.21E-04	0.067	U	2.33E-08	5.59E-07	2.04E-04	7.49E-08	1.80E-06	6.56E-04
Bromoform	0.21	U	8.29E-08	1.99E-06	7.26E-04	0.21	U	7.89E-08	1.89E-06	6.91E-04	0.21	U	7.30E-08	1.75E-06	6.40E-04	2.35E-07	5.64E-06	2.06E-03
2-Butanone	5.5		2.17E-06	5.21E-05	1.90E-02	3.7		1.39E-06	3.34E-05	1.22E-02	5.1		1.77E-06	4.26E-05	1.55E-02	5.33E-06	1.28E-04	4.67E-02
n-Butylbenzene	0.63	U	2.49E-07	5.97E-06	2.18E-03	0.95	U	3.57E-07	8.57E-06	3.13E-03	0.63	U	2.19E-07	5.26E-06	1.92E-03	8.25E-07	1.98E-05	7.22E-03
sec-Butylbenzene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
Carbon Tetrachloride	0.56		2.21E-07	5.30E-06	1.94E-03	0.39		1.47E-07	3.52E-06	1.28E-03	0.45		1.56E-07	3.76E-06	1.37E-03	5.24E-07	1.26E-05	4.59E-03
Chlorobenzene	0.092	U	3.63E-08	8.72E-07	3.18E-04	0.092	U	3.46E-08	8.30E-07	3.03E-04	0.092	U	3.20E-08	7.68E-07	2.80E-04	1.03E-07	2.47E-06	9.01E-04
Chloroethane	0.053	U	2.09E-08	5.02E-07	1.83E-04	0.13		4.89E-08	1.17E-06	4.28E-04	0.053	U	1.84E-08	4.42E-07	1.61E-04	8.82E-08	2.12E-06	7.73E-04
Chloroform	0.34		1.34E-07	3.22E-06	1.18E-03	0.69		2.59E-07	6.22E-06	2.27E-03	0.46		1.60E-07	3.84E-06	1.40E-03	5.53E-07	1.33E-05	4.85E-03
Chloromethane	0.083	U	3.28E-08	7.86E-07	2.87E-04	0.083	U	3.12E-08	7.49E-07	2.73E-04	0.083	U	2.89E-08	6.93E-07	2.53E-04	9.28E-08	2.23E-06	8.13E-04
Dibromochloromethane	0.085	U	3.36E-08	8.05E-07	2.94E-04	0.085	U	3.19E-08	7.67E-07	2.80E-04	0.085	U	2.96E-08	7.09E-07	2.59E-04	9.51E-08	2.28E-06	8.33E-04
1,2-Dibromoethane	0.077	U	3.04E-08	7.29E-07	2.66E-04	0.077	U	2.89E-08	6.94E-07	2.53E-04	0.077	U	2.68E-08	6.43E-07	2.35E-04	8.61E-08	2.07E-06	7.54E-04
1,2-Dichlorobenzene	0.12	U	4.74E-08	1.14E-06	4.15E-04	0.12	U	4.51E-08	1.08E-06	3.95E-04	0.12	U	4.17E-08	1.00E-06	3.66E-04	1.34E-07	3.22E-06	1.18E-03
1,3-Dichlorobenzene	3.9		1.54E-06	3.69E-05	1.35E-02	0.12	U	4.51E-08	1.08E-06	3.95E-04	7		2.43E-06	5.84E-05	2.13E-02	4.02E-06	9.64E-05	3.52E-02
1,4-Dichlorobenzene	0.12	U	4.74E-08	1.14E-06	4.15E-04	0.12	U	4.51E-08	1.08E-06	3.95E-04	0.12	U	4.17E-08	1.00E-06	3.66E-04	1.34E-07	3.22E-06	1.18E-03
Dichlorodifluoromethane	2.6		1.03E-06	2.46E-05	8.99E-03	1.9		7.14E-07	1.71E-05	6.25E-03	0.099	U	3.44E-08	8.26E-07	3.02E-04	1.77E-06	4.26E-05	1.55E-02
1,1-Dichloroethane	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
1,2-Dichloroethane	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
1,1-Dichloroethene	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
cis-1,2-Dichloroethene	0.059		2.33E-08	5.59E-07	2.04E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.54		1.88E-07	4.51E-06	1.64E-03	2.26E-07	5.43E-06	1.98E-03
trans-1,2-Dichloroethene	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.044		1.53E-08	3.67E-07	1.34E-04	4.61E-08	1.11E-06	4.04E-04
1,2-Dichloropropane	0.046	U	1.82E-08	4.36E-07	1.59E-04	0.046	U	1.73E-08	4.15E-07	1.51E-04	0.046	U	1.60E-08	3.84E-07	1.40E-04	5.14E-08	1.23E-06	4.51E-04
cis-1,3-Dichloropropene	0.045	U	1.78E-08	4.26E-07	1.56E-04	0.045	U	1.69E-08	4.06E-07	1.48E-04	0.045	U	1.56E-08	3.76E-07	1.37E-04	5.03E-08	1.21E-06	4.41E-04
trans-1,3-Dichloropropene	0.045	U	1.78E-08	4.26E-07	1.56E-04	0.045	U	1.69E-08	4.06E-07	1.48E-04	0.045	U	1.56E-08	3.76E-07	1.37E-04	5.03E-08	1.21E-06	4.41E-04
Ethylbenzene	0.59		2.33E-07	5.59E-06	2.04E-03	0.58		2.18E-07	5.23E-06	1.91E-03	1		3.48E-07	8.35E-06	3.05E-03	7.99E-07	1.92E-05	7.00E-03
Isopropylbenzene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
p-Isopropyltoluene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
Methyl tert butyl ether	0.072	U	2.84E-08	6.82E-07	2.49E-04	0.072	U	2.71E-08	6.49E-07	2.37E-04	0.072	U	2.50E-08	6.01E-07	2.19E-04	8.05E-08	1.93E-06	7.05E-04
Methylene chloride	0.88		3.47E-07	8.34E-06	3.04E-03	0.93		3.50E-07	8.39E-06	3.06E-03	0.94		3.27E-07	7.84E-06	2.86E-03	1.02E-06	2.46E-05	8.97E-03
4-Methyl-2-pentanone	0.082	U	3.24E-08	7.77E-07	2.84E-04	0.58		2.18E-07	5.23E-06	1.91E-03	1.2		4.17E-07	1.00E-05	3.66E-03	6.68E-07	1.60E-05	5.85E-03
Styrene	0.66		2.61E-07	6.25E-06	2.28E-03	0.64		2.41E-07	5.77E-06	2.11E-03	0.85		2.96E-07	7.09E-06	2.59E-03	7.97E-07	1.91E-05	6.98E-03
1,1,1,2-Tetrachloroethane	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
1,1,2,2-Tetrachloroethane	0.069	U	2.72E-08	6.54E-07	2.39E-04	0.069	U	2.59E-08	6.22E-07	2.27E-04	0.069	U	2.40E-08	5.76E-07	2.10E-04	7.72E-08	1.85E-06	6.76E-04
Tetrachloroethene	19		7.50E-06	1.80E-04	6.57E-02	3.9		1.47E-06	3.52E-05	1.28E-02	36		1.25E-05	3.00E-04	1.10E-01	2.15E-05	5.16E-04	1.88E-01
Toluene	1.9		7.50E-07	1.80E-05	6.57E-03	1.6		6.01E-07	1.44E-05	5.27E-03	3		1.04E-06	2.50E-05	9.14E-03	2.39E-06	5.75E-05	2.10E-02
1,1,1-Trichloroethane	1.2		4.74E-07	1.14E-05	4.15E-03	0.21		7.89E-08	1.89E-06	6.91E-04	0.4		1.39E-07	3.34E-06	1.22E-03	6.92E-07	1.66E-05	6.06E-03
1,1,2-Trichloroethane	0.055	U	2.17E-08	5.21E-07	1.90E-04	0.055	U	2.07E-08	4.96E-07	1.81E-04	0.055	U	1.91E-08	4.59E-07	1.68E-04	6.15E-08	1.48E-06	5.39E-04
Trichloroethylene	53		2.09E-05	5.02E-04	1.83E-01	33		1.24E-05	2.98E-04	1.09E-01	23		8.00E-06	1.92E-04	7.01E-02	4.13E-05	9.92E-04	3.62E-01
Trichlorofluoromethane	23		9.08E-06	2.18E-04	7.95E-02	25		9.40E-06	2.25E-04	8.23E-02	4.6		1.60E-06	3.84E-05	1.40E-02	2.01E-05	4.82E-04	1.76E-01
1,2,4-Trimethylbenzene	3.7		1.46E-06	3.51E-05	1.28E-02	4.1		1.54E-06	3.70E-05	1.35E-02	6		2.09E-06	5.01E-05	1.83E-02	5.09E-06	1.22E-04	4.46E-02
1,3,5-Trimethylbenzene	0.92		3.63E-07	8.72E-06	3.18E-03	1		3.76E-07	9.02E-06	3.29E-03	1.7		5.91E-07	1.42E-05	5.18E-03	1.33E-06	3.19E-05	1.17E-02
Vinyl chloride	0.051	U	2.01E-08	4.83E-07	1.76E-04	0.051	U	1.92E-08	4.60E-07	1.68E-04	0.051	U	1.77E-08	4.26E-07	1.55E-04	5.70E-08	1.37E-06	5.00E-04
p/m-Xylene	1.6		6.32E-07	1.52E-05	5.53E-03	1.5		5.64E-07	1.35E-05	4.94E-03	2.4		8.35E-07	2.00E-05	7.31E-03	2.03E-06	4.87E-05	1.78E-02
o-Xylene	0.84		3.32E-07	7.96E-06	2.90E-03	0.89		3.34E-07	8.03E-06	2.93E-03	1.4		4.87E-07	1.17E-05	4.26E-03	1.15E-06	2.77E-05	1.01E-02
Total VOCs	0.25		6.06E-05	1.45E-03	5.31E-01	0.21		3.85E-05	9.25E-04	3.37E-01	0.34		4.29E-05	1.03E-03	3.76E-01	1.42E-04	3.41E-03	1.24E+00
<b>RIDEM Air Pollution Control Permit Applicability Thresholds (lbs) *</b>			<b>10</b>	<b>100</b>	<b>20,000 (Individual VOCs) 50,000 (Total VOCs)</b>	<b>Not Applicable</b>		<b>10</b>	<b>100</b>	<b>20,000 (Individual VOCs) 50,000 (Total VOCs)</b>	<b>Not Applicable</b>		<b>10</b>	<b>100</b>	<b>20,000 (Individual VOCs) 50,000 (Total VOCs)</b>	<b>10</b>	<b>100</b>	<b>20,000 (Individual VOCs) 50,000 (Total VOCs)</b>

\* RIDEM Air Pollution Control Regulation No. 9 [August 1971, Amended April 2004].

NOTES:  
 U = Indicates that chemical was not detected by the laboratory. To be conservative, the reporting limit shown in the concentration column was used in the emissions calculations.  
 L = Potential low bias due to uncertainty caused by continuing calibration not meeting method specifications or blank control sample recovery shown to be below the low side of control limits.  
 H = Potential high bias due to uncertainty caused by continuing calibration not meeting method specifications or blank control sample recovery shown to be above the high side of control limits.  
 B = Analyte found in associated blank sample but data is not affected by elevated level in blank since sample result is >10x level in the blank.

Hourly Emissions (lbs/hour) = VOC concentration (ug/m<sup>3</sup>) x measured flow rate (cfm) x 0.02832 m<sup>3</sup>/ft<sup>3</sup> x 60 min/hour x 0.001 mg/ug x 0.001 g/mg x 0.0022 lb/g.  
 Daily Emissions (lbs/day) = Hourly Emissions x 24 hours/day.  
 Yearly Emissions (lbs/year) = Daily Emissions x 365 days/year.  
 Where samples were analyzed with multiple dilution factors, the highest reported value is shown

## **APPENDIX E**

### **Laboratory Analytical Reports**

November 3, 2022

Frank Postma  
EA Engineering Science & Tech. - RI  
301 Metro Center Blvd, Suite 102  
Warwick, RI 02886

Project Location: Providence, RI  
Client Job Number:  
Project Number: 1506610  
Laboratory Work Order Number: 22J3117

Enclosed are results of analyses for samples as received by the laboratory on October 19, 2022. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kaitlyn A. Feliciano  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	7
Sample Preparation Information	37
QC Data	38
Air Toxics by EPA Compendium Methods	38
B322016	38
Flag/Qualifier Summary	41
Certifications	42
Chain of Custody/Sample Receipt	44



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
 301 Metro Center Blvd, Suite 102  
 Warwick, RI 02886  
 ATTN: Frank Postma

REPORT DATE: 11/3/2022

PURCHASE ORDER NUMBER: 18155

PROJECT NUMBER: 1506610

**ANALYTICAL SUMMARY**

WORK ORDER NUMBER: 22J3117

The results of analyses performed on the following samples submitted to CON-TEST, a Pace Analytical Laboratory, are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	22J3117-01	Indoor air		- EPA TO-15	
Cafeteria	22J3117-02	Indoor air		- EPA TO-15	
Kitchen Storage	22J3117-03	Indoor air		- EPA TO-15	
Elevator Hallway	22J3117-04	Indoor air		- EPA TO-15	
Room 145	22J3117-05	Indoor air		- EPA TO-15	
Room 152	22J3117-06	Indoor air		- EPA TO-15	
Room 118	22J3117-07	Indoor air		- EPA TO-15	
Room 110	22J3117-08	Indoor air		- EPA TO-15	
Ambient Outdoor Air	22J3117-09	Ambient Air		- EPA TO-15	
MP-2	22J3117-10	Sub Slab		- EPA TO-15	
MP-5	22J3117-11	Sub Slab		- EPA TO-15	
MP-7	22J3117-12	Sub Slab		- EPA TO-15	
MP-8	22J3117-13	Sub Slab		- EPA TO-15	
IMP-1	22J3117-14	Sub Slab		- EPA TO-15	
IMP-3	22J3117-15	Sub Slab		- EPA TO-15	

**CASE NARRATIVE SUMMARY**

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**EPA TO-15****Qualifications:****L-01**

Laboratory fortified blank/laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

**Analyte & Samples(s) Qualified:****1,2-Dichlorobenzene**

B322016-BS1

**L-03**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

**Analyte & Samples(s) Qualified:****Acrylonitrile**

22J3117-01[Gymnasium], 22J3117-02[Cafeteria], 22J3117-03[Kitchen Storage], 22J3117-04[Elevator Hallway], 22J3117-05[Room 145], 22J3117-06[Room 152], 22J3117-07[Room 118], 22J3117-08[Room 110], 22J3117-09[Ambient Outdoor Air], 22J3117-10[MP-2], 22J3117-11[MP-5], 22J3117-12[MP-7], 22J3117-13[MP-8], 22J3117-14[IMP-1], 22J3117-15[IMP-3], B322016-BLK1, B322016-BS1

**L-05**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.

**Analyte & Samples(s) Qualified:****1,3,5-Trimethylbenzene**

22J3117-04[Elevator Hallway], 22J3117-05[Room 145], 22J3117-06[Room 152], 22J3117-08[Room 110], 22J3117-10[MP-2], 22J3117-11[MP-5], 22J3117-12[MP-7], 22J3117-13[MP-8], 22J3117-14[IMP-1], 22J3117-15[IMP-3], B322016-BS1

**S-17**

Surrogate recovery is outside of control limits. Data validation is not affected since all associated results are less than the reporting limit and bias is on the high side.

**Analyte & Samples(s) Qualified:****4-Bromofluorobenzene (2)**

22J3117-02[Cafeteria], 22J3117-03[Kitchen Storage]

**V-05**

Continuing calibration verification (CCV) did not meet method specifications and was biased on the low side for this compound.

**Analyte & Samples(s) Qualified:****Acrylonitrile**

22J3117-01[Gymnasium], 22J3117-02[Cafeteria], 22J3117-03[Kitchen Storage], 22J3117-04[Elevator Hallway], 22J3117-05[Room 145], 22J3117-06[Room 152], 22J3117-07[Room 118], 22J3117-08[Room 110], 22J3117-09[Ambient Outdoor Air], 22J3117-10[MP-2], 22J3117-11[MP-5], 22J3117-12[MP-7], 22J3117-13[MP-8], 22J3117-14[IMP-1], 22J3117-15[IMP-3], B322016-BLK1, B322016-BS1, S078824-CCV1

**V-06**

Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side for this compound.

**Analyte & Samples(s) Qualified:****1,3,5-Trimethylbenzene**

22J3117-04[Elevator Hallway], 22J3117-05[Room 145], 22J3117-06[Room 152], 22J3117-08[Room 110], 22J3117-10[MP-2], 22J3117-11[MP-5], 22J3117-12[MP-7], 22J3117-13[MP-8], 22J3117-14[IMP-1], 22J3117-15[IMP-3], B322016-BS1, S078824-CCV1

**V-20**

Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

**Analyte & Samples(s) Qualified:****1,1,1,2-Tetrachloroethane**

B322016-BS1, S078824-CCV1

**1,3-Dichloropropane**

B322016-BS1, S078824-CCV1

**p-Isopropyltoluene (p-Cymene)**

B322016-BS1, S078824-CCV1

**sec-Butylbenzene**

B322016-BS1, S078824-CCV1

**V-35**

Initial calibration verification (ICV) did not meet method specifications and was biased on the high side for this compound. Reported result is estimated.

**Analyte & Samples(s) Qualified:****Styrene**

22J3117-03[Kitchen Storage], 22J3117-05[Room 145], 22J3117-06[Room 152], 22J3117-08[Room 110], 22J3117-10[MP-2], 22J3117-11[MP-5], 22J3117-12[MP-7], 22J3117-13[MP-8], 22J3117-14[IMP-1], 22J3117-15[IMP-3], B322016-BS1, S078824-CCV1

**EPA TO-15**

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to Con-Test, a Pace Analytical Laboratory, for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Meghan E. Kelley  
Reporting Specialist

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Gymnasium**  
**Sample ID: 22J3117-01**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 11:00

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1987  
 Canister Size: 6 liter  
 Flow Controller ID: 4591  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -4.4  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	8.1	0.80		19	1.9	0.4	11/1/22 17:45		TPH
Acrylonitrile	ND	0.12	V-05, L-03	ND	0.25	0.4	11/1/22 17:45		TPH
Benzene	0.098	0.040		0.31	0.13	0.4	11/1/22 17:45		TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22 17:45		TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22 17:45		TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22 17:45		TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22 17:45		TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22 17:45		TPH
Carbon Tetrachloride	0.087	0.010		0.55	0.063	0.4	11/1/22 17:45		TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22 17:45		TPH
Chloroethane	0.033	0.020		0.088	0.053	0.4	11/1/22 17:45		TPH
Chloroform	0.018	0.010		0.090	0.049	0.4	11/1/22 17:45		TPH
Chloromethane	0.51	0.040		1.0	0.083	0.4	11/1/22 17:45		TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22 17:45		TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22 17:45		TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22 17:45		TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22 17:45		TPH
1,4-Dichlorobenzene	0.024	0.020		0.15	0.12	0.4	11/1/22 17:45		TPH
Dichlorodifluoromethane (Freon 12)	0.54	0.020		2.7	0.099	0.4	11/1/22 17:45		TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22 17:45		TPH
1,2-Dichloroethane	0.013	0.010		0.052	0.040	0.4	11/1/22 17:45		TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 17:45		TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 17:45		TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 17:45		TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22 17:45		TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22 17:45		TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22 17:45		TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22 17:45		TPH
Ethylbenzene	ND	0.040		ND	0.17	0.4	11/1/22 17:45		TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22 17:45		TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22 17:45		TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22 17:45		TPH
Methylene Chloride	0.35	0.20		1.2	0.69	0.4	11/1/22 17:45		TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22 17:45		TPH
Styrene	ND	0.020		ND	0.085	0.4	11/1/22 17:45		TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22 17:45		TPH
1,1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22 17:45		TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Gymnasium**  
**Sample ID: 22J3117-01**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 11:00

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1987  
 Canister Size: 6 liter  
 Flow Controller ID: 4591  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -4.4  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.031	0.020		0.21	0.14	0.4	11/1/22	17:45	TPH
Toluene	0.19	0.040		0.73	0.15	0.4	11/1/22	17:45	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	17:45	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	17:45	TPH
Trichloroethylene	0.010	0.010		0.054	0.054	0.4	11/1/22	17:45	TPH
Trichlorofluoromethane (Freon 11)	0.25	0.080		1.4	0.45	0.4	11/1/22	17:45	TPH
1,2,4-Trimethylbenzene	0.060	0.020		0.29	0.098	0.4	11/1/22	17:45	TPH
1,3,5-Trimethylbenzene	ND	0.040		ND	0.20	0.4	11/1/22	17:45	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	17:45	TPH
m&p-Xylene	0.082	0.040		0.36	0.17	0.4	11/1/22	17:45	TPH
o-Xylene	ND	0.040		ND	0.17	0.4	11/1/22	17:45	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	88.2	70-130	11/1/22 17:45
4-Bromofluorobenzene (2)	116	70-130	11/1/22 17:45

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Cafeteria**  
**Sample ID: 22J3117-02**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:25

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2442  
 Canister Size: 6 liter  
 Flow Controller ID: 4588  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -27  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -0.3  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	5.2	0.80		12	1.9	0.4	11/1/22	18:17	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	18:17	TPH
Benzene	0.086	0.040		0.27	0.13	0.4	11/1/22	18:17	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	18:17	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	18:17	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22	18:17	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	18:17	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	18:17	TPH
Carbon Tetrachloride	0.064	0.010		0.40	0.063	0.4	11/1/22	18:17	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	18:17	TPH
Chloroethane	0.028	0.020		0.075	0.053	0.4	11/1/22	18:17	TPH
Chloroform	0.10	0.010		0.51	0.049	0.4	11/1/22	18:17	TPH
Chloromethane	0.49	0.040		1.0	0.083	0.4	11/1/22	18:17	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	18:17	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	18:17	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	18:17	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	18:17	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	18:17	TPH
Dichlorodifluoromethane (Freon 12)	0.43	0.020		2.1	0.099	0.4	11/1/22	18:17	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	18:17	TPH
1,2-Dichloroethane	0.012	0.010		0.049	0.040	0.4	11/1/22	18:17	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	18:17	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	18:17	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	18:17	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	18:17	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	18:17	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	18:17	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	18:17	TPH
Ethylbenzene	ND	0.040		ND	0.17	0.4	11/1/22	18:17	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	18:17	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	18:17	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	18:17	TPH
Methylene Chloride	0.21	0.20		0.74	0.69	0.4	11/1/22	18:17	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	18:17	TPH
Styrene	ND	0.020		ND	0.085	0.4	11/1/22	18:17	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	18:17	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	18:17	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Cafeteria**  
**Sample ID: 22J3117-02**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:25

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2442  
 Canister Size: 6 liter  
 Flow Controller ID: 4588  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -27  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -0.3  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.022	0.020		0.15	0.14	0.4	11/1/22	18:17	TPH
Toluene	0.21	0.040		0.78	0.15	0.4	11/1/22	18:17	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	18:17	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	18:17	TPH
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22	18:17	TPH
Trichlorofluoromethane (Freon 11)	0.21	0.080		1.2	0.45	0.4	11/1/22	18:17	TPH
1,2,4-Trimethylbenzene	0.030	0.020		0.15	0.098	0.4	11/1/22	18:17	TPH
1,3,5-Trimethylbenzene	ND	0.040		ND	0.20	0.4	11/1/22	18:17	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	18:17	TPH
m&p-Xylene	0.066	0.040		0.29	0.17	0.4	11/1/22	18:17	TPH
o-Xylene	ND	0.040		ND	0.17	0.4	11/1/22	18:17	TPH

Surrogates	% Recovery		% REC Limits	
4-Bromofluorobenzene (1)	112		70-130	11/1/22 18:17
4-Bromofluorobenzene (2)	146*	S-17	70-130	11/1/22 18:17

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Kitchen Storage**  
**Sample ID: 22J3117-03**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:26

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2455  
 Canister Size: 6 liter  
 Flow Controller ID: 4725  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -0.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	4.1	0.80		9.8	1.9	0.4	11/1/22 18:49		TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22 18:49		TPH
Benzene	0.074	0.040		0.24	0.13	0.4	11/1/22 18:49		TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22 18:49		TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22 18:49		TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22 18:49		TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22 18:49		TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22 18:49		TPH
Carbon Tetrachloride	0.064	0.010		0.40	0.063	0.4	11/1/22 18:49		TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22 18:49		TPH
Chloroethane	ND	0.020		ND	0.053	0.4	11/1/22 18:49		TPH
Chloroform	0.030	0.010		0.15	0.049	0.4	11/1/22 18:49		TPH
Chloromethane	0.44	0.040		0.92	0.083	0.4	11/1/22 18:49		TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22 18:49		TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22 18:49		TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22 18:49		TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22 18:49		TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22 18:49		TPH
Dichlorodifluoromethane (Freon 12)	0.45	0.020		2.2	0.099	0.4	11/1/22 18:49		TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22 18:49		TPH
1,2-Dichloroethane	0.014	0.010		0.055	0.040	0.4	11/1/22 18:49		TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 18:49		TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 18:49		TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 18:49		TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22 18:49		TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22 18:49		TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22 18:49		TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22 18:49		TPH
Ethylbenzene	ND	0.040		ND	0.17	0.4	11/1/22 18:49		TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22 18:49		TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22 18:49		TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22 18:49		TPH
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/1/22 18:49		TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22 18:49		TPH
Styrene	0.030	0.020	V-35	0.13	0.085	0.4	11/1/22 18:49		TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22 18:49		TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22 18:49		TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Kitchen Storage**  
**Sample ID: 22J3117-03**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:26

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2455  
 Canister Size: 6 liter  
 Flow Controller ID: 4725  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -0.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	11/1/22	18:49	TPH
Toluene	0.12	0.040		0.46	0.15	0.4	11/1/22	18:49	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	18:49	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	18:49	TPH
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22	18:49	TPH
Trichlorofluoromethane (Freon 11)	0.21	0.080		1.2	0.45	0.4	11/1/22	18:49	TPH
1,2,4-Trimethylbenzene	0.024	0.020		0.12	0.098	0.4	11/1/22	18:49	TPH
1,3,5-Trimethylbenzene	ND	0.040		ND	0.20	0.4	11/1/22	18:49	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	18:49	TPH
m&p-Xylene	0.046	0.040		0.20	0.17	0.4	11/1/22	18:49	TPH
o-Xylene	ND	0.040		ND	0.17	0.4	11/1/22	18:49	TPH

Surrogates	% Recovery		% REC Limits		
4-Bromofluorobenzene (1)	99.6		70-130		11/1/22 18:49
4-Bromofluorobenzene (2)	131*	S-17	70-130		11/1/22 18:49

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Elevator Hallway**  
**Sample ID: 22J3117-04**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:13

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2187  
 Canister Size: 6 liter  
 Flow Controller ID: 4592  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -0.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	7.6	0.80		18	1.9	0.4	11/1/22	19:21	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	19:21	TPH
Benzene	0.089	0.040		0.28	0.13	0.4	11/1/22	19:21	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	19:21	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	19:21	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22	19:21	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	19:21	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	19:21	TPH
Carbon Tetrachloride	0.066	0.010		0.41	0.063	0.4	11/1/22	19:21	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	19:21	TPH
Chloroethane	0.048	0.020		0.13	0.053	0.4	11/1/22	19:21	TPH
Chloroform	0.025	0.010		0.12	0.049	0.4	11/1/22	19:21	TPH
Chloromethane	0.46	0.040		0.96	0.083	0.4	11/1/22	19:21	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	19:21	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	19:21	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	19:21	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	19:21	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	19:21	TPH
Dichlorodifluoromethane (Freon 12)	0.46	0.020		2.3	0.099	0.4	11/1/22	19:21	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	19:21	TPH
1,2-Dichloroethane	0.012	0.010		0.050	0.040	0.4	11/1/22	19:21	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	19:21	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	19:21	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	19:21	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	19:21	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	19:21	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	19:21	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	19:21	TPH
Ethylbenzene	ND	0.040		ND	0.17	0.4	11/1/22	19:21	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	19:21	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	19:21	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	19:21	TPH
Methylene Chloride	0.25	0.20		0.86	0.69	0.4	11/1/22	19:21	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	19:21	TPH
Styrene	ND	0.020		ND	0.085	0.4	11/1/22	19:21	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	19:21	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	19:21	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Elevator Hallway**  
**Sample ID: 22J3117-04**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:13

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2187  
 Canister Size: 6 liter  
 Flow Controller ID: 4592  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -0.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	11/1/22	19:21	TPH
Toluene	0.22	0.040		0.84	0.15	0.4	11/1/22	19:21	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	19:21	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	19:21	TPH
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22	19:21	TPH
Trichlorofluoromethane (Freon 11)	0.21	0.080		1.2	0.45	0.4	11/1/22	19:21	TPH
1,2,4-Trimethylbenzene	0.071	0.020		0.35	0.098	0.4	11/1/22	19:21	TPH
1,3,5-Trimethylbenzene	ND	0.040	L-05, V-06	ND	0.20	0.4	11/1/22	19:21	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	19:21	TPH
m&p-Xylene	0.084	0.040		0.37	0.17	0.4	11/1/22	19:21	TPH
o-Xylene	0.040	0.040		0.18	0.17	0.4	11/1/22	19:21	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	95.0	70-130	11/1/22 19:21
4-Bromofluorobenzene (2)	124	70-130	11/1/22 19:21

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Room 145**  
**Sample ID: 22J3117-05**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:40

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1007  
 Canister Size: 6 liter  
 Flow Controller ID: 4593  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -3.3  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	7.2	0.80		17	1.9	0.4	11/1/22	19:54	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	19:54	TPH
Benzene	0.11	0.040		0.34	0.13	0.4	11/1/22	19:54	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	19:54	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	19:54	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22	19:54	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	19:54	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	19:54	TPH
Carbon Tetrachloride	0.062	0.010		0.39	0.063	0.4	11/1/22	19:54	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	19:54	TPH
Chloroethane	0.022	0.020		0.057	0.053	0.4	11/1/22	19:54	TPH
Chloroform	0.024	0.010		0.12	0.049	0.4	11/1/22	19:54	TPH
Chloromethane	0.48	0.040		0.98	0.083	0.4	11/1/22	19:54	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	19:54	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	19:54	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	19:54	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	19:54	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	19:54	TPH
Dichlorodifluoromethane (Freon 12)	0.44	0.020		2.2	0.099	0.4	11/1/22	19:54	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	19:54	TPH
1,2-Dichloroethane	0.014	0.010		0.055	0.040	0.4	11/1/22	19:54	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	19:54	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	19:54	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	19:54	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	19:54	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	19:54	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	19:54	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	19:54	TPH
Ethylbenzene	ND	0.040		ND	0.17	0.4	11/1/22	19:54	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	19:54	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	19:54	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	19:54	TPH
Methylene Chloride	0.21	0.20		0.72	0.69	0.4	11/1/22	19:54	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	19:54	TPH
Styrene	0.022	0.020	V-35	0.095	0.085	0.4	11/1/22	19:54	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	19:54	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	19:54	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Room 145**  
**Sample ID: 22J3117-05**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:40

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1007  
 Canister Size: 6 liter  
 Flow Controller ID: 4593  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -3.3  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.027	0.020		0.18	0.14	0.4	11/1/22	19:54	TPH
Toluene	0.24	0.040		0.90	0.15	0.4	11/1/22	19:54	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	19:54	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	19:54	TPH
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22	19:54	TPH
Trichlorofluoromethane (Freon 11)	0.20	0.080		1.1	0.45	0.4	11/1/22	19:54	TPH
1,2,4-Trimethylbenzene	0.060	0.020		0.30	0.098	0.4	11/1/22	19:54	TPH
1,3,5-Trimethylbenzene	ND	0.040	L-05, V-06	ND	0.20	0.4	11/1/22	19:54	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	19:54	TPH
m&p-Xylene	0.088	0.040		0.38	0.17	0.4	11/1/22	19:54	TPH
o-Xylene	0.046	0.040		0.20	0.17	0.4	11/1/22	19:54	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	89.9	70-130	11/1/22 19:54
4-Bromofluorobenzene (2)	117	70-130	11/1/22 19:54

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Room 152**  
**Sample ID: 22J3117-06**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:09

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1730  
 Canister Size: 6 liter  
 Flow Controller ID: 4594  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -4.4  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	14	0.80		33	1.9	0.4	11/1/22	20:26	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	20:26	TPH
Benzene	0.13	0.040		0.42	0.13	0.4	11/1/22	20:26	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	20:26	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	20:26	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22	20:26	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	20:26	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	20:26	TPH
Carbon Tetrachloride	0.065	0.010		0.41	0.063	0.4	11/1/22	20:26	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	20:26	TPH
Chloroethane	0.032	0.020		0.085	0.053	0.4	11/1/22	20:26	TPH
Chloroform	0.027	0.010		0.13	0.049	0.4	11/1/22	20:26	TPH
Chloromethane	0.64	0.040		1.3	0.083	0.4	11/1/22	20:26	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	20:26	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	20:26	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	20:26	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	20:26	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	20:26	TPH
Dichlorodifluoromethane (Freon 12)	0.45	0.020		2.2	0.099	0.4	11/1/22	20:26	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	20:26	TPH
1,2-Dichloroethane	0.015	0.010		0.062	0.040	0.4	11/1/22	20:26	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	20:26	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	20:26	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	20:26	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	20:26	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	20:26	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	20:26	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	20:26	TPH
Ethylbenzene	0.048	0.040		0.21	0.17	0.4	11/1/22	20:26	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	20:26	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	20:26	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	20:26	TPH
Methylene Chloride	0.31	0.20		1.1	0.69	0.4	11/1/22	20:26	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	20:26	TPH
Styrene	0.092	0.020	V-35	0.39	0.085	0.4	11/1/22	20:26	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	20:26	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	20:26	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Room 152**  
**Sample ID: 22J3117-06**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:09

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1730  
 Canister Size: 6 liter  
 Flow Controller ID: 4594  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -4.4  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.020	0.020		0.14	0.14	0.4	11/1/22	20:26	TPH
Toluene	0.33	0.040		1.2	0.15	0.4	11/1/22	20:26	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	20:26	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	20:26	TPH
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22	20:26	TPH
Trichlorofluoromethane (Freon 11)	0.21	0.080		1.2	0.45	0.4	11/1/22	20:26	TPH
1,2,4-Trimethylbenzene	0.081	0.020		0.40	0.098	0.4	11/1/22	20:26	TPH
1,3,5-Trimethylbenzene	ND	0.040	L-05, V-06	ND	0.20	0.4	11/1/22	20:26	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	20:26	TPH
m&p-Xylene	0.15	0.040		0.63	0.17	0.4	11/1/22	20:26	TPH
o-Xylene	0.069	0.040		0.30	0.17	0.4	11/1/22	20:26	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	92.4	70-130	11/1/22 20:26
4-Bromofluorobenzene (2)	119	70-130	11/1/22 20:26

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Room 118**  
**Sample ID: 22J3117-07**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:17

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1113  
 Canister Size: 6 liter  
 Flow Controller ID: 4689  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -1.2  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	7.5	0.80		18	1.9	0.4	11/1/22	20:58	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	20:58	TPH
Benzene	0.080	0.040		0.26	0.13	0.4	11/1/22	20:58	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	20:58	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	20:58	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22	20:58	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	20:58	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	20:58	TPH
Carbon Tetrachloride	0.071	0.010		0.45	0.063	0.4	11/1/22	20:58	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	20:58	TPH
Chloroethane	ND	0.020		ND	0.053	0.4	11/1/22	20:58	TPH
Chloroform	0.018	0.010		0.088	0.049	0.4	11/1/22	20:58	TPH
Chloromethane	0.43	0.040		0.90	0.083	0.4	11/1/22	20:58	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	20:58	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	20:58	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	20:58	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	20:58	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	20:58	TPH
Dichlorodifluoromethane (Freon 12)	0.48	0.020		2.3	0.099	0.4	11/1/22	20:58	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	20:58	TPH
1,2-Dichloroethane	0.011	0.010		0.045	0.040	0.4	11/1/22	20:58	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	20:58	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	20:58	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	20:58	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	20:58	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	20:58	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	20:58	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	20:58	TPH
Ethylbenzene	ND	0.040		ND	0.17	0.4	11/1/22	20:58	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	20:58	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	20:58	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	20:58	TPH
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/1/22	20:58	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	20:58	TPH
Styrene	ND	0.020		ND	0.085	0.4	11/1/22	20:58	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	20:58	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	20:58	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Room 118**  
**Sample ID: 22J3117-07**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:17

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1113  
 Canister Size: 6 liter  
 Flow Controller ID: 4689  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -1.2  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	11/1/22	20:58	TPH
Toluene	0.21	0.040		0.80	0.15	0.4	11/1/22	20:58	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	20:58	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	20:58	TPH
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22	20:58	TPH
Trichlorofluoromethane (Freon 11)	0.21	0.080		1.2	0.45	0.4	11/1/22	20:58	TPH
1,2,4-Trimethylbenzene	0.034	0.020		0.17	0.098	0.4	11/1/22	20:58	TPH
1,3,5-Trimethylbenzene	ND	0.040		ND	0.20	0.4	11/1/22	20:58	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	20:58	TPH
m&p-Xylene	0.073	0.040		0.32	0.17	0.4	11/1/22	20:58	TPH
o-Xylene	ND	0.040		ND	0.17	0.4	11/1/22	20:58	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	90.8	70-130	11/1/22 20:58
4-Bromofluorobenzene (2)	119	70-130	11/1/22 20:58

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Room 110**  
**Sample ID: 22J3117-08**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:18

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2454  
 Canister Size: 6 liter  
 Flow Controller ID: 4724  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -27  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -2.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	10	0.80		24	1.9	0.4	11/1/22 21:30		TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22 21:30		TPH
Benzene	0.13	0.040		0.42	0.13	0.4	11/1/22 21:30		TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22 21:30		TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22 21:30		TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22 21:30		TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22 21:30		TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22 21:30		TPH
Carbon Tetrachloride	0.070	0.010		0.44	0.063	0.4	11/1/22 21:30		TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22 21:30		TPH
Chloroethane	ND	0.020		ND	0.053	0.4	11/1/22 21:30		TPH
Chloroform	0.027	0.010		0.13	0.049	0.4	11/1/22 21:30		TPH
Chloromethane	0.54	0.040		1.1	0.083	0.4	11/1/22 21:30		TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22 21:30		TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22 21:30		TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22 21:30		TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22 21:30		TPH
1,4-Dichlorobenzene	0.030	0.020		0.18	0.12	0.4	11/1/22 21:30		TPH
Dichlorodifluoromethane (Freon 12)	0.48	0.020		2.4	0.099	0.4	11/1/22 21:30		TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22 21:30		TPH
1,2-Dichloroethane	0.014	0.010		0.058	0.040	0.4	11/1/22 21:30		TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 21:30		TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 21:30		TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22 21:30		TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22 21:30		TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22 21:30		TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22 21:30		TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22 21:30		TPH
Ethylbenzene	0.047	0.040		0.20	0.17	0.4	11/1/22 21:30		TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22 21:30		TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22 21:30		TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22 21:30		TPH
Methylene Chloride	0.24	0.20		0.84	0.69	0.4	11/1/22 21:30		TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22 21:30		TPH
Styrene	0.037	0.020	V-35	0.16	0.085	0.4	11/1/22 21:30		TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22 21:30		TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22 21:30		TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Room 110**  
**Sample ID: 22J3117-08**  
 Sample Matrix: Indoor air  
 Sampled: 10/18/2022 10:18

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2454  
 Canister Size: 6 liter  
 Flow Controller ID: 4724  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -27  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -2.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.13	0.020		0.88	0.14	0.4	11/1/22	21:30	TPH
Toluene	0.31	0.040		1.2	0.15	0.4	11/1/22	21:30	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	21:30	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	21:30	TPH
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22	21:30	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	11/1/22	21:30	TPH
1,2,4-Trimethylbenzene	0.067	0.020		0.33	0.098	0.4	11/1/22	21:30	TPH
1,3,5-Trimethylbenzene	ND	0.040	L-05, V-06	ND	0.20	0.4	11/1/22	21:30	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	21:30	TPH
m&p-Xylene	0.13	0.040		0.56	0.17	0.4	11/1/22	21:30	TPH
o-Xylene	0.058	0.040		0.25	0.17	0.4	11/1/22	21:30	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	92.2	70-130	11/1/22 21:30
4-Bromofluorobenzene (2)	123	70-130	11/1/22 21:30

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Ambient Outdoor Air**  
**Sample ID: 22J3117-09**  
 Sample Matrix: Ambient Air  
 Sampled: 10/18/2022 12:05

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1822  
 Canister Size: 6 liter  
 Flow Controller ID: 4598  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -1.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	3.8	0.80		9.1	1.9	0.4	11/1/22	22:03	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	22:03	TPH
Benzene	0.078	0.040		0.25	0.13	0.4	11/1/22	22:03	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	22:03	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	22:03	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22	22:03	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	22:03	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	22:03	TPH
Carbon Tetrachloride	0.070	0.010		0.44	0.063	0.4	11/1/22	22:03	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	22:03	TPH
Chloroethane	ND	0.020		ND	0.053	0.4	11/1/22	22:03	TPH
Chloroform	0.012	0.010		0.061	0.049	0.4	11/1/22	22:03	TPH
Chloromethane	0.43	0.040		0.88	0.083	0.4	11/1/22	22:03	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	22:03	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	22:03	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	22:03	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	22:03	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	22:03	TPH
Dichlorodifluoromethane (Freon 12)	0.47	0.020		2.3	0.099	0.4	11/1/22	22:03	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	22:03	TPH
1,2-Dichloroethane	0.012	0.010		0.049	0.040	0.4	11/1/22	22:03	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	22:03	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	22:03	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	22:03	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	22:03	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	22:03	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	22:03	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	22:03	TPH
Ethylbenzene	ND	0.040		ND	0.17	0.4	11/1/22	22:03	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	22:03	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	22:03	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	22:03	TPH
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/1/22	22:03	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	22:03	TPH
Styrene	ND	0.020		ND	0.085	0.4	11/1/22	22:03	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	22:03	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	22:03	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: Ambient Outdoor Air**  
**Sample ID: 22J3117-09**  
 Sample Matrix: Ambient Air  
 Sampled: 10/18/2022 12:05

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1822  
 Canister Size: 6 liter  
 Flow Controller ID: 4598  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): -1.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	11/1/22	22:03	TPH
Toluene	0.12	0.040		0.46	0.15	0.4	11/1/22	22:03	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	22:03	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	22:03	TPH
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22	22:03	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	11/1/22	22:03	TPH
1,2,4-Trimethylbenzene	0.049	0.020		0.24	0.098	0.4	11/1/22	22:03	TPH
1,3,5-Trimethylbenzene	ND	0.040		ND	0.20	0.4	11/1/22	22:03	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	22:03	TPH
m&p-Xylene	0.057	0.040		0.25	0.17	0.4	11/1/22	22:03	TPH
o-Xylene	ND	0.040		ND	0.17	0.4	11/1/22	22:03	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	86.9	70-130	11/1/22 22:03
4-Bromofluorobenzene (2)	116	70-130	11/1/22 22:03

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: MP-2**  
**Sample ID: 22J3117-10**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 12:28

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2040  
 Canister Size: 6 liter  
 Flow Controller ID: 4733  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -27.5  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): +0.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	6.6	0.80		16	1.9	0.4	11/1/22	22:35	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	22:35	TPH
Benzene	0.088	0.040		0.28	0.13	0.4	11/1/22	22:35	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	22:35	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	22:35	TPH
2-Butanone (MEK)	3.6	0.80		11	2.4	0.4	11/1/22	22:35	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	22:35	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	22:35	TPH
Carbon Tetrachloride	0.072	0.010		0.45	0.063	0.4	11/1/22	22:35	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	22:35	TPH
Chloroethane	ND	0.020		ND	0.053	0.4	11/1/22	22:35	TPH
Chloroform	0.018	0.010		0.086	0.049	0.4	11/1/22	22:35	TPH
Chloromethane	0.45	0.040		0.92	0.083	0.4	11/1/22	22:35	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	22:35	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	22:35	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	22:35	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	22:35	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	22:35	TPH
Dichlorodifluoromethane (Freon 12)	0.48	0.020		2.4	0.099	0.4	11/1/22	22:35	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	22:35	TPH
1,2-Dichloroethane	0.011	0.010		0.044	0.040	0.4	11/1/22	22:35	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	22:35	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	22:35	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	22:35	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	22:35	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	22:35	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	22:35	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	22:35	TPH
Ethylbenzene	0.078	0.040		0.34	0.17	0.4	11/1/22	22:35	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	22:35	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	22:35	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	22:35	TPH
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/1/22	22:35	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	22:35	TPH
Styrene	0.072	0.020	V-35	0.31	0.085	0.4	11/1/22	22:35	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	22:35	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	22:35	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: MP-2**  
**Sample ID: 22J3117-10**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 12:28

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2040  
 Canister Size: 6 liter  
 Flow Controller ID: 4733  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -27.5  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): +0.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	11/1/22 22:35	TPH	
Toluene	0.83	0.040		3.1	0.15	0.4	11/1/22 22:35	TPH	
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22 22:35	TPH	
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22 22:35	TPH	
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/1/22 22:35	TPH	
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	11/1/22 22:35	TPH	
1,2,4-Trimethylbenzene	0.16	0.020		0.80	0.098	0.4	11/1/22 22:35	TPH	
1,3,5-Trimethylbenzene	0.044	0.040	L-05, V-06	0.22	0.20	0.4	11/1/22 22:35	TPH	
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22 22:35	TPH	
m&p-Xylene	0.24	0.040		1.0	0.17	0.4	11/1/22 22:35	TPH	
o-Xylene	0.10	0.040		0.44	0.17	0.4	11/1/22 22:35	TPH	

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	90.3	70-130	11/1/22 22:35
4-Bromofluorobenzene (2)	119	70-130	11/1/22 22:35

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: MP-5**  
**Sample ID: 22J3117-11**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 12:17

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2023  
 Canister Size: 6 liter  
 Flow Controller ID: 4732  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): 0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	6.3	0.80		15	1.9	0.4	11/1/22	23:07	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	23:07	TPH
Benzene	0.12	0.040		0.39	0.13	0.4	11/1/22	23:07	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	23:07	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	23:07	TPH
2-Butanone (MEK)	3.6	0.80		10	2.4	0.4	11/1/22	23:07	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	23:07	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	23:07	TPH
Carbon Tetrachloride	0.065	0.010		0.41	0.063	0.4	11/1/22	23:07	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	23:07	TPH
Chloroethane	ND	0.020		ND	0.053	0.4	11/1/22	23:07	TPH
Chloroform	0.018	0.010		0.090	0.049	0.4	11/1/22	23:07	TPH
Chloromethane	0.55	0.040		1.1	0.083	0.4	11/1/22	23:07	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	23:07	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	23:07	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	23:07	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	23:07	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	23:07	TPH
Dichlorodifluoromethane (Freon 12)	0.49	0.020		2.4	0.099	0.4	11/1/22	23:07	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	23:07	TPH
1,2-Dichloroethane	0.013	0.010		0.053	0.040	0.4	11/1/22	23:07	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	23:07	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	23:07	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	23:07	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	23:07	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	23:07	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	23:07	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	23:07	TPH
Ethylbenzene	0.10	0.040		0.44	0.17	0.4	11/1/22	23:07	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	23:07	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	23:07	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	23:07	TPH
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/1/22	23:07	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	23:07	TPH
Styrene	0.12	0.020	V-35	0.49	0.085	0.4	11/1/22	23:07	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	23:07	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	23:07	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: MP-5**  
**Sample ID: 22J3117-11**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 12:17

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2023  
 Canister Size: 6 liter  
 Flow Controller ID: 4732  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): 0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.028	0.020		0.19	0.14	0.4	11/1/22	23:07	TPH
Toluene	1.4	0.040		5.2	0.15	0.4	11/1/22	23:07	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	23:07	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	23:07	TPH
Trichloroethylene	0.37	0.010		2.0	0.054	0.4	11/1/22	23:07	TPH
Trichlorofluoromethane (Freon 11)	0.30	0.080		1.7	0.45	0.4	11/1/22	23:07	TPH
1,2,4-Trimethylbenzene	0.24	0.020		1.2	0.098	0.4	11/1/22	23:07	TPH
1,3,5-Trimethylbenzene	0.058	0.040	L-05, V-06	0.29	0.20	0.4	11/1/22	23:07	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	23:07	TPH
m&p-Xylene	0.33	0.040		1.4	0.17	0.4	11/1/22	23:07	TPH
o-Xylene	0.13	0.040		0.56	0.17	0.4	11/1/22	23:07	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	91.2	70-130	11/1/22 23:07
4-Bromofluorobenzene (2)	121	70-130	11/1/22 23:07

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: MP-7**  
**Sample ID: 22J3117-12**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 12:15

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1881  
 Canister Size: 6 liter  
 Flow Controller ID: 4730  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -2.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	3.8	0.80		8.9	1.9	0.4	11/1/22	23:40	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/1/22	23:40	TPH
Benzene	0.089	0.040		0.28	0.13	0.4	11/1/22	23:40	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/1/22	23:40	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/1/22	23:40	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/1/22	23:40	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/1/22	23:40	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/1/22	23:40	TPH
Carbon Tetrachloride	0.069	0.010		0.44	0.063	0.4	11/1/22	23:40	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/1/22	23:40	TPH
Chloroethane	0.038	0.020		0.10	0.053	0.4	11/1/22	23:40	TPH
Chloroform	0.028	0.010		0.13	0.049	0.4	11/1/22	23:40	TPH
Chloromethane	ND	0.040		ND	0.083	0.4	11/1/22	23:40	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/1/22	23:40	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/1/22	23:40	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	23:40	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	23:40	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/1/22	23:40	TPH
Dichlorodifluoromethane (Freon 12)	0.52	0.020		2.6	0.099	0.4	11/1/22	23:40	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	23:40	TPH
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/1/22	23:40	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	23:40	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	23:40	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/1/22	23:40	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/1/22	23:40	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/1/22	23:40	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	23:40	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/1/22	23:40	TPH
Ethylbenzene	0.15	0.040		0.65	0.17	0.4	11/1/22	23:40	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/1/22	23:40	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/1/22	23:40	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/1/22	23:40	TPH
Methylene Chloride	1.0	0.20		3.5	0.69	0.4	11/1/22	23:40	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/1/22	23:40	TPH
Styrene	0.16	0.020	V-35	0.67	0.085	0.4	11/1/22	23:40	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/1/22	23:40	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/1/22	23:40	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: MP-7**  
**Sample ID: 22J3117-12**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 12:15

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1881  
 Canister Size: 6 liter  
 Flow Controller ID: 4730  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -2.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.047	0.020		0.32	0.14	0.4	11/1/22	23:40	TPH
Toluene	1.4	0.040		5.3	0.15	0.4	11/1/22	23:40	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	23:40	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/1/22	23:40	TPH
Trichloroethylene	0.085	0.010		0.46	0.054	0.4	11/1/22	23:40	TPH
Trichlorofluoromethane (Freon 11)	0.39	0.080		2.2	0.45	0.4	11/1/22	23:40	TPH
1,2,4-Trimethylbenzene	0.45	0.020		2.2	0.098	0.4	11/1/22	23:40	TPH
1,3,5-Trimethylbenzene	0.11	0.040	L-05, V-06	0.52	0.20	0.4	11/1/22	23:40	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/1/22	23:40	TPH
m&p-Xylene	0.50	0.040		2.2	0.17	0.4	11/1/22	23:40	TPH
o-Xylene	0.20	0.040		0.88	0.17	0.4	11/1/22	23:40	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	91.2	70-130	11/1/22 23:40
4-Bromofluorobenzene (2)	119	70-130	11/1/22 23:40

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: MP-8**  
**Sample ID: 22J3117-13**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 12:09

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1119  
 Canister Size: 6 liter  
 Flow Controller ID: 4731  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -1.0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	5.1	0.80		12	1.9	0.4	11/2/22	0:12	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/2/22	0:12	TPH
Benzene	0.093	0.040		0.30	0.13	0.4	11/2/22	0:12	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/2/22	0:12	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/2/22	0:12	TPH
2-Butanone (MEK)	3.7	0.80		11	2.4	0.4	11/2/22	0:12	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/2/22	0:12	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/2/22	0:12	TPH
Carbon Tetrachloride	0.067	0.010		0.42	0.063	0.4	11/2/22	0:12	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/2/22	0:12	TPH
Chloroethane	ND	0.020		ND	0.053	0.4	11/2/22	0:12	TPH
Chloroform	0.022	0.010		0.11	0.049	0.4	11/2/22	0:12	TPH
Chloromethane	0.63	0.040		1.3	0.083	0.4	11/2/22	0:12	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/2/22	0:12	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/2/22	0:12	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	0:12	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	0:12	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	0:12	TPH
Dichlorodifluoromethane (Freon 12)	0.50	0.020		2.5	0.099	0.4	11/2/22	0:12	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/2/22	0:12	TPH
1,2-Dichloroethane	0.012	0.010		0.050	0.040	0.4	11/2/22	0:12	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	0:12	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	0:12	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	0:12	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/2/22	0:12	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/2/22	0:12	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/2/22	0:12	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/2/22	0:12	TPH
Ethylbenzene	0.14	0.040		0.62	0.17	0.4	11/2/22	0:12	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/2/22	0:12	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/2/22	0:12	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/2/22	0:12	TPH
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/2/22	0:12	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/2/22	0:12	TPH
Styrene	0.13	0.020	V-35	0.54	0.085	0.4	11/2/22	0:12	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/2/22	0:12	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/2/22	0:12	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: MP-8**  
**Sample ID: 22J3117-13**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 12:09

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1119  
 Canister Size: 6 liter  
 Flow Controller ID: 4731  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -1.0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Tetrachloroethylene	0.035	0.020		0.24	0.14	0.4	11/2/22	0:12	TPH
Toluene	1.3	0.040		4.9	0.15	0.4	11/2/22	0:12	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/2/22	0:12	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/2/22	0:12	TPH
Trichloroethylene	0.022	0.010		0.12	0.054	0.4	11/2/22	0:12	TPH
Trichlorofluoromethane (Freon 11)	0.24	0.080		1.4	0.45	0.4	11/2/22	0:12	TPH
1,2,4-Trimethylbenzene	0.33	0.020		1.6	0.098	0.4	11/2/22	0:12	TPH
1,3,5-Trimethylbenzene	0.084	0.040	L-05, V-06	0.41	0.20	0.4	11/2/22	0:12	TPH
Vinyl Chloride	0.030	0.020		0.076	0.051	0.4	11/2/22	0:12	TPH
m&p-Xylene	0.51	0.040		2.2	0.17	0.4	11/2/22	0:12	TPH
o-Xylene	0.20	0.040		0.85	0.17	0.4	11/2/22	0:12	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	90.5	70-130	11/2/22 0:12
4-Bromofluorobenzene (2)	118	70-130	11/2/22 0:12

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: IMP-1**  
**Sample ID: 22J3117-14**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 11:02

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1126  
 Canister Size: 6 liter  
 Flow Controller ID: 4690  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -2.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	7.5	0.80		18	1.9	0.4	11/2/22	0:45	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/2/22	0:45	TPH
Benzene	0.11	0.040		0.35	0.13	0.4	11/2/22	0:45	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/2/22	0:45	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/2/22	0:45	TPH
2-Butanone (MEK)	2.0	0.80		6.0	2.4	0.4	11/2/22	0:45	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/2/22	0:45	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/2/22	0:45	TPH
Carbon Tetrachloride	0.070	0.010		0.44	0.063	0.4	11/2/22	0:45	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/2/22	0:45	TPH
Chloroethane	0.032	0.020		0.084	0.053	0.4	11/2/22	0:45	TPH
Chloroform	0.023	0.010		0.11	0.049	0.4	11/2/22	0:45	TPH
Chloromethane	0.44	0.040		0.91	0.083	0.4	11/2/22	0:45	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/2/22	0:45	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/2/22	0:45	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	0:45	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	0:45	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	0:45	TPH
Dichlorodifluoromethane (Freon 12)	0.47	0.020		2.3	0.099	0.4	11/2/22	0:45	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/2/22	0:45	TPH
1,2-Dichloroethane	0.016	0.010		0.063	0.040	0.4	11/2/22	0:45	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	0:45	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	0:45	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	0:45	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/2/22	0:45	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/2/22	0:45	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/2/22	0:45	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/2/22	0:45	TPH
Ethylbenzene	0.10	0.040		0.45	0.17	0.4	11/2/22	0:45	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/2/22	0:45	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/2/22	0:45	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/2/22	0:45	TPH
Methylene Chloride	0.70	0.20		2.4	0.69	0.4	11/2/22	0:45	TPH
4-Methyl-2-pentanone (MIBK)	0.19	0.020		0.78	0.082	0.4	11/2/22	0:45	TPH
Styrene	0.10	0.020	V-35	0.42	0.085	0.4	11/2/22	0:45	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/2/22	0:45	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/2/22	0:45	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: IMP-1**  
**Sample ID: 22J3117-14**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 11:02

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1126  
 Canister Size: 6 liter  
 Flow Controller ID: 4690  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -2.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.030	0.020		0.21	0.14	0.4	11/2/22	0:45	TPH
Toluene	0.79	0.040		3.0	0.15	0.4	11/2/22	0:45	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/2/22	0:45	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/2/22	0:45	TPH
Trichloroethylene	0.010	0.010		0.054	0.054	0.4	11/2/22	0:45	TPH
Trichlorofluoromethane (Freon 11)	0.24	0.080		1.3	0.45	0.4	11/2/22	0:45	TPH
1,2,4-Trimethylbenzene	0.35	0.020		1.7	0.098	0.4	11/2/22	0:45	TPH
1,3,5-Trimethylbenzene	0.079	0.040	L-05, V-06	0.39	0.20	0.4	11/2/22	0:45	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/2/22	0:45	TPH
m&p-Xylene	0.33	0.040		1.4	0.17	0.4	11/2/22	0:45	TPH
o-Xylene	0.14	0.040		0.60	0.17	0.4	11/2/22	0:45	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	91.4	70-130	11/2/22 0:45
4-Bromofluorobenzene (2)	122	70-130	11/2/22 0:45

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: IMP-3**  
**Sample ID: 22J3117-15**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 11:08

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1946  
 Canister Size: 6 liter  
 Flow Controller ID: 4727  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -27  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -4.2  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	13	0.80		31	1.9	0.4	11/2/22	1:18	TPH
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25	0.4	11/2/22	1:18	TPH
Benzene	0.15	0.040		0.47	0.13	0.4	11/2/22	1:18	TPH
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/2/22	1:18	TPH
Bromoform	ND	0.020		ND	0.21	0.4	11/2/22	1:18	TPH
2-Butanone (MEK)	2.7	0.80		8.1	2.4	0.4	11/2/22	1:18	TPH
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/2/22	1:18	TPH
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/2/22	1:18	TPH
Carbon Tetrachloride	0.066	0.010		0.42	0.063	0.4	11/2/22	1:18	TPH
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/2/22	1:18	TPH
Chloroethane	0.045	0.020		0.12	0.053	0.4	11/2/22	1:18	TPH
Chloroform	0.027	0.010		0.13	0.049	0.4	11/2/22	1:18	TPH
Chloromethane	0.48	0.040		1.0	0.083	0.4	11/2/22	1:18	TPH
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/2/22	1:18	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/2/22	1:18	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	1:18	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	1:18	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/2/22	1:18	TPH
Dichlorodifluoromethane (Freon 12)	0.49	0.020		2.4	0.099	0.4	11/2/22	1:18	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/2/22	1:18	TPH
1,2-Dichloroethane	0.016	0.010		0.066	0.040	0.4	11/2/22	1:18	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	1:18	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	1:18	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/2/22	1:18	TPH
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/2/22	1:18	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/2/22	1:18	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/2/22	1:18	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/2/22	1:18	TPH
Ethylbenzene	0.14	0.040		0.62	0.17	0.4	11/2/22	1:18	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/2/22	1:18	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/2/22	1:18	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14	0.4	11/2/22	1:18	TPH
Methylene Chloride	0.20	0.20		0.70	0.69	0.4	11/2/22	1:18	TPH
4-Methyl-2-pentanone (MIBK)	0.075	0.020		0.31	0.082	0.4	11/2/22	1:18	TPH
Styrene	0.15	0.020	V-35	0.63	0.085	0.4	11/2/22	1:18	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	11/2/22	1:18	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/2/22	1:18	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

 Project Location: Providence, RI  
 Date Received: 10/19/2022  
**Field Sample #: IMP-3**  
**Sample ID: 22J3117-15**  
 Sample Matrix: Sub Slab  
 Sampled: 10/18/2022 11:08

 Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1946  
 Canister Size: 6 liter  
 Flow Controller ID: 4727  
 Sample Type: 30 min

**Work Order: 22J3117**  
 Initial Vacuum(in Hg): -27  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -4.2  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.042	0.020		0.28	0.14	0.4	11/2/22	1:18	TPH
Toluene	1.1	0.040		4.2	0.15	0.4	11/2/22	1:18	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/2/22	1:18	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/2/22	1:18	TPH
Trichloroethylene	0.30	0.010		1.6	0.054	0.4	11/2/22	1:18	TPH
Trichlorofluoromethane (Freon 11)	0.36	0.080		2.0	0.45	0.4	11/2/22	1:18	TPH
1,2,4-Trimethylbenzene	0.55	0.020		2.7	0.098	0.4	11/2/22	1:18	TPH
1,3,5-Trimethylbenzene	0.12	0.040	L-05, V-06	0.60	0.20	0.4	11/2/22	1:18	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/2/22	1:18	TPH
m&p-Xylene	0.48	0.040		2.1	0.17	0.4	11/2/22	1:18	TPH
o-Xylene	0.19	0.040		0.84	0.17	0.4	11/2/22	1:18	TPH

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	92.9	70-130	11/2/22	1:18
4-Bromofluorobenzene (2)	123	70-130	11/2/22	1:18

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**Sample Extraction Data**
**Prep Method: TO-15 Prep**
**Analytical Method: EP**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
22J3117-01 [Gymnasium]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-02 [Cafeteria]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-03 [Kitchen Storage]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-04 [Elevator Hallway]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-05 [Room 145]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-06 [Room 152]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-07 [Room 118]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-08 [Room 110]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-09 [Ambient Outdoor Air]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-10 [MP-2]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-11 [MP-5]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-12 [MP-7]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-13 [MP-8]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-14 [IMP-1]	B322016	1	1	N/A	1000	200	500	11/01/22
22J3117-15 [IMP-3]	B322016	1	1	N/A	1000	200	500	11/01/22

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

## QUALITY CONTROL

## Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit	
<b>Batch B322016 - TO-15 Prep</b>										
<b>Blank (B322016-BLK1)</b>										
						Prepared & Analyzed: 11/01/22				
Acetone	ND	0.80								
Acrylonitrile	ND	0.12								L-03, V-05
Benzene	ND	0.020								
Bromodichloromethane	ND	0.010								
Bromoform	ND	0.020								
2-Butanone (MEK)	ND	0.80								
n-Butylbenzene	ND	0.058								
sec-Butylbenzene	ND	0.046								
Carbon Tetrachloride	ND	0.010								
Chlorobenzene	ND	0.020								
Chloroethane	ND	0.020								
Chloroform	ND	0.010								
Chloromethane	ND	0.040								
Dibromochloromethane	ND	0.010								
1,2-Dibromoethane (EDB)	ND	0.010								
1,2-Dichlorobenzene	ND	0.020								
1,3-Dichlorobenzene	ND	0.020								
1,4-Dichlorobenzene	ND	0.020								
Dichlorodifluoromethane (Freon 12)	ND	0.020								
1,1-Dichloroethane	ND	0.010								
1,2-Dichloroethane	ND	0.010								
1,1-Dichloroethylene	ND	0.010								
cis-1,2-Dichloroethylene	ND	0.010								
trans-1,2-Dichloroethylene	ND	0.010								
1,2-Dichloropropane	ND	0.010								
1,3-Dichloropropane	ND	0.054								
cis-1,3-Dichloropropene	ND	0.010								
trans-1,3-Dichloropropene	ND	0.010								
Ethylbenzene	ND	0.020								
Isopropylbenzene (Cumene)	ND	0.051								
p-Isopropyltoluene (p-Cymene)	ND	0.046								
Methyl tert-Butyl Ether (MTBE)	ND	0.020								
Methylene Chloride	ND	0.20								
4-Methyl-2-pentanone (MIBK)	ND	0.020								
Styrene	ND	0.020								
1,1,1,2-Tetrachloroethane	ND	0.036								
1,1,2,2-Tetrachloroethane	ND	0.010								
Tetrachloroethylene	ND	0.020								
Toluene	ND	0.020								
1,1,1-Trichloroethane	ND	0.010								
1,1,2-Trichloroethane	ND	0.010								
Trichloroethylene	ND	0.010								
Trichlorofluoromethane (Freon 11)	ND	0.080								
1,2,4-Trimethylbenzene	ND	0.020								
1,3,5-Trimethylbenzene	ND	0.020								
Vinyl Chloride	ND	0.020								

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit	
<b>Batch B322016 - TO-15 Prep</b>										
<b>Blank (B322016-BLK1)</b>					Prepared & Analyzed: 11/01/22					
m&p-Xylene	ND	0.040								
o-Xylene	ND	0.020								
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	6.57				8.00		82.1	70-130		
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.46				8.00		106	70-130		
<b>LCS (B322016-BS1)</b>					Prepared & Analyzed: 11/01/22					
Acetone	5.30				5.00		106	70-130		
Acrylonitrile	1.73				2.88		60.1 *	70-130		L-03, V-05
Benzene	5.36				5.00		107	70-130		
Bromodichloromethane	4.95				5.00		99.0	70-130		
Bromoform	5.47				5.00		109	70-130		
2-Butanone (MEK)	5.04				5.00		101	70-130		
n-Butylbenzene	1.27				1.14		112	70-130		
sec-Butylbenzene	1.38				1.14		121	70-130		V-20
Carbon Tetrachloride	5.07				5.00		101	70-130		
Chlorobenzene	5.43				5.00		109	70-130		
Chloroethane	5.70				5.00		114	70-130		
Chloroform	5.69				5.00		114	70-130		
Chloromethane	4.47				5.00		89.4	70-130		
Dibromochloromethane	5.36				5.00		107	70-130		
1,2-Dibromoethane (EDB)	5.45				5.00		109	70-130		
1,2-Dichlorobenzene	6.52				5.00		130	70-130		L-01
1,3-Dichlorobenzene	6.37				5.00		127	70-130		
1,4-Dichlorobenzene	5.72				5.00		114	70-130		
Dichlorodifluoromethane (Freon 12)	5.47				5.00		109	70-130		
1,1-Dichloroethane	5.57				5.00		111	70-130		
1,2-Dichloroethane	5.37				5.00		107	70-130		
1,1-Dichloroethylene	5.32				5.00		106	70-130		
cis-1,2-Dichloroethylene	5.15				5.00		103	70-130		
trans-1,2-Dichloroethylene	5.33				5.00		107	70-130		
1,2-Dichloropropane	5.10				5.00		102	70-130		
1,3-Dichloropropane	1.74				1.35		129	70-130		V-20
cis-1,3-Dichloropropene	4.72				5.00		94.5	70-130		
trans-1,3-Dichloropropene	5.04				5.00		101	70-130		
Ethylbenzene	5.73				5.00		115	70-130		
Isopropylbenzene (Cumene)	1.57				1.27		124	70-130		
p-Isopropyltoluene (p-Cymene)	1.38				1.14		121	70-130		V-20
Methyl tert-Butyl Ether (MTBE)	5.92				5.00		118	70-130		
Methylene Chloride	4.63				5.00		92.6	70-130		
4-Methyl-2-pentanone (MIBK)	5.14				5.00		103	70-130		
Styrene	5.53				5.00		111	70-130		V-35
1,1,1,2-Tetrachloroethane	1.17				0.910		128	70-130		V-20
1,1,2,2-Tetrachloroethane	6.09				5.00		122	70-130		
Tetrachloroethylene	5.12				5.00		102	70-130		
Toluene	5.70				5.00		114	70-130		
1,1,1-Trichloroethane	4.85				5.00		96.9	70-130		
1,1,2-Trichloroethane	5.44				5.00		109	70-130		

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
<b>Batch B322016 - TO-15 Prep</b>											
<b>LCS (B322016-BS1)</b>					Prepared & Analyzed: 11/01/22						
Trichloroethylene	4.76				5.00		95.2	70-130			
Trichlorofluoromethane (Freon 11)	5.57				5.00		111	70-130			
1,2,4-Trimethylbenzene	6.23				5.00		125	70-130			
1,3,5-Trimethylbenzene	6.73				5.00		<b>135</b> *	70-130			L-05, V-06
Vinyl Chloride	5.21				5.00		104	70-130			
m&p-Xylene	11.6				10.0		116	70-130			
o-Xylene	6.38				5.00		128	70-130			
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	7.52				8.00		94.0	70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.52				8.00		106	70-130			

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
L-01	Laboratory fortified blank/laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.
L-03	Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
L-05	Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.
S-17	Surrogate recovery is outside of control limits. Data validation is not affected since all associated results are less than the reporting limit and bias is on the high side.
V-05	Continuing calibration verification (CCV) did not meet method specifications and was biased on the low side for this compound.
V-06	Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side for this compound.
V-20	Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.
V-35	Initial calibration verification (ICV) did not meet method specifications and was biased on the high side for this compound. Reported result is estimated.

**CERTIFICATIONS**
**Certified Analyses included in this Report**

Analyte	Certifications
<i>EPA TO-15 in Air</i>	
Acetone	AIHA,NY,ME,NH
Acrylonitrile	AIHA,NJ,NY,ME,NH
Benzene	AIHA,FL,NJ,NY,ME,NH,VA
Bromodichloromethane	AIHA,NJ,NY,ME,NH,VA
Bromoform	AIHA,NJ,NY,ME,NH,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,ME,NH,VA
Carbon Tetrachloride	AIHA,FL,NJ,NY,ME,NH,VA
Chlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Chloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Chloroform	AIHA,FL,NJ,NY,ME,NH,VA
Chloromethane	AIHA,FL,NJ,NY,ME,NH,VA
Dibromochloromethane	AIHA,NY,ME,NH
1,2-Dibromoethane (EDB)	AIHA,NJ,NY,ME,NH
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
1,3-Dichlorobenzene	AIHA,NJ,NY,ME,NH
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY,ME,NH
1,1-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,ME,NH,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,ME,NH,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,ME,NH,VA
trans-1,3-Dichloropropene	AIHA,NY,ME,NH
Ethylbenzene	AIHA,FL,NJ,NY,ME,NH,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY,ME,NH
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,ME,NH,VA
Methylene Chloride	AIHA,FL,NJ,NY,ME,NH,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY,ME,NH
Styrene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Toluene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Trichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY,ME,NH
1,2,4-Trimethylbenzene	AIHA,NJ,NY,ME,NH
1,3,5-Trimethylbenzene	AIHA,NJ,NY,ME,NH
Vinyl Chloride	AIHA,FL,NJ,NY,ME,NH,VA
m&p-Xylene	AIHA,FL,NJ,NY,ME,NH,VA
o-Xylene	AIHA,FL,NJ,NY,ME,NH,VA

---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Con-Test, a Pace Environmental Laboratory, operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO 17025:2017	100033	03/1/2024
NY	New York State Department of Health	10899 NELAP	04/1/2023
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2023
NJ	New Jersey DEP	MA007 NELAP	06/30/2023
FL	Florida Department of Health	E871027 NELAP	06/30/2023
ME	State of Maine	MA00100	06/9/2023
VA	Commonwealth of Virginia	460217	12/14/2022

Lab Use		Client Use		Collection Data		Duration		Flow Rate		Matrix		Volume		ANALYSIS REQUESTED		"Hg		Lab Receipt Pressure		Summa Canister and Flow Controller ID	
Pace Work Order #	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	Total Minutes Sampled	m <sup>3</sup> /min L/min	Code	Liters m <sup>3</sup>	Initial Pressure	Final Pressure	Summa Can ID	Flow Controller ID	Initial Pressure	Final Pressure	Summa Can ID	Flow Controller ID	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
1	Gymnasium	10/18/22 10:24	10/18/22 11:00	31		IA	6			IA	4591	28	-5	1987	4591	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
2	Cafeteria	951	1025	34			1				4588	27	0	2442	4588	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
3	Kitchen Storage	953	1026	33			1				4725	30	0	2455	4725	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
4	Elevator Hallway	943	1013	30			1				4592	29	-1	2187	4592	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
5	Room 145	1010	1040	30			1				4593	28	2.5	1007	4593	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
6	Room 152	939	1009	30			1				4594	28	-1	1730	4594	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
7	Room 118	946	1017	31			1				4689	30	2.5	1113	4689	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
8	Room 110	947	1018	31			1				4724	27	-1	2464	4724	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	
9	Ambient outdoors Air	1133	1205	32		AMB	1				4598	28	-1	1822	4598	Please fill out completely, sign, date and retain the yellow copy for your records		Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply		For summa canister and flow controller information please refer to Con-Test's Air Media Agreement	

Please use the following codes to indicate possible sample concentration within the Conc Code column above:  
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Matrix Codes:  
 SG = SOIL GAS  
 IA = INDOOR AIR  
 AMB = AMBIENT  
 SS = SUB SLAB  
 D = DUP  
 BL = BLANK  
 O = Other

Special Requirements:  
 MA MCP Required  
 MCP Certification Form Required  
 CT RCP Required  
 RCP Certification Form Required  
 Other



NECAC and AIHA-LAP, LLC Accredited

Project Entity	<input type="checkbox"/> Government	<input type="checkbox"/> Municipality	<input type="checkbox"/> WRTA	<input type="checkbox"/> Chromatogram	<input type="checkbox"/> Soxhlet
	<input type="checkbox"/> Federal	<input type="checkbox"/> 21 J	<input type="checkbox"/> MWRA	<input type="checkbox"/> AIHA-LAP, LLC	<input type="checkbox"/> Non Soxhlet
	<input checked="" type="checkbox"/> City	<input type="checkbox"/> Brownfield	<input type="checkbox"/> School		
			<input type="checkbox"/> MBTA		

Comments:  
 please report in mg/m<sup>3</sup>

Relinquished by: (signature) *[Signature]* Date/Time: 10/19/22 3:15 PM  
 Received by: (signature) *[Signature]* Date/Time: 10/19/22 15:15  
 Relinquished by: (signature) *[Signature]* Date/Time: 10/19/22 18:00  
 Received by: (signature) *[Signature]* Date/Time: 10/19/22 18:00  
 Relinquished by: (signature) *[Signature]* Date/Time: 10/19/22 18:00  
 Received by: (signature) *[Signature]* Date/Time: 10/19/22 18:00

CHAIN OF CUSTODY RECORD (AIR)

**ANALYSIS REQUESTED**

7-Day  10-Day  Due Date: \_\_\_\_\_

1-Day  3-Day  2-Day  4-Day

Format: PDF  EXCEL

Other: *please report in  $\mu\text{g}/\text{m}^3$*

CLP Like Data Pig Required:

Email To: *gionigian@east.com*  
*apostma@east.com*

Sample #: \_\_\_\_\_

Lab Use	Client Use	Collection Data		Duration	Flow Rate	Matrix	Volume	Lab Receipt Pressure			Summa Can ID	Flow Controller ID
		Beginning Date/Time	Ending Date/Time					Total Minutes Sampled	Initial Pressure	Final Pressure		
10	MP-2	10/18/22 1201	10/18/22 1228	27		SS	6	27.5	0	0	2040	4733
11	MP-5	1149	1217	28				28	0	0	2023	4732
12	MP-7	1145	1215	30				28	5	28	1881	4730
13	MP-8	1138	1209	31				28	25	20	1119	4731
14	IMP-1	1032	1102	30				28	25	23	1126	4690
15	IMP-3	1038	1108	30				27	5	5	1946	4727

Comments: *please report in  $\mu\text{g}/\text{m}^3$*

Please use the following codes to indicate possible sample concentration within the Conc Code column above:  
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Matrix Codes:  
SG = SOIL GAS  
IA = INDOOR AIR  
AMB = AMBIENT  
SS = SUB SLAB  
D = DUP  
BL = BLANK  
O = Other

Relinquished by: (signature) *Shut Hansen* Date/Time: 10/19/22 3:15 pm  
Received by: (signature) *[Signature]* Date/Time: 10/19/22/1515  
Relinquished by: (signature) *[Signature]* Date/Time: 10/19/22 1802  
Received by: (signature) *[Signature]* Date/Time: 10/19 1800  
Relinquished by: (signature) *[Signature]* Date/Time: \_\_\_\_\_  
Received by: (signature) *[Signature]* Date/Time: \_\_\_\_\_

Special Requirements:  
MA MCP Required   
MCP Certification Form Required   
CT RCP Required   
RCP Certification Form Required


Project Entity:  
Government  Municipality  MWRA  Other   
Federal  21 J  School  Chromatogram   
City  Brownfield  MBTA  AIFA-LAP, LLC

PCB ONLY:  
 Soxhlet   
 Non Soxhlet

RELAC and AIFA-LAP, LLC Accredited

*Pace Analytical*

39 Spruce St.  
 East Longmeadow, MA. 01028  
 P: 413-525-2332  
 F: 413-525-6405  
 www.pacelabs.com



Doc# 278 Rev 7 July 2022

**Air Media Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False Statement will be brought to the attention of the Client - State True or False**

Client EA

Received By MAP Date 10/19 Time 1:00

How Were the samples received? In Cooler            On Ice            No Ice             
 In Box T Ambient            Melted Ice           

Were samples within Temperature Compliance? Within            By Gun #            Actual Temp -             
 2-6°C            By Blank #            Actual Temp -           

Was Custody Seal In tact? MA Were Samples Tampered with? MA  
 Was COC Relinquished? T Does Chain Agree With Samples? T

Are there any loose caps/valves on any samples? F

Is COC in ink/ Legible? T Were samples received within holding time? T

Did COC Include all Pertinent Information? Client? T Analysis? T Sampler Name? T  
 Project? T ID's? T Collection Dates/Times? T

Are Sample Labels filled out and legible? T

Are there Rushes? F Who was notified?           

Samples are received within holding time? T

Proper Media Used? T Individually Certified Cans? T

Are there Trip Blanks? F Is there enough Volume? T

Containers:	#	Size	Regulator	Duration	Accessories:		
Summa Cans	15	6L	15	30 min	Nut/Ferrule		IC Train
Tedlar Bags					Tubing		
TO-17 Tubes					T-Connector		Shipping Charges
Radiello					Syringe		
Pufs/TO-11s					Tedlar		

Can #'s	1113	1126			Reg #'s	4689	4690		
1987	2484	1946			4591	4724	4727		
2442	1822				4588	4598			
2455	2010				4725	4733			
2187	2023				4592	4732			
1007	1881				4593	4730			
1730	1119				4594	4731			
Unused Media					Pufs/TO-17's				

Comments:

## **APPENDIX F**

### **Laboratory MRL Correspondence**



39 Spruce Street  
East Longmeadow, MA 01089

December 21, 2022

Frank Postma  
EA Engineering Science & Technology  
2350 Post Road  
Warwick, RI 02886  
RE: RIDEM – Approved Action Level – Work Order 22J3117

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test, A Pace Analytical Laboratory had issues meeting the limits are listed below:

Bromodichloromethane  
1,1,2,2-Tetrachloroethane  
1,1,1,2-Tetrachloroethane  
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski".

Tod Kopyscinski  
Laboratory Director