



EA Engineering, Science,  
and Technology, Inc., PBC

301 Metro Center Blvd, Suite 102  
Warwick, Rhode Island 02886  
Telephone: 401-736-3440  
[www.eaest.com](http://www.eaest.com)

21 March 2023

Mr. Joseph T. Martella II, Senior Engineer  
Site Remediation Program  
Office of Waste Management  
RI Department of Environmental Management  
235 Promenade Street  
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 62  
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island  
Case No. 2005-029  
EA Project No. 15066.10*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently completed Site activities related to compliance sub-slab vapor and indoor air sampling for the period from December 2022 through February 2023.

If you have any questions or require additional information, please contact me at (401) 287-0370.

Sincerely,

EA ENGINEERING, SCIENCE,  
AND TECHNOLOGY, INC., PBC

Frank B. Postma, LSP, LEP, PG  
Project Manager

cc: Superintendent, Prov. Dept. of Public Schools Director, Prov. Dept. of Public Property  
A. DeGrace, Prov. Redevelopment Agency Knight Memorial Library Repository  
R. Dorr, Neighborhood Resident Principal Biah, Alvarez High School  
Rep. Scott Slater

*This page intentionally left blank*



# **Quarterly O&M Status Report No. 62**

## **Summarizing Sub-slab Depressurization and Indoor Air Monitoring and Sampling Activities**

**Alvarez High School Site  
(Formerly Adelaide Avenue High School)  
Providence, Rhode Island**

*Prepared for*

City of Providence School Department  
797 Westminster Street  
Providence, Rhode Island 02903

*Prepared by:*

EA Engineering, Science, and Technology, Inc., PBC  
301 Metro Center Blvd., Suite 102  
Warwick, Rhode Island 02886  
(401) 736-3440

EA Project No. 15066.10  
March 2023

*This page intentionally left blank*

## TABLE OF CONTENTS

1.	INTRODUCTION AND BACKGROUND .....	1
2.	SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE .....	2
2.1	SSD SYSTEM AND RELATED MONITORING .....	2
2.1.1	Sub-Slab Monitoring.....	2
2.1.2	Rooftop Extraction Fans .....	3
2.1.3	Engineered Cap .....	3
2.2	INDOOR METHANE MONITORING SYSTEM .....	3
2.3	AMBIENT OUTDOOR AND INDOOR AIR SAMPLING .....	3
2.4	SUB-SLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT .....	5
2.5	SUMMARY OF ROOFTOP VOC EMISSIONS .....	5
3.	CONCLUSIONS.....	7
4.	FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT .....	8

## FIGURES

- FIGURE 1: SITE LOCATION MAP  
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM  
FIGURE 3: AS-BUILT SUB-SLAB MONITORING AND SAMPLING PLAN  
FIGURE 4: PARCEL C SHOTPUT & DISCUS THROWING FIELD

## APPENDICES

- APPENDIX A: O&M FIELD FORMS  
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY  
APPENDIX C: SUB-SLAB VAPOR ANALYTICAL SUMMARY  
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY  
APPENDIX E: INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUB-SLAB VAPOR LABORATORY ANALYTICAL REPORTS  
APPENDIX F: LABORATORY DETECTION LIMITS CORRESPONDENCE

*This page intentionally left blank*

## 1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 62 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a sub-slab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and sub-slab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the three-month period from December 2022 through February 2023 (Quarterly Reporting Period No. 62). Please refer to Quarterly O&M Status Reports No. 1 through No. 61 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

## 2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

### 2.1 SSD SYSTEM AND RELATED MONITORING

The following SSD system performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly indoor air monitoring of vapor-phase constituents and methane (15 December 2022, 24 January 2023, and 9 February 2023) at 8 monitoring locations, as illustrated on the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2.
- Monthly sub-slab monitoring of vacuum pressure, vapor-phase constituents, and methane (15 December 2022, 24 January 2023, and 9 February 2023) at 11 monitoring locations, as illustrated on the As-Built Sub-slab Monitoring and Sampling Locations provided as Figure 3.
- Monthly inspections and monitoring (air velocity and vacuum) of the three rooftop fans to verify proper operation and effluent concentrations.
- Monthly inspections of the electronic monitoring system associated with each of three SSD system extraction fans and the methane sensor system (automatic alarm notification via audible signal and phone notification).
- Monthly inspections of the RIDEM approved engineered cap.
- Quarterly sampling (24 January 2023) of eight indoor air locations, one ambient outdoor air location, and six sub-slab points.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

#### 2.1.1 Sub-Slab Monitoring

Vacuum measurements taken at each interior and perimeter sub-slab monitoring/sampling locations ranged from -0.15 to -0.005 in. of water column. Negative measurements confirm that a negative pressure was maintained beneath the building slab due to continuous fan operation. Rooftop fans were not able to be accessed in every monitoring event due to safety and weather reasons. When rooftop fans were observed, they were observed to be operating correctly during this reporting period; pressure and air velocity recorded at all rooftop fans were within normal ranges.

### **2.1.2 Rooftop Extraction Fans**

The pressure sensors on each rooftop fan are connected to an alarm panel and autodialer system, which is triggered when a change in pressure is detected in the rooftop exhaust fans. The exhaust fan alarm system is connected to back-up battery packs in the control panel, which have sufficient capacity to operate for multiple days in the event of an electrical outage or power disruption to the system. Negative fan vacuums, fan speeds, and the negative sub-slab pressures observed at the site were within normal ranges and the system is operating properly. No alarm triggers occurred in this 3-month period.

### **2.1.3 Engineered Cap**

The engineered cap appeared in good condition. Previously eroded areas of the cap on Parcel B were filled with clean loam and seeded on 7 July 2022. EA will continue to monitor the cap for any future deficiencies.

In April 2020, the City installed two 10-foot (ft) by 20-ft by 4-in thick concrete throwing pads in the southwestern corner of Parcel C on the grassed recreation field between Dr. Jorge Alvarez High School and Mashapaug Pond. The pads were constructed in accordance with the Temporary Parcel C Cap Disturbance Notification letter submitted to RIDEM on 31 March 2020. The concrete pads remain in place as part of the engineered cap and concrete pad inspections have been incorporated into the routine monitoring events. The concrete pads appeared to be in good condition and no cracks or chips were observed. Shotput and discus landing zones also appeared in good condition and no erosion damages to the cap were present. A site plan depicting the location of the shotput and discus throwing pads is included as Figure 4.

Any future landscaping work at Alvarez High School (Parcel B), and/or the shot-put and discus throwing field (Parcel C) must adhere to the Soil Management Plan and the Amended OA to ensure the engineered cap is not damaged and the protective cover soil layer is maintained. EA will continue to inspect the pads on a monthly basis and report findings and routine maintenance in the Quarterly O&M Status Reports.

## **2.2 INDOOR METHANE MONITORING SYSTEM**

Indoor methane concentrations were monitored by an indoor methane monitoring system equipped with automatic alarm notification via audible signal and phone notification within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. The methane monitoring system was inspected during each monitoring event and the filters were replaced on 24 January 2023. The next filter replacement is scheduled for April 2023.

## **2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING**

Eight indoor air samples and one ambient outdoor air sample were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 24 January 2023.

The samples collected in January 2023 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of VOCs via Method TO-15 Selective Ion Monitoring (SIM). Each summa canister used during this monitoring period was individually certified to ensure that all containers were devoid of residual contamination. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling results.

Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA. Sampling locations for the indoor air samples are illustrated on Figure 3. The 24 January 2023 ambient outdoor air sample was collected upwind (west-southwest) of the school. A data summary table is provided as Appendix B and a copy of the laboratory data report associated with this sampling event is provided in Appendix E.

Three analytes were identified in indoor air above the CT RTACs and RIDEM threshold levels during the 24 January 2023 quarterly sampling event.

Carbon tetrachloride was detected in the gymnasium at a concentration of  $0.54 \mu\text{g}/\text{m}^3$ , and in rooms 118, 145, and 152 all at a concentration of  $0.51 \mu\text{g}/\text{m}^3$  during the 24 January 2023 quarterly sampling event. These exceed the RIDEM amended threshold value of  $0.5 \mu\text{g}/\text{m}^3$ . Carbon tetrachloride is a documented background ambient compound in the area. The compound has consistently been detected in both indoor and ambient outdoor air during every sampling event completed at the Site at concentrations ranging between  $0.3$  and  $0.95 \mu\text{g}/\text{m}^3$ .

Chloroform was detected in the kitchen storage room at a concentration of  $0.60 \mu\text{g}/\text{m}^3$  which exceeds the RIDEM amended threshold value of  $0.5 \mu\text{g}/\text{m}^3$ . Chloroform is a common ingredient in, or can form as a byproduct of, cleaning products and some insecticides. It is also a common laboratory contaminant. Insecticides and cleaning chemicals have historically been used at the school, specifically in the kitchen. The detections during the 24 January 2023 sampling event are consistent with historical chloroform detections in the cafeteria and are not believed to be attributable to soil vapor intrusion.

1,2-Dichloroethane (1,2-DCA) was detected in all indoor ambient air sampling points at concentrations ranging from  $0.071 \mu\text{g}/\text{m}^3$  to  $0.092 \mu\text{g}/\text{m}^3$ . These values exceed the CT RTAC threshold value of  $0.07 \mu\text{g}/\text{m}^3$ , and two, the elevator hallway and room 152, exceed the RIDEM threshold value of  $0.08 \mu\text{g}/\text{m}^3$  at  $0.081 \mu\text{g}/\text{m}^3$  and  $0.092 \mu\text{g}/\text{m}^3$ , respectively. EA has investigated the 1,2-DCA levels with RIDEM using collocated samples in the past, as reported in Quarterly Monitoring Report No. 24. It was determined that 1,2-DCA levels were not likely from a soil vapor pathway as the soil vapor concentrations were too low (or below method detection limits [MDLs]) to be responsible for levels found in the air.

The MDLs for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analysis was performed using the method with the lowest available detection levels (SIM procedure). The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of

these analytes have never been detected in indoor air at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not considered significant and do not disqualify the dataset. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable.

## **2.4 SUB-SLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT**

A total of 11 RIDEM-approved sub-slab sampling locations are installed at the Site. Six sub-slab samples were collected on the rotating schedule in accordance with the Amended OA and analyzed for VOCs via US EPA Method TO-15 SIM. Two interior sub-slab vapor samples and four exterior sub-slab vapor samples were collected on 24 January 2023. The sub-slab analytical results are presented in Appendix C and a copy of the laboratory data report associated with this sampling event is included in Appendix E. The locations for sub-slab sampling are illustrated on Figure 3.

The sub-slab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period though these variations were within historical ranges and do not constitute an increasing trend.

## **2.5 SUMMARY OF ROOFTOP VOC EMISSIONS**

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, and annually in July thereafter (2010 – 2022) indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Additionally, in October 2014 RIDEM conducted roofline and downwind outdoor air sampling to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust, indicating that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building.

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. Rooftop fan sampling was conducted on 28 July 2022. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or annual emissions were observed. A summary of historical rooftop fan emission data is summarized in Table 1 below.

**Table 1 Annual Rooftop Fan Emissions**

<b>Annual Monitoring Date</b>	<b>Total Emissions<sup>a</sup> (lbs/year)</b>
-	RIDEM Threshold: 50,000 <sup>b</sup>
20 July 2012	3.30
9 July 2013	2.33
1 August 2014	2.49
22 October 2014	1.83
21 July 2015	2.01
20 July 2016	2.34
26 July 2017	1.41
27 July 2018	0.652
29 July 2019	2.15
23 July 2020	0.829
21 July 2021	0.388
28 July 2022	1.24

<sup>a</sup> Sum of all three rooftop fan emissions; emissions based on measured flow speed and EPA Method TO15-SIM air sample analysis  
<sup>b</sup> RIDEM Air Pollution Control Regulation No. 9 [Amended April 2004]  
 RIDEM = Rhode Island Department of Environmental Management  
 lbs/year = pounds of gas per year

All emissions are below the RIDEM Air Pollution Control Regulations. Fluctuations in emissions were observed in the 27 July 2018 and 28 July 2022 samples. One possible explanation for this variability may be fluctuating depths to the groundwater table in the vicinity of the school; as the depth to groundwater increases, soil gas emissions to the extraction system are anticipated to decrease due to reduced pressure from the capillary fringe. Full analytical results of rooftop fan sampling are summarized in Appendix D and Quarterly Monitoring Reports No. 1 – No. 60. The next annual rooftop effluent VOC sampling event is scheduled for July 2023.

### 3. CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- Previously eroded areas on the engineered cap were repaired in July 2022 and appear to be in good condition.
- The concrete pads and throwing areas on Parcel C appeared to be in good condition and no signs of cap degradation or erosion were observed.
- The sub-slab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- The use of certified clean summa canisters, as requested by RIDEM, yielded confidence in the samples collected in January 2023. EA will continue to use certified clean canisters in the upcoming sampling events.

#### **4. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT**


The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from March 2023 to May 2023:

- Continuous monitoring of the operational status of the three rooftop extraction fans;
- Monthly site inspections and monitoring using a calibrated photoionization detector with part-per-billion sensitivity and a Landtec multi-gas meter;
- Collection of air samples from eight indoor locations, one ambient outdoor location, and six sub-slab monitoring points in April 2023;
- The engineered cap on Parcel B as well as the concrete throwing pads on Parcel C will be inspected during the routine monthly sub-slab inspections and reported in future Quarterly O&M reports;
- Any future landscaping projects and erosion repairs by the City must be conducted in accordance with the site specific Soil Management Plan and the Amended OA to prevent damage to the engineered cap.

These activities will be summarized in the next status report (Quarterly Status Report No. 63), expected to be submitted by the end of June 2023.

## **FIGURES**


*This page intentionally left blank*



ALVAREZ HIGH SCHOOL  
333 ADELAIDE AVENUE  
PROVIDENCE, RHODE ISLAND

FIGURE 1  
SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



NOTE: NOT TO SCALE




DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FRP	PROJECT MGR. FRP	SCALE NTS	DRAWING NO. —	FIGURE ?

INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM – ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

## QUARTERLY STATUS REPORT FIGURE 2

**LEGEND:**

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- +— SLOTTED 1 INCH PVC PIPING
- ◆ ROOFTOP FAN LOCATION
- SP-1 SSD SYSTEM SUCTION PIT
- +— SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT  
SUB SLAB MONITORING AND SAMPLING LOCATIONS  
ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 3



**APPENDIX A**

**O&M Field Forms**

*This page intentionally left blank*



EA Engineering, Science, and Technology, Inc.,  
PBC

**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 12/15/2022

Performed by: TC

PID/Methane Calibration? no (yes/no)

PID Calibration Result: na

Date of last Methane Sensor Filter

Replacement: 10/18/2022

Replaced this O&M Visit? no (yes/no)

General Status of SSD System: Functioning properly

General Status of Methane

Monitoring System: Functioning properly

Eng. Cap/Fence Inspection

Performed/Notes: No visible issues.

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate page)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)
Gymnasium	NA	NA	0	0	0	0						
Cafeteria	NA	NA	0	0	0	0						
Kitchen Storage Room	NA	NA	2	0	0	0						
Elevator Hallway	NA	NA	0	0	0	0						
Room 145	NA	NA	0	0	0	0						
Room 152	NA	NA	400	0	0	0						
Room 118	NA	NA	74	0	0	0						
Room 110	NA	NA	190	0	0	0						
MP-1	-0.01	NA	0	NA	0	0						
MP-2	-0.015	NA	0	NA	0	0						
MP-3	-0.005	NA	0	NA	0	0						
MP-4	-0.01	NA	0	NA	0	0						
MP-5	-0.005	NA	0	NA	0	0						
MP-6	-0.01	NA	0	NA	0	0						
MP-7	-0.01	NA	0	NA	0	0						
MP-8	-0.015	NA	0	NA	0	0						
IMP-1	-0.012	NA	0	NA	0	0						
IMP-2	-0.02	NA	25	NA	0	0						
IMP-3	-0.02	NA	18	NA	0	0						
Roof-Top Fan 1	-	-	-	NA	-	-						
Roof-Top Fan 2	-	-	-	NA	-	-						
Roof-Top Fan 3	-	-	-	NA	-	-						
Ambient Outdoor Air	NA	NA	7	NA	0	0						

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc.,  
PBC

**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 1/24/2023

Performed by: GJ/TC/LL

PID/Methane Calibration? no (yes/no)

PID Calibration Result: na

Date of last Methane Sensor Filter

Replacement: 10/18/2022

Replaced this O&M Visit? Yes (yes/no)

General Status of SSD System: Functioning properly

General Status of Methane

Monitoring System: Functioning properly

Eng. Cap/Fence Inspection

Performed/Notes: No visible issues.

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate page)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	60	0	0	0	2009	4068	915	-29	945	0	
Cafeteria	NA	NA	47	0	0	0	1047	4209	918	-30	948	-5	
Kitchen Storage Room	NA	NA	159	0	0	0	2044	4104	921	-30	950	0	
Elevator Hallway	NA	NA	119	0	0	0	2171	4290	851	-29	921	-2	
Room 145	NA	NA	53	0	0	0	1981	4207	859	-28	929	-3	
Room 152	NA	NA	71	0	0	0	1845	4374	909	-30	939	-3	
Room 118	NA	NA	43	0	0	0	1946	7295	902	-30	932	-5	
Room 110	NA	NA	100	0	0	0	1049	4298	904	-30	934	-3	
MP-1	-0.15	NA	0	NA	0.1	2	1386	4103	1053	-30	1123	-4	
MP-2	-0.1	NA	0	NA	0.1	2							
MP-3	-0.05	NA	0	NA	0.1	2	1712	4090	1050	-30	1120	-4	
MP-4	-0.05	NA	0	NA	0.1	2	1721	4213	1057	-28	1127	-3	
MP-5	-0.05	NA	0	NA	0.1	2							
MP-6	-0.05	NA	46	NA	0.1	2	1816	4106	1044	-28	1115	0	Tag said FC4635
MP-7	-0.05	NA	0	NA	0.1	2							
MP-8	-0.15	NA	0	NA	0.1	2							
IMP-1	-0.05	NA	66	NA	0	0	2204	4294	917	-29	946	0	
IMP-2	-0.05	NA	153	NA	0	0	1249	4100	910	-30	942	-9	
IMP-3	-0.05	NA	33	NA	0	0							
Roof-Top Fan 1	-2	1970	0	NA	0	0							
Roof-Top Fan 2	-	NM	-	NA	0	0							Roof slippery - NM
Roof-Top Fan 3	-	NM	-	NA	0	0							Roof slippery - NM
Ambient Outdoor Air	NA	NA	0	NA	0	0	2039	4201	1034	-28	1105	0	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc.,  
PBC

**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 2/9/2023

Performed by: QM/OM/LL

PID/Methane Calibration? no (yes/no)

PID Calibration Result: na

Date of last Methane Sensor Filter

Replacement: 1/24/2023

Replaced this O&M Visit? Yes (yes/no)

General Status of SSD System: Functioning properly

General Status of Methane

Monitoring System: Functioning properly

Eng. Cap/Fence Inspection

Performed/Notes: No visible issues.

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... <i>continue on separate</i>
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)
Gymnasium	NA	NA	0	0	0	0						
Cafeteria	NA	NA	0	0	0	0						
Kitchen Storage Room	NA	NA	20	0	0	0						
Elevator Hallway	NA	NA	0	0	0	0						
Room 145	NA	NA	0	0	0	0						
Room 152	NA	NA	140	0	0	0						Perfume in room
Room 118	NA	NA	80	0	0	0						
Room 110	NA	NA	4	0	0	0						
MP-1	-0.1	NA	0	NA	0	0						
MP-2	-0.1	NA	0	NA	0	0						
MP-3	-0.01	NA	0	NA	0	0						
MP-4	-0.01	NA	0	NA	0	0						
MP-5	-0.01	NA	0	NA	0	0						
MP-6	-0.01	NA	0	NA	0	0						
MP-7	-0.01	NA	0	NA	0	0						
MP-8	-0.01	NA	0	NA	0	0						
IMP-1	-0.01	NA	0	NA	0	0						
IMP-2	-0.01	NA	2500	NA	0	0						
IMP-3	-0.01	NA	70	NA	0	0						
Roof-Top Fan 1	-2	1750	0	NA	0	0						
Roof-Top Fan 2	-2	1500	0	NA	0	0						
Roof-Top Fan 3	-2	1270	0	NA	0	0						
Ambient Outdoor Air	NA	NA	0	NA	0	0						

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

*This page intentionally left blank*

## **APPENDIX B**

### **Indoor and Ambient Outdoor Air Analytical Summary**

*This page intentionally left blank*

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																			Ambient Outdoor (AOA-1)		
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Acetone	180.0	8-Feb-08	20.20	8.24	4.75	U	4.75	U	6.87	8.06	4.75	U	4.78							4.750	U	
		27-Mar-08 <sup>2</sup>	576.00	186.00	108.00		89.90		24.70	38.30	76.70		47.40							5.870		
		25-Apr-08	61.70	12.90	19.00		15.10		14.80	18.60	12.50		17.10							6.670		
		29-May-08	19.50	16.00	12.80		16.20		10.90	17.20	13.20		11.60							7.480		
		27-Jun-08	87.90	20.00	20.50		27.70		28.90	29.00	26.00		29.80							19.700		
		31-Jul-08	32.20	17.20	20.80		16.80		23.80	20.00	18.60		23.50							20.000		
		28-Aug-08	33.10	21.10	21.50		25.80		27.00	32.40	29.10		23.80							37.000		
		30-Sep-08	39.40	10.40	7.60		11.20		44.80	29.90	19.60		55.60							6.800		
		27-Oct-08	56.20	23.10	14.90		24.10		15.90	26.50	34.30		25.10							109.000		
		25-Nov-08	21.30	8.20	5.30		14.00		15.60	9.70	6.50		10.00							7.000		
		18-Dec-08	39.30	18.50	16.90		21.50		23.10	41.90	22.00		28.80							40.000		
		21-Jan-09	5.30	2.40	2.40	U	3.60		5.60	5.00	3.30		4.00							2.400	U	
		25-Feb-09	2.40	U	2.90		2.40	U	NS	9.60	5.00	3.80		4.10						2.400	U	
		26-Mar-09	34.40	10.70	8.82		11.30		13.80	12.00	10.50		12.00							9.680		
		29-Apr-09	4.75	U	5.70		7.23		8.24	19.20	9.42		7.57							7.700		
		22-Jul-09	2.37	U	13.10		18.70		11.70	28.90	29.40		17.10							11.000		
		9-Oct-09	19.50	10.10	9.22		11.00		15.50	12.00	10.60		11.60							8.570		
		15-Jan-10	11.90	8.16	5.08		6.70		7.32	7.27	5.26		8.11							6.190		
		21-Apr-10	26.70	22.00	23.20		23.20		19.30	19.90	21.80		20.50							4.960		
		16-Jul-10	28.20	16.50	13.80		16.10		36.90	24.90	40.70		16.00							14.300		
		15-Oct-10	32.70	8.18	4.75	U	11.50		7.36	6.01	5.53		6.69							7.630		
		30-Nov-10	NS	13.20	13.00		NS		NS	NS	6.46		NS							NS		
		26-Jan-11	28.50	20.80	11.60		14.90		13.50	33.20	12.60		24.00							9.850		
		26-Jan-11**	NS	17.00	15.00		NS		NS	12.00	NS		NS							NS		
		27-Apr-11	6.82	12.80	11.30		14.70		14.60	7.55	12.30		5.93							5.600		
		26-Jul-11	51.80	48.00	22.80		82.20		28.70	7.17	25.40		39.40							8.840		
		28-Oct-11	17.00	12.00	7.40		9.90		11.00	9.70	13.00		15.00							8.000		
		23-Jan-12	15.00	15.00	18.00		18.00		10.00	37.00	19.00		18.00							13.000		
		13-Apr-12	11.00	16.00	11.00		11.00		11.00	21.00	9.10		19.00							24.000		
		2-Jul-12 resample	NS	NS	NS		NS		NS	NS	NS		21.00							9.100		
		20-Jun-12	19.00	22.00	17.00		21.00		20.00	15.00	15.00		22.00							11.000		
		1-Nov-12	12.00	11.00	9.50		16.00		8.30	12.00	13.00		11.00							9.000		
		1-Feb-13	16.00	15.00	12.00		14.00		9.10	39.00	16.00		18.00							8.200		
		29-Apr-13	26.00	23.00	22.00		21.00		28.00	32.00	27.00		35.00							18.000		
		9-Jul-13	25.00	26.00	22.00		24.00		41.00	28.00	35.00		32.00							24.000		
		9-Jul-13 RIDEM	NS	NS	NS		NS		18.83	NS	NS		NS							11.710		
		18-Oct-13	34.00	32.00	30.00		42.00		29.00	29.00	46.00		34.00							20.000		
		9-Jan-14	8.90	19.00	16.00		20.00		21.00	24.00	27.00		45.00							8.300		
		24-Apr-14	19.00	12.00	18.00		17.00		17.000 <sup>4</sup>	12.00	16.00		76.000 <sup>M</sup>							6.100		
		1-Aug-14	35.000 <sup>M</sup>	12.000 <sup>M</sup>	29.000 <sup>M</sup>		37.000 <sup>M</sup>		43.000 <sup>M</sup>	38.000 <sup>M</sup>	81.000/62.000											

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - January 2023

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Benzene	3.3	8-Feb-08	0.910		0.840		0.730		0.780		0.810		0.800		0.750		0.790					0.870	
		27-Mar-08	1.420		1.350		1.600		1.420		0.218		2.130		1.730		1.680					0.372	
		25-Apr-08	1.360		1.300		0.638		1.400		1.150		1.270		1.130		1.120					0.413	
		29-May-08	0.370		0.430		0.300		0.400		0.300		0.450		0.410		0.310					0.230	
		27-Jun-08	0.631		0.603		0.666		0.644		0.657		0.604		0.849		0.582					0.726	
		31-Jul-08	0.568		0.477		0.419		0.451		0.528		0.465		0.378		0.390					0.405	
		28-Aug-08	1.190		1.110		1.010		0.953		0.935		1.060		1.060		1.020					1.280	
		30-Sep-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	0.2	1.600	U				1.600	
		27-Oct-08	2.100		1.600		1.600		1.600		1.600		1.600		1.600		1.900					3.600	
		25-Nov-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U				1.600	
		18-Dec-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U				1.600	
		21-Jan-09	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U				1.600	
		25-Feb-09	1.600	U	1.600	U	1.600	U	NS		1.600	U	1.600	U	1.600	U	1.600	U				1.600	
		26-Mar-09	2.330		1.840		1.740		1.650		1.540		2.210		0.316		1.880					2.390	
		29-Apr-09	0.594		0.358		0.332		0.332		0.303		0.358		1.460		0.335					0.351	
		22-Jul-09	0.626		0.546		0.642		0.574		0.852		1.560		1.460		1.080					4.330	
		9-Oct-09	1.130		0.954		0.903		0.878		0.919		1.050		1.070		0.996					1.100	
		15-Jan-10	1.670		1.510		1.340		1.460		1.420		1.450		1.540		1.550					1.370	
		21-Apr-10	1.020		1.320		1.080		1.380		1.270		1.210		1.230		1.240					0.335	
		16-Jul-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.485		0.319	U				0.319	
		15-Oct-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U				0.319	
		30-Nov-10	NS		0.514		0.594		NS		NS		NS		0.412		NS					NS	
		26-Jan-11	2.920		2.890		2.970		3.290		2.940		3.430		2.560		3.660	2.940	2.850				3.350
		26-Jan-11*	NS		3.600		3.800		NS		NS		NS		3.800		NS					NS	
		27-Apr-11	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U				0.319	
		26-Jul-11	0.559		0.664		0.319		0.326		0.319		0.319		0.329		0.319					0.319	
		28-Oct-11	0.640		0.500		0.380		0.390		0.410		0.450		0.460		0.430					0.300	
		23-Jan-12	1.300		1.200		1.200		1.200		1.200		1.200		1.200		1.300					1.200	
		13-Apr-12	0.680		0.670		0.590		0.600		0.580		0.650		0.580		0.520					0.220	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS					0.140	
		20-Jun-12	0.490		0.540		0.410		0.510		0.520		0.440		0.460		0.540					0.740	
		1-Nov-12	1.300		1.000		0.770		1.200		0.990		1.500		1.700		1.300					0.470	
		1-Feb-13	0.470		0.410		0.400		0.420		0.410		0.490		0.500		0.430					0.410	
		29-Apr-13	0.960		0.920		0.900		0.930		0.760		0.710		0.940		0.840					0.300	
		9-Jul-13	0.440		0.420		0.400		0.450		0.450		0.420		0.450		0.440					0.520	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.537		NS		NS		NS					0.597	
		18-Oct-13	0.240		1.000		0.880		0.660		1.100		0.830		0.800		1.000					1.000	
		9-Jan-14	1.400		1.700		0.910		0.860		0.730		0.810		0.960		0.820						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
Bromodichloromethane	0.034/0.13	8-Feb-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		27-Mar-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		25-Apr-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		29-May-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		27-Jun-08	0.134	U	0.134	U	0.130	U	0.130	U	0.134	U	0.134	U	0.231	U	0.134	U	0.134	U	0.134	U	
		31-Jul-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		28-Aug-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		30-Sep-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		27-Oct-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		25-Nov-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		18-Dec-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		21-Jan-09	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		25-Feb-09	0.130	U	0.130	U	0.130	U	NS		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		26-Mar-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		29-Apr-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		22-Jul-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		9-Oct-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		15-Jan-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		21-Apr-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		16-Jul-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		15-Oct-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		30-Nov-10	NS		0.134	U	0.134	U	NS		NS		NS		NS		NS		NS		NS		
		26-Jan-11	0.228	U	0.228	U	0.228	U	0.228	U	0.227	U	0.228	U	0.228	U	0.228	U	0.228	U	0.228	U	
		26-Jan-11*	NS		0.340	U	0.340	U	NS		NS		NS		0.340	U	NS		NS		NS		
		27-Apr-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		26-Jul-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.067	U	0.067	U	
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	
		13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		1-Nov-12	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	
		1-Feb-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	
		29-Apr-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	
		9-Jul-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	
		18-Oct-13	0.130</td																				

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - January 2023

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - January 2023

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
Carbon tetrachloride	0.5	8-Feb-08	0.500		0.480		0.440		0.450		0.460		0.470		0.470		0.470					0.470	
		27-Mar-08	0.540		0.541		0.547		0.537		0.580		0.577		0.552		0.586					0.565	
		25-Apr-08	0.436		0.439		0.405		0.441		0.448		0.439		0.465		0.450					0.416	
		29-May-08	0.470		0.470		0.450		0.470		0.480		0.490		0.520		0.460					0.460	
		27-Jun-08	0.544		0.535		0.526		0.534		0.526		0.538		0.555		0.547					0.537	
		31-Jul-08	0.526		0.532		0.528		0.554		0.554		0.542		0.564		0.551					0.557	
		28-Aug-08	0.552		0.548		0.551		0.545		0.566		0.559		0.556		0.572					0.551	
		30-Sep-08	0.489		0.446		0.404		0.497		0.461		0.250		0.491		0.531					0.547	
		27-Oct-08	0.370		0.510		0.260		0.450		0.280		0.510		0.270		0.480					0.460	
		25-Nov-08	0.400		0.400		0.400		0.440		0.420		0.350		0.370		0.470					0.470	
		18-Dec-08	0.350		0.330		0.440		0.410		0.420		0.350		0.340		0.310					0.520	
		21-Jan-09	0.490		0.460		0.570		0.460		0.500		0.490		0.570		0.540					0.620	
		25-Feb-09	0.360		0.190		0.380		NS		4.000		0.400		0.410		0.400					0.440	
		26-Mar-09	0.568		0.592		0.542		0.561		0.584		0.561		0.566		0.542					0.604	
		29-Apr-09	0.534		0.522		0.597		0.534		0.528		0.622		0.578		0.559					0.515	
		22-Jul-09	0.597		0.591		0.585		0.597		0.585		0.585		0.578		0.585					0.591	
		9-Oct-09	0.503		0.566		0.471		0.497		0.471		0.497		0.478		0.484					0.478	
		15-Jan-10	0.585		0.603		0.578		0.597		0.585		0.610		0.616		0.610					0.635	
		21-Apr-10	0.490		0.547		0.559		0.484		0.126		0.459		0.530		0.490					0.484	
		16-Jul-10	0.497		0.503		0.484		0.528		0.465		0.547		0.484		0.484					0.541	
		15-Oct-10	0.459		0.427		0.509		0.434		0.440		0.408		0.453		0.446					0.503	
		30-Nov-10	NS		0.478		0.559		NS		NS		0.484		NS							NS	
		26-Jan-11	0.558		0.502		0.504		0.567		0.472		0.566		0.481		0.558		0.481		0.557	0.481	
		26-Jan-11*	NS		0.540		0.500		NS		NS		0.500		NS							NS	
		27-Apr-11	0.371		0.358		0.364		0.408		0.352		0.364		0.358		0.358					0.434	
		26-Jul-11	0.409		0.442		0.409		0.428		0.402		0.421		0.402		0.421					0.459	
		28-Oct-11	0.410		0.380		0.430		0.430		0.420		0.410		0.430		0.430					0.440	
		23-Jan-12	0.490		0.490		0.480		0.480		0.470		0.460		0.490		0.460					0.480	
		13-Apr-12	0.480		0.490		0.420		0.460		0.450		0.460		0.470		0.460					0.300	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS					0.400	
		20-Jun-12	0.560		0.610		0.520		0.530		0.590		0.500		0.550		0.570					0.490	
		1-Nov-12	0.510		0.520		0.480		0.400		0.480		0.490		0.520		0.490					0.530	
		1-Feb-13	0.520		0.510		0.520		0.510		0.550		0.510		0.520		0.510					0.540	
		29-Apr-13	0.540		0.530		0.530		0.510		0.490		0.470		0.490		0.480					0.500	
		9-Jul-13	0.430		0.440		0.430		0.430		0.370		0.440		0.450		0.440					0.440	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.516		NS		NS		NS					0.500	
		18-Oct-13	0.450		0.450		0.450		0.440		0.420		0.420		0.440		0.440					0.440	
		9-Jan-14	0.400		0.430		0.450		0.450		0.400		0.450		0.430		0.430					0.480	
		24-Apr-14	0.430		0.270		0.410		0.430		0.400		0										

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - January 2023

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Chloroform	0.5	8-Feb-08	0.110		0.110		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U				0.100	U		
		27-Mar-08	0.840		0.690		0.593		0.523		0.410		0.337		0.605		0.503			0.098	U		
		25-Apr-08	0.186		0.210		0.193		0.122		0.125		0.134		0.110		0.130			0.098	U		
		29-May-08	0.110		0.110		0.100		0.110		0.100		0.100		0.100		0.100			0.100	U		
		27-Jun-08	0.238		0.257		0.202		0.207		0.196		0.200		0.245		0.223			0.167			
		31-Jul-08	0.230		0.151		0.136		0.194		0.204		0.227		0.098		0.106			0.098	U		
		28-Aug-08	0.342		0.373		0.298		0.312		0.269		0.602		0.269		0.271			0.295			
		30-Sep-08	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U		0.490	U		
		27-Oct-08	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U		0.490	U		
		25-Nov-08	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U		0.240	U		
Toluene	0.5	18-Dec-08	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U		0.240	U		
		21-Jan-09	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U		0.240	U		
		25-Feb-09	0.240	U	0.240	U	0.240	U	NS		0.240	U	0.240	U	0.240	U	0.240	U		0.240	U		
		26-Mar-09	0.236		0.142		0.110		0.115		0.133		0.119		0.098		0.109			0.108			
		29-Apr-09	0.190		0.122		0.098		U	0.102	0.102		0.098		0.146		0.098			0.098	U		
		22-Jul-09	0.229		0.151		0.166		0.141		0.205		0.180		0.146		0.171			0.439			
		9-Oct-09	0.576		0.098		0.283		0.302		0.283		0.307		0.322		0.302			0.171			
		15-Jan-10	0.527		0.473		0.122		0.132		0.112		0.117		0.117		0.180			1.070			
		21-Apr-10	0.156		0.790		0.205		0.771		0.136		0.141		1.460		0.224			0.098	U		
		16-Jul-10	0.317		0.249		0.141		0.161		0.190		0.141		0.258		0.156			0.132			
Benzene	0.5	15-Oct-10	0.263		0.195		0.098		U	0.102	0.098		U	0.098		0.107		0.098		0.098			
		30-Nov-10	NS		0.234		0.112		NS		NS		NS		0.098		NS			NS			
		26-Jan-11	0.350		0.340		0.166		U	0.241	0.166		U	0.182		0.166		0.166		0.166			
		26-Jan-11**	NS		0.380		0.240		NS		NS		NS		0.240		NS			NS			
		27-Apr-11	0.098	U	0.220		0.098		U	0.141	0.098		U	0.098		0.098		U		0.098	U		
		26-Jul-11	0.230		0.249		0.166		0.986		0.166		0.127		0.244		0.156			0.146			
		28-Oct-11	0.120		0.110		0.085		0.097		0.079		0.082		0.082		0.082			0.049	U		
		23-Jan-12	0.170	U	0.240		0.170		U	0.170	U	0.170		U	0.170		U	0.170		0.170	U		
		13-Apr-12	0.270		0.420		0.140		0.270		0.130		0.130		0.280		0.280			0.098	U		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS			0.094			
Xylenes	0.5	20-Jun-12	0.210		0.520		0.140		0.220		0.180		0.140		0.140		0.580			0.110			
		1-Nov-12	0.098		0.140		0.082		0.100		0.088		0.110		0.110		0.100			0.072			
		1-Feb-13	0.390		0.240		0.088		0.120		0.088		0.092		0.092		0.088			0.098			
		29-Apr-13	0.180		0.140		0.140		0.160		0.140		0.120		0.140		0.140			0.082			
		9-Jul-13	0.260		0.240		0.170		0.300		0.310		0.200		0.200		0.200			0.200			
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.217		NS		NS		NS			0.175			
		18-Oct-13	0.098	U	0.300		0.098		U	0.130	0.098		U	0.110		0.110		0.120		0.098	U		
		9-Jan-14	0.120		0.140		0.098		U	0.120	0.098		U	0.120		0.120		0.140		0.140			
		24-Apr-14																					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Chloromethane	14.0	8-Feb-08	2.440	U	2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U			2.440	U		
		27-Mar-08	2.830	3.070	2.820	2.440	2.440	U	2.440	U	2.830	U	2.440	U	2.480	U	2.440	U	2.440	U	2.440	U
		25-Apr-08	2.820	2.440	2.440	U	2.440	U	2.440	U	2.440	U	3.000	U	2.440	U	3.140	U	2.440	U	2.440	U
		29-May-08	2.790	3.000	7.100	11.000					2.940	U	6.280	U	6.420	U	2.770	U			2.440	U
		27-Jun-08	2.650	2.440	2.440	U	2.440	U	2.830	U	3.260	U	2.620	U	2.440	U	2.500	U			2.440	U
		31-Jul-08	3.580	3.880	3.330	4.370					3.440	U	3.740	U	2.440	U	2.440	U	2.440	U	2.440	U
		28-Aug-08	2.440	3.140	5.310	6.880					3.150	U	2.440	U	2.540	U	2.540	U			2.440	U
		30-Sep-08	1.400	1.300	1.100	1.400					1.000	U	1.700	U	1.600	U	1.000	U			1.200	U
		27-Oct-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.200	U	1.000	U	1.000	U			1.000	U
		25-Nov-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U			1.000	U
		18-Dec-08	1.000	U	1.000	U	1.000	U	1.400	U	1.000	U	1.000	U	1.300	U			1.000	U		
		21-Jan-09	1.000	U	1.000	U	1.000	U	1.500	U	1.000	U	1.000	U	1.400	U	1.100	U			1.200	U
		25-Feb-09	1.000	U	1.000	U	1.000	U	NS	U	1.000	U	1.000	U	1.000	U	1.100	U			1.000	U
		26-Mar-09	2.490	2.680	2.550	2.920					2.910	U	2.440	U	2.440	U	2.440	U			2.440	U
		29-Apr-09	2.710	2.910	3.600	3.730					3.130	U	2.660	U	3.390	U	2.960	U			2.510	U
		22-Jul-09	2.670	2.520	2.660	2.540					2.440	U	2.780	U	3.390	U	3.320	U			2.440	U
		9-Oct-09	3.450	2.740	2.440	2.440	U				2.440	U	2.440	U	2.440	U	2.440	U			2.440	U
		15-Jan-10	3.850	3.690	2.820	3.180					3.240	U	3.630	U	3.120	U	3.750	U			2.600	U
		21-Apr-10	2.550	2.440	2.440	2.440	U				2.440	U	2.400	U	2.520	U	2.440	U			2.460	U
		16-Jul-10	1.510	1.660	1.050	1.090					1.680	U	1.110	U	1.300	U	1.100	U			1.510	U
		15-Oct-10	1.080	1.080	1.030	1.050					1.030	U	1.030	U	1.030	U	1.030	U			1.030	U
		30-Nov-10	NS	1.030	1.030	U					NS	U	NS	U	1.030	U	NS	U			NS	U
		26-Jan-11	1.760	U	1.750	U	1.760	U	1.760	U	1.760	U	1.750	U	1.750	U	1.760	U	1.760	U	1.750	U
		26-Jan-11*	NS	1.100	1.000	NS	U				NS	U	1.000	U	NS	U	NS	U			NS	U
		27-Apr-11	1.050	1.660	1.400	2.160					1.440	U	1.510	U	1.740	U	1.460	U			1.270	U
		26-Jul-11	1.160	1.600	1.030	1.120					1.030	U	1.030	U	1.030	U	1.030	U			1.030	U
		28-Oct-11	1.400	1.000	1.300	1.500					1.300	U	0.960	U	1.000	U	1.100	U			1.300	U
		23-Jan-12	1.300	1.100	1.100	1.200					1.400	U	1.900	U	1.400	U	1.500	U			1.100	U
		13-Apr-12	1.300	1.400	1.400	1.500					1.100	U	1.000	U	1.000	U	1.200	U			0.840	U
		2-Jul-12 resample	NS	NS	NS	NS	U				NS	U	NS	U	NS	U	1.500	U			1.100	U
		20-Jun-12	1.700	0.041	U	0.041	U	0.041	U	0.041	U	0.041	U	1.500	U	0.041	U			1.300	U	
		1-Nov-12	1.100	1.100	0.910	1.200					1.000	U	1.200	U	1.100	U	1.100	U			0.990	U
		1-Feb-13	1.200	1.300	1.200	1.200					1.200	U	1.400	U	1.300	U	1.100	U			1.100	U
		29-Apr-13	1.300	1.300	1.300	1.200					1.200	U	1.800	U	1.100	U	1.300	U			1.100	U
		9-Jul-13	1.100	1.100	0.900	1.100					2.000	U	1.000	U	0.980	U	1.100	U			1.000	U
		9-Jul-13 RIDEM	NS	NS	NS	NS	U				1.142	U	NS	U	NS	U	NS	U			1.164	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - January 2023

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
		8-Feb-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		27-Mar-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		25-Apr-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		29-May-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		27-Jun-08	0.150	U	0.150	U	0.154	U	0.154	U	0.150	U	0.150	U	0.150	U	0.154	U	0.154	U	0.154	U	
		31-Jul-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		28-Aug-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		27-Oct-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		27-Oct-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		25-Nov-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	u	
		18-Dec-08	0.150	U	0.150	U	0.280	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		21-Jan-09	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		25-Feb-09	0.150	U	0.150	U	0.150	U	NS	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		26-Mar-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		29-Apr-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		22-Jul-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		9-Oct-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		15-Jan-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		21-Apr-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		16-Jul-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		15-Oct-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		30-Nov-10	NS		0.154	U	0.154	U	NS		NS		NS		NS		NS		NS		NS		
		26-Jan-11	0.262	U	0.261	U	0.262	U	0.261	U	0.261	U	0.261	U	0.261	U	0.261	U	0.261	U	0.261	U	
		26-Jan-11*	NS		0.380	U	0.380	U	NS		NS		NS		NS		NS		NS		NS		
		27-Apr-11	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		26-Jul-11	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	
		28-Oct-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.077	U	
		23-Jan-12	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	
		13-Apr-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.150	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		1-Nov-12	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	
		1-Feb-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	
		29-Apr-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	
		9-Jul-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	
		18-Oct-13	0.150	U	0.150	U	0.150																

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - January 2023

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,4-Dichlorobenzene	24.0	8-Feb-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		27-Mar-08	0.292	U	0.272	U	0.206	U	0.596	U	0.728	U	0.793	U	0.228	U	0.237	U	0.120	U	0.120	
		25-Apr-08	0.415	U	0.287	U	0.126	U	0.247	U	0.261	U	0.245	U	0.205	U	0.220	U	0.222	U	0.120	
		29-May-08	0.230	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		27-Jun-08	0.506	U	0.176	U	0.391	U	0.315	U	0.130	U	0.273	U	1.340	U	0.582	U	0.132	U	0.120	
		31-Jul-08	0.309	U	0.524	U	0.254	U	0.323	U	0.458	U	0.669	U	0.272	U	0.320	U	0.259	U	0.213	
		28-Aug-08	0.198	U	0.252	U	0.216	U	0.262	U	0.205	U	0.211	U	0.202	U	0.222	U	0.213	U	0.213	
		30-Sep-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	
		27-Oct-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	
		25-Nov-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	
		18-Dec-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	
2,4,4,4-Tetrachlorobiphenyl	24.0	21-Jan-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	
		25-Feb-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	
		26-Mar-09	0.149	U	0.129	U	0.120	U	0.120	U	0.193	U	0.146	U	0.204	U	0.150	U	0.120	U	0.120	
		29-Apr-09	0.246	U	0.144	U	0.180	U	1.740	U	0.210	U	0.168	U	0.144	U	0.168	U	0.366	U	0.366	
		22-Jul-09	0.198	U	0.120	U	0.553	U	0.120	U	0.174	U	0.204	U	0.144	U	0.270	U	0.444	U	0.444	
		9-Oct-09	0.360	U	0.402	U	0.336	U	0.360	U	0.354	U	0.487	U	0.324	U	0.366	U	0.186	U	0.186	
		15-Jan-10	0.156	U	0.186	U	0.120	U	0.432	U	0.150	U	0.198	U	0.144	U	0.120	U	0.138	U	0.138	
		21-Apr-10	0.120	U	0.180	U	0.120	U	0.156	U	0.150	U	0.156	U	0.126	U	0.120	U	1.200	U	1.200	
		16-Jul-10	1.580	U	0.493	U	0.637	U	0.306	U	0.499	U	0.655	U	11.400	U	0.553	U	0.384	U	0.384	
		15-Oct-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		30-Nov-10	NS	U	0.282	U	0.318	U	NS	U	NS	U	NS	U	0.120	U	NS	U	NS	U	NS	
		26-Jan-11	0.205	U	0.470	U	0.205	U	0.205	U	0.205	U	0.316	U	0.204	U	0.205	U	0.204	U	0.204	
		26-Jan-11*	NS	U	0.740	U	0.300	U	NS	U	NS	U	NS	U	0.300	U	NS	U	NS	U	NS	
		27-Apr-11	0.120	U	0.174	U	0.120	U	0.222	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		26-Jul-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		28-Oct-11	0.190	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.120	U	0.120	
		23-Jan-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	
		13-Apr-12	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.240	U	0.240	
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.180	U	0.180	
		20-Jun-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		1-Nov-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		1-Feb-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		29-Apr-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	
		9-Jul-13	0.120	U	0.																	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Dichlorodifluoromethane	91.0	27-Mar-08	2.420	2.380	2.280	2.110	2.030	1.990	1.970	1.910	2.920	2.800	2.700	2.070	2.030	2.080	2.030	2.080	2.030	2.120	2.120	2.210	
		25-Apr-08	2.060	2.100	2.010	2.170	1.760	1.630	1.760	1.970	1.910	1.920	1.920	1.920	1.920	1.920	1.920	1.920	1.920	1.920	1.920	1.860	
		29-May-08	1.700	1.630	1.540	1.760	1.630	1.610	1.610	1.610	2.240	2.220	2.250	1.600	1.600	1.600	1.600	1.600	1.600	1.560	1.560	1.560	
		27-Jun-08	2.280	2.280	2.370	2.330	2.330	2.240	2.240	2.240	2.220	2.220	2.250	2.220	2.220	2.220	2.220	2.220	2.220	2.220	2.220	2.220	
		31-Jul-08	2.030	2.020	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.970	1.850	
		28-Aug-08	3.600	2.870	2.920	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.870	2.770	
		30-Sep-08	2.500	2.700	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500
		25-Nov-08	2.500	2.500	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500
		18-Dec-08	2.700	2.500	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500
		25-Feb-09	2.500	U	2.500	U	2.500	U	2.500	U	NS	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
		26-Mar-09	2.220	2.190	2.120	2.090	2.220	2.180	2.220	2.180	2.220	2.180	2.080	2.080	2.070	2.070	2.070	2.070	2.070	2.070	2.130	2.130	2.210
		29-Apr-09	2.500	2.260	2.460	2.320	2.260	2.320	2.260	2.320	2.260	2.320	2.380	2.380	2.360	2.360	2.360	2.360	2.360	2.360	2.350	2.350	2.160
		22-Jul-09	3.140	3.120	2.920	3.090	2.780	3.170	2.780	3.170	2.780	2.780	2.690	2.690	2.960	2.960	3.130	3.130	3.130	3.130	3.130	3.130	3.130
		9-Oct-09	2.290	2.560	2.300	2.320	2.300	2.320	2.300	2.320	2.300	2.320	2.300	2.300	2.290	2.290	2.290	2.290	2.290	2.290	2.290	2.290	2.290
		15-Jan-10	27.800	2.550	2.480	2.590	2.410	2.590	2.410	2.590	2.410	2.540	2.540	2.410	2.410	2.410	2.410	2.410	2.410	2.410	2.410	2.410	2.430
		21-Apr-10	2.340	2.320	2.520	2.330	2.330	2.330	2.330	2.330	2.330	2.260	2.260	2.330	2.330	2.330	2.330	2.330	2.330	2.330	2.330	2.330	2.240
		16-Jul-10	2.480	2.560	2.430	2.520	2.490	2.480	2.490	2.480	2.490	2.480	2.480	2.480	2.480	2.480	2.480	2.480	2.480	2.480	2.480	2.480	2.740
		15-Oct-10	2.460	2.410	2.560	2.400	2.470	2.410	2.470	2.410	2.470	2.410	2.450	2.450	2.450	2.450	2.450	2.450	2.450	2.450	2.450	2.450	2.630
		30-Nov-10	NS	2.480	2.550	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		26-Jan-11	2.680	2.640	2.340	2.660	2.150	2.580	2.150	2.580	2.150	2.560	2.560	2.600	2.600	2.600	2.600	2.600	2.600	2.600	2.600	2.600	2.440
		26-Jan-11*	NS	2.800	2.700	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		27-Apr-11	2.070	2.820	2.200	2.450	2.160	2.220	2.160	2.220	2.160	2.220	2.220	2.210	2.210	2.210	2.210	2.210	2.210	2.210	2.210	2.210	2.460
		26-Jul-11	2.290	2.270	2.270	2.360	2.260	2.360	2.260	2.360	2.260	2.340	2.340	2.260	2.260	2.260	2.260	2.260	2.260	2.260	2.260	2.260	2.350
		28-Oct-11	2.700	2.400	2.800	2.600	2.800	2.600	2.800	2.600	2.800	2.600	2.600	2.800	2.800	2.800	2.800	2.800	2.800	2.800	2.800	2.800	2.500
		23-Jan-12	1.700	1.800	1.600	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	1.500	2.000
		13-Apr-12	2.100	2.100	2.000	2.000	2.000	2.000	2.000	2.000	2.000	1.800	1.800	1.700	1.700	1.700	1.700	1.700	1.700	1.700	1.700	1.700	1.300
		2-Jul-12 resample	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		20-Jun-12	2.500	2.600	2.500	2.400	2.700	2.400	2.700	2.400	2.700	2.400	2.300	2.300	2.5								

## **Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**

**February 2008 - January 2023**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
1,2-Dichloroethane	0.07/0.08	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		27-Mar-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		25-Apr-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		27-Jun-08	0.080	U	0.081	U	0.080	U	0.084	U	0.080	U	0.080	U	0.178	U	0.080	U	0.081	U	0.081	U	
		31-Jul-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		28-Aug-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		30-Sep-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		27-Oct-08	0.080	U	0.150	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		25-Nov-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		18-Dec-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		21-Jan-09	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		25-Feb-09	0.080	U	0.080	U	0.080	U	NS		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		26-Mar-09	0.102		0.084		0.087		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		29-Apr-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		22-Jul-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		9-Oct-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		15-Jan-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		21-Apr-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		16-Jul-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		15-Oct-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		30-Nov-10	NS		0.081		0.081		NS		NS		NS		NS		NS		NS		NS		
		26-Jan-11	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138	U	0.138	U	0.138	U	
		26-Jan-11*	NS		0.200		0.200		NS		NS		NS		0.200	U	NS		NS		NS		
		27-Apr-11	0.081	U	0.081	U	0.081	U	0.081	U	0.093	U	0.081	U	0.081	U	0.089	U	0.081	U	0.081	U	
		26-Jul-11	0.081	U	0.081	U	0.081	U	0.081	U	0.061	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		28-Oct-11	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.040	U	0.040	U	
		23-Jan-12	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	
		13-Apr-12	0.066		0.068		0.061		0.061		0.063		0.063		0.061		0.075		0.081		0.061		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.061		U		0.061		
		20-Jun-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.080	U	0.081	U	0.081	U	0.081	U	0.081	U	
		1-Nov-12	0.040		0.040		0.040		0.040		0.040		0.040		0.040		0.040		0.040		0.040		
		1-Feb-13	0.076		0.084		0.083		0.086		0.089		0.089		0.079		0.099		0.110		0.084		
		29-Apr-13	0.094		0.099		0.099		0.096		0.160		0.099		0.091		0.092		0.084		0.084		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1-Dichloroethylene	10.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		27-Mar-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		25-Apr-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		27-Jun-08	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
1,2-Dichloropropane	0.080	27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		29-Apr-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.111	U	0.079	U	0.079	U	0.079	U	0.079	U	
1,3-Dichloropropane	0.080	9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		21-Apr-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		30-Nov-10	NS		0.079	U	0.079	U	NS		NS		0.079	U	NS		NS		NS		NS		
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	
		26-Jan-11*	NS		0.200	U	0.200	U	NS		NS		0.200	U	NS		NS		NS		NS		
1,1-Dichloroethylene	10.0	27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		28-Oct-11	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
1,1-Dichloroethylene																							

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room												Cafeteria												Gymnasium												Elevator Hallway				Room 118				Room 110				Media Center (Rm 145)				Room 152				Room 149				Room 234				Ambient Outdoor (AOA-1)			
		Sample Date			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual																															
1,2-Dichloropropane	0.13	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U																	
		27-Mar-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U																	
		25-Apr-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U															
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U															
		27-Jun-08	0.092	U	0.092	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U															
		31-Jul-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U															
		28-Aug-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U													
		30-Sep-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U													
		27-Oct-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U													
		25-Nov-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U													
		18-Dec-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U													
		21-Jan-09	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U													
		25-Feb-09	0.090	U	0.090	U	0.090	U	0.090	U	NS		0.090	U	0.090	U	0.090	U	0.090	U	0.																																																

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
cis-1,3-Dichloropropene	None	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
		31-Jul-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		30-Sep-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		25-Feb-09	0.180	U	0.180	U	0.180	U	NS		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		29-Apr-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		15-Oct-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		30-Nov-10	NS		0.091	U	0.091	U	NS		NS		NS		NS		NS		NS		NS		
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	0.154	U	0.154	U	
		26-Jan-11*	NS		0.230	U	0.230	U	NS		NS		NS		NS		NS		NS		NS		
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		28-Oct-11	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	
		29-Apr-13	0.045	U	0.250	U	0.045	U	0.045	U	0.250	U	0.045	U	0.450	U	0.045	U	0.045	U	0.045	U	
		9-Jul-13	0.045	U	0.250	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	
		9-Jul-13 RIDEM	NS		NS		NS																

## **Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**

**February 2008 - January 2023**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Ethylbenzene	53.0	8-Feb-08	0.260		0.230		0.620		0.450		0.250		0.170		0.160		0.180		0.220		0.096		
		27-Mar-08	0.841		0.669		1.020		0.869		0.894		1.000		0.628		0.619		0.087		0.087	U	
		25-Apr-08	0.770		0.637		2.200		0.711		0.678		0.712		0.705		0.650				0.090	U	
		29-May-08	0.140		0.120		1.310		0.620		0.120		0.160		0.150		0.110				0.369		
		27-Jun-08	0.555		0.412		1.080		0.987		0.478		0.400		0.802		0.360				0.255		
		31-Jul-08	0.553		0.449		1.140		0.424		0.426		0.491		0.262		0.216				0.944		
		28-Aug-08	0.868		1.150		3.010		2.820		0.761		0.854		0.870		0.783				0.200		
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	15.500		2.200		U		
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200		U		
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200		U		
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200		U		
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200		U		
		25-Feb-09	2.200	U	2.200	U	3.600	NS			2.200	U	2.200	U	2.200	U	2.200	U	2.200		U		
		26-Mar-09	0.932		0.803		1.120		1.060		0.511		0.648		0.738		0.589		0.727				
		29-Apr-09	0.195		0.234		0.633		0.538		0.195		0.139		0.139		0.152		0.178				
		22-Jul-09	0.442		0.212		1.090		0.291		0.551		0.625		0.807		0.542		1.180				
		9-Oct-09	0.859		0.759		1.090		1.030		0.794		0.681		0.668		0.633		0.746				
		15-Jan-10	0.447		0.334		0.386		0.351		0.321		0.256		0.273		0.252		0.286				
		21-Apr-10	0.468		0.716		1.280		0.612		0.681		0.603		0.542		0.538		0.087		U		
		16-Jul-10	0.334		0.226		0.416		0.408		0.573		0.286		0.872		0.260		0.143				
		15-Oct-10	0.252		0.308		0.412		0.152		0.126		0.087		U		0.200		0.121				
		30-Nov-10	NS		0.217		0.338	NS			NS		NS		0.108		NS		NS				
		26-Jan-11	1.040		1.000		1.100		1.220		1.000		1.100		0.951		1.320		0.988		0.466		
		26-Jan-11*	NS		1.600		1.800	NS			NS		NS		1.800		NS		NS		1.300		
		27-Apr-11	0.108		0.139		0.625		0.221		0.837		0.087		0.200		0.087		U		0.091		
		26-Jul-11	0.473		1.020		0.873		0.417		0.300		0.191		0.356		0.178				0.161		
		28-Oct-11	0.600		0.320		0.400		0.230		0.480		0.490		0.490		0.420		0.130				
		23-Jan-12	0.610		0.480		0.470		0.660		0.580		0.500		0.560		0.560		0.540				
		13-Apr-12	0.300		0.250		0.300		0.240		0.250		0.280		0.240		0.200		0.170		U		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130		U		0.130		
		20-Jun-12	0.490		0.500		0.490		0.560		0.550		0.460		0.530		0.530				0.470		
		1-Nov-12	0.760		0.440		0.330		0.530		0.450		0.730		0.810		0.630				0.130		
		1-Feb-13	0.130		0.087		U		0.087		0.110		0.089		0.190		0.087		U		0.130		
		29-Apr-13	0.760		0.540		0.540		0.540		0.670		0.430		1.600		0.530				0.150		
		9-Jul-13	0.340		0.320		0.310		0.330		0.390		0.310		0.350		0.320				0.310		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.464		NS		NS		NS				0.330		
		18-Oct-13	0.710		0.096		0.110		0.540		0.770		0.120		1.400		0.900				0.430		
		9-Jan-14	3.100		4.500		0.160		0.170		0.170		0.160		0.570		0.210				0.140		
		24-Apr-14	0.110		0.087		U		0.087		U		0.087		U		0.150		0.087		U		
		1-Aug-14	0.190		0.150		0.360		0.400		0.470		0.200		0.650		0.460				0.280		
		12-Sept-1																					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Isopropylbenzene	120.0	8-Feb-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		27-Mar-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		25-Apr-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		29-May-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		27-Jun-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		31-Jul-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		28-Aug-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		30-Sep-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	12.700	U			4.900	U	
		27-Oct-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U			4.900	U	
		25-Nov-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U			4.900	U	
		18-Dec-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U			4.900	U	
		21-Jan-09	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U			4.900	U	
		25-Feb-09	4.900	U	4.900	U	4.900	U	NS		4.900	U	4.900	U	4.900	U	4.900	U			4.900	U	
		26-Mar-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		29-Apr-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		22-Jul-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		9-Oct-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		15-Jan-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		21-Apr-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		16-Jul-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	0.043	I			2.460	U	
		15-Oct-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		30-Nov-10	NS		2.460	U	2.460	U	NS		NS		NS		NS		NS				NS		
		26-Jan-11	4.190	U	4.180	U	4.190	U	4.180	U	4.190	U	4.170	U	4.180	U	4.190	U	4.180	U	4.180	U	
		26-Jan-11*	NS																		NS		
		27-Apr-11	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		26-Jul-11	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U			2.460	U	
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U			0.250	U	
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U			0.440	U	
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U			0.500	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS				0.370	U	
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.051	U	0.250	U	0.250	U	0.250	U			0.250	U	
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - January 2023

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
methyl tert butyl ether (MTBE)	160.0	8-Feb-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	
		27-Mar-08	0.440	U	0.102	U	0.102	U	0.091	U	0.095	U	0.098	U	0.102	U	0.090	U	0.072	U	0.072	U	
		25-Apr-08	0.116	U	0.116	U	0.107	U	0.127	U	0.126	U	0.121	U	0.131	U	0.113	U	0.072	U	0.072	U	
		29-May-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	
		27-Jun-08	0.072	U	0.070	U	0.070	U	0.074	U	0.070	U	0.070	U	0.070	U	0.070	U	0.072	U	0.072	U	
		31-Jul-08	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		28-Aug-08	0.095	U	0.130	U	0.123	U	0.123	U	0.091	U	0.106	U	0.115	U	0.089	U	0.094	U	0.094	U	
		30-Sep-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	
		27-Oct-08	1.800	U	1.800	U	1.800	U	1.800	U	2.600	U	2.300	U	1.800	U	1.800	U	1.800	U	1.800	U	
		25-Nov-08	2.100	U	1.800	U	1.800	U	1.800	U	2.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	
		18-Dec-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	
		21-Jan-09	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	
		25-Feb-09	1.800	U	2.700	U	1.800	U	NS	U	1.800	U	2.700	U	1.800	U	1.800	U	1.800	U	1.800	U	
		26-Mar-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		29-Apr-09	0.072	U	0.072	U	2.350	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		22-Jul-09	0.072	U	0.072	U	0.223	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.169	U	0.169	U	
		9-Oct-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		15-Jan-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		21-Apr-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		16-Jul-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		15-Oct-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		30-Nov-10	NS	U	0.072	U	0.072	U	NS	U	NS	U	0.072	U	NS	U	NS	U	NS	U	NS	U	
		26-Jan-11	0.123	U	0.122	U	0.123	U	0.123	U	0.122	U	0.122	U	0.123	U	0.122	U	0.122	U	0.122	U	
		26-Jan-11*	NS	U	0.180	U	0.180	U	NS	U	NS	U	0.180	U	NS	U	NS	U	NS	U	NS	U	
		27-Apr-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		26-Jul-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		28-Oct-11	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		23-Jan-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		13-Apr-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.140	U	0.140	U	
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	
		20-Jun-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		1-Nov-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		1-Feb-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		29-Apr-13	0.072	U	0.072	U																	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Methylene chloride	3.0	8-Feb-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		27-Mar-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		25-Apr-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	2.210	U	1.740	U	1.740	U	
		29-May-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		27-Jun-08	1.740	U	1.740	U	1.740	U	3.210	U	1.740	U	6.940	U	1.740	U	1.740	U	1.740	U	19.000	U	
		31-Jul-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		28-Aug-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		30-Sep-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	
		27-Oct-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	
		25-Nov-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	
		18-Dec-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	
		21-Jan-09	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	
		25-Feb-09	1.700	U	1.700	U	1.700	U	NS	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	
		26-Mar-09	7.540	U	1.870	U	4.010	U	2.100	U	1.850	U	3.230	U	4.060	U	1.990	U	11.600	U			
		29-Apr-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	0.147	U	1.740	U	1.740	U	1.740	U	1.740	U	
		22-Jul-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		9-Oct-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		15-Jan-10	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		21-Apr-10	5.410	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	
		16-Jul-10	18.400	U	23.300	U	16.900	U	13.900	U	19.900	U	48.200	U	46.700	U	22.200	U	20.600	U			
		15-Oct-10	3.470	U	4.440	U	4.510	U	3.470	U	3.470	U	3.470	U	5.840	U	3.470	U	3.470	U	3.470	U	
		30-Nov-10	NS	U	3.570	U	11.600	U	NS	U	NS	U	5.770	U	NS	U			NS	U			
		26-Jan-11	4.530	U	2.950	U	2.960	U	2.960	U	2.950	U	5.290	U	2.960	U	4.880	U	2.960	U	2.950	U	
		26-Jan-11*	NS	U	2.500	U	1.700	U	NS	U	NS	U	1.600	U	NS	U			NS	U			
		27-Apr-11	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	
		26-Jul-11	3.470	U	5.800	U	4.240	U	3.470	U	3.470	U	3.470	U	3.510	U	10.200	U	5.380	U			
		28-Oct-11	1.900	U	1.900	U	1.800	U	1.900	U	1.000	U	1.200	U	5.700	U	5.500	U	0.690	U			
		23-Jan-12	2.500	U	1.200	U	2.300	U	2.200	U	2.500	U	6.300	U	1.900	U	1.200	U	1.900	U			
		13-Apr-12	5.800	U	4.600	U	3.100	U	1.100	U	1.000	U	1.700	U	1.000	U	50.000	U	53.000	U			
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	1.000	U	1.000	U			
		20-Jun-12	0.920	U	1.600	U	0.880	U	1.300	U	1.200	U	1.400	U	1.100	U	1.400	U	1.700	U			
		1-Nov-12	0.690	U	1.200	U	0.750	U	0.690	U	0.690	U	0.760	U	1.200	U	0.690	U	1.200	U			
		1-Feb-13	0.800	U	0.690	U	0.690	U	0.690	U	0.810	U	2.200	U	0.810	U	0.760	U	0.690	U	1.500	U	
		29-Apr-13	1.400	U	0.950	U	0.950	U	1.200	U	1.200	U	1.100	U	1.400	U	1.100	U	1.500	U			
		9-Jul-13	1.100	U																			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room												Ambient Outdoor (AOA-1)											
		Sample Date		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
4-Methyl-2-pentanone	37.0	8-Feb-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		27-Mar-08	2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		25-Apr-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		29-May-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		27-Jun-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		31-Jul-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		28-Aug-08	2.050	U	2.050	U	2.050	U	2.540	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.600	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
		26-Mar-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		29-Apr-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		22-Jul-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		9-Oct-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		15-Jan-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		21-Apr-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.250	U	2.050	U	2.050	U	
		16-Jul-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		15-Oct-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		30-Nov-10	NS		2.050	U	2.050	U	NS		NS		NS		NS		NS		NS		NS		NS		
		26-Jan-11	3.490	U	3.480	U	3.490	U	3.480	U	3.490	U	59.500		3.480	U	6.760		3.480	U	3.490	U	3.480	U	
		26-Jan-11*	NS		0.200	U	0.200	U	NS		NS		0.200	U	NS		NS		NS		NS		NS		
		27-Apr-11	2.050	U	2.050	U	2.050	U	2.050	U	2.930	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		26-Jul-11	11.700	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	
		28-Oct-11	2.100	U	0.490	U	0.840	U	0.560	U	0.800	U	0.930	U	1.500	U	1.200		0.390						
		23-Jan-12	0.140	U	0.140	U	0.210	U	0.190	U	26.000	U	2.900	U	0.230	U	0.120	U	0.140	U	0.160	U	0.120	U	
		13-Apr-12	0.120	U	0.120	U	0.200	U	0.120	U	0.150	U	0.230	U	0.190	U	0.120	U	0.140	U	0.160	U	0.120	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.230	U	0.082	U	0.460	U	0.250	U	0.320	U	0.270	U	0.190	U	0.320	U	0.120	U	0.120	U	0.120	U	
		1-Nov-12	0.082	U	0.260	U	0.180	U	0.420	U</															

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Styrene	52.0	8-Feb-08	0.710		0.130		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U			0.090	U	
		27-Mar-08	1.200		0.118		0.120		0.165		0.140		0.175		0.114		0.139				0.085	U	
		25-Apr-08	0.856		0.156		0.180		0.184		0.137		0.137		0.158		0.124				0.085	U	
		29-May-08	0.550		0.085	U	0.130		0.260		0.090	U	0.110		0.090		0.090	U			0.090	U	
		27-Jun-08	1.830		0.085	U	0.112		0.186		0.191		0.085	U	0.481		0.090	U			0.085	U	
		31-Jul-08	1.890		0.254		0.153		0.266		0.285		0.288		0.109		0.090	U			0.085	U	
		28-Aug-08	0.654		0.368		0.262		0.392		0.203		0.165		0.169		0.140				0.108	U	
		30-Sep-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U			2.100	U	
		27-Oct-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U			2.100	U	
		25-Nov-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U			2.100	U	
		18-Dec-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U			2.100	U	
		21-Jan-09	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U			2.100	U	
		25-Feb-09	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U			2.100	U	
		26-Mar-09	0.814		0.113		0.110		0.110		0.125		0.111		0.128		0.138				0.122		
		29-Apr-09	0.515		0.085	U	0.136	U	0.085	U	0.136		0.085	U	0.085	U	0.085	U			0.085	U	
		22-Jul-09	1.280		0.085	U	0.153		0.085	U	0.285		0.272		0.213		0.217				0.187		
		9-Oct-09	0.838		0.153		0.149		0.174		0.566		0.179		0.140		0.149				0.140		
		15-Jan-10	1.100		0.221		0.085	U	0.089		0.196		0.098		0.085	U	0.085	U			0.085	U	
		21-Apr-10	0.281		0.204		0.289		0.187		0.328		0.174		0.145		0.140				0.085	U	
		16-Jul-10	0.702		0.085	U	0.085	U	0.085	U	0.779		0.085	U	0.085	U	0.085	U			0.085	U	
		15-Oct-10	0.549		0.085	U	0.085	U	0.085	U	0.098		0.805		0.085	U	0.085	U			0.085	U	
		30-Nov-10	NS		0.149		0.119		NS		NS		NS		0.085	U	NS				NS		
		26-Jan-11	0.327		0.224		0.174		0.217		0.182		0.202		0.145	U	0.182		0.174	0.145	U	0.188	
		26-Jan-11*	NS		0.510		0.370		NS		NS		0.370		NS		NS				NS		
		27-Apr-11	0.166		0.166		0.170		0.192		0.277		0.085	U	0.145		0.085	U			0.085	U	
		26-Jul-11	0.677		2.460		0.132		11.700		0.315		1.320		0.200		0.085	U			0.085	U	
		28-Oct-11	0.300		0.130		0.130	U	0.130	U	0.330		0.130		0.130	U	0.130	U			0.085	U	
		23-Jan-12	0.820		0.250		0.410		0.480		0.270		0.510		0.150		0.150				0.150		
		13-Apr-12	0.560		0.140		0.130	U	0.130	U	0.550		0.280		0.130	U	0.130	U			0.170		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS				0.130		
		20-Jun-12	0.720		0.300		0.240		1.200		0.430		0.150		0.085	U	0.200				0.200		
		1-Nov-12	0.280		0.140		0.085	U	0.130		0.150		0.160		0.180		0.160				0.085		
		1-Feb-13	0.870		0.085	U	0.085	U	0.085	U	0.095		0.085	U	0.085	U	0.085	U			0.085		
		29-Apr-13	1.600		0.230		0.230		0.200		0.740		0.150		0.520		0.210				0.085		
		9-Jul-13	0.410		0.120		0.085	U	0.140		0.410		0.085	U	0.110		0.085	U			0.085		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.420		NS		NS		NS				0.039	J	
		18-Oct-13	0.200		0.085	U	0.085	U	0.130		0.270		0.110		0.340		0.290				0.130	</td	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		27-Jun-08	0.137	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.179	U	0.140	U	0.140	U	0.140	U	
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		21-Jan-09	0.140	U	0.140	U	5.000		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		25-Feb-09	0.140	U	0.140	U	0.320		NS		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		30-Nov-10	NS		0.137	U	0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		
		26-Jan-11	0.234	U	0.233	U	0.234	U	0.234	U	0.233	U	0.233	U	0.233	U	0.234	U	0.233	U	0.233	U	
		26-Jan-11*	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.250	U	
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.500	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.025	U	
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		18-Oct-13	0.250	U	0.250	U	0.250	U															

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		27-Jun-08	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		21-Jan-09	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		25-Feb-09	0.140	U	0.140	U	0.140	U	NS		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		30-Nov-10	NS		0.137	U	0.137	U	NS		NS		NS		NS		NS		NS		NS		
		26-Jan-11	0.234	U	0.233	U	0.234	U	0.234	U	0.233	U	0.233	U	0.234	U	0.233	U	0.234	U	0.233	U	
		26-Jan-11*	NS		0.340	U	0.340	U	NS		NS		NS		NS		NS		NS		NS		
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	
		28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.069	U	
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	
		13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		1-Nov-12	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
		1-Feb-13	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
		29-Apr-13	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	
		9-Jul-13	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		9-Jul-13 RIDEM	NS		NS		NS		NS</														

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Tetrachloroethene*	5.0	8-Feb-08	0.140		0.140	U	0.140	U	0.150		0.140	U	0.140	U	0.140	U	0.140	U			0.350		
		27-Mar-08 <sup>2</sup>	12.500		6.680		13.300	U	16.100		26.000	U	7.730		23.300	U	4.310				0.153		
		25-Apr-08	0.180		0.254		0.179		0.282		0.231		0.276		0.228		0.298				0.136	U	
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U			0.140	U	
		27-Jun-08	0.249		0.449		0.397		0.459		0.424		0.243		0.460		0.246				0.216		
		31-Jul-08	1.030		1.000		0.877		0.880		0.795		0.872		0.252		0.287				0.154		
		28-Aug-08	0.321		0.367		0.283		0.323		0.274		0.434		0.294		0.282				0.445		
		30-Sep-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U			3.400	U	
		27-Oct-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U			4.200	U	
		25-Nov-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U			3.400	U	
		18-Dec-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U			3.400	U	
		21-Jan-09	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U			3.400	U	
		25-Feb-09	3.400	U	3.400	U	3.400	U	NS		3.400	U	3.400	U	3.400	U	3.400	U			3.400	U	
		26-Mar-09	1.530		1.210		1.170		0.980		1.080		1.320		1.420		1.890				1.380		
		29-Apr-09	0.136	U	0.136	U	0.697		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U			0.136	U	
		22-Jul-09	0.291		0.190		0.224		0.196		0.196		0.196		0.183		0.210				0.535		
		9-Oct-09	2.250		1.550		1.580		1.580		1.380		1.700		2.080		1.960				0.779		
		15-Jan-10	0.359		0.346		0.339		0.373		0.312		0.346		0.346		0.312				2.450		
		21-Apr-10	0.637		0.752		0.440		0.650		0.508		0.447		0.407		0.474				0.562		
		16-Jul-10	0.318		0.420		0.420		0.427		0.501		0.230		0.447		0.474				0.230		
		15-Oct-10	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U			0.142		
		30-Nov-10	NS		0.461		0.291		NS		NS		NS		0.169		NS				NS		
		26-Jan-11	0.636		0.484		0.370		0.566		0.440		0.725		0.346		0.578		0.472	0.428	0.426		
		26-Jan-11**	NS		0.580		0.490		NS		NS		0.480		NS		NS				NS		
		27-Apr-11	0.142		0.176		0.176		0.352		0.176		0.136		0.149		0.136	U			0.285		
		26-Jul-11	0.529		0.563		0.522		0.631		0.549		0.325		0.739		0.461				0.224		
		28-Oct-11	0.100	U	0.140	U	0.100	U	0.100	U	0.100	U	0.110	U	0.100	U	0.100	U			0.068	U	
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.590		0.320		0.510		0.260		0.410				0.260		
		13-Apr-12	0.150		0.110		0.120		0.250		0.150		0.160		0.190		0.190				0.140		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS				0.130		
		20-Jun-12	0.390		0.800		0.310		0.370		0.390		0.400		0.410		0.440				0.240		
		1-Nov-12	0.360		0.460		0.400		0.730		0.470		0.770		0.600		0.560				0.120		
		1-Feb-13	0.130		0.095		0.073		0.120		0.090		0.210		0.440		0.092				0.140		
		29-Apr-13	0.610		0.560		0.560		0.630		0.880		0.046		0.650		0.580				0.320		
		9-Jul-13	0.270		0.240		0.230		0.260		0.250		0.320		0.440		0.280				0.280		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.279		NS		NS		NS				0.281		
		18-Oct-13	0.140	U	0.140	U	0.150	U	0.140	U	0.180	U	0.210	U	0.170	U	0.180	U			0.140	U	
		9-Jan-1																					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Toluene	210.0	8-Feb-08	1.240		1.140		1.120		1.150		1.240		0.990		0.910		1.030					1.480	
		27-Mar-08	6.470		4.040		4.520		4.150		5.920		5.570		4.210		4.040					1.560	
		25-Apr-08	4.800		4.000		2.810		3.900		3.790		4.070		4.010		3.660					0.465	
		29-May-08	0.930		0.790		1.650		1.330		0.870		1.060		1.020		0.670					0.320	
		27-Jun-08	3.870		3.060		3.200		3.850		4.110		3.840		4.520		3.020					2.410	
		31-Jul-08	2.760		2.020		2.690		1.990		2.720		2.200		1.680		1.440					1.850	
		28-Aug-08	5.230		5.960		7.800		7.530		5.920		5.640		5.680		5.240					6.050	
		30-Sep-08	1.900	U	1.900	U	2.500		1.900	U	5.000		1.900	U	1.900	U	2.300					1.900	
		27-Oct-08	6.700		6.300		3.500		6.100		2.300		5.500		3.800		6.600					8.400	
		25-Nov-08	5.500		1.900	U	1.900	U	2.000		1.900	U	1.900	U	1.900	U	1.900					1.900	
		18-Dec-08	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900					1.900	
		21-Jan-09	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900					1.900	
		25-Feb-09	1.900	U	1.900	U	1.900	U	NS		1.900	U	1.900	U	1.900	U	1.900					1.900	
		26-Mar-09	6.110		4.060		3.990		3.540		3.900		4.730		5.870		6.080					5.310	
		29-Apr-09	0.779		0.595		0.079	U	0.704		1.050		0.595		0.614		0.610					0.953	
		22-Jul-09	1.550		1.010		2.540		1.130		3.150		3.410		3.880		7.670					6.850	
		9-Oct-09	4.740		3.690		4.190		3.900		4.500		4.170		4.220		4.090					4.580	
		15-Jan-10	1.920		1.580		1.520		1.690		1.540		1.620		1.630							2.860	
		21-Apr-10	4.770		8.610		5.220		7.430		4.490		4.140		4.030		3.900					0.414	
		16-Jul-10	2.070		1.210		1.180		1.360		2.250		1.570		3.760		1.330					0.787	
		15-Oct-10	7.230		0.618		0.565		0.715		0.501		0.358		0.565		0.312					0.625	
		30-Nov-10	NS		1.280		1.200		NS		NS		0.825		NS							NS	
		26-Jan-11	5.860		5.970		5.640		6.490		5.840		6.050		5.830		7.230		5.650	4.000		7.210	
		26-Jan-11*	NS		7.700		8.400		NS		NS		8.300		NS							NS	
		27-Apr-11	0.764		0.855		1.070		1.070		1.030		0.840		0.783		0.625					0.648	
		26-Jul-11	2.040		3.920		1.590		1.210		1.620		1.060		1.400		0.934					0.652	
		28-Oct-11	6.700		2.800		2.900		1.800		2.500		3.600		5.200		3.100					1.400	
		23-Jan-12	3.200		2.500		0.130		2.700		2.800		3.000		2.700		3.000					3.600	
		13-Apr-12	1.800		1.500		1.300		1.400		1.400		1.500		1.400		1.200					0.320	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.550					0.550	
		20-Jun-12	2.200		2.500		1.800		2.300		2.300		2.000		2.200		2.400					2.600	
		1-Nov-12	4.300		2.500		1.800		3.000		2.400		4.000		4.600		3.500					0.750	
		1-Feb-13	0.810		0.460		0.430		0.520		0.650		0.780		0.950		0.510					0.460	
		29-Apr-13	3.900		3.100		3.100		3.100		2.700		2.200		5.000		2.600					0.690	
		9-Jul-13	2.300		2.100		1.900		2.300		2.300		2.200		2.500		2.200					2.500	
		18-Oct-13	0.970		0.510		0.470		0.800		1.200		0.670		2.300		1.200					0.660	
		9-Jan-14	12.000		15.000		0.840		0.990		0.830		0.870		1.200		1.100					0.810	
		24-Apr-14	0.770		0.340		0.360		0.330		0.280		0.320		0.590		0.770					0.280	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1,1-Trichloroethane*	500.0	8-Feb-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		27-Mar-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		25-Apr-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		29-May-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		27-Jun-08	0.110	U	0.110	U	0.110	U	0.110	U	0.109	U	0.109	U	0.110	U	0.110	U	0.109	U	0.109	U	
		31-Jul-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		28-Aug-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		30-Sep-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	
		27-Oct-08	3.400	U	3.400	U	3.400	U	3.140	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
		25-Nov-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	
		18-Dec-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	
		21-Jan-09	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	
		25-Feb-09	2.700	U	2.700	U	2.700	U	NS		2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	
		26-Mar-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	1.090	U	0.109	U	0.109	U	0.109	U	
		29-Apr-09	0.120	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.153	U	0.229	U	0.174	U	0.272	U	
		22-Jul-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		9-Oct-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		15-Jan-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		21-Apr-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		16-Jul-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		15-Oct-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		30-Nov-10	NS		0.109	U	0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		
		26-Jan-11	0.186	U	0.185	U	0.186	U	0.186	U	0.180	U	0.185	U	0.185	U	0.186	U	0.185	U	0.185	U	
		26-Jan-11*	NS		0.270	U	0.270	U	NS		NS		0.270	U	0.185	U	0.186	U	0.185	U	NS		
		27-Apr-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		26-Jul-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		28-Oct-11	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.055	U	
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	
		13-Apr-12	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.110	U	0.110	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.082	U	
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		1-Nov-12	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	
		1-Feb-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	
		29-Apr-13	0.110	U	0.055	U	0.055	U	0.055														

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1,2-Trichloroethane	2.2	8-Feb-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		27-Mar-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.112	U	0.109	U	0.109	U	0.109	U	
		25-Apr-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		29-May-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		27-Jun-08	0.109	U	0.109	U	0.109	U	0.110	U	0.110	U	0.110	U	0.302	U	0.109	U	0.110	U	0.110	U	
		31-Jul-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		28-Aug-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		30-Sep-08	0.110	U	0.110	U	0.300	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		27-Oct-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		25-Nov-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		18-Dec-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		21-Jan-09	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		25-Feb-09	0.110	U	0.110	U	0.110	U	NS	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		26-Mar-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		29-Apr-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		22-Jul-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		9-Oct-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		15-Jan-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		21-Apr-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		16-Jul-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		15-Oct-10	0.109	U	1.090	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		30-Nov-10	NS	U	0.109	U	0.109	U	NS	U	NS	U	0.109	U	NS	U	NS	U	NS	U	NS	U	
		26-Jan-11	0.186	U	0.185	U	0.186	U	0.186	U	0.185	U	0.185	U	0.185	U	0.186	U	0.186	U	0.185	U	
		26-Jan-11*	NS	U	0.270	U	0.270	U	NS	U	NS	U	0.270	U	NS	U	NS	U	NS	U	NS	U	
		27-Apr-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		26-Jul-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		28-Oct-11	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.055	U	
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	
		13-Apr-12	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.110	U	
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		1-Nov-12	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	
		1-Feb-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	
		29-Apr-13	0.055	U	0.055	U	0																

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Trichloroethene*	1.0	8-Feb-08	0.110		0.120		0.110	U	0.107	U	0.110	U	0.110	U	0.350		0.110	U			0.110	U	
		27-Mar-08	0.239		0.233		0.218		0.226		0.325		0.308		0.217		0.170				0.107	U	
		25-Apr-08	0.107	U	0.164		0.147		0.272		0.151		0.152		0.158		0.229				0.107	U	
		29-May-08	0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110		0.110	U			0.110	U	
		27-Jun-08	0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.107	U	0.143		0.195				0.107	U	
		31-Jul-08	0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		28-Aug-08	0.193		0.116		0.107	U	0.107	U	0.146		0.134		0.110		0.107	U			0.838	U	
		30-Sep-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U			0.800	U	
		27-Oct-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U			0.800	U	
		25-Nov-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		18-Dec-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		21-Jan-09	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		25-Feb-09	0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U			0.130	U	
		26-Mar-09	4.000		0.326		1.510		0.438		0.639		1.180		1.610		0.450				6.870		
		29-Apr-09	0.107	U	0.107	U	1.340		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		22-Jul-09	0.177		0.107		0.188		0.123		0.193		0.709		0.140		0.177				0.209		
		9-Oct-09	0.231		0.215		0.182		0.193		0.242		0.156		0.156		0.156				0.107	U	
		15-Jan-10	0.107		0.107		0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		21-Apr-10	0.247		0.580		0.279		0.505		0.376		0.360		0.419		0.456				0.107	U	
		16-Jul-10	0.107	U	0.107	U	0.107	U	0.220		0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		15-Oct-10	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		30-Nov-10	NS		0.107	U	0.107	U	NS		NS		NS		0.109	U	NS				NS		
		26-Jan-11	0.568		0.502		0.531		0.604		0.504		0.584		0.429		0.550		0.484	0.467	0.767		
		26-Jan-11*	NS		0.570		0.600		NS		NS		0.600		NS		NS				NS		
		27-Apr-11	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		26-Jul-11	0.107	U	0.107	U	0.118		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		28-Oct-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.054	U	
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.290		0.190	U	0.190	U	0.190	U	0.190	U			0.190	U	
		13-Apr-12	0.081	U	0.081	U	0.081	U	0.081	U	0.090		0.081		0.081	U	0.081	U			0.110		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS				0.081	U	
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.120		0.110		0.110	U	0.110	U			0.110	U	
		1-Nov-12	0.054	U	0.054	U	0.067		0.054	U	0.054		0.054	U	0.054	U	0.054	U			0.054	U	
		1-Feb-13	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U			0.054	U	
		29-Apr-13	0.120		0.110		0.110		0.110		0.130		0.120		0.110		0.110				0.054	U	
		9-Jul-13	0.160		0.140		0.140		0.150		0.120		0.400		0.280		0.310				0.080		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.119		NS		NS		NS				0.088		
		18-Oct-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			0.110	U	
		9-Jan-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			0.110	U	
		24-Apr-14	0.054	U	0.054	U	0.054	U	0.054	U	0.110		0.054		0.054	U	0.110	U			0.054	U	
		1-Aug-14	0.110	U	0.110	U	0.110	U	0.170	1.700		0.110		0.270		0.140		</td					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Trichlorofluoromethane	370.0	8-Feb-08	1.140		1.020		1.110		1.010		0.990		1.050		1.040		1.020					1.080	
		27-Mar-08	1.740		1.520		1.540		1.250		2.320		2.120		2.140		1.210					1.380	
		25-Apr-08	1.740		1.660		1.240		1.640		1.480		1.520		1.660		1.500					1.030	
		29-May-08	1.020		0.930		0.870		1.060		0.930		0.930		0.990		0.910					0.880	
		27-Jun-08	1.240		1.220		1.290		1.300		1.160		1.150		1.170		1.160					1.180	
		31-Jul-08	1.080		1.100		1.010		1.010		1.010		1.010		1.000		0.973					0.926	
		28-Aug-08	2.740		3.360		3.470		3.260		3.660		3.420		3.380		3.860					2.310	
		30-Sep-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U				2.800	
		27-Oct-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U				2.800	
		25-Nov-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U				2.800	
		18-Dec-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U				2.800	
		21-Jan-09	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U				2.800	
		25-Feb-09	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U				2.800	
		26-Mar-09	1.220		1.160		1.180		1.140		1.230		1.190		1.120		1.130					1.160	
		29-Apr-09	1.490		1.170		0.051		U		1.270		1.180		1.190		1.270					1.190	
		22-Jul-09	1.950		1.920		1.62		1.900		1.630		2.050		1.540		1.900					2.120	
		9-Oct-09	1.520		1.830		1.510		0.019		1.620		1.310		1.410		1.430					1.180	
		15-Jan-10	11.900		1.260		1.210		1.290		1.210		1.290		1.220		1.270					1.240	
		21-Apr-10	4.170		3.780		2.540		3.200		3.500		3.400		2.500		3.190					1.260	
		16-Jul-10	1.470		1.470		1.480		1.470		2.160		1.470		1.470		1.470					1.560	
		15-Oct-10	1.410		1.360		1.380		1.350		1.360		1.300		1.320		1.340					1.490	
		30-Nov-10	NS		1.520		1.490		NS		NS		NS		1.340		NS					NS	
		26-Jan-11	1.780		1.960		1.720		1.740		1.620		1.960		1.630		1.950		1.490		1.930		1.780
		26-Jan-11*	NS		2.300		2.100		NS		NS		NS		2.100		NS					NS	
		27-Apr-11	1.200		1.250		1.110		1.240		1.080		1.140		1.280		1.120					1.250	
		26-Jul-11	1.210		1.210		1.300		1.250		1.220		1.290		1.180		1.170					1.210	
		28-Oct-11	2.500		1.400		1.600		1.600		1.900		1.900		1.900		1.800					1.500	
		23-Jan-12	1.500		1.500		1.500		1.500		1.500		1.400		1.500		1.500					1.400	
		13-Apr-12	2.200		2.000		1.700		2.000		2.300		2.400		2.300		2.400					1.200	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS					1.800	
		20-Jun-12	1.200		1.400		1.300		1.200		1.500		1.100		1.400		1.400					1.100	
		1-Nov-12	1.200		1.200		1.300		1.200		1.200		1.200		1.300		1.200					1.300	
		1-Feb-13	1.600		1.600		1.700		1.600		1.600		1.700		1.600		1.600					1.600	
		29-Apr-13	1.400		1.600		1.600		1.400		1.400		1.300		1.400		1.300					1.400	
		9-Jul-13	1.200		1.200		1.200		1.300		1.300		1.200		1.200		1.200					1.500	
		18-Oct-13	1.100		2.100		1.300		1.800		1.300		1.200		1.900		1.200					1.100	
		9-Jan-14	1.500		2.200		1.800		1.700		1.600		1.600		1.700		1.900					2.000	
		24-Apr-14	1.500		1.700		1.700		1.600		1.800		1.700		1.700		1.70						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,2,4-Trimethylbenzene	9.3	8-Feb-08	0.900		0.970		2.520		1.890		0.210		0.210		0.210		0.310				0.210		
		27-Mar-08	1.330		1.590		3.390		3.240		0.920		1.390		0.828		0.989				0.098	U	
		25-Apr-08	0.998		1.760		11.700		1.640		0.909		0.839		0.911		0.750				0.098	U	
		29-May-08	0.500		0.470		8.320		6.680		0.270		0.960		0.690		0.110				0.100	U	
		27-Jun-08	1.560		0.443		2.120		3.040		0.634		0.246		0.722		0.206				0.175		
		31-Jul-08	1.650		1.360		1.380		2.080		0.959		1.940		0.207		0.142				0.157		
		28-Aug-08	0.438		1.430		3.690		5.340		0.642		0.461		0.455		0.464				0.354		
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.000	U	6.800		2.500	U	2.500	U	9.300				2.500	U	
		27-Oct-08	2.500	U	2.500	U	2.500	U	3.500		2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		25-Feb-09	2.500	U	2.500	U	3.900		NS		2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		26-Mar-09	0.942		0.859		1.500		1.300		0.526		0.563		0.737		0.564				0.739		
		29-Apr-09	1.520		0.368		1.340		1.200		0.192		0.098		0.108		0.098				0.142		
		22-Jul-09	1.010		0.216		1.140		0.339		0.594		0.791		0.889		0.673				0.894		
		9-Oct-09	1.240		1.080		1.250		1.460		0.712		0.796		0.702		0.717				0.069		
		15-Jan-09	0.609		0.550		0.452		0.521		0.206		0.196		0.216		0.196				0.196		
		21-Apr-10	0.393		0.845		4.590		0.643		0.570		0.545		0.427		0.476				0.098	U	
		16-Jul-10	0.354		0.216		0.388		0.344		0.250		0.138		0.511		0.187				0.108		
		15-Oct-10	0.319		0.408		0.329		0.211		0.098		0.098		0.319		0.098				0.098	U	
		30-Nov-10	NS		0.334		0.560		NS		NS		NS		0.098		NS				NS		
		26-Jan-11	1.010		1.120		1.100		1.200		0.780		0.917		0.868		1.030		1.000		0.168	U	
		26-Jan-11*	NS		1.900		2.100		NS		NS		NS		2.000		NS				NS		
		27-Apr-11	0.138		0.280		2.080		0.255		0.147		0.113		0.172		0.113				0.128		
		26-Jul-11	0.575		2.160		1.120		0.285		0.236		0.157		0.290		0.177				0.123		
		28-Oct-11	0.340		0.220		0.300		0.290		0.230		0.260		0.310		0.330				0.098	U	
		23-Jan-12	0.660		0.580		0.580		0.710		0.380		1.000		0.520		0.650				0.470		
		13-Apr-12	0.400		0.410		0.760		0.480		0.340		0.340		0.290		0.360				0.240		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.150				0.150	U	
		20-Jun-12	0.560		1.200		0.910		0.680		0.600		0.470		0.560		0.610				0.310		
		1-Nov-12	0.720		0.480		0.310		0.300		0.460		0.650		0.750		0.600				0.120		
		1-Feb-13	0.330		0.180		0.170		0.160		0.150		0.120		0.220		0.160				0.098	U	
		29-Apr-13	0.990		0.540		0.540		0.510		0.700		0.320		0.580		0.440				0.130		
		9-Jul-13	0.480		0.410		0.280		0.340		0.440		0.230		0.300		0.240				0.190		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.470		NS		NS		NS				0.230		
		18-Oct-13	2.600		0.098	U	0.120		2.400		3.200		0.140		3.600		3.200				2.300		
		9-Jan-14	4.500		8.900		0.220		0.180		0.180		0.180		0.290		0.240		</				

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,3,5-Trimethylbenzene	9.3	8-Feb-08	0.460		0.450		1.300		0.980		0.100	U	0.100	U	0.100	U	0.100				0.100	U	
		27-Mar-08	0.535		0.652		1.620		1.530		0.292		0.438		0.256		0.334				0.098	U	
		25-Apr-08	0.367		0.816		7.170		0.802		0.342		0.293		0.375		0.280				0.098	U	
		29-May-08	0.170		0.220		4.710		4.050		0.140		0.640		0.470		0.100	U			0.100	U	
		27-Jun-08	0.942		0.232		1.100		1.580		0.385		0.102		0.387		0.100	U			0.098	U	
		31-Jul-08	1.040		0.782		0.671		1.360		0.570		1.190		0.098	U	0.098				0.098	U	
		28-Aug-08	0.170		0.732		1.950		2.990		0.270		0.181		0.181		0.155				0.100	U	
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	9.300				2.500	U	
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		25-Feb-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
		26-Mar-09	0.330		0.315		0.678		0.540		0.194		0.185		0.246		0.198				0.238		
		29-Apr-09	0.098	U	0.192		0.678		0.629		0.098		0.098	U	0.098	U	0.098	U			0.098	U	
		22-Jul-09	0.378		0.098	U	0.427		0.138		0.246		0.270		0.295		0.241				0.241		
		9-Oct-09	0.550		0.452		0.476		0.599		0.255		0.265		0.221		0.241				0.226		
		15-Jan-10	0.265		0.260		0.192		0.206		0.098	U	0.098	U	0.098	U	0.098	U			0.098	U	
		21-Apr-10	0.118		0.368		2.100		2.600		0.206		0.187		0.162		0.177				0.098	U	
		16-Jul-10	0.113		0.098	U	0.138		0.118		0.098	U	0.098	U	0.147		0.098	U			0.098	U	
		15-Oct-10	0.128		0.172		0.123		0.098		0.098	U	0.098	U	0.098	U	0.098	U			0.098	U	
		30-Nov-10	NS		0.133		0.177		NS		NS		NS		0.098	U	NS				NS		
		26-Jan-11	0.293		0.326		0.360		0.410		0.260		0.267		0.292		0.302		0.334	0.168	U	0.342	
		26-Jan-11*	NS		0.590		0.700		NS		NS		0.630		NS		NS		NS		NS		
		27-Apr-11	0.098	U	0.128		0.820		0.113		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		26-Jul-11	0.206		0.737		0.393		0.108	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		28-Oct-11	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	
		23-Jan-12	0.220		0.170	U	0.200		0.230		0.170	U	0.220		0.180		0.180		0.170		0.170		
		13-Apr-12	0.150	U	0.150	U	0.270		0.170		0.150	U	0.150	U	0.150	U	0.150	U	0.150		0.270		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.150		
		20-Jun-12	0.180		0.450		0.340		0.250		0.220		0.150		0.140		0.200		0.110		0.110		
		1-Nov-12	0.220		0.140		0.098	U	0.120		0.140		0.190		0.220		0.170		0.098		0.098		
		1-Feb-13	0.098	U	0.098		0.098	U	0.098		0.098	U	0.098	U	0.098	U	0.098	U	0.098		0.098		
		29-Apr-13	0.250		0.180		0.180		0.180		0.250		0.130		0.190		0.150		0.098		0.098		
		9-Jul-13	0.180		0.150		0.098	U	0.110		0.160		0.098	U	0.098	U	0.098	U	0.098		0.098		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.143		NS		NS		NS		0.037	J			
		18-Oct-13	0.170		0.098	U	0.098	U	0.180	</td													

## **Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**

**February 2008 - January 2023**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
p/m-Xylene	220.0	8-Feb-08	0.710		0.660		2.110		1.460		0.550		0.450		0.390		0.420					0.580	
		27-Mar-08	2.460		2.080		3.510		2.960		2.620		2.890		1.810		1.910					0.269	
		25-Apr-08	2.220		1.870		8.240		2.170		1.960		2.080		2.150		1.850					0.205	
		29-May-08	0.350		0.290		5.110		2.260		0.290		0.410		0.340		0.250					0.170	
		27-Jun-08	1.060		1.080		3.280		3.000		1.250		0.994		2.160		0.926					0.795	
		31-Jul-08	1.360		1.160		3.330		1.140		1.140		1.370		0.656		0.488					0.656	
		28-Aug-08	2.130		3.220		8.690		8.200		1.910		2.190		2.280		1.960					2.240	
		30-Sep-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	22.000					4.300	
		27-Oct-08	4.300	U	4.300	U	4.300	U	5.000		4.300	U	4.300	U	4.300	U	4.300	U				4.700	
		25-Nov-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U				4.300	
		18-Dec-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U				4.300	
		21-Jan-09	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U				4.300	
		25-Feb-09	4.300	U	4.300	U	15.000	NS			4.300	U	4.300	U	4.300	U	4.300	U				4.300	
		26-Mar-09	3.080		2.850		4.530		4.340		1.580		1.990		2.340		1.870					2.310	
		29-Apr-09	0.456		0.733		0.534		1.950		0.477		0.308		0.312		0.347					0.442	
		22-Jul-09	0.920		0.577		2.680		0.824		1.560		2.070		2.510		1.720					3.510	
		9-Oct-09	2.610		2.240		3.360		3.190		2.200		2.090		1.960		1.910					2.290	
		15-Jan-10	1.080		0.915		1.040		0.946		0.724		0.603		0.672		0.607					0.672	
		21-Apr-10	1.200		2.000		4.380		1.610		1.800		1.670		1.430		1.350					0.174	
		16-Jul-10	0.868		0.568		1.290		1.120		1.290		0.729		1.890		0.694					0.330	
		15-Oct-10	0.642		0.972		1.340		0.408		0.299		0.174		0.468		0.174					0.317	
		30-Nov-10	NS		0.620		1.000		NS		NS		NS		NS		NS					NS	
		26-Jan-11	2.810		2.600		2.910		3.320		2.590		2.790		2.540		3.450		2.700		1.010		3.480
		26-Jan-11*	NS		4.300		5.100		NS		NS		4.900		NS		NS					NS	
		27-Apr-11	0.295		0.412		2.030		0.642		3.020		0.260		0.412		0.191					0.256	
		26-Jul-11	1.240		3.650		2.630		3.670		0.799		0.816		0.864		0.486					0.404	
		28-Oct-11	2.400		1.100		1.400		0.750		1.300		1.700		1.900		1.500					0.480	
		23-Jan-12	1.600		1.300		1.300		1.500		1.300		1.400		1.400		1.500					1.500	
		13-Apr-12	0.810		0.690		0.810		0.660		0.670		0.740		0.640		0.520					0.350	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.260		U			0.260	
		20-Jun-12	1.200		1.300		1.200		1.400		1.300		1.200		1.400		1.400					0.770	
		1-Nov-12	2.300		1.300		0.960		1.400		1.300		2.100		2.500		1.800					0.340	
		1-Feb-13	0.270		0.210		0.220		0.230		0.220		0.210		0.510		0.210					0.400	
		29-Apr-13	1.700		1.300		1.300		1.300		1.200		0.920		2.400		1.200					0.320	
		9-Jul-13	0.910		0.850		0.810		0.890		0.830		0.770		0.860		0.820					0.650	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.929		NS		NS		NS					0.669	
		18-Oct-13	2.200		0.270		0.300		1.600		2.300		0.310		4.200		2.700					1.300	
		9-Jan-14	10.000		15.000		0.380		0.400		0.420		0.360		0.820		0.430					0.330	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		
		Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	
o-Xylene	220.0	8-Feb-08	0.280		0.270		0.870		0.610		0.210		0.170		0.150		0.160						0.200	
		27-Mar-08	0.762		0.718		1.340		1.120		0.920		1.060		0.640		0.668						0.087	U
		25-Apr-08	0.824		0.724		3.480		0.821		0.750		0.770		0.786		0.680						0.087	U
		29-May-08	0.130		0.120		2.080		1.000		0.110		0.180		0.150		0.090						0.090	U
		27-Jun-08	0.463		0.393		1.030		1.030		0.485		0.358		0.833		0.339						0.332	
		31-Jul-08	0.476		0.375		0.822		0.371		0.420		0.583		0.240		0.207						0.246	
		28-Aug-08	0.779		1.020		2.210		2.160		0.683		0.787		0.812		0.702						0.832	
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.600					2.200	U	
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U	
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U	
o-Xylene	220.0	18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U	
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U				2.200	U	
		25-Feb-09	2.200	U	2.200	U	2.600		NS		2.200	U	2.200	U	2.200	U	2.200	U				2.200	U	
		26-Mar-09	1.080		0.798		1.090		1.020		0.551		0.718		0.824		0.651						0.826	
		29-Apr-09	0.143		0.186		0.085		U	0.442		0.165		0.100		0.104		0.108					0.156	
		22-Jul-09	0.347		0.195		0.690		0.247		0.555		0.742		0.911		0.590						1.240	
		9-Oct-09	0.850		0.724		0.954		0.920		0.764		0.764		0.720		0.698						0.759	
		15-Jan-10	0.404		0.321		0.356		0.338		0.273		0.230		0.256		0.230						0.273	
		21-Apr-10	0.425		0.686		1.260		0.577		0.629		0.603		0.564		0.482						0.087	U
		16-Jul-10	0.273		0.186		0.312		0.304		0.503		0.200		0.703		0.230						0.126	
o-Xylene	220.0	15-Oct-10	0.186		0.265		0.347		0.130		0.139		0.087		U	2.000	0.087	U	0.087	U	1.000	0.392	1.280	
		30-Nov-10	NS		0.226		0.325		NS		NS		NS		0.091		NS						NS	
		26-Jan-11	1.000		0.981		1.020		1.150		0.948		1.030		0.922		1.270						1.280	
		26-Jan-11*	NS		1.600		1.900		NS		NS		1.900		NS		NS						NS	
		27-Apr-11	0.133		0.134		0.616		0.208		0.824		0.091		0.152		0.080		U				0.095	
		26-Jul-11	0.439		1.520		0.643		2.210		0.295		0.395		0.308		0.165						0.139	
		28-Oct-11	0.810		0.360		0.440		0.260		0.450		0.550		0.660		0.470						0.180	
		23-Jan-12	0.630		0.520		0.530		0.620		0.530		0.580		0.580		0.600						0.590	
		13-Apr-12	0.320		0.270		0.320		0.270		0.280		0.300		0.270		0.220						0.200	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		U				0.130	U
o-Xylene	220.0	20-Jun-12	0.470		0.056		0.430		0.580		0.490		0.460		0.530		0.510						0.280	
		1-Nov-12	0.860		0.480		0.350		0.510		0.480		0.780		0.930		0.710						0.140	
		1-Feb-13	0.110		0.089		0.087		U	0.087		U	0.092		0.090		0.220		U				0.140	
		29-Apr-13	0.590		0.460		0.460		0.450		0.450		0.330		0.910		0.430						0.120	
		9-Jul-13	0.350		0.320		0.300		0.350		0.340		0.300		0.330		0.310						0.290	
		9-Jul-13 RIDEM	NS		NS		NS		NS		NS		0.405		NS		NS						0.330	
		18-Oct-13	0.660		0.100		0.100		0.500		0.770		0.110		1.300		0.850						0.460	
		9-Jan-14	4.000		6.100	</																		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Center (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)			
			[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]			
* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.																
**- Analyzed by Con-Test Analytical Laboratory																
<sup>1</sup> Elevated Data is a result of inadvertent cross-contamination at the laboratory, and not resultant from soil vapor intrusion. Media Center/Room 145 was resampled on 28 January 2008 with Tetrachloroethylene concentration not detected by the laboratory (MDL = 0.14 ug/m <sup>3</sup> ).																
<sup>2</sup> Elevated Tetrachloroethylene and Acetone data detected on 27 March 2008 was determined to be the result of cleaning products (e.g., graffiti remover, stainless steel polish, etc.) introduced to the school in February and March, and not the result of soil vapor intrusion.																
<sup>3</sup> : All samples collected on 20 April 2016 except for the Kitchen Storage Room, which was collected on 25 April 2016 due to inaccessibility of the room during spring break.																
<sup>4</sup> All samples collected on 17 April 2017 except for the Kitchen Storage Room, which was collected on 25 April 2017 due to inaccessibility of the room during spring break.																
<sup>A</sup> Summa canister had low pressure upon beginning sample collection, possible interference. Re-sampling effort on 25 April 2008 indicates no exceedances of applicable Acetone and Tetrachloroethylene Action Levels.																
<sup>B</sup> Analyte found in associated blank as well as the sample but not expected to affect data due to sample concentration >10x concentration found in blank.																
<sup>M</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.																
<sup>L</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.																
<sup>V</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.																
<sup>W</sup> Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.																
<sup>J</sup> Estimated result as the result was between the MDL and the RDL.																
<sup>I</sup> Initial calibration verification did not meet standard. Reported value is likely to be biased on the high side.																
<sup>K</sup> Initial calibration did not meet standard and was biased on the low side. Reported result is estimated.																
<sup>D</sup> Elevated method detection limits due to failure of Con-test internal standards. Applies to Ambient Outdoor Air sample.																
NOTES:																
All data presented in micrograms per cubic meter (ug/m <sup>3</sup> ).																
Two values displayed with a slash indicates dilutions resulting in two different concentrations																
U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.																
NS = Not sampled.																
None = No Draft Proposed CT Residential TAC for this compound.																
= exceedance of interim RIDEM-approved action level																

## **APPENDIX C**

### **Sub-slab Vapor Analytical Summary**

*This page intentionally left blank*

**Summary of Subslab Air Sampling Data**

**Alvarez School**

**Volatile Organic Compounds**

**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	17.2	NS	NS	NS	4.75	U	NS	NS	5.62	11.4	NS
	27-Mar-08	NS	28.7	NS	NS	NS	NS	NS	NS	217	12.4	
	25-Apr-08	NS	NS	188	NS	NS	NS	513	34	NS	33.9	
	29-May-08	NS	NS	NS	40.9	NS	NS	NS	92	9.82	16.4	NS
	27-Jun-08	107	NS	NS	NS	145	NS	NS	NS	NS	20.4	9.73
	31-Jul-08	NS	101	NS	NS	NS	NS	NS	NS	14.4	18.1	
	28-Aug-08	NS	NS	1130	NS	NS	NS	30.9	NS	46	47.8	NS
	30-Sep-08	NS	NS	NS	32.8	NS	NS	NS	44.1	NS	9.4	12.8
	27-Oct-08	19.6	NS	NS	NS	15	NS	NS	NS	17.9	NS	33.3
	25-Nov-08	NS	148	NS	NS	183	NS	NS	NS	13	24.7	NS
	18-Dec-08	NS	NS	856	NS	NS	NS	10.4	NS	NS	37.2	22
	21-Jan-09	NS	NS	NS	19.1	NS	NS	NS	6.1	2.4	U	4.8
	25-Feb-09	28.6	NS	NS	60.9	NS	NS	NS	NS	9.5	8.3	NS
	26-Mar-09	NS	102	NS	NS	47.5	U	NS	NS	NS	50.6	64.8
	29-Apr-09	NS	NS	1980	NS	NS	NS	23.3	NS	5.15	NS	22.1
	22-Jul-09	58.5	NS	58.5	148	NS	NS	87.8	NS	96	88.1	NS
	9-Oct-09	NS	25.7	NS	49.7	NS	NS	9.2	11100	6.51	NS	16.8
	15-Jan-10	33.6	NS	90.9	22.8	NS	26.3	NS	NS	12.5	11.2	NS
	21-Apr-10	NS	21.9	NS	NS	206	NS	263	2870	72.8	NS	73.4
	16-Jul-10	654	NS	4800	202	NS	11400	NS	NS	8.34	21.1	NS
	15-Oct-10	NS	11.3	NS	NS	26	NS	10.2	18.3	7.03	NS	21.2
	26-Jan-11	114	26.8	NS	54.4	NS	34.4	NS	35.4	25.3	33.3	NS
	28-Feb-11	NS	NS	80.8	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	106	NS	NS	255	NS	220	227	17.8	NS	58.2
	26-Jul-11	76.2	NS	120	154	NS	2730	NS	NS	12.8	23.8	NS
	28-Oct-11	NS	48	U	NS	48	U	NS	48	U	51	48
	23-Jan-12	37	NS	36	19	NS	28	NS	NS	38	29	NS
	13-Apr-12	NS	32	NS	70	NS	32	83	54	NS	43	
Acetone	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	48	U
	23-Jun-12	21	NS	30	370	NS	1600	NS	NS	43	21	NS
	1-Nov-12	NS	41	NS	NS	52	NS	75	44	35	NS	43
	1-Feb-13	17	NS	12	25	NS	36	NS	NS	16	12	NS
	29-Apr-13	NS	45	NS	100	NS	68	62	33	NS	43	
	9-Jul-13	100	NS	170	130	NS	260	NS	NS	80	15	NS
	18-Oct-13	NS	43	NS	61	NS	47	57	48	NS	42	
	9-Jan-14	250	NS	16	25	NS	11	NS	24	33	NS	
	24-Apr-14	NS	18	NS	13	NS	41	15	42	24	30	
	1-Aug-14	31 <sup>M</sup>	NS	NS	NS	NS	NS	NS	31 <sup>M</sup>	57/50 <sup>ME</sup>	NS	
	27-Aug-14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	15	NS	NS	
	22-Oct-14	NS	31	NS	NS	14	5.3	17	3.8	40	19	NS
	20-Jan-15	14	NS	23	23	NS	16	NS	NS	39	72	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	45	NS
	22-Apr-15	NS	87 <sup>V</sup>	NS	NS	1.9 <sup>V</sup>	U	NS	43	55 <sup>L,V/68</sup>	42	49
	21-Jul-15	12	NS	22	20	NS	9.2	NS	NS	42 <sup>O</sup>	11 <sup>O</sup>	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	5.0	NS	NS	
	29-Oct-15	NS	4.5	NS	NS	20	NS	11	9.2	11	22	
	4-Dec-15 resample	NS	1.9	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Jan-16	8.4	NS	9.2	7.2	NS	8.6	NS	NS	49	22	NS
	20-Apr-16	NS	7.3	NS	NS	8.4	NS	11	11	35	NS	21
	20-Jul-16	37	NS	56	44	NS	35	NS	NS	70	51	NS
	21-Oct-16	NS	17	NS	25	NS	22	12	29	NS	52	
	31-Jan-17	7.4 <sup>L,V</sup>	NS <sup>L,V</sup>	8.9 <sup>L,V</sup>	5.9 <sup>L,V</sup>	NS	6.7 <sup>L,V</sup>	NS	NS	21 <sup>L,V</sup>	20 <sup>L,V</sup>	NS
	17-Apr-17	NS	7	NS	17	NS	13	7.5	33	NS	49	
	26-Jul-17	19	NS	15	17	NS	11	NS	18	16	NS	
	12-Oct-17	NS	32	NS	20	NS	52	29	22	NS	33	
	10-Jan-18	39	NS	17	8.1	NS	14	NS	26	NS	28	
	11-Apr-18	NS	34	NS	26	NS	36	63	38	NS	40	
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	19	NS	
	27-Jul-18	73	NS	110	130	NS	77	NS	NS	83	63	NS
	24-Oct-18	NS	13	NS	13	NS	16	21	30	NS	35	
	16-Jan-19	33	NS	6.9	6.1	NS	6.8	NS	14	21	NS	
	12-Apr-19	NS	8.8	NS	17	NS	9.2	7.7	25	NS	51	
	29-Jul-19	130 <sup>E</sup>	NS	92 <sup>E</sup>	130 <sup>E</sup>	NS	110 <sup>E</sup>	NS	NS	73 <sup>E</sup>	65 <sup>E</sup>	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	68	NS
	29-Oct-19	NS	9.8	NS	12	NS	6	12	35 <sup>D</sup>	24 <sup>D</sup>	29 <sup>D</sup>	
	21-Jan-20	9.20	NS	5.10	8.40	NS	3.10	NS	NS	9.50	11.00	NS
	22-Apr-20	NS	15	NS	25	NS	38	40	60 <sup>E</sup>	NS	40	
	23-Jul-20	150 <sup>E</sup>	NS	260 <sup>E</sup>	130 <sup>E</sup>	NS	210 <sup>E</sup>	NS	NS	120 <sup>E</sup>	92	NS
	29-Oct-20	NS	5.1	NS	11	NS	6.6	7.4	25	NS	25	
	19-Jan-21	7.4	NS	8.6	5.7	NS	5.4	NS	NS	26	10 <sup>F</sup>	NS
	15-Apr-21	NS	14	NS	11	NS	4.4	13	20	NS	15	
	21-Jul-21	48	NS	50	61	NS	71	NS	NS</td			

**Summary of Subslab Air Sampling Data**

**Alvarez School**

**Volatile Organic Compounds**

**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	1.08	U	NS	NS	NS	NS	NS	1.08	U	1.08	U
	27-Mar-08	NS	U	1.08	U	NS	NS	NS	NS	NS	1.08	U
	25-Apr-08	NS	U	NS	1.08	U	NS	NS	1.08	U	1.08	U
	29-May-08	NS	U	NS	NS	1.08	U	NS	1.08	U	1.08	U
	27-Jun-08	1.69	U	NS	NS	NS	1.08	U	NS	NS	1.08	U
	31-Jul-08	NS	U	1.08	U	NS	NS	NS	NS	NS	1.08	U
	28-Aug-08	NS	U	NS	1.08	U	NS	NS	1.08	U	1.08	U
	30-Sep-08	NS	U	NS	2.2	U	NS	NS	2.2	U	2.2	U
	27-Oct-08	2.2	U	NS	NS	2.2	U	NS	2.2	U	2.2	U
	25-Nov-08	NS	U	2.2	U	NS	NS	NS	2.2	U	2.2	U
	18-Dec-08	NS	U	NS	2.2	U	NS	NS	2.2	U	2.2	U
	21-Jan-09	NS	U	NS	2.2	U	NS	NS	2.2	U	2.2	U
	25-Feb-09	2.2	U	NS	NS	2.2	U	NS	NS	2.2	U	NS
	26-Mar-09	NS	U	5.42	U	NS	NS	10.8	U	NS	1.08	U
	29-Apr-09	NS	U	NS	1.08	U	NS	NS	1.08	U	1.08	U
	22-Jul-09	5.42	U	NS	5.42	U	10.8	U	5.42	U	1.08	U
	9-Oct-09	NS	U	0.051	U	NS	NS	1.08	U	1.08	U	1.08
	15-Jan-10	1.08	U	NS	1.08	U	1.08	U	1.08	U	1.08	U
	21-Apr-10	NS	U	1.08	U	NS	NS	5.42	U	5.42	U	1.08
	16-Jul-10	1.08	U	NS	1.08	U	1.08	U	8.19	U	1.08	U
	15-Oct-10	NS	U	0.108	U	NS	NS	1.08	U	1.08	U	1.08
	26-Jan-11	10.8	U	1.08	U	NS	1.08	U	5.42	U	5.42	U
	28-Feb-11	NS	U	NS	10.8	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	U	1.08	U	NS	1.08	U	1.08	U	1.08	U
	26-Jul-11	3.62	U	NS	3.62	U	1.08	U	5.42	U	1.08	U
	28-Oct-11	NS	U	6.2	U	NS	6.2	U	6.2	U	6.2	U
	23-Jan-12	1.2	U	NS	1.2	U	1.2	U	1.2	U	1.2	U
	13-Apr-12	NS	U	1.2	U	NS	1.2	U	NS	U	1.2	U
Acrylonitrile	2-Jul-12 (resample)	NS	U	NS	NS	U	NS	NS	NS	NS	6.2	U
	23-Jun-12	1.2	U	NS	1.2	U	1.2	U	1.2	U	1.2	U
	1-Nov-12	NS	U	0.25	U	NS	0.25	U	0.25	U	0.25	U
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	29-Apr-13	NS	U	0.62	U	NS	0.25	U	0.25	U	0.25	U
	9-Jul-13	0.37	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	18-Oct-13	NS	U	0.25	U	NS	0.25	U	0.25	U	0.25	U
	9-Jan-14	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	24-Apr-14	NS	U	0.25	U	NS	0.37	U	0.25	U	0.25	U
	1-Aug-14	0.25	U	NS	0.37	U	0.37	U	0.25	U	0.25	U
	27-Aug-14	NS	U	NS	NS	U	NS	NS	0.25	U	NS	NS
	12-Sept-14 (resample)	NS	U	NS	NS	U	NS	NS	NS	0.37 <sup>L</sup> <sub>V</sub>	U	NS
	22-Oct-14	NS	U	0.37 <sup>L</sup>	U	NS	0.37 <sup>L</sup>	U	0.37 <sup>L</sup>	U	0.37 <sup>L</sup>	U
	20-Jan-15	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	30-Mar-15 (resample)	NS	U	NS	NS	U	NS	NS	NS	NS	0.28	U
	22-Apr-15	NS	U	0.26 <sup>L</sup>	U	NS	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>	U
	21-Jul-15	0.1	U	NS	0.4	U	2	U	0.1	U	0.1 <sup>o</sup>	U
	23-Sept-15 resample	NS	U	NS	NS	U	NS	NS	NS	0.1 <sup>o</sup>	U	NS
	29-Oct-15	NS	U	0.1	U	NS	0.1	U	0.2	U	0.1	U
	4-Dec-15 resample	NS	U	0.1	U	NS	0.1	U	NS	NS	NS	U
	27-Jan-16	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	20-Apr-16	NS	U	0.25	U	NS	0.25	U	0.25	U	0.25	U
	20-Jul-16	1.3	U	NS	1.3 <sup>MW</sup>	U	1.3	U	1.3	U	1.3	U
	21-Oct-16	NS	U	0.25	U	NS	0.25	U	0.25	U	0.25	U
	31-Jan-17	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	17-Apr-17	NS	U	0.38	U	NS	0.38	U	0.38	U	0.38	U
	26-Jul-17	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	12-Oct-17	NS	U	0.25	U	NS	0.25	U	0.76	U	0.71	U
	10-Jan-18	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	11-Apr-18	NS	U	0.25	U	NS	0.25	U	NS	U	NS	U
	23-May-18	NS	U	NS	NS	U	NS	NS	NS	NS	0.38	U
	27-Jul-18	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U
	24-Oct-18	NS	U	1.2	U	NS	1.2	U	1.2	U	1.2	U
	16-Jan-19	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	12-Apr-19	NS	U	0.25	U	NS	0.25	U	0.31	U	0.38	U
	29-Jul-19	0.38	U	NS	0.38	U	0.25	U	NS	U	0.25	U
	26-Sep-19	NS	U	NS	NS	U	NS	NS	NS	NS	0.38	U
	29-Oct-19	NS	U	0.25	U	NS	0.25	U	0.25	U	1.3 <sup>D</sup>	U
	21-Jan-20	0.25 <sup>w</sup>	U	NS	0.25 <sup>w</sup>	U	0.25 <sup>w</sup>	U	0.25 <sup>w</sup>	U	0.25 <sup>w</sup>	U
	22-Apr-20	NS	U	0.25	U	NS	0.25	U	0.25	U	0.25	U
	23-Jul-20	0.25	U	NS	0.25	U	0.25	U	0.5	U	0.5	U
	29-Oct-20	NS	U	0.25	U	NS	0.25	U	0.25	U	0	

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1 Qual	MP-2 Qual	MP-3 Qual	MP-4 Qual	MP-5 Qual	MP-6 Qual	MP-7 Qual	MP-8 Qual	IMP-1 Qual	IMP-2 Qual	IMP-3 Qual
Benzene	8-Feb-08	0.92	NS	NS	NS	0.98	NS	NS	NS	0.54	0.85	NS
	27-Mar-08	NS	0.54	NS	NS	0.462	NS	NS	NS	NS	0.788	0.635
	25-Apr-08	NS	NS	0.584	NS	0.745	NS	NS	NS	0.428	NS	0.536
	29-May-08	NS	NS	NS	0.73	NS	NS	NS	1.03	1.12	0.61	NS
	27-Jun-08	0.626	NS	NS	NS	0.468	NS	NS	NS	NS	0.499	0.399
	31-Jul-08	NS	0.418	NS	NS	NS	NS	NS	NS	0.358	NS	0.265
	28-Aug-08	NS	NS	1.02	NS	NS	NS	0.537	NS	0.815	0.692	NS
	30-Sep-08	NS	NS	1.6	U	NS	NS	NS	1.6	U	1.6	U
	27-Oct-08	1.6	U	NS	U	1.6	U	NS	NS	U	1.6	U
	25-Nov-08	NS	1.6	NS	U	NS	U	NS	NS	U	1.6	U
	18-Dec-08	NS	NS	1.6	U	NS	U	1.6	NS	U	1.6	U
	21-Jan-09	NS	NS	1.6	U	NS	U	NS	1.6	U	1.6	U
	25-Feb-09	1.6	U	NS	U	1.6	U	NS	NS	U	1.6	U
	26-Mar-09	NS	2.1	NS	U	NS	U	NS	NS	U	0.945	1.48
	29-Apr-09	NS	NS	0.603	U	NS	U	0.246	NS	U	0.223	0.367
	22-Jul-09	1.12	U	NS	U	56	U	1.45	NS	U	4.27	0.629
	9-Oct-09	NS	1.15	NS	U	NS	U	0.431	46.6	U	0.619	0.824
	15-Jan-10	0.763	NS	0.887	U	0.98	U	1.26	NS	U	0.964	0.964
	21-Apr-10	NS	0.373	NS	U	NS	U	1.6	NS	U	1.6	1.26
	16-Jul-10	0.332	NS	1.53	U	0.689	U	2.41	NS	U	0.319	U
	15-Oct-10	NS	0.319	U	NS	NS	U	0.319	U	U	0.319	0.319
	26-Jan-11	3.19	U	NS	U	2.46	U	1.6	NS	U	1.8	NS
	28-Feb-11	NS	NS	3.19	U	NS	U	NS	NS	U	NS	NS
	27-Apr-11	NS	0.319	U	NS	NS	U	0.319	U	U	0.319	0.319
	26-Jul-11	1.06	U	NS	U	1.06	U	1.6	U	U	1.6	U
	28-Oct-11	NS	1.6	U	NS	1.6	U	1.6	U	U	1.6	U
	23-Jan-12	0.84	NS	1.2	U	0.98	NS	0.81	NS	U	1.4	1.5
	13-Apr-12	NS	0.32	U	NS	NS	U	0.32	NS	U	NS	0.32
	2-Jul-12 (resample)	NS	NS	NS	U	NS	U	NS	NS	U	1.6	U
	23-Jun-12	0.45	NS	0.61	U	0.88	NS	0.43	NS	U	0.42	0.4
	1-Nov-12	NS	0.45	NS	U	0.43	NS	0.49	NS	U	0.61	1
	1-Feb-13	0.33	NS	0.45	U	0.47	NS	0.35	NS	U	0.45	0.46
	29-Apr-13	NS	0.41	NS	U	0.38	NS	0.41	NS	U	0.63	0.67
	9-Jul-13	0.64	NS	0.93	U	0.76	NS	0.70	NS	U	0.65	0.42
	18-Oct-13	NS	0.66	NS	U	NS	U	0.86	1.0	U	0.28	NS
	9-Jan-14	1.2	NS	1.1	U	0.97	NS	1.1	NS	U	1.5	NS
	24-Apr-14	NS	0.3	NS	U	0.22	NS	0.32	NS	U	0.39	0.35
	1-Aug-14	0.49	NS	0.79/0.76	U	0.68/0.69	NS	NS	NS	U	0.34	0.43
	27-Aug-14	NS	NS	NS	U	NS	U	0.69	NS	U	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	U	NS	U	NS	0.43	NS	NS	U
	22-Oct-14	NS	0.28	NS	U	NS	U	0.21	0.19	U	0.36	0.32
	20-Jan-15	0.42	NS	0.33	U	0.45	NS	0.31	NS	U	0.63	0.46
	30-Mar-15 (resample)	NS	NS	NS	U	NS	U	NS	NS	U	NS	0.41
	22-Apr-15	NS	0.48	NS	U	0.35	NS	0.46	0.57/0.60	U	0.84	0.93
	21-Jul-15	0.35	NS	0.520 <sup>j</sup>	U	3	NS	0.29	NS	U	0.29 <sup>v</sup>	0.41 <sup>v</sup>
	23-Sept-15 resample	NS	NS	NS	U	NS	U	NS	NS	U	0.28	NS
	29-Oct-15	NS	0.15 <sup>j</sup>	NS	U	0.19	NS	0.26 <sup>j</sup>	NS	U	0.27	0.23
	4-Dec-15 resample	NS	0.11 <sup>j</sup>	NS	U	NS	NS	NS	NS	U	NS	NS
	27-Jan-16	0.32	NS	0.5	U	0.53	NS	0.43	NS	U	0.72	0.69
	20-Apr-16	NS	0.21	NS	U	0.27	NS	0.27	NS	U	0.73	0.47
	20-Jul-16	0.32	U	NS	U	0.7	NS	0.68	NS	U	0.43	0.85
	21-Oct-16	NS	0.35	NS	U	0.84	NS	0.58	1.3	U	0.39	0.064
	31-Jan-17	0.24	NS	0.43	U	0.37	NS	0.37	NS	U	0.66	0.49
	17-Apr-17	NS	0.25	NS	U	0.26	NS	0.24	0.33	U	0.29	0.39
	26-Jul-17	0.2	NS	0.41	U	0.36	NS	0.37	NS	U	0.4	0.5
	12-Oct-17	NS	0.18	NS	U	0.17	NS	0.23	0.4	U	0.37	0.32
	10-Jan-18	0.26	NS	0.46	U	0.46	NS	0.44	NS	U	0.73	0.35
	11-Apr-18	NS	0.36	NS	U	0.64	NS	0.64	U	0.64	0.99	0.81
	23-May-18	NS	NS	NS	U	NS	U	NS	NS	U	0.3	NS
	27-Jul-18	0.32	U	NS	U	0.6	U	0.43	NS	U	0.37	0.38
	24-Oct-18	NS	0.32	U	NS	0.39	U	0.32	U	U	0.32	0.47
	16-Jan-19	0.55	NS	0.5	U	0.64	NS	0.48	NS	U	1	0.75
	12-Apr-19	NS	0.44	NS	U	0.37	NS	0.18	0.71	U	0.67	0.54
	29-Jul-19	0.6	NS	0.73	U	0.88	NS	1.3	NS	U	0.34	1.1
	26-Sep-19	NS	NS	NS	U	NS	U	NS	NS	U	NS	NS
	29-Oct-19	NS	0.29	NS	U	0.28	NS	0.25	0.37	U	0.42 <sup>v</sup>	0.54 <sup>v</sup>
	21-Jan-20	0.20	NS	0.34	U	0.38	NS	0.35	NS	U	0.69	0.61
	22-Apr-20	NS	0.12	NS	U	0.18	NS	0.064	U	0.14	0.21	NS
	23-Jul-20	0.66	NS	0.66	U	0.49	NS	0.91	NS	U	0.43	0.13
	29-Oct-20	NS	0.48	NS	U	0.6	NS	0.35	0.77	U	0.73	0.064
	19-Jan-21	0.31	NS	0.38	U	0.37	NS	0.36	NS	U	0.49	0.45 <sup>r</sup>
	15-Apr-21	NS	0.23	NS	U	0.29	NS	0.25				

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.13	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.13	U	0.13	U	NS	U
	27-Mar-08	NS		0.134	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.134	U	0.134	U	0.134	U
	25-Apr-08	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.134	U	0.134	U	NS	U	0.134	U
	29-May-08	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.134	U	0.134	U	0.134	U	0.134	U
	27-Jun-08	0.209	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.134	U	0.134	U	0.134	U
	31-Jul-08	NS		0.134	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.134	U	0.134	U	0.134	U
	28-Aug-08	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.134	U	0.134	U	NS	U
	30-Sep-08	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.134	U	0.23	U	0.13	U
	27-Oct-08	0.13	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.13	U	NS	U	0.13	U
	25-Nov-08	NS		0.13	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.13	U	3	U	NS	U
	18-Dec-08	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.13	U	0.13	U
	21-Jan-09	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.13	U	NS	U	0.13	U
	25-Feb-09	0.13	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.13	U	0.13	U	NS	U
	26-Mar-09	NS		0.67	U	NS	U	NS	U	NS	U	1.34	U	NS	U	NS	U	NS	U	0.134	U	0.134	U
	29-Apr-09	NS		NS	U	NS	U	NS	U	NS	U	0.134	U	NS	U	NS	U	0.134	U	NS	U	0.134	U
	22-Jul-09	0.67	U	NS	U	NS	U	NS	U	NS	U	27.3	U	0.67	U	NS	U	0.134	U	0.134	U	NS	U
	9-Oct-09	NS		0.134	U	NS	U	NS	U	NS	U	0.134	U	NS	U	NS	U	0.134	U	0.134	U	0.134	U
	15-Jan-10	0.134	U	NS	U	NS	U	NS	U	NS	U	0.134	U	NS	U	NS	U	0.134	U	0.134	U	NS	U
	21-Apr-10	NS		0.134	U	NS	U	NS	U	NS	U	0.67	U	NS	U	0.67	U	0.67	U	0.134	U	0.134	U
	16-Jul-10	0.134	U	NS	U	NS	U	NS	U	NS	U	0.134	U	NS	U	0.134	U	0.134	U	0.134	U	0.134	U
	15-Oct-10	NS		0.134	U	NS	U	NS	U	NS	U	0.134	U	NS	U	0.134	U	0.134	U	0.134	U	0.134	U
	26-Jan-11	1.34	U	0.134	U	NS	U	NS	U	NS	U	0.134	U	NS	U	0.67	U	0.67	U	0.67	U	NS	U
	28-Feb-11	NS		NS	U	NS	U	NS	U	NS	U	1.34	U	NS	U	NS	U	NS	U	NS	U	NS	U
	27-Apr-11	NS		0.134	U	NS	U	NS	U	NS	U	0.134	U	NS	U	0.134	U	0.134	U	0.134	U	0.134	U
	26-Jul-11	0.447	U	NS	U	NS	U	NS	U	NS	U	0.134	U	NS	U	0.67	U	NS	U	0.134	U	0.67	U
	28-Oct-11	NS		3.4	U	NS	U	NS	U	NS	U	3.4	U	NS	U	3.4	U	3.4	U	3.4	U	3.4	U
	23-Jan-12	0.67	U	NS	U	NS	U	NS	U	NS	U	0.67	U	NS	U	0.67	U	0.67	U	0.67	U	0.67	U
	13-Apr-12	NS		0.34	U	NS	U	NS	U	NS	U	0.34	U	NS	U	0.34	U	0.34	U	0.34	U	0.34	U
	2-Jul-12 (resample)	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	1.7	U	NS	U
	23-Jun-12	0.67	U	NS	U	NS	U	NS	U	NS	U	0.67	U	NS	U	0.67	U	0.67	U	0.67	U	0.67	U
	1-Nov-12	NS		0.067	U	NS	U	NS	U	NS	U	0.067	U	NS	U	0.067	U	0.067	U	0.067	U	0.067	U
	1-Feb-13	0.067	U	NS	U	NS	U	NS	U	NS	U	0.067	U	NS	U	0.067	U	0.067	U	0.067	U	0.067	U
	29-Apr-13	NS		0.16	U	NS	U	NS	U	NS	U	0.067	U	NS	U	0.067	U	0.067	U	0.067	U	0.067	U
	9-Jul-13	0.1	U	NS	U	NS	U	NS	U	NS	U	0.067	U	NS	U	0.067	U	0.067	U	0.067	U	0.067	U
	18-Oct-13	NS		0.13	U	NS	U	NS	U	NS	U	0.13	U	NS	U	0.13	U	0.13	U	0.13	U	0.13	U
	9-Jan-14	0.13	U	NS	U	NS	U	NS	U	NS	U	0.13	U	NS	U	0.13	U	0.13	U	0.13	U	0.13	U
	24-Apr-14	NS		0.13	U	NS	U	NS	U	NS	U	0.20	U	NS	U	0.13	U	0.13	U	0.13	U	0.20	U
	1-Aug-14	0.13	U	NS	U	NS	U	NS	U	NS	U	0.20	U	NS	U	0.13	U	0.13	U	0.13	U	0.20	U
	27-Aug-14	NS		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
Bromodichloromethane	12-Sep-14 (resample)	NS		NS	U	NS	U	NS	U	NS	U	0.67	U	NS	U	0.67	U	0.067	U	0.067	U	0.067	U
	22-Oct-14	NS		0.10	U	NS	U	NS	U	NS	U	0.10	U	NS	U	0.10	U	0.10	U	0.10	U	0.13	U
	20-Jan-15	0.067	U	NS	U	NS	U</td																

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromoform	8-Feb-08	0.21	U	NS	NS	NS	0.21	U	NS	NS	0.21	U
	27-Mar-08	NS	0.206	U	NS	NS	0.206	U	NS	NS	0.206	U
	25-Apr-08	NS	NS	U	0.206	U	NS	U	NS	0.206	U	0.206
	29-May-08	NS	NS	NS	NS	0.21	U	NS	NS	0.21	U	NS
	27-Jun-08	0.322	U	NS	NS	NS	0.206	U	NS	NS	0.206	U
	31-Jul-08	NS	0.206	U	NS	NS	0.206	U	NS	NS	0.206	U
	28-Aug-08	NS	NS	U	0.206	U	NS	U	NS	0.206	U	NS
	30-Sep-08	NS	NS	U	0.41	U	NS	U	NS	0.41	U	0.41
	27-Oct-08	0.41	U	NS	NS	NS	0.41	U	NS	0.41	U	0.41
	25-Nov-08	NS	0.14	U	NS	NS	0.41	U	NS	0.41	U	NS
	18-Dec-08	NS	NS	U	0.41	U	NS	U	NS	0.41	U	0.41
	21-Jan-09	NS	NS	U	0.41	U	NS	U	NS	0.41	U	0.41
	25-Feb-09	0.41	U	NS	NS	NS	0.14	U	NS	0.41	U	NS
	26-Mar-09	NS	1.03	U	NS	NS	2.06	U	NS	NS	0.206	U
	29-Apr-09	NS	NS	U	0.206	U	NS	U	NS	0.206	U	0.206
	22-Jul-09	1.03	U	NS	42	U	2.06	U	1.03	U	0.206	U
	9-Oct-09	NS	0.206	U	NS	NS	0.206	U	NS	0.206	U	0.206
	15-Jan-10	0.206	U	NS	0.206	U	NS	U	NS	0.206	U	NS
	21-Apr-10	NS	0.206	U	NS	NS	1.03	U	NS	1.03	U	0.206
	16-Jul-10	0.206	U	NS	0.206	U	NS	U	NS	0.206	U	NS
	15-Oct-10	NS	0.206	U	NS	NS	0.206	U	NS	0.206	U	0.206
	26-Jan-11	2.06	U	0.206	U	NS	0.206	U	1.03	U	1.03	U
	28-Feb-11	NS	NS	U	2.06	U	NS	U	NS	NS	NS	NS
	27-Apr-11	NS	0.206	U	NS	NS	0.206	U	NS	0.206	U	0.206
	26-Jul-11	0.69	U	NS	0.69	U	0.207	U	NS	1.03	U	1.03
	28-Oct-11	NS	5.2	U	NS	NS	5.2	U	NS	5.2	U	5.2
	23-Jan-12	1	U	NS	1	U	1	U	NS	1	U	1
	13-Apr-12	NS	1	U	NS	NS	1	U	NS	1	U	1
	2-Jul-12 (resample)	NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS
	23-Jun-12	1	U	NS	1	U	1	U	NS	1	U	1
	1-Nov-12	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	1-Feb-13	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21
	29-Apr-13	NS	0.52	U	NS	NS	0.21	U	NS	0.21	U	0.21
	9-Jul-13	0.31	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21
	18-Oct-13	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	9-Jan-14	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21
	24-Apr-14	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.31
	1-Aug-14	0.21	U	NS	0.31	U	0.31	U	NS	0.21	U	0.21
	27-Aug-14	NS	NS	U	NS	NS	0.21	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	U	NS	NS	NS	U	NS	0.13	U	NS
	22-Oct-14	NS	0.31	U	NS	NS	0.31	U	NS	0.31	U	0.41
	20-Jan-15	0.21	U	NS	0.21	U	0.21	U	NS	0.31	U	0.21
	30-Mar-15 (resample)	NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS
	22-Apr-15	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.24
	21-Jul-15	0.5	U	NS	2	U	10	U	0.6	U	0.50 <sup>o</sup>	U
	23-Sept-15 resample	NS	NS	U	NS	NS	NS	U	NS	0.5	U	0.60 <sup>o</sup>
	29-Oct-15	NS	0.6	U	NS	NS	0.6	U	NS	0.5	U	0.5
	4-Dec-15 resample	NS	0.5	U	NS	NS	NS	U	NS	NS	NS	NS
	27-Jan-16	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21
	20-Apr-16	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	20-Jul-16	1.0	U	NS	1.0	U	1.0	U	NS	1.0	U	1.0
	21-Oct-16	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	31-Jan-17	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21
	17-Apr-17	NS	0.310	U	NS	NS	0.310	U	NS	0.310	U	0.310
	26-Jul-17	0.21	U	NS	0.21	U	0.21	U	NS	0.210	U	0.21
	12-Oct-17	NS	0.21	U	NS	NS	0.21	U	NS	0.52	U	0.52
	10-Jan-18	0.21	U	NS	0.21	U	0.21	U	NS	0.210	U	0.21
	11-Apr-18	NS	0.21	U	NS	NS	2.1 <sup>v</sup>	U	NS	2.1 <sup>v</sup>	U	2.1 <sup>v</sup>
	23-May-18	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS
	27-Jul-18	1.0	U	NS	1.0	U	1.0	U	NS	1.0	U	1.0
	24-Oct-18	NS	1	U	NS	NS	1	U	NS	1	U	1
	16-Jan-19	0.2	U	NS	0.2	U	0.2	U	NS	0.2	U	0.2
	12-Apr-19	NS	0.1	U	NS	NS	0.1	U	NS	0.13	U	0.16
	29-Jul-19	0.31	U	NS	0.31	U	0.21	U	NS	0.21	U	3.1
	26-Sep-19	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS
	29-Oct-19	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	1 <sup>D</sup>
	21-Jan-20	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	1 <sup>D</sup>
	22-Apr-20	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	23-Jul-20	0.21	U	NS	0.21	U	0.21	U	NS	0.41	U	0.41
	29-Oct-20	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	19-Jan-21	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21
	15-Apr-21	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	21-Jul-21	0.21	U	NS	0.21	U	0.21	U	NS	0		

**Summary of Subslab Air Sampling Data**

**Alvarez School**

**Volatile Organic Compounds**

**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
2-Butanone	8-Feb-08	126	NS	NS	NS	1.47	U	NS	NS	3.08	10.6	NS
	27-Mar-08	NS	226	NS	NS	NS	NS	NS	NS	11.9	3.9	U
	25-Apr-08	NS	NS	477	NS	NS	NS	NS	2.24	NS	1.47	U
	29-May-08	NS	NS	NS	527	NS	NS	NS	591	2.27	3.04	NS
	27-Jun-08	1080	NS	NS	NS	596	NS	NS	NS	6.92	3.64	U
	31-Jul-08	NS	1350	NS	NS	NS	NS	NS	NS	12	2.56	U
	28-Aug-08	NS	NS	8380	NS	NS	NS	102	NS	5.29	9.18	NS
	30-Sep-08	NS	NS	NS	101	NS	NS	NS	194	NS	2	U
	27-Oct-08	53.5	NS	NS	NS	30.5	NS	NS	NS	2.4	NS	5.7
	25-Nov-08	NS	802	NS	NS	259	NS	NS	NS	1.8	2.4	NS
	18-Dec-08	NS	NS	5630	NS	NS	8.3	NS	NS	NS	2.6	3.3
	21-Jan-09	NS	NS	209	NS	NS	NS	NS	24	1.5	NS	U
	25-Feb-09	30	NS	NS	198	NS	NS	NS	NS	1.5	1.5	NS
	26-Mar-09	NS	926	NS	NS	29.1	NS	NS	NS	NS	2.66	3.02
	29-Apr-09	NS	NS	12400	NS	NS	38.1	NS	NS	1.47	NS	3.06
	22-Jul-09	433	NS	433	410	NS	151	NS	NS	21.6	2.8	NS
	9-Oct-09	NS	289	NS	1.47	U	NS	19.1	22700	2.75	NS	12.6
	15-Jan-10	29.8	NS	826	64.1	NS	38.4	NS	NS	2.64	1.6	NS
	21-Apr-10	NS	6.44	NS	7.37	U	NS	34.6	1840	16.8	NS	14.5
	16-Jul-10	5320	NS	21000	441	NS	10400	NS	NS	1.54	2.8	NS
	15-Oct-10	NS	117	NS	44.9	NS	2.85	18.2	1.47	U	NS	1.92
	26-Jan-11	940	22.3	NS	16.5	NS	7.37	U	50.4	7.37	7.37	U
	28-Feb-11	NS	625	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	6.87	NS	171	NS	11.3	15.3	5.38	NS	10.4	U
	26-Jul-11	690	E	NS	82.9	93.2	11000	NS	NS	2.07	7.37	U
	28-Oct-11	NS	59	U	59	U	59	U	59	59	59	U
	23-Jan-12	110	NS	70	12	NS	20	NS	12	12	12	U
	13-Apr-12	NS	16	NS	74	NS	12	U	12	12	12	U
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	59	NS
	23-Jun-12	75	NS	92	3700	NS	1900	NS	NS	12	12	NS
	1-Nov-12	NS	24	NS	44	NS	3.6	12	3.7	NS	4.2	U
	1-Feb-13	36	NS	4.9	16	NS	20	NS	NS	2.4	2.4	NS
	29-Apr-13	NS	170	NS	110	NS	6.1	7	7.2	NS	4.5	U
	9-Jul-13	98	NS	130	79	NS	370	NS	NS	6.8	2.4	NS
	18-Oct-13	NS	91	NS	28	NS	4	52	8.2	NS	6.4	NS
	9-Jan-14	1900	NS	11	26	NS	11	NS	NS	4.2	2.6	NS
	24-Apr-14	NS	32	NS	11	NS	3.2	19	8.1	2.5	3.5	U
	1-Aug-14	38	NS	110/81	110/93	NS	NS	NS	NS	5.8	4.3	NS
	27-Aug-14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	7.0	NS	NS	NS	NS
	22-Oct-14	NS	5.8	NS	16	3.5	3.9	3.5	15	4.7	U	NS
	20-Jan-15	5.1	NS	3.9	4.3	NS	NS	NS	7.5	6.2	NS	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	5.5	NS	NS
	22-Apr-15	NS	17 <sup>v</sup>	NS	23 <sup>v</sup>	NS	11	11	19	NS	10	NS
	21-Jul-15	17	NS	55	170	NS	21	NS	20 <sup>o</sup>	2.2 <sup>o</sup>	NS	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	7.9	NS	NS	NS	NS
	29-Oct-15	NS	10	NS	13	NS	11	5.7	2.1	NS	3.1	NS
	4-Dec-15 resample	NS	3.3	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.4	U	NS	2.4	U	NS	2.4	U	12	4.4	NS
	20-Apr-16	NS	21	NS	29	NS	34	NS	21	12	NS	4.1
	20-Jul-16	36	NS	37	12	U	NS	46	NS	32	12	U
	21-Oct-16	NS	21	NS	12	NS	3.3	3.3	5.1	NS	8.3	NS
	31-Jan-17	2.4	U	NS	2.8	U	NS	2.4	U	NS	5.6	NS
	17-Apr-17	NS	13	NS	21	NS	4.2	16	8	NS	7	U
	26-Jul-17	29	NS	16	6.1	NS	7.3	NS	NS	6.8	3.5	NS
	12-Oct-17	NS	8.3	NS	8.3	NS	7.1	U	5.9	6.7	NS	5.9
	10-Jan-18	96 <sup>e</sup>	NS	18	2.4	U	NS	8.1	NS	4.7	NS	3.5
	11-Apr-18	NS	6	NS	24	U	NS	24	U	5.1	NS	24
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	3.5	U
	27-Jul-18	22	NS	24	12	U	NS	12	U	20	12	NS
	24-Oct-18	NS	12	NS	12	U	NS	12	U	12	12	U
	16-Jan-19	41	NS	3	2.4	U	NS	2.4	U	NS	3.6	NS
	12-Apr-19	NS	7.3	NS	6.4	NS	3	U	3.5	4.1	NS	4.4
	29-Jul-19	6.4	NS	25	12	NS	11	NS	NS	9.7	3.2	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	210	NS
	29-Oct-19	NS	9	NS	4.2	NS	2.4	U	2.4	12 <sup>D</sup>	12 <sup>D</sup>	U
	21-Jan-20	9.00	NS	2.40	U	NS	2.40	U	NS	2.40	2.40	NS
	22-Apr-20	NS	2.4	U	2.4	U	NS	2.4	U	7.3	2.6	NS
	23-Jul-20	94 <sup>e</sup>	NS	7.1	7	NS	4.7	U	NS	33	11	NS
	29-Oct-20	NS	5.4	NS	3.3	NS	2.4	U	2.4	7.3	NS	2.6
	19-Jan-21	2.6	NS	2.4	U	NS	2.4	U	NS	6.5	3.5 <sup>f</sup>	U
	15-Apr-21	NS	11	NS	2.4	U	NS	2.4	U	4	NS	2.4
	21-Jul-21	4.8	NS	2.4	U	6.8	NS	9.5	NS	NS	18	NS

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
n-Butylbenzene	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS		2.74	U
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS		2.74	U
	27-Jun-08	4.27	U	NS		NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U	2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		5.5	U	NS		NS		2.74	U	5.5	U	2.74	U	5.5	U	5.5	U
	30-Sep-08	NS		NS		NS		NS		U		NS		NS		NS		NS		NS		NS		NS	
	27-Oct-08	22.1		NS		NS		NS		5.5	U	NS		NS		NS		12.8	U	NS		5.5	U	5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		NS		NS		NS		5.5	U	11.5	U	NS		NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		NS		NS		NS		5.5	U	5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	25-Feb-09	5.5	U	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		NS		2.74	U	NS		2.74	U	NS		NS		2.74	U	NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		NS		NS		NS		NS		NS		NS		2.74	U	NS		NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	2.74	U	NS	
	9-Oct-09	NS		1.08	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U	2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	NS		2.74	U	NS		2.74	U	NS		2.74	U	2.74	U	NS		NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U	2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	NS		2.74	U	NS		20.7	U	NS		2.74	U	2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U	2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS		NS	
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.745	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U	2.74	U
	26-Jul-11	9.17	U	NS		9.17		2.74	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	2.74	U	13.7	U
	28-Oct-11	NS		7.9	U	NS		NS		7.9	U	NS		7.9	U	7.9	U	7.9	U	7.9	U	7.9	U	7.9	U
	23-Jan-12	1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	1.6	U
	13-Apr-12	NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	23-Jun-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U	1.6	U	1.6	U
	1-Nov-12	NS		0.32	U	NS		0.32	U	0.32	U	NS		0.44	U	0.35	U	0.38	U	NS		0.32	U	0.32	U
	1-Feb-13	0.32	U	NS		0.32	U	NS		0.32	U	NS		0.32	U	NS		0.32	U	0.32	U	NS		0.32	U
	29-Apr-13	NS		0.79	U	NS		NS		0.32	U	NS		0.32	U	NS		0.32	U	0.32	U	NS		0.32	U
	9-Jul-13	0.47	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U	NS		0.32	U	0.32	U	NS		0.32	U
	18-Oct-13	NS		0.54		NS		NS		0.52		NS		0.74		0.65		0.68		NS		0.87		NS	
	9-Jan-14	0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U	NS		0.32	U	0.32	U	NS		0.32	U
	24-Apr-14	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	NS		0.32	U	0.32	U	NS		0.47	U
	1-Aug-14	0.32	U	NS		0.63		0.47 <sup>L</sup>		U		NS		NS		NS		0.32	U	0.56		NS		NS	
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.32	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.47	U	NS		NS		NS	
	22-Oct-14	NS		0.47	U	NS		NS		0.47	U	NS		0.47	U										

## **Summary of Subslab Air Sampling Data**

## Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	2.74	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-08	NS		2.74	U	NS	NS	NS	NS	NS	2.74
	25-Apr-08	NS		NS	2.74	U	NS	NS	2.74	U	2.74
	29-May-08	NS		NS	NS	2.74	U	NS	NS	2.74	U
	27-Jun-08	4.27	U	NS	NS	NS	2.74	U	NS	2.74	U
	31-Jul-08	NS		2.74	U	NS	NS	NS	NS	2.74	U
	28-Aug-08	NS		NS	2.74	U	NS	NS	2.74	U	2.74
	27-Oct-08	NS		NS	NS	5.5	U	NS	NS	5.5	U
	27-Oct-08	5.5	U	NS	NS	NS	5.5	U	NS	5.5	U
	25-Nov-08	NS		5.5	U	NS	NS	5.5	U	5.5	U
	18-Dec-08	NS		NS	5.5	U	NS	NS	5.5	U	5.5
	21-Jan-09	NS		NS	5.5	U	NS	NS	5.5	U	5.5
	25-Feb-09	5.5	U	NS	NS	5.5	U	NS	NS	5.5	U
	26-Mar-09	NS		13.7	U	NS	NS	27.4	U	NS	2.74
	29-Apr-09	NS		NS	2.74	U	NS	NS	2.74	U	2.74
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	NS	2.74	U
	9-Oct-09	NS		2.74	U	NS	NS	2.74	U	573	U
	15-Jan-10	2.74	U	NS	2.74	U	NS	2.74	U	2.74	U
	21-Apr-10	NS		2.74	U	NS	13.7	U	13.7	U	2.74
	16-Jul-10	2.74	U	NS	2.74	U	NS	20.7	U	2.74	U
	15-Oct-10	NS		2.74	U	NS	NS	2.74	U	2.74	U
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7
	28-Feb-11	NS		NS	27.4	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		2.74	U	NS	NS	2.74	U	2.74	U
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	NS	NS	13.7
	28-Oct-11	NS		6.3	U	NS	NS	6.3	U	6.3	U
	23-Jan-12	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3
	13-Apr-12	NS		1.3	U	NS	1.3	U	1.3	U	1.3
sec-Butylbenzene	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	6.3
	23-Jun-12	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U
	1-Nov-12	NS		0.25	U	NS	0.25	U	NS	0.25	U
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	29-Apr-13	NS		0.63	U	NS	0.25	U	0.25	U	0.25
	9-Jul-13	0.38	U	NS	0.25	U	0.25	U	NS	0.25	U
	18-Oct-13	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	9-Jan-14	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	24-Apr-14	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	1-Aug-14	0.25	U	NS	0.38	U	0.38	U	NS	0.25	U
12-Sept-14 (resample)	27-Aug-14	NS		NS	NS	NS	NS	0.25	U	NS	NS
	22-Oct-14	NS		NS	NS	NS	NS	0.25	U	0.38	U
	20-Jan-15	0.25	U	NS	0.25	U	0.25	U	NS	0.38	U
	30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	0.28
	22-Apr-15	NS		0.26	U	NS	0.25	U	0.25	U	0.25
	27-Jan-16	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	20-Apr-16	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	20-Jul-16	1.3	U	NS	1.3 <sup>MW</sup>	U	1.3	U	NS	1.3	U
	21-Oct-16	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	31-Jan-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
2020	17-Apr-17	NS		0.38	U	NS	0.38	U	0.38	U	0.38
	26-Jul-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	12-Oct-17	NS		0.25	U	NS	0.25	U	0.76	U	0.63
	10-Jan-18	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	11-Apr-18	NS		0.25	U	NS	2.5	U	2.5	U	0.25
	23-May-18	NS		NS	NS	NS	NS	NS	NS	NS	0.38
	27-Jul-18	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U
	24-Oct-18	NS		1.3	U	NS	1.3	U	1.3	U	1.3
	16-Jan-19	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	12-Apr-19	NS		0.25	U	NS	0.25	U	0.31	U	0.38
2021	29-Jul-19	0.38	U	NS	0.38	U	0.25	U	NS	0.25	U
	26-Sep-19	NS		NS	NS	NS	NS	NS	NS	NS	0.38
	29-Oct-19	NS		0.25	U	NS	0.25	U	0.25	U	1.3 <sup>D</sup>
	21-Jan-20	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	22-Apr-20	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	23-Jul-20	0.25	U	NS	0.25	U	0.25	U	0.5	U	0.5
	29-Oct-20	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	19-Jan-21	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	15-Apr-21	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	21-Jul-21	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
2022	20-Oct-21	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	9-Feb-22	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	7-Apr-22	NS		0.25	U	NS	0.25	U	0.25	U	0.25
	28-Jul-22	0.25	U	NS	0.5	U	0.5	U	NS	0.75	U
	18-Oct-22	NS		0.25	U	NS	0.25	U	0.25	U	0.5
	24-Jan-23	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.44	NS	NS	NS	0.46	NS	NS	0.53	0.45	NS	
	27-Mar-08	NS	0.539	NS	NS	0.477	NS	NS	NS	0.576	0.574	
	25-Apr-08	NS	NS	0.417	NS	NS	0.448	NS	0.459	NS	0.448	
	29-May-08	NS	NS	NS	0.46	NS	NS	0.46	0.47	0.46	NS	
	27-Jun-08	0.478	NS	NS	0.506	NS	NS	NS	NS	0.533	0.553	
	31-Jul-08	NS	0.576	NS	NS	NS	NS	NS	NS	0.548	0.495	
	28-Aug-08	NS	NS	0.515	NS	NS	0.549	NS	0.567	0.563	NS	
	30-Sep-08	NS	NS	0.511	NS	NS	NS	0.577	NS	0.451	0.469	
	27-Oct-08	0.48	NS	NS	0.36	NS	NS	NS	0.41	NS	0.56	
	25-Nov-08	NS	0.5	NS	NS	0.42	NS	NS	0.3	0.44	NS	
	18-Dec-08	NS	NS	0.23	NS	NS	0.28	NS	NS	0.48	0.46	
	21-Jan-09	NS	NS	0.36	NS	NS	0.47	NS	0.27	NS	0.67	
	25-Feb-09	0.39	NS	NS	0.36	NS	NS	NS	0.37	0.36	NS	
	26-Mar-09	NS	0.629	U	NS	1.26	U	NS	NS	0.601	0.565	
	29-Apr-09	NS	NS	0.484	NS	NS	0.528	NS	0.522	NS	0.654	
	22-Jul-09	0.629	U	NS	25.6	1.26	U	NS	NS	0.515	0.503	
	9-Oct-09	NS	0.691	NS	NS	0.666	NS	0.465	26.2	U	0.691	
	15-Jan-10	0.427	NS	0.647	0.509	NS	0.541	NS	0.541	0.528	NS	
	21-Apr-10	NS	0.126	NS	NS	0.629	U	0.629	U	0.61	0.503	
	16-Jul-10	0.459	NS	0.478	0.515	NS	0.95	U	NS	0.559	0.509	
	15-Oct-10	NS	0.509	NS	NS	0.434	NS	0.383	0.402	0.421	NS	0.44
	26-Jan-11	1.26	U	0.415	NS	0.415	NS	0.629	U	0.629	U	0.629
	28-Feb-11	NS	NS	1.26	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.339	NS	NS	0.339	NS	0.33	0.364	0.339	NS	0.327
	26-Jul-11	0.44	NS	0.42	U	0.409	NS	0.629	U	NS	0.402	0.629
	28-Oct-11	NS	3.1	U	NS	3.1	U	3.1	U	3.1	U	3.1
	23-Jan-12	0.63	U	NS	0.63	U	NS	0.63	U	0.63	U	0.63
	13-Apr-12	NS	0.31	U	NS	0.31	U	NS	0.31	U	0.31	U
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.6	U	NS
	23-Jun-12	0.63	U	NS	0.63	U	NS	NS	NS	0.63	U	NS
	1-Nov-12	NS	0.48	NS	NS	0.46	NS	0.46	0.45	0.47	NS	0.43
	1-Feb-13	0.44	NS	0.43	0.39	NS	0.42	NS	NS	0.49	0.5	NS
	29-Apr-13	NS	0.42	NS	NS	0.44	NS	0.42	0.48	0.48	NS	0.46
	9-Jul-13	0.52	NS	0.52	0.46	NS	0.48	NS	NS	0.45	0.47	NS
	18-Oct-13	NS	0.45	NS	NS	0.41	NS	0.4	0.45	0.44	NS	0.47
	9-Jan-14	0.40	NS	0.45	0.40	NS	0.43	NS	NS	0.43	0.43	NS
	24-Apr-14	NS	0.48	NS	NS	0.45	NS	0.42	0.47	0.47	0.48	
	1-Aug-14	0.30	NS	0.44	0.43	NS	NS	NS	0.56	0.43	NS	
	27-Aug-14	NS	NS	NS	NS	0.45	NS	NS	NS	NS	NS	
Carbon tetrachloride	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	U	NS
	22-Oct-14	NS	0.45	NS	NS	0.42	NS	0.42	0.45	0.43	0.44	NS
	20-Jan-15	0.45	NS	0.49	0.42	NS	0.44	NS	NS	0.48	0.48	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	22-Apr-15	NS	0.28	NS	NS	0.29	NS	0.34	0.34	0.33	NS	0.33
	21-Jul-15	0.270 <sup>j</sup>	NS	1	U	6	U	NS	NS	0.25 <sup>j,o</sup>	0.24 <sup>j,o</sup>	NS
	23-Sept-15 resample	NS	NS	NS	NS	0.29 <sup>j</sup>	NS	0.27 <sup>j</sup>	0.28 <sup>j</sup>	0.27 <sup>j</sup>	0.27 <sup>j</sup>	0.27 <sup>j</sup>
	29-Oct-15	NS	0.35	NS	NS	0.29 <sup>j</sup>	NS	0.27 <sup>j</sup>	0.28 <sup>j</sup>	0.27 <sup>j</sup>	0.27 <sup>j</sup>	0.27 <sup>j</sup>
	4-Dec-15 resample	NS	0.30 <sup>j</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.57	NS	0.59	0.53	NS	0.56	NS	NS	0.57	0.59	NS
	20-Apr-16	NS	0.65	NS	NS	0.61	NS	0.62	0.65	0.64	0.67	NS
	20-Jul-16	0.42	NS	0.58	0.59	NS	0.64	NS	NS	0.63	0.55	NS
	21-Oct-16	NS	0.49	NS	NS	0.45	NS	0.44	0.46	0.48	0.47	NS
	31-Jan-17	0.41	NS	0.38	0.39	NS	0.4	NS	NS	0.45	0.48	NS
	17-Apr-17	NS	0.49	NS	NS	0.44	NS	0.43	0.49	0.44	0.48	NS
	26-Jul-17	0.4	NS	0.44	0.41	NS	0.4	NS	NS	0.39	0.39	NS
	12-Oct-17	NS	0.38	NS	NS	0.37	NS	0.43	0.62	0.47	0.41	NS
	10-Jan-18	0.34	NS	0.35	0.36	NS	0.35	NS	0.37	NS	0.37	NS
	11-Apr-18	NS	0.49	NS	NS	1.3 <sup>v</sup>	U	1.3 <sup>v</sup>	U	0.55	1.3 <sup>v</sup>	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.45	NS	
	27-Jul-18	0.31	U	NS	0.31	U	NS	NS	NS	0.31	U	U
	24-Oct-18	NS	0.31	U	NS	0.31	U	NS	0.31	U	0.31	U
	16-Jan-19	0.4	NS	0.39	0.39	NS	0.4	NS	NS	0.44	0.44	NS
	12-Apr-19	NS	0.47	NS	NS	0.44	NS	0.39	0.42	0.45	0.43	0.43
	29-Jul-19	0.37	NS	0.44	0.47	NS	0.49	NS	NS	0.46	1.8	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.094	NS
	29-Oct-19	NS	0.063	U	NS	0.49	NS	0.46	0.45	0.43 <sup>d</sup>	0.5 <sup>d</sup>	0.44 <sup>d</sup>
	21-Jan-20	0.42	NS	0.40	0.41	NS	0.40	NS	NS	0.43	0.44	NS
	22-Apr-20	NS	0.37	NS	NS	0.4	NS	0.38	0.38	0.39	0.39	0.39
	23-Jul-20	0.39	NS	0.43	0.44	NS	0.62	NS	NS	0.5	0.53	NS
	29											

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual			
	8-Feb-08	0.09	U	NS	0.052	U	NS	NS	0.09	U	NS	0.092	U	NS	0.092	U	NS	0.09	U	0.09	U	0.09	U	NS	0.092	
	27-Mar-08	NS		NS	0.052	U	NS	NS	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	25-Apr-08	NS		NS	NS	U	NS	NS	0.09	U	NS	NS	U	NS	0.09	U	NS	0.09	U	0.09	U	0.09	U	NS	0.092	
	29-May-08	NS		NS	NS	U	NS	NS	0.092	U	NS	NS	U	NS	0.09	U	NS	0.09	U	0.09	U	0.09	U	NS	0.092	
	27-Jun-08	0.207		NS	NS	U	NS	NS	0.092	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	31-Jul-08	NS		0.092	U	NS	NS	NS	0.092	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	28-Aug-08	NS		NS	0.092	U	NS	NS	2.3	U	NS	NS	U	NS	0.092	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U
	30-Sep-08	NS		NS	NS	U	NS	NS	2.3	U	NS	NS	U	NS	0.092	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U
	27-Oct-08	2.3	U	NS	2.3	U	NS	NS	NS	U	NS	NS	U	NS	0.092	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U
	25-Nov-08	NS		2.3	U	NS	NS	NS	NS	U	NS	NS	U	NS	0.092	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U
	18-Dec-08	NS		NS	2.3	U	NS	NS	NS	U	NS	NS	U	NS	0.092	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U
	21-Jan-09	NS		NS	NS	U	NS	NS	2.3	U	NS	NS	U	NS	0.092	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U
	25-Feb-09	2.3	U	NS	0.46	U	NS	NS	NS	U	NS	NS	U	NS	0.092	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U
	26-Mar-09	NS		0.46	U	NS	NS	NS	NS	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-09	NS		NS	0.092	U	NS	NS	18.8	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	22-Jul-09	0.46	U	NS	NS	U	NS	NS	0.92	U	NS	NS	U	NS	0.46	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Oct-09	NS		0.092	U	NS	NS	NS	0.092	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	15-Jan-10	0.092	U	NS	0.092	U	NS	NS	0.092	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	21-Apr-10	NS		0.092	U	NS	NS	NS	0.46	U	NS	NS	U	NS	0.46	U	NS	0.46	U	0.092	U	0.092	U	0.092	U	
	16-Jul-10	0.092	U	NS	0.092	U	NS	NS	0.212	U	NS	NS	U	NS	0.695	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	15-Oct-10	NS		0.092	U	NS	NS	NS	0.129	U	NS	NS	U	NS	0.106	U	NS	0.101	U	0.092	U	0.092	U	0.101	U	
	26-Jan-11	0.92	U	0.092	U	NS	NS	0.092	U	NS	NS	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	0.46	U	0.46	U
	28-Feb-11	NS		NS	0.92	U	NS	NS	0.92	U	NS	NS	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	27-Apr-11	NS		0.092	U	NS	NS	NS	0.092	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	26-Jul-11	0.307	U	NS	0.307	U	NS	NS	0.092	U	NS	NS	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	28-Oct-11	NS		2.3	U	NS	NS	NS	0.46	U	NS	NS	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U	2.3	U	
	23-Jan-12	0.46	U	NS	0.46	U	NS	NS	0.46	U	NS	NS	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	13-Apr-12	NS		0.46	U	NS	NS	NS	0.46	U	NS	NS	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	2-Jul-12 (resample)	NS		NS	NS	U	NS	NS	0.46	U	NS	NS	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	23-Jun-12	0.46	U	NS	0.46	U	NS	NS	0.46	U	NS	NS	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	1-Nov-12	NS		0.092	U	NS	NS	NS	0.092	U	NS	NS	U	NS	0.16	U	0.092	U	0.092	U	0.092	U	0.092	U		
	1-Feb-13	0.092	U	NS	0.092	U	NS	NS	0.092	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-13	NS		0.12	U	NS	NS	NS	0.14	U	NS	NS	U	NS	0.046	U	NS	0.046	U	0.046	U	0.046	U	0.046	U	
	9-Jul-13	0.18		NS	NS	U	NS	NS	0.15	U	NS	NS	U	NS	0.15	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	18-Oct-13	NS		0.092	U	NS	NS	NS	0.092	U	NS	NS	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Jan-14	0.092	U	NS	0.092	U	NS	NS	0.092	U	NS	NS	U	NS	0.092	U</td										

**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - January 2023**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.05	U	NS	NS	0.05	U	NS	NS	0.05	U
	27-Mar-08	NS		0.053	U	NS		NS	NS	NS	U
	25-Apr-08	NS		NS	0.053	U	NS	NS	0.053	U	U
	29-May-08	NS		NS	0.11		NS	NS	0.1	0.07	NS
	27-Jun-08	0.082	U	NS	NS	0.132		NS	NS	0.053	U
	31-Jul-08	NS		0.053	U	NS		NS	NS	NS	U
	28-Aug-08	NS		0.053	U	NS		NS	NS	0.053	U
	30-Sep-08	NS		NS	1.3	U	NS	NS	1.3	0.75	NS
	27-Oct-08	1.3	U	NS	NS	1.3	U	NS	NS	1.3	U
	25-Nov-08	NS		1.3	U	NS		NS	NS	1.3	U
	18-Dec-08	NS		1.3	U	NS		NS	NS	1.3	U
	21-Jan-09	NS		NS	1.3	U	NS	NS	1.3	NS	U
	25-Feb-09	1.3	U	NS	NS	1.3	U	NS	NS	1.3	U
	26-Mar-09	NS		0.264	U	NS		NS	NS	0.1212	U
	29-Apr-09	NS		NS	0.137		NS	NS	0.053	NS	U
	22-Jul-09	0.264	U	NS	10.8	U	0.277	NS	NS	0.053	NS
	9-Oct-09	NS		0.053	U	NS		0.058	NS	0.053	U
	15-Jan-10	0.053	U	NS	0.074		0.066	NS	0.053	0.053	U
	21-Apr-10	NS		0.074		NS		0.264	NS	0.053	0.116
	16-Jul-10	0.1		NS	2.55		0.166	NS	0.398	0.053	NS
	15-Oct-10	NS		0.053	U	NS		0.082	NS	0.053	NS
	26-Jan-11	0.527	U	0.053	U	NS		0.264	NS	0.264	U
	28-Feb-11	NS		NS	.527	U	NS	NS	NS	NS	U
	27-Apr-11	NS		0.053	U	NS		0.079	NS	0.053	U
	26-Jul-11	0.176	U	NS	0.176	U	0.116	NS	0.264	0.053	NS
	28-Oct-11	NS		1.3	U	NS		1.3	NS	1.3	U
	23-Jan-12	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U
	13-Apr-12	NS		0.26		NS		0.26	U	0.26	U
Chloroethane	2-Jul-12 (resample)	NS		NS		NS		NS	NS	NS	NS
	23-Jun-12	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U
	1-Nov-12	NS		0.053	U	NS		0.085	NS	0.053	NS
	1-Feb-13	0.082		NS	0.053	U	0.11	NS	0.053	0.053	U
	29-Apr-13	NS		0.4		NS		0.11	NS	0.11	U
	9-Jul-13	0.11		NS	0.12		0.31	NS	0.091	0.11	NS
	18-Oct-13	NS		0.053	U	NS		0.11	NS	0.053	U
	9-Jan-14	0.084		NS	0.053	U	0.11	NS	0.053	0.053	NS
	24-Apr-14	NS		0.026	U	NS		0.026	NS	0.026	U
	1-Aug-14	0.23		NS	0.43		0.53	NS	NS	0.059	U
	27-Aug-14	NS		NS		NS		0.072	NS	NS	NS
Chloroethane	12-Sept-14 (resample)	NS		NS		NS		NS	NS	NS	NS
	22-Oct-14	NS		0.079	U	NS		0.079	U	0.079	U
	20-Jan-15	0.069 v		NS	0.094		0.062	NS	0.24 v	0.079 v	U
	30-Mar-15 (resample)	NS		NS		NS		NS	NS	0.053 v	NS
	22-Apr-15	NS		0.20 v		NS		0.19 v	N	0.72	U
	21-Jul-15	0.1	U	NS	0.5	U	3	U	0.21	0.1 o	U
	23-Sept-15 resample	NS		NS		NS		NS	NS	0.1 o	NS
	29-Oct-15	NS		0.1	U	NS		0.1	U	0.1	U
4-Dec-15 resample	4-Dec-15 resample	NS		0.1	U	NS		NS	NS	NS	NS
	27-Jan-16	0.1		NS	0.11		0.12	NS	0.11	0.053	NS
	20-Apr-16	NS		0.14		NS		0.053	U	0.053	NS
	20-Jul-16	0.26 LV	U	NS	0.26 LV	U	0.26 LV	U	0.77 LV	NS	0.26 LV
	21-Oct-16	NS		0.16		NS		0.069	NS	0.053	NS
	31-Jan-17	0.053	U	NS	0.14		0.053	U	0.053	0.053	NS
	17-Apr-17	NS		0.16		NS		0.079	U	0.079	NS
	26-Jul-17	0.053	U	NS	0.18		0.12	NS	0.053	0.053 L	U
	12-Oct-17	NS		0.15		NS		0.066	NS	0.13	U
	10-Jan-18	0.13		NS	0.17		0.07	NS	0.36	0.15	U
	11-Apr-18	NS		0.053	U	NS		0.53	U	0.53	NS
	23-May-18	NS		NS		NS		NS	NS	NS	0.079
	27-Jul-18	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U
	24-Oct-18	NS		0.26	U	NS		0.26	U	0.26	U
	16-Jan-19	0.053	U	NS	0.053	U	0.053	U	0.29	0.053	U
	12-Apr-19	NS		0.053	U	NS		0.053	U	0.053	U
	29-Jul-19	0.079	U	NS	0.079	U	0.053	U	0.053	0.75	NS
	26-Sep-19	NS		NS		NS		NS	NS	0.079	U
	29-Oct-19	NS		0.053 L	U	NS		0.053 L	U	0.26 LD	U
	21-Jan-20	0.05	U	NS	0.05	U	0.05	U	NS	0.05	U
	22-Apr-20	NS		0.053	U	NS		0.053	U	0.053	NS
	23-Jul-20	0.053	U	NS	0.053	U	0.053	U	NS	0.11	U
	29-Oct-20	NS		0.053	U	NS		0.053	U	0.053	NS
	19-Jan-21	0.053	U	NS	0.053	U	0.053	U	NS	0.053	U
	15-Apr-21	NS		0.053	U	NS		0.053	U	0.053	NS
	21-Jul-21	0.081		NS	0.28		0.06	NS	0.053	0.053	U
	20-Oct-21	NS		0.053	U	NS		0.053	U	0.053	NS
	9-Feb-22	0.053	U	NS	0.053	U	0.39	NS	NS	0.053	U
	7-Apr-22	NS		0.053	U	NS		0.053	U	0.053	NS
	28-Jul-22	0.053	U	NS	0.053	U	1.2	NS	NS	0.053	U
	18-Oct-22	NS		0.053	U	NS		0.053	U	0.053	NS
	24-Jan-23	0.053	U	NS	0.12	0.083	NS	0.18	NS	0.053	NS

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	0.1	U	NS	0.098	U	NS	NS	NS	U	NS	0.125	NS	NS	NS	NS	U	0.12	U	0.12	NS	0.847		
	27-Mar-08	NS		NS	0.231		NS	NS	NS		NS	0.203	NS	NS	0.134	NS		0.453		0.453	0.847			
	25-Apr-08	NS		NS	0.14		NS	NS	NS		NS	0.1	NS	0.11	NS	0.14		NS		NS	0.265			
	29-May-08	NS		NS	0.623		NS	NS	NS		NS	0.305	NS	NS	0.395	NS		0.305		0.395	0.395			
	27-Jun-08	0.263		NS	0.145		NS	NS	NS		NS	0.124	NS	NS	0.13	NS		0.386		0.386	0.124			
	31-Jul-08	NS		NS	0.098	U	NS	NS	NS		NS	0.395	NS	NS	0.331	NS		0.49	U	0.49	U	0.49	U	
	28-Aug-08	NS		NS	0.49		U	NS	NS		U	0.49	NS	NS	0.49	NS		0.24	U	0.24	U	0.24	U	
	30-Sep-08	NS		NS	0.24	U	NS	NS	NS		U	0.24	NS	NS	0.24	NS		0.24	U	0.24	U	0.24	U	
	27-Oct-08	0.49	U	NS	0.24	U	NS	NS	NS		U	0.24	NS	NS	0.24	NS		0.24	U	0.24	U	0.24	U	
	25-Nov-08	NS		NS	0.24	U	NS	NS	NS		U	0.24	NS	NS	0.24	NS		0.24	U	0.24	U	0.24	U	
	18-Dec-08	NS		NS	0.24	U	NS	NS	NS		U	0.24	NS	NS	0.24	NS		0.24	U	0.24	U	0.24	U	
	21-Jan-09	NS		NS	0.24	U	NS	NS	NS		U	0.24	NS	NS	0.24	NS		0.24	U	0.24	U	0.24	U	
	25-Feb-09	0.24	U	NS	0.24	U	NS	NS	NS		U	0.24	NS	NS	0.24	NS		0.24	U	0.24	U	0.24	U	
	26-Mar-09	NS		0.488	U	NS	NS	NS	NS		U	1.29	NS	NS	0.265	NS		0.265		0.265	0.2			
	29-Apr-09	NS		NS	0.098	U	NS	NS	NS		U	0.136	NS	NS	0.098	NS		1.34		1.34				
	22-Jul-09	0.488	U	NS	19.9	U	0.976	U	NS		U	0.488	NS	NS	0.429	NS		0.22		0.22				
	9-Oct-09	NS		0.205								0.268	NS	NS	0.317	NS		0.312		0.312				
	15-Jan-10	0.176		NS	7.22		0.146		NS			0.19	NS	NS	0.098	NS		0.185		0.185				
	21-Apr-10	NS		0.098	U	NS	NS	NS	NS		U	0.488	NS	NS	0.22	NS		0.2		0.2				
	16-Jul-10	0.361		NS	0.098	U	NS	NS	NS		U	0.737	NS	NS	0.205	NS		0.346		0.346				
	15-Oct-10	NS		0.171								0.366	NS	NS	0.102	NS		0.166		0.166				
	26-Jan-11	2.78		0.122								0.161	NS	NS	0.488	NS		0.488		0.488				
	28-Feb-11	NS		0.976	U	NS	NS	NS	NS		U	0.24	NS	NS	0.24	NS		0.488		0.488				
	27-Apr-11	NS		0.136								0.185	NS	NS	0.273	NS		0.12		0.12				
	26-Jul-11	0.326	U	NS	0.326	U	0.239		NS		U	1.37	NS	NS	0.244	NS		0.488		0.488				
	28-Oct-11	NS		2.4	U	NS	NS	NS	NS		U	2.4	NS	NS	2.4	NS		2.4		2.4				
	23-Jan-12	0.49	U	NS	0.84		0.49		U		U	0.49	NS	NS	0.49	NS		0.84		0.84				
	13-Apr-12	NS		0.24	U	NS	NS	NS	NS		U	0.24	NS	NS	0.24	NS		0.24		0.24				
	2-Jul-12 (resample)	NS		NS								NS	NS	NS	NS	NS		1.2		1.2				
	23-Jun-12	0.49	U	NS	0.49		U	NS	NS		U	0.49	NS	NS	0.49	NS		0.58		0.58				
	1-Nov-12	NS		0.088								0.28	NS	NS	0.092	NS		0.17		0.17				
	1-Feb-13	0.14		NS	0.46		0.15		NS			0.19	NS	NS	0.11	NS		0.18		0.18				
	29-Apr-13	NS		0.15								0.19	NS	NS	0.13	NS		0.41		0.41				
	9-Jul-13	0.34		NS	0.63		0.33		NS			0.27	NS	NS	0.27	NS		0.27		0.27				
	18-Oct-13	NS		0.098	U	NS	NS	NS	NS		U	0.29	NS	NS	0.11	NS		0.31		0.31				
	9-Jan-14	0.12		NS	0.94		0.18		NS			0.27	NS	NS	0.16	NS		0.25		0.25				
	24-Apr-14	NS		0.049	U	NS	NS	NS	NS		U	0.21	NS	NS	0.16	NS		0.32		0.32				
	1-Aug-14	1.0		NS	2.7/3.6		0.32		NS			NS	NS	NS	2.1	NS		0.55		0.55				
	27-Aug-14	NS		NS								NS	NS	NS	NS	NS		NS		NS				
	Chloroform	12-Sep-14 (resample)	NS		NS	NS	NS	NS	NS		U	NS	NS	NS	NS	NS		NS		NS				
	22-Oct-14	NS		0.073	U	NS	NS	NS	NS		U	0.24	NS	NS	0.16	NS		0.098		0.098				
	20-Jan-15	0.049		NS	1.4		0.14		NS			0.29	NS	NS	0.073	NS		0.14		0.14				
	30-Mar-15 (resample)	NS</																						

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual			
	8-Feb-08	2.44	U	NS	2.67	NS	NS	NS	2.44	U	NS	3.24	NS	NS	NS	NS	2.44	U	2.44	U	2.44	U	NS	U		
	27-Mar-08	NS	U	NS	NS	2.44	U	NS	2.44	U	NS	NS	2.44	U	NS	2.44	U	2.44	U	2.44	U	2.44	U	NS	U	
	25-Apr-08	NS	U	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	U	2.44	U										
	29-May-08	NS	U	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	U	2.44	U										
	27-Jun-08	3.8	U	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	U	2.44	U										
	31-Jul-08	NS	U	4.64	NS	NS	NS	NS	NS	U	NS	NS	NS	U	2.44	U										
	28-Aug-08	NS	U	NS	NS	2.44	U	NS	1	U	NS	NS	2.44	U	1	U	NS	1	U	1	U	1	U	1	U	
	30-Sep-08	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	NS	U	1.1	U	1	U	1	U	3.5	U	NS	U		
	27-Oct-08	1	U	NS	1	U	NS	NS	NS	U	NS	NS	NS	U	1	U	NS	1	U	1	U	NS	U	1	U	
	25-Nov-08	NS	U	NS	1	U	NS	NS	NS	U	NS	NS	NS	U	1.4	U	1.4	U	1	U	1	U	1	U		
	18-Dec-08	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	NS	U	3.1	U	1	U	NS	1	U	1	U	1	U	
	21-Jan-09	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	NS	U	1	U	NS	1	U	1	U	1	U	1	U	
	25-Feb-09	1	U	NS	NS	NS	U	NS	NS	U	NS	NS	NS	U	1.2	U	1.2	U	NS	1	U	1	U	1	U	
	26-Mar-09	NS	U	12.2	U	NS	NS	NS	NS	U	NS	24.4	U	NS	NS	NS	NS	NS	4.58	U	2.44	U	2.44	U		
	29-Apr-09	NS	U	NS	22.4	U	NS	NS	NS	U	NS	19.4	U	NS	2.44	U										
	22-Jul-09	18.5	U	NS	497	U	32	NS	NS	U	41.9	U	NS	2.44	U	509	U	2.44	U	6.29	U	NS	U			
	9-Oct-09	NS	U	2.44	U	NS	NS	NS	2.44	U	NS	2.44	U	NS	2.44	U										
	15-Jan-10	2.44	U	NS	2.78	U	NS	NS	2.44	U	NS	2.44	U	NS	NS	NS	NS	NS	2.44	U	2.44	U	2.44	U		
	21-Apr-10	NS	U	3.25	U	NS	NS	NS	12.2	U	NS	12.2	U	NS	12.2	U										
	16-Jul-10	1.32	U	NS	62.8	U	1.48	NS	NS	U	7.79	U	NS	1.03	U	1.03	U									
	15-Oct-10	NS	U	1.03	U	NS	NS	1.03	U	NS	5.16	U	NS	5.16	U	5.16	U									
	26-Jan-11	10.3	U	1.03	U	NS	10.3	U	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	28-Feb-11	NS	U	NS	1.23	U	NS	NS	1.03	U	NS	1.03	U	NS	1.18	U	1.03	U	1.03	U	1.29	U	1.29	U		
	27-Apr-11	NS	U	3.45	U	NS	1.03	U	NS	U	5.16	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	26-Jul-11	3.45	U	NS	3.45	U	1.03	U	NS	U	1	U	NS	1	U	1	U	1	U	1	U	1	U	1	U	
	28-Oct-11	NS	U	1	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	
	23-Jan-12	0.21	U	NS	0.21	U	NS	NS	0.21	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	13-Apr-12	NS	U	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2-Jul-12 (resample)	NS	U	0.21	U	NS	NS	0.21	U	NS	2.1	U	NS	0.41	U	0.41	U									
	23-Jun-12	0.21	U	NS	NS	0.21	U	NS	0.21	U	NS	0.19	U	NS	0.083	U										
	1-Nov-12	NS	U	0.041	U	NS	NS	0.041	U	NS	0.041	U	NS	0.041	U	0.041	U									
	1-Feb-13	0.5	U	NS	1.8	U	2.1	NS	NS	U	0.19	U	NS	0.19	U	0.19	U									
	29-Apr-13	NS	U	0.21	U	NS	0.083	U	0.083	U	NS	0.083	U	0.083	U	0.083	U	0.083	U	0.083	U	0.083	U	0.083	U	
	9-Jul-13	0.12	U	NS	0.083	U	NS	0.083	U	NS	0.083	U	NS	0.083	U	0.083	U									
	18-Oct-13	NS	U	0.083	U	NS	1.5	U	0.083	U	NS	0.053	U	NS	0.053	U										
	9-Jan-14	3.2	U	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	24-Apr-14	NS	U	4.6	U	NS	0.12	U	0.12	U	NS	3.5	U	NS	3.5	U	3.5	U								
	1-Aug-14	0.083	U	NS	0.12	U	NS	0.																		

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dibromochloromethane	8-Feb-08	0.1	U	NS	NS	NS	0.1	U	NS	0.1	U	NS
	27-Mar-08	NS		0.096	U	NS	NS	U	NS	NS	U	0.096
	25-Apr-08	NS		NS	U	0.096	U	NS	0.096	U	NS	0.096
	29-May-08	NS		NS	U	NS	0.1	U	NS	0.1	U	NS
	27-Jun-08	0.15	U	NS	NS	NS	0.096	U	NS	NS	U	0.096
	31-Jul-08	NS		0.096	U	NS	NS	U	NS	0.096	U	0.096
	28-Aug-08	NS		NS	U	0.096	U	NS	0.096	U	0.096	U
	30-Sep-08	NS		NS	U	4.2	U	NS	4.2	U	4.2	U
	27-Oct-08	4.2	U	NS	U	NS	4.2	U	NS	4.2	U	4.2
	25-Nov-08	NS		4.2	U	NS	NS	U	NS	4.2	U	NS
	18-Dec-08	NS		NS	U	4.2	U	NS	4.2	U	4.2	U
	21-Jan-09	NS		NS	U	4.2	U	NS	4.2	U	4.2	U
	25-Feb-09	4.2	U	NS		NS	4.2	U	NS	4.2	U	NS
	26-Mar-09	NS		0.48	U	NS	NS	U	0.96	NS	0.096	U
	29-Apr-09	NS		NS	U	0.096	U	NS	0.096	U	0.096	U
	22-Jul-09	0.48	U	NS		19.6	U	0.96	U	0.096	U	0.096
	9-Oct-09	NS		0.096	U	NS	NS	U	0.096	U	0.096	U
	15-Jan-10	0.096	U	NS		0.096	U	NS	0.096	U	0.096	U
	21-Apr-10	NS		0.096	U	NS	NS	U	0.48	U	0.096	U
	16-Jul-10	0.17	U	NS		0.17	U	NS	1.28	U	0.17	U
	15-Oct-10	NS		0.17	U	NS	0.17	U	NS	0.17	U	0.17
	26-Jan-11	1.7	U	0.17	U	NS	0.17	U	0.851	U	0.851	U
	28-Feb-11	NS		NS	U	1.7	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.17	U	NS	NS	U	0.17	U	0.17	U
	26-Jul-11	0.568	U	NS		0.568	U	0.17	U	0.852	U	0.17
	28-Oct-11	NS		4.3	U	NS	NS	U	4.3	U	4.3	U
	23-Jan-12	0.85	U	NS		0.85	U	0.85	U	0.85	U	0.85
	13-Apr-12	NS		0.85	U	NS	NS	U	0.85	U	0.85	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	2.1	U
	23-Jun-12	0.85	U	NS		0.85	U	0.85	U	NS	0.85	U
	1-Nov-12	NS		0.085	U	NS	NS	U	0.085	U	0.085	U
	1-Feb-13	0.17	U	NS		0.17	U	0.17	U	NS	0.17	U
	29-Apr-13	NS		0.21	U	NS	NS	U	0.085	U	0.085	U
	9-Jul-13	0.26	U	NS		0.17	U	NS	0.17	U	0.17	U
	18-Oct-13	NS		0.17	U	NS	NS	U	0.17	U	0.17	U
	9-Jan-14	0.17	U	NS		0.17	U	0.17	U	NS	0.17	U
	24-Apr-14	NS		0.085	U	NS	NS	U	0.085	U	0.085	U
	1-Aug-14	0.17	U	NS		0.26	U	NS	NS	NS	0.17	U
	27-Aug-14	NS		NS	U	NS	NS	U	0.085	U	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	U	NS	NS	NS	NS
	22-Oct-14	NS		0.13	U	NS	NS	U	0.13	U	0.13	U
	20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	U	NS	NS	0.096	U
	22-Apr-15	NS		0.087	U	NS	NS	U	0.085	U	0.083	U
	21-Jul-15	0.4	U	NS		2	U	8	U	0.5	U	0.4 °
	23-Sept-15 resample	NS		NS	U	NS	NS	U	NS	NS	0.5 °	U
	29-Oct-15	NS		0.5	U	NS	NS	U	0.5	U	0.4	U
	4-Dec-15 resample	NS		0.4	U	NS	NS	U	NS	NS	NS	NS
	27-Jan-16	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
	20-Apr-16	NS		0.085	U	NS	NS	U	0.085	U	0.085	U
	20-Jul-16	0.43	U	NS		0.43	U	0.43	U	NS	0.43	U
	21-Oct-16	NS		0.085	U	NS	NS	U	0.085	U	0.085	U
	31-Jan-17	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
	17-Apr-17	NS		0.13 °	U	NS	NS	U	0.13 °	U	0.13 °	U
	26-Jul-17	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
	12-Oct-17	NS		0.085	U	NS	NS	U	0.085	U	0.21	U
	10-Jan-18	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
	11-Apr-18	NS		0.17	U	NS	NS	U	1.7	U	1.7	U
	23-May-18	NS		NS	U	NS	NS	U	NS	NS	0.13	U
	27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS	0.43	U
	24-Oct-18	NS		0.43	U	NS	NS	U	0.43	U	0.43	U
	16-Jan-19	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
	12-Apr-19	NS		0.085	U	NS	NS	U	0.085	U	0.13	U
	29-Jul-19	0.13	U	NS		0.13	U	0.12	U	NS	0.11	U
	26-Sep-19	NS		NS	U	NS	NS	U	NS	NS	0.13	U
	29-Oct-19	NS		0.085	U	NS	NS	U	0.085	U	0.43 °	U
	21-Jan-20	0.09	U	NS		0.09	U	0.09	U	NS	0.09	U
	22-Apr-20	NS		0.085	U	NS	NS	U	0.085	U	0.085	U
	23-Jul-20	0.085	U	NS		0.085	U	0.085	U	NS	0.17	U
	29-Oct-20	NS		0.085	U	NS	NS	U	0.085	U	0.085	U
	19-Jan-21	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
	15-Apr-21	NS		0.085	U	NS	NS	U	0.085	U	0.085	U
	21-Jul-21	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
	20-Oct-21	NS		0.085	U	NS	NS	U	0.085	U	0.085	U
	9-Feb-22	0.085	U	NS		0.085	U	0.085	U	NS	0.085	U
</												

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dibromoethane	8-Feb-08	0.15	U	NS	NS	NS	0.15	U	NS	0.15	U	0.15
	27-Mar-08	NS		0.154	U	NS	NS	0.154	U	NS	0.154	U
	25-Apr-08	NS		NS	U	0.154	U	NS	0.154	U	NS	0.154
	29-May-08	NS		NS	U	0.15	U	NS	0.15	U	0.15	U
	27-Jun-08	0.239	U	NS	NS	NS	0.154	U	NS	0.154	U	0.154
	31-Jul-08	NS		0.154	U	NS	NS	U	NS	0.154	U	0.154
	28-Aug-08	NS		NS	U	0.154	U	NS	0.154	U	0.154	U
	30-Sep-08	NS		NS	U	0.15	U	NS	0.15	U	0.15	U
	27-Oct-08	0.15	U	NS	U	NS	0.15	U	NS	0.15	U	0.15
	25-Nov-08	NS		0.15	U	NS	NS	U	NS	0.15	U	NS
	18-Dec-08	NS		NS	U	0.15	U	NS	0.15	U	0.15	U
	21-Jan-09	NS		NS	U	0.15	U	NS	0.15	U	0.15	U
	25-Feb-09	0.15	U	NS		NS	0.15	U	NS	0.15	U	NS
	26-Mar-09	NS		0.768	U	NS	NS	U	1.54	U	NS	0.154
	29-Apr-09	NS		NS	U	0.154	U	NS	0.154	U	0.154	U
	22-Jul-09	0.768	U	NS		31.3	U	1.54	U	0.768	U	0.154
	9-Oct-09	NS		0.154	U	NS	NS	U	0.154	U	32	U
	15-Jan-10	0.154	U	NS		0.154	U	NS	0.154	U	0.154	U
	21-Apr-10	NS		0.154	U	NS	NS	U	0.768	U	0.154	U
	16-Jul-10	0.154	U	NS		0.154	U	NS	1.16	U	0.154	U
	15-Oct-10	NS		0.154	U	NS	NS	U	0.154	U8	0.154	U
	26-Jan-11	1.54	U	0.154	U	NS	0.154	U	0.768	U	0.768	U
	28-Feb-11	NS		NS	U	1.54	U	NS	NS	U	0.768	U
	27-Apr-11	NS		0.154	U	NS	NS	U	0.154	U	0.154	U
	26-Jul-11	0.512	U	NS		0.512	U	0.154	U	0.768	U	0.768
	28-Oct-11	NS		3.8	U	NS	NS	U	3.8	U	3.8	U
	23-Jan-12	0.77	U	NS		0.77	U	NS	0.77	U	0.77	U
	13-Apr-12	NS		0.38	U	NS	NS	U	0.38	U	0.38	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	1.9	U
	23-Jun-12	0.77	U	NS		0.77	U	0.77	U	NS	0.77	U
	1-Nov-12	NS		0.077	U	NS	0.077	U	0.077	U	0.077	U
	1-Feb-13	0.077	U	NS		0.077	U	0.077	U	NS	0.077	U
	29-Apr-13	NS		0.19	U	NS	NS	U	0.077	U	0.077	U
	9-Jul-13	0.12	U	NS		0.077	U	0.077	U	NS	0.077	U
	18-Oct-13	NS		0.15	U	NS	NS	U	0.15	U	0.15	U
	9-Jan-14	0.15	U	NS		0.15	U	0.15	U	NS	0.15	U
	24-Apr-14	NS		0.077	U	NS	0.077	U	NS	0.077	U	0.23
	1-Aug-14	0.15	U	NS		0.23	U	0.23	U	NS	0.15	U
	27-Aug-14	NS		NS	U	NS	NS	U	0.077	U	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	U	NS	0.12	U	NS
	22-Oct-14	NS		0.12	U	NS	NS	U	0.12	U	0.12	U
	20-Jan-15	0.077	U	NS		0.077	U	0.077	U	NS	0.077	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	U	NS	NS	0.086	U
	22-Apr-15	NS		0.079	U	NS	NS	U	0.077	U	0.11	U
	21-Jul-15	0.4	U	NS		2	U	8	U	0.4	U	0.4°
	23-Sept-15 resample	NS		NS	U	NS	NS	U	NS	0.4	U	0.4°
	29-Oct-15	NS		0.4	U	NS	NS	U	0.6	U	0.4	U
	4-Dec-15 resample	NS		0.4	U	NS	NS	U	NS	NS	NS	NS
	27-Jan-16	0.077	U	NS		0.077	U	NS	0.077	U	0.077	U
	20-Apr-16	NS		0.077	U	NS	NS	U	0.077	U	0.077	U
	20-Jul-16	0.38	U	NS		0.38	U	0.38	U	NS	0.38	U
	21-Oct-16	NS		0.077	U	NS	NS	U	0.077	U	0.077	U
	31-Jan-17	0.077	U	NS		0.077	U	NS	0.077	U	0.077	U
	17-Apr-17	NS		0.12	U	NS	NS	U	0.12	U	0.12	U
	26-Jul-17	0.077	U	NS		0.077	U	NS	0.077	U	0.077	U
	12-Oct-17	NS		0.077	U	NS	NS	U	0.23	U	0.22	U
	10-Jan-18	0.077	U	NS		0.077	U	NS	0.077	U	0.077	U
	11-Apr-18	NS		0.15	U	NS	NS	U	1.5	U	1.5	U
	23-May-18	NS		NS	U	NS	NS	U	NS	NS	0.12	U
	27-Jul-18	0.38	U	NS		0.38	U	0.38	U	NS	0.38	U
	24-Oct-18	NS		0.38	U	NS	NS	U	0.38	U	0.38	U
	16-Jan-19	0.077	U	NS		0.077	U	NS	0.077	U	0.077	U
	12-Apr-19	NS		0.077	U	NS	NS	U	0.096	U	0.12	U
	29-Jul-19	0.12	U	NS		0.12	U	0.077	U	NS	0.077	U
	26-Sep-19	NS		NS	U	NS	NS	U	NS	NS	0.12	U
	29-Oct-19	NS		0.077	U	NS	NS	U	0.077	U	0.38°	U
	21-Jan-20	0.08	U	NS		0.08	U	0.08	U	NS	0.08	U
	22-Apr-20	NS		0.077	U	NS	NS	U	0.077	U	0.08	U
	23-Jul-20	0.077	U	NS		0.077	U	NS	0.077	U	0.15	U
	29-Oct-20	NS		0.077	U	NS	NS	U	0.077	U	0.077	U
	19-Jan-21	0.077	U	NS		0.077	U	NS	0.077	U	0.12°	U

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.12	U	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.55	U	NS	0.12	U	
	27-Mar-08	NS	U	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U
	25-Apr-08	NS	U	NS	NS	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U
	29-May-08	NS	U	NS	NS	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U
	27-Jun-08	0.187	U	NS	NS	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U
	31-Jul-08	NS	U	NS	0.12	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U
	28-Aug-08	NS	U	NS	NS	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	30-Sep-08	NS	U	NS	NS	U	NS	NS	3	U	NS	NS	U	NS	3	U	NS	3	U	3	U	NS	3	U	
	27-Oct-08	3	U	NS	3	U	NS	NS	3	U	NS	NS	U	NS	3	U	NS	3	U	3	U	NS	3	U	
	25-Nov-08	NS	U	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	3	U	3	U	NS	3	U	
	18-Dec-08	NS	U	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	3	U	NS	3	U	
	21-Jan-09	NS	U	NS	NS	U	NS	NS	3	U	NS	NS	U	NS	3	U	NS	3	U	3	U	NS	3	U	
	25-Feb-09	3	U	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	3	U	3	U	NS	3	U	
	26-Mar-09	NS	U	0.601	U	NS	NS	NS	NS	U	1.2	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	
	29-Apr-09	NS	U	NS	0.12	U	NS	NS	NS	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	
	22-Jul-09	0.601	U	NS	24	U	1.2	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	0.601	U	NS	0.601	U
	9-Oct-09	NS	U	0.12	U	NS	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	
	15-Jan-10	0.12	U	NS	0.12	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U
	21-Apr-10	NS	U	0.12	U	NS	NS	NS	0.601	U	NS	NS	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	NS	0.601	U
	16-Jul-10	0.12	U	NS	0.12	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	1.2	U	NS	1.2	U	
	15-Oct-10	NS	U	0.12	U	NS	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	
	26-Jan-11	1.2	U	0.12	U	NS	NS	NS	0.12	U	NS	NS	U	NS	0.601	U	NS	0.601	U	0.601	U	NS	0.601	U	
	28-Feb-11	NS	U	NS	1.2	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U
	27-Apr-11	NS	U	0.12	U	NS	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	
	26-Jul-11	0.401	U	NS	0.401	U	0.12	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	0.601	U	NS	0.601	U
	28-Oct-11	NS	U	3	U	NS	0.6	U	0.1	U	NS	0.6	U	0.6	U	NS	0.6	U	0.6	U	3	U	NS	3	U
	23-Jan-12	0.6	U	NS	0.6	U	NS	NS	0.6	U	NS	NS	U	NS	0.6	U	NS	0.6	U	7.5	U	NS	7.5	U	
	13-Apr-12	NS	U	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	0.6	U	NS	0.6	U	
	2-Jul-12 (resample)	NS	U	NS	NS	U	NS	NS	NS	U	0.6	U	NS	0.6	U	NS	0.6	U	NS	0.6	U	NS	0.6	U	
	23-Jun-12	0.6	U	NS	0.6	U	NS	NS	0.6	U	NS	NS	U	NS	0.6	U	NS	0.6	U	0.6	U	NS	0.6	U	
	1-Nov-12	NS	U	0.12	U	NS	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	1-Feb-13	0.12	U	NS	0.12	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	29-Apr-13	NS	U	0.3	U	NS	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	9-Jul-13	0.18	U	NS	0.12	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	18-Oct-13	NS	U	0.12	U	NS	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	9-Jan-14	0.12	U	NS	0.12	U	NS	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	24-Apr-14	NS	U	0.12	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	1-Aug-14	0.12	U	NS	NS	U	NS	NS	0.69	U	NS	NS	U	NS	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	
	27-Aug-14	NS	U																						

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.12	U	NS	0.12	U	NS	0.6	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	
	27-Mar-08	NS	U	NS	0.12	U	NS	1.18	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	
	25-Apr-08	NS	U	NS	0.12	U	NS	0.257	U	NS	0.12	U	NS	0.12	U	3.47	0.62	U	0.22	U	NS	0.12	U		
	29-May-08	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	
	27-Jun-08	0.187	U	NS	0.822	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.136	U	NS	0.12	U	0.12	U	0.12	U
	31-Jul-08	NS	U	NS	0.12	U	NS	3	U	NS	NS	U	NS	NS	U	3	U	0.12	U	0.12	U	NS	U		
	28-Aug-08	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	3	U	3	U	3	U	3	U	
	30-Sep-08	NS	U	NS	NS	U	NS	3	U	NS	NS	U	NS	NS	U	NS	3	U	3	U	3	U	3	U	
	27-Oct-08	3	U	NS	3	U	NS	NS	U	NS	3	U	NS	NS	U	NS	3	U	3	U	3	U	3	U	
	25-Nov-08	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	3	U	3	U	3	U	3	U	
	18-Dec-08	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	3	U	3	U	3	U
	21-Jan-09	NS	U	NS	NS	U	NS	3	U	NS	NS	U	NS	NS	U	NS	3	U	3	U	3	U	3	U	
	25-Feb-09	3	U	NS	NS	U	NS	NS	U	NS	3	U	NS	NS	U	NS	3	U	3	U	3	U	3	U	
	26-Mar-09	NS	U	0.601	U	NS	NS	NS	U	NS	1.2	U	NS	NS	U	NS	NS	U	0.12	U	0.12	U	0.12	U	
	29-Apr-09	NS	U	NS	0.12	U	NS	NS	U	NS	NS	U	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	22-Jul-09	0.601	U	NS	24.5	U	1.2	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	0.601	U	0.601	U	0.601	U	0.601	U
	9-Oct-09	NS	U	0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	25.1	U	0.12	U	0.12	U	
	15-Jan-10	0.12	U	NS	0.12	U	NS	NS	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	
	21-Apr-10	NS	U	0.12	U	NS	NS	0.601	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	0.601	U	0.601	U	0.601	U	
	16-Jul-10	0.595	U	NS	0.685	U	1.99	U	NS	0.907	U	NS	0.907	U	NS	0.907	U	0.132	U	0.162	U	0.162	U	0.162	U
	15-Oct-10	NS	U	0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	
	26-Jan-11	1.2	U	0.12	U	NS	NS	0.12	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	0.601	U	0.601	U	0.601	U	
	28-Feb-11	NS	U	NS	1.2	U	NS	NS	U	NS	0.42	U	NS	0.156	U	NS	0.156	U	0.12	U	0.12	U	0.12	U	
	27-Apr-11	NS	U	0.12	U	NS	NS	0.42	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	0.601	U	0.601	U	0.601	U	
	26-Jul-11	0.401	U	NS	0.401	U	0.12	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	0.601	U	0.601	U	0.601	U	0.601	U
	28-Oct-11	NS	U	3	U	NS	NS	3	U	NS	3	U	NS	3	U	NS	3	U	3	U	3	U	3	U	
	23-Jan-12	1.6	U	NS	1.8	U	NS	2.3	U	NS	1.6	U	NS	1.6	U	NS	1.6	U	1.9	U	2.7	U	2.7	U	
	13-Apr-12	NS	U	0.6	U	NS	NS	0.6	U	NS	0.6	U	NS	0.6	U	NS	0.6	U	0.6	U	0.6	U	0.6	U	
	2-Jul-12 (resample)	NS	U	NS	NS	U	NS	NS	U	NS	0.6	U	NS	0.6	U	NS	0.6	U	NS	0.6	U	NS	0.6	U	
	23-Jun-12	0.6	U	NS	0.6	U	NS	0.6	U	NS	2.6	U	NS	2.6	U	NS	2.6	U	2.2	U	0.18	U	0.18	U	
	1-Nov-12	NS	U	1.2	U	NS	NS	0.34	U	NS	0.56	U	NS	0.44	U	NS	0.56	U	0.17	U	0.12	U	0.12	U	
	1-Feb-13	0.18	U	NS	0.34	U	NS	0.56	U	NS	NS	U	NS	NS	U	NS	NS	U	0.12	U	0.14	U	0.14	U	
	29-Apr-13	NS	U	1.3	U	NS	NS	0.56	U	NS	4.5	U	NS	6.5	U	NS	6.5	U	0.12	U	0.12	U	0.12	U	
	9-Jul-13	1.3	U	NS	2.0	U	NS	3.9	U	NS	3.8	U	NS	3.8	U	NS	3.8	U	0.12	U	0.12	U	0.12	U	
	18-Oct-13	NS	U	0.52	U	NS	NS	1.4	U	NS	0.84	U	NS	2.6	U	NS	2.6	U	0.16	U	0.22	U	0.22	U	
	9-Jan-14	0.58	U	NS	0.9	U	NS	1.1	U	NS	0.84	U	NS	3.0	U	NS	3.0	U	4.1	U	NS	4.1	U	NS	
	24-Apr-14	NS	U	0.12	U	NS	NS	0.14	U	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.18	U	
	1-Aug-14	4.2	U	NS	4.8/6.7	U	NS	4.9/7.6	U	NS	NS	U	NS	NS	U	NS	NS	U	3.6	U	5.1/6.2				

**summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - January 2023**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	1.56	NS	NS	0.26	NS	NS	NS	9.5	7.91	NS
	27-Mar-08	NS	4.33	NS	8.48	NS	NS	NS	6.28	15.1	
	25-Apr-08	NS	NS	0.347	NS	32.3	NS	17.9	NS	16.3	
	29-May-08	NS	NS	5.5	NS	10	NS	9.41	4.18	NS	
	27-Jun-08	47.3	NS	38.1	NS	NS	NS	NS	40.8	57.9	
	31-Jul-08	NS	2.46	NS	NS	NS	NS	1.84	NS	2.04	
	28-Aug-08	NS	234	NS	NS	214	NS	229	208	NS	
	30-Sep-08	NS	7.2	NS	NS	3	U	NS	6.8	5.6	
	27-Oct-08	3	U	NS	NS	NS	NS	NS	3	U	3
	25-Nov-08	NS	3	U	NS	NS	U	NS	3	U	NS
	18-Dec-08	NS	NS	U	NS	4.7	NS	NS	10.3	17.1	
	21-Jan-09	NS	NS	U	NS	NS	U	NS	NS	27.2	
	25-Feb-09	3	U	NS	NS	NS	NS	NS	3	U	NS
	26-Mar-09	NS	5.43	NS	NS	NS	NS	NS	20.6	33	U
	29-Apr-09	NS	1.2	NS	NS	1.91	NS	NS	4.12	NS	4.25
	22-Jul-09	0.601	U	NS	1.2	0.601	U	NS	0.348	0.613	NS
	9-Oct-09	NS	3.31	NS	NS	2.79	NS	25.1	6.95	NS	3.82
	15-Jan-10	0.12	NS	1.06	0.715	NS	NS	NS	2	1.98	NS
	21-Apr-10	NS	0.12	U	NS	0.823	NS	NS	0.601	3.27	NS
	16-Jul-10	1.78	NS	2.3	NS	1.36	NS	NS	1.63	5.05	NS
	15-Oct-10	NS	0.685	NS	1.75	NS	1.37	1.48	1.8	NS	2.47
	26-Jan-11	1.2	U	0.12	U	0.601	U	NS	0.601	0.601	U
	28-Feb-11	NS	1.2	U	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.985	NS	1.08	NS	0.967	1.14	1.07	NS	1.24
	26-Jul-11	5.45	NS	5.21	0.715	NS	NS	NS	5.54	4.69	NS
	28-Oct-11	NS	3	U	NS	3	U	3	3	U	3
	23-Jan-12	0.6	U	NS	0.6	U	NS	NS	0.6	0.66	NS
	13-Apr-12	NS	0.6	U	NS	0.6	U	0.6	0.6	0.6	0.6
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	3	NS
	23-Jun-12	0.6	U	NS	0.6	U	NS	NS	0.6	U	0.6
	1-Nov-12	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	1-Feb-13	0.12	U	NS	0.12	U	NS	NS	0.12	U	0.12
	29-Apr-13	NS	0.3	U	NS	0.12	U	0.12	U	0.12	U
	9-Jul-13	0.18	U	NS	0.14	0.16	NS	NS	0.18	0.22	NS
	18-Oct-13	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	9-Jan-14	0.12	U	NS	0.12	U	NS	NS	0.14	0.12	U
	24-Apr-14	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	1-Aug-14	0.12	U	NS	0.18	U	NS	NS	0.12	U	0.12
	27-Aug-14	NS	NS	NS	NS	NS	NS	NS	NS	NS	
1,4-Dichlorobenzene	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	0.18	U	NS	NS
	22-Oct-14	NS	0.18	U	NS	0.18	U	0.18	U	0.18	U
	20-Jan-15	0.12	U	NS	0.120	U	0.12	U	NS	0.18	NS
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.14	U
	22-Apr-15	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	21-Jul-15	0.3	U	NS	1	U	6	U	0.3	0.3	U
23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.3	NS	NS
	29-Oct-15	NS	0.3	U	NS	0.3	U	0.5	U	0.3	U
4-Dec-15 resample	NS	0.3	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.12	U	NS	0.12	U	NS	NS	0.12	U	0.13
	20-Apr-16	NS	0.12	U	NS	0.52	NS	0.12	U	0.12	U
	20-Jul-16	0.60	U	NS	0.60	U	NS	0.60	U	0.60	U
	21-Oct-16	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12
	31-Jan-17	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U
	17-Apr-17	NS	0.18	U	NS	0.18	U	0.18	U	0.18	U
	26-Jul-17	0.12	U	NS	1.8	0.12	U	NS	0.12	U	0.12
	12-Oct-17	NS	0.12	U	NS	0.12	U	0.36	U	0.37	U
	10-Jan-18	0.12	U	NS	0.12	U	NS	NS	0.12	U	0.12
	11-Apr-18	NS	0.12	U	NS	1.2	U	1.2	U	0.12	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.18	U
	27-Jul-18	0.60	U	NS	0.60	U	NS	0.60	U	0.60	U
	24-Oct-18	NS	0.6	U	NS	0.6	U	0.6	U	0.60	U
	16-Jan-19	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U
	12-Apr-19	NS	0.12	U	NS	0.12	U	0.15	U	0.18	U
	29-Jul-19	0.18	U	NS	0.18	U	NS	NS	0.12	U	2.2
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	0.18	U
	29-Oct-19	NS	0.12	U	NS	0.29	NS	0.12	U	0.6 <sup>b</sup>	U
	21-Jan-20	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U
	22-Apr-20	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12
	23-Jul-20	0.12	U	NS	0.12	U	NS	0.24	U	0.24	U
	29-Oct-20	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12
	19-Jan-21	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U
	15-Apr-21	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12
	21-Jul-21	0.16	NS	0.12	U	0.12	U	0.23	NS	0.13	NS
	20-Oct-21	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12
	9-Feb-22	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U
	7-Apr-22	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12
	28-Jul-22	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U
	18-Oct-22	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12
	24-Jan-23	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	8-Feb-08	2	NS	2.29	NS	NS	2.03	NS	NS	1.92	2	NS
	27-Mar-08	NS	NS	NS	NS	NS	2.15	NS	NS	2.72	4.14	
	25-Apr-08	NS	NS	NS	2.01	NS	NS	2.11	NS	2.04	2.16	
	29-May-08	NS	NS	NS	1.63	NS	NS	NS	1.62	1.68	NS	
	27-Jun-08	2.03	NS	NS	NS	2.52	NS	NS	NS	NS	2.27	2.48
	31-Jul-08	NS	1.9	NS	NS	NS	NS	NS	NS	NS	1.87	
	28-Aug-08	NS	NS	3.13	NS	NS	NS	2.8	NS	2.75	2.88	
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	NS	2.5	U
	27-Oct-08	2.5	U	NS	NS	2.5	U	NS	NS	2.5	U	2.5
	25-Nov-08	NS	215	NS	NS	NS	11.7	NS	NS	2.5	U	5.1
	18-Dec-08	NS	NS	25	NS	NS	NS	2.5	NS	NS	2.5	U
	21-Jan-09	NS	NS	2.5	NS	NS	NS	5.8	NS	2.5	U	2.5
	25-Feb-09	2.5	U	NS	NS	19.4	NS	NS	NS	2.5	U	3.4
	26-Mar-09	NS	2.55	NS	NS	NS	2.48	NS	NS	NS	2.46	2.41
	29-Apr-09	NS	NS	2.41	NS	NS	3.78	NS	NS	2.26	NS	2.4
	22-Jul-09	2.42	NS	2.42	2.72	NS	2.5	NS	NS	2.37	2.48	NS
	9-Oct-09	NS	2.73	NS	NS	2.77	NS	3.67	NS	2.41	2.46	NS
	15-Jan-10	2.5	NS	3.57	2.52	NS	2.61	NS	NS	2.29	2.25	NS
	21-Apr-10	NS	0.568	NS	NS	2.2	NS	2.59	NS	2.2	2.64	2.43
	16-Jul-10	3.36	NS	2.61	2.55	NS	2.98	NS	NS	3.15	3.29	NS
	15-Oct-10	NS	3.13	NS	NS	2.67	NS	2.43	NS	2.41	2.46	2.43
	26-Jan-11	2.47	U	2.2	NS	2.64	NS	1.98	NS	2.57	3.31	3.24
	28-Feb-11	NS	NS	2.47	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.18	NS	NS	2.27	NS	2.26	NS	2.5	2.32	2.31
	26-Jul-11	2.41	NS	2.29	2.28	NS	2.08	NS	NS	2.44	2.3	NS
	28-Oct-11	NS	2.7	NS	NS	2.7	NS	2.7	2.7	2.9	NS	3.1
	23-Jan-12	2.5	NS	2.6	2.6	NS	2.7	NS	NS	2.6	2.6	NS
	13-Apr-12	NS	2.5	NS	NS	2.9	NS	2.4	3.2	2.5	NS	2.8
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.8	NS
	23-Jun-12	2.6	NS	2.3	2.5	NS	2.3	NS	NS	2.3	2.3	NS
	1-Nov-12	NS	1.8	NS	NS	1.8	NS	2	1.9	2	NS	1.9
	1-Feb-13	1.4	NS	1.4	1.5	NS	1.6	NS	NS	1.6	1.6	NS
	29-Apr-13	NS	2.6	NS	NS	2.3	NS	2.2	2.2	2.3	NS	2.3
	9-Jul-13	1	NS	1.1	0.99	NS	1.1	NS	NS	1.0	1.1	NS
	18-Oct-13	NS	2.0	NS	NS	1.9	NS	1.9	2.2	2.0	NS	2.1
	9-Jan-14	1.5	NS	1.2	1.3	NS	1.4	NS	NS	1.5	1.5	NS
	24-Apr-14	NS	2.7	NS	NS	2.6	NS	2.3	2.6	2.7	2.6	3.1
	1-Aug-14	1.1	NS	NS	NS	2.2/1.5	2.3/1.6	NS	NS	1.6	2.2/1.6	NS
	27-Aug-14	NS	NS	NS	NS	NS	2.9/3.3	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	2.3	NS	NS
	22-Oct-14	NS	1.3	NS	NS	1.4	1.4	1.4	1.6	1.4	1.4	NS
	20-Jan-15	0.099	U	NS	1.5	1.4	NS	1.4	NS	1.4	1.5	NS
	30-Mar-15 (resample)	NS	NS	4.0 v	NS	NS	4.1 v	NS	NS	NS	1.4	NS
	22-Apr-15	NS	NS	NS	NS	5	U	0.91	NS	1.7/2.0	1.8	2.0
	21-Jul-15	0.88	NS	1.6	5	NS	0.91	NS	NS	0.74 o	0.72 o	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.93	NS	NS
	29-Oct-15	NS	1	NS	NS	0.89	NS	0.88	NS	0.89	0.83	NS
	4-Dec-15 resample	NS	0.91	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2 <sup>m</sup>	NS	2 <sup>m</sup>	2.1 <sup>m</sup>	NS	2.1 <sup>m</sup>	NS	NS	2.2 <sup>m</sup>	2.1 <sup>m</sup>	NS
	20-Apr-16	NS	1.5	NS	NS	1.6	NS	1.5	1.7	1.6	NS	1.7
	20-Jul-16	1.4	NS	1.6	1.6	NS	1.6	NS	NS	1.5	1.5	NS
	21-Oct-16	NS	0.55	NS	NS	0.55	NS	0.58	0.56	0.51	NS	0.51
	31-Jan-17	0.75	NS	0.79	0.8	NS	0.75	NS	NS	0.78	0.86	NS
	17-Apr-17	NS	0.84	NS	NS	0.89	NS	0.91	0.96	0.86	NS	0.93
	26-Jul-17	1.8	NS	1.8	1.8	NS	1.7	NS	NS	1.8	1.8	NS
	12-Oct-17	NS	0.82	NS	NS	0.73	NS	1.3	1.2	1.4	NS	1.2
	10-Jan-18	0.66	NS	0.67	0.65	NS	0.63	NS	NS	0.63	NS	0.63
	11-Apr-18	NS	1.2	NS	NS	2.8	NS	2.7	2.7	1.1	NS	2.7
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	NS
	27-Jul-18	1.6	NS	1.7	1.6	NS	1.5	NS	NS	1.4	1.6	NS
	24-Oct-18	NS	1.7	NS	NS	1.2	NS	1.1	1.1	1.3	NS	1.2
	16-Jan-19	0.75	NS	0.78	0.75	NS	0.8	NS	NS	0.79	0.99	NS
	12-Apr-19	NS	0.84 <sup>lv</sup>	NS	NS	0.83 <sup>lv</sup>	NS	0.86 <sup>lv</sup>	0.79	0.8	NS	1.1
	29-Jul-19	0.15	U	NS	0.15	U	0.099	U	NS	0.099	U	0.099
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.5	NS
	29-Oct-19	NS	1.5	NS	NS	1.8	NS	1.6	1.5	2.6 <sup>d</sup>	3.4 <sup>d</sup>	2.8 <sup>d</sup>
	21-Jan-20	2.40	NS	2.40	0.10	U	NS	2.60	NS	0.73	2.50	NS
	22-Apr-20	NS	1.2	NS	NS	1.1	NS	1.1	1.1	1.1	NS	1.3
	23-Jul-20	0.099	U	NS	1.1	1.1	NS	0.2	U	0.099	U	0.2
	29-Oct-20	NS	0.099	U	NS	0.099	U	NS	0.099	U	0.099	0.099
	19-Jan-21	0.91	NS	0.99	0.099	U	0.96	NS	NS	0.99	U	1.1 <sup>f</sup>
	15-Apr-											

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual																						
	8-Feb-08	0.08	U	NS	U	NS	U	NS	U	0.08	U	NS	U	NS	U	NS	U	0.08	U	0.08	U	0.081	U	0.081	U
	27-Mar-08	NS		0.081	U	NS	U	NS	U	NS	U	0.081	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U	0.081	U
	25-Apr-08	NS		NS	U	NS	U	NS	U	0.08	U	NS	U	NS	U	0.08	U	0.08	U	0.08	U	NS	U	0.081	U
	29-May-08	NS		NS	U	NS	U	NS	U	0.081	U	NS	U	NS	U	0.08	U	0.08	U	0.08	U	NS	U	0.081	U
	27-Jun-08	0.126	U	NS	U	NS	U	NS	U	0.081	U	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U	0.081	U
	31-Jul-08	NS		0.081	U	NS	U	0.081	U	0.081	U	0.081	U	0.081	U										
	28-Aug-08	NS		NS	U	NS	U	NS	U	2	U	NS	U	NS	U	NS	U	2	U	2	U	NS	U	2	U
	27-Oct-08	NS		NS	U	NS	U	NS	U	2	U	NS	U	NS	U	NS	U	2	U	2	U	NS	U	2	U
	27-Oct-08	2	U	NS	U	NS	U	NS	U	2	U	NS	U	2	U	NS	U	2	U	2	U	NS	U	2	U
	25-Nov-08	NS		2	U	NS	U	2	U	2	U	NS	U	2	U										
	18-Dec-08	NS		NS	U	2	U	2	U	2	U														
	21-Jan-09	NS		NS	U	NS	U	NS	U	2	U	NS	U	NS	U	NS	U	2	U	2	U	NS	U	2	U
	25-Feb-09	2	U	NS	U	NS	U	NS	U	NS	U	2	U	NS	U	NS	U	2	U	2	U	NS	U	2	U
	26-Mar-09	NS		0.404	U	NS	U	NS	U	NS	U	0.809	U	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U
	29-Apr-09	NS		NS	U	0.19	U	NS	U	NS	U	0.404	U	NS	U	0.121	U	NS	U	0.081	U	0.081	U	0.081	U
	22-Jul-09	0.404	U	NS	U	16.5	U	0.801	U	NS	U	0.404	U	NS	U	0.081	U								
	9-Oct-09	NS		0.081	U	NS	U	NS	U	0.081	U	NS	U	0.081	U	16.9	U	NS	U	0.081	U	0.081	U	0.081	U
	15-Jan-10	0.137	U	NS	U	0.081	U	0.801	U	NS	U	0.081	U	NS	U	0.081	U								
	21-Apr-10	NS		0.081	U	NS	U	NS	U	0.404	U	NS	U	0.404	U	NS	U	0.404	U	0.081	U	0.081	U	0.081	U
	16-Jul-10	0.081	U	NS	U	2.48	U	0.081	U	NS	U	0.611	U	NS	U	0.081	U								
	15-Oct-10	NS		0.081	U	NS	U	NS	U	0.081	U	NS	U	0.081	U										
	26-Jan-11	0.809	U	0.081	U	NS	U	NS	U	0.809	U	NS	U	7.37	U	NS	U	0.404	U	0.404	U	0.404	U	0.404	U
	28-Feb-11	NS		NS	U																				
	27-Apr-11	NS		0.081	U	NS	U	NS	U	0.081	U	NS	U	0.081	U										
	26-Jul-11	0.27	U	NS	U	0.27	U	0.081	U	NS	U	0.405	U	NS	U	0.081	U	0.081	U	0.081	U	0.405	U	0.405	U
	28-Oct-11	NS		2	U	NS	U	0.4	U	NS	U	2	U	NS	U	2	U	2	U	2	U	NS	U	2	U
	23-Jan-12	0.4	U	NS	U	0.4	U	0.4	U	NS	U	0.4	U	NS	U	0.4	U								
	13-Apr-12	NS		0.2	U	NS	U	NS	U	0.2	U	NS	U	0.2	U	NS	U	0.2	U	0.2	U	NS	U	0.2	U
	2-Jul-12 (resample)	NS		NS	U	1	U	NS	U	NS	U														
	23-Jun-12	0.4	U	NS	U	0.4	U	0.4	U	NS	U	0.4	U												
	1-Nov-12	NS		0.04	U	NS	U	0.04	U	NS	U	0.04	U	NS	U	0.04	U	0.04	U	0.04	U	NS	U	0.04	U
	1-Feb-13	0.04	U	NS	U	0.04	U	0.04	U	NS	U	0.04	U												
	29-Apr-13	NS		0.2	U	NS	U	NS	U	0.081	U	NS	U	0.081	U	NS	U	0.081	U	0.081	U	NS	U	0.081	U
	9-Jul-13	0.061	U	NS	U	0.040	U	0.040	U	0.040	U	0.040	U												
	18-Oct-13	NS		0.081	U	NS	U	NS	U	0.081	U	NS	U	0.081	U	NS	U	0.081	U	0.081	U	NS	U	0.081	U
	9-Jan-14	0.081	U	NS	U	0.081	U	0.081	U	NS	U	0.081	U												
	24-Apr-14	NS		0.04	U	NS	U	NS	U	0.04	U	NS	U	0.04	U	NS	U	0.04	U	0.04	U	0.04	U	0.12	U</td

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Feb-08	0.08	U	NS	U	NS	U	NS	U	0.08	U	NS	NS	U	NS	U	NS	U	0.09	U	0.08	U	NS	U
	27-Mar-08	NS		0.081	U	NS	U	NS	U	NS	U	0.143		U	NS	U	NS	U	0.081	U	0.081	U	0.1	U
	25-Apr-08	NS		NS	U	NS	U	NS	U	0.09	U	NS	NS	U	NS	U	0.11	U	0.08	U	0.08	U	NS	U
	29-May-08	NS		NS	U	NS	U	NS	U	0.153	U	NS	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U
	27-Jun-08	0.126	U	NS	U	NS	U	NS	U	NS	U	NS	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U
	31-Jul-08	NS		0.081	U	NS	U	NS	U	0.171	U	NS	NS	U	NS	U	NS	U	0.081	U	0.081	U	NS	U
	28-Aug-08	NS		NS	U	NS	U	NS	U	0.08	U	NS	NS	U	NS	U	NS	U	0.08	U	0.08	U	0.08	U
	27-Oct-08	NS		NS	U	NS	U	NS	U	0.08	U	NS	NS	U	NS	U	NS	U	0.08	U	0.08	U	0.095	U
	27-Oct-08	0.08	U	NS	U	NS	U	NS	U	0.08	U	NS	NS	U	NS	U	NS	U	0.08	U	0.08	U	0.095	U
	25-Nov-08	NS		0.08	U	NS	U	NS	U	NS	U	0.08	U	NS	U	NS	U	NS	U	0.08	U	0.08	U	NS
	18-Dec-08	NS		NS	U	NS	U	NS	U	0.08	U	NS	NS	U	NS	U	NS	U	0.08	U	0.08	U	0.08	U
	21-Jan-09	NS		NS	U	NS	U	NS	U	0.08	U	NS	NS	U	NS	U	NS	U	0.08	U	0.08	U	0.08	U
	25-Feb-09	0.08	U	NS	U	NS	U	NS	U	0.08	U	NS	NS	U	NS	U	NS	U	0.08	U	0.08	U	NS	U
	26-Mar-09	NS		0.404	U	NS	U	NS	U	0.319	U	NS	NS	U	NS	U	NS	U	NS	U	0.098	U	0.133	U
	29-Apr-09	NS		NS	U	NS	U	NS	U	16.5	U	0.809	U	NS	0.809	U	NS	U	0.081	U	0.081	U	0.089	U
	22-Jul-09	0.404	U	NS	U	NS	U	NS	U	0.809	U	NS	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U
	9-Oct-09	NS		0.081	U	NS	U	NS	U	0.081	U	NS	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U
	15-Jan-10	0.081	U	NS	U	NS	U	NS	U	0.081	U	NS	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U
	21-Apr-10	NS		0.081	U	NS	U	NS	U	0.081	U	NS	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U
	16-Jul-10	0.101		NS	U	NS	U	NS	U	1.44	U	0.081	U	NS	0.611	U	NS	U	0.081	U	0.081	U	0.081	U
	15-Oct-10	NS		0.081	U	NS	U	NS	U	0.081	U	NS	NS	U	NS	U	NS	U	0.081	U	0.081	U	0.081	U
	26-Jan-11	0.809	U	0.081	U	NS	U	NS	U	0.081	U	NS	NS	U	NS	U	NS	U	0.404	U	0.404	U	0.404	U
	28-Feb-11	NS		NS	U	NS	U	NS	U	0.809	U	NS	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
	27-Apr-11	NS		0.081	U	NS	U	NS	U	0.081	U	NS	NS	U	NS	U	0.081	U	0.081	U	0.081	U	0.081	U
	26-Jul-11	0.27	U	NS	U	NS	U	NS	U	0.27	U	0.101	U	NS	0.405	U	NS	U	NS	U	0.081	U	0.405	U
	28-Oct-11	NS		2	U	NS	U	NS	U	2	U	NS	2	U	2	U	2	U	2	U	2	U	2	U
	23-Jan-12	0.2	U	NS	U	NS	U	NS	U	0.2	U	NS	0.2	U	NS	U	NS	U	0.2	U	0.2	U	0.97	U
	13-Apr-12	NS		0.2	U	NS	U	NS	U	NS	U	NS	NS	U	NS	U	NS	U	0.2	U	0.2	U	0.2	U
	2-Jul-12 (resample)	NS		NS	U	NS	U	NS	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	1	U	NS	U
	23-Jun-12	0.4	U	NS	U	NS	U	NS	U	0.4	U	NS	0.4	U	NS	U	NS	U	0.4	U	0.4	U	0.4	U
	1-Nov-12	NS		0.04	U	NS	U	NS	U	0.04	U	NS	0.04	U	NS	U	0.04	U	0.04	U	0.04	U	0.057	U
	1-Feb-13	0.053		NS	U	NS	U	NS	U	0.062	U	NS	0.05	U	NS	U	NS	U	0.066	U	0.049	U	0.094	U
	29-Apr-13	NS		0.19	U	NS	U	NS	U	0.06	U	NS	0.04	U	NS	U	0.079	U	0.079	U	0.079	U	0.094	U
	9-Jul-13	0.12	U	NS	U	NS	U	NS	U	0.081	U	NS	0.081	U	NS	U	NS	U	0.092	U	0.081	U	0.081	U
	18-Oct-13	NS		0.081	U	NS	U	NS	U	0.081	U	NS	0.081	U	NS	U	0.081	U	0.081	U	0.081	U	0.081	U
	9-Jan-14	0.081	U	NS	U	NS	U	NS	U	0.040	U	NS	0.040	U	NS	U	NS	U	0.081	U	0.040	U	NS	U
	24-Apr-14	NS		0.04	U	NS	U	NS	U	0.170	U	0.061	U	NS	0.04	U	NS	U	0.04	U	0.04	U	0.040	U
	1-Aug-14	0.040	U	NS	U	NS	U	NS	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	0.04	U	NS	U
	27-Aug-14	NS		NS	U	NS	U	NS	U	NS	U	NS	NS											

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	0.08	U	NS	NS	NS	NS	0.08	U	NS	0.079	U	NS	0.079	U	NS	0.08	U	0.08	U	0.079	U	NS	
	27-Mar-08	NS		0.079	U	NS	NS	NS		NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	U	
	25-Apr-08	NS		NS	NS	NS	NS	0.08	U	NS	NS	U	NS	0.08	U	NS	0.08	U	0.08	U	0.08	U	NS	
	29-May-08	NS		NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	U	
	27-Jun-08	0.123	U	NS	NS	NS	NS	0.079	U	NS	NS	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U	U	
	31-Jul-08	NS		0.079	U	NS	NS	NS		NS	NS	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U	U	
	28-Aug-08	NS		NS	NS	NS	NS	2	U	NS	NS	U	NS	0.079	U	NS	2	U	NS	2	U	2	U	
	30-Sep-08	NS		NS	NS	NS	NS	2	U	NS	NS	U	NS	2	U	NS	2	U	NS	2	U	2	U	
	27-Oct-08	2	U	NS	2	U	NS	NS		NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	2	U	
	25-Nov-08	NS		2	U	NS	NS	NS		NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	NS	U	
	18-Dec-08	NS		NS	2	U	NS	NS		NS	NS	U	NS	2	U	NS	2	U	NS	2	U	2	U	
	21-Jan-09	NS		NS	NS	2	U	NS		NS	NS	U	NS	2	U	NS	2	U	NS	2	U	2	U	
	25-Feb-09	2	U	NS	NS	NS	NS	NS		NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	NS	U	
	26-Mar-09	NS		0.396	U	NS	NS	NS		NS	0.792	U	NS	0.79	U	NS	NS	NS	0.079	U	0.079	U	0.079	U
	29-Apr-09	NS		NS	0.079	U	NS	16.2	U	0.792	U	NS	0.396	U	NS	0.79	U	16.5	U	0.79	U	0.79	U	
	22-Jul-09	0.396	U	NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.396	U	NS	NS	NS	0.079	U	0.079	U	0.079	U
	9-Oct-09	NS		0.079	U	NS	NS	NS		NS	0.079	U	NS	0.079	U	NS	NS	NS	0.079	U	0.079	U	0.079	U
	15-Jan-10	0.137	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	0.079	U
	21-Apr-10	NS		0.079	U	NS	NS	NS		NS	0.396	U	NS	0.396	U	NS	0.079	U	0.079	U	0.079	U	0.079	U
	16-Jul-10	0.079	U	NS	NS	NS	NS	0.206	U	0.079	U	NS	0.598	U	NS	0.079	U	0.079	U	0.079	U	0.079	U	
	15-Oct-10	NS		0.079	U	NS	NS	NS		NS	0.079	U	NS	0.079	U	NS	3.96	U	0.396	U	0.396	U	NS	U
	26-Jan-11	0.792	U	0.079	U	NS	NS	0.792	U	NS	NS	U	NS	NS	U	NS	U							
	28-Feb-11	NS		NS	NS	NS	NS	0.792	U	NS	NS	U	NS	NS	U	NS	U							
	27-Apr-11	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	0.079	U
	26-Jul-11	0.264	U	NS	NS	NS	NS	0.264	U	0.079	U	NS	0.396	U	NS	NS	NS	0.079	U	0.396	U	0.396	U	NS
	28-Oct-11	NS		2	U	NS	NS	0.4	U	NS	2	U	NS	2	U	NS	2	U	2	U	2	U	2	U
	23-Jan-12	0.4	U	NS	NS	NS	NS	0.4	U	NS	0.4	U	NS	0.4	U	NS	NS	NS	0.4	U	0.4	U	0.4	U
	13-Apr-12	NS		0.2	U	NS	NS	NS		NS	0.2	U	NS	0.2	U	NS	0.2	U	0.2	U	0.2	U	0.2	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	U	NS	NS	U	NS	U							
	23-Jun-12	0.4	U	NS	NS	NS	NS	0.4	U	NS	0.4	U	NS	0.4	U	NS	NS	NS	0.4	U	0.4	U	0.4	U
	1-Nov-12	NS		0.04	U	NS	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.04	U
	1-Feb-13	0.04	U	NS	NS	NS	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	NS	NS	0.04	U	0.04	U	0.04	U
	29-Apr-13	NS		0.099	U	NS	NS	NS		NS	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.04	U
	9-Jul-13	0.059	U	NS	NS	NS	NS	0.040	U	0.040	U	NS	0.040	U	NS	NS	NS	0.040	U	0.040	U	0.040	U	
	18-Oct-13	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	0.079	U
	9-Jan-14	0.079	U	NS	NS	NS	NS	0.081	U	0.079	U	NS	0.079	U	NS	NS	NS	0.079	U	0.079	U	0.079	U	
	24-Apr-14	NS		0.04	U	NS	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.12	U
	1-Aug-14	0.079	U	NS	NS	NS	NS	0.120	U	0.420	U	NS	NS	0.420	U	NS	NS	NS	0.079	U	0.079	U	0.079	U
	27-Aug-14	NS		NS	NS	NS	NS	NS		NS	NS		NS	NS		NS	U							
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	U	NS	NS	U	NS	U							
	22-Oct-14	NS		0.059	U	NS	NS	NS	</td															

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual			
	8-Feb-08	0.08	U	NS	0.079	U	NS	NS	0.08	U	NS	0.079	U	NS	0.079	U	NS	0.08	U	0.08	U	0.079	U	NS	0.079	
	27-Mar-08	NS		NS	0.079	U	NS	NS	NS	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	U		
	25-Apr-08	NS		NS	NS	U	NS	NS	0.08	U	NS	NS	U	NS	0.08	U	NS	0.08	U	0.08	U	0.08	U	NS	0.079	
	29-May-08	NS		NS	NS	U	NS	NS	0.079	U	NS	NS	U	NS	0.08	U	NS	0.079	U	0.079	U	0.079	U	U		
	27-Jun-08	0.123	U	NS	0.079	U	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	U		
	31-Jul-08	NS		NS	0.079	U	NS	NS	NS	U	NS	NS	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	U		
	28-Aug-08	NS		NS	0.079	U	NS	NS	5.9	U	NS	NS	U	NS	5.9	U	NS	0.079	U	0.079	U	0.079	U	NS	0.079	
	30-Sep-08	NS		NS	NS	U	NS	NS	2	U	NS	NS	U	NS	2	U	NS	2	U	NS	2	U	NS	2	U	
	27-Oct-08	2	U	NS	2	U	NS	NS	NS	U	NS	2	U	NS	2	U	NS	2	U	NS	2	U	NS	2	U	
	25-Nov-08	NS		NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U										
	18-Dec-08	NS		NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U										
	21-Jan-09	NS		NS	NS	U	NS	NS	2	U	NS	NS	U	NS	2	U	NS	2	U	NS	2	U	NS	2	U	
	25-Feb-09	2	U	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	2	U	2	U	2	U	NS	U	
	26-Mar-09	NS		0.396	U	NS	NS	NS	NS	U	NS	0.792	U	NS	0.079	U	NS	NS	U	0.079	U	0.079	U	0.079	U	
	29-Apr-09	NS		NS	0.079	U	NS	NS	595	U	NS	NS	U	NS	0.396	U	NS	0.079	U	0.079	U	0.079	U	0.079	U	
	22-Jul-09	0.396	U	NS	NS	U	NS	NS	0.792	U	NS	NS	U	NS	0.598	U	NS	0.079	U	0.079	U	0.079	U	0.079	U	
	9-Oct-09	NS		0.079	U	NS	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	16.5	U	0.079	U	0.079	U	0.079	U		
	15-Jan-10	0.079	U	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079	U	0.079	U										
	21-Apr-10	NS		0.079	U	NS	NS	NS	0.396	U	NS	0.396	U	NS	0.396	U	NS	0.079	U	0.079	U	0.079	U	0.079	U	
	16-Jul-10	0.079	U	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079	U	0.079	U										
	15-Oct-10	NS		0.079	U	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	U										
	26-Jan-11	0.792	U	0.079	U	NS	NS	NS	0.079	U	NS	0.396	U	NS	0.396	U	NS	0.396	U	0.396	U	0.396	U	0.396	U	
	28-Feb-11	NS		NS	0.792	U	NS	NS	NS	U	NS	NS	U	NS	NS	U										
	27-Apr-11	NS		0.079	U	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	U										
	26-Jul-11	0.264	U	NS	0.264	U	NS	NS	0.079	U	NS	0.396	U	NS	0.396	U	NS	0.396	U	0.396	U	0.396	U	0.396	U	
	28-Oct-11	NS		2	U	NS	0.4	U	NS	2	U	NS	2	U	NS	2	U	2	U	2	U	2	U	2	U	
	23-Jan-12	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.4	U	0.4	U
	13-Apr-12	NS		0.2	U	NS	NS	NS	0.2	U	NS	NS	U	NS	NS	U	NS	0.2	U	0.2	U	0.2	U	0.2	U	
	2-Jul-12 (resample)	NS		NS	NS	U	NS	NS	0.040	U	NS	0.040	U	NS	0.054	U	NS	NS	U	0.99	U	0.99	U	0.99	U	
	23-Jun-12	0.4	U	NS	0.4	U	NS	NS	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.4	U	0.4	U	0.4	U	0.4	U	
	1-Nov-12	NS		0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.040	U	0.040	U	0.04	U	
	1-Feb-13	0.04	U	NS	0.04	U	NS	NS	0.120	U	NS	0.120	U	NS	0.120	U	NS	0.04	U	0.040	U	0.040	U	0.04	U	
	29-Apr-13	NS		0.2	U	NS	NS	NS	0.040	U	0.040	U	0.040	U	0.040	U										
	9-Jul-13	0.059	U	NS	0.040	U	NS	NS	0.040	U	0.040	U	0.040	U	0.040	U										
	18-Oct-13	NS		0.079	U	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	U										
	9-Jan-14	0.079	U	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079	U	0.079	U										
	24-Apr-14	NS		0.04	U	NS</																				

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.08	U	NS	NS	NS	NS	0.08	U	NS	0.079	U	NS	0.079	U	NS	0.08	U	0.08	U	0.079	U	NS
	27-Mar-08	NS	0.079	U	NS	NS	NS	NS	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	U
	25-Apr-08	NS	NS	NS	NS	NS	NS	0.08	U	NS	NS	U	NS	0.08	U	NS	0.08	U	0.08	U	0.08	U	NS
	29-May-08	NS	U	NS	NS	U	NS	0.08	U	NS	0.08	U	0.08	U	0.08	U	NS						
	27-Jun-08	0.123	U	NS	NS	NS	NS	0.079	U	NS	NS	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U	U
	31-Jul-08	NS	0.079	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U	U
	28-Aug-08	NS	NS	NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	NS
	30-Sep-08	NS	NS	NS	NS	NS	NS	2	U	NS	NS	U	NS	2	U	NS	2	U	2	U	2	U	U
	27-Oct-08	2	U	NS	NS	NS	NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	2	U	2	U	U
	25-Nov-08	NS	2	U	NS	NS	NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	2	U	2	U	NS
	18-Dec-08	NS	U	NS	NS	U	NS	2	U	NS	2	U	2	U	2	U	U						
	21-Jan-09	NS	NS	NS	NS	NS	NS	2	U	NS	NS	U	NS	2	U	NS	2	U	2	U	2	U	U
	25-Feb-09	2	U	NS	NS	NS	NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	2	U	2	U	NS
	26-Mar-09	NS	0.396	U	NS	NS	NS	NS	U	NS	0.792	U	NS	0.079	U	NS	NS	U	0.079	U	0.079	U	U
	29-Apr-09	NS	NS	NS	0.079	U	NS	NS	U	NS	NS	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	U
	22-Jul-09	0.396	U	NS	NS	0.396	U	0.792	U	NS	0.396	U	NS	0.079	U	16.5	U	0.079	U	0.079	U	0.079	U
	9-Oct-09	NS	0.079	U	NS	NS	NS	0.079	U	NS	NS	U	0.079	U	NS	NS	NS	NS	U	0.079	U	0.079	U
	15-Jan-10	0.079	NS	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	NS
	21-Apr-10	NS	0.079	U	NS	NS	NS	0.396	U	NS	3.96	U	NS	0.396	U	0.079	U	0.079	U	0.079	U	0.079	U
	16-Jul-10	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.598	U	NS	0.079	U								
	15-Oct-10	NS	0.079	U	NS	NS	NS	0.079	U	NS	0.36	U	NS	0.36	U	0.079	U	0.079	U	0.079	U	0.079	U
	26-Jan-11	0.792	U	0.079	U	NS	0.792	U	NS	0.079	U	NS	0.079	U	NS								
	28-Feb-11	NS	NS	NS	0.792	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	0.079	U	0.079	U	0.079
	27-Apr-11	NS	0.079	U	NS	NS	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	U
	26-Jul-11	0.264	U	NS	0.264	U	0.079	U	NS	0.396	U	NS	0.396	U	NS	0.396	U	0.079	U	0.396	U	0.396	U
	28-Oct-11	NS	2	U	NS	0.4	U	NS	2	U	NS	2	U	NS	2	U	2	U	2	U	2	U	U
	23-Jan-12	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	NS
	13-Apr-12	NS	0.2	U	NS	NS	NS	0.2	U	NS	0.2	U	NS	0.2	U	NS	0.2	U	0.2	U	0.2	U	0.2
	2-Jul-12 (resample)	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	0.99	U	0.99	U	NS						
	23-Jun-12	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	NS
	1-Nov-12	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.040	U	0.040	U	0.04
	1-Feb-13	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.040	U	0.040	U	NS
	29-Apr-13	NS	0.099	U	NS	NS	NS	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	0.040	U	0.040	U	0.04
	9-Jul-13	0.059	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	0.040	U	0.040	U	NS
	18-Oct-13	NS	0.079	U	NS	NS	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	0.079
	9-Jan-14	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	NS
	24-Apr-14	NS	0.04	U	NS	NS	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.040	U	0.040	U	0.12
	1-Aug-14	0.079	U	NS	0.120	U	NS	0.120	U	NS	0.120	U	NS	0.120	U	NS	0.120	U	0.079	U	0.079	U	NS
	27-Aug-14	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS						
trans-1,2-Dichloroethene*	12-Sep-14 (resample)	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS						
</td																							

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.09	U	NS	0.092	U	NS	0.09	U	NS	0.092	U	NS	0.092	U	NS	0.09	U	0.09	U	0.092	U	
	27-Mar-08	NS		NS	NS		NS	NS		NS	NS		NS	NS		NS	NS		NS	NS	NS	NS	
	25-Apr-08	NS		NS	NS		NS	0.09	U	NS	NS		NS	NS		0.09	U	0.09	U	0.09	U	0.092	U
	29-May-08	NS		NS	NS		NS	NS	0.092	U	NS	NS		NS	NS		0.09	U	0.09	U	0.09	U	
	27-Jun-08	0.144	U	NS	0.092	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.092	U	0.092	U	0.092	U	
	31-Jul-08	NS		NS	0.092	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.092	U	0.092	U	0.092	U	
	28-Aug-08	NS		NS	0.092	U	NS	0.09	U	NS	NS	U	NS	NS	U	NS	0.092	U	0.092	U	0.09	U	
	30-Sep-08	NS		NS	NS		NS	NS	0.09	U	NS	NS		NS	NS		0.09	U	0.09	U	0.09	U	
	27-Oct-08	0.09	U	NS	0.09	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.09	U	0.09	U	0.09	U	
	25-Nov-08	NS		NS	0.09	U	NS	NS	U	NS	0.09	U	NS	NS	U	NS	0.09	U	0.09	U	0.09	U	
	18-Dec-08	NS		NS	0.09	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.09	U	0.09	U	0.09	U	
	21-Jan-09	NS		NS	NS		NS	0.09	U	NS	NS	U	NS	NS	U	NS	0.09	U	0.09	U	0.09	U	
	25-Feb-09	0.09	U	NS	NS		NS	NS	U	NS	0.09	U	NS	NS	U	NS	0.09	U	0.09	U	0.092	U	
	26-Mar-09	NS		0.462	U	NS	NS	NS	U	NS	0.924	U	NS	NS	U	NS	NS	U	0.092	U	0.092	U	
	29-Apr-09	NS		NS	0.092	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.092	U	0.092	U	0.092	U	
	22-Jul-09	0.462	U	NS	18.8	U	0.924	U	NS	0.092	U	NS	0.462	U	NS	0.092	U	19.3	U	0.092	U	0.092	U
	9-Oct-09	NS		0.092	U	NS	NS	NS	U	NS	0.092	U	NS	0.462	U	NS	0.092	U	0.092	U	0.092	U	
	15-Jan-10	0.092	U	NS	0.092	U	NS	NS	U	NS	0.092	U	NS	0.462	U	NS	0.092	U	0.092	U	0.092	U	
	21-Apr-10	NS		0.092	U	NS	NS	NS	U	NS	0.462	U	NS	0.462	U	NS	0.092	U	0.092	U	0.092	U	
	16-Jul-10	0.092	U	NS	0.092	U	NS	NS	U	NS	0.698	U	NS	NS	U	NS	0.092	U	0.092	U	0.092	U	
	15-Oct-10	NS		0.092	U	NS	NS	NS	U	NS	0.092	U	NS	0.462	U	NS	0.092	U	0.092	U	0.092	U	
	26-Jan-11	0.924	U	0.092	U	NS	NS	0.092	U	NS	0.462	U	NS	0.462	U	NS	0.462	U	0.462	U	0.462	U	
	28-Feb-11	NS		NS	0.924	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	NS	U	
	27-Apr-11	NS		0.092	U	NS	NS	NS	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	
	26-Jul-11	0.308	U	NS	0.308	U	0.092	U	NS	0.462	U	NS	NS	U	NS	0.092	U	0.462	U	0.462	U	0.462	U
	28-Oct-11	NS		2.3	U	NS	NS	2.3	U	NS	2.3	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U	
	23-Jan-12	0.23	U	NS	0.23	U	NS	0.23	U	NS	0.23	U	NS	0.23	U	NS	0.23	U	0.23	U	0.23	U	
	13-Apr-12	NS		0.46	U	NS	NS	0.46	U	NS	0.46	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	
	2-Jul-12 (resample)	NS		NS	NS		NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	1.2	U	NS	NS	
	23-Jun-12	0.46	U	NS	0.46	U	NS	0.46	U	NS	0.46	U	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U	
	1-Nov-12	NS		0.046	U	NS	NS	0.046	U	NS	0.046	U	NS	0.046	U	NS	0.046	U	0.046	U	0.046	U	
	1-Feb-13	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	
	29-Apr-13	NS		0.12	U	NS	NS	NS	U	NS	0.046	U	NS	0.046	U	NS	0.046	U	0.046	U	0.046	U	
	9-Jul-13	0.14	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	
	18-Oct-13	NS		0.092	U	NS	NS	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	
	9-Jan-14	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	NS	0.092	U	0.092	U	0.092	U	
	24-Apr-14	NS		0.046 <sup>L-v</sup>	U	NS	NS	0.14	U	NS	0.046 <sup>L-v</sup>	U	NS	0.046 <sup>L-v</sup>	U	NS	0.046 <sup>L-v</sup>	U	0.046 <sup>L-v</sup>	U	0.046 <sup>L-v</sup>	U	
	1-Aug-14	0.092	U	NS	0.14	U	NS	0.14	U	NS	0.14	U	NS	0.14	U	NS	0.14	U	0.092	U	0.092	U	
	27-Aug-14	NS		NS	NS		NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	NS	U	
1,2-Dichloropropane	12-Sep-14 (resample)	NS		NS	NS		NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	NS	U	
	22-Oct-14	NS		0.069	U	NS	NS	0.069	U	NS	0.069	U	NS	0.069	U	NS	0.069	U	0.069	U	0.069	U	
	20-Jan-15	0.046	U	NS	0.046	U	NS	0.046	U	NS	0.046	U											

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.09	U	NS	NS	NS	NS	NS	0.09	U	NS	NS	U	NS	NS	0.09	U	0.09	U	0.09	U	NS	U
	27-Mar-08	NS		0.091	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	25-Apr-08	NS		NS	U	NS	NS	NS	0.09	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	29-May-08	NS		NS	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	27-Jun-08	0.141	U	NS	0.091	U	NS	NS	0.091	U	NS	NS	U	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	31-Jul-08	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	28-Aug-08	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	0.18	U	0.18	U	0.18	U	
	27-Oct-08	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	0.18	U	0.18	U	0.18	U	
	27-Oct-08	0.18	U	NS	0.18	U	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	0.18	U	0.18	U	0.18	U	
	25-Nov-08	NS		NS	U	NS	NS	NS	NS	U	NS	NS	U	NS	0.18	U	0.18	U	0.18	U	0.18	U	
	18-Dec-08	NS		NS	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	0.18	U	0.18	U	0.18	U	0.18	U
	21-Jan-09	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	0.18	U	0.18	U	0.18	U	
	25-Feb-09	0.18	U	NS	0.453	U	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	0.18	U	0.18	U	0.18	U	
	26-Mar-09	NS		NS	0.091	U	NS	NS	0.907	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	29-Apr-09	NS		NS	0.091	U	NS	NS	0.453	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	22-Jul-09	0.453	U	NS	18.5	U	0.907	U	NS	0.453	U	NS	U	NS	18.9	U	0.091	U	0.091	U	0.091	U	
	9-Oct-09	NS		0.091	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	15-Jan-10	0.091	U	NS	0.091	U	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	21-Apr-10	NS		0.091	U	NS	NS	NS	0.453	U	NS	NS	U	NS	0.453	U	0.091	U	0.091	U	0.091	U	
	16-Jul-10	0.091	U	NS	0.091	U	NS	NS	0.685	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	15-Oct-10	NS		0.091	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	26-Jan-11	0.907	U	0.091	U	NS	NS	NS	0.453	U	NS	NS	U	NS	0.453	U	0.453	U	0.453	U	0.453	U	
	28-Feb-11	NS		NS	0.907	U	NS	NS	NS	U	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.091	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	NS	0.454	U	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	28-Oct-11	NS		2.3	U	NS	NS	NS	2.3	U	NS	NS	U	NS	2.3	U	2.3	U	2.3	U	2.3	U	
	23-Jan-12	0.45	U	NS	0.45	U	NS	NS	0.45	U	NS	NS	U	NS	0.45	U	0.45	U	0.45	U	0.45	U	
	13-Apr-12	NS		0.2	U	NS	NS	NS	0.23	U	NS	NS	U	NS	0.23	U	0.23	U	0.23	U	0.23	U	
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	U	1.1	U	NS	NS	NS	U	
	23-Jun-12	0.45	U	NS	0.45	U	NS	NS	0.45	U	NS	NS	U	NS	0.45	U	0.45	U	0.45	U	0.45	U	
	1-Nov-12	NS		0.045	U	NS	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	1-Feb-13	0.045	U	NS	0.045	U	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	29-Apr-13	NS		0.11	U	NS	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	9-Jul-13	0.068	U	NS	0.045	U	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	18-Oct-13	NS		0.091	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	9-Jan-14	0.091	U	NS	0.091	U	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	24-Apr-14	NS		0.045	U	NS	NS	NS	0.14	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	1-Aug-14	0.091	U	NS	0.14	U	NS	NS	0.14	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	27-Aug-14	NS		NS	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	
cis-1,3-Dichloropropene	12-Sep-14 (resample)	NS		NS	U	NS	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	22-Oct-14	NS		0.068	U	NS	NS	NS	0.068	U	NS	NS	U	NS	0.068	U	0.068	U	0.068	U	0.068	U	
	20-Jan-15	0.045	U	NS	0.045	U																	

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.09	U	NS	NS	NS	NS	NS	0.09	U	NS	NS	U	NS	NS	0.09	U	0.09	U	0.09	U	NS	U
	27-Mar-08	NS		0.091	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	25-Apr-08	NS		NS	U	NS	NS	NS	0.09	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	29-May-08	NS		NS	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	27-Jun-08	0.141	U	NS	0.091	U	NS	NS	0.091	U	NS	NS	U	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	31-Jul-08	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	28-Aug-08	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	NS	U	0.18	U	0.18	U	
	30-Sep-08	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	NS	U	0.18	U	0.18	U	
	27-Oct-08	0.18	U	NS	0.18	U	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	NS	U	0.18	U	0.18	U	
	25-Nov-08	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	NS	U	0.18	U	0.18	U	
	18-Dec-08	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	NS	U	0.18	U	0.18	U	
	21-Jan-09	NS		NS	U	NS	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	NS	U	0.18	U	0.18	U	
	25-Feb-09	0.18	U	NS	0.18	U	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	NS	U	0.18	U	0.18	U	
	26-Mar-09	NS		0.453	U	NS	NS	NS	0.907	U	NS	NS	U	NS	0.091	U	NS	U	0.091	U	0.091	U	
	29-Apr-09	NS		NS	U	0.091	U	NS	NS	0.453	U	NS	NS	U	NS	0.091	U	NS	U	0.091	U	0.091	U
	22-Jul-09	0.453	U	NS	0.453	U	NS	NS	0.907	U	NS	NS	U	NS	0.453	U	NS	U	0.453	U	0.453	U	
	9-Oct-09	NS		0.079	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	18.9	U	0.091	U	0.091	U	
	15-Jan-10	0.091		NS	U	0.091	U	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U
	21-Apr-10	NS		0.091	U	NS	NS	NS	0.453	U	NS	NS	U	NS	0.453	U	0.091	U	0.091	U	0.091	U	
	16-Jul-10	0.091	U	NS	0.091	U	NS	NS	0.685	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	15-Oct-10	NS		0.091	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	26-Jan-11	0.907	U	0.091	U	NS	NS	NS	0.453	U	NS	NS	U	NS	0.453	U	0.453	U	0.453	U	0.453	U	
	28-Feb-11	NS		NS	U	0.907	U	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U
	27-Apr-11	NS		0.091	U	NS	NS	NS	0.454	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	NS	2.3	U	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U	2.3	U
	28-Oct-11	NS		2.3	U	NS	NS	NS	0.45	U	NS	NS	U	NS	0.45	U	NS	U	0.45	U	0.45	U	
	23-Jan-12	0.45	U	NS	0.45	U	NS	NS	0.23	U	NS	NS	U	NS	0.23	U	0.23	U	0.23	U	0.23	U	
	13-Apr-12	NS		1.2	U	NS	NS	NS	0.23	U	NS	NS	U	NS	0.23	U	NS	U	0.23	U	0.23	U	
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	0.45	U	NS	NS	U	NS	0.45	U	NS	U	0.45	U	0.45	U	
	23-Jun-12	0.45	U	NS	0.45	U	NS	NS	0.45	U	NS	NS	U	NS	0.45	U	0.45	U	0.45	U	0.45	U	
	1-Nov-12	NS		0.045	U	NS	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	1-Feb-13	0.045	U	NS	0.045	U	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	29-Apr-13	NS		0.11	U	NS	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	9-Jul-13	0.068	U	NS	0.045	U	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	18-Oct-13	NS		0.091	U	NS	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	9-Jan-14	0.091	U	NS	0.091	U	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	24-Apr-14	NS		0.045	U	NS	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	1-Aug-14	0.091	U	NS	0.14	U	NS	NS	0.14	U	NS	NS	U	NS	0.14	U	0.091	U	0.091	U	0.091	U	
	27-Aug-14	NS		NS	U	NS	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	NS	U	0.045	U	0.045	U	
trans-1,3-Dichloropropene	12-Sep-14 (resample)	NS		NS	U	NS	NS	NS	0.045	U	NS	NS	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	22-Oct-14	NS		0.068	U	NS	NS	NS	0.068	U	NS	NS	U	NS	0.068	U	0.068	U	0.068	U	0.068	U	
	20-Jan-15	0.045	U																				

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Ethylbenzene	8-Feb-08	0.21	NS	NS	NS	0.23	NS	NS	0.33	4.89	NS	
	27-Mar-08	NS	0.295	NS	NS	0.157	NS	NS	NS	0.645	0.372	
	25-Apr-08	NS	NS	0.291	NS	0.32	NS	NS	NS	NS	0.565	
	29-May-08	NS	NS	NS	1.49	NS	NS	2.2	2.82	1.01	NS	
	27-Jun-08	4.34	NS	NS	0.472	NS	NS	NS	NS	0.606	0.699	
	31-Jul-08	NS	*	NS	NS	NS	NS	NS	0.758	NS	0.577	
	28-Aug-08	NS	NS	0.83	NS	0.482	NS	NS	0.711	0.666	NS	
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	NS	2.2	U	2.2
	27-Oct-08	18.4	NS	NS	2.2	U	NS	NS	NS	NS	U	2.2
	25-Nov-08	NS	2.2	NS	NS	2.2	U	NS	NS	2.2	U	NS
	18-Dec-08	NS	NS	2.2	NS	NS	NS	NS	NS	2.2	U	2.2
	21-Jan-09	NS	NS	2.2	NS	NS	NS	NS	NS	2.2	U	2.2
	25-Feb-09	10.8	NS	NS	2.2	U	NS	NS	NS	2.2	U	NS
	26-Mar-09	NS	0.516	NS	NS	0.868	U	NS	NS	NS	0.845	1.18
	29-Apr-09	NS	NS	0.19	NS	0.191	NS	NS	NS	0.304	NS	0.325
	22-Jul-09	11.7	NS	11.7	0.868	U	1.15	NS	NS	38.2	1.04	NS
	9-Oct-09	NS	0.564	NS	0.56	NS	0.291	18.1	U	0.542	NS	0.542
	15-Jan-10	6.95	NS	0.568	0.542	NS	0.659	NS	NS	0.712	0.72	NS
	21-Apr-10	NS	0.304	NS	1.34	NS	1.8	1.76	2.12	NS	1.56	
	16-Jul-10	8.23	NS	2.4	1.8	NS	1.44	NS	1.51	1.42	NS	
	15-Oct-10	NS	0.534	NS	0.625	NS	0.521	0.573	1.07	NS	0.833	
	26-Jan-11	1.26	1.62	NS	1.66	NS	1.26	NS	1.21	4.14	4.68	NS
	28-Feb-11	NS	0.868	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.243	NS	0.239	NS	0.286	3.86	0.364	NS	0.508	
	26-Jul-11	3.91	NS	0.942	0.339	NS	0.434	U	NS	0.304	0.434	U
	28-Oct-11	NS	2.2	U	NS	2.2	U	2.2	U	3.8	NS	2.2
	23-Jan-12	3	NS	0.79	0.56	NS	0.82	NS	1.7	12	NS	
	13-Apr-12	NS	0.43	U	NS	0.43	U	0.43	U	1.5	NS	0.43
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	2.2	U	NS
	23-Jun-12	5.1	NS	0.53	0.43	U	0.47	NS	NS	0.76	0.46	NS
	1-Nov-12	NS	0.55	NS	0.57	NS	0.8	0.75	0.87	NS	1.3	
	1-Feb-13	1.3	NS	0.18	0.15	NS	0.23	NS	NS	0.54	0.52	NS
	29-Apr-13	NS	0.33	NS	0.39	NS	0.37	0.49	0.63	NS	0.8	
	9-Jul-13	5.1	NS	0.087	0.68	NS	0.59	NS	1.1	1.0	NS	
	18-Oct-13	NS	1.7	NS	1.9	NS	2.0	2.6	1.5	NS	1.9	
	9-Jan-14	2.7	NS	2.0	2.6	NS	2.8	NS	6.2	5.5	NS	
	24-Apr-14	NS	0.087	U	NS	0.087	U	0.087	U	0.092	0.087	U
	1-Aug-14	1.7	NS	0.84	0.65	NS	NS	NS	0.45	0.85	NS	
	27-Aug-14	NS	NS	NS	NS	0.96	NS	NS	NS	NS	NS	
	12-Sep-14 (resample)	NS	NS	NS	NS	NS	NS	0.79	NS	NS	NS	
	22-Oct-14	NS	0.13	U	NS	0.13	U	0.15	0.13	0.27	0.27	NS
	20-Jan-15	0.400	NS	0.087	U	0.096	NS	NS	NS	0.24	0.29	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.29	NS
	22-Apr-15	NS	0.22	NS	0.12	NS	0.26	0.21/0.24	0.44	NS	0.53	
	21-Jul-15	0.54	NS	0.590 <sup>j</sup>	4	U	0.56	NS	0.65 <sup>o</sup>	0.90 <sup>o</sup>	NS	
	23-Sep-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	29-Oct-15	NS	0.2	U	NS	0.14 <sup>j</sup>	NS	0.22 <sup>j</sup>	0.28	0.27	NS	0.33
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS	
	27-Jan-16	0.63	NS	0.087	0.12	NS	0.12	NS	NS	0.51	0.54	NS
	20-Apr-16	NS	0.3	NS	0.39	NS	0.56	NS	0.34	0.71	NS	0.61
	20-Jul-16	5.8	NS	0.75	0.43	U	0.5	NS	2.7	1.1	NS	
	21-Oct-16	NS	0.14	NS	0.35	NS	0.24	0.62	1.2	NS	0.52	
	31-Jan-17	0.56	NS	0.16	0.17	NS	0.14	NS	0.86	0.61	NS	
	17-Apr-17	NS	0.13	U	NS	0.13	U	0.13	U	0.17	NS	0.17
	26-Jul-17	0.53	NS	0.27	0.21	NS	0.38	NS	0.4	0.35	NS	
	12-Oct-17	NS	0.16	NS	0.2	NS	0.26	U	0.36	0.32	NS	0.31
	10-Jan-18	0.5	NS	0.11	0.22	NS	0.19	NS	0.94	0.4	NS	0.4
	11-Apr-18	NS	0.13	NS	0.87	U	0.87	U	0.87	0.37	NS	0.87
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.19	NS	
	27-Jul-18	0.43	U	NS	0.43	U	0.43	U	0.43	0.43	U	
	24-Oct-18	NS	0.43	NS	0.43	U	0.7	U	0.49	NS	0.43	U
	16-Jan-19	0.51	NS	0.087	0.11	NS	0.13	NS	0.26	0.31	NS	
	12-Apr-19	NS	0.1	NS	0.11	NS	0.11	U	0.2	0.19	NS	0.37
	29-Jul-19	3.6	NS	3.7	4.6	NS	5.5	NS	2.4	3.3	NS	
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS	
	29-Oct-19	NS	0.64	NS	0.48	NS	0.2	0.66	1.1 <sup>d</sup>	1.6 <sup>d</sup>	0.97 <sup>d</sup>	
	21-Jan-20	0.24	NS	0.30	0.27	NS	0.19	NS	0.92	1.10	NS	
	22-Apr-20	NS	0.087	U	NS	0.087	U	0.087	U	0.29	NS	0.39
	23-Jul-20	0.92	NS	0.29	0.27	NS	0.4	NS	0.71	1.3	NS	
	29-Oct-20	NS	0.19	NS	0.2	NS	0.16	0.27	0.43	NS	0.68	
	19-Jan-21	0.15	NS	0.087	0.087	U	0.087	U	0.087			

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual																
	8-Feb-08	2.46	U	NS	2.46	U	NS	NS	2.46	U	NS	NS	NS	2.46	U	NS	2.46	U	2.46	U	NS	2.46	U	2.46	
	27-Mar-08	NS		NS	NS		NS	NS	NS		NS	NS	NS	NS		NS	NS		NS	NS	NS	NS	NS	U	
	25-Apr-08	NS		NS	NS		NS	NS	2.46	U	NS	NS	NS	NS	2.46	U	2.46	U	2.46	U	NS	2.46	U	2.46	
	29-May-08	NS		NS	NS		NS	NS	NS		NS	NS	NS	NS	NS	2.46	U	2.46	U	2.46	U	NS	2.46	U	2.46
	27-Jun-08	3.83	U	NS	2.46	U	NS	NS	2.46	U	NS	NS	NS	NS	2.46	U	2.46	U	2.46	U	2.46	U	2.46	U	
	31-Jul-08	NS		2.46	U	NS	NS	NS	NS		NS	NS	NS	NS	NS	2.46	U	2.46	U	2.46	U	2.46	U	2.46	
	28-Aug-08	NS		NS	2.46	U	NS	4.9	U	NS	NS	NS	NS	NS	2.46	U	4.9	U	NS	4.9	U	4.9	U	4.9	
	30-Sep-08	NS		NS	NS		NS	NS	4.9	U	NS	NS	NS	NS	NS	4.9	U	4.9	U	NS	4.9	U	4.9	U	
	27-Oct-08	5.2		NS	NS		NS	NS	NS		NS	NS	NS	NS	NS	NS	5.9	U	4.9	U	4.9	U	NS	4.9	
	25-Nov-08	NS		4.9	U	NS	NS	NS	NS		NS	4.9	U	4.9	U	4.9	U								
	18-Dec-08	NS		NS	4.9	U	NS	NS	NS		NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U	
	21-Jan-09	NS		NS	NS		NS	NS	4.9	U	NS	NS	NS	NS	NS	4.9	U	4.9	U	NS	4.9	U	4.9	U	
	25-Feb-09	4.9	U	NS	NS		NS	NS	4.9	U	NS	NS	NS	NS	NS	NS	4.9	U	4.9	U	NS	4.9	U	4.9	
	26-Mar-09	NS		12.3	U	NS	NS	NS	NS		NS	2.46	U	2.46	U	2.46	U								
	29-Apr-09	NS		NS	2.46	U	NS	NS	2.46	U	NS	NS	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	
	22-Jul-09	12.3	U	NS	12.3	U	24.6	U	NS	12.3	U	NS	NS	NS	3.78	U	2.46	U	2.46	U	NS	2.46	U	2.46	
	9-Oct-09	NS		2.74	U	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	513	U	2.46	U	2.46	U	2.46	U	2.46	
	15-Jan-10	2.46	U	NS	2.46	U	2.46	U	NS	2.46	U	NS	NS	NS	2.46	U	2.46	U	2.46	U	NS	2.46	U	2.46	
	21-Apr-10	NS		2.46	U	NS	NS	NS	2.66	U	NS	18.5	U	NS	NS	12.3	U	2.46	U	2.46	U	NS	2.46	U	2.46
	16-Jul-10	2.46	U	NS	NS		NS	NS	2.46	U	NS	NS	2.46	U	2.46	U	2.46	U	2.46	U	NS	2.46	U	2.46	
	15-Oct-10	NS		2.46	U	NS	NS	NS	2.46	U	NS	12.3	U	NS	NS	12.3	U	2.46	U	2.46	U	NS	2.46	U	2.46
	26-Jan-11	24.6	U	2.46	U	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	12.3	U	12.3	U	12.3	U	NS	12.3	U	12.3
	28-Feb-11	NS		NS	24.6	U	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	NS								
	27-Apr-11	NS		2.46	U	NS	NS	NS	2.46	U	NS	NS	2.46	U	2.46	U	2.46	U	2.46	U	NS	2.46	U	2.46	
	26-Jul-11	8.21	U	NS	8.21	U	2.46	U	NS	12.3	U	NS	12.3	U	NS	NS	2.46	U	2.46	U	12.3	U	NS	12.3	
	28-Oct-11	NS		6.2	U	NS	NS	NS	6.2	U	NS	6.2	U	NS	6.2	U	6.2	U	6.2	U	NS	6.2	U	6.2	
	23-Jan-12	1.2	U	NS	1.2	U	0.25	U	NS	1.2	U	NS	1.2	U	NS	1.2	U	1.2	U	1.2	U	NS	1.2	U	1.2
	13-Apr-12	NS		1.2	U	NS	NS	NS	0.25	U	NS	1.2	U	NS	1.2	U	1.2	U	1.2	U	NS	1.2	U	1.2	
	2-Jul-12 (resample)	NS		NS	NS		NS	NS	NS		NS	NS	NS	NS	NS	NS	NS								
	23-Jun-12	1.2	U	NS	1.2	U	1.2	U	1.2	U	NS	1.2	U	NS	1.2	U	0.25	U	0.25	U	0.25	U	0.25	U	
	1-Nov-12	NS		0.25	U	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25										
	29-Apr-13	NS		0.62	U	NS	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	9-Jul-13	0.37	U	NS	0.25	U	0.25	U	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	
	18-Oct-13	NS		0.25	U	NS	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.27	U	0.25	U	0.25	U	0.25	U	
	9-Jan-14	0.25	U	NS	0.25	U	0.25	U	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.53	U	0.49	U	0.49	U	0.49	
	24-Apr-14	NS		0.25	U	NS	NS	0.37	U	0.37	U	NS	0.37	U	NS	0.37	U	0.25	U	0.25	U	0.37	U	0.37	
	1-Aug-14	0.25	U	NS	NS		NS	NS	0.37	U	NS	NS	NS	NS	NS	NS	NS								
	27-Aug-14	NS		NS																					

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3					
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual				
	8-Feb-08	2.74	U	NS	NS	NS	NS	NS	2.74	U	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	U			
	27-Mar-08	NS		2.74	U	NS	1.2	NS	NS	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	U			
	25-Apr-08	NS		NS	U	NS	2.74	U	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U	NS	2.74	U			
	29-May-08			NS	U	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U	NS	2.74	U		
	27-Jun-08	4.27	U	NS	2.74	U	NS	NS	2.74	U	NS	NS	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U	
	31-Jul-08	NS		2.74	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U	
	28-Aug-08	NS		NS	U	2.74	U	NS	5.5	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	U		
	30-Sep-08	NS		NS	U	NS	NS	NS	5.5	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U	5.5	U	5.5	U		
	27-Oct-08	12.5		NS	U	NS	NS	NS	5.5	U	NS	NS	NS	NS	18.5	U	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	25-Nov-08	NS		5.5	U	NS	NS	NS	NS	U	NS	5.5	NS	NS	5.5	U	NS	5.5	U	5.5	U	5.5	U	5.5	U		
	18-Dec-08	NS		NS	U	5.5	U	NS	NS	U	NS	NS	NS	5.5	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	21-Jan-09	NS		NS	U	NS	NS	NS	5.5	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U	5.5	U	5.5	U		
	25-Feb-09	5.5	U	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	26-Mar-09	NS		13.7	U	NS	NS	NS	NS	U	NS	27.4	U	NS	NS	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U		
	29-Apr-09	NS		NS	U	2.74	U	NS	NS	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	U		
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	NS	13.7	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U		
	9-Oct-09	NS		2.74	U	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	573	U	2.74	U	NS	2.74	U	U			
	15-Jan-10	2.72	U	NS	2.74	U	2.74	U	NS	2.74	U	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U			
	21-Apr-10	NS		2.74	U	NS	NS	NS	13.7	U	NS	13.7	U	NS	NS	NS	NS	2.74	U	2.74	U	NS	2.74	U			
	16-Jul-10	2.74	U	NS	2.74	U	2.74	U	NS	20.7	U	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U			
	15-Oct-10	NS		2.74	U	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U				
	26-Jan-11	27.4	U	2.74	U	NS	NS	NS	2.74	U	NS	13.7	U	NS	13.7	U	13.7	U	13.7	U	13.7	U	NS	2.74	U		
	28-Feb-11	NS		NS	U	27.4	U	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	27-Apr-11	NS		2.74	U	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U			
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	NS	13.7	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	13.7	U			
	28-Oct-11	NS		6.3	U	NS	NS	NS	6.3	U	NS	6.3	U	NS	6.3	U	6.3	U	6.3	U	6.3	U	6.3	U			
	23-Jan-12	1.3	U	NS	1.3	U	1.3	U	1.3	U	NS	1.3	U	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U		
	13-Apr-12	NS		1.3	U	NS	NS	NS	1.3	U	NS	NS	NS	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U			
p-Isopropyltoluene	2-Jul-12 (resample)			NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23-Jun-12	1.3	U	NS	1.3	U	NS	NS	1.3	U	NS	1.3	U	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U		
	1-Nov-12	NS		0.25	U	NS	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.27	U	0.25	U	0.29	U	0.45	U			
	1-Feb-13	0.25	U	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U		
	29-Apr-13	NS		0.63	U	NS	NS	NS	0.28	U	NS	0.25	U	NS	0.25	U	0.29	U	0.25	U	0.25	U	0.25	U			
	9-Jul-13	0.38	U	NS	0.28	U	0.29	U	0.29	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.36	U	0.53	U			
	18-Oct-13	NS		0.38	U	NS	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.51	U	0.25	U	0.25	U	0.54	U			
	9-Jan-14	0.25	U	NS	0.33	U	0.040	U	NS	0.25	U	NS	0.25	U	0.072	U	0.25	U	0.25	U	0.25	U	0.54	U			
	24-Apr-14	NS		0.25	U	NS	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25								

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.07	U	NS	NS	NS	0.07	U	NS	NS	0.14	0.07
	27-Mar-08	NS		0.072	U	NS	NS	0.072	U	NS	0.165	NS
	25-Apr-08	NS		NS	U	NS	NS	0.072	U	0.072	NS	0.079
	29-May-08	NS		NS	U	0.07	U	NS	0.07	U	0.07	NS
	27-Jun-08	0.436		NS	U	NS	0.072	U	NS	NS	0.072	U
	31-Jul-08	NS		0.072	U	NS	NS	NS	NS	NS	0.072	U
	28-Aug-08	NS		NS	U	0.106	NS	NS	0.072	U	0.172	NS
	30-Sep-08	NS		NS	U	1.8	U	NS	1.8	U	1.8	U
	27-Oct-08	1.8	U	NS	U	NS	2.6	NS	NS	3.2	NS	5.8
	25-Nov-08	NS		1.8	U	NS	NS	1.8	U	1.8	U	NS
	18-Dec-08	NS		NS	U	1.8	NS	NS	1.8	U	1.8	U
	21-Jan-09	NS		NS	U	1.8	U	NS	1.8	U	1.8	U
	25-Feb-09	5.8		NS	U	NS	NS	1.8	NS	1.8	U	NS
	26-Mar-09	NS		0.36	U	NS	NS	0.72	U	NS	0.072	U
	29-Apr-09	NS		NS	U	0.072	U	NS	0.072	U	0.072	U
	22-Jul-09	0.36	U	NS	U	0.36	U	0.36	U	NS	0.072	U
	9-Oct-09	NS		0.072	U	NS	0.072	U	0.072	U	0.086	NS
	15-Jan-10	0.079		NS	U	0.072	U	0.072	U	NS	0.072	U
	21-Apr-10	NS		0.072	U	NS	NS	0.36	U	0.36	U	0.072
	16-Jul-10	0.072	U	NS	U	0.072	U	NS	0.544	U	0.072	U
	15-Oct-10	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072
	26-Jan-11	0.72	U	0.072	U	NS	0.072	U	0.396	U	0.36	U
	28-Feb-11	NS		NS	U	0.72	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	26-Jul-11	0.24	U	NS	U	0.24	U	0.072	U	0.36	U	0.36
	28-Oct-11	NS		1.8	U	NS	NS	1.8	U	1.8	U	1.8
	23-Jan-12	0.36	U	NS	U	0.36	U	0.36	U	0.36	U	0.36
	13-Apr-12	NS		0.36	U	NS	NS	0.36	U	0.36	U	0.36
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	1.8	U
	23-Jun-12	0.36	U	NS	U	0.36	U	0.36	U	NS	0.36	U
	1-Nov-12	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	1-Feb-13	0.072	U	NS	U	0.072	U	NS	0.072	U	0.072	U
	29-Apr-13	NS		0.18	U	NS	NS	0.072	U	0.072	U	0.072
	9-Jul-13	0.17		NS	U	0.072	U	0.072	U	NS	0.072	U
	18-Oct-13	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	9-Jan-14	0.072	U	NS	U	0.072	U	0.072	U	NS	0.072	U
	24-Apr-14	NS		0.072	U	NS	NS	0.072	U	0.077	U	0.072
	1-Aug-14	0.072	U	NS	U	0.11	U	0.12	NS	NS	0.072	U
	27-Aug-14	NS		NS	U	NS	NS	0.072	U	NS	NS	NS
Methyl tert butyl ether (MTBE)	12-Sept-14 (resample)	NS		NS	U	NS	NS	0.11	U	0.11	U	NS
	22-Oct-14	NS		0.11	U	NS	NS	0.11	U	0.11	U	0.14
	20-Jan-15	0.072	U	NS	U	0.072	U	0.072	U	NS	0.072	U
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	U	NS	0.081	U
	22-Apr-15	NS		0.074 <sup>v</sup>	U	NS	NS	0.072 <sup>v</sup>	U	0.072	U	0.083
	21-Jul-15	0.2	U	NS	U	0.7	U	4	U	0.2	U	0.200 <sup>o</sup>
	23-Sept-15 resample	NS		NS	U	NS	NS	NS	U	0.10	U	0.200 <sup>o</sup>
	29-Oct-15	NS		0.2	U	NS	NS	0.2	U	NS	0.2	NS
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	U	NS	NS	0.096 <sup>j</sup>
	27-Jan-16	0.072	U	NS	U	0.072	U	0.072	U	NS	0.072	U
	20-Apr-16	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	20-Jul-16	0.36	U	NS	U	0.46	U	0.36	U	0.36	U	0.36
	21-Oct-16	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	31-Jan-17	0.072	U	NS	U	0.072	U	0.072	U	NS	0.072	U
	17-Apr-17	NS		0.11	U	NS	NS	0.11	U	0.11	U	0.11
	26-Jul-17	0.072	U	NS	U	0.072	U	0.072	U	NS	0.072	U
	12-Oct-17	NS		0.072	U	NS	NS	0.072	U	0.22	U	0.18
	10-Jan-18	0.072	U	NS	U	0.072	U	0.072	U	NS	0.072	U
	11-Apr-18	NS		0.072	U	NS	NS	0.72	U	0.72	U	0.72
	23-May-18	NS		NS	U	NS	NS	NS	U	NS	NS	NS
	27-Jul-18	0.36	U	NS	U	0.36	U	0.36	U	NS	0.36	U
	24-Oct-18	NS		0.36	U	NS	NS	0.36	U	0.36	U	0.36
	16-Jan-19	0.072	U	NS	U	0.072	U	0.072	U	NS	0.072	U
	12-Apr-19	NS		0.072	U	NS	NS	0.072	U	0.09	U	0.11
	29-Jul-19	0.11	U	NS	U	0.11	U	0.072	U	NS	0.072	U
	26-Sep-19	NS		NS	U	NS	NS	NS	U	NS	0.11	U
	29-Oct-19	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.36 <sup>d</sup>
	21-Jan-20	0.07	U	NS	U	0.07	U	0.07	U	NS	0.07	U
	22-Apr-20	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	23-Jul-20	0.072	U	NS	U	0.072	U	0.14	U	NS	0.14	U
	29-Oct-20	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	19-Jan-21	0.072	U	NS	U	0.072	U	0.072	U	NS	0.11 <sup>f</sup>	U
	15-Apr-21	NS		0.072	U	NS	NS	0.072	U	0.072	U	0.072
	21-Jul-21	0.072	U									

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	2.34	NS	1.74	U	NS	NS	1.74	U	NS	NS	2.87	NS	1.74	U	NS	1.74	U	1.74	U	1.74	U	1.74	U
	27-Mar-08	NS	NS	NS	U	NS	NS	1.74	U	NS	NS	NS	NS	1.74	U	NS	1.74	U	2.1	NS	1.74	U	1.74	U
	25-Apr-08	NS	NS	NS	U	NS	NS	1.74	U	NS	NS	NS	NS	1.74	U	1.74	U	1.74	U	NS	1.74	U	2.78	U
	29-May-08	NS	NS	NS	U	NS	NS	1.74	U	NS	NS	3.69	NS	NS	NS	NS	NS	1.74	U	1.74	U	1.74	U	
	27-Jun-08	4.33	U	NS	1.74	U	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	1.74	U	2.78	U	2.78	U	
	31-Jul-08	NS	NS	NS	U	NS	NS	1.74	U	NS	NS	NS	NS	1.74	U	NS	1.74	U	1.74	U	1.74	U	1.74	U
	28-Aug-08	NS	NS	NS	U	NS	NS	1.7	U	NS	NS	NS	NS	1.74	U	NS	1.7	U	1.74	U	1.74	U	1.7	U
	30-Sep-08	NS	NS	NS	U	NS	NS	1.7	U	NS	NS	1.7	U	NS	NS	1.7	U	1.7	U	1.7	U	1.7	U	
	27-Oct-08	1.7	U	NS	1.7	U	NS	NS	U	NS	NS	1.7	U	NS	NS	1.7	U	1.7	U	1.7	U	1.7	U	
	25-Nov-08	NS	NS	NS	U	NS	NS	1.7	U	NS	NS	1.7	U	NS	NS	1.7	U	1.7	U	1.7	U	1.7	U	
	18-Dec-08	NS	NS	NS	U	NS	NS	1.7	U	NS	NS	1.7	U	NS	NS	1.7	U	1.7	U	1.7	U	1.7	U	
	21-Jan-09	NS	NS	NS	U	NS	NS	1.7	U	NS	NS	1.7	U	NS	NS	1.7	U	1.7	U	1.7	U	1.7	UI	
	25-Feb-09	1.7	U	NS	16.1	U	NS	NS	U	NS	NS	17.4	U	NS	NS	17.4	U	1.7	U	1.7	U	1.7	U	
	26-Mar-09	NS	NS	NS	U	NS	NS	1.74	U	NS	NS	1.74	U	NS	NS	1.74	U	1.74	U	1.74	U	1.74	U	
	29-Apr-09	NS	NS	NS	U	NS	NS	8.68	U	NS	NS	8.68	U	NS	NS	8.68	U	1.74	U	1.74	U	1.74	U	
	22-Jul-09	86.8	U	NS	21.5	U	NS	17.4	U	NS	NS	26.2	U	NS	NS	27.1	U	1.74	U	1.74	U	1.74	U	
	9-Oct-09	NS	NS	NS	U	NS	NS	3.47	U	NS	NS	3.47	U	NS	NS	3.47	U	3.47	U	3.47	U	3.47	U	
	15-Jan-10	1.74	U	NS	1.74	U	NS	1.74	U	NS	NS	1.74	U	NS	NS	1.74	U	1.74	U	1.74	U	1.74	U	
	21-Apr-10	NS	NS	NS	U	NS	NS	0.868	U	NS	NS	8.68	U	NS	NS	8.68	U	1.74	U	1.74	U	1.74	U	
	16-Jul-10	24	NS	NS	U	NS	NS	19.5	U	NS	NS	26.2	U	NS	NS	27.1	U	26.5	U	26.5	U	26.5	U	
	15-Oct-10	NS	NS	NS	U	NS	NS	3.47	U	NS	NS	3.47	U	NS	NS	3.47	U	3.47	U	3.47	U	3.47	U	
	26-Jan-11	34.7	U	NS	34.7	U	NS	3.47	U	NS	NS	0.404	U	NS	NS	17.4	U	17.4	U	17.4	U	17.4	U	
	28-Feb-11	NS	NS	NS	U	NS	NS	34.7	U	NS	NS	34.7	U	NS	NS	34.7	U	3.47	U	3.47	U	3.47	U	
	27-Apr-11	NS	NS	NS	U	NS	NS	3.47	U	NS	NS	3.47	U	NS	NS	3.47	U	3.47	U	3.47	U	3.47	U	
	26-Jul-11	11.6	U	NS	11.6	U	NS	3.47	U	NS	NS	17.4	U	NS	NS	17.4	U	5.7	U	17.4	U	17.4	U	
	28-Oct-11	NS	NS	NS	U	NS	NS	17	U	NS	NS	17	U	NS	NS	17	U	140	U	140	U	140	U	
	23-Jan-12	3.5	U	NS	3.5	U	NS	3.5	U	NS	NS	3.5	U	NS	NS	3.5	U	3.5	U	3.5	U	3.5	U	
	13-Apr-12	NS	NS	NS	U	NS	NS	7.3	U	NS	NS	7.3	U	NS	NS	7.3	U	3.9	U	3.9	U	3.9	U	
	2-Jul-12 (resample)	NS	NS	NS	U	NS	NS	3.5	U	NS	NS	3.5	U	NS	NS	3.5	U	17	U	17	U	17	U	
	23-Jun-12	3.5	U	NS	3.5	U	NS	1.1	U	NS	NS	1.1	U	0.69	U	1.1	U	0.69	U	0.69	U	0.69	U	
	1-Nov-12	NS	NS	0.74	U	NS	NS	0.93	U	NS	NS	1.6	U	NS	NS	1.6	U	0.9	U	2.1	U	2.1	U	
	1-Feb-13	2	NS	NS	U	NS	NS	1.7	U	NS	NS	1.7	U	NS	NS	1.7	U	1.1	U	1.1	U	1.1	U	
	29-Apr-13	NS	NS	1.7	U	NS	NS	25	U	NS	NS	2.9	U	NS	NS	2.9	U	0.93	U	1.1	U	1.1	U	
	9-Jul-13	1.8	NS	NS	U	NS	NS	1.2	U	NS	NS	1.2	U	NS	NS	1.2	U	31	U	3.6	U	3.6	U	
	18-Oct-13	NS	NS	0.69	U	NS	NS	0.69	U	NS	NS	0.69	U	NS	NS	0.69	U	0.77	U	0.69	U	0.69	U	
	9-Jan-14	0.85	NS	0.69	U	NS	NS	0.69	U	NS	NS	0.69	U	NS	NS	0.69	U	0.69	U	1.3	U	1.3	U	
	24-Apr-14	NS	NS	0.90	U	NS	NS	1.7	U	NS	NS	6.7	U	NS	NS	6.7	U	2.8	U	0.69	U	1.0	U	
	1-Aug-14	1.0	NS	NS	U	NS	NS	1.7	U	NS	NS	1.7	U	NS	NS	1.7	U	1.1	U	1.1	U	1.1	U	
	27-Aug-14	NS	NS	NS	U	NS	NS	3.5	U	NS	NS	3.5	U	NS	NS	3.5	U	NS	NS	NS	NS	NS	NS	
Methylene chloride	12-Sep-14 (resample)	NS	NS	NS	U	NS	NS	1.0	U	NS	NS													

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	2.05	U	NS	2.05	U	NS	NS	2.05	U	NS	NS	NS	2.05	U	NS	2.05	U	8.7	U	15.2	U	2.05	U
	27-Mar-08	NS		NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	2.05	U	NS	U	2.05	U
	25-Apr-08	NS		NS	NS	U	NS	NS	2.05	U	NS	NS	NS	NS	U	2.05	U	2.05	U	2.05	U	NS	U	
	29-May-08	NS		NS	NS	U	NS	NS	2.05	U	NS	NS	NS	NS	U	2.05	U	2.05	U	2.05	U	NS	U	
	27-Jun-08	3.19	U	NS	2.05	U	NS	NS	2.05	U	NS	NS	NS	NS	U	NS	NS	U	2.05	U	2.05	U	2.05	U
	31-Jul-08	NS		NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	2.05	U	NS	U	2.05	U
	28-Aug-08	NS		NS	NS	U	NS	NS	2	U	NS	NS	NS	NS	U	2	U	2.05	U	2.05	U	NS	U	
	30-Sep-08	NS		NS	NS	U	NS	NS	2	U	NS	NS	NS	NS	U	2	U	2	U	2	U	2	U	
	27-Oct-08	2	U	NS	3.5	U	NS	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	2	U	2	U	NS	U
	25-Nov-08	NS		NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	2	U	2	U	NS	U
	18-Dec-08	NS		NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	2	U	2	U	2	U
	21-Jan-09	NS		NS	NS	U	NS	NS	2	U	NS	NS	NS	NS	U	2	U	2	U	2	U	2	U	
	25-Feb-09	2	U	NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	2	U	2	U	NS	U
	26-Mar-09	NS		10.2	U	NS	NS	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	2.05	U	2.05	U	2.05	U
	29-Apr-09	NS		NS	NS	U	2.05	U	NS	U	NS	NS	NS	NS	U	2.05	U	2.05	U	2.05	U	2.05	U	
	22-Jul-09	10.2	U	NS	10.2	U	20.5	U	NS	U	NS	10.2	U	NS	U	NS	U	2.05	U	2.05	U	2.05	U	
	9-Oct-09	NS		2.05	U	NS	NS	NS	NS	U	NS	2.05	U	NS	U	2.05	U	427	U	2.05	U	2.05	U	
	15-Jan-10	2.05	U	NS	2.05	U	2.05	U	NS	U	NS	2.05	U	NS	U	2.05	U	2.05	U	2.05	U	2.05	U	
	21-Apr-10	NS		2.05	U	NS	NS	NS	NS	U	NS	10.2	U	NS	U	10.2	U	2.05	U	2.05	U	2.05	U	
	16-Jul-10	2.05	U	NS	2.05	U	2.05	U	NS	U	NS	15.4	U	NS	U	2.05	U	2.05	U	2.05	U	2.05	U	
	15-Oct-10	NS		2.05	U	NS	NS	NS	NS	U	NS	2.05	U	NS	U	2.05	U	2.05	U	2.05	U	2.05	U	
	26-Jan-11	20.5	U	2.05	U	NS	NS	2.05	U	NS	NS	10.2	U	NS	U	10.2	U	10.2	U	10.2	U	10.2	U	
	28-Feb-11	NS		NS	NS	U	20.5	U	NS	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	U	
	27-Apr-11	NS		2.05	U	NS	NS	2.05	U	NS	U	2.05	U	NS	U	2.05	U	2.05	U	2.05	U	3.35	U	
	26-Jul-11	6.84	U	NS	2	U	0.684	U	2.05	U	NS	2	U	NS	U	2	U	2	U	2	U	2	U	
	28-Oct-11	NS		2	U	NS	NS	0.44	U	0.41	U	NS	0.41	U	NS	0.41	U	NS	0.41	U	0.41	U	0.41	U
	23-Jan-12	0.41	U	NS	0.41	U	NS	NS	0.41	U	NS	NS	0.41	U	NS	0.41	U	NS	0.41	U	0.41	U	0.41	U
	13-Apr-12	NS		NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	U	
	2-Jul-12 (resample)	NS		0.41	U	NS	0.41	U	0.41	U	NS	0.41	U	NS	U	0.41	U	0.41	U	0.41	U	0.41	U	
	23-Jun-12	0.41	U	NS	0.89	U	NS	NS	0.65	U	NS	0.9	U	0.84	U	1.1	U	1.1	U	1.1	U	1.1	U	
	1-Nov-12	NS		0.12	U	NS	0.082	U	0.082	U	NS	0.095	U	NS	U	0.082	U	0.082	U	0.082	U	0.082	U	
	1-Feb-13	0.12	U	NS	0.2	U	NS	NS	0.21	U	NS	0.21	U	NS	U	0.082	U	0.082	U	0.082	U	0.082	U	
	29-Apr-13	NS		0.2	U	NS	0.55	U	0.47	U	NS	0.51	U	NS	U	0.51	U	0.51	U	0.51	U	0.51	U	
	9-Jul-13	0.66	U	NS	1.8	U	NS	NS	2.7	U	NS	2.2	U	2.3	U	3.0	U	3.0	U	3.0	U	3.0	U	
	18-Oct-13	NS		0.15	U	NS	0.21	U	0.082	U	NS	0.13	U	0.082	U	0.13	U	0.082	U	0.082	U	0.082	U	
	9-Jan-14	0.18	U	NS	0.087	U	NS	NS	0.082	U	NS	0.12	U	0.088	U	0.12	U	0.082	U	0.082	U	0.082	U	
	24-Apr-14	NS		0.087	U	NS	0.085	U	0.12	U	NS	0.088	U	NS	U	0.088	U	0.088	U	0.088	U	0.088	U	
	1-Aug-14	0.64	U	NS	NS	U	NS	NS	NS	U	NS	2.4	U	NS	U	2.4	U	NS	U	2.4	U	2.4	U	
	27-Aug-14	NS		NS	NS	U	NS	NS	NS	U	NS	0.34	U	NS	U	0.85	U	0.39/0.40	U	0.87	U	0.87	U	
4-Methyl-2-pentanone	12-Sep-14 (resample)	NS		NS	NS	U	NS	NS	1.0/0.74	U	NS	1.1/0.86	U	NS	U	0.44								

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.09	U	NS	NS	NS	NS	NS	0.3	3.15	NS	
	27-Mar-08	NS	0.1	NS	NS	NS	NS	NS	NS	0.206	0.404	
	25-Apr-08	NS	NS	0.244	NS	NS	NS	NS	0.559	NS	0.351	
	29-May-08	NS	NS	NS	0.17	NS	NS	NS	0.3	0.27	NS	
	27-Jun-08	0.732	NS	NS	NS	0.354	NS	NS	NS	0.598	0.59	
	31-Jul-08	NS	0.276	NS	NS	NS	NS	NS	0.255	NS	0.17	
	28-Aug-08	NS	NS	1.22	NS	NS	NS	NS	1.02	1.01	NS	
	30-Sep-08	NS	NS	NS	2.1	U	NS	NS	NS	2.1	U	U
	27-Oct-08	2.1	U	NS	NS	2.1	U	NS	2.1	U	NS	U
	25-Nov-08	NS	2.1	U	NS	NS	U	NS	2.1	U	U	U
	18-Dec-08	NS	NS	2.1	U	NS	U	NS	NS	2.1	U	U
	21-Jan-09	NS	NS	2.1	U	NS	U	NS	NS	2.1	U	U
	25-Feb-09	2.1	U	NS	NS	2.1	U	NS	NS	2.1	U	NS
	26-Mar-09	NS	0.851	U	NS	NS	U	NS	NS	0.292	0.361	
	29-Apr-09	NS	NS	0.174	U	NS	U	NS	0.098	NS	0.243	
	22-Jul-09	0.426	U	NS	0.426	U	NS	0.426	0.6	NS		
	9-Oct-09	NS	0.085	U	NS	0.098	U	NS	0.085	0.149	NS	
	15-Jan-10	0.106	NS	0.119	U	0.089	U	0.098	NS	0.128	0.221	NS
	21-Apr-10	NS	0.085	U	NS	0.426	U	NS	0.426	0.481	NS	0.579
	16-Jul-10	0.57	NS	0.911	U	0.66	U	0.643	NS	0.34	0.864	NS
	15-Oct-10	NS	0.698	U	NS	1.12	U	NS	0.779	0.919	0.877	1.52
	26-Jan-11	0.851	U	0.162	NS	0.179	U	0.426	NS	0.426	0.426	0.617
	28-Feb-11	NS	NS	0.851	U	NS	U	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.311	U	NS	0.302	U	NS	0.366	0.4	0.753	0.749
	26-Jul-11	0.724	NS	0.779	U	0.868	U	0.788	U	NS	1.23	0.681
	28-Oct-11	NS	2.1	U	NS	2.1	U	NS	2.1	U	NS	2.1
	23-Jan-12	0.84	NS	0.43	U	0.43	U	0.43	U	NS	0.46	NS
	13-Apr-12	NS	0.43	U	NS	0.43	U	NS	0.43	U	0.43	0.43
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.1	U
	23-Jun-12	1.7	NS	1.4	U	1.9	U	1.9	NS	2.4	2.6	NS
	1-Nov-12	NS	0.14	NS	NS	0.15	U	NS	0.46	0.17	0.3	0.34
	1-Feb-13	0.085	U	NS	0.085	U	NS	0.085	U	NS	0.22	0.26
	29-Apr-13	NS	0.22	NS	NS	0.27	U	NS	0.3	0.36	0.53	0.53
	9-Jul-13	0.43	NS	0.60	U	0.39	U	0.43	NS	0.12	0.48	NS
	18-Oct-13	NS	0.25	NS	NS	0.26	U	NS	0.35	0.50	NS	0.57
	9-Jan-14	0.10	NS	0.10	U	0.12	U	0.14	NS	0.44	0.53	NS
	24-Apr-14	NS	0.085	NS	NS	0.085	U	NS	0.085	U	0.21	0.28
	1-Aug-14	0.32	NS	0.64	U	2.8/3.8	U	NS	NS	NS	0.45	0.51
	27-Aug-14	NS	NS	NS	NS	NS	U	2.7/2.9	NS	NS	NS	NS
Styrene	12-Sept-14 (resample)	NS	NS	NS	NS	NS	U	NS	NS	0.81	NS	U
	22-Oct-14	NS	0.13	U	NS	0.13	U	0.13	U	0.13	1.1	0.98
	20-Jan-15	0.085	U	NS	0.085	U	NS	0.085	U	NS	0.67	0.085
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	U	NS	NS	NS	1.4	NS
	22-Apr-15	NS	0.098	NS	NS	0.085	U	NS	0.099	0.12	1.6	0.80
	21-Jul-15	0.160 <sup>j</sup>	NS	0.460 <sup>j</sup>	4	U	NS	0.23 <sup>j</sup>	NS	NS	1.3 <sup>o</sup>	2.9 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	U	NS	NS	0.13 <sup>j</sup>	NS	NS
	29-Oct-15	NS	0.2	U	NS	NS	U	0.21 <sup>j</sup>	NS	0.4	0.71	0.8
	4-Dec-15 resample	NS	0.2	U	NS	NS	U	NS	NS	NS	NS	NS
	27-Jan-16	0.085	U	NS	0.085	U	NS	0.085	U	NS	1.3	3.7
	20-Apr-16	NS	0.085	U	NS	0.09	U	NS	0.13	0.085	1.5	0.52
	20-Jul-16	0.79 <sup>l</sup>	L	NS	0.88 <sup>l</sup>	0.97 <sup>l</sup>	U	NS	1 <sup>l</sup>	NS	3.9 <sup>l</sup>	5.9 <sup>l</sup>
	21-Oct-16	NS	0.12	NS	NS	0.18	U	NS	0.17	0.22	3.2	0.63
	31-Jan-17	0.085	U	NS	0.085	U	NS	0.085	U	NS	0.97	2.8
	17-Apr-17	NS	0.13	U	NS	0.13	U	NS	0.15	0.41	0.68	0.61
	26-Jul-17	0.18	NS	0.22	U	0.21	U	0.32	NS	NS	0.53	2.3
	12-Oct-17	NS	0.14	NS	NS	0.17	U	NS	0.26	0.4	0.43	0.79
	10-Jan-18	0.085	U	NS	0.085	U	NS	0.085	U	NS	0.18	0.82
	11-Apr-18	NS	0.085	U	NS	0.85	U	NS	0.85	U	0.085	0.85
	23-May-18	NS	NS	NS	NS	NS	U	NS	NS	NS	0.42	U
	27-Jul-18	0.43	U	NS	0.43	U	NS	0.43	U	NS	0.68	0.43
	24-Oct-18	NS	0.43	U	NS	0.43	U	NS	0.43	U	0.43	0.43
	16-Jan-19	0.085	U	NS	0.085	U	NS	0.085	U	NS	0.25	0.29
	12-Apr-19	NS	0.11	NS	NS	0.085	U	NS	0.11	U	0.42	0.88
	29-Jul-19	0.61	NS	0.78	U	1.1	U	1.3	NS	NS	0.48	NS
	26-Sep-19	NS	NS	NS	NS	NS	U	NS	NS	NS	0.43	NS
	29-Oct-19	NS	0.085	U	NS	0.19	U	NS	0.085	U	0.43 <sup>d</sup>	3.6 <sup>d</sup>
	21-Jan-20	0.09	U	NS	0.16	0.22	U	0.12	NS	0.42	1.20	NS
	22-Apr-20	NS	0.085	U	NS	0.085	U	NS	0.085	U	0.12	0.28
	23-Jul-20	0.25	NS	0.085	U	0.34	U	NS	NS	0.54	1.9	NS
	29-Oct-20	NS	0.12	NS	0.13	U	NS	0.11	0.13	0.26	NS	0.4
	19-Jan-21											

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual			
1,1,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	0.137	U	NS	0.137	U	NS	0.137	U	NS	0.137	U	NS	0.14	U	0.14	U	0.137	U	NS	0.137		
	27-Mar-08	NS		NS	0.137	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.137	U	0.137	U	0.137	U	NS	0.137		
	25-Apr-08	NS		NS	0.137	U	NS	0.14	U	NS	NS	U	NS	0.14	U	0.14	U	0.14	U	0.14	U	NS	0.137			
	29-May-08	NS		NS	0.137	U	NS	NS	U	NS	NS	U	NS	NS	U	0.14	U	0.14	U	0.14	U	NS	0.137			
	27-Jun-08	0.214	U	NS	0.137	U	NS	NS	U	NS	0.137	U	NS	NS	U	NS	0.137	U	0.137	U	0.137	U	NS	0.137		
	31-Jul-08	NS		NS	0.137	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.137	U	0.137	U	0.137	U	NS	0.137		
	28-Aug-08	NS		NS	0.137	U	NS	0.14	U	NS	NS	U	NS	NS	U	0.137	U	0.137	U	0.137	U	NS	0.137			
	30-Sep-08	NS		NS	0.137	U	NS	0.14	U	NS	NS	U	NS	NS	U	0.14	U	0.14	U	0.14	U	NS	0.14			
1,1,2-Tetrachloroethane	27-Oct-08	0.14	U	NS	0.14	U	NS	NS	U	NS	0.14	U	NS	NS	U	0.14	U	0.14	U	0.14	U	NS	0.14			
	25-Nov-08	NS		0.14	U	NS	NS	U	NS	NS	0.14	U	NS	NS	U	0.14	U	0.14	U	0.14	U	NS	0.14			
	18-Dec-08	NS		NS	0.14	U	NS	NS	U	NS	0.19	U	NS	NS	U	0.14	U	0.14	U	0.14	U	NS	0.14			
	21-Jan-09	NS		NS	0.14	U	NS	NS	U	NS	0.14	U	NS	NS	U	0.14	U	0.14	U	0.14	U	NS	0.14			
	25-Feb-09	0.14	U	NS	0.137	U	NS	NS	U	NS	0.14	U	NS	NS	U	0.14	U	0.14	U	0.14	U	NS	0.137			
	26-Mar-09	NS		0.686	U	NS	NS	U	NS	NS	1.37	U	NS	NS	U	NS	NS	0.137	U	0.137	U	0.137	U			
	29-Apr-09	NS		NS	0.137	U	NS	28	U	1.37	U	NS	0.686	U	NS	NS	0.137	U	0.137	U	0.137	U	NS	0.137		
	22-Jul-09	0.686	U	NS	1.37	U	NS	1.37	U	NS	0.686	U	NS	NS	U	NS	NS	0.137	U	0.137	U	0.137	U			
1,1,2-Tetrachloroethane	9-Oct-09	NS		0.137	U	NS	NS	U	NS	0.137	U	NS	NS	U	0.137	U	28.6	U	0.137	U	0.137	U	NS	0.137		
	15-Jan-10	0.109	U	NS	0.137	U	NS	1.37	U	NS	0.137	U	NS	NS	U	NS	NS	0.137	U	0.137	U	0.137	U	NS	0.137	
	21-Apr-10	NS		0.137	U	NS	NS	U	NS	0.686	U	NS	0.686	U	NS	NS	0.686	U	0.686	U	0.686	U	NS	0.686		
	16-Jul-10	0.137	U	NS	0.137	U	NS	0.137	U	NS	1.04	U	NS	NS	U	NS	NS	0.137	U	0.137	U	0.137	U	NS	0.137	
	15-Oct-10	NS		0.137	U	NS	NS	U	NS	0.137	U	NS	0.686	U	NS	NS	0.686	U	0.686	U	0.686	U	NS	0.686		
	26-Jan-11	1.37	U	0.137	U	NS	NS	U	NS	0.137	U	NS	NS	U	NS	NS	0.137	U	0.137	U	0.137	U	NS	0.137		
	28-Feb-11	NS		NS	1.37	U	NS	NS	U	NS	0.137	U	NS	NS	U	NS	NS	0.137	U	0.137	U	0.137	U	NS	0.137	
	27-Apr-11	NS		0.137	U	NS	NS	U	NS	0.137	U	NS	0.687	U	NS	NS	0.687	U	0.687	U	0.687	U	NS	0.687		
1,1,2-Tetrachloroethane	26-Jul-11	0.458	U	NS	0.458	U	NS	0.137	U	NS	0.687	U	NS	NS	U	NS	NS	0.687	U	0.687	U	0.687	U	NS	0.687	
	28-Oct-11	NS		6.2	U	NS	NS	U	NS	6.2	U	NS	6.2	U	NS	NS	6.2	U	6.2	U	6.2	U	NS	6.2		
	23-Jan-12	1.2	U	NS	1.2	U	NS	1.2	U	NS	1.2	U	NS	1.2	U	NS	NS	1.2	U	1.2	U	1.2	U	NS	1.2	
	13-Apr-12	NS		1.2	U	NS	NS	U	NS	1.2	U	NS	NS	U	NS	NS	NS	1.2	U	1.2	U	1.2	U	NS	1.2	
	2-Jul-12 (resample)	NS		NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	NS	6.2	U	6.2	U	6.2	U	NS	6.2
	23-Jun-12	1.2	U	NS	1.2	U	NS	1.2	U	NS	1.2	U	NS	1.2	U	NS	NS	1.2	U	1.2	U	1.2	U	NS	1.2	
	1-Nov-12	NS		0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	NS	0.25	
	1-Feb-13	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	NS	0.25
1,1,2-Tetrachloroethane	29-Apr-13	NS		0.62	U	NS	NS	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	NS	0.25	
	9-Jul-13	0.37	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.036	U	0.036	U	0.036	U	NS	0.036
	18-Oct-13	NS		0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	NS	0.25	
	9-Jan-14	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0												

**Summary of Subslab Air Sampling Data  
Alvarez School  
Volatile Organic Compounds  
February 2008 - January 2023**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.14	U	NS	NS	0.14	U	NS	0.14	U	NS
	27-Mar-08	NS		0.137	U	NS	0.137	U	NS	NS	0.137
	25-Apr-08	NS		NS	0.137	U	NS	0.137	U	NS	0.137
	29-May-08	NS		NS	0.14	U	NS	0.14	U	0.14	U
	27-Jun-08	0.214	U	NS	NS	0.137	U	NS	NS	0.137	U
	31-Jul-08	NS		0.137	U	NS	NS	NS	NS	NS	0.137
	28-Aug-08	NS		NS	0.137	U	NS	0.137	U	0.137	U
	30-Sep-08	NS		NS	0.14	U	NS	0.14	U	0.14	U
	27-Oct-08	0.14	U	NS	NS	0.14	U	NS	0.14	U	0.14
	25-Nov-08	NS		0.14	U	NS	0.14	U	0.14	U	NS
	18-Dec-08	NS		NS	0.14	U	NS	0.14	U	0.14	U
	21-Jan-09	NS		NS	0.14	U	NS	0.14	U	0.14	U
	25-Feb-09	0.14	U	NS	NS	0.14	U	NS	0.14	U	NS
	26-Mar-09	NS		0.686	U	NS	1.37	U	NS	0.137	U
	29-Apr-09	NS		NS	0.137	U	NS	0.137	U	0.137	U
	22-Jul-09	0.686	U	NS	28	U	0.686	U	NS	0.137	U
	9-Oct-09	NS		0.137	U	NS	0.137	U	0.137	U	0.137
	15-Jan-10	0.109	U	NS	0.137	U	0.109	U	NS	0.137	U
	21-Apr-10	NS		0.137	U	NS	0.686	U	0.686	U	0.137
	16-Jul-10	0.137	U	NS	0.137	U	1.04	U	NS	0.137	U
	15-Oct-10	NS		0.137	U	NS	0.137	U	0.137	U	0.137
	26-Jan-11	1.37	U	0.137	U	0.137	U	0.686	U	0.686	U
	28-Feb-11	NS		1.37	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.137	U	NS	0.137	U	0.137	U	0.137
	26-Jul-11	0.458	U	NS	0.458	U	0.687	U	NS	0.137	U
	28-Oct-11	NS		3.4	U	NS	3.4	U	3.4	U	3.4
	23-Jan-12	0.69	U	NS	0.69	U	0.69	U	NS	0.69	U
	13-Apr-12	NS		0.34	U	NS	0.34	U	0.34	U	0.34
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	1.7
	23-Jun-12	0.69	U	NS	0.69	U	0.69	U	NS	0.69	U
	1-Nov-12	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	1-Feb-13	0.069	U	NS	0.069	U	0.069	U	NS	0.12	U
	29-Apr-13	NS		0.17	U	NS	0.069	U	0.069	U	0.069
	9-Jul-13	0.10	U	NS	0.069	U	0.069	U	NS	0.010	U
	18-Oct-13	NS		0.14	U	NS	0.14	U	0.14	U	0.14
	9-Jan-14	0.14	U	NS	0.14	U	0.14	U	NS	0.140	U
	24-Apr-14	NS		0.069	U	NS	0.069 <sup>L</sup>	U	0.069 <sup>L</sup>	U	0.069 <sup>L</sup>
	1-Aug-14	0.14	U	NS	0.21	U	0.21	U	NS	0.140	U
	27-Aug-14	NS		NS	NS	NS	0.069 <sup>L</sup>	U	NS	NS	NS
1,1,2,2-Tetrachloroethane	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	0.10	U	NS
	22-Oct-14	NS		0.10	U	NS	0.10	U	0.10	U	0.14
	20-Jan-15	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS	NS	0.077	U
	22-Apr-15	NS		0.070	U	NS	0.069	U	0.10	U	0.069 <sup>O</sup>
	21-Jul-15	0.3	U	NS	1	U	7	U	NS	0.300 <sup>O</sup>	U
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS	0.3	U	0.400 <sup>O</sup>
	29-Oct-15	NS		0.4	U	NS	0.4	U	0.3	U	NS
	4-Dec-15 resample	NS		0.3	U	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	20-Apr-16	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	20-Jul-16	0.34	U	NS	0.34	U	0.34	U	NS	0.34	U
	21-Oct-16	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	31-Jan-17	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	17-Apr-17	NS		0.10	U	NS	0.10	U	0.10	U	0.10
	26-Jul-17	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	12-Oct-17	NS		0.069	U	NS	0.069	U	0.21	U	0.2
	10-Jan-18	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	11-Apr-18	NS		0.14	U	NS	1.4	U	1.4	U	0.069
	23-May-18	NS		NS	NS	NS	NS	NS	NS	0.1	U
	27-Jul-18	0.34	U	NS	0.34	U	0.34	U	NS	0.34	U
	24-Oct-18	NS		0.34	U	NS	0.34	U	0.34	U	0.34
	16-Jan-19	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	12-Apr-19	NS		0.069	U	NS	0.069	U	0.086	U	0.1
	29-Jul-19	0.1	U	NS	0.1	U	0.069	U	NS	0.069	U
	26-Sep-19	NS		NS	NS	NS	NS	NS	NS	0.1	U
	29-Oct-19	NS		0.069	U	NS	0.22	NS	0.069	U	0.34 <sup>D</sup>
	21-Jan-20	0.07	U	NS	0.07	U	0.07	U	NS	0.07	U
	22-Apr-20	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	23-Jul-20	0.069	U	NS	0.069	U	0.069	U	NS	0.14	U
	29-Oct-20	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	19-Jan-21	0.069	U	NS	0.069	U	0.069	U	NS	0.1 <sup>I</sup>	U
	15-Apr-21	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	21-Jul-21	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	20-Oct-21	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	9-Feb-22	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	7-Apr-22	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	28-Jul-22	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U
	18-Oct-22	NS		0.069	U	NS	0.069	U	0.069	U	0.069
	24-Jan-23	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.35	NS	NS	NS	0.14	U	NS	NS	0.53	5.05	NS
	27-Mar-08	NS	0.888	NS	NS	0.875	NS	NS	NS	6.99	5.25	5.25
	25-Apr-08	NS	NS	0.322	NS	0.99	NS	NS	NS	0.83	NS	0.867
	29-May-08	NS	NS	NS	1.36	NS	NS	NS	0.24	0.3	3.21	NS
	27-Jun-08	1.32	NS	NS	29.6	NS	NS	NS	NS	NS	5.08	1.8
	31-Jul-08	NS	0.667	NS	NS	NS	NS	NS	NS	0.618	NS	0.572
	28-Aug-08	NS	NS	1.55	NS	1.52	NS	NS	NS	1.37	6.26	NS
	30-Sep-08	NS	NS	3.4	NS	3.4	U	NS	NS	NS	6.1	3.4
	27-Oct-08	4.2	U	NS	10	NS	NS	NS	NS	4.2	U	4.2
	25-Nov-08	NS	21.3	NS	4.6	NS	NS	NS	NS	3.4	U	NS
	18-Dec-08	NS	NS	3.4	NS	3.4	U	NS	NS	NS	3.4	U
	21-Jan-09	NS	NS	3.4	NS	3.4	U	NS	NS	3.4	U	3.4
	25-Feb-09	3.4	U	NS	8.3	NS	NS	NS	NS	3.4	U	3.7
	26-Mar-09	NS	1.28	NS	1.36	1.36	U	NS	NS	NS	7.11	2.08
	29-Apr-09	NS	NS	0.271	NS	0.305	NS	NS	NS	0.237	NS	0.691
	22-Jul-09	1.63	NS	1.63	2.1	3.08	NS	NS	NS	11.8	3.25	NS
	9-Oct-09	NS	0.556	NS	2.07	0.678	U	NS	NS	1.17	NS	1.46
	15-Jan-10	1.31	NS	0.644	1.35	0.691	NS	NS	NS	0.447	0.501	NS
	21-Apr-10	NS	7.2	NS	31.4	35.5	NS	NS	NS	62.1	NS	36.1
	16-Jul-10	12.4	NS	12.7	10.9	10	NS	NS	NS	15.4	19.2	NS
	15-Oct-10	NS	21.9	NS	37.6	NS	21.3	21.8	22.1	NS	NS	31.6
	26-Jan-11	1.36	U	0.691	1.27	0.678	U	NS	0.813	2.13	8.3	NS
	28-Feb-11	NS	NS	1.36	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.44	NS	7.22	1.53	NS	NS	NS	1.46	NS	1.98
	26-Jul-11	3.34	NS	0.834	2.59	9.29	NS	NS	NS	0.976	6.78	NS
	28-Oct-11	NS	3.4	U	8.5	3.4	U	3.4	U	3.4	U	3.4
	23-Jan-12	1	NS	0.68	1.7	5.3	NS	NS	NS	0.76	26	NS
	13-Apr-12	NS	19	NS	18	12	18	18	18	18	NS	15
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	9.6	NS
	23-Jun-12	1.5	NS	0.68	3.5	0.8	NS	NS	NS	0.68	U	8.9
	1-Nov-12	NS	7.4	NS	11	0.78	0.57	1.3	NS	NS	1.6	NS
	1-Feb-13	1.8	NS	0.76	0.99	4.5	NS	NS	NS	1.8	7.7	NS
	29-Apr-13	NS	8.1	NS	4.7	NS	1.1	1	1.3	NS	1.8	NS
	9-Jul-13	2.0	NS	2.1	3.1	2.9	NS	NS	NS	2.6	8.8	NS
	18-Oct-13	NS	14	NS	7.3	0.61	0.32	0.32	NS	NS	1.4	NS
	9-Jan-14	0.6	NS	0.22	1.1	1.8	NS	NS	NS	0.46	11	NS
	24-Apr-14	NS	4.7	NS	5.7	0.41	0.068	U	0.51	10	0.30	NS
	1-Aug-01	2.3	NS	3.3/4.9	2.1	NS	NS	NS	NS	0.97	4.0/5.9	NS
	27-Aug-14	NS	NS	NS	NS	2.4/3.5	NS	NS	NS	NS	NS	NS
Tetrachloroethene*	12-Sep-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.34	NS	NS
	22-Oct-14	NS	6.9	NS	5.0	0.61	0.43	0.10	U	0.10	U	NS
	20-Jan-15	0.9	NS	0.20	0.37	NS	1.0	NS	NS	0.52	0.21	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	3.0	NS
	22-Apr-15	NS	5.3	NS	2.6	NS	0.85	0.48/0.52	1.7	NS	1.5	NS
	21-Jul-15	0.34	NS	1	U	3.2	NS	NS	NS	0.44 <sup>o</sup>	4.0 <sup>o</sup>	NS
	23-Sep-15 resample	NS	NS	NS	NS	NS	NS	1.5	NS	NS	NS	NS
	29-Oct-15	NS	18	NS	3.6	1.2	6.6	0.18 <sup>j</sup>	NS	NS	0.65	NS
	4-Dec-15 resample	NS	14	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	3.1	NS	0.19	0.71	NS	NS	NS	NS	0.19	6.7	NS
	20-Apr-16	NS	9.7	NS	3.4	NS	0.22	0.11	0.14	NS	0.47	NS
	20-Jul-16	0.5	NS	0.99	1.6	4.8	NS	NS	NS	0.71	5.6	NS
	21-Oct-16	NS	40	NS	4.6	0.75	0.83	0.39	NS	NS	0.93	NS
	31-Jan-17	0.33	NS	0.23	0.79	NS	NS	NS	NS	0.15	12	NS
	17-Apr-17	NS	8.1	NS	3.2	0.99	0.16	0.21	NS	NS	1.1	NS
	26-Jul-17	0.26	NS	0.34	1.3	NS	NS	NS	NS	0.22	5.4	NS
	12-Oct-17	NS	7.5	NS	4.2	0.44	0.43	0.41	NS	NS	1.7	NS
	10-Jan-18	0.21	NS	0.15	0.64	2	NS	0.33	NS	NS	4.9	NS
	11-Apr-18	NS	10	NS	1.8	1.4	U	1.4	U	0.24	2	NS
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS
	27-Jul-18	0.68	U	0.68	2.5	2.2	NS	NS	NS	0.68	U	18
	24-Oct-18	NS	6.1	NS	6.8	0.68	U	0.68	U	0.68	NS	0.68
	16-Jan-19	0.44	NS	0.27	0.97	1.8	NS	NS	NS	0.24	5.9	NS
	12-Apr-19	NS	11	NS	2.3	0.29	0.2	U	0.2	U	NS	2.2
	29-Jul-19	0.86	NS	0.92	1.4	6.7	NS	NS	NS	0.4	5.9	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.7	NS
	29-Oct-19	NS	21	NS	7.2	0.14	0.16	0.68 <sup>b</sup>	U	0.16	7 <sup>b</sup>	0.68 <sup>b</sup>
	21-Jan-20	0.20	NS	0.14	0.41	1.30	NS	NS	NS	1.20	7.30	NS
	22-Apr-20	NS	2	NS	0.91	0.14	U	0.14	U	0.53	NS	0.88
	23-Jul-20	0.74	NS	0.75	0.84	4.5	NS	NS	NS	0.84	8.2	NS
	29-Oct-20	NS	7.3	NS	2.6	0.44	1.6	0.44	NS	NS	0.89	NS
	19-Jan-21	1.4	NS	0.14	0.27	0.14	U	0.14	NS	0.52	2.5 <sup>b</sup>	NS
	15-Apr-21	NS</										

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Toluene	8-Feb-08	1.63	NS	NS	NS	1.8	NS	NS	NS	2.72	455	NS
	27-Mar-08	NS	2.24	NS	NS	1.45	NS	NS	NS	11.3	16.1	
	25-Apr-08	NS	NS	1.39	NS	NS	NS	1.34	NS	11.2	NS	21.8
	29-May-08	NS	NS	NS	7.74	NS	NS	NS	11.6	21	13	NS
	27-Jun-08	14.7	NS	NS	NS	2.33	NS	NS	NS	10.2	10.6	22.2
	31-Jul-08	NS	4.15	NS	NS	NS	NS	NS	NS	10.2	NS	6.11
	28-Aug-08	NS	NS	6.48	NS	NS	NS	3.44	NS	10	11.2	NS
	30-Sep-08	NS	NS	NS	1.9	U	NS	NS	6.1	NS	7.5	8.6
	27-Oct-08	56.3	NS	NS	NS	3.2	NS	NS	NS	6.6	NS	8.2
	25-Nov-08	NS	7.8	NS	NS	7.8	NS	NS	29.9	18.6	NS	
	18-Dec-08	NS	NS	2	NS	NS	NS	1.9	NS	4.8	4.9	
	21-Jan-09	NS	NS	1.9	U	NS	NS	NS	NS	1.9	U	1.9
	25-Feb-09	7	NS	NS	1.9	U	NS	NS	NS	1.9	U	13.8
	26-Mar-09	NS	3.53	NS	NS	3.92	NS	NS	NS	NS	7.23	9.75
	29-Apr-09	NS	NS	1.99	NS	NS	0.651	NS	NS	0.149	NS	4.56
	22-Jul-09	38.7	NS	38.7	2.22	NS	4.71	NS	NS	80.1	5.32	NS
	9-Oct-09	NS	3.53	NS	NS	3.06	NS	1.07	23.6	3.12	NS	3.67
	15-Jan-10	12.8	NS	4.17	4.33	NS	5.81	NS	NS	4.81	4.85	NS
	21-Apr-10	NS	0.9	NS	NS	2.97	NS	3.75	5.2	2.84	NS	5.08
	16-Jul-10	22.2	NS	17.9	5.98	NS	5.54	NS	NS	5.77	5.85	NS
	15-Oct-10	NS	1.67	NS	NS	2.1	NS	1.72	3.37	2.23	NS	3.26
	26-Jan-11	6.06	6.82	NS	6.82	NS	4.74	NS	5.95	12.1	11.9	NS
	28-Feb-11	NS	NS	1.88	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.836	NS	0.682	NS	1.25	3.62	2.08	NS	1.62	
	26-Jul-11	8.29	NS	3.96	1.15	NS	1.62	NS	NS	2.31	1.68	NS
	28-Oct-11	NS	1.9	U	1.9	U	1.9	U	3.3	4.7	NS	3.8
	23-Jan-12	7.9	NS	3.8	1.9	NS	3.4	NS	NS	5.2	15	NS
	13-Apr-12	NS	0.75	NS	0.38	U	NS	0.38	U	1.3	2.4	NS
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.9	U
	23-Jun-12	8.5	NS	3.5	1.5	NS	2.5	NS	NS	2.4	1.8	NS
	1-Nov-12	NS	2	NS	NS	1.7	NS	2.3	2.8	2.8	NS	4.5
	1-Feb-13	2.4	NS	0.69	0.69	NS	0.71	NS	NS	1.4	1.6	NS
	29-Apr-13	NS	1.7	NS	NS	1.3	NS	1.7	2.1	3.1	NS	3.9
	9-Jul-13	11	NS	3.0	2.0	NS	2.5	NS	NS	6.8	3.4	NS
	18-Oct-13	NS	2.3	NS	NS	3.1	NS	2.8	7.5	1.3	NS	1.9
	9-Jan-14	10	NS	7.6	8.6	NS	10	NS	NS	20	16	NS
	24-Apr-14	NS	0.23	NS	NS	0.22	NS	0.25	0.36	0.28	0.25	1.1
	1-Aug-14	2.7	NS	2.8/3.2	1.3/1.4	NS	NS	NS	NS	1.6	1.9	NS
	27-Aug-14	NS	NS	NS	NS	NS	2.2/2.8	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	1.5	NS	NS	U
	22-Oct-14	NS	0.34	NS	NS	0.32	0.48	0.94	0.51	1.2	1.2	NS
	20-Jan-15	1.5	NS	0.6	0.6	NS	0.44	NS	NS	1.4	1.5	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.2	NS
	22-Apr-15	NS	0.95	NS	NS	0.59	NS	1.2	1.4/1.6	3.4	NS	4.3
	21-Jul-15	3.8	NS	4.5	4	U	NS	NS	NS	5.4 <sup>o</sup>	7.6 <sup>o</sup>	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	1.4	NS	NS	NS
	29-Oct-15	NS	0.41	NS	NS	0.55	NS	0.64	1.1	1.2	NS	2.8
	4-Dec-15 resample	NS	0.42	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	1.5	NS	0.5	0.4	NS	0.44	NS	NS	1.2	0.89	NS
	20-Apr-16	NS	0.62	NS	NS	0.77	NS	1.3	0.85	3.5	NS	1.8
	20-Jul-16	1.2 <sup>w</sup>	NS	1.9 <sup>w</sup>	0.77 <sup>w</sup>	NS	1.2 <sup>w</sup>	NS	NS	1.6 <sup>w</sup>	44 <sup>w</sup>	NS
	21-Oct-16	NS	0.56	NS	NS	2.6	NS	1.8	4.2	1.9	NS	2.5
	31-Jan-17	1.1	NS	1.2	1.0	NS	0.98	NS	NS	2.2	1.8	NS
	17-Apr-17	NS	1.0	NS	NS	1.1	NS	1.3	1.5	1.0	NS	1.5
	26-Jul-17	1.1	NS	1.5	0.73	NS	1.2	NS	NS	1.8	1.4	NS
	12-Oct-17	NS	0.41	NS	NS	0.47	NS	0.55	1	0.99	NS	0.81
	10-Jan-18	0.88	NS	0.99	1.1	NS	1	NS	NS	2.4	NS	1.7
	11-Apr-18	NS	0.61	NS	NS	0.75	U	NS	0.75	U	0.75	1.9
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.72	NS
	27-Jul-18	1.2	NS	1.9	0.75	NS	1.6	NS	NS	1.4	0.9	NS
	24-Oct-18	NS	0.49	NS	NS	0.38	U	NS	0.47	1.2	1.4	1.5
	16-Jan-19	1.4	NS	0.65	0.7	NS	0.77	NS	NS	1.6	1.2	NS
	12-Apr-19	NS	0.48	NS	NS	0.34	NS	0.24	1.1	1.5	NS	0.88
	29-Jul-19	1.6	NS	2	1.9	NS	3.2	NS	NS	1.3	2.2	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	NS
	29-Oct-19	NS	3	NS	NS	0.89	NS	0.79	3.4	2.7 <sup>d</sup>	4.5 <sup>d</sup>	2.7 <sup>d</sup>
	21-Jan-20	0.82	NS	1.30	1.50	NS	1.00	NS	NS	3.40	4.20	NS
	22-Apr-20	NS	0.13	NS	NS	0.59	NS	0.081	U	0.46	1.1	1.4
	23-Jul-20	4.2	NS	2.8	2.3	NS	3.8	NS	NS	3.5	4.8	NS
	29-Oct-20	NS	0.92	NS	NS	0.9	NS	0.88	3.2	2	NS	2.5
	19-Jan-21	0.59	NS	0.45	0.3	NS	0.4	NS	NS	1	0.69 <sup>b</sup>	NS
	15-Apr-21	NS	0.47	NS	NS	0						

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.11	U	NS	NS	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	NS	U	0.11	U	0.56	U	0.266	NS		
	27-Mar-08	NS		0.109	U	NS	NS	NS	NS	NS	0.109	U	NS	NS	U	NS	NS	U	0.522	NS	0.119	NS	0.119		
	25-Apr-08	NS		NS	U	NS	NS	NS	NS	NS	0.109	U	NS	NS	U	0.11	U	0.54	NS	0.138	NS	0.138	U		
	29-May-08	NS		NS	U	NS	NS	NS	NS	NS	0.12	U	NS	NS	U	0.11	U	0.377	NS	0.109	NS	0.109	U		
	27-Jun-08	0.17	U	NS	NS	NS	NS	NS	NS	0.458	U	NS	NS	U	NS	NS	U	0.109	U	0.492	NS	0.27	U		
	31-Jul-08	NS		0.109	U	NS	NS	NS	NS	NS	0.109	U	NS	NS	U	NS	NS	U	0.109	U	0.492	NS	0.27	U	
	28-Aug-08	NS		NS	U	NS	NS	NS	NS	NS	0.109	U	NS	NS	U	NS	NS	U	0.109	U	0.492	NS	0.27	U	
	30-Sep-08	NS		NS	U	NS	NS	NS	NS	NS	2.7	U	NS	NS	U	NS	NS	U	2.7	U	2.7	U	2.7	U	
	27-Oct-08	3.4	U	NS	U	NS	NS	NS	NS	NS	3.4	U	NS	NS	U	NS	NS	U	3.4	U	3.4	U	3.4	U	
	25-Nov-08	NS		2.7	U	NS	NS	NS	NS	NS	2.7	U	NS	NS	U	NS	NS	U	2.7	U	2.7	U	2.7	U	
	18-Dec-08	NS		NS	U	NS	NS	NS	NS	NS	2.7	U	NS	NS	U	NS	NS	U	2.7	U	2.7	U	2.7	U	
	21-Jan-09	NS		NS	U	NS	NS	NS	NS	NS	2.7	U	NS	NS	U	NS	NS	U	2.7	U	2.7	U	2.7	U	
	25-Feb-09	2.7	U	NS	U	NS	NS	NS	NS	NS	2.7	U	NS	NS	U	NS	NS	U	2.7	U	2.7	U	2.7	U	
	26-Mar-09	NS		1.59	U	NS	NS	NS	NS	NS	1.09	U	NS	NS	U	NS	NS	U	0.682	NS	0.213	NS	0.213	U	
	29-Apr-09	NS		NS	U	NS	NS	NS	NS	NS	0.174	U	NS	NS	U	0.158	NS	U	0.191	NS	0.278	NS	0.278	U	
	22-Jul-09	0.545	U	NS	U	NS	NS	NS	NS	NS	2.2	U	1.09	U	0.545	U	0.109	U	0.545	U	0.278	NS	0.278	U	
	9-Oct-09	NS		0.109	U	NS	NS	NS	NS	NS	0.109	U	0.158	U	0.109	U	0.109	U	0.109	U	0.136	NS	0.136	U	
	15-Jan-10	0.109	U	NS	U	NS	NS	NS	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.692	NS	0.692	U	
	21-Apr-10	NS		0.109	U	NS	NS	NS	NS	NS	0.109	U	0.545	U	0.545	U	0.109	U	0.109	U	0.109	NS	0.109	U	
	16-Jul-10	0.109	U	NS	U	NS	NS	NS	NS	NS	0.109	U	0.824	U	0.824	U	0.109	U	0.109	U	0.562	NS	0.562	U	
	15-Oct-10	NS		0.272	U	NS	NS	NS	NS	NS	0.349	U	NS	NS	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
	26-Jan-11	1.09	U	0.109	U	NS	NS	NS	NS	NS	0.109	U	0.545	U	0.545	U	0.545	U	0.545	U	0.845	NS	0.845	U	
	28-Feb-11	NS		NS	U	NS	NS	NS	NS	NS	1.09	U	NS	NS	U	NS	NS	U	NS	NS	NS	NS	NS	U	
	27-Apr-11	NS		0.109	U	NS	NS	NS	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	NS	0.109	U	
	26-Jul-11	0.364	U	NS	U	NS	NS	NS	NS	NS	0.364	U	0.109	U	0.873	U	NS	U	0.109	U	0.546	U	0.546	U	
	28-Oct-11	NS		2.7	U	NS	NS	NS	NS	NS	2.7	U	NS	NS	U	2.7	U	2.7	U	2.7	U	2.7	U	2.7	U
	23-Jan-12	0.55	U	NS	U	NS	NS	NS	NS	NS	0.55	U	NS	NS	U	1.5	U	NS	U	0.55	U	1.3	U	1.3	U
	13-Apr-12	NS		0.27	U	NS	NS	NS	NS	NS	0.27	U	NS	NS	U	0.27	U	0.27	U	0.27	U	0.27	U	0.27	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	0.55	U	NS	NS	U	NS	NS	U	NS	U	1.4	U	1.4	U	
	23-Jun-12	0.55	U	NS	U	NS	NS	NS	NS	NS	0.55	U	NS	NS	U	NS	NS	U	0.55	U	0.7	U	0.7	U	
	1-Nov-12	NS		0.25	U	NS	NS	NS	NS	NS	0.25	U	NS	NS	U	0.055	U	0.055	U	0.055	U	0.14	NS	0.14	U
	1-Feb-13	0.055	U	NS	U	NS	NS	NS	NS	NS	0.055	U	NS	NS	U	NS	NS	U	0.055	U	0.23	NS	0.23	U	
	29-Apr-13	NS		0.15	U	NS	NS	NS	NS	NS	0.15	U	NS	NS	U	0.076	NS	U	0.061	U	0.055	U	0.055	U	
	9-Jul-13	0.082	U	NS	U	NS	NS	NS	NS	NS	0.082	U	NS	NS	U	0.33	NS	U	0.055	U	0.26	NS	0.26	U	
	18-Oct-13	NS		0.23	U	NS	NS	NS	NS	NS	0.19	U	NS	NS	U	0.11	U	0.11	U	0.11	U	0.28	NS	0.28	U
	9-Jan-14	0.11	U	NS	U	NS	NS	NS	NS	NS	0.11	U	0.41	U	NS	NS	U	NS	U	0.11	U	0.46	NS	0.46	U
	24-Apr-14	NS		0.055	U	NS	NS	NS	NS	NS	0.055	U	0.055	U	NS	NS	U	NS	U	0.055	U	0.42	NS	0.42	U
	1-Aug-14	0.11	U	NS	U	NS	NS	NS	NS	NS	0.16	U	0.16	U	NS	NS	U	NS	U	0.11	U	0.22</			

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.11	U	NS	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	NS	0.11	U	0.11	U	NS	0.109	
	27-Mar-08	NS		0.109	U	NS	NS	NS	NS	U	NS	NS	U	NS	U	NS	0.109	U	0.109	U	0.109	U	
	25-Apr-08	NS		NS	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11	U	NS	
	29-May-08	NS		NS	NS	NS	NS	NS	0.109	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11	U	0.109	
	27-Jun-08	0.17	U	NS	NS	NS	NS	NS	0.109	U	NS	NS	U	NS	U	NS	0.109	U	0.109	U	0.109	U	
	31-Jul-08	NS		0.109	U	NS	NS	NS	NS	U	NS	NS	U	NS	U	0.109	U	0.109	U	0.109	U	0.109	
	28-Aug-08	NS		NS	NS	NS	NS	NS	0.109	U	NS	NS	U	NS	U	0.109	U	0.109	U	0.109	U	NS	
	30-Sep-08	NS		NS	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11	U	0.11	
	27-Oct-08	0.11	U	NS	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11	U	0.11	
	25-Nov-08	NS		0.11	U	NS	NS	NS	NS	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11	U	NS	
	18-Dec-08	NS		NS	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11	U	0.11	
	21-Jan-09	NS		NS	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11	U	0.11	
	25-Feb-09	0.11	U	NS	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11	U	NS	
	26-Mar-09	NS		0.545	U	NS	NS	NS	NS	U	NS	1.09	U	NS	U	0.109	U	0.109	U	0.109	U	0.109	
	29-Apr-09	NS		NS	NS	NS	NS	NS	0.109	U	NS	NS	U	NS	U	0.109	U	0.109	U	0.109	U	0.109	
	22-Jul-09	0.545	U	NS	NS	22.2	U	1.09	U	NS	NS	0.545	U	NS	U	0.109	U	0.109	U	0.109	U	0.109	
	9-Oct-09	NS		0.109	U	NS	NS	NS	0.109	U	NS	NS	U	NS	U	22.8	U	0.109	U	0.109	U	0.109	
	15-Jan-10	0.109	U	NS	0.109	U	1.09	U	NS	0.081	U	NS	NS	U	NS	0.109	U	0.109	U	0.109	U	NS	
	21-Apr-10	NS		0.109	U	NS	NS	NS	0.545	U	NS	NS	U	NS	U	0.545	U	0.545	U	0.545	U	0.109	
	16-Jul-10	0.109	U	NS	0.109	U	0.109	U	NS	0.824	U	NS	NS	U	NS	1.09	U	0.109	U	0.109	U	NS	
	15-Oct-10	NS		0.109	U	NS	NS	NS	0.109	U	NS	NS	U	NS	U	0.109	U	0.109	U	0.109	U	0.109	
	26-Jan-11	1.09	U	0.109	U	NS	NS	0.109	U	NS	NS	0.545	U	NS	U	0.547	U	0.545	U	0.545	U	NS	
	28-Feb-11	NS		NS	NS	1.09	U	NS	NS	0.109	U	NS	NS	U	NS	NS	0.109	U	0.109	U	0.109	U	
	27-Apr-11	NS		0.109	U	NS	NS	NS	0.109	U	NS	NS	U	NS	U	0.109	U	0.109	U	0.109	U	0.109	
	26-Jul-11	0.364	U	NS	0.364	U	0.109	U	NS	0.546	U	NS	NS	U	NS	NS	0.109	U	0.109	U	0.546	U	
	28-Oct-11	NS		2.7	U	NS	NS	NS	2.7	U	NS	2.7	U	NS	U	2.7	U	2.7	U	2.7	U	2.7	
	23-Jan-12	0.55	U	NS	0.55	U	0.55	U	NS	0.55	U	NS	0.55	U	NS	NS	0.55	U	0.55	U	0.55	U	
	13-Apr-12	NS		0.27	U	NS	NS	NS	0.27	U	NS	NS	U	NS	U	0.27	U	0.27	U	0.27	U	0.27	
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	U	NS	0.5	U	NS	U	NS	NS	1.4	U	NS	NS	NS	
	23-Jun-12	0.55	U	NS	0.55	U	0.55	U	NS	0.55	U	NS	0.55	U	NS	U	0.55	U	0.55	U	0.55	U	
	1-Nov-12	NS		0.055	U	NS	NS	NS	0.055	U	NS	0.055	U	NS	U	0.055	U	0.055	U	0.055	U	0.055	
	1-Feb-13	0.055	U	NS	0.055	U	0.055	U	NS	0.055	U	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055	U	
	29-Apr-13	NS		0.14	U	NS	NS	NS	0.055	U	NS	0.055	U	NS	U	0.055	U	0.055	U	0.055	U	0.055	
	9-Jul-13	0.082	U	NS	0.055	U	0.055	U	NS	0.055	U	0.055	U	NS	U	0.055	U	0.055	U	0.055	U	0.055	
	18-Oct-13	NS		0.11	U	NS	NS	NS	0.11	U	NS	0.11	U	NS	U	0.11	U	0.11	U	0.11	U	0.11	
	9-Jan-14	0.11	U	NS	0.11	U	0.11	U	NS	0.11	U	NS	0.11	U	NS	NS	0.11	U	0.11	U	0.11	U	
	24-Apr-14	NS		0.055	U	NS	NS	NS	0.055	U	NS	0.055	U	NS	U	0.055	U	0.055	U	0.055	U	0.16	
	1-Aug-14	0.11	U	NS	0.16	U	0.16	U	NS	0.16	U	NS	0.16	U	NS	NS	0.11	U	0.11	U	0.11	U	
	27-Aug-14	NS		NS	NS	NS	NS	NS	NS	U	NS	0.055	U	NS	U	NS	NS	NS	U	NS	NS	NS	
1,1,2-Trichloroethane	12-Sep-14 (resample)	NS		NS	NS	NS	NS	NS	NS	U	NS	0.055	U	NS	U	0.055	U	0.055	U	0.055	U	0.055	
	22-Oct-14	NS		0.082	U	NS	NS	NS	0.082	U	NS	0.082	U	NS	U	0.082	U	0.082	U	0.082	U	0.082	
	20-Jan-15	0.055	U	NS	0.055	U	0.055																

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.12	NS	NS	NS	0.11	U	NS	NS	0.2	19.6	NS
	27-Mar-08	NS	0.107	U	NS	NS	0.152	NS	NS	13.4	5.34	
	25-Apr-08	NS	NS	0.199	NS	NS	1.35	NS	0.668	NS	3.39	
	29-May-08	NS	NS	NS	26.5	NS	NS	0.15	0.37	13.6	NS	
	27-Jun-08	0.408	NS	NS	NS	258	NS	NS	NS	13.6	6.56	
	31-Jul-08	NS	1.24	NS	NS	NS	NS	NS	0.126	NS	3.26	
	28-Aug-08	NS	NS	0.558	NS	NS	3.56	NS	0.432	18.4	NS	
	30-Sep-08	NS	NS	NS	56.2	NS	NS	0.8	NS	22.7	3.95	
	27-Oct-08	0.8	U	NS	NS	117	NS	NS	2.99	NS	0.8	U
	25-Nov-08	NS	2.92	NS	NS	1.89	NS	NS	0.54	39.8	NS	
	18-Dec-08	NS	NS	0.54	U	NS	0.54	U	NS	4.56	2.48	
	21-Jan-09	NS	NS	NS	19.6	NS	NS	0.54	U	NS	4.99	
	25-Feb-09	0.44	NS	NS	NS	99.5	NS	NS	0.56	10.7	NS	
	26-Mar-09	NS	9.2	NS	NS	3.88	NS	NS	NS	25.1	5.49	
	29-Apr-09	NS	NS	0.22	NS	1.2	NS	NS	0.392	NS	2.96	
	22-Jul-09	0.537	U	NS	0.537	U	NS	NS	0.354	10.3	NS	
	9-Oct-09	NS	0.091	U	NS	26	NS	1.24	22.4	U	3.26	
	15-Jan-10	0.591	NS	0.242	17.7	NS	0.172	NS	0.107	U	18.5	
	21-Apr-10	NS	0.107	U	NS	34	NS	0.94	0.537	U	2.01	
	16-Jul-10	0.333	NS	0.333	8.14	NS	0.811	U	NS	0.107	27.8	
	15-Oct-10	NS	2.26	NS	129	NS	1.92	0.177	0.317	NS	1.3	
	26-Jan-11	1.07	U	1.63	NS	0.537	U	NS	0.617	1.23	27.1	
	28-Feb-11	NS	1.07	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.231	NS	78.1	NS	0.891	0.107	U	0.107	1.56	
	26-Jul-11	1.18	NS	0.358	U	29.6	NS	10.5	NS	0.247	20.5	
	28-Oct-11	NS	2.7	U	NS	110	NS	2.7	U	2.7	2.7	U
	23-Jan-12	0.88	NS	0.54	U	6.8	NS	7.8	NS	0.54	44	NS
	13-Apr-12	NS	0.27	U	NS	83	NS	1.5	0.27	U	0.27	4.1
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	32	NS
	23-Jun-12	1.1	NS	0.54	U	92	NS	0.75	NS	0.54	35	NS
	1-Nov-12	NS	2.4	NS	NS	92	NS	1.9	0.32	0.28	6.9	
	1-Feb-13	0.85	NS	0.064	21	NS	5.6	NS	NS	0.077	20	NS
	29-Apr-13	NS	1.7	NS	NS	46	NS	0.84	0.12	0.44	NS	1.9
	9-Jul-13	0.60	NS	0.22	27	NS	2.6	NS	NS	0.14	22	U
	18-Oct-13	NS	3.3	NS	76	NS	2.2	0.48	0.66	NS	15	
	9-Jan-14	0.49	NS	0.11	U	36	NS	1.8	NS	0.13	43	NS
	24-Apr-14	NS	1.0	NS	58	NS	0.81	0.13	1.0	31	2.4	
	1-Aug-14	2.70	NS	0.23	15/19	NS	NS	NS	NS	1.2	16/18	NS
	27-Aug-14	NS	NS	NS	NS	2.6/3.4	NS	NS	NS	NS	NS	
Trichloroethene*	12-Sep-14 (resample)	NS	NS	NS	NS	NS	NS	0.30	NS	NS	U	NS
	22-Oct-14	NS	1.3	NS	88	0.97	1.4	0.19	0.17	18	NS	
	20-Jan-15	0.52	NS	0.054	U	24	NS	1.3	NS	0.081	0.054	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	15	NS	
	22-Apr-15	NS	0.96	NS	35	NS	0.80	0.078	U	0.57	3.6	
	21-Jul-15	0.2	U	1	U	15	3.1	NS	0.99 <sup>o</sup>	24 <sup>o</sup>	NS	
	23-Sep-15 resample	NS	NS	NS	NS	NS	NS	0.44	NS	NS	NS	
	29-Oct-15	NS	4.1	NS	54	NS	3.3	0.89	0.55	NS	7.3	
	4-Dec-15 resample	NS	2.1	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Jan-16	2.3	NS	0.13	25	NS	0.98	NS	NS	0.27	36	NS
	20-Apr-16	NS	1.8	NS	76	NS	0.8	0.17	0.39	NS	9.4	
	20-Jul-16	0.47	NS	0.6	28	NS	3.8	NS	0.63	21	NS	
	21-Oct-16	NS	7.6	NS	66	NS	1.1	0.31	0.18	NS	5.7	
	31-Jan-17	0.23	NS	0.11	32	NS	0.71	NS	0.054	U	44	NS
	17-Apr-17	NS	1.4	NS	58	NS	0.66	0.081	U	0.081	11	
	26-Jul-17	0.23	NS	0.13	33	NS	1.4	NS	0.31	25	NS	
	12-Oct-17	NS	1.8	NS	88	NS	0.76	0.38	0.15	U	2.1	
	10-Jan-18	0.19	NS	0.054	U	29	2.1	NS	0.43	NS	65	
	11-Apr-18	NS	2.1	NS	41	NS	1.1	U	0.13	NS	37	
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	7.0	NS	
	27-Jul-18	0.27	U	0.27	U	140	0.68	NS	0.27	U	74	NS
	24-Oct-18	NS	1.7	NS	110	NS	0.69	0.27	U	0.27	4.9	
	16-Jan-19	0.29	NS	0.054	U	47	1.4	NS	0.054	U	42	NS
	12-Apr-19	NS	1.8	NS	45	NS	0.38	0.081	U	0.081	21	
	29-Jul-19	0.4	NS	0.15	23	NS	4.7	NS	0.24	21	NS	
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	22	NS	
	29-Oct-19	NS	4.8	NS	33	NS	0.054	U	0.11	0.27 <sup>d</sup>	23 <sup>d</sup>	1.1 <sup>d</sup>
	21-Jan-20	0.15	NS	0.05	U	10.00	1.10	NS	NS	0.06	24	NS
	22-Apr-20	NS	0.54	NS	20	NS	0.19	0.054	U	0.25	1.4	
	23-Jul-20	0.69	NS	0.12	18	2.6	NS	NS	0.11	32	NS	
	29-Oct-20	NS	2.3	NS	45	NS	0.6	0.2	0.18	NS	1.9	
	19-Jan-21	1	NS	0.054	U	5.8	NS	0.054	U	0.71	10 <sup>f</sup>	NS
	15-Apr-21	NS	0.66	NS	18	NS	0.054	U	0.054	U	0.22	
	21-Jul-2											

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	1.22	NS	NS	NS	1.22	NS	NS	1.06	15.9	NS	
	27-Mar-08	NS	1.27	NS	NS	1.18	NS	NS	NS	12	9.02	
	25-Apr-08	NS	NS	NS	33.5	NS	NS	NS	1.66	NS	3.83	
	29-May-08	NS	NS	NS	75.2	NS	NS	NS	0.98	10.6	NS	
	27-Jun-08	1.29	NS	NS	NS	NS	NS	NS	NS	8.85	8.89	
	31-Jul-08	NS	1.01	NS	NS	NS	NS	NS	0.958	NS	5.1	
	28-Aug-08	NS	NS	2.53	NS	NS	NS	NS	1.79	15.6	NS	
	30-Sep-08	NS	NS	NS	53.8	NS	NS	NS	NS	14.5	10.4	
	27-Oct-08	2.8	U	NS	NS	44.4	NS	NS	6.1	NS	2.8	
	25-Nov-08	NS	10	NS	NS	12.2	NS	NS	2.8	U	34	
	18-Dec-08	NS	NS	2.8	U	NS	NS	NS	NS	4.8	7.1	
	21-Jan-09	NS	NS	26.9	NS	NS	NS	NS	7.2	U	NS	10.4
	25-Feb-09	2.8	U	NS	NS	14.8	NS	NS	2.8	U	7.1	NS
	26-Mar-09	NS	1.43	NS	NS	2.81	U	NS	NS	NS	19.6	10.3
	29-Apr-09	NS	NS	1.45	NS	4.23	NS	NS	1.27	NS	3.17	
	22-Jul-09	1.46	NS	1.46	19.9	NS	NS	NS	1.28	6.46	NS	
	9-Oct-09	NS	0.156	NS	20	NS	11	58.6	U	1.65	NS	9.32
	15-Jan-10	1.39	NS	2.1	16.6	NS	NS	NS	1.34	15.4	NS	
	21-Apr-10	NS	0.466	NS	10.1	NS	4.83	1.4	U	4.95	NS	5.47
	16-Jul-10	2.6	NS	1.84	16.4	NS	2.12	U	NS	2.23	19.8	NS
	15-Oct-10	NS	9.63	NS	72.2	NS	13.7	5.65	9.85	NS	10	
	26-Jan-11	2.81	U	1.16	NS	1.4	U	NS	1.4	U	1.71	26
	28-Feb-11	NS	NS	2.81	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.12	NS	12.8	NS	3.24	1.27	1.17	NS	2.53	
	26-Jul-11	4.27	NS	1.31	41.2	U	NS	NS	NS	1.62	10	NS
	28-Oct-11	NS	2.8	U	30	NS	5.1	2.8	U	2.9	NS	4.2
	23-Jan-12	2.1	NS	1.5	28	NS	29	NS	NS	1.4	16	NS
	13-Apr-12	NS	1.9	NS	15	NS	6.4	2.1	2	NS	8.8	
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	21	NS
	23-Jun-12	2.4	NS	1.1	85	NS	2.2	NS	NS	1.2	15	NS
	1-Nov-12	NS	3.3	NS	33	NS	6.7	1.2	1.2	NS	7.2	
	1-Feb-13	2.1	NS	1.6	15	NS	17	NS	NS	1.6	5.6	NS
	29-Apr-13	NS	2.6	NS	8.3	NS	3.1	1.5	1.6	NS	2.7	
	9-Jul-13	1.4	NS	2.2	33	NS	3.3	NS	NS	3.6	5.5	NS
	18-Oct-13	NS	4.0	NS	19	NS	6.9	3.0	1.6	NS	20	
	9-Jan-14	1.6	NS	1.8	21	NS	11	NS	1.8	11	NS	
	24-Apr-14	NS	2.3	NS	10	NS	3.5	1.7	2.4	9.3	4.3	
	1-Aug-14	2.9	NS	1.7/1.6	23/26	NS	NS	NS	NS	2.4	6.2	NS
	27-Aug-14	NS	NS	NS	7.0/6.6	NS	NS	NS	NS	NS	NS	
Trichlorofluoromethane	12-Sep-14 (resample)	NS	NS	NS	NS	NS	1.5	NS	NS	NS	NS	NS
	22-Oct-14	NS	2.7	NS	28	4.2	7.0	1.7	1.4	7.4	NS	
	20-Jan-15	1.6	NS	1.5	9.1	NS	5.2	NS	NS	1.3	1.4	NS
	30-Mar-15 (resample)	NS	7.8 <sup>v</sup>	NS	NS	NS	NS	NS	NS	NS	2.8	NS
	22-Apr-15	NS	1.0 <sup>j</sup>	NS	15 <sup>v</sup>	NS	3.5	1.7/2.0	1.9 <sup>o</sup>	NS	3.4	
	21-Jul-15	0.87	NS	19	NS	3.2	NS	NS	0.98 <sup>o</sup>	2.9 <sup>o</sup>	NS	
	23-Sep-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	29-Oct-15	NS	4.3	NS	11	NS	2.6	0.93	0.8	NS	1.8	
	4-Dec-15 resample	NS	2.5	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Jan-16	2.5 <sup>M,V</sup>	NS	1.9 <sup>M,V</sup>	19 <sup>M,V</sup>	NS	7.6 <sup>M,V</sup>	NS	NS	2.4 <sup>M,V</sup>	7.6 <sup>M,V</sup>	NS
	20-Apr-16	NS	2.3	NS	8.8	NS	2.5	1.6	1.4	NS	4.3	
	20-Jul-16	1.3	NS	1.6	16	NS	4.2	NS	1.7	4	NS	
	21-Oct-16	NS	4.7	NS	15	NS	3.8	1.5	1.3	NS	5.9	
	31-Jan-17	1.4	NS	1.5	35	NS	3.9	NS	1.4	9.1	NS	
	17-Apr-17	NS	2.7	NS	8.6	NS	3.1	1.7	1.7	NS	8.2	
	26-Jul-17	0.98	NS	0.98	19	NS	1.9	NS	1.1	3.4	NS	
	12-Oct-17	NS	2.3	NS	18	NS	3.8	1.8	1.5	NS	2.2	
	10-Jan-18	1.2	NS	1.3	9.1	NS	4.6	NS	1.1	NS	11	
	11-Apr-18	NS	2.1	NS	5.3	NS	4.5	U	4.5	1.4	9.9	
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	NS
	27-Jul-18	2.2	U	2.2	U	24	NS	NS	NS	2.2	U	6
	24-Oct-18	NS	2.6	NS	14	NS	3.4	U	2.2	2.2	NS	2.9
	16-Jan-19	1.1	NS	1.2	16	NS	2.9	NS	1.2	5.1	NS	
	12-Apr-19	NS	1.8	NS	4.5	NS	2	1.2	1.1	NS	7.8	
	29-Jul-19	1.6	NS	1.2	13	NS	3.9	NS	1.3	4.3	NS	
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	4.6	NS	
	29-Oct-19	NS	3.6	NS	5.6	NS	1.7	1.7	2.2 <sup>b</sup>	3.9 <sup>d</sup>	2.2 <sup>d</sup>	
	21-Jan-20	1.30	NS	1.20	7.70	NS	3.10	NS	NS	1.20	4.90	NS
	22-Apr-20	NS	2	NS	4.6	NS	2.1	1.6	1.7	NS	2.5	
	23-Jul-20	1.7	NS	1.8 <sup>w</sup>	19 <sup>w</sup>	NS	3.3	NS	1.4	5	NS	
	29-Oct-20	NS	2.2	NS	9.5	NS	3	1.5	1.4	NS	2.7	
	19-Jan-21	1.4	NS	1.1	3.6	NS	1.1	NS	1.4	2.5 <sup>f</sup>	NS	
	15-Apr-21	NS	1.6	NS	3.4	NS	1.4	1.3	1.3	NS	1.4	
	21-Jul-21	1.4	NS	1.3	4.4	NS	1.7	NS	1.4	2.4	NS	

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.21	NS	NS	NS	0.23	NS	NS	0.69	1.93	NS	
	27-Mar-08	NS	0.304	NS	NS	0.152	NS	NS	0.958	0.681	0.681	
	25-Apr-08	NS	NS	1.72	NS	NS	0.644	NS	0.517	NS	0.338	
	29-May-08	NS	NS	NS	0.6	NS	NS	1	1.26	0.48	NS	
	27-Jun-08	7.46	NS	NS	NS	1.15	NS	NS	NS	0.638	0.736	
	31-Jul-08	NS	1.86	NS	NS	NS	NS	NS	0.885	NS	0.685	
	28-Aug-08	NS	NS	0.838	NS	NS	NS	NS	0.669	0.653	NS	
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	NS	2.5	2.5	U
	27-Oct-08	11.4	NS	NS	NS	2.5	U	NS	NS	NS	2.9	U
	25-Nov-08	NS	2.5	U	NS	NS	2.5	U	NS	6.4	5.2	U
	18-Dec-08	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	21-Jan-09	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	25-Feb-09	17.5	NS	NS	4	U	NS	NS	NS	6.2	2.9	U
	26-Mar-09	NS	0.491	U	NS	0.982	U	NS	NS	NS	1.09	1.55
	29-Apr-09	NS	NS	0.265	NS	NS	0.378	NS	0.707	NS	0.801	
	22-Jul-09	3.49	NS	20	U	0.982	NS	0.737	NS	56.4	0.86	NS
	9-Oct-09	NS	0.707	NS	NS	0.781	NS	0.648	20.5	1.36	0.584	
	15-Jan-10	2.87	NS	0.354	0.29	NS	0.314	NS	NS	1.06	1.17	NS
	21-Apr-10	NS	0.211	NS	NS	0.933	NS	1.42	1.13	0.653	NS	0.702
	16-Jul-10	8.3	NS	8.23	8.09	NS	6.27	NS	NS	4.28	5.05	NS
	15-Oct-10	NS	1.29	NS	NS	1.61	NS	1.1	1.38	1.86	NS	2.35
	26-Jan-11	1.23	1.4	NS	1.6	NS	0.491	NS	1.35	6.93	10.4	NS
	28-Feb-11	NS	0.982	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.845	NS	NS	0.855	NS	1.24	1.06	2.06	NS	1.09
	26-Jul-11	1.29	NS	2.67	0.61	NS	0.541	NS	NS	2.48	0.541	NS
	28-Oct-11	NS	2.5	U	NS	2.5	U	2.5	U	3.7	NS	3.1
	23-Jan-12	3	NS	0.76	0.49	U	NS	0.71	NS	2.7	2.8	NS
	13-Apr-12	NS	0.49	U	NS	0.49	U	0.49	U	1.1	3.9	1.3
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5	U
	23-Jun-12	4.1	NS	1.3	1.2	NS	1.1	NS	NS	2.1	1.1	NS
	1-Nov-12	NS	1.7	NS	NS	2.5	NS	3.1	3	3.2	NS	3.3
	1-Feb-13	1.2	NS	0.23	0.21	NS	0.3	NS	NS	1	0.86	NS
	29-Apr-13	NS	0.54	NS	NS	0.74	NS	0.66	0.83	1	NS	0.84
	9-Jul-13	4.2	NS	1.6	1.8	NS	1.8	NS	NS	2	2.0	NS
	18-Oct-13	NS	4.8	NS	4.3	NS	5.6	6.4	5.0	NS	5.7	NS
	9-Jan-14	2.7	NS	2.7	3.8	NS	3.8	NS	NS	12.0	13.0	NS
	24-Apr-14	NS	0.098	U	NS	0.098	U	0.13	0.098	0.5	0.1	2.6
	1-Aug-14	4.1	NS	6.5/5.1	3.0/3.6	NS	NS	NS	NS	2.6	6.3/4.3	NS
	27-Aug-14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
1,2,4-Trimethylbenzene	12-Sep-14 (resample)	NS	NS	NS	NS	NS	NS	NS	1.2	NS	NS	NS
	22-Oct-14	NS	0.37	NS	NS	0.28	0.6	0.59	0.50	1.0	1.2	NS
	20-Jan-15	0.19	NS	0.098	U	0.098	U	0.098	U	NS	0.3	0.4
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.55	NS
	22-Apr-15	NS	0.27	NS	NS	0.17	NS	0.24	0.33/0.37	0.33	NS	0.43
	21-Jul-15	0.44	NS	1.1	5	U	NS	NS	NS	0.47 <sup>o</sup>	0.66 <sup>o</sup>	NS
	23-Sep-15 resample	NS	NS	NS	NS	NS	NS	NS	1.7	NS	NS	NS
	29-Oct-15	NS	0.43	NS	NS	0.78	NS	0.87	0.64	0.48	NS	0.76
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.32	NS	0.098	U	0.17	NS	0.098	U	NS	0.55	0.38
	20-Apr-16	NS	0.39	NS	NS	0.57	NS	0.79	0.49	1	NS	0.94
	20-Jul-16	2.2	NS	2.6	2.3	NS	2.4	NS	NS	3.2	2.6	NS
	21-Oct-16	NS	0.8	NS	NS	0.74	NS	1.1	1.2	1.6	NS	1.3
	31-Jan-17	1.3	NS	0.61	0.69	NS	0.74	NS	NS	5.1	4.9	NS
	17-Apr-17	NS	0.16	NS	NS	0.21	NS	0.2	0.2	0.29	NS	0.33
	26-Jul-17	0.28	NS	0.098	U	0.3	NS	0.36	NS	0.34	0.29	NS
	12-Oct-17	NS	0.95	NS	NS	0.58	NS	2.6	2.1	1.9	NS	1.6
	10-Jan-18	0.14	NS	0.098	U	0.18	NS	0.12	NS	0.88	NS	0.76
	11-Apr-18	NS	0.31 <sup>m</sup>	NS	NS	0.98	U	0.98	U	0.98	0.98	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.15	U
	27-Jul-18	0.49	U	NS	0.49	U	0.49	U	NS	0.49	0.49	U
	24-Oct-18	NS	0.49	U	NS	0.49	U	0.49	U	0.49	0.49	U
	16-Jan-19	0.098	U	NS	0.098	U	0.098	U	NS	0.098	0.098	U
	12-Apr-19	NS	0.098	U	NS	0.098	U	0.12	U	0.15	NS	0.15
	29-Jul-19	2.9	NS	3.1	4.3	NS	5.3	NS	NS	1.9	3.3	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.5	NS
	29-Oct-19	NS	1.9	NS	NS	1.5	NS	0.3	1.7	2.2 <sup>d</sup>	2.7 <sup>d</sup>	2 <sup>d</sup>
	21-Jan-20	0.17	NS	0.25	0.24	NS	0.22	NS	NS	2.10	3.10	NS
	22-Apr-20	NS	0.098	U	NS	0.098	U	0.098	U	0.098	NS	0.098
	23-Jul-20	0.098	U	NS	0.098	U	0.2	U	NS	3.9	4.9	NS
	29-Oct-20	NS	0.098	U	NS	0.098	U	0.098	U	0.098	NS	0.098
	19-Jan-21	0.098	U	NS	0.098	U	0.098					

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.47		0.66		NS	
	27-Mar-08	NS		0.14		NS		NS		0.098	U	NS		NS		NS		0.349		0.349		0.275	
	25-Apr-08	NS		NS		1.6		NS		NS	U	NS		0.228		NS		0.192		NS		0.134	
	29-May-08	NS		NS		NS		NS		0.18	NS	NS		NS		NS		0.32		0.43		0.15	
	27-Jun-08	5.16		NS		NS		NS		0.463	NS	NS		NS		NS		NS		NS		0.236	
	31-Jul-08	NS		0.713		NS		NS		NS	U	NS		NS		NS		0.276		NS		0.25	
	28-Aug-08	NS		NS		0.497		NS		2.5	U	NS		NS		NS		0.215		NS		0.233	
	30-Sep-08	NS		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	27-Oct-08	7.8		NS		NS		NS		2.5	U	NS		2.5		U		2.5	U	NS		2.5	U
	25-Nov-08	NS		2.5		NS		NS		NS	U	NS		NS		NS		2.5	U	NS		2.5	U
	18-Dec-08	NS		NS		2.5		NS		NS	U	NS		NS		NS		2.5	U	NS		2.5	U
	21-Jan-09	NS		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Feb-09	9.1		NS		0.491		U		NS	U	NS		0.982		U		NS		NS		0.337	
	26-Mar-09	NS		NS		0.147		NS		NS	U	NS		0.128		NS		0.211		NS		0.425	
	29-Apr-09	NS		NS		20		U		0.982	U	NS		0.491		U		NS		0.275		0.241	
	22-Jul-09	3		NS		NS		NS		0.241	U	NS		0.187		U		20.5	U	0.388		NS	
	9-Oct-09	NS		0.216		NS		NS		NS	U	NS		0.491		U		0.491	U	1.99		2.87	
	15-Jan-10	2.15		NS		0.118		NS		0.098	U	NS		0.108		NS		0.29		0.334		NS	
	21-Apr-10	NS		0.098		U		NS		0.491	U	NS		0.491		U		0.491	U	0.177		NS	
	16-Jul-10	2.76		NS		1.88		NS		1.81	U	NS		1.67		NS		1.08		1.25		NS	
	15-Oct-10	NS		0.418		NS		NS		0.383	U	NS		0.275		U		0.324		0.545		0.54	
	26-Jan-11	0.982		U		0.437		NS		0.472	U	NS		0.491		U		0.491	U	1.99		NS	
	28-Feb-11	NS		NS		0.982		U		NS	U	NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.255		NS		NS		0.27	U	NS		0.368		U		0.329		0.599		0.354	
	26-Jul-11	0.688		NS		0.885		NS		0.182	U	NS		0.492		U		NS		0.664		0.492	U
	28-Oct-11	NS		2.5		U		NS		2.5	U	NS		2.5		U		2.5	U	2.5		2.5	U
	23-Jan-12	0.99		NS		0.49		U		0.49	U	NS		0.49		U		NS		0.71		NS	
	13-Apr-12	NS		0.49		U		NS		0.49	U	NS		0.49		U		0.49	U	1.1		NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS	U	NS		NS		NS		NS		NS		2.5	U
	23-Jun-12	1.6		NS		0.49		U		0.49	U	NS		0.49		U		NS		0.49		0.49	
	1-Nov-12	NS		0.25		NS		NS		0.39	U	NS		0.098		U		0.53		0.5		0.56	
	1-Feb-13	0.42		NS		0.098		U		0.098	U	NS		0.22		NS		0.18		0.3		0.24	
	29-Apr-13	NS		0.25		U		NS		0.22	U	NS		0.23		NS		0.22		0.3		NS	
	9-Jul-13	1.5		NS		0.39		NS		0.37	U	NS		0.38		NS		0.43		0.44		NS	
	18-Oct-13	NS		0.53		NS		NS		0.52	U	NS		0.75		U		0.99		0.44		0.53	
	9-Jan-14	0.77		NS		0.69		NS		0.96	U	NS		0.98		U		NS		2.9		3.1	
	24-Apr-14	NS		0.098		U		NS		0.098	U	NS		0.098		U		0.098		0.14		0.098	
	1-Aug-14	0.90		NS		1.00		NS		0.60	U	NS		NS		NS		0.46		0.86		NS	
	27-Aug-14	NS		NS		NS		NS		NS	U	NS		0.23		NS		NS		NS		NS	
1,3,5-Trimethylbenzene	12-Sep-14 (resample)	NS		NS		NS		NS		NS	U	NS		NS		NS		0.15		NS		NS	
	22-Oct-14	NS		0.15		U		NS		0.15	U	NS		0.15		U		0.15	U	0.20		NS	
	20-Jan-15	0.098		NS		0.098		U		0.098	U	NS		0.098		U		0.15	U	0.11		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS	U	NS		NS		NS		NS		NS		0.11	
	22-Apr-15	NS		0.10		U		NS		NS	U	NS		0.098		U		0.098	U	0.14		0.12	
	21-Jul-15	0.2		U		1		U		5	U	NS		0.3		U		NS		0.20 <sup>o</sup>		0.14 <sup>1,o</sup>	
	23-Sep-15 resample	NS		NS		NS																	

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.05	U	NS	NS	NS	NS	NS	0.05	U	NS	NS	NS	NS	NS	NS	0.05	U	0.05	U	NS	0.051	
	27-Mar-08	NS		0.051	U	NS	NS	NS	NS	0.051	U	NS	NS	NS	NS	NS	0.051	U	0.051	U	0.051	U	
	25-Apr-08	NS		NS	U	NS	NS	NS	0.05	U	NS	NS	NS	NS	0.75	NS	0.051	U	NS	0.051	U	0.051	
	29-May-08	NS		NS	U	NS	NS	NS	0.051	U	NS	NS	NS	NS	0.05	U	0.05	U	0.05	U	NS	0.051	
	27-Jun-08	0.08	U	NS	NS	NS	NS	NS	0.051	U	NS	NS	NS	NS	NS	NS	0.051	U	0.051	U	0.051	U	
	31-Jul-08	NS		0.051	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.051	U	NS	0.051	U	0.051	
	28-Aug-08	NS		NS	U	NS	NS	NS	0.1	U	NS	NS	NS	NS	NS	0.051	U	NS	0.051	U	NS	0.051	
	30-Sep-08	NS		NS	U	NS	NS	NS	0.1	U	NS	NS	NS	NS	NS	0.1	U	NS	0.1	U	0.1	U	
	27-Oct-08	0.1	U	NS	U	NS	NS	NS	0.1	U	NS	NS	NS	NS	NS	NS	0.1	U	NS	0.1	U	0.1	
	25-Nov-08	NS		0.1	U	NS	NS	NS	NS	U	NS	NS	NS	NS	0.1	U	NS	0.1	U	NS	0.1	U	
	18-Dec-08	NS		NS	U	NS	NS	NS	NS	U	NS	NS	NS	NS	0.1	U	NS	0.1	U	0.1	U	0.1	
	21-Jan-09	NS		NS	U	NS	NS	NS	0.1	U	NS	NS	NS	NS	NS	0.1	U	NS	0.1	U	0.1	U	
	25-Feb-09	0.1	U	NS	U	NS	NS	NS	0.1	U	NS	NS	NS	NS	NS	0.1	U	NS	0.1	U	NS	0.051	
	26-Mar-09	NS		0.255	U	NS	NS	NS	NS	U	NS	NS	NS	NS	0.511	U	NS	NS	0.051	U	0.051	U	
	29-Apr-09	NS		NS	U	NS	NS	NS	0.061	U	NS	NS	NS	NS	0.051	U	NS	0.051	U	NS	0.051	U	
	22-Jul-09	0.255	U	NS	U	NS	NS	NS	0.255	U	NS	NS	NS	NS	0.255	U	NS	0.051	U	0.051	U	NS	
	9-Oct-09	NS		1.72	U	NS	NS	NS	NS	U	NS	NS	NS	NS	0.102	U	10.7	U	0.051	U	NS	0.051	
	15-Jan-10	0.051	U	NS	U	NS	NS	NS	0.061	U	NS	NS	NS	NS	0.051	U	NS	0.051	U	0.051	U	NS	
	21-Apr-10	NS		0.051	U	NS	NS	NS	0.255	U	NS	NS	NS	NS	0.256	U	0.255	U	0.051	U	NS	0.051	
	16-Jul-10	0.051	U	NS	U	NS	NS	NS	1.98	U	NS	NS	NS	NS	0.386	U	NS	0.051	U	0.051	U	NS	
	15-Oct-10	NS		0.051	U	NS	NS	NS	0.051	U	NS	NS	NS	NS	0.051	U	0.051	U	0.051	U	0.051	U	
	26-Jan-11	0.511	U	0.051	U	NS	NS	NS	0.051	U	NS	NS	NS	NS	0.255	U	NS	0.255	U	0.255	U	NS	
	28-Feb-11	NS		NS	U	NS	NS	NS	0.511	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.051	U	NS	NS	NS	0.051	U	NS	NS	NS	NS	0.051	U	0.051	U	0.051	U	0.051	U	
	26-Jul-11	0.17	U	NS	U	NS	NS	NS	0.17	U	NS	NS	NS	NS	0.256	U	NS	0.051	U	0.256	U	NS	
	28-Oct-11	NS		1.3	U	NS	NS	NS	NS	U	NS	NS	NS	NS	1.3	U	1.3	U	1.3	U	NS	1.3	
	23-Jan-12	0.26	U	NS	U	NS	NS	NS	0.26	U	NS	NS	NS	NS	0.26	U	NS	0.26	U	0.26	U	0.26	
	13-Apr-12	NS		0.13	U	NS	NS	NS	NS	U	NS	NS	NS	NS	0.13	U	0.13	U	0.13	U	NS	0.13	
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	23-Jun-12	0.26	U	NS	U	NS	NS	NS	0.26	U	NS	NS	NS	NS	0.26	U	0.026	U	0.026	U	0.026	U	
	1-Nov-12	NS		0.026	U	NS	NS	NS	0.026	U	NS	NS	NS	NS	0.026	U	NS	0.026	U	0.026	U	0.026	
	1-Feb-13	0.065		NS	U	NS	NS	NS	0.026	U	NS	NS	NS	NS	0.026	U	NS	0.026	U	0.026	U	0.026	
	29-Apr-13	NS		0.41	U	NS	NS	NS	NS	U	NS	NS	NS	NS	0.045	NS	0.026	U	0.026	U	0.026	U	
	9-Jul-13	0.038	U	NS	U	NS	NS	NS	0.026	U	NS	NS	NS	NS	0.026	U	NS	0.026	U	0.026	U	0.026	
	18-Oct-13	NS		0.051	U	NS	NS	NS	0.074	U	NS	NS	NS	NS	0.051	U	0.063	U	0.051	U	0.051	U	
	9-Jan-14	0.092		NS	U	NS	NS	NS	0.051	U	NS	NS	NS	NS	0.051	U	NS	0.051	U	0.051	U	NS	
	24-Apr-14	NS		0.026	U	NS	NS	NS	0.38	U	NS	NS	NS	NS	0.026	U	0.10	U	0.026	U	0.026	U	
	1-Aug-14	0.21		NS	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.051	U	0.051	U	NS	
	27-Aug-14	NS		NS	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
Vinyl chloride*	12-Sep-14 (resample)	NS		NS	U	NS	NS	NS	NS	U	NS	NS	NS	NS	0.026	U	0.026	U	0.026	U	0.026	U	
	22-Oct-14	NS		0.038	U	NS	NS	NS	NS	U	NS	NS	NS	NS	0.038	U	0.038	U	0.038	U	0.038	U	
	20-Jan-15	0.093 <sup>v</sup>		NS	U	NS	NS	NS	0.14 <sup>v</sup>	U	NS	NS	NS	NS	0.026	U	NS	0.038 <sup>v</sup>	U	0.026	U	NS	
	30-Mar-15 (resample)	NS		NS	U	NS	NS	NS	NS	U	NS	NS	NS	NS									

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p/m-Xylene	8-Feb-08	0.55	NS	NS	NS	0.63	NS	NS	NS	1.04	18.3	NS
	27-Mar-08	NS	0.893	NS	NS	0.389	NS	NS	NS	2.17	1.33	1.33
	25-Apr-08	NS	NS	0.815	NS	0.97	NS	NS	2.54	NS	1.81	1.81
	29-May-08	NS	NS	NS	5	NS	NS	NS	7.58	10.1	3.34	NS
	27-Jun-08	12.6	NS	NS	NS	1.5	NS	NS	NS	1.91	2.33	2.33
	31-Jul-08	NS	2.4	NS	NS	NS	NS	NS	NS	2.08	1.55	1.55
	28-Aug-08	NS	NS	2.33	NS	1.44	NS	NS	2.13	1.94	NS	NS
	30-Sep-08	NS	NS	NS	4.3	U	NS	NS	4.3	U	4.3	U
	27-Oct-08	41.6	NS	NS	4.3	U	NS	NS	4.3	U	4.3	U
	25-Nov-08	NS	4.7	NS	NS	4.3	U	NS	NS	8.5	8.9	NS
18-Dec-08	NS	NS	4.3	NS	NS	4.3	U	NS	NS	4.3	4.3	U
	21-Jan-09	NS	NS	4.3	NS	4.3	U	NS	NS	4.3	4.3	U
	25-Feb-09	37.6	NS	NS	4.3	U	NS	NS	NS	8	9.3	NS
	26-Mar-09	NS	1.35	NS	NS	1.74	U	NS	NS	NS	2.59	3.56
	29-Apr-09	NS	NS	0.468	NS	0.516	NS	NS	NS	0.933	NS	1.06
	22-Jul-09	25.6	NS	25.6	1.74	U	3.88	NS	NS	165	3.52	NS
	9-Oct-09	NS	1.62	NS	1.63	U	0.915	NS	36.2	1.74	NS	1.7
	15-Jan-10	18.4	NS	1.52	1.48	NS	1.76	NS	NS	2.35	2.65	NS
	21-Apr-10	NS	0.703	NS	3.28	NS	4.58	NS	4.34	6.22	NS	4.77
	16-Jul-10	21.8	NS	7.01	6.36	NS	4.82	NS	NS	4.95	4.91	NS
15-Oct-10	NS	1.81	NS	NS	2.18	NS	1.7	1.88	3.4	NS	2.88	NS
	26-Jan-11	3.08	4.24	NS	4.37	NS	3.06	NS	3.17	11.5	13.6	NS
	28-Feb-11	NS	1.74	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.694	NS	0.707	NS	0.889	1.15	1.09	NS	1.44	U
	26-Jul-11	9.99	NS	3.96	1.02	NS	0.999	NS	NS	0.956	1.26	NS
	28-Oct-11	NS	4.3	U	NS	4.3	U	4.3	U	9.8	NS	4.3
	23-Jan-12	7.9	NS	2	1.3	NS	2	NS	NS	4.4	14	NS
	13-Apr-12	NS	0.87	U	NS	0.87	U	0.87	U	0.87	3.6	1.1
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.3	U
	23-Jun-12	12	NS	1.1	0.87	U	0.94	NS	NS	1.7	1.1	NS
1-Nov-12	NS	2.1	NS	NS	2.4	NS	3.3	2.9	3.6	NS	5.3	NS
	1-Feb-13	3.4	NS	0.44	0.38	NS	0.59	NS	NS	1.5	1.4	NS
	29-Apr-13	NS	1	NS	NS	1.2	NS	1.2	1.5	1.9	NS	2.4
	9-Jul-13	12	NS	1.9	1.8	NS	1.7	NS	NS	3.2	0.70	NS
	18-Oct-13	NS	5.0	NS	5.6	NS	6.3	8.0	4.7	NS	5.9	NS
	9-Jan-14	8.6	NS	7.2	9.3	NS	9.7	NS	NS	23	22.00	NS
	24-Apr-14	NS	0.17	U	NS	0.17	U	0.17	U	0.17	0.17	U
	1-Aug-14	4.8	NS	2.8/3.0	1.8/2.1	NS	NS	NS	NS	1.5	2.4/2.8	NS
	27-Aug-14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
22-Oct-14	NS	0.26	U	NS	0.26	U	0.30	0.5	0.26	0.76	0.92	NS
	20-Jan-15	1.1	NS	0.21	0.30	NS	0.20	NS	NS	0.7	0.90	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.1	NS
	22-Apr-15	NS	0.71	NS	0.40	NS	0.8	0.66/0.76	1.3	NS	1.6	NS
	21-Jul-15	1.5	NS	1.7 <sup>j</sup>	9	U	1.9	NS	NS	1.8 <sup>o</sup>	2.3 <sup>o</sup>	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-15	NS	0.29 <sup>j</sup>	NS	0.47 <sup>j</sup>	NS	0.73	0.90	0.8	NS	1	NS
	4-Dec-15 resample	NS	0.4	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.4	NS	0.51	0.64	NS	0.64	NS	NS	2.5	2.7	NS
	20-Apr-16	NS	1	NS	1.5	NS	2.1	1.4	2.7	NS	2.5	NS
20-Jul-16	16	NS	1.4	0.91	NS	1.3	NS	NS	9.3	3.2	NS	NS
	21-Oct-16	NS	0.43	NS	1.1	NS	0.77	2	4.1	NS	1.7	U
	31-Jan-17	2	NS	0.5	0.55	NS	0.45	NS	NS	3.3	1.9	NS
	17-Apr-17	NS	0.26	U	NS	0.27	NS	0.27	0.26	0.57	NS	0.49
	26-Jul-17	1.6	NS	0.93	0.74	NS	1.4	NS	NS	1.3	0.96	NS
	12-Oct-17	NS	0.58	NS	0.68	NS	0.83	1	0.89	NS	0.96	NS
	10-Jan-18	1.4	NS	0.33	0.62	NS	0.53	NS	3.4	NS	1.3	NS
	11-Apr-18	NS	0.35	NS	1.7	U	1.7	U	1.7	0.97	1.7	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.31	NS	NS
	27-Jul-18	0.87	U	0.87	U	0.87	U	2	0.87	0.87	0.87	U
24-Oct-18	NS	0.87	U	NS	0.87	U	0.87	U	1.6	NS	1.3	NS
	16-Jan-19	1.5	NS	0.24	0.35	NS	0.42	NS	0.88	1.1	1.1	NS
	12-Apr-19	NS	0.3	NS	0.36	NS	0.28	0.52	0.6	NS	1.2	NS
	29-Jul-19	17	NS	21	NS	25	NS	NS	12	13	NS	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	4	NS	NS
	29-Oct-19	NS	2.4	NS	1.8	NS	0.64	2.6	4.4 <sup>b</sup>	6.1 <sup>d</sup>	4 <sup>b</sup>	NS
	21-Jan-20	0.83	NS	1.10	0.94	NS	0.69	NS	NS	3.30	3.80	NS
	22-Apr-20	NS	0.17	U	NS	0.17	U	0.17	U	1.2	1.6	NS</td

## Summary of Subslab Air Sampling Data

Alvarez School

## Volatile Organic Compounds

February 2008 - January 2023

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.2	NS	NS	NS	0.23	NS	NS	0.48	7.73	NS	0.478
	27-Mar-08	NS	0.273	NS	NS	0.142	NS	NS	0.844	0.844	0.478	
	25-Apr-08	NS	NS	0.37	NS	0.406	NS	0.735	NS	0.62	0.62	
	29-May-08	NS	NS	NS	1.48	NS	NS	2.26	2.84	1.02	NS	
	27-Jun-08	4.12	NS	NS	0.55	NS	NS	NS	0.672	0.672	0.794	
	31-Jul-08	NS	0.835	NS	NS	NS	NS	0.748	NS	0.564	0.564	
	28-Aug-08	NS	NS	0.804	NS	NS	NS	0.797	0.725	NS	NS	
	30-Sep-08	NS	NS	2.2	U	NS	NS	2.2	NS	2.2	U	2.2
	27-Oct-08	9.8	NS	NS	U	NS	NS	NS	NS	NS	N	4
	25-Nov-08	NS	2.2	NS	U	NS	NS	NS	3.1	2.2	U	NS
	18-Dec-08	NS	NS	2.2	U	NS	NS	NS	NS	2.2	U	2.2
	21-Jan-09	NS	NS	2.2	U	NS	NS	NS	NS	NS	U	2.2
	25-Feb-09	8.9	NS	NS	U	NS	NS	NS	NS	NS	U	NS
	26-Mar-09	NS	0.486	NS	U	NS	NS	NS	NS	NS	U	0.922
	29-Apr-09	NS	NS	0.174	U	NS	NS	NS	0.369	NS	U	0.499
	22-Jul-09	5.34	NS	5.34	U	NS	1.39	NS	72.7	1.27	NS	
	9-Oct-09	NS	0.542	NS	U	NS	0.586	NS	0.343	18.1	U	0.616
	15-Jan-10	4.51	NS	0.49	U	NS	0.56	NS	NS	0.833	U	0.846
	21-Apr-10	NS	0.256	NS	U	NS	1.17	NS	1.41	1.24	NS	1.14
	16-Jul-10	5.07	NS	2.84	U	NS	2.63	NS	NS	1.88	U	2.05
	15-Oct-10	NS	0.672	NS	U	NS	0.837	NS	0.659	0.729	U	1.14
	26-Jan-11	1.08	1.5	NS	U	NS	1.54	NS	1.11	NS	U	5.16
	28-Feb-11	NS	0.868	U	NS	NS	NS	NS	NS	NS	U	NS
	27-Apr-11	NS	0.286	U	NS	NS	0.286	NS	0.369	0.456	U	0.551
	26-Jul-11	1.87	NS	1.45	U	NS	0.334	NS	NS	0.365	U	0.434
	28-Oct-11	NS	2.2	U	NS	NS	2.2	U	2.2	3.3	NS	2.2
	23-Jan-12	2.3	NS	0.76	U	NS	0.54	NS	NS	1.7	U	NS
	13-Apr-12	NS	0.43	U	NS	NS	0.43	U	0.43	1.4	U	0.43
o-Xylene	2-Jul-12 (resample)	NS	NS	NS	U	NS	NS	NS	NS	NS	U	NS
	23-Jun-12	3	NS	0.43	U	NS	0.43	U	NS	0.59	U	0.44
	1-Nov-12	NS	0.72	NS	U	NS	0.85	NS	1.1	1.3	NS	1.8
	1-Feb-13	1	NS	0.19	U	NS	0.17	NS	NS	0.64	U	0.52
	29-Apr-13	NS	0.43	NS	U	NS	0.46	NS	0.41	0.52	NS	0.86
	9-Jul-13	3.2	NS	0.86	U	NS	0.90	NS	NS	1.3	U	NS
	18-Oct-13	NS	1.7	NS	U	NS	1.9	NS	2.1	2.9	U	1.7
	9-Jan-14	3.4	NS	3.0	U	NS	4.00	NS	NS	9.8	NS	NS
	24-Apr-14	NS	0.087	U	NS	0.087	U	NS	0.087	0.11	U	0.087
	1-Aug-14	1.9	NS	1.6/1.8	U	NS	1.10	NS	NS	0.79	U	1.2
	27-Aug-14	NS	NS	NS	U	NS	NS	NS	NS	NS	U	NS
	12-Sept-14 (resample)	NS	NS	0.13	U	NS	0.10	U	NS	NS	U	NS
	22-Oct-14	NS	0.29	NS	U	NS	0.087	U	NS	0.23	U	0.34
	20-Jan-15	NS	NS	NS	U	NS	0.087	U	NS	NS	U	NS
30-Mar-15 (resample)	NS	NS	NS	NS	U	NS	0.10	U	NS	NS	U	0.36
	22-Apr-15	NS	0.26	NS	U	NS	0.13	U	NS	NS	U	0.54
	21-Jul-15	0.48	NS	0.59 <sup>j</sup>	U	NS	4	U	NS	0.53	U	0.54 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	U	NS	NS	U	NS	NS	U	0.73 <sup>o</sup>
	29-Oct-15	NS	0.16 <sup>j</sup>	NS	U	NS	0.21 <sup>j</sup>	NS	0.34 <sup>j</sup>	0.28	U	0.44
4-Dec-15 resample	NS	0.4	NS	0.13	U	NS	NS	NS	NS	NS	U	NS
	27-Jan-16	0.51	NS	0.13	U	NS	0.17	NS	NS	0.63	U	0.84
	20-Apr-16	NS	0.36	NS	U	NS	0.52	NS	0.77	0.49	U	0.78
	20-Jul-16	3.4 <sup>w</sup>	NS	0.84 <sup>w</sup>	U	NS	0.43 <sup>fw</sup>	W	NS	2.7 <sup>w</sup>	U	1.3 <sup>v</sup>
	21-Oct-16	NS	0.18	NS	U	NS	0.38	NS	0.27	0.72	U	0.62
	31-Jan-17	0.88	NS	0.31	U	NS	0.32	NS	NS	1.7	U	1.2
	17-Apr-17	NS	0.13	NS	U	NS	0.13	U	0.13	0.25	U	0.2
	26-Jul-17	0.45	NS	0.28	U	NS	0.25	NS	NS	0.41	U	0.34
	12-Oct-17	NS	0.36	NS	U	NS	0.44	NS	0.52	0.56	U	0.42
	10-Jan-18	0.44	NS	0.12	U	NS	0.2	NS	NS	1.2	NS	0.53
	11-Apr-18	NS	0.13	NS	U	NS	0.87	U	0.87	0.35	U	0.87
	23-May-18	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS
	27-Jul-18	0.43	NS	0.43	U	NS	0.43	U	NS	0.43	U	0.43
	24-Oct-18	NS	0.43	NS	U	NS	0.43	U	0.43	0.63	U	0.57
	16-Jan-19	0.44	NS	0.089	U	NS	0.13	NS	NS	0.31	U	0.38
	12-Apr-19	NS	0.11	NS	U	NS	0.12	NS	0.11	0.25	U	0.51
	29-Jul-19	6.7	NS	6.9	U	NS	8	NS	NS	4.6	NS	NS
	26-Sep-19	NS	NS	NS	U	NS	NS	NS	NS	NS	U	1.7
	29-Oct-19	NS	1.2	NS	U	NS	0.96	NS	0.32	1.2	U	2.8 <sup>d</sup>
	21-Jan-20	0.33	NS	0.44	U	NS	0.41	NS	0.32	1.8 <sup>d</sup>	U	1.7 <sup>d</sup>
	22-Apr-20	NS	0.087	U	NS	0.087	U	NS	0.087	0.47	U	0.62
	23-Jul-20	0.8	NS	0.42	U	NS	0.41	NS	NS	1.2	U	NS
	29-Oct-20	NS	0.24	NS	U	NS	0.29	NS	0.21	0.66	U	1
	19-Jan-21	0.13	NS	0.087	U	NS	0.087	U	NS	0.4	U	0.41<

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - January 2023**

Volatile Organic Compounds via TO-15	Sample Date	MP-1 Qual	MP-2 Qual	MP-3 Qual	MP-4 Qual	MP-5 Qual	MP-6 Qual	MP-7 Qual	MP-8 Qual	IMP-1 Qual	IMP-2 Qual	IMP-3 Qual
* Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.												
M Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.												
L Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.												
V Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.												
W Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.												
E Reported result is estimated due to value over calibration range												
J Estimated result as the result was between the MDL and the RDL.												
O One or more method internal standards were recovered outside of the control limits. Sample re-analysis not possible due to sample volume and detection limit constraints.												
D Elevated method reporting limits due to diluted matrices. Con-test internal standards failed and samples were re-pressurized and diluted.												
K Initial calibration did not meet standard and was biased on the low side. Reported result is estimated.												
F Elevated reporting limits due to sample miss injection. Samples were re-pressurized for analysis. Applies to IMP-2 sample.												
G Initial calibration verification did not meet method specifications and was biased on the high side for this compound												
NOTES:												
All data presented in micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).												
Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multiple dilutions, the lower RL was documented in this table.												
U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.												
NS = Not sampled.												

## **APPENDIX D**

### **Rooftop Emission Analytical Summary**

*This page intentionally left blank*

**Sub Slab Depressurization System Emissions Calculations**

Alvarez School

Sample Date: 28 July 2022

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm):		2151	Measured Flow Rate (cfm):	Measured Flow Speed (fpm):		2048	Measured Flow Rate (cfm):	Measured Flow Speed (fpm):		1895	Measured Flow Rate (cfm):	93.0					
	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)			
Acetone	28		1.11E-05	2.65E-04	9.68E-02	15	5.64E-06	1.35E-04	4.94E-02	22	7.65E-06	1.84E-04	6.70E-02	2.43E-05	5.84E-04	2.13E-01		
Acrylonitrile	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
Benzene	0.67		2.64E-07	6.35E-06	2.32E-03	0.52		1.95E-07	4.69E-06	1.71E-03	0.73		2.54E-07	6.09E-06	2.22E-03	7.14E-07	1.71E-05	6.25E-03
Bromodichloromethane	0.067	U	2.64E-08	6.35E-07	2.32E-04	0.067	U	2.52E-08	6.04E-07	2.21E-04	0.067	U	2.33E-08	5.59E-07	2.04E-04	7.49E-08	1.80E-06	6.56E-04
Bromoform	0.21	U	8.29E-08	1.99E-06	7.26E-04	0.21	U	7.89E-08	1.89E-06	6.91E-04	0.21	U	7.30E-08	1.75E-06	6.40E-04	2.35E-07	5.64E-06	2.06E-03
2-Butanone	5.5		2.17E-06	5.21E-05	1.90E-02	3.7		1.39E-06	3.34E-05	1.22E-02	5.1		1.77E-06	4.26E-05	1.55E-02	5.33E-06	1.28E-04	4.67E-02
n-Butylbenzene	0.63	U	2.49E-07	5.97E-06	2.18E-03	0.95	U	3.57E-07	8.57E-06	3.13E-03	0.63	U	2.19E-07	5.26E-06	1.92E-03	8.25E-07	1.98E-05	7.22E-03
sec-Butylbenzene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
Carbon Tetrachloride	0.56		2.21E-07	5.30E-06	1.94E-03	0.39		1.47E-07	3.52E-06	1.28E-03	0.45		1.56E-07	3.76E-06	1.37E-03	5.24E-07	1.26E-05	4.59E-03
Chlorobenzene	0.092	U	3.63E-08	8.72E-07	3.18E-04	0.092	U	3.46E-08	8.30E-07	3.03E-04	0.092	U	3.20E-08	7.68E-07	2.80E-04	1.03E-07	2.47E-06	9.01E-04
Chloroethane	0.053	U	2.09E-08	5.02E-07	1.83E-04	0.13		4.89E-08	1.17E-06	4.28E-04	0.053	U	1.84E-08	4.42E-07	1.61E-04	8.82E-08	2.12E-06	7.73E-04
Chloroform	0.34		1.34E-07	3.22E-06	1.18E-03	0.69		2.59E-07	6.22E-06	2.27E-03	0.46		1.60E-07	3.84E-06	1.40E-03	5.53E-07	1.33E-05	4.85E-03
Chloromethane	0.083	U	3.28E-08	7.86E-07	2.87E-04	0.083	U	3.12E-08	7.49E-07	2.73E-04	0.083	U	2.89E-08	6.93E-07	2.53E-04	9.28E-08	2.23E-06	8.13E-04
Dibromochloromethane	0.085	U	3.36E-08	8.05E-07	2.94E-04	0.085	U	3.19E-08	7.67E-07	2.80E-04	0.085	U	2.96E-08	7.09E-07	2.59E-04	9.51E-08	2.28E-06	8.33E-04
1,2-Dibromoethane	0.077	U	3.04E-08	7.29E-07	2.66E-04	0.077	U	2.89E-08	6.94E-07	2.53E-04	0.077	U	2.68E-08	6.43E-07	2.35E-04	8.61E-08	2.07E-06	7.54E-04
1,2-Dichlorobenzene	0.12	U	4.74E-08	1.14E-06	4.15E-04	0.12	U	4.51E-08	1.08E-06	3.95E-04	7		2.43E-06	5.84E-05	2.13E-02	4.02E-06	9.64E-05	3.52E-02
1,3-Dichlorobenzene	3.9		1.54E-06	3.69E-05	1.35E-02	0.12	U	4.51E-08	1.08E-06	3.95E-04	0.12	U	4.17E-08	1.00E-06	3.66E-04	1.34E-07	3.22E-06	1.18E-03
Dichlorodifluoromethane	2.6		1.03E-06	2.46E-05	8.99E-03	1.9		7.14E-07	1.71E-05	6.25E-03	0.999	U	3.44E-08	8.26E-07	3.02E-04	1.77E-06	4.26E-05	1.55E-02
1,1-Dichloroethane	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
1,2-Dichloroethane	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
1,1-Dichloroethene	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
cis-1,2-Dichloroethene	0.059		2.33E-08	5.59E-07	2.04E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.54		1.88E-07	4.51E-06	1.64E-03	2.26E-07	5.43E-06	1.98E-03
trans-1,2-Dichloroethene	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.044		1.53E-08	3.67E-07	1.34E-04	4.61E-08	1.11E-06	4.04E-04
1,2-Dichloropropane	0.046	U	1.82E-08	4.36E-07	1.59E-04	0.046	U	1.73E-08	4.15E-07	1.51E-04	0.046	U	1.60E-08	3.84E-07	1.40E-04	5.14E-08	1.23E-06	4.51E-04
cis-1,3-Dichloropropene	0.045	U	1.78E-08	4.26E-07	1.56E-04	0.045	U	1.69E-08	4.06E-07	1.48E-04	0.045	U	1.56E-08	3.76E-07	1.37E-04	5.03E-08	1.21E-06	4.41E-04
trans-1,3-Dichloropropene	0.045	U	1.78E-08	4.26E-07	1.56E-04	0.045	U	1.69E-08	4.06E-07	1.48E-04	0.045	U	1.56E-08	3.76E-07	1.37E-04	5.03E-08	1.21E-06	4.41E-04
Ethylbenzene	0.59		2.33E-07	5.59E-06	2.04E-03	0.58		2.18E-07	5.23E-06	1.91E-03	1		3.48E-07	8.35E-06	3.05E-03	7.99E-07	1.92E-05	7.00E-03
Isopropylbenzene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
p-Isopropyltoluene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
Methyl tert butyl ether	0.072	U	2.84E-08	6.82E-07	2.49E-04	0.072	U	2.71E-08	6.49E-07	2.37E-04	0.072</td							

*This page intentionally left blank*

## **APPENDIX E**

### **Laboratory Analytical Reports**

*This page intentionally left blank*



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

February 14, 2023

Frank Postma  
EA Engineering Science & Tech. - RI  
301 Metro Center Blvd, Suite 102  
Warwick, RI 02886

Project Location: Alvarez High School  
Client Job Number:  
Project Number: 1506606  
Laboratory Work Order Number: 23A2436

Enclosed are results of analyses for samples as received by the laboratory on January 25, 2023. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Kaitlyn".

Kaitlyn A. Feliciano  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	35
QC Data	36
Air Toxics by EPA Compendium Methods	36
B331398	36
Flag/Qualifier Summary	40
Internal standard Area & RT Summary	41
Continuing Calibration Check	44
Certifications	45
Chain of Custody/Sample Receipt	47



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
301 Metro Center Blvd, Suite 102  
Warwick, RI 02886  
ATTN: Frank Postma

REPORT DATE: 2/14/2023

PURCHASE ORDER NUMBER: 18155

PROJECT NUMBER: 1506606

#### ANALYTICAL SUMMARY

WORK ORDER NUMBER: 23A2436

The results of analyses performed on the following samples submitted to CON-TEST, a Pace Analytical Laboratory, are found in this report.

PROJECT LOCATION: Alvarez High School

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	23A2436-01	Indoor air		-	
				EPA TO-15	
Cafeteria	23A2436-02	Indoor air		-	
				EPA TO-15	
Kitchen Storage	23A2436-03	Indoor air		-	
				EPA TO-15	
Elevator Hallway	23A2436-04	Indoor air		-	
				EPA TO-15	
Room 145	23A2436-05	Indoor air		-	
				EPA TO-15	
Room 152	23A2436-06	Indoor air		-	
				EPA TO-15	
Room 118	23A2436-07	Indoor air		-	
				EPA TO-15	
Room 110	23A2436-08	Indoor air		-	
				EPA TO-15	
Ambient Outer Air	23A2436-09	Ambient Air		-	
				EPA TO-15	
IMP-1	23A2436-10	Sub Slab		-	
				EPA TO-15	
IMP-2	23A2436-11	Sub Slab		-	
				EPA TO-15	
MP-1	23A2436-12	Sub Slab		-	
				EPA TO-15	
MP-3	23A2436-13	Sub Slab		-	
				EPA TO-15	
MP-4	23A2436-14	Sub Slab		-	
				EPA TO-15	
MP-6	23A2436-15	Sub Slab		-	
				EPA TO-15	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

#### EPA TO-15

##### **Qualifications:**

##### **V-05**

Continuing calibration verification (CCV) did not meet method specifications and was biased on the low side for this compound.

##### **Analyte & Samples(s) Qualified:**

##### **1,1,1,2-Tetrachloroethane**

23A2436-01[Gymnasium], 23A2436-02[Cafeteria], 23A2436-03[Kitchen Storage], 23A2436-04[Elevator Hallway], 23A2436-05[Room 145], 23A2436-06[Room 152],  
23A2436-07[Room 118], 23A2436-08[Room 110], 23A2436-09[Ambient Outer Air], 23A2436-10[IMP-1], 23A2436-11[IMP-2], 23A2436-12[MP-1], 23A2436-13[MP-3],  
23A2436-14[MP-4], 23A2436-15[MP-6], B331398-BL1, B331398-BS1, B331398-DUP1, S083200-CCV1

##### **V-20**

Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

##### **Analyte & Samples(s) Qualified:**

##### **cis-1,2-Dichloroethylene**

B331398-BS1, S083200-CCV1

#### EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to Con-Test, a Pace Analytical Laboratory, for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Lisa A. Worthington  
Technical Representative

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** Gymnasium  
**Sample ID:** 23A2436-01  
 Sample Matrix: Indoor air  
 Sampled: 1/24/2023 09:45

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2009  
 Canister Size: 6 liter  
 Flow Controller ID: 4068  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -0.6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	5.5	0.80		13	1.9		0.4	2/8/23 16:36	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/8/23 16:36	CMR
Benzene	0.27	0.020		0.85	0.064		0.4	2/8/23 16:36	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/8/23 16:36	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/8/23 16:36	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/8/23 16:36	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/8/23 16:36	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/8/23 16:36	CMR
Carbon Tetrachloride	0.086	0.010		0.54	0.063		0.4	2/8/23 16:36	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/8/23 16:36	CMR
Chloorethane	ND	0.020		ND	0.053		0.4	2/8/23 16:36	CMR
Chloroform	0.028	0.010		0.14	0.049		0.4	2/8/23 16:36	CMR
Chloromethane	0.57	0.040		1.2	0.083		0.4	2/8/23 16:36	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/8/23 16:36	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/8/23 16:36	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/8/23 16:36	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/8/23 16:36	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/8/23 16:36	CMR
Dichlorodifluoromethane (Freon 12)	0.52	0.020		2.6	0.099		0.4	2/8/23 16:36	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/8/23 16:36	CMR
1,2-Dichloroethane	0.019	0.010		0.078	0.040		0.4	2/8/23 16:36	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/8/23 16:36	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/8/23 16:36	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/8/23 16:36	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/8/23 16:36	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/8/23 16:36	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/8/23 16:36	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/8/23 16:36	CMR
Ethylbenzene	0.026	0.020		0.11	0.087		0.4	2/8/23 16:36	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/8/23 16:36	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/8/23 16:36	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/8/23 16:36	CMR
Methylene Chloride	ND	0.20		ND	0.69		0.4	2/8/23 16:36	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082		0.4	2/8/23 16:36	CMR
Styrene	ND	0.020		ND	0.085		0.4	2/8/23 16:36	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25		0.4	2/8/23 16:36	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/8/23 16:36	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** Gymnasium

**Sample ID:** 23A2436-01

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:45

Sample Description/Location:

Sub Description/Location:

Canister ID: 2009

Canister Size: 6 liter

Flow Controller ID: 4068

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -0.6

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Tetrachloroethylene	0.020	0.020		0.14	0.14	0.4	2/8/23 16:36 CMR
Toluene	0.17	0.020		0.63	0.075	0.4	2/8/23 16:36 CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 16:36 CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 16:36 CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/8/23 16:36 CMR
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	2/8/23 16:36 CMR
1,2,4-Trimethylbenzene	0.020	0.020		0.10	0.098	0.4	2/8/23 16:36 CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 16:36 CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 16:36 CMR
m&p-Xylene	0.070	0.040		0.31	0.17	0.4	2/8/23 16:36 CMR
o-Xylene	0.034	0.020		0.15	0.087	0.4	2/8/23 16:36 CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	2/8/23 16:36
4-Bromofluorobenzene (2)	105	70-130	2/8/23 16:36

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** Cafeteria  
**Sample ID:** 23A2436-02  
 Sample Matrix: Indoor air  
 Sampled: 1/24/2023 09:48

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1047  
 Canister Size: 6 liter  
 Flow Controller ID: 4209  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -3.3  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Acetone	4.0	0.80		9.6	1.9	0.4	2/8/23 17:09 CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 17:09 CMR
Benzene	0.27	0.020		0.85	0.064	0.4	2/8/23 17:09 CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 17:09 CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 17:09 CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 17:09 CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 17:09 CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 17:09 CMR
Carbon Tetrachloride	0.080	0.010		0.50	0.063	0.4	2/8/23 17:09 CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 17:09 CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 17:09 CMR
Chloroform	0.033	0.010		0.16	0.049	0.4	2/8/23 17:09 CMR
Chloromethane	0.60	0.040		1.2	0.083	0.4	2/8/23 17:09 CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 17:09 CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 17:09 CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 17:09 CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 17:09 CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 17:09 CMR
Dichlorodifluoromethane (Freon 12)	0.56	0.020		2.8	0.099	0.4	2/8/23 17:09 CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 17:09 CMR
1,2-Dichloroethane	0.018	0.010		0.071	0.040	0.4	2/8/23 17:09 CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 17:09 CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 17:09 CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 17:09 CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 17:09 CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 17:09 CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 17:09 CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 17:09 CMR
Ethylbenzene	0.026	0.020		0.11	0.087	0.4	2/8/23 17:09 CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 17:09 CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 17:09 CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 17:09 CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 17:09 CMR
4-Methyl-2-pentanone (MIBK)	0.061	0.020		0.25	0.082	0.4	2/8/23 17:09 CMR
Styrene	ND	0.020		ND	0.085	0.4	2/8/23 17:09 CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 17:09 CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 17:09 CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** Cafeteria

**Sample ID:** 23A2436-02

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:48

Sample Description/Location:

Sub Description/Location:

Canister ID: 1047

Canister Size: 6 liter

Flow Controller ID: 4209

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -3.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Tetrachloroethylene	0.030	0.020		0.21	0.14	0.4	2/8/23 17:09 CMR
Toluene	0.22	0.020		0.84	0.075	0.4	2/8/23 17:09 CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 17:09 CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 17:09 CMR
Trichloroethylene	0.015	0.010		0.082	0.054	0.4	2/8/23 17:09 CMR
Trichlorofluoromethane (Freon 11)	0.24	0.080		1.3	0.45	0.4	2/8/23 17:09 CMR
1,2,4-Trimethylbenzene	0.024	0.020		0.12	0.098	0.4	2/8/23 17:09 CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 17:09 CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 17:09 CMR
m&p-Xylene	0.069	0.040		0.30	0.17	0.4	2/8/23 17:09 CMR
o-Xylene	0.031	0.020		0.14	0.087	0.4	2/8/23 17:09 CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	2/8/23 17:09
4-Bromofluorobenzene (2)	106	70-130	2/8/23 17:09

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** Kitchen Storage  
**Sample ID:** 23A2436-03  
 Sample Matrix: Indoor air  
 Sampled: 1/24/2023 09:50

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2044  
 Canister Size: 6 liter  
 Flow Controller ID: 4104  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): 0.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	10	0.80		24	1.9	0.4	2/8/23 17:42	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 17:42	CMR
Benzene	0.22	0.020		0.70	0.064	0.4	2/8/23 17:42	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 17:42	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 17:42	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 17:42	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 17:42	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 17:42	CMR
Carbon Tetrachloride	0.078	0.010		0.49	0.063	0.4	2/8/23 17:42	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 17:42	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 17:42	CMR
Chloroform	0.12	0.010		0.60	0.049	0.4	2/8/23 17:42	CMR
Chloromethane	0.61	0.040		1.3	0.083	0.4	2/8/23 17:42	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 17:42	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 17:42	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 17:42	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 17:42	CMR
1,4-Dichlorobenzene	0.030	0.020		0.18	0.12	0.4	2/8/23 17:42	CMR
Dichlorodifluoromethane (Freon 12)	0.53	0.020		2.6	0.099	0.4	2/8/23 17:42	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 17:42	CMR
1,2-Dichloroethane	0.019	0.010		0.078	0.040	0.4	2/8/23 17:42	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 17:42	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 17:42	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 17:42	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 17:42	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 17:42	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 17:42	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 17:42	CMR
Ethylbenzene	0.038	0.020		0.16	0.087	0.4	2/8/23 17:42	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 17:42	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 17:42	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 17:42	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 17:42	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	2/8/23 17:42	CMR
Styrene	0.092	0.020		0.39	0.085	0.4	2/8/23 17:42	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 17:42	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 17:42	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** Kitchen Storage

**Sample ID:** 23A2436-03

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:50

Sample Description/Location:

Sub Description/Location:

Canister ID: 2044

Canister Size: 6 liter

Flow Controller ID: 4104

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): 0.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.043	0.020		0.29	0.14	0.4	2/8/23 17:42	CMR
Toluene	0.24	0.020		0.89	0.075	0.4	2/8/23 17:42	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 17:42	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 17:42	CMR
Trichloroethylene	0.012	0.010		0.064	0.054	0.4	2/8/23 17:42	CMR
Trichlorofluoromethane (Freon 11)	0.24	0.080		1.4	0.45	0.4	2/8/23 17:42	CMR
1,2,4-Trimethylbenzene	0.024	0.020		0.12	0.098	0.4	2/8/23 17:42	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 17:42	CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 17:42	CMR
m&p-Xylene	0.10	0.040		0.44	0.17	0.4	2/8/23 17:42	CMR
o-Xylene	0.060	0.020		0.26	0.087	0.4	2/8/23 17:42	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.3	70-130	2/8/23 17:42
4-Bromofluorobenzene (2)	104	70-130	2/8/23 17:42

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** Elevator Hallway  
**Sample ID:** 23A2436-04  
 Sample Matrix: Indoor air  
 Sampled: 1/24/2023 09:21

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2171  
 Canister Size: 6 liter  
 Flow Controller ID: 4290  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -2  
 Receipt Vacuum(in Hg): -1.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	8.9	0.80		21	1.9	0.4	2/8/23 18:14	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 18:14	CMR
Benzene	0.30	0.020		0.96	0.064	0.4	2/8/23 18:14	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 18:14	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 18:14	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 18:14	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 18:14	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 18:14	CMR
Carbon Tetrachloride	0.078	0.010		0.49	0.063	0.4	2/8/23 18:14	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 18:14	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 18:14	CMR
Chloroform	0.039	0.010		0.19	0.049	0.4	2/8/23 18:14	CMR
Chloromethane	0.59	0.040		1.2	0.083	0.4	2/8/23 18:14	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 18:14	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 18:14	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 18:14	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 18:14	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 18:14	CMR
Dichlorodifluoromethane (Freon 12)	0.52	0.020		2.6	0.099	0.4	2/8/23 18:14	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 18:14	CMR
1,2-Dichloroethane	0.020	0.010		0.081	0.040	0.4	2/8/23 18:14	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 18:14	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 18:14	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 18:14	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 18:14	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 18:14	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 18:14	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 18:14	CMR
Ethylbenzene	0.034	0.020		0.15	0.087	0.4	2/8/23 18:14	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 18:14	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 18:14	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 18:14	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 18:14	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	2/8/23 18:14	CMR
Styrene	ND	0.020		ND	0.085	0.4	2/8/23 18:14	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 18:14	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 18:14	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** Elevator Hallway

**Sample ID:** 23A2436-04

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:21

Sample Description/Location:

Sub Description/Location:

Canister ID: 2171

Canister Size: 6 liter

Flow Controller ID: 4290

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -1.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.024	0.020		0.17	0.14	0.4	2/8/23 18:14	CMR
Toluene	0.20	0.020		0.75	0.075	0.4	2/8/23 18:14	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 18:14	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 18:14	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/8/23 18:14	CMR
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.3	0.45	0.4	2/8/23 18:14	CMR
1,2,4-Trimethylbenzene	0.028	0.020		0.14	0.098	0.4	2/8/23 18:14	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 18:14	CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 18:14	CMR
m&p-Xylene	0.11	0.040		0.46	0.17	0.4	2/8/23 18:14	CMR
o-Xylene	0.055	0.020		0.24	0.087	0.4	2/8/23 18:14	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	2/8/23 18:14
4-Bromofluorobenzene (2)	108	70-130	2/8/23 18:14

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** Room 145  
**Sample ID:** 23A2436-05  
 Sample Matrix: Indoor air  
 Sampled: 1/24/2023 09:29

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1981  
 Canister Size: 6 liter  
 Flow Controller ID: 4207  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -3  
 Receipt Vacuum(in Hg): -4.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Acetone	8.2	0.80		19	1.9	0.4	2/8/23 18:46 CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 18:46 CMR
Benzene	0.34	0.020		1.1	0.064	0.4	2/8/23 18:46 CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 18:46 CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 18:46 CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 18:46 CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 18:46 CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 18:46 CMR
Carbon Tetrachloride	0.080	0.010		0.51	0.063	0.4	2/8/23 18:46 CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 18:46 CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 18:46 CMR
Chloroform	0.028	0.010		0.14	0.049	0.4	2/8/23 18:46 CMR
Chloromethane	0.65	0.040		1.3	0.083	0.4	2/8/23 18:46 CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 18:46 CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 18:46 CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 18:46 CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 18:46 CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 18:46 CMR
Dichlorodifluoromethane (Freon 12)	0.56	0.020		2.8	0.099	0.4	2/8/23 18:46 CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 18:46 CMR
1,2-Dichloroethane	0.018	0.010		0.074	0.040	0.4	2/8/23 18:46 CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 18:46 CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 18:46 CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 18:46 CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 18:46 CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 18:46 CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 18:46 CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 18:46 CMR
Ethylbenzene	0.043	0.020		0.19	0.087	0.4	2/8/23 18:46 CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 18:46 CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 18:46 CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 18:46 CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 18:46 CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	2/8/23 18:46 CMR
Styrene	ND	0.020		ND	0.085	0.4	2/8/23 18:46 CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 18:46 CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 18:46 CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** Room 145

**Sample ID:** 23A2436-05

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:29

Sample Description/Location:

Sub Description/Location:

Canister ID: 1981

Canister Size: 6 liter

Flow Controller ID: 4207

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -4.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Tetrachloroethylene	0.022	0.020		0.15	0.14	0.4	2/8/23 18:46 CMR
Toluene	0.29	0.020		1.1	0.075	0.4	2/8/23 18:46 CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 18:46 CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 18:46 CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/8/23 18:46 CMR
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	2/8/23 18:46 CMR
1,2,4-Trimethylbenzene	0.042	0.020		0.21	0.098	0.4	2/8/23 18:46 CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 18:46 CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 18:46 CMR
m&p-Xylene	0.12	0.040		0.53	0.17	0.4	2/8/23 18:46 CMR
o-Xylene	0.062	0.020		0.27	0.087	0.4	2/8/23 18:46 CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	2/8/23 18:46
4-Bromofluorobenzene (2)	106	70-130	2/8/23 18:46

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** Room 152  
**Sample ID:** 23A2436-06  
 Sample Matrix: Indoor air  
 Sampled: 1/24/2023 09:39

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1845  
 Canister Size: 6 liter  
 Flow Controller ID: 4374  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -3  
 Receipt Vacuum(in Hg): -1.5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Acetone	11	0.80		25	1.9	0.4	2/8/23 19:19 CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 19:19 CMR
Benzene	0.31	0.020		0.99	0.064	0.4	2/8/23 19:19 CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 19:19 CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 19:19 CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 19:19 CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 19:19 CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 19:19 CMR
Carbon Tetrachloride	0.081	0.010		0.51	0.063	0.4	2/8/23 19:19 CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 19:19 CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 19:19 CMR
Chloroform	0.028	0.010		0.14	0.049	0.4	2/8/23 19:19 CMR
Chloromethane	0.69	0.040		1.4	0.083	0.4	2/8/23 19:19 CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 19:19 CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 19:19 CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 19:19 CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 19:19 CMR
1,4-Dichlorobenzene	0.11	0.020		0.66	0.12	0.4	2/8/23 19:19 CMR
Dichlorodifluoromethane (Freon 12)	0.51	0.020		2.5	0.099	0.4	2/8/23 19:19 CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 19:19 CMR
1,2-Dichloroethane	0.023	0.010		0.092	0.040	0.4	2/8/23 19:19 CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 19:19 CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 19:19 CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 19:19 CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 19:19 CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 19:19 CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 19:19 CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 19:19 CMR
Ethylbenzene	0.044	0.020		0.19	0.087	0.4	2/8/23 19:19 CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 19:19 CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 19:19 CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 19:19 CMR
Methylene Chloride	0.36	0.20		1.3	0.69	0.4	2/8/23 19:19 CMR
4-Methyl-2-pentanone (MIBK)	0.16	0.020		0.66	0.082	0.4	2/8/23 19:19 CMR
Styrene	0.040	0.020		0.17	0.085	0.4	2/8/23 19:19 CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 19:19 CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 19:19 CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #: Room 152**

**Sample ID: 23A2436-06**

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:39

Sample Description/Location:

Sub Description/Location:

Canister ID: 1845

Canister Size: 6 liter

Flow Controller ID: 4374

Sample Type: 30 min

**Work Order: 23A2436**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -1.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Tetrachloroethylene	0.049	0.020		0.33	0.14	0.4	2/8/23 19:19 CMR
Toluene	0.64	0.020		2.4	0.075	0.4	2/8/23 19:19 CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 19:19 CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 19:19 CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/8/23 19:19 CMR
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	2/8/23 19:19 CMR
1,2,4-Trimethylbenzene	0.046	0.020		0.23	0.098	0.4	2/8/23 19:19 CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 19:19 CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 19:19 CMR
m&p-Xylene	0.13	0.040		0.56	0.17	0.4	2/8/23 19:19 CMR
o-Xylene	0.051	0.020		0.22	0.087	0.4	2/8/23 19:19 CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.5	70-130	2/8/23 19:19
4-Bromofluorobenzene (2)	104	70-130	2/8/23 19:19

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** Room 118  
**Sample ID:** 23A2436-07  
 Sample Matrix: Indoor air  
 Sampled: 1/24/2023 09:32

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1946  
 Canister Size: 6 liter  
 Flow Controller ID: 4295  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -5.1  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Acetone	6.3	0.80		15	1.9	0.4	2/8/23 19:51 CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 19:51 CMR
Benzene	0.25	0.020		0.81	0.064	0.4	2/8/23 19:51 CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 19:51 CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 19:51 CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 19:51 CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 19:51 CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 19:51 CMR
Carbon Tetrachloride	0.080	0.010		0.51	0.063	0.4	2/8/23 19:51 CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 19:51 CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 19:51 CMR
Chloroform	0.035	0.010		0.17	0.049	0.4	2/8/23 19:51 CMR
Chloromethane	0.62	0.040		1.3	0.083	0.4	2/8/23 19:51 CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 19:51 CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 19:51 CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 19:51 CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 19:51 CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 19:51 CMR
Dichlorodifluoromethane (Freon 12)	0.52	0.020		2.6	0.099	0.4	2/8/23 19:51 CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 19:51 CMR
1,2-Dichloroethane	0.019	0.010		0.078	0.040	0.4	2/8/23 19:51 CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 19:51 CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 19:51 CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 19:51 CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 19:51 CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 19:51 CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 19:51 CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 19:51 CMR
Ethylbenzene	0.028	0.020		0.12	0.087	0.4	2/8/23 19:51 CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 19:51 CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 19:51 CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 19:51 CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 19:51 CMR
4-Methyl-2-pentanone (MIBK)	0.022	0.020		0.092	0.082	0.4	2/8/23 19:51 CMR
Styrene	ND	0.020		ND	0.085	0.4	2/8/23 19:51 CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 19:51 CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 19:51 CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #: Room 118**

**Sample ID: 23A2436-07**

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:32

Sample Description/Location:

Sub Description/Location:

Canister ID: 1946

Canister Size: 6 liter

Flow Controller ID: 4295

Sample Type: 30 min

**Work Order: 23A2436**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -5.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	2/8/23 19:51 CMR
Toluene	0.14	0.020		0.55	0.075	0.4	2/8/23 19:51 CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 19:51 CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 19:51 CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/8/23 19:51 CMR
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.3	0.45	0.4	2/8/23 19:51 CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 19:51 CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 19:51 CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 19:51 CMR
m&p-Xylene	0.064	0.040		0.28	0.17	0.4	2/8/23 19:51 CMR
o-Xylene	0.030	0.020		0.13	0.087	0.4	2/8/23 19:51 CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	98.2	70-130	2/8/23 19:51
4-Bromofluorobenzene (2)	103	70-130	2/8/23 19:51

## ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #: Room 110****Sample ID: 23A2436-08**

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:34

Sample Description/Location:

Sub Description/Location:

Canister ID: 1049

Canister Size: 6 liter

Flow Controller ID: 4298

Sample Type: 30 min

**Work Order: 23A2436**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -1.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	9.8	0.80		23	1.9	0.4	2/8/23 20:24	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 20:24	CMR
Benzene	0.28	0.020		0.91	0.064	0.4	2/8/23 20:24	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 20:24	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 20:24	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 20:24	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 20:24	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 20:24	CMR
Carbon Tetrachloride	0.079	0.010		0.50	0.063	0.4	2/8/23 20:24	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 20:24	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 20:24	CMR
Chloroform	0.024	0.010		0.12	0.049	0.4	2/8/23 20:24	CMR
Chloromethane	0.62	0.040		1.3	0.083	0.4	2/8/23 20:24	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 20:24	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 20:24	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 20:24	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 20:24	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 20:24	CMR
Dichlorodifluoromethane (Freon 12)	0.52	0.020		2.6	0.099	0.4	2/8/23 20:24	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 20:24	CMR
1,2-Dichloroethane	0.019	0.010		0.076	0.040	0.4	2/8/23 20:24	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 20:24	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 20:24	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 20:24	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 20:24	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 20:24	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 20:24	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 20:24	CMR
Ethylbenzene	0.032	0.020		0.14	0.087	0.4	2/8/23 20:24	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 20:24	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 20:24	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 20:24	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 20:24	CMR
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	2/8/23 20:24	CMR
Styrene	ND	0.020		ND	0.085	0.4	2/8/23 20:24	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 20:24	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 20:24	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** Room 110

**Sample ID:** 23A2436-08

Sample Matrix: Indoor air

Sampled: 1/24/2023 09:34

Sample Description/Location:

Sub Description/Location:

Canister ID: 1049

Canister Size: 6 liter

Flow Controller ID: 4298

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -1.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.032	0.020		0.22	0.14	0.4	2/8/23 20:24	CMR
Toluene	0.21	0.020		0.80	0.075	0.4	2/8/23 20:24	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 20:24	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 20:24	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/8/23 20:24	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	2/8/23 20:24	CMR
1,2,4-Trimethylbenzene	0.021	0.020		0.10	0.098	0.4	2/8/23 20:24	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 20:24	CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 20:24	CMR
m&p-Xylene	0.081	0.040		0.35	0.17	0.4	2/8/23 20:24	CMR
o-Xylene	0.036	0.020		0.16	0.087	0.4	2/8/23 20:24	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	2/8/23 20:24
4-Bromofluorobenzene (2)	107	70-130	2/8/23 20:24

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** Ambient Outer Air  
**Sample ID:** 23A2436-09  
 Sample Matrix: Ambient Air  
 Sampled: 1/24/2023 11:05

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2039  
 Canister Size: 6 liter  
 Flow Controller ID: 4201  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): 1.4  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	3.1	0.80		7.5	1.9	0.4	2/8/23 20:56	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 20:56	CMR
Benzene	0.22	0.020		0.70	0.064	0.4	2/8/23 20:56	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 20:56	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 20:56	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 20:56	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 20:56	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 20:56	CMR
Carbon Tetrachloride	0.083	0.010		0.52	0.063	0.4	2/8/23 20:56	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 20:56	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 20:56	CMR
Chloroform	0.027	0.010		0.13	0.049	0.4	2/8/23 20:56	CMR
Chloromethane	0.60	0.040		1.2	0.083	0.4	2/8/23 20:56	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 20:56	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 20:56	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 20:56	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 20:56	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 20:56	CMR
Dichlorodifluoromethane (Freon 12)	0.54	0.020		2.7	0.099	0.4	2/8/23 20:56	CMR
1,1-Dichloroethane	0.017	0.010		0.068	0.040	0.4	2/8/23 20:56	CMR
1,2-Dichloroethane	0.019	0.010		0.078	0.040	0.4	2/8/23 20:56	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 20:56	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 20:56	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 20:56	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 20:56	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 20:56	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 20:56	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 20:56	CMR
Ethylbenzene	ND	0.020		ND	0.087	0.4	2/8/23 20:56	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 20:56	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 20:56	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 20:56	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 20:56	CMR
4-Methyl-2-pentanone (MIBK)	0.022	0.020		0.088	0.082	0.4	2/8/23 20:56	CMR
Styrene	ND	0.020		ND	0.085	0.4	2/8/23 20:56	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 20:56	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 20:56	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** Ambient Outer Air

**Sample ID:** 23A2436-09

Sample Matrix: Ambient Air

Sampled: 1/24/2023 11:05

Sample Description/Location:

Sub Description/Location:

Canister ID: 2039

Canister Size: 6 liter

Flow Controller ID: 4201

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): 1.4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	2/8/23 20:56	CMR
Toluene	0.082	0.020		0.31	0.075	0.4	2/8/23 20:56	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 20:56	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 20:56	CMR
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/8/23 20:56	CMR
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	2/8/23 20:56	CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 20:56	CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 20:56	CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 20:56	CMR
m&p-Xylene	ND	0.040		ND	0.17	0.4	2/8/23 20:56	CMR
o-Xylene	ND	0.020		ND	0.087	0.4	2/8/23 20:56	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	2/8/23 20:56
4-Bromofluorobenzene (2)	104	70-130	2/8/23 20:56

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** IMP-1  
**Sample ID:** 23A2436-10  
 Sample Matrix: Sub Slab  
 Sampled: 1/24/2023 09:46

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2204  
 Canister Size: 6 liter  
 Flow Controller ID: 4294  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): 0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.4	0.80		13	1.9	0.4	2/8/23 22:02	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 22:02	CMR
Benzene	0.29	0.020		0.93	0.064	0.4	2/8/23 22:02	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 22:02	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 22:02	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 22:02	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 22:02	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 22:02	CMR
Carbon Tetrachloride	0.059	0.010		0.37	0.063	0.4	2/8/23 22:02	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 22:02	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 22:02	CMR
Chloroform	0.028	0.010		0.13	0.049	0.4	2/8/23 22:02	CMR
Chloromethane	0.56	0.040		1.2	0.083	0.4	2/8/23 22:02	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 22:02	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 22:02	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 22:02	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 22:02	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 22:02	CMR
Dichlorodifluoromethane (Freon 12)	0.52	0.020		2.6	0.099	0.4	2/8/23 22:02	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 22:02	CMR
1,2-Dichloroethane	0.020	0.010		0.081	0.040	0.4	2/8/23 22:02	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 22:02	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 22:02	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 22:02	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 22:02	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 22:02	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 22:02	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 22:02	CMR
Ethylbenzene	0.090	0.020		0.39	0.087	0.4	2/8/23 22:02	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 22:02	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 22:02	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 22:02	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 22:02	CMR
4-Methyl-2-pentanone (MIBK)	0.45	0.020		1.8	0.082	0.4	2/8/23 22:02	CMR
Styrene	0.082	0.020		0.35	0.085	0.4	2/8/23 22:02	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 22:02	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 22:02	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** IMP-1

**Sample ID:** 23A2436-10

Sample Matrix: Sub Slab

Sampled: 1/24/2023 09:46

Sample Description/Location:

Sub Description/Location:

Canister ID: 2204

Canister Size: 6 liter

Flow Controller ID: 4294

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): 0

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.15	0.020		1.0	0.14	0.4	2/8/23 22:02	CMR
Toluene	1.5	0.020		5.5	0.075	0.4	2/8/23 22:02	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 22:02	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 22:02	CMR
Trichloroethylene	0.018	0.010		0.099	0.054	0.4	2/8/23 22:02	CMR
Trichlorofluoromethane (Freon 11)	0.24	0.080		1.3	0.45	0.4	2/8/23 22:02	CMR
1,2,4-Trimethylbenzene	0.18	0.020		0.90	0.098	0.4	2/8/23 22:02	CMR
1,3,5-Trimethylbenzene	0.054	0.020		0.27	0.098	0.4	2/8/23 22:02	CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 22:02	CMR
m&p-Xylene	0.35	0.040		1.5	0.17	0.4	2/8/23 22:02	CMR
o-Xylene	0.14	0.020		0.60	0.087	0.4	2/8/23 22:02	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	2/8/23 22:02
4-Bromofluorobenzene (2)	111	70-130	2/8/23 22:02

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** IMP-2  
**Sample ID:** 23A2436-11  
 Sample Matrix: Sub Slab  
 Sampled: 1/24/2023 09:42

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1249  
 Canister Size: 6 liter  
 Flow Controller ID: 4100  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -9  
 Receipt Vacuum(in Hg): -8.5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	7.6	0.80		18	1.9	0.4	2/8/23 22:36	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 22:36	CMR
Benzene	0.35	0.020		1.1	0.064	0.4	2/8/23 22:36	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 22:36	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 22:36	CMR
2-Butanone (MEK)	1.2	0.80		3.4	2.4	0.4	2/8/23 22:36	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 22:36	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 22:36	CMR
Carbon Tetrachloride	0.086	0.010		0.54	0.063	0.4	2/8/23 22:36	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 22:36	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 22:36	CMR
Chloroform	0.038	0.010		0.18	0.049	0.4	2/8/23 22:36	CMR
Chloromethane	0.65	0.040		1.3	0.083	0.4	2/8/23 22:36	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 22:36	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 22:36	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 22:36	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 22:36	CMR
1,4-Dichlorobenzene	0.022	0.020		0.13	0.12	0.4	2/8/23 22:36	CMR
Dichlorodifluoromethane (Freon 12)	0.58	0.020		2.9	0.099	0.4	2/8/23 22:36	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 22:36	CMR
1,2-Dichloroethane	0.022	0.010		0.091	0.040	0.4	2/8/23 22:36	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 22:36	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 22:36	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 22:36	CMR
1,2-Dichloropropane	0.012	0.010		0.054	0.046	0.4	2/8/23 22:36	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 22:36	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 22:36	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 22:36	CMR
Ethylbenzene	0.14	0.020		0.61	0.087	0.4	2/8/23 22:36	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 22:36	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 22:36	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 22:36	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 22:36	CMR
4-Methyl-2-pentanone (MIBK)	0.89	0.020		3.7	0.082	0.4	2/8/23 22:36	CMR
Styrene	0.18	0.020		0.79	0.085	0.4	2/8/23 22:36	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 22:36	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 22:36	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** IMP-2  
**Sample ID:** 23A2436-11  
 Sample Matrix: Sub Slab  
 Sampled: 1/24/2023 09:42

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1249  
 Canister Size: 6 liter  
 Flow Controller ID: 4100  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -9  
 Receipt Vacuum(in Hg): -8.5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.68	0.020		4.6	0.14	0.4	2/8/23 22:36	CMR
Toluene	2.6	0.020		9.7	0.075	0.4	2/8/23 22:36	CMR
1,1,1-Trichloroethane	0.028	0.010		0.15	0.055	0.4	2/8/23 22:36	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 22:36	CMR
Trichloroethylene	3.4	0.010		18	0.054	0.4	2/8/23 22:36	CMR
Trichlorofluoromethane (Freon 11)	0.59	0.080		3.3	0.45	0.4	2/8/23 22:36	CMR
1,2,4-Trimethylbenzene	0.31	0.020		1.5	0.098	0.4	2/8/23 22:36	CMR
1,3,5-Trimethylbenzene	0.095	0.020		0.47	0.098	0.4	2/8/23 22:36	CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 22:36	CMR
m&p-Xylene	0.58	0.040		2.5	0.17	0.4	2/8/23 22:36	CMR
o-Xylene	0.23	0.020		1.00	0.087	0.4	2/8/23 22:36	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	2/8/23 22:36
4-Bromofluorobenzene (2)	113	70-130	2/8/23 22:36

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** MP-1  
**Sample ID:** 23A2436-12  
 Sample Matrix: Sub Slab  
 Sampled: 1/24/2023 11:23

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1386  
 Canister Size: 6 liter  
 Flow Controller ID: 4103  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -4  
 Receipt Vacuum(in Hg): 1.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	6.3	0.80		15	1.9	0.4	2/8/23 23:09	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/8/23 23:09	CMR
Benzene	0.18	0.020		0.59	0.064	0.4	2/8/23 23:09	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/8/23 23:09	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/8/23 23:09	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/8/23 23:09	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/8/23 23:09	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/8/23 23:09	CMR
Carbon Tetrachloride	0.076	0.010		0.48	0.063	0.4	2/8/23 23:09	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/8/23 23:09	CMR
Chloroethane	ND	0.020		ND	0.053	0.4	2/8/23 23:09	CMR
Chloroform	0.016	0.010		0.080	0.049	0.4	2/8/23 23:09	CMR
Chloromethane	0.60	0.040		1.2	0.083	0.4	2/8/23 23:09	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/8/23 23:09	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/8/23 23:09	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 23:09	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 23:09	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/8/23 23:09	CMR
Dichlorodifluoromethane (Freon 12)	0.51	0.020		2.5	0.099	0.4	2/8/23 23:09	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/8/23 23:09	CMR
1,2-Dichloroethane	0.020	0.010		0.083	0.040	0.4	2/8/23 23:09	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 23:09	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/8/23 23:09	CMR
trans-1,2-Dichloroethylene	0.010	0.010		0.040	0.040	0.4	2/8/23 23:09	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/8/23 23:09	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/8/23 23:09	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 23:09	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/8/23 23:09	CMR
Ethylbenzene	ND	0.020		ND	0.087	0.4	2/8/23 23:09	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/8/23 23:09	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/8/23 23:09	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/8/23 23:09	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/8/23 23:09	CMR
4-Methyl-2-pentanone (MIBK)	0.082	0.020		0.34	0.082	0.4	2/8/23 23:09	CMR
Styrene	ND	0.020		ND	0.085	0.4	2/8/23 23:09	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/8/23 23:09	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/8/23 23:09	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** MP-1

**Sample ID:** 23A2436-12

Sample Matrix: Sub Slab

Sampled: 1/24/2023 11:23

Sample Description/Location:

Sub Description/Location:

Canister ID: 1386

Canister Size: 6 liter

Flow Controller ID: 4103

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): 1.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Tetrachloroethylene	0.046	0.020		0.31	0.14	0.4	2/8/23 23:09 CMR
Toluene	0.23	0.020		0.87	0.075	0.4	2/8/23 23:09 CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 23:09 CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 23:09 CMR
Trichloroethylene	0.012	0.010		0.064	0.054	0.4	2/8/23 23:09 CMR
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	2/8/23 23:09 CMR
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 23:09 CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/8/23 23:09 CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/8/23 23:09 CMR
m&p-Xylene	ND	0.040		ND	0.17	0.4	2/8/23 23:09 CMR
o-Xylene	ND	0.020		ND	0.087	0.4	2/8/23 23:09 CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	2/8/23 23:09
4-Bromofluorobenzene (2)	108	70-130	2/8/23 23:09

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** MP-3  
**Sample ID:** 23A2436-13  
 Sample Matrix: Sub Slab  
 Sampled: 1/24/2023 11:20

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1712  
 Canister Size: 6 liter  
 Flow Controller ID: 4090  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -4  
 Receipt Vacuum(in Hg): -2.7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	2.2	0.80		5.2	1.9		0.4	2/8/23 23:42	CMR
Acrylonitrile	ND	0.12		ND	0.25		0.4	2/8/23 23:42	CMR
Benzene	0.14	0.020		0.45	0.064		0.4	2/8/23 23:42	CMR
Bromodichloromethane	ND	0.010		ND	0.067		0.4	2/8/23 23:42	CMR
Bromoform	ND	0.020		ND	0.21		0.4	2/8/23 23:42	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	2/8/23 23:42	CMR
n-Butylbenzene	ND	0.058		ND	0.32		0.4	2/8/23 23:42	CMR
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	2/8/23 23:42	CMR
Carbon Tetrachloride	0.078	0.010		0.49	0.063		0.4	2/8/23 23:42	CMR
Chlorobenzene	ND	0.020		ND	0.092		0.4	2/8/23 23:42	CMR
Chloroethane	0.047	0.020		0.12	0.053		0.4	2/8/23 23:42	CMR
Chloroform	0.10	0.010		0.50	0.049		0.4	2/8/23 23:42	CMR
Chloromethane	1.1	0.040		2.2	0.083		0.4	2/8/23 23:42	CMR
Dibromochloromethane	ND	0.010		ND	0.085		0.4	2/8/23 23:42	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	2/8/23 23:42	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/8/23 23:42	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/8/23 23:42	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	2/8/23 23:42	CMR
Dichlorodifluoromethane (Freon 12)	0.53	0.020		2.6	0.099		0.4	2/8/23 23:42	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	2/8/23 23:42	CMR
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	2/8/23 23:42	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/8/23 23:42	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/8/23 23:42	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	2/8/23 23:42	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	2/8/23 23:42	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	2/8/23 23:42	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/8/23 23:42	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	2/8/23 23:42	CMR
Ethylbenzene	0.067	0.020		0.29	0.087		0.4	2/8/23 23:42	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	2/8/23 23:42	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	2/8/23 23:42	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	2/8/23 23:42	CMR
Methylene Chloride	ND	0.20		ND	0.69		0.4	2/8/23 23:42	CMR
4-Methyl-2-pentanone (MIBK)	0.30	0.020		1.2	0.082		0.4	2/8/23 23:42	CMR
Styrene	0.11	0.020		0.47	0.085		0.4	2/8/23 23:42	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25		0.4	2/8/23 23:42	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	2/8/23 23:42	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** MP-3

**Sample ID:** 23A2436-13

Sample Matrix: Sub Slab

Sampled: 1/24/2023 11:20

Sample Description/Location:

Sub Description/Location:

Canister ID: 1712

Canister Size: 6 liter

Flow Controller ID: 4090

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -2.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.15	0.020		1.0	0.14	0.4	2/8/23 23:42	CMR
Toluene	1.1	0.020		4.3	0.075	0.4	2/8/23 23:42	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 23:42	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/8/23 23:42	CMR
Trichloroethylene	0.010	0.010		0.056	0.054	0.4	2/8/23 23:42	CMR
Trichlorofluoromethane (Freon 11)	0.25	0.080		1.4	0.45	0.4	2/8/23 23:42	CMR
1,2,4-Trimethylbenzene	0.11	0.020		0.52	0.098	0.4	2/8/23 23:42	CMR
1,3,5-Trimethylbenzene	0.036	0.020		0.18	0.098	0.4	2/8/23 23:42	CMR
Vinyl Chloride	0.094	0.020		0.24	0.051	0.4	2/8/23 23:42	CMR
m&p-Xylene	0.26	0.040		1.1	0.17	0.4	2/8/23 23:42	CMR
o-Xylene	0.092	0.020		0.40	0.087	0.4	2/8/23 23:42	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	2/8/23 23:42
4-Bromofluorobenzene (2)	110	70-130	2/8/23 23:42

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** MP-4  
**Sample ID:** 23A2436-14  
 Sample Matrix: Sub Slab  
 Sampled: 1/24/2023 11:27

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1721  
 Canister Size: 6 liter  
 Flow Controller ID: 4213  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -3  
 Receipt Vacuum(in Hg): -2  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.6	0.80		13	1.9	0.4	2/9/23 0:14	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/9/23 0:14	CMR
Benzene	0.23	0.020		0.74	0.064	0.4	2/9/23 0:14	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/9/23 0:14	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/9/23 0:14	CMR
2-Butanone (MEK)	1.4	0.80		4.3	2.4	0.4	2/9/23 0:14	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/9/23 0:14	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/9/23 0:14	CMR
Carbon Tetrachloride	0.080	0.010		0.50	0.063	0.4	2/9/23 0:14	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/9/23 0:14	CMR
Chloroethane	0.032	0.020		0.083	0.053	0.4	2/9/23 0:14	CMR
Chloroform	0.021	0.010		0.10	0.049	0.4	2/9/23 0:14	CMR
Chloromethane	ND	0.040		ND	0.083	0.4	2/9/23 0:14	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/9/23 0:14	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/9/23 0:14	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/9/23 0:14	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/9/23 0:14	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/9/23 0:14	CMR
Dichlorodifluoromethane (Freon 12)	0.52	0.020		2.6	0.099	0.4	2/9/23 0:14	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/9/23 0:14	CMR
1,2-Dichloroethane	0.015	0.010		0.062	0.040	0.4	2/9/23 0:14	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/9/23 0:14	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/9/23 0:14	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/9/23 0:14	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/9/23 0:14	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/9/23 0:14	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/9/23 0:14	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/9/23 0:14	CMR
Ethylbenzene	0.089	0.020		0.39	0.087	0.4	2/9/23 0:14	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/9/23 0:14	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/9/23 0:14	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/9/23 0:14	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/9/23 0:14	CMR
4-Methyl-2-pentanone (MIBK)	0.41	0.020		1.7	0.082	0.4	2/9/23 0:14	CMR
Styrene	0.12	0.020		0.51	0.085	0.4	2/9/23 0:14	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/9/23 0:14	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/9/23 0:14	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** MP-4

**Sample ID:** 23A2436-14

Sample Matrix: Sub Slab

Sampled: 1/24/2023 11:27

Sample Description/Location:

Sub Description/Location:

Canister ID: 1721

Canister Size: 6 liter

Flow Controller ID: 4213

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.19	0.020		1.3	0.14	0.4	2/9/23 0:14	CMR
Toluene	1.6	0.020		6.1	0.075	0.4	2/9/23 0:14	CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/9/23 0:14	CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/9/23 0:14	CMR
Trichloroethylene	0.80	0.010		4.3	0.054	0.4	2/9/23 0:14	CMR
Trichlorofluoromethane (Freon 11)	0.58	0.080		3.3	0.45	0.4	2/9/23 0:14	CMR
1,2,4-Trimethylbenzene	0.15	0.020		0.73	0.098	0.4	2/9/23 0:14	CMR
1,3,5-Trimethylbenzene	0.050	0.020		0.24	0.098	0.4	2/9/23 0:14	CMR
Vinyl Chloride	ND	0.020		ND	0.051	0.4	2/9/23 0:14	CMR
m&p-Xylene	0.34	0.040		1.5	0.17	0.4	2/9/23 0:14	CMR
o-Xylene	0.13	0.020		0.56	0.087	0.4	2/9/23 0:14	CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	2/9/23 0:14
4-Bromofluorobenzene (2)	112	70-130	2/9/23 0:14

## ANALYTICAL RESULTS

Project Location: Alvarez High School  
 Date Received: 1/25/2023  
**Field Sample #:** MP-6  
**Sample ID:** 23A2436-15  
 Sample Matrix: Sub Slab  
 Sampled: 1/24/2023 11:15

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1816  
 Canister Size: 6 liter  
 Flow Controller ID: 4106  
 Sample Type: 30 min

**Work Order:** 23A2436  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -1.8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.0	0.80		12	1.9	0.4	2/9/23 0:47	CMR
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/9/23 0:47	CMR
Benzene	0.20	0.020		0.64	0.064	0.4	2/9/23 0:47	CMR
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/9/23 0:47	CMR
Bromoform	ND	0.020		ND	0.21	0.4	2/9/23 0:47	CMR
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/9/23 0:47	CMR
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/9/23 0:47	CMR
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/9/23 0:47	CMR
Carbon Tetrachloride	0.080	0.010		0.50	0.063	0.4	2/9/23 0:47	CMR
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/9/23 0:47	CMR
Chloroethane	0.066	0.020		0.18	0.053	0.4	2/9/23 0:47	CMR
Chloroform	0.025	0.010		0.12	0.049	0.4	2/9/23 0:47	CMR
Chloromethane	0.98	0.040		2.0	0.083	0.4	2/9/23 0:47	CMR
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/9/23 0:47	CMR
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/9/23 0:47	CMR
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/9/23 0:47	CMR
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/9/23 0:47	CMR
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/9/23 0:47	CMR
Dichlorodifluoromethane (Freon 12)	0.51	0.020		2.5	0.099	0.4	2/9/23 0:47	CMR
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/9/23 0:47	CMR
1,2-Dichloroethane	0.018	0.010		0.073	0.040	0.4	2/9/23 0:47	CMR
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/9/23 0:47	CMR
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/9/23 0:47	CMR
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/9/23 0:47	CMR
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/9/23 0:47	CMR
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/9/23 0:47	CMR
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/9/23 0:47	CMR
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/9/23 0:47	CMR
Ethylbenzene	0.050	0.020		0.22	0.087	0.4	2/9/23 0:47	CMR
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/9/23 0:47	CMR
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/9/23 0:47	CMR
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/9/23 0:47	CMR
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/9/23 0:47	CMR
4-Methyl-2-pentanone (MIBK)	0.25	0.020		1.0	0.082	0.4	2/9/23 0:47	CMR
Styrene	0.030	0.020		0.13	0.085	0.4	2/9/23 0:47	CMR
1,1,1,2-Tetrachloroethane	ND	0.036	V-05	ND	0.25	0.4	2/9/23 0:47	CMR
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/9/23 0:47	CMR



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 1/25/2023

**Field Sample #:** MP-6

**Sample ID:** 23A2436-15

Sample Matrix: Sub Slab

Sampled: 1/24/2023 11:15

Sample Description/Location:

Sub Description/Location:

Canister ID: 1816

Canister Size: 6 liter

Flow Controller ID: 4106

Sample Type: 30 min

**Work Order:** 23A2436

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -1.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Tetrachloroethylene	0.11	0.020		0.73	0.14	0.4	2/9/23 0:47 CMR
Toluene	0.94	0.020		3.5	0.075	0.4	2/9/23 0:47 CMR
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/9/23 0:47 CMR
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/9/23 0:47 CMR
Trichloroethylene	0.036	0.010		0.19	0.054	0.4	2/9/23 0:47 CMR
Trichlorofluoromethane (Freon 11)	0.32	0.080		1.8	0.45	0.4	2/9/23 0:47 CMR
1,2,4-Trimethylbenzene	0.044	0.020		0.22	0.098	0.4	2/9/23 0:47 CMR
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/9/23 0:47 CMR
Vinyl Chloride	0.082	0.020		0.21	0.051	0.4	2/9/23 0:47 CMR
m&p-Xylene	0.16	0.040		0.70	0.17	0.4	2/9/23 0:47 CMR
o-Xylene	0.055	0.020		0.24	0.087	0.4	2/9/23 0:47 CMR

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	2/9/23 0:47
4-Bromofluorobenzene (2)	111	70-130	2/9/23 0:47



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

Prep Method: TO-15 Prep	Analytical Method: EP		Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
Lab Number [Field ID]		Batch							
23A2436-01 [Gymnasium]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-02 [Cafeteria]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-03 [Kitchen Storage]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-04 [Elevator Hallway]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-05 [Room 145]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-06 [Room 152]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-07 [Room 118]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-08 [Room 110]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-09 [Ambient Outer Air]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-10 [IMP-1]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-11 [IMP-2]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-12 [MP-1]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-13 [MP-3]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-14 [MP-4]		B331398	1	1	N/A	1000	200	500	02/08/23
23A2436-15 [MP-6]		B331398	1	1	N/A	1000	200	500	02/08/23



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	-----------

**Batch B331398 - TO-15 Prep****Blank (B331398-BLK1)** Prepared & Analyzed: 02/08/23

Acetone	ND	0.80
Acrylonitrile	ND	0.12
Benzene	ND	0.020
Bromodichloromethane	ND	0.010
Bromoform	ND	0.020
2-Butanone (MEK)	ND	0.80
n-Butylbenzene	ND	0.058
sec-Butylbenzene	ND	0.046
Carbon Tetrachloride	ND	0.010
Chlorobenzene	ND	0.020
Chloroethane	ND	0.020
Chloroform	ND	0.010
Chloromethane	ND	0.040
Dibromochloromethane	ND	0.010
1,2-Dibromoethane (EDB)	ND	0.010
1,2-Dichlorobenzene	ND	0.020
1,3-Dichlorobenzene	ND	0.020
1,4-Dichlorobenzene	ND	0.020
Dichlorodifluoromethane (Freon 12)	ND	0.020
1,1-Dichloroethane	ND	0.010
1,2-Dichloroethane	ND	0.010
1,1-Dichloroethylene	ND	0.010
cis-1,2-Dichloroethylene	ND	0.010
trans-1,2-Dichloroethylene	ND	0.010
1,2-Dichloropropane	ND	0.010
1,3-Dichloropropane	ND	0.054
cis-1,3-Dichloropropene	ND	0.010
trans-1,3-Dichloropropene	ND	0.010
Ethylbenzene	ND	0.020
Isopropylbenzene (Cumene)	ND	0.051
p-Isopropyltoluene (p-Cymene)	ND	0.046
Methyl tert-Butyl Ether (MTBE)	ND	0.020
Methylene Chloride	ND	0.20
4-Methyl-2-pentanone (MIBK)	ND	0.020
Styrene	ND	0.020
1,1,1,2-Tetrachloroethane	ND	0.036
1,1,2,2-Tetrachloroethane	ND	0.010
Tetrachloroethylene	ND	0.020
Toluene	ND	0.020
1,1,1-Trichloroethane	ND	0.010
1,1,2-Trichloroethane	ND	0.010
Trichloroethylene	ND	0.010
Trichlorofluoromethane (Freon 11)	ND	0.080
1,2,4-Trimethylbenzene	ND	0.020
1,3,5-Trimethylbenzene	ND	0.020
Vinyl Chloride	ND	0.020

V-05



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### QUALITY CONTROL

##### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	----------------	------------	--------------	-----------

**Batch B331398 - TO-15 Prep**

<b>Blank (B331398-BLK1)</b>	Prepared & Analyzed: 02/08/23									
m&p-Xylene	ND	0.040								
o-Xylene	ND	0.020								
Surrogate: 4-Bromofluorobenzene (1)	8.50		8.00		106	70-130				
Surrogate: 4-Bromofluorobenzene (2)	8.96		8.00		112	70-130				
<b>LCS (B331398-BS1)</b>	Prepared & Analyzed: 02/08/23									
Acetone	4.50		5.00		90.1	70-130				
Acrylonitrile	2.51		2.88		87.2	70-130				
Benzene	5.02		5.00		100	70-130				
Bromodichloromethane	5.61		5.00		112	70-130				
Bromoform	5.61		5.00		112	70-130				
2-Butanone (MEK)	3.75		5.00		75.1	70-130				
n-Butylbenzene	1.28		1.14		112	70-130				
sec-Butylbenzene	1.22		1.14		107	70-130				
Carbon Tetrachloride	5.15		5.00		103	70-130				
Chlorobenzene	5.15		5.00		103	70-130				
Chloroethane	5.19		5.00		104	70-130				
Chloroform	5.37		5.00		107	70-130				
Chloromethane	5.16		5.00		103	70-130				
Dibromochloromethane	5.55		5.00		111	70-130				
1,2-Dibromoethane (EDB)	5.34		5.00		107	70-130				
1,2-Dichlorobenzene	4.86		5.00		97.1	70-130				
1,3-Dichlorobenzene	5.11		5.00		102	70-130				
1,4-Dichlorobenzene	4.87		5.00		97.4	70-130				
Dichlorodifluoromethane (Freon 12)	5.19		5.00		104	70-130				
1,1-Dichloroethane	5.44		5.00		109	70-130				
1,2-Dichloroethane	5.05		5.00		101	70-130				
1,1-Dichloroethylene	5.00		5.00		100	70-130				
cis-1,2-Dichloroethylene	4.86		5.00		97.3	70-130				V-20
trans-1,2-Dichloroethylene	5.20		5.00		104	70-130				
1,2-Dichloropropane	5.38		5.00		108	70-130				
1,3-Dichloropropane	1.49		1.35		110	70-130				
cis-1,3-Dichloropropene	5.08		5.00		102	70-130				
trans-1,3-Dichloropropene	4.99		5.00		99.8	70-130				
Ethylbenzene	4.70		5.00		94.0	70-130				
Isopropylbenzene (Cumene)	1.34		1.27		106	70-130				
p-Isopropyltoluene (p-Cymene)	1.22		1.14		107	70-130				
Methyl tert-Butyl Ether (MTBE)	4.02		5.00		80.4	70-130				
Methylene Chloride	4.75		5.00		94.9	70-130				
4-Methyl-2-pentanone (MIBK)	4.98		5.00		99.5	70-130				
Styrene	4.77		5.00		95.3	70-130				
1,1,1,2-Tetrachloroethane	0.859		0.910		94.4	70-130				V-05
1,1,2,2-Tetrachloroethane	5.42		5.00		108	70-130				
Tetrachloroethylene	5.33		5.00		107	70-130				
Toluene	4.86		5.00		97.1	70-130				
1,1,1-Trichloroethane	4.96		5.00		99.2	70-130				
1,1,2-Trichloroethane	5.49		5.00		110	70-130				



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	----------------	------------	--------------	-----------

**Batch B331398 - TO-15 Prep**

<b>LCS (B331398-BS1)</b>	Prepared & Analyzed: 02/08/23						
Trichlorethylene	5.20			5.00		104	70-130
Trichlorofluoromethane (Freon 11)	5.14			5.00		103	70-130
1,2,4-Trimethylbenzene	4.57			5.00		91.5	70-130
1,3,5-Trimethylbenzene	4.88			5.00		97.7	70-130
Vinyl Chloride	5.19			5.00		104	70-130
m&p-Xylene	10.2			10.0		102	70-130
o-Xylene	5.05			5.00		101	70-130
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.69			8.00		109	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.63			8.00		108	70-130

<b>Duplicate (B331398-DUP1)</b>	Source: 23A2436-09					Prepared & Analyzed: 02/08/23			
Acetone	3.1	0.80	7.4	1.9		3.1		0.934	25
Acrylonitrile	ND	0.12	ND	0.25		ND			25
Benzene	0.22	0.020	0.69	0.064		0.22		0.553	25
Bromodichloromethane	ND	0.010	ND	0.067		ND			25
Bromoform	ND	0.020	ND	0.21		ND			25
2-Butanone (MEK)	0.38	0.80	1.1	2.4		0.37		2.48	25
n-Butylbenzene	ND	0.058	ND	0.32		ND			25
sec-Butylbenzene	ND	0.046	ND	0.25		ND			25
Carbon Tetrachloride	0.078	0.010	0.49	0.063		0.083		5.46	25
Chlorobenzene	ND	0.020	ND	0.092		ND			25
Chloroethane	ND	0.020	ND	0.053		ND			25
Chloroform	0.027	0.010	0.13	0.049		0.027		0.00	25
Chloromethane	0.58	0.040	1.2	0.083		0.60		3.14	25
Dibromochloromethane	ND	0.010	ND	0.085		ND			25
1,2-Dibromoethane (EDB)	ND	0.010	ND	0.077		ND			25
1,2-Dichlorobenzene	ND	0.020	ND	0.12		ND			25
1,3-Dichlorobenzene	ND	0.020	ND	0.12		ND			25
1,4-Dichlorobenzene	ND	0.020	ND	0.12		ND			25
Dichlorodifluoromethane (Freon 12)	0.55	0.020	2.7	0.099		0.54		1.25	25
1,1-Dichloroethane	ND	0.010	ND	0.040		0.017			25
1,2-Dichloroethane	0.018	0.010	0.074	0.040		0.019		4.26	25
1,1-Dichloroethylene	ND	0.010	ND	0.040		ND			25
cis-1,2-Dichloroethylene	ND	0.010	ND	0.040		ND			25
trans-1,2-Dichloroethylene	ND	0.010	ND	0.040		ND			25
1,2-Dichloropropane	ND	0.010	ND	0.046		ND			25
1,3-Dichloropropane	ND	0.054	ND	0.25		ND			25
cis-1,3-Dichloropropene	ND	0.010	ND	0.045		ND			25
trans-1,3-Dichloropropene	ND	0.010	ND	0.045		ND			25
Ethylbenzene	0.013	0.020	0.056	0.087		0.012		6.45	25
Isopropylbenzene (Cumene)	ND	0.051	ND	0.25		ND			25
p-Isopropyltoluene (p-Cymene)	ND	0.046	ND	0.25		ND			25
Methyl tert-Butyl Ether (MTBE)	0.097	0.020	0.35	0.072		ND			25
Methylene Chloride	0.10	0.20	0.35	0.69		0.11		5.41	25
4-Methyl-2-pentanone (MIBK)	0.021	0.020	0.087	0.082		0.022		1.87	25
Styrene	ND	0.020	ND	0.085		ND			25
1,1,1,2-Tetrachloroethane	ND	0.036	ND	0.25		ND			25



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### QUALITY CONTROL

##### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	----------------	------------	--------------	-----------

**Batch B331398 - TO-15 Prep**

<b>Duplicate (B331398-DUP1)</b>		<b>Source: 23A2436-09</b>			Prepared & Analyzed: 02/08/23						
1,1,2,2-Tetrachloroethane	ND	0.010	ND	0.069		ND				25	
Tetrachloroethylene	0.016	0.020	0.11	0.14		0.016			5.00	25	
Toluene	0.082	0.020	0.31	0.075		0.082			0.489	25	
1,1,1-Trichloroethane	ND	0.010	ND	0.055		ND				25	
1,1,2-Trichloroethane	ND	0.010	ND	0.055		ND				25	
Trichloroethylene	ND	0.010	ND	0.054		ND				25	
Trichlorofluoromethane (Freon 11)	0.22	0.080	1.3	0.45		0.23			2.12	25	
1,2,4-Trimethylbenzene	ND	0.020	ND	0.098		ND				25	
1,3,5-Trimethylbenzene	ND	0.020	ND	0.098		ND				25	
Vinyl Chloride	ND	0.020	ND	0.051		ND				25	
m&p-Xylene	0.024	0.040	0.10	0.17		0.024			1.68	25	
o-Xylene	ND	0.020	ND	0.087		0.015				25	
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.12			8.00		101		70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.59			8.00		107		70-130			



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
  - † Wide recovery limits established for difficult compound.
  - ‡ Wide RPD limits established for difficult compound.
  - # Data exceeded client recommended or regulatory level
  - ND Not Detected
  - RL Reporting Limit is at the level of quantitation (LOQ)
  - DL Detection Limit is the lower limit of detection determined by the MDL study
  - MCL Maximum Contaminant Level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
- No results have been blank subtracted unless specified in the case narrative section.
- V-05 Continuing calibration verification (CCV) did not meet method specifications and was biased on the low side for this compound.
  - V-20 Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**INTERNAL STANDARD AREA AND RT SUMMARY****EPA TO-15**

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
<b>LCS (B331398-BS1 )</b>		Lab File ID: J23A039005.D				Analyzed: 02/08/23 13:47			
Bromochloromethane (1)	396232	2.801	397382	2.801	100	60 - 140	0.0000	+/-0.50	
1,4-Difluorobenzene (1)	1208102	3.428	1200368	3.428	101	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (1)	1067228	5.038	1050065	5.038	102	60 - 140	0.0000	+/-0.50	
1,4-Difluorobenzene (2)	1119747	3.427	1130439	3.427	99	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	241366	5.042	235832	5.041	102	60 - 140	0.0010	+/-0.50	
<b>Blank (B331398-BLK1 )</b>		Lab File ID: J23A039010.D				Analyzed: 02/08/23 16:04			
Bromochloromethane (1)	378935	2.79	397382	2.801	95	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1065216	3.416	1200368	3.428	89	60 - 140	-0.0120	+/-0.50	
Chlorobenzene-d5 (1)	963735	5.035	1050065	5.038	92	60 - 140	-0.0030	+/-0.50	
1,4-Difluorobenzene (2)	1068208	3.416	1130439	3.427	94	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (2)	217636	5.035	235832	5.041	92	60 - 140	-0.0060	+/-0.50	
<b>Gymnasium (23A2436-01 )</b>		Lab File ID: J23A039011.D				Analyzed: 02/08/23 16:36			
Bromochloromethane (1)	381274	2.79	397382	2.801	96	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1111957	3.422	1200368	3.428	93	60 - 140	-0.0060	+/-0.50	
Chlorobenzene-d5 (1)	1028533	5.037	1050065	5.038	98	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1116507	3.422	1130439	3.427	99	60 - 140	-0.0050	+/-0.50	
Chlorobenzene-d5 (2)	235643	5.037	235832	5.041	100	60 - 140	-0.0040	+/-0.50	
<b>Cafeteria (23A2436-02 )</b>		Lab File ID: J23A039012.D				Analyzed: 02/08/23 17:09			
Bromochloromethane (1)	379331	2.79	397382	2.801	95	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1099451	3.417	1200368	3.428	92	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	989311	5.037	1050065	5.038	94	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1102556	3.417	1130439	3.427	98	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	229918	5.037	235832	5.041	97	60 - 140	-0.0040	+/-0.50	
<b>Kitchen Storage (23A2436-03 )</b>		Lab File ID: J23A039013.D				Analyzed: 02/08/23 17:42			
Bromochloromethane (1)	387496	2.79	397382	2.801	98	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1175260	3.417	1200368	3.428	98	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1089676	5.038	1050065	5.038	104	60 - 140	0.0000	+/-0.50	
1,4-Difluorobenzene (2)	1178946	3.417	1130439	3.427	104	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	247819	5.038	235832	5.041	105	60 - 140	-0.0030	+/-0.50	
<b>Elevator Hallway (23A2436-04 )</b>		Lab File ID: J23A039014.D				Analyzed: 02/08/23 18:14			
Bromochloromethane (1)	393072	2.79	397382	2.801	99	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1162081	3.417	1200368	3.428	97	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1042521	5.037	1050065	5.038	99	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1165519	3.417	1130439	3.427	103	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	240010	5.037	235832	5.041	102	60 - 140	-0.0040	+/-0.50	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**INTERNAL STANDARD AREA AND RT SUMMARY**

**EPA TO-15**

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
<b>Room 145 (23A2436-05 )</b>		Lab File ID: J23A039015.D				Analyzed: 02/08/23 18:46			
Bromochloromethane (1)	393198	2.791	397382	2.801	99	60 - 140	-0.0100	+/-0.50	
1,4-Difluorobenzene (1)	1151814	3.417	1200368	3.428	96	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1045288	5.037	1050065	5.038	100	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1155169	3.417	1130439	3.427	102	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	241962	5.037	235832	5.041	103	60 - 140	-0.0040	+/-0.50	
<b>Room 152 (23A2436-06 )</b>		Lab File ID: J23A039016.D				Analyzed: 02/08/23 19:19			
Bromochloromethane (1)	394832	2.785	397382	2.801	99	60 - 140	-0.0160	+/-0.50	
1,4-Difluorobenzene (1)	1152754	3.417	1200368	3.428	96	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1080735	5.038	1050065	5.038	103	60 - 140	0.0000	+/-0.50	
1,4-Difluorobenzene (2)	1166683	3.417	1130439	3.427	103	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	246143	5.038	235832	5.041	104	60 - 140	-0.0030	+/-0.50	
<b>Room 118 (23A2436-07 )</b>		Lab File ID: J23A039017.D				Analyzed: 02/08/23 19:51			
Bromochloromethane (1)	381813	2.785	397382	2.801	96	60 - 140	-0.0160	+/-0.50	
1,4-Difluorobenzene (1)	1128285	3.417	1200368	3.428	94	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1065288	5.037	1050065	5.038	101	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1140821	3.417	1130439	3.427	101	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	241641	5.037	235832	5.041	102	60 - 140	-0.0040	+/-0.50	
<b>Room 110 (23A2436-08 )</b>		Lab File ID: J23A039018.D				Analyzed: 02/08/23 20:24			
Bromochloromethane (1)	388156	2.79	397382	2.801	98	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1115074	3.417	1200368	3.428	93	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1029802	5.037	1050065	5.038	98	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1119174	3.417	1130439	3.427	99	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	236129	5.037	235832	5.041	100	60 - 140	-0.0040	+/-0.50	
<b>Ambient Outer Air (23A2436-09 )</b>		Lab File ID: J23A039019.D				Analyzed: 02/08/23 20:56			
Bromochloromethane (1)	386356	2.79	397382	2.801	97	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1093762	3.417	1200368	3.428	91	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1062973	5.037	1050065	5.038	101	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1097990	3.417	1130439	3.427	97	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	245609	5.037	235832	5.041	104	60 - 140	-0.0040	+/-0.50	
<b>Duplicate (B331398-DUP1 )</b>		Lab File ID: J23A039020.D				Analyzed: 02/08/23 21:29			
Bromochloromethane (1)	390706	2.79	397382	2.801	98	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1106459	3.417	1200368	3.428	92	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1069234	5.037	1050065	5.038	102	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1110216	3.417	1130439	3.427	98	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	241326	5.037	235832	5.041	102	60 - 140	-0.0040	+/-0.50	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**INTERNAL STANDARD AREA AND RT SUMMARY**

**EPA TO-15**

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
<b>IMP-1 (23A2436-10 )</b>		Lab File ID: J23A039021.D				Analyzed: 02/08/23 22:02			
Bromochloromethane (1)	383138	2.79	397382	2.801	96	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1148882	3.417	1200368	3.428	96	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1017374	5.037	1050065	5.038	97	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1151937	3.417	1130439	3.427	102	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	236799	5.037	235832	5.041	100	60 - 140	-0.0040	+/-0.50	
<b>IMP-2 (23A2436-11 )</b>		Lab File ID: J23A039022.D				Analyzed: 02/08/23 22:36			
Bromochloromethane (1)	349862	2.79	397382	2.801	88	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1070617	3.417	1200368	3.428	89	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1025506	5.038	1050065	5.038	98	60 - 140	0.0000	+/-0.50	
1,4-Difluorobenzene (2)	1073691	3.417	1130439	3.427	95	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	235524	5.038	235832	5.041	100	60 - 140	-0.0030	+/-0.50	
<b>MP-1 (23A2436-12 )</b>		Lab File ID: J23A039023.D				Analyzed: 02/08/23 23:09			
Bromochloromethane (1)	393540	2.79	397382	2.801	99	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1148559	3.417	1200368	3.428	96	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1008065	5.037	1050065	5.038	96	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1152751	3.417	1130439	3.427	102	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	233896	5.037	235832	5.041	99	60 - 140	-0.0040	+/-0.50	
<b>MP-3 (23A2436-13 )</b>		Lab File ID: J23A039024.D				Analyzed: 02/08/23 23:42			
Bromochloromethane (1)	384406	2.79	397382	2.801	97	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1111803	3.417	1200368	3.428	93	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1016083	5.037	1050065	5.038	97	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1115953	3.417	1130439	3.427	99	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	233775	5.037	235832	5.041	99	60 - 140	-0.0040	+/-0.50	
<b>MP-4 (23A2436-14 )</b>		Lab File ID: J23A039025.D				Analyzed: 02/09/23 00:14			
Bromochloromethane (1)	394611	2.79	397382	2.801	99	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1121175	3.417	1200368	3.428	93	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1021792	5.038	1050065	5.038	97	60 - 140	0.0000	+/-0.50	
1,4-Difluorobenzene (2)	1124335	3.417	1130439	3.427	99	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	237102	5.038	235832	5.041	101	60 - 140	-0.0030	+/-0.50	
<b>MP-6 (23A2436-15 )</b>		Lab File ID: J23A039026.D				Analyzed: 02/09/23 00:47			
Bromochloromethane (1)	389412	2.79	397382	2.801	98	60 - 140	-0.0110	+/-0.50	
1,4-Difluorobenzene (1)	1125470	3.417	1200368	3.428	94	60 - 140	-0.0110	+/-0.50	
Chlorobenzene-d5 (1)	1021644	5.037	1050065	5.038	97	60 - 140	-0.0010	+/-0.50	
1,4-Difluorobenzene (2)	1129774	3.417	1130439	3.427	100	60 - 140	-0.0100	+/-0.50	
Chlorobenzene-d5 (2)	236483	5.037	235832	5.041	100	60 - 140	-0.0040	+/-0.50	



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**CONTINUING CALIBRATION CHECK**

COMPOUND	TYPE				RESPONSE FACTOR			% DIFF / DRIFT	
		STD	CCV	ICAL	CCV	MIN (#)	CCV	LIMIT (#)	

# Column to be used to flag Response Factor and %Diff/Drift values with an asterisk

\* Values outside of QC limits



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
<b>EPA TO-15 in Air</b>	
Acetone	AIHA,NY,ME,NH
Acrylonitrile	AIHA,NJ,NY,ME,NH
Benzene	AIHA,FL,NJ,NY,ME,NH,VA
Bromodichloromethane	AIHA,NJ,NY,ME,NH,VA
Bromoform	AIHA,NJ,NY,ME,NH,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,ME,NH,VA
Carbon Tetrachloride	AIHA,FL,NJ,NY,ME,NH,VA
Chlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Chloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Chloroform	AIHA,FL,NJ,NY,ME,NH,VA
Chloromethane	AIHA,FL,NJ,NY,ME,NH,VA
Dibromochloromethane	AIHA,NY,ME,NH
1,2-Dibromoethane (EDB)	AIHA,NJ,NY,ME,NH
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
1,3-Dichlorobenzene	AIHA,NJ,NY,ME,NH
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY,ME,NH
1,1-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,ME,NH,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,ME,NH,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,ME,NH,VA
trans-1,3-Dichloropropene	AIHA,NY,ME,NH
Ethylbenzene	AIHA,FL,NJ,NY,ME,NH,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY,ME,NH
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,ME,NH,VA
Methylene Chloride	AIHA,FL,NJ,NY,ME,NH,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY,ME,NH
Styrene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Toluene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Trichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY,ME,NH
1,2,4-Trimethylbenzene	AIHA,NJ,NY,ME,NH
1,3,5-Trimethylbenzene	AIHA,NJ,NY,ME,NH
Vinyl Chloride	AIHA,FL,NJ,NY,ME,NH,VA
m&p-Xylene	AIHA,FL,NJ,NY,ME,NH,VA
o-Xylene	AIHA,FL,NJ,NY,ME,NH,VA




---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Con-Test, a Pace Environmental Laboratory, operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO 17025:2017	100033	03/1/2024
NY	New York State Department of Health	10899 NELAP	04/1/2023
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2024
NJ	New Jersey DEP	MA007 NELAP	06/30/2023
FL	Florida Department of Health	E871027 NELAP	06/30/2023
ME	State of Maine	MA00100	06/9/2023
VA	Commonwealth of Virginia	460217	12/14/2023

**230+2436**  
**Company Name:** EA Engineering  
**Address:** 201 - Metal Center Blvd. Webster, MA 01286  
**Phone:** 413-525-3440  
**Project Name:** Alvarez High School  
**Project Location:** Providence, RI  
**Project Number:** 160-G60  
**Project Manager:** Frank Pessina  
**Con-Test Quote Name/Number:**  
**Invoice Recipient:** Melanie Diaz  
**Sampled By:** C.J. TIC

Lab Use	Client Use	Collection Data	Duration	Flow Rate	Matrix	Volume	
Con-Test Work Order#	Client Sample ID / Description	Beginning Date/Time 11/15/2013 09:15	Ending Date/Time 11/15/2013 09:48	Total Minutes Sampled	m³/min L/min	Code	Liters m³
01	Gymnasium.	09:15	09:48	30	TA	6	X
02	Cafeteria	09:18	09:48	30		10	X
03	Kitchen Range	09:21	09:50	29		10	X
04	Elevator Hallway	09:51	09:21	30		10	X
05	Room 145	08:59	09:29	30		10	X
06	Room 152	09:09	09:39	30		10	X
07	Room 119	09:02	09:32	30		10	X
08	Room 118	09:04	09:34	30		10	X
09	Ambient outdoor air	10:34	10:55	31	AMBI	10	X

Comments:

Please report in  $\text{Mg/m}^3$ 

Please use the following codes to indicate possible sample concentration within the Conc Code column above:  
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Matrix Codes:

SG = SOIL GAS  
IA = INDOOR AIR  
AMB = AMBIENT  
SS = SUB SLAB  
D = DUP  
BL = BLANK  
O = Other



Project Entity	Date/Time:	Detection Limit Requirements	Special Requirements	Other	PCB ONLY
Jay Chertoff	11/25/23 12:06	M	MA MCP Required	Chromatogram	Soxlet
Jay Chertoff	11/25/23 14:30	C	MCP Certification Form Required	AIHA-LAP, LLC	Non Soxlet
Jay Chertoff	11/25/23 14:30	C	CT RCP Required		
Jay Chertoff	11/25/23 14:30	C	RCP Certification Form Required		
			Other		



**39 Spruce St.  
East Longmeadow, MA. 01028  
P: 413-525-2332  
F: 413-525-6405  
[www.pacelabs.com](http://www.pacelabs.com)**

Client EA Engineering  
Project Alvarez High School  
MCP/RCP Required RCP  
Deliverable Package Requirement \_\_\_\_\_  
Location Providence, RI  
PWSID# (When Applicable) \_\_\_\_\_  
Arrival Method \_\_\_\_\_  
Received By / Date / Time TPH 1-25-23 1610  
Back-Sheet By / Date / Time TPH 1-29-23 1315  
Temperature Method \_\_\_\_\_ #  
Temp < 6° C  Actual Temperature \_\_\_\_\_  
Rush Samples: Yes / NO Notify \_\_\_\_\_  
Short Hold: Yes / NO Notify \_\_\_\_\_

ENV-FRM-ELON-0009 v02\_Air Sample Receiving Checklist 1-12-2023

## **Log In Back-Sheet**

**Login Sample Receipt Checklist – (Rejection Criteria Listing**  
**– Using Acceptance Policy) Any False statement will be**  
**brought to the attention of the Client – True or False**



	True	False			
<u>Received on Ice</u>	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>Received in Cooler</u>	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>Custody Seal: DATE</u>	<u>TIME</u>	<input type="checkbox"/>			
<u>COC Relinquished</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
<u>COC/Samples Labels Agree</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
<u>All Samples in Good Condition</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
<u>Samples Received within Holding Time</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
<u>Is there enough Volume</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
<u>Proper Media/Container Used</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
<u>Individually Certified Cans</u>	<u>Train</u>	<input checked="" type="checkbox"/> (15)			
<u>Trip Blanks</u>	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>COC Legible</u>	<input type="checkbox"/>	<input type="checkbox"/>			
<u>COC Included: (Check all included)</u>					
Client	<input checked="" type="checkbox"/>	Analysis	<input checked="" type="checkbox"/>	Sampler Name	<input checked="" type="checkbox"/>
Project	<input checked="" type="checkbox"/>	IDS	<input checked="" type="checkbox"/>	Collection Date/Time	<input checked="" type="checkbox"/>

### Notes regarding Samples/COC outside of SOP:

Container	#	Size	Regulator	Duration	Accessories		
Summa Cans	15	6L	15	30min	Nut/Ferrule		IC <del>Don't</del> Train 15
Tedlar Bags					Tubing		
TO-17 Tubes					T-Connector		Shipping Charges
Radilloc					Syringe		
Pufs/ TO-11					Tedlar		

*This page intentionally left blank*

**APPENDIX F**

**Laboratory MRL Correspondence**



39 Spruce Street  
East Longmeadow, MA 01089

March 27, 2023

Frank Postma  
EA Engineering Science & Technology  
2350 Post Road  
Warwick, RI 02886  
RE: RIDEM – Approved Action Level – Work Order 23A2436

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test, A Pace Analytical Laboratory had issues meeting the limits are listed below:

Bromodichloromethane  
1,1,2,2-Tetrachloroethane  
1,1,1,2-Tetrachloroethane  
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski".

Tod Kopyscinski  
Laboratory Director