26 September 2002

Joseph R. Vinagro, President Patriot Hauling Co., Inc. 2208 Plainfield Pike Johnston, RI 02919

Dear Mr. Vinagro:

The Department of Environmental Management, Office of Air Resources has reviewed and approved your application for the installation of fuel burning equipment at your facility located at 2208 Plainfield Pike, Johnston.

Enclosed is a minor source permit issued pursuant to our review of your application (Approval No. 1717).

This minor source permit requires that all fuel burning equipment covered by this permit be fired with low sulfur diesel fuel oil (less than 0.05% sulfur). To ensure compliance with this requirement, all diesel fuel oil shipments received after the effective date of this permit must contain no more than 0.05 percent sulfur by weight.

During the course of our review of your application, we determined that the fuel burning equipment was installed in 2001. Patriot Hauling Co., Inc. failed to obtain a preconstruction permit prior to the installation of this equipment as required by RI Air Pollution Control Regulation No. 9.

Be advised that issuance of this permit does not limit or otherwise preclude the RI DEM from pursuing enforcement actions to address the violations stated above.

If there are any questions concerning this permit, please contact me at 222-2808, extension 7011.

Sincerely,

Douglas L. McVay Associate Supervising Engineer Office of Air Resources

cc: Johnston Building Official

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR RESOURCES

MINOR SOURCE PERMIT

PATRIOT HAULING CO., INC.

APPROVAL NO. 1717

Pursuant to the provisions of Air Pollution Control Regulation No. 9, this minor source permit is issued to:

Patriot Hauling Co., Inc.	
For the following:	
Installation of a 1204 HP Caterpillar Mod	del 3412C diesel-fired engine to power crushing,
grinding, and screening equipment (Appro	oval No. 1717). The engine shall be fired with
low sulfur diesel fuel oil.	
Located at: 2208 i	Plainfield Pike, Johnston
revoked by or surrendered to the De Hauling Co., Inc. from compliance with	date of its issuance and shall remain in effect unticpartment. This permit does not relieve <i>Patrio</i> applicable state and federal air pollution controstruction and operation of this equipment shall be as and emission limitations.
Stephen Majkut, Chief	
Office of Air Resources	Dute of Issuance

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR RESOURCES

Permit Conditions and Emission Limitations

PATRIOT HAULING CO., INC.

APPROVAL NO. 1717

A. Emission Limitations

- 1. Nitrogen oxides (as Nitrogen dioxide (NO₂))
 - a. The emission rate of nitrogen oxides discharged to the atmosphere from the 1204 HP engine shall not exceed 7.2 grams/bhp-hr unless the rate of emissions is less than 19.1 lbs/hr.
- 2. Carbon Monoxide (CO)
 - a. The emission rate of carbon monoxide discharged to the atmosphere from the 1204 HP engine shall not exceed 4.9 grams/bhp-hr unless the rate of emissions is less than 12.9 lbs/hr.
- 3. Total Nonmethane Hydrocarbons (NMHC)
 - a. The emission rate of total nonmethane hydrocarbons discharged to the atmosphere from the 1204 HP engine shall not exceed 2.3 grams/bhp-hr unless the rate of emissions is less than 6.0 lbs/hr.
- 4. Sulfur Dioxide (SO₂)
 - a. All diesel fuel burned in the 1204 HP engine shall contain no more than 0.05 percent sulfur by weight.
 - b. The emission rate of sulfur dioxide discharged to the atmosphere from the 1204 HP engine shall not exceed 0.41 lbs/hr.
- 5. Particulate Matter (PM)
 - a. The emission rate of particulate matter discharged to the atmosphere from the 1204 HP engine shall not exceed 0.55 grams/bhp-hr unless the rate of emissions is less than 1.5 lbs/hr.

6. Opacity

a. Visible emissions from the 1204 HP engine shall not exceed 10% opacity except for a period or periods aggregating no more than three minutes in any one hour. This visible emission limitation shall not apply during startup of an engine. Engine startup shall be defined as the first five minutes of firing following the initiation of firing.

B. Operating Requirements

1. The owner/operator shall limit the quantity of diesel fuel combusted in the engine to 300,000 gallons or less for any consecutive 12-month period.

C. Continuous Monitoring

- 1. The engine shall be equipped with a non-resettable elapsed time meter to indicate, in cumulative hours, the elapsed engine operating time.
- 2. The engine shall be equipped with a non-resettable fuel flow meter to indicate, in cumulative gallons, the total gallons of fuel consumed in the engine.

D. Fuel Oil Testing

- 1. Compliance with the diesel fuel sulfur limit may be determined based on a certification from the fuel supplier. Fuel supplier certifications shall include the following information:
 - a. The name of the fuel supplier;
 - b. The sulfur content of the fuel from which the shipment came or the shipment itself;
 - c. The location of the fuel when the sample was drawn for analysis to determine the sulfur content of the fuel, specifically including whether the fuel was sampled as delivered to Patriot Hauling Co., Inc. or whether the sample was drawn from fuel in storage at the fuel supplier's facility or another location;
 - d. The method used to determine the sulfur content of the fuel.
- 2. As an alternative to fuel supplier certification, the owner/operator may elect to sample the fuel prior to combustion. Sampling and analysis shall be conducted for the fuel in the initial tank(s) of fuel to be fired in the engine and after each new shipment of fuel is received. Samples shall be collected from the fuel tank immediately after the fuel tank is filled and before any fuel is combusted.

E. Record Keeping and Reporting

- 1. The owner/operator shall, on a monthly basis, no later than 10 days after the first of each month, determine and record the hours of operation and fuel use for the engine for the previous month. The owner/operator shall keep records of this determination and provide such records to the Office of Air Resources or its authorized representative upon request.
- 2. The owner/operator shall, on a monthly basis, no later than 10 days after the first of each month, determine the total fuel used by the engine during the previous 12 months.
- 3. The owner/operator shall notify the Office of Air Resources, in writing, whenever the quantity of diesel fuel combusted in the engine exceeds 300,000 gallons for any consecutive 12-month period.
- 4. The owner/operator shall notify the Office of Air Resources of any anticipated noncompliance with the terms of this permit or any other applicable air pollution control rules and regulations.
- 5. The owner/operator shall maintain copies of all fuel supplier certifications or fuel analyses and these copies shall be made accessible for review by the Office of Air Resources or its authorized representative and EPA. These records shall include a certified statement, signed by the owner/operator of the facility, that the records represent all of the fuel combusted at the facility
- 6. The owner/operator shall notify the Office of Air Resources, in writing, of any planned physical or operational change to any equipment that would:
 - a. Change the representation of the facility in the application.
 - b. Alter the applicability of any state or federal air pollution rules or regulations.
 - c. Result in the violation of any terms or conditions of this permit.
 - d. Qualify as a modification under APC Regulation No. 9.

Such notification shall include:

- Information describing the nature of the change.
- Information describing the effect of the change on the emission of any air contaminant.

• The scheduled completion date of the planned change.

Any such change shall be consistent with the appropriate regulation and have the prior approval of the Director.

- 7. The owner/operator shall notify the Office of Air Resources of any noncompliance with the terms of this permit, in writing, within 5 days of the occurrence.
- 8. All records required as a condition of this approval must be made available to the Office of Air Resources or its representative upon request. These records must be maintained for a minimum of five years after the date of each record.

F. Fugitive Dust

- 1. No visible fugitive emissions shall leave the property from the crusher, associated sources and service roads within the facility. Compliance with the standard of no visible fugitive emissions shall be determined by a standard of no visible emissions exceeding 30 seconds in duration in any six-minute period as determined using 40 CFR 60, Appendix A, Test Method 22.
- 2. Opacity of visible emissions from the crusher shall not exceed 15 percent (6-minute average) as determined using 40 CFR 60, Appendix A, Test Method 9.
- 3. Service roads within the facility shall be maintained and controlled in such a manner as to minimize the potential for the generation of fugitive dust emissions.
- 4. All open storage areas and/or piles of material which may produce fugitive dust shall be covered, watered down, or implement other precautions, as necessary, to prevent generation of dust.
- 5. Adequate precautions shall be taken to prevent fugitive dust emissions from the storage, handling or transporting of material capable of releasing dust.

G. Other Permit Conditions

- 1. To the extent consistent with the requirements of this approval and applicable Federal and State laws, the facility shall be designed, constructed and operated in accordance with the representation of the facility in the permit application.
- 2. Employees of the Office of Air Resources and its authorized representatives shall be allowed to enter the facility at all times for the purpose of inspecting any air pollution source, investigating any condition it believes may be causing air pollution or examining any records required to be maintained by the Office of Air Resources.

3.	At all times, including periods of startup, shutdown and malfunction, the	
	owner/operator shall, to the extent practicable, maintain and operate the facility in a	
	manner consistent with good air pollution control practice for minimizing emissions	
	Determination of whether acceptable operating and maintenance procedures are	
	being used will be based on information available to the Office of Air Resources	
	which may include, but is not limited to, monitoring results, opacity observations,	
	review of operating and maintenance procedures and inspection of the source.	

Patriot Hauling-engine.doc