


| GZA (| GeoEnvironmental, Inc. | | | | | | |
|--------|---|------------------|--------------------------------------|--------------------------|--|--|--|
| 188 V | alley Street, Suite 300 | | | | | | |
| Provid | lence, Rhode Island 02909 | | Date: 10/05/2020 | Job No. 03.0033554.04 | | | |
| 401.4 | 21.4140 (fax) 401.751.8613 | | Attention: Mr. Joseph Ma | artella | | | |
| | | | | | | | |
| To: | Rhode Island Department of Environmenta | l Management | Re: Liquefaction Facility F | Project | | | |
| | Office of Land Revitalization and Sustainabl | e Materials | STRAP Perimeter Air | Quality Monitoring (AQM) | | | |
| | Management | | 121 Terminal Road/ | 642 Allens Avenue | | | |
| | 235 Promenade Street | | Providence, Rhode Is | | | | |
| | Providence, Rhode Island 02908 | | Site Remediation File No. SR-28-1152 | | | | |
| | | | | | | | |
| | | | _ | | | | |
| We a | e sending you: | | | | | | |
| | Shop Drawings X | Attached | Change Order | Samples | | | |
| | | ٦ | | | | | |
| | Copy of Letter | Prints | Plans | Specifications | | | |
| | | | | | | | |
| | Under Separate Cover, the following It | ems: | via: | | | | |
| | | | | | | | |
| low S | hipped: X Via Email | Courier | Regular Mail | Hand Delivered/Picked Up | | | |
| L | | Courier | Regular Mali | Hand Delivered/Picked Op | | | |
| Desc | ription | | | | | | |
| | uality Monitoring (AQM) Results – | | | | | | |
| | k of 9/28/2020 (9/28/2020, 9/29/2020, 9/30/ | 2020, 10/01/2020 |), and 10/02/2020) | | | | |
| | AQM Station/ 1 Graph AQM Station | ı 4 Graph | | | | | |
| | AQM Station 2 Graph AQM Station | ۱5 Graph | | | | | |
| | | 6 Graph | | | | | |
| | AQM Station 3 Graph AQM Statior Summary Figure | i o Giapii | | | | | |

THESE ARE TRANSMITTED as Checked Below:

| | For Approval | Approved as Submitte | d | Resubmit Copies for Approval |
|---|------------------------|-------------------------|-----|----------------------------------|
| Х | For Your Use | Approved as Noted | | Submit Copies for Distribution |
| | As Requested | Returned for Correction | ons | Return Corrected Prints |
| | For Review and Comment | | | PRINTS RETURNED AFTER LOAN TO US |
| | FOR BIDS DUE: | | | |

Comments:

| Сору То: | Amy Willoughby - National Grid LNG LLC | Signed: | Sara Haupt, P.E. |
|----------|--|---------|---------------------------|
| | William Howard - National Grid LNG LLC | | Assistant Project Manager |




| Equipment Notes | PM10 I |
|-----------------|--------|
| None | PM10 a |
| | |

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

3) Air quality monitoring performed in accordance with the May 12, 2017 Short Term Response Action Plan (STRAP), the October 11, 2017 STRAP Addendum (including Attachment N - Clarifications to the Proposed Air Monitoring Program for STRAP Activities) and the October 27, 2017 Short Term Response Action Approval Letter issued by RIDEM. Monitoring conducted during active STRAP activities.

| ics | | | | | |
|-------------------------|-----------------------------|--|--|--|--|
| Data Summary Statistics | | | | | |
| 0.01 | ppm | | | | |
| 0.64 | ppm | | | | |
| 1 | ppm | | | | |
| 11.46 | µg/m³ | | | | |
| 58.00 | µg/m³ | | | | |
| 150 | µg/m³ | | | | |
| | 0.64 1 11.46 58.00 | | | | |




1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

3) Air quality monitoring performed in accordance with the May 12, 2017 Short Term Response Action Plan (STRAP), the October 11, 2017 STRAP Addendum (including Attachment N - Clarifications to the Proposed Air Monitoring Program for STRAP Activities) and the October 27, 2017 Short Term Response Action Approval Letter issued by RIDEM. Monitoring conducted during active STRAP activities.

| lings n | ot attributed to ongoing site | - 200 | |
|---------|-------------------------------|-------|--|
| - | re not sustained. Prevailing | - 180 | |
| noted | | - 170 | |
| | I | - 160 | m³) |
| | | - 150 | /бп) |
| | | - 140 | on |
| | | - 130 | Itrati |
| | | - 120 | PM10 (respirable dust) Concentration $(\mu g/m^3)$ |
| | | - 110 | Con |
| | | - 100 | ist) (|
| | | - 90 | e du |
| | No Foutburght Conducted | - 80 | able |
| | No Earthwork Conducted | - 70 | spii |
| | | - 60 |) (re |
| | | - 50 | M10 |
| | | - 40 | ፈ |
| | | - 30 | |
| | | - 20 | |
| | | - 10 | |
| | | — 0 | |

| Data Summary Statisti | ics | |
|-------------------------|------|-------|
| s average concentration | 0.26 | ppm |
| s maximum concentration | 1.46 | ppm |
| s action level | 1 | ppm |
|) average concentration | 5.73 | µg/m³ |
|) maximum concentration | | µg/m³ |
|) action level | 150 | µg/m³ |
| | | |




| Date | Time | Constituent | Observed Range of Sustained Readings | Response Actions Performed | Data Summary Sta | tistics |
|----------|----------|-------------|--------------------------------------|----------------------------|-----------------------------|-------------------------|
| None | | | | | TVOCs average concentration | 0.01 ppm |
| | | | | | TVOCs maximum concentration | 0.93 ppm |
| | | | | | TVOCs action level | 1 ppm |
| | | | | | PM10 average concentration | 6.46 μg/m ³ |
| Equipmer | nt Notes | | | | PM10 maximum concentration | 25.42 μg/m ³ |
| None | | | | | PM10 action level | 150 μg/m ³ |

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

3) Air quality monitoring performed in accordance with the May 12, 2017 Short Term Response Action Plan (STRAP), the October 11, 2017 STRAP Addendum (including Attachment N - Clarifications to the Proposed Air Monitoring Program for STRAP Activities) and the October 27, 2017 Short Term Response Action Approval Letter issued by RIDEM. Monitoring conducted during active STRAP activities.




| Date | Time | Constituent | Observed Range of Sustained Readings | Response Actions Performed | Data Summary | Statistics |
|----------|----------|-------------|--------------------------------------|----------------------------|-----------------------------|-------------------------|
| None | | | | | TVOCs average concentration | 0.08 ppm |
| | | | | | TVOCs maximum concentration | 0.14 ppm |
| | | | | | TVOCs action level | 1 ppm |
| | | | | | PM10 average concentration | 10.18 μg/m ³ |
| Equipmen | nt Notes | | | | PM10 maximum concentration | 34.96 μg/m ³ |
| None | | | | | PM10 action level | 150 μg/m ³ |

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

3) Air quality monitoring performed in accordance with the May 12, 2017 Short Term Response Action Plan (STRAP), the October 11, 2017 STRAP Addendum (including Attachment N - Clarifications to the Proposed Air Monitoring Program for STRAP Activities) and the October 27, 2017 Short Term Response Action Approval Letter issued by RIDEM. Monitoring conducted during active STRAP activities.

Prepared by GZA on behalf of National Grid LNG LLC Liquefaction Facility Project -STRAP Perimeter Air Quality Monitoring (AQM) 121 Terminal Road / 642 Allens Avenue, Providence, Rhode Island



| Date | Time | Constituent | Observed Range of Sustained Readings | Response Actions Performed | Da | Data Summary Statistics | |
|----------|---------|-------------|--------------------------------------|----------------------------|---------------------|-------------------------|---------|
| None | | | | | TVOCs average conce | entration 0.01 | 1 ppm |
| | | | | | TVOCs maximum cor | ncentration 0.11 | 1 ppm |
| | | | | | TVOCs action level | 1 | 1 ppm |
| | | | | | PM10 average conce | ntration 7.44 | 4 μg/m³ |
| Equipmen | t Notes | | | | PM10 maximum con | centration 39.69 | 9 μg/m³ |
| None | | | | | PM10 action level | 150 | 0 μg/m³ |


Notes:

1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

3) Air quality monitoring performed in accordance with the May 12, 2017 Short Term Response Action Plan (STRAP), the October 11, 2017 STRAP Addendum (including Attachment N - Clarifications to the Proposed Air Monitoring Program for STRAP Activities) and the October 27, 2017 Short Term Response Action Approval Letter issued by RIDEM. Monitoring conducted during active STRAP activities.

GZA Job No. 03.0033554.04 10/05/2020



| Date | Time | Constituent | Observed Range of Sustained Readings | Response Actions Performed | Data Summary Sta | atistics |
|----------|-----------------|-------------|--------------------------------------|----------------------------|-----------------------------|-------------------------|
| None | | | | | TVOCs average concentration | 0.02 ppm |
| | | | | | TVOCs maximum concentration | 0.32 ppm |
| | | | | | TVOCs action level | 1 ppm |
| | | | | | PM10 average concentration | 10.58 μg/m ³ |
| Equipmen | Equipment Notes | | | PM10 maximum concentration | 40.28 μg/m ³ | |
| None | None | | | | PM10 action level | 150 μg/m ³ |

| Equipment Notes | PM1 |
|-----------------|-----|
| None | PM1 |
| | |
| | |


1) Transient readings were conducted over a one minute time period. A reading is sustained if it is held for over a five minute time period.

2) The location of each AQM Station is presented on the attached summary figure.

3) Air quality monitoring performed in accordance with the May 12, 2017 Short Term Response Action Plan (STRAP), the October 11, 2017 STRAP Addendum (including Attachment N - Clarifications to the Proposed Air Monitoring Program for STRAP Activities) and the October 27, 2017 Short Term Response Action Approval Letter issued by RIDEM. Monitoring conducted during active STRAP activities.

GZA Job No. 03.0033554.04 10/05/2020





REFERENCE NOTES:

- 1. BASE MAP DEVELOPED FROM A GOOGLE PROFESSIONAL ELECTRONIC IMAGE FILE. DIGITAL AERIAL ORTHOPHOTOGRAPHY WAS PUBLISHED IN FEBRUARY 2018.
- 2. SITE BOUNDARIES ARE APPROXIMATE.
- 3. PERIMETER AIR MONITORING PROGRAM CONDUCTED AS DESCRIBED IN THE MAY 12, 2017 SHORT TERM RESPONSE ACTION PLAN (STRAP) AND OCTOBER 11, 2017 STRAP ADDENDUM, WHICH WERE APPROVED BY RIDEM WITH THE OCTOBER 27, 2017 STRAP APPROVAL.

| THE INFORMATION SHOWN (DESIGNATED REPRESENTATI) DRAWING SHALL NOT BE T | /E FOR THE SPECIFIC PRO RANSFERRED, REUSED, CO | 400' | IED ON THE DRAWING. THE MANNER FOR USE AT ANY |
|---|---|----------------------|--|
| NATIONAL GRID. ANY TRANSFER, REUSE, OR MODIFICATION TO THE DRAWING BY OTHERS, WITHOUT THE PRIOR WRITTEN EXPRESS CONSENT OF GZ A AND NATIONAL GRID, WILL BE AT THE USER'S SOLE. RISK AND WITHOUT A N Y R ISK OR LIABILITY TO GZ A A ND N ATIONAL GRID. | | | |
| NATIONAL GRID LIQUEFACTION FACILITY PERIMETER AIR MONITORING PROGRAM PROVIDENCE, RHODE ISLAND | | | |
| Summary Figure Week of 9-28-2020 | | | |
| PREPARED BY: GZA GeoEnvironmental, Inc. Engineers and Scientists www.gza.com | | national grid | |
| PROJ MGR: SDN | REVIEWED BY: MSK | CHECKED BY: MSK | FIGURE |
| DESIGNED BY: SDN | DRAWN BY: LDT | SCALE: AS NOTED | 1 |
| DATE: W/O 9-28-2020 | PROJECT NO. 33554.04 | REVISION NO. 0 | SHEET NO. |