



Shaw Environmental, Inc.

3 Riverside Drive
Andover, MA 01810-1141
978.691.2100
Fax: 978.691.2101

March 17, 2005
Project 101960

Mr. Joseph T. Martella, II
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

**Re: Monthly Status Report-February 2005
Former Gorham Manufacturing Facility
333 Adelaide Avenue, Providence, RI
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this monthly status report on behalf of Textron, Inc. (Textron). This status report is for the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater. As discussed in the Remedial Action Work Plan and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern being treated, using an in-situ application of sodium permanganate, to achieve the site-specific remedial goal of 7,700 micrograms per liter (ug/L).

A revised RAWP was prepared by Shaw dated June 11, 2004 providing a final plan for the follow-on injection of sodium permanganate as part of the remediation of PCE contaminated groundwater. The Revised RAWP was approved by RIDEM in a letter dated July 27, 2004. The follow-on permanganate injections were started on September 28 and finished on October 4, 2004. Approximately 24,400 pounds of oxidant as sodium permanganate was applied to the treatment zone. This status report describes activities conducted in accordance with the approved Revised RAWP dated June 11, 2004.

FIELD ACTIVITIES

The following field activities were conducted in February 2005:

Monitoring Activities

Field parameters were measured in treatment area wells on February 3, 2005. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation measurements were also collected. These results are presented in Tables 1 and 2.

Groundwater Sampling

Groundwater samples were collected for volatile organic compound (VOC) analysis (EPA Method 8260), chloride (EPA Method 300.0), and chemical oxygen demand (COD) (EPA Method 410.4) on February 3 and 4, 2005 from all wells within the treatment area with the exception of well MW-209D. Groundwater could not be collected from well MW-209D as it was buried under snow. Groundwater was collected from 20 wells and one duplicate sample was also collected. None of the wells sampled exhibited the presence of permanganate (visual observation) therefore no preservation with sodium thiosulfate was required. Groundwater samples were shipped to STL Westfield in Westfield, MA for analysis.

SUMMARY OF ANALYTICAL DATA

A summary of the analytical data is contained in Table 3. The laboratory analytical report is attached to this report. The PCE concentration at wells MW-101D and S, MW-202D and S, and MW-208S are currently above the treatment goal of 7,700 ug/L.

FUTURE ACTIVITIES

Groundwater sampling in the treatment area will continue on a quarterly basis. The samples collected in February 2005 constitute the first round of quarterly sampling, and an additional three (3) quarters of groundwater sampling will be conducted. Field parameter measurements will also be collected during the quarterly groundwater sampling events. The next quarterly sampling event is scheduled to be conducted in May 2005.

Mr. Joseph T. Martella, II
March 17, 2005
Page 3 of 4

If you have any questions, please contact Ed Van Doren at (978) 691-2130.

Sincerely,

SHAW ENVIRONMENTAL, INC.



Edward P. Van Doren, PE, LSP
Project Manager


Attachments

cc: Craig Roy, RIDEM OWR
Greg Simpson, Textron
Dave McCabe, Textron
Jamieson Schiff, Textron
Thomas Dellar, City of Providence
Karriem Van Leesten, City of Providence
Amelie Mailloux, Stop & Shop

CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Monthly Status Report dated March 17, 2005, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren, PE, LSP
Project Manager

3-22-05
Date:

We, Textron, Inc., as the party responsible for submittal of this Monthly Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.



Gregory L. Simpson
Project Manager

3/17/05
Date:

| REV. | DATE | DESCRIPTION | DES BY | CHK BY | APP BY |
|------|------------|--------------------|----------|--------|--------|
| 01 | 11/21/2011 | ISSUED FOR PERMITS | J.L.O.D. | | |
| | | | DES BY | CHK BY | APP BY |



- NOTES:**
- EXISTING MONITORING WELLS 62A-5 AND 62A-8 ARE SHOWN AS COMPLIANCE MONITORING WELLS CW-4 AND CW-3, RESPECTIVELY.
 - MONITORING WELL MW-112 IS ALSO SERVING AS COMPLIANCE WELL CW-3.

- LEGEND**
- MW-101S MONITORING WELL
 - SB-2 SOIL BORING
 - SB-1 SOIL BORING CONVERTED TO FUTURE INJECTION WELL




TABLE 1
Groundwater Field Parameters
February 2005 - Monthly Measurements

Former Gorham Manufacturing Facility
Providence, Rhode Island

| WELL ID | DATE | pH Field | Temperature Field (deg.c) | Conductivity Field (ms/cm) | Dissolved Oxygen Field (mg/l) | Oxidation Reduction Potential Field (mv) |
|----------------|-------------|------------------------|----------------------------------|-----------------------------------|--------------------------------------|---|
| MW-101D | 2/3/2005 | 6.97 | 14.49 | 5.682 | 0.21 | -112.1 |
| MW-101S | 2/3/2005 | 5.89 | 15.33 | 0.967 | 0.57 | -4.0 |
| MW-112 | 2/3/2005 | 5.59 | 14.96 | 0.308 | 3.10 | 217.4 |
| MW-116D | 2/3/2005 | 5.29 | 13.37 | 0.307 | 2.57 | 245.6 |
| MW-116S | 2/3/2005 | 6.52 | 10.21 | 0.156 | 10.39 | 138.5 |
| MW-201D | 2/3/2005 | 6.52 | 14.25 | 2.965 | 0.23 | 117.9 |
| MW-201S | 2/3/2005 | 6.31 | 13.90 | 2.489 | 1.79 | 112.7 |
| MW-202D | 2/3/2005 | 5.77 | 14.36 | 0.720 | 0.51 | 183.9 |
| MW-202S | 2/3/2005 | 5.85 | 13.72 | 0.653 | 2.05 | 142.6 |
| MW-203D | 2/3/2005 | 5.89 | 14.38 | 0.499 | 0.28 | 182.4 |
| MW-203S | 2/3/2005 | 6.09 | 15.83 | 0.548 | 0.52 | 163.2 |
| MW-204D | 2/3/2005 | 6.57 | 14.55 | 1.041 | 0.21 | 187.3 |
| MW-204S | 2/3/2005 | 6.48 | 14.69 | 0.828 | 0.20 | 86.7 |
| MW-205 | 2/3/2005 | 6.48 | 14.02 | 1.791 | 0.78 | -6.3 |
| MW-206D | 2/3/2005 | 5.92 | 13.78 | 0.399 | 0.49 | 117.1 |
| MW-206S | 2/3/2005 | 6.40 | 15.09 | 1.557 | 0.82 | 150.3 |
| MW-207D | 2/3/2005 | 5.92 | 14.01 | 1.152 | 1.02 | 154.6 |
| MW-207S | 2/3/2005 | 5.76 | 14.80 | 0.885 | 0.31 | 159.4 |
| MW-208D | 2/3/2005 | 5.53 | 14.25 | 0.536 | 0.44 | 147.6 |
| MW-208S | 2/3/2005 | 5.57 | 15.06 | 0.663 | 0.37 | 168.5 |
| MW-209D | 2/3/2005 | Covered with snow pile | | | | |

**TABLE 2
WATER TABLE ELEVATION
February 2005**

**Former Gorham Manufacturing Facility
Providence, Rhode Island**

| Location | Date | Reference Elevation (Feet) | Depth to Water (Feet) | Groundwater Elevation (Feet) |
|-----------------|-----------------------------|-----------------------------------|------------------------------|-------------------------------------|
| MW-101D | 2/3/2005 | 98.91 | 24.28 | 74.63 |
| MW-101S | 2/3/2005 | 98.90 | 24.29 | 74.61 |
| MW-112 | 2/3/2005 | 100.63 | 25.85 | 74.78 |
| MW-116D | 2/3/2005 | 98.92 | 24.11 | 74.81 |
| MW-116S | 2/3/2005 | 99.40 | 24.48 | 74.92 |
| MW-201D | 2/3/2005 | 98.80 | 24.14 | 74.66 |
| MW-201S | 2/3/2005 | 98.75 | 24.11 | 74.64 |
| MW-202D | 2/3/2005 | 98.17 | 23.62 | 74.55 |
| MW-202S | 2/3/2005 | 98.06 | 24.49 | 73.57 |
| MW-203D | 2/3/2005 | 98.91 | 24.15 | 74.76 |
| MW-203S | 2/3/2005 | 98.92 | 24.18 | 74.74 |
| MW-204D | 2/3/2005 | 98.88 | 24.36 | 74.52 |
| MW-204S | 2/3/2005 | 98.84 | 24.31 | 74.53 |
| MW-205 | 2/3/2005 | 99.47 | 24.78 | 74.69 |
| MW-206D | 2/3/2005 | 98.71 | 24.07 | 74.64 |
| MW-206S | 2/3/2005 | 98.55 | 23.95 | 74.60 |
| MW-207D | 2/3/2005 | 98.18 | 23.67 | 74.51 |
| MW-207S | 2/3/2005 | 98.28 | 23.74 | 74.54 |
| MW-208D | 2/3/2005 | 99.68 | 25.13 | 74.55 |
| MW-208S | 2/3/2005 | 99.50 | 24.97 | 74.53 |
| MW-209D | Well covered with snow pile | | | |

Note:

Groundwater elevations are based on an arbitrary reference datum established for the site.

Table 3
Volatile Organic Compounds, Chloride, and Chemical Oxygen Demand Detected in Groundwater
February 2005

Textron/Gorham
Providence, Rhode Island

| CONSTITUENT (ug/l) | MW-101D 2/3/2005 Primary | MW-101S 2/3/2005 Primary | MW-101S 2/3/2005 Duplicate 1 | MW-112 2/4/2005 Primary | MW-116D 2/4/2005 Primary | MW-116S 2/4/2005 Primary | MW-201D 2/4/2005 Primary | MW-201S 2/4/2005 Primary | MW-202D 2/3/2005 Primary | MW-202S 2/3/2005 Primary | MW-203D 2/4/2005 Primary | MW-203S 2/4/2005 Primary |
|---------------------------|---|---|---|--|---|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | <100 | <200 | <200 | <5.0 | <1.0 | <1.0 | <50 | 6.4J | <50 | <100 | <5.0 | <5.0 |
| 1,1-Dichloroethane | <100 | <200 | <200 | <5.0 | <1.0 | <1.0 | <50 | <10 | <50 | <100 | <5.0 | <5.0 |
| 1,1-Dichloroethene | <100 | <200 | <200 | <5.0 | <1.0 | <1.0 | <50 | <10 | <50 | <100 | <5.0 | <5.0 |
| cis-1,2-Dichloroethene | <100 | <200 | 110J | <5.0 | <1.0 | <1.0 | <50 | <10 | <50 | <100 | <5.0 | <5.0 |
| Methyltert-butylether | <100 | <200 | <200 | <5.0 | 39 | <1.0 | <50 | 16 | <50 | <100 | 7.1 | <5.0 |
| Tetrachloroethene | 20000 | 71000 | 68000 | 93 | 1.8 | 1.7 | 6100 | 410 | 9400 | 41000 | 83 | 20 |
| Trichloroethene | 170 | <200 | <200 | 31 | 0.66J | <1.0 | 420 | 84 | 140 | 65J | 37 | 90 |
| Trichlorofluoromethane | <100 | <200 | <200 | <5.0 | <1.0 | <1.0 | <50 | <10 | <50 | <100 | <5.0 | <5.0 |
| Chloride (mg/l) | 760 | 290 | 310 | 90 | 96 | 32 | 690 | 22 | 130 | 170 | 160 | 120 |
| COD (mg/l) | 250 | 220 | 150 | <20 | 66 | <20 | <20 | 280 | 57 | 48 | 33 | 39 |

Table 3
Volatile Organic Compounds, Chloride, and Chemical Oxygen Demand Detected in Groundwater
February 2005

Textron/Gorham
Providence, Rhode Island

| CONSTITUENT (ug/l) | MW-204D 2/3/2005 Primary | MW-204S 2/3/2005 Primary | MW-205S 2/4/2005 Primary | MW-206D 2/3/2005 Primary | MW-206S 2/3/2005 Primary | MW-207D 2/3/2005 Primary | MW-207S 2/3/2005 Primary | MW-208D 2/4/2005 Primary | MW-208S 2/4/2005 Primary |
|---------------------------|---|---|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | 50 | 86 | <10 | <10 | 11 | 28J | 25J | <10 | <50 |
| 1,1-Dichloroethane | 13J | 13 | <10 | <10 | <10 | <50 | <50 | <10 | <50 |
| 1,1-Dichloroethene | <20 | 6 | <10 | <10 | <10 | <50 | <50 | <10 | <50 |
| cis-1,2-Dichloroethene | <20 | <5.0 | 40 | <10 | <10 | <50 | <50 | 54 | 30J |
| Methyltert-butylether | <20 | <5.0 | <10 | <10 | <10 | <50 | <50 | <10 | <50 |
| Tetrachloroethene | 820 | 41 | 420 | 210 | 86 | 2600 | 4400 | 370 | 9400 |
| Trichloroethene | 79 | 50 | 280 | 92 | 260 | <50 | <50 | 12 | <50 |
| Trichlorofluoromethane | 12J | 12 | <10 | <10 | <10 | <50 | <50 | <10 | <50 |
| Chloride (mg/l) | 41 | 34 | 510 | 94 | 310 | 380 | 180 | 110 | 190 |
| COD (mg/l) | 33 | 39 | 430 | 33 | 150 | 99 | 130 | 87 | 290 |

S A M P L E I N F O R M A T I O N

Date: 02/21/2005

Job Number.: 222856
 Customer...: Shaw E&I Inc.
 Attn.....: Edward Van Doren

Project Number.....: 20002662
 Customer Project ID....: TEXTRON GORHAM
 Project Description....: Textron Gorham

| Laboratory Sample ID | Customer Sample ID | Sample Matrix | Date Sampled | Time Sampled | Date Received | Time Received |
|----------------------|--------------------|---------------|--------------|--------------|---------------|---------------|
| 222856-1 | MW-206D | Water | 02/03/2005 | 08:30 | 02/07/2005 | 16:45 |
| 222856-2 | MW-206S | Water | 02/03/2005 | 09:00 | 02/07/2005 | 16:45 |
| 222856-3 | MW-204D | Water | 02/03/2005 | 10:00 | 02/07/2005 | 16:45 |
| 222856-4 | MW-204S | Water | 02/03/2005 | 10:30 | 02/07/2005 | 16:45 |
| 222856-5 | MW-207D | Water | 02/03/2005 | 11:30 | 02/07/2005 | 16:45 |
| 222856-6 | MW-207S | Water | 02/03/2005 | 12:00 | 02/07/2005 | 16:45 |
| 222856-7 | MW-202D | Water | 02/03/2005 | 13:00 | 02/07/2005 | 16:45 |
| 222856-8 | MW-202S | Water | 02/03/2005 | 13:30 | 02/07/2005 | 16:45 |
| 222856-9 | MW-101D | Water | 02/03/2005 | 14:30 | 02/07/2005 | 16:45 |
| 222856-10 | MW-101S | Water | 02/03/2005 | 15:00 | 02/07/2005 | 16:45 |
| 222856-11 | MW-101SD | Water | 02/03/2005 | 15:20 | 02/07/2005 | 16:45 |
| 222856-12 | MW-201D | Water | 02/04/2005 | 07:30 | 02/07/2005 | 16:45 |
| 222856-13 | MW-201S | Water | 02/04/2005 | 08:00 | 02/07/2005 | 16:45 |
| 222856-14 | MW-203D | Water | 02/04/2005 | 08:30 | 02/07/2005 | 16:45 |
| 222856-15 | MW-203S | Water | 02/04/2005 | 09:00 | 02/07/2005 | 16:45 |
| 222856-16 | MW-112 | Water | 02/04/2005 | 10:00 | 02/07/2005 | 16:45 |
| 222856-17 | MW-205S | Water | 02/04/2005 | 10:30 | 02/07/2005 | 16:45 |
| 222856-18 | MW-208D | Water | 02/04/2005 | 11:30 | 02/07/2005 | 16:45 |
| 222856-19 | MW-208S | Water | 02/04/2005 | 12:00 | 02/07/2005 | 16:45 |
| 222856-20 | MW-116D | Water | 02/04/2005 | 13:00 | 02/07/2005 | 16:45 |
| 222856-21 | MW-116S | Water | 02/04/2005 | 13:30 | 02/07/2005 | 16:45 |
| 222856-22 | Trip Blank | Lab Water | 02/04/2005 | 12:40 | 02/07/2005 | 16:45 |

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-206D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 08:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-1
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 94 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 33 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 30 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 500 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 20 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 20 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 20 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 6.0 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-206D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 08:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-1
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 20 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 210 | | 10 | ug/L | 02/16/05 | blw |
| | Toluene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | 92 | | 10 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 10 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 10 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-206S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 09:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-2
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 310 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 150 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | 11 | | 10 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 30 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 500 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 20 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 20 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 20 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 6.0 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-206S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 09:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-2
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 20 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 86 | | 10 | ug/L | 02/16/05 | blw |
| | Toluene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | 260 | | 10 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 10 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 10 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 10 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-204D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 10:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-3
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 41 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 33 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | 50 | | 20 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | 13 | J | 20 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropene | ND | U | 60 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 200 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 200 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 200 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 1000 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 40 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 40 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 40 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 12 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 20 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-204D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 10:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-3
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 40 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 820 | | 20 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | 79 | | 20 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | 12 | J | 20 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 20 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 20 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 20 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 10 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-204S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 10:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-4
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 34 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 39 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | 86 | | 5.0 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | 13 | | 5.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | 6.0 | | 5.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropene | ND | U | 15 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 25 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 250 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 3.0 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-204S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 10:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-4
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 25 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 41 | | 5.0 | ug/L | 02/16/05 | blw |
| | Toluene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | 50 | | 5.0 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | 12 | | 5.0 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 2.5 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 2.5 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-207D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 11:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-5
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 380 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 99 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | 28 | J | 50 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 150 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 250 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 2500 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 30 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-207D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 11:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-5
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 250 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 2600 | | 50 | ug/L | 02/16/05 | blw |
| | Toluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 50 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 50 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-207S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 12:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-6
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 180 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 130 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | 25 | J | 50 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 150 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 250 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 2500 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 30 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-207S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 12:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-6
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 250 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 4400 | | 50 | ug/L | 02/16/05 | blw |
| | Toluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 50 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 50 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-202D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 13:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-7
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 130 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 57 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 150 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 250 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 2500 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 30 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-202D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 13:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-7
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 250 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 9400 | | 200 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | 140 | | 50 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 50 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 50 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-202S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 13:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-8
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 170 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 48 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 300 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 5000 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 60 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-202S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 13:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-8
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 500 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 41000 | | 2000 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | 65 | J | 100 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 100 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 100 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 50 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-101D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 14:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-9
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 760 | | 20 | mg/L | 02/11/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 250 | | 40 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 300 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 500 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 5000 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 60 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-101D
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 14:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-9
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 500 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 20000 | | 1000 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | 170 | | 100 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 100 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 100 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 50 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 100 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 50 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-101S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 15:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-10
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 290 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 220 | | 40 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 600 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 2000 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 2000 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 2000 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 10000 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 400 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 400 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 400 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 120 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-101S
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 15:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-10
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 400 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 71000 | | 2000 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 200 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 200 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 100 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-101SD
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 15:20
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-11
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 310 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 150 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 600 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 2000 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 2000 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 2000 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 10000 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 400 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 400 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 400 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 120 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-101SD
 Date Sampled.....: 02/03/2005
 Time Sampled.....: 15:20
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-11
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 400 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 1000 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 68000 | U | 2000 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 200 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 200 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | 110 | J | 200 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 100 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 200 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 200 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 100 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-201D
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 07:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-12
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 690 | | 20 | mg/L | 02/11/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | ND | U | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 150 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 250 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 500 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 500 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 500 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 2500 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 30 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-201D
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 07:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-12
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 250 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 6100 | | 200 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | 420 | | 50 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 50 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 50 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-201S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 08:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-13
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 22 | | 10 | mg/L | 02/09/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 280 | | 40 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | 6.4 | J | 10 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 30 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 500 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 6.0 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-201S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 08:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-13
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | 16 | | 10 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 410 | | 10 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | 84 | | 10 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 10 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-203D
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 08:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-14
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 160 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 33 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 15 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 25 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 250 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 3.0 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-203D
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 08:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-14
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | 7.1 | | 5.0 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 25 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 83 | | 5.0 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | 37 | | 5.0 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 2.5 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 2.5 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-203S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 09:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-15
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 120 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 39 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 15 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 25 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 250 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 3.0 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-203S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 09:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-15
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 25 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 20 | | 5.0 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | 90 | | 5.0 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 2.5 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 2.5 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-112
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 10:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-16
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 90 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | ND | U | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 15 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 25 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 250 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 3.0 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-112
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 10:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-16
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 25 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 93 | | 5.0 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | 31 | | 5.0 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 2.5 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 2.5 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-205S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 10:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-17
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 510 | | 20 | mg/L | 02/11/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 430 | | 80 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 30 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 500 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 6.0 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-205S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 10:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-17
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 420 | | 10 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | 280 | | 10 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | 40 | | 10 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 10 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-208D
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 11:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-18
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 110 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 87 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 30 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 500 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 6.0 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-208D
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 11:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-18
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 20 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 370 | | 10 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | 12 | | 10 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 10 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 10 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | 54 | | 10 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 10 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 10 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 5.0 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-208S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 12:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-19
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 190 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 290 | | 40 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloroethene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,1-Dichloropropene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 150 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 250 | ug/L | 02/17/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloroethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,2-Dichloropropane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,3-Dichloropropane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2,2-Dichloropropane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2-Butanone (MEK) | ND | U | 500 | ug/L | 02/17/05 | blw |
| | 2-Chlorotoluene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 500 | ug/L | 02/17/05 | blw |
| | 4-Chlorotoluene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 500 | ug/L | 02/17/05 | blw |
| | Acetone | ND | U | 2500 | ug/L | 02/17/05 | blw |
| | Benzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromochloromethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromodichloromethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromofom | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Bromomethane | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Carbon tetrachloride | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Chlorobenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Chloroethane | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Chloroform | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Chloromethane | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Dibromochloromethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Dibromomethane | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Ethylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Hexachlorobutadiene | ND | U | 30 | ug/L | 02/17/05 | blw |
| | Isopropylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-208S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 12:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-19
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Methylene chloride | ND | U | 100 | ug/L | 02/17/05 | blw |
| | Naphthalene | ND | U | 250 | ug/L | 02/17/05 | blw |
| | Styrene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Tetrachloroethene | 9400 | | 500 | ug/L | 02/17/05 | blw |
| | Toluene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Trichloroethene (TCE) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 50 | ug/L | 02/17/05 | blw |
| | Vinyl chloride | ND | U | 50 | ug/L | 02/17/05 | blw |
| | cis-1,2-Dichloroethene | 30 | J | 50 | ug/L | 02/17/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/17/05 | blw |
| | m&p-Xylenes | ND | U | 50 | ug/L | 02/17/05 | blw |
| | n-Butylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | n-Propylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | o-Xylene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | p-Isopropyltoluene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | sec-Butylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | tert-Butylbenzene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 50 | ug/L | 02/17/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 25 | ug/L | 02/17/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-116D
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 13:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-20
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 96 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | 66 | | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 3.0 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 0.60 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-116D
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 13:00
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-20
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | 39 | | 1.0 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 1.8 | | 1.0 | ug/L | 02/16/05 | blw |
| | Toluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | 0.66 | J | 1.0 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 0.50 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 0.50 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-116S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 13:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-21
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|----------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| EPA300.0 PartA | Chloride | 32 | | 10 | mg/L | 02/10/05 | rwe |
| EPA 410.4 | Chemical Oxygen Demand (COD) | ND | U | 20 | mg/L | 02/17/05 | dec |
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 3.0 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromofom | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 0.60 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW-116S
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 13:30
 Sample Matrix.....: Water

Laboratory Sample ID: 222856-21
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | 1.7 | | 1.0 | ug/L | 02/16/05 | blw |
| | Toluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 0.50 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 0.50 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: Trip Blank
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 12:40
 Sample Matrix.....: Lab Water

Laboratory Sample ID: 222856-22
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|------------------------------------|---------------|---|-----------------|-------|----------|------|
| SW846 8260B | Volatile Organics | | | | | | |
| | 1,1,1,2-Tetrachloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,1-Trichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,2,2-Tetrachloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1,2-Trichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,1-Dichloropropene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,3-Trichloropropane | ND | U | 3.0 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2,4-Trimethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromo-3-chloropropane (DBCP) | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dibromoethane (EDB) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloroethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,2-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3,5-Trimethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,3-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 1,4-Dichlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2,2-Dichloropropane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2-Butanone (MEK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 2-Chlorotoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 2-Hexanone (MNBK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | 4-Chlorotoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | 4-Methyl-2-pentanone (MIBK) | ND | U | 10 | ug/L | 02/16/05 | blw |
| | Acetone | ND | U | 50 | ug/L | 02/16/05 | blw |
| | Benzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromochloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromodichloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromoform | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Bromomethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Carbon tetrachloride | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chlorobenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chloroethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Chloroform | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Chloromethane | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Dibromochloromethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Dibromomethane | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Ethylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Hexachlorobutadiene | ND | U | 0.60 | ug/L | 02/16/05 | blw |
| | Isopropylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Methyl-tert-butyl-ether (MTBE) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Methylene chloride | ND | U | 2.0 | ug/L | 02/16/05 | blw |
| | Naphthalene | ND | U | 5.0 | ug/L | 02/16/05 | blw |
| | Styrene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Tetrachloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: Trip Blank
 Date Sampled.....: 02/04/2005
 Time Sampled.....: 12:40
 Sample Matrix.....: Lab Water

Laboratory Sample ID: 222856-22
 Date Received.....: 02/07/2005
 Time Received.....: 16:45

| TEST METHOD | PARAMETER/TEST DESCRIPTION | SAMPLE RESULT | Q | REPORTING LIMIT | UNITS | DATE | TECH |
|-------------|-----------------------------------|---------------|---|-----------------|-------|----------|------|
| | Toluene | 1.7 | | 1.0 | ug/L | 02/16/05 | blw |
| | Trichloroethene (TCE) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Trichlorofluoromethane (Freon 11) | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | Vinyl chloride | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | cis-1,2-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | cis-1,3-Dichloropropene | ND | U | 0.50 | ug/L | 02/16/05 | blw |
| | m&p-Xylenes | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | n-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | n-Propylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | o-Xylene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | p-Isopropyltoluene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | sec-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | tert-Butylbenzene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | trans-1,2-Dichloroethene | ND | U | 1.0 | ug/L | 02/16/05 | blw |
| | trans-1,3-Dichloropropene | ND | U | 0.50 | ug/L | 02/16/05 | blw |

* In Description = Dry Wgt.

L A B O R A T O R Y C H R O N I C L E

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

| Lab ID | Client ID | Date Recvd | Sample Date | METHOD | DESCRIPTION | RUN# | BATCH# | PREP BT | #(S) | DATE/TIME ANALYZED | DILUTION |
|-------------------|-----------------------------|------------------------|-------------------------|--------|-------------|------|--------|---------|------|--------------------|----------|
| Lab ID: 222856-1 | Client ID: MW-206D | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | | | | | 02/10/2005 0000 | 10 |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | | | | | 02/16/2005 1237 | 10 |
| Lab ID: 222856-2 | Client ID: MW-206S | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | | | | | 02/10/2005 0000 | 10 |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | | | | | 02/16/2005 1733 | 10 |
| Lab ID: 222856-3 | Client ID: MW-204D | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | | | | | 02/09/2005 0000 | 10 |
| SW846 8260B | Volatile Organics | 1 | 40289 | | | | | | | 02/17/2005 2013 | 20 |
| Lab ID: 222856-4 | Client ID: MW-204S | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | | | | | 02/09/2005 0000 | 10 |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | | | | | 02/16/2005 1819 | 5 |
| Lab ID: 222856-5 | Client ID: MW-207D | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | | | | | 02/09/2005 0000 | 10 |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | | | | | 02/16/2005 1841 | 50 |
| Lab ID: 222856-6 | Client ID: MW-207S | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | | | | | 02/09/2005 0000 | 10 |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | | | | | 02/16/2005 1903 | 50 |
| Lab ID: 222856-7 | Client ID: MW-202D | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | | | | | 02/09/2005 0000 | 10 |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | | | | | 02/16/2005 1925 | 50 |
| SW846 8260B | Volatile Organics | 1 | 40289 | | | | | | | 02/17/2005 2057 | 200 |
| Lab ID: 222856-8 | Client ID: MW-202S | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | | | | | 02/09/2005 0000 | 10 |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | | | | | 02/16/2005 1947 | 100 |
| SW846 8260B | Volatile Organics | 1 | 40289 | | | | | | | 02/17/2005 2119 | 2000 |
| Lab ID: 222856-9 | Client ID: MW-101D | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | 2 |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 40015 | | | | | | | 02/11/2005 0000 | 20 |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | | | | | 02/16/2005 2009 | 100 |
| SW846 8260B | Volatile Organics | 1 | 40289 | | | | | | | 02/17/2005 2141 | 1000 |
| Lab ID: 222856-10 | Client ID: MW-101S | Date Recvd: 02/07/2005 | Sample Date: 02/03/2005 | | | | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | | | | | 02/17/2005 0000 | 2 |

L A B O R A T O R Y C H R O N I C L E

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

| Lab ID | Client ID | Date Recvd | Sample Date | METHOD | DESCRIPTION | RUN# | BATCH# | PREP BT | #(S) | DATE/TIME ANALYZED | DILUTION |
|-----------|-----------|------------|-------------|----------------|-----------------------------|------|--------|---------|------|--------------------|----------|
| 222856-10 | MW-101S | 02/07/2005 | 02/03/2005 | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | 02/09/2005 0000 | 10 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40197 | | | 02/16/2005 2031 | 200 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40289 | | | 02/17/2005 2203 | 2000 |
| 222856-11 | MW-101SD | 02/07/2005 | 02/03/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | 02/17/2005 0000 | |
| | | | | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | 02/09/2005 0000 | 10 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40197 | | | 02/16/2005 2053 | 200 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40289 | | | 02/17/2005 2225 | 2000 |
| 222856-12 | MW-201D | 02/07/2005 | 02/04/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | 02/17/2005 0000 | |
| | | | | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 40015 | | | 02/11/2005 0000 | 20 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40200 | | | 02/17/2005 0139 | 50 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40289 | | | 02/17/2005 2247 | 200 |
| 222856-13 | MW-201S | 02/07/2005 | 02/04/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40210 | | | 02/17/2005 0000 | 2.0 |
| | | | | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39938 | | | 02/09/2005 0000 | 10 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40200 | | | 02/17/2005 0200 | 10 |
| 222856-14 | MW-203D | 02/07/2005 | 02/04/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | 02/17/2005 0000 | |
| | | | | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | 02/10/2005 0000 | 10 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40200 | | | 02/17/2005 0222 | 5 |
| 222856-15 | MW-203S | 02/07/2005 | 02/04/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | 02/17/2005 0000 | |
| | | | | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | 02/10/2005 0000 | 10 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40200 | | | 02/17/2005 0244 | 5 |
| 222856-16 | MW-112 | 02/07/2005 | 02/04/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | 02/17/2005 0000 | |
| | | | | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | 02/10/2005 0000 | 10 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40200 | | | 02/17/2005 0305 | 5 |
| 222856-17 | MW-205S | 02/07/2005 | 02/04/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | 02/17/2005 0000 | 4 |
| | | | | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 40015 | | | 02/11/2005 0000 | 20 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40200 | | | 02/17/2005 0327 | 10 |
| 222856-18 | MW-208D | 02/07/2005 | 02/04/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40190 | | | 02/17/2005 0000 | |
| | | | | EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | 02/10/2005 0000 | 10 |
| | | | | SW846 8260B | Volatile Organics | 1 | 40200 | | | 02/17/2005 0349 | 10 |
| 222856-19 | MW-208S | 02/07/2005 | 02/04/2005 | EPA 410.4 | Chemical Oxygen Demand | 1 | 40210 | | | 02/17/2005 0000 | 2.0 |

L A B O R A T O R Y C H R O N I C L E

Job Number: 222856

Date: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

| Lab ID | Client ID | Date Recvd | Sample Date | | | | | |
|-------------------|-----------------------------|------------------------|-------------------------|---------|------|--------------------|----------|--|
| METHOD | DESCRIPTION | RUN# | BATCH# | PREP BT | #(S) | DATE/TIME ANALYZED | DILUTION | |
| Lab ID: 222856-19 | Client ID: MW-208S | Date Recvd: 02/07/2005 | Sample Date: 02/04/2005 | | | | | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | 02/10/2005 0000 | 10 | |
| SW846 8260B | Volatile Organics | 1 | 40200 | | | 02/17/2005 0411 | 50 | |
| SW846 8260B | Volatile Organics | 1 | 40289 | | | 02/17/2005 2309 | 500 | |
| Lab ID: 222856-20 | Client ID: MW-116D | Date Recvd: 02/07/2005 | Sample Date: 02/04/2005 | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40191 | | | 02/17/2005 0000 | | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | 02/10/2005 0000 | 10 | |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | 02/16/2005 1449 | 1 | |
| Lab ID: 222856-21 | Client ID: MW-116S | Date Recvd: 02/07/2005 | Sample Date: 02/04/2005 | | | | | |
| EPA 410.4 | Chemical Oxygen Demand | 1 | 40191 | | | 02/17/2005 0000 | | |
| EPA300.0 PartA | Ion Chromatography Analysis | 1 | 39939 | | | 02/10/2005 0000 | 10 | |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | 02/16/2005 1511 | 1 | |
| Lab ID: 222856-22 | Client ID: Trip Blank | Date Recvd: 02/07/2005 | Sample Date: 02/04/2005 | | | | | |
| SW846 8260B | Volatile Organics | 1 | 40197 | | | 02/16/2005 1533 | 1 | |

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 222856

Report Date.: 02/21/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Method.....: Volatile Organics
Batch(s).....: 40197 40200 40289

Method Code...: 8260
Test Matrix...: Water

Prep Batch....:
Equipment Code: VHPMS1

| Lab ID | DT | Sample ID | Date | 12DCED | BRFLBE | DBRFLM | TOLD8 |
|---------|--------|------------|------------|--------|--------|--------|-------|
| LCD | | | 02/16/2005 | 97.7 | 104.8 | 95.5 | 102.7 |
| LCD | | | 02/17/2005 | 98.2 | 101.8 | 97.1 | 102.8 |
| LCD | | | 02/17/2005 | 100.1 | 101.7 | 96.3 | 99.2 |
| LCS | | | 02/16/2005 | 97.8 | 101.9 | 95.0 | 103.7 |
| LCS | | | 02/17/2005 | 98.5 | 100.5 | 97.9 | 101.8 |
| LCS | | | 02/17/2005 | 99.2 | 99.5 | 96.5 | 101.0 |
| MB | | | 02/16/2005 | 94.2 | 101.5 | 96.2 | 102.1 |
| MB | | | 02/17/2005 | 92.8 | 100.9 | 93.5 | 99.0 |
| MB | | | 02/17/2005 | 91.8 | 99.3 | 92.7 | 98.2 |
| 222856- | 1 | MW-206D | 02/16/2005 | 89.9 | 100.5 | 93.7 | 99.9 |
| 222856- | 1 MS | MW-206D | 02/16/2005 | 103.1 | 104.2 | 98.0 | 102.1 |
| 222856- | 1 MSD | MW-206D | 02/16/2005 | 102.3 | 102.4 | 98.2 | 103.2 |
| 222856- | 2 | MW-206S | 02/16/2005 | 94.3 | 98.7 | 92.3 | 98.5 |
| 222856- | 3 | MW-204D | 02/17/2005 | 89.9 | 98.4 | 93.1 | 98.8 |
| 222856- | 4 | MW-204S | 02/16/2005 | 90.8 | 100.7 | 95.8 | 98.7 |
| 222856- | 5 | MW-207D | 02/16/2005 | 90.9 | 98.3 | 95.5 | 98.5 |
| 222856- | 6 | MW-207S | 02/16/2005 | 90.8 | 97.5 | 96.0 | 99.8 |
| 222856- | 7 | MW-202D | 02/16/2005 | 89.9 | 97.7 | 93.0 | 100.3 |
| 222856- | 7 | MW-202D | 02/17/2005 | 91.2 | 99.8 | 93.0 | 99.3 |
| 222856- | 8 | MW-202S | 02/16/2005 | 91.8 | 98.5 | 94.4 | 100.3 |
| 222856- | 8 | MW-202S | 02/17/2005 | 88.9 | 96.2 | 90.8 | 97.8 |
| 222856- | 9 | MW-101D | 02/16/2005 | 91.7 | 97.6 | 94.0 | 99.8 |
| 222856- | 9 | MW-101D | 02/17/2005 | 89.3 | 95.8 | 91.7 | 97.7 |
| 222856- | 10 | MW-101S | 02/16/2005 | 91.3 | 98.8 | 95.9 | 100.4 |
| 222856- | 10 | MW-101S | 02/17/2005 | 93.7 | 95.7 | 94.5 | 99.2 |
| 222856- | 11 | MW-101SD | 02/16/2005 | 92.0 | 97.0 | 92.9 | 99.3 |
| 222856- | 11 | MW-101SD | 02/17/2005 | 89.7 | 98.8 | 91.4 | 97.9 |
| 222856- | 12 | MW-201D | 02/17/2005 | 89.8 | 98.2 | 90.8 | 97.8 |
| 222856- | 12 | MW-201D | 02/17/2005 | 89.0 | 99.0 | 93.2 | 99.4 |
| 222856- | 12 MS | MW-201D | 02/17/2005 | 94.2 | 96.8 | 95.2 | 100.4 |
| 222856- | 12 MSD | MW-201D | 02/17/2005 | 97.9 | 97.5 | 96.6 | 101.2 |
| 222856- | 13 | MW-201S | 02/17/2005 | 92.8 | 97.9 | 95.0 | 97.4 |
| 222856- | 14 | MW-203D | 02/17/2005 | 90.7 | 98.3 | 90.9 | 98.0 |
| 222856- | 15 | MW-203S | 02/17/2005 | 94.4 | 97.9 | 94.5 | 97.8 |
| 222856- | 16 | MW-112 | 02/17/2005 | 93.3 | 96.6 | 94.5 | 100.5 |
| 222856- | 17 | MW-205S | 02/17/2005 | 93.2 | 94.2 | 94.2 | 97.1 |
| 222856- | 18 | MW-208D | 02/17/2005 | 91.0 | 97.2 | 95.2 | 98.2 |
| 222856- | 19 | MW-208S | 02/17/2005 | 92.1 | 97.8 | 93.8 | 101.5 |
| 222856- | 19 | MW-208S | 02/17/2005 | 87.3 | 97.1 | 91.7 | 98.5 |
| 222856- | 19 MS | MW-208S | 02/18/2005 | 98.2 | 100.3 | 97.8 | 101.5 |
| 222856- | 19 MSD | MW-208S | 02/18/2005 | 96.0 | 101.4 | 96.5 | 99.8 |
| 222856- | 20 | MW-116D | 02/16/2005 | 92.6 | 100.7 | 95.5 | 90.1 |
| 222856- | 21 | MW-116S | 02/16/2005 | 93.7 | 98.5 | 92.3 | 99.0 |
| 222856- | 22 | Trip Blank | 02/16/2005 | 91.8 | 99.3 | 94.1 | 93.9 |

| Test | Test Description | Limits |
|--------|------------------------------|-------------|
| 12DCED | 1,2-Dichloroethane-d4 (surr) | 70.0 - 130. |
| BRFLBE | 4-Bromofluorobenzene (surr) | 70.0 - 130. |
| DBRFLM | Dibromofluoromethane (surr) | 70.0 - 130. |
| TOLD8 | Toluene-d8 (surr) | 70.0 - 130. |

Q U A L I T Y A S S U R A N C E M E T H O D S

R E F E R E N C E S A N D N O T E S

Report Date: 02/21/2005

STL WESTFIELD is part of Severn Trent Laboratories, Inc. Visit us at www.stl-inc.com.

LABORATORY CERTIFICATIONS:

MADEP MA014, NY NELAC 10843, NJ NELAC MA008 (TOX), FL NELAC E87912 (TOX), CT DPH 0494, NY DOH 10843, NH DES 253901-A, VT DECWSD, RI DOH 57.

LOCATION:

STL Westfield: 53 Southampton Rd, Westfield, MA 01085. Phone: (413) 572-4000 Fax: (413) 572-3707

STL Service Center: 148 Rangeway Rd. N. Billerica, MA 01862. Phone: (978) 667-1400 Fax: (978) 667-7871

DATA REPORTING QUALIFIERS AND TERMINOLOGY:

A number of data qualifiers are widely used within the environmental testing industry and may be utilized in our data reports. The majority of the qualifiers have evolved from the EPA Contract Laboratory Program (CLP).

REPORT COMMENTS:

All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Soil, sediment and sludge sample results are reported on a "dry weight" basis.

Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert.ID# 10843.

According to 40CFR Part 136.3, pH, Total Residual Chlorine and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field analyses, they were not analyzed immediately, but as soon as possible on laboratory receipt.

Analytical result(s) reported as "ND" and/or "U", indicates the analyte was analyzed for but "Not Detected." Analytical result(s) reported as "TNTC" indicates that the microbiological test was "Too Numerous To Count."

GLOSSARY OF QUALIFIERS:

Inorganic Qualifiers (Q-column):

- U Indicates that the analyte was analyzed for but not detected.
- E Indicates an estimated value due to the presence of interference. When applied to GFAA analysis, indicates the one-point method of addition recovered between 40-85 percent.
- B Indicates an estimated result value. The result was measured between the reporting limit and the method detection limit (MDL).
- H Indicates the compound/element was found in both the sample and its associated laboratory blank. Indicates possible/probable blank contamination.

Organic Qualifiers (Q-column):

- U Indicates that the compound was analyzed for but not detected.
- J Indicates an estimated result value. This qualifier is used when mass spectral data indicated the presence of a compound that meets the identification criteria and the result is less than the specified quantitation limit, but greater than the method detection limit (MDL).
- B Indicates that the compound was found in both the sample and its associated laboratory blank. Indicates possible/probable blank contamination and warns the data user to exercise caution when applying the results to this compound.
- D Indicates all compounds identified in an analysis at a secondary dilution factor.
- E Indicates that the compound in an analysis has exceeded the instrument linear calibration range.

Q U A L I T Y A S S U R A N C E M E T H O D S

R E F E R E N C E S A N D N O T E S

Report Date: 02/21/2005

GLOSSARY OF TERMS:

Surrogates (Surrogate Standards): An organic compound, which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but are not normally found in environmental samples. For semi-volatiles and pesticides/Arochlors, surrogate compounds are added to every blank, sample, matrix spike, matrix spiked duplicate, matrix spike blank (LCS), and standard. These compounds are used to evaluate analytical efficiency by measuring recovery. Poor surrogate recovery may indicate a problem with the sample composition.

Internal Standard: An organic compound, which is similar to the target analyte(s) in chemical composition and behavior in the analytical process. For GC/MS semi-volatiles and volatiles, internal standards are added to every blank, sample, matrix spike, matrix spike duplicate, matrix spike blank (LCS), and standard. Internal standard responses outside of established limits will adversely affect the quantitation and final concentration of target compounds.

Matrix Spike (MS): An aliquot of a sample (water or soil) fortified (spiked) with known quantities of specific compounds (target analytes) and subjected to the entire analytical procedure in order to indicate the appropriateness of the method for matrix interference by measuring recovery. The spiking occurs prior to sample preparation and analysis. Poor spike recovery may indicate a problem with the sample composition.

Laboratory Control Sample (LCS): An aliquot of analyte-free reagent water or sand fortified (spiked) with known quantities of specific compounds (target analytes) and subjected to the entire analytical procedure in order to indicate the appropriateness of the method efficiency.

Blank: An artificial sample of analyte-free water or solvent, designed to monitor the introduction of contaminants into the analytical process.

Method Detection Limit (MDL): The minimum concentration of an analyte or compound that can be measured and reported with 99% confidence that the result concentration is greater than zero.

Petroleum Hydrocarbon Comments:

The following comments are specific to Diesel Range Organics (DRO), by GC/FID:

Results for DRO are based on chromatographable portions of the petroleum product. The Carbon Range refers to the approximate chromatographic region covered by the specified petroleum product in straight-chain carbon units between C9-C36.

Quantitation is based on the average response factors for a series of hydrocarbons standards. The sample result from the DRO fraction is independent of the target compound assignment.

Samples yielding chromatographic patterns that do not agree with any of the method targets are reported as "unmatched".