



Shaw Environmental, Inc.

11 Northeastern Boulevard
Salem, NH 03079-1953
603.870.4500
Fax: 603.870.4501

October 12, 2009
Project 130274

Mr. Joseph T. Martella, II
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

**Re: Status Report: August and September 2009 Activities
Former Gorham Manufacturing Facility
333 Adelaide Avenue, Providence, RI
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater in this area. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

FIELD ACTIVITIES

The following field activities were conducted on August 27 and 28, 2009 and September 4 and 18, 2009.

Monitoring Activities

Field parameters were measured in treatment area wells and compliance wells on August 27 and 28, 2009. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation and light non-aqueous phase liquid (LNAPL) thickness measurements were also collected. During well sampling on August 28th, there was a slight non-aqueous phase liquid (LNAPL) sheen in the development water collected from well MW-216S. The thickness of LNAPL in this well was not appreciable. During the September 4th synchronous gauging round, light non-aqueous phase liquid (LNAPL) was detected in MW-221S at a thickness of 0.01 feet. Field parameter and gauging results are presented in Tables 1 and 2.

Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) on August 27 and 28, 2009 and September 4 and 18, 2009 from 22 monitoring wells within and around the treatment area, including compliance wells. One duplicate sample was collected from MW-101S (MW-101S DUP) for VOC analysis. One sample was collected for total petroleum hydrocarbon (TPH) analysis (modified EPA Method 8015 B) from monitoring well CW-6. One duplicate sample was collected from CW-6 (CW-6 DUP) for TPH analysis. Samples were collected for lead analysis (EPA Method 6010B) from monitoring wells MW-109D and GZA-3. One duplicate sample was collected from GZA-3 (GZA-3 DUP) for lead analysis. Groundwater samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis. Note that the sample collected from well MW-109D for lead analysis was received at the laboratory with an initial pH of 4. The pH was adjusted to <2 in the laboratory and the final pH after 24 hours remained at <2. As a result of the laboratory pH adjustment, the results of the lead analysis for this sample are considered acceptable and do not need to be qualified.

SUMMARY OF ANALYTICAL DATA

A summary of the analytical data associated with the groundwater sampling conducted in August and September 2009 is contained in Table 3. Copies of the laboratory analytical reports are attached to this report. The PCE concentrations found in wells MW-101D, MW-201D, MW-202D, and MW-207S were above the treatment goal of 7,700 ug/L.

A summary of the compliance well results is contained in Table 4. The results for the compliance wells indicate that exceedances occurred for the Adelaide Avenue wells MW-112 and MW-209D (PCE), MW-218D (PCE, TCE, and 1,1-dichloroethene), and MW-218S (vinyl chloride). Note that for wells MW-209D and MW-218D, these samples were diluted by the laboratory prior to analysis resulting in laboratory reporting limits being higher than the compliance standard for vinyl chloride and 1,1-dichloroethene.

Mr. Joseph T. Martella, II
October 12, 2009
Page 3 of 4

FUTURE ACTIVITIES

The next sampling event is scheduled for February 2010.

If you have any questions regarding this report, please contact Ed Van Doren at (603) 870-4530.

Sincerely,

SHAW ENVIRONMENTAL, INC.



Edward P. Van Doren
Project Manager

Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

Tables

Table 1 – Summary Field Parameters

Table 2 – Groundwater Elevations

Table 3 – VOCs in Groundwater

Table 4 – Compliance Wells Analytical Results


Laboratory Analytical Reports

cc: Craig Roy, RIDEM OWR
Greg Simpson, Textron
Jamieson Schiff, Textron
Dave Heislein, MACTEC
Thomas Dellar, City of Providence
Jeff Morgan, Stop & Shop
Ronald Ruth, Sherin and Lodgen

CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated October 12, 2009, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren
Project Manager

10/16/09

Date:

We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.






Gregory L. Simpson
Project Manager


OCTOBER 13th 2009

Date:

File: N:\dwg\Gorham\smtgf-01.dwg User: James.O'Donnell Mar 07, 2008 - 10:08am
Layout: Inj_well



| LEGEND | |
|--------|----------------------------|
| | MW-101S MONITORING WELL |
| | SB-2 SOIL BORING |
| | 04IS01 INJECTION WELL |



| | |
|-------------|--------|
| DATE | 3/7/08 |
| DWN | J.O'D. |
| APP | E.P.V. |
| REV | |
| PROJECT NO. | 101960 |

FIGURE 2
TEXTRON PROVIDENCE
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND
INJECTION WELL LOCATIONS

**Table 1
Summary Field Parameters
August 2009**

**Former Gorham Manufacturing Facility
Providence, Rhode Island**

| MONITORING WELL ID | DATE | pH | Temperature (deg.c) | Conductivity (mS/cm) | Dissolved Oxygen (mg/l) | Oxidation Reduction Potential (mv) |
|---|-------------|-----------|--------------------------------|---------------------------------|--|---|
| MW-101D | 8/27/2009 | 6.56 | 14.75 | 0.522 | 0.10 | -29 |
| MW-101S | 8/27/2009 | 6.28 | 14.85 | 1.100 | 0.13 | -62 |
| MW-112 | 8/27/2009 | 5.52 | 13.46 | 0.651 | 4.45 | 251 |
| MW-116D | 8/28/2009 | 5.02 | 14.12 | 0.358 | 4.61 | 327 |
| MW-116S | 8/28/2009 | 5.43 | 15.53 | 0.150 | 8.46 | 260 |
| MW-201D | 8/28/2009 | 6.62 | 15.10 | 1.547 | 0.29 | 87 |
| MW-202D | 8/27/2009 | 6.00 | 15.03 | 0.568 | 0.13 | 236 |
| MW-202S | 8/27/2009 | 5.88 | 15.00 | 0.679 | 0.16 | 236 |
| MW-207D | 8/27/2009 | 6.03 | 15.14 | 1.235 | 0.56 | 235 |
| MW-207S | 8/27/2009 | 6.03 | 15.27 | 1.157 | 0.23 | 243 |
| MW-209D | 8/28/2009 | 6.30 | 13.77 | 0.269 | 1.43 | 208 |
| MW-216D | 8/28/2009 | 6.23 | 14.21 | 0.856 | 0.29 | 36 |
| MW-216S | 8/28/2009 | 6.56 | 14.28 | 1.111 | 0.13 | -87 |
| MW-217D | 8/28/2009 | 6.61 | 14.44 | 0.338 | 0.19 | -60 |
| MW-217S | 8/28/2009 | 6.40 | 14.24 | 2.580 | 0.72 | -24 |
| MW-218D | 8/27/2009 | 5.40 | 14.26 | 0.940 | 0.18 | 186 |
| MW-218S | 8/27/2009 | 6.37 | 15.55 | 0.517 | 0.15 | -65 |
| Notes: C° = degrees Celsius mS/cm = millisiemens per centimeter mg/l = milligrams per liter mV = milli volts N/A = Not available due to LNAPL in well. | | | | | | |

**Table 2
Groundwater Elevations
September 2009**

**Former Gorham Manufacturing Facility
Providence, Rhode Island**

| Well ID | Date | Reference Elevation (Feet) | Depth to Water (Feet) | LNAPL Thickness (Feet) | Groundwater Elevation (Feet) |
|--|-------------|-----------------------------------|------------------------------|-------------------------------|-------------------------------------|
| CW-01 | 9/4/2009 | 99.52 | 24.37 | -- | 75.15 |
| CW-02 | 9/4/2009 | 98.86 | 24.55 | -- | 74.31 |
| CW-06 | 9/4/2009 | 99.52 | 24.94 | -- | 74.58 |
| GZA-3 | 9/4/2009 | NA | 18.84 | -- | NA |
| MW-101D | 9/4/2009 | 98.91 | 24.48 | -- | 74.43 |
| MW-101S | 9/4/2009 | 98.90 | 24.47 | -- | 74.43 |
| MW-109D | 9/4/2009 | NA | 19.09 | -- | NA |
| MW-112 | 9/4/2009 | 100.63 | 26.17 | -- | 74.46 |
| MW-116D | 9/4/2009 | 98.92 | 24.85 | -- | 74.07 |
| MW-116S | 9/4/2009 | 99.40 | 24.47 | -- | 74.93 |
| MW-201D | 9/4/2009 | 98.80 | 24.40 | -- | 74.40 |
| MW-202D | 9/4/2009 | 98.17 | 23.79 | -- | 74.38 |
| MW-202S | 9/4/2009 | 98.06 | 23.69 | -- | 74.37 |
| MW-207D | 9/4/2009 | 98.18 | 23.82 | -- | 74.36 |
| MW-207S | 9/4/2009 | 98.28 | 23.92 | -- | 74.36 |
| MW-209D | 9/4/2009 | 99.90 | 25.94 | -- | 73.96 |
| MW-216D | 9/4/2009 | 98.69 | 25.25 | -- | 73.44 |
| MW-216S | 9/4/2009 | 99.58 | 25.19 | -- | 74.39 |
| MW-217D | 9/4/2009 | 98.65 | 24.73 | -- | 73.92 |
| MW-217S | 9/4/2009 | 98.71 | 24.77 | -- | 73.94 |
| MW-218D | 9/4/2009 | 99.67 | 25.22 | -- | 74.45 |
| MW-218S | 9/4/2009 | 99.61 | 25.24 | -- | 74.37 |
| MW-220S | 9/4/2009 | 99.41 | 25.13 | -- | 74.28 |
| MW-221S | 9/4/2009 | 98.92 | 25.36 | 0.01 | 73.57 |
| Notes: Groundwater elevations are based on an arbitrary reference datum established for the site. | | | | | |

Table 3
Groundwater Analytical Results
August/September 2009
Former Gorham Manufacturing Facility
Providence, Rhode Island

| CONSTITUENT | CW-01 8/28/2009 Primary | CW-02 8/28/2009 Primary | CW-06 9/4/2009 Primary | CW-06 9/4/2009 Duplicate 1 | GZA-3 9/4/2009 Primary | GZA-3 9/4/2009 Duplicate 1 | MW-101D 8/27/2009 Primary | MW-101S 8/27/2009 Primary | MW-101S 8/27/2009 Duplicate 1 | MW-109D 9/4/2009 Primary | MW-109D 9/18/2009 Primary | MW-112 8/27/2009 Primary | MW-116D 8/28/2009 Primary | MW-116S 8/28/2009 Primary | MW-201D 8/28/2009 Primary |
|--------------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------------|------------------------------|----------------------------------|---------------------------------|---------------------------------|-------------------------------------|--------------------------------|---------------------------------|--------------------------------|---------------------------------|---------------------------------|---------------------------------|
| VOC (ug/L) | | | | | | | | | | | | | | | |
| 1,1-Dichloroethane | <2 | <2 | 2.6 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| 1,1-Dichloroethene | 11 | <1 | <1 | --- | 1.7 | --- | <10 | <1 | <1 | <1 | --- | <1 | <1 | <1 | <100 |
| 1,2,4-Trimethylbenzene | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| 1,2-Dichlorobenzene | <2 | <2 | 3.7 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| 1,3,5-Trimethylbenzene | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| Benzene | <1 | <1 | <1 | --- | <1 | --- | <10 | 2 | 2.1 | <1 | --- | <1 | <1 | <1 | <100 |
| Chloroform | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | 9.1 | <2 | <2 | <200 |
| cis-1,2-Dichloroethene | 54 | <2 | 3.8 | --- | 33 | --- | <20 | 96 | 100 | <2 | --- | <2 | <2 | <2 | <200 |
| Ethylbenzene | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| m/p-xylene | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| Methyltert-butylether | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| Naphthalene | <5 | <5 | <5 | --- | <5 | --- | <50 | <5 | <5 | <5 | --- | <5 | <5 | <5 | <500 |
| o-Xylene | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| Tetrachloroethene | 5.4 | <2 | <2 | --- | 3 | --- | 63000 | 88 | 85 | <2 | --- | 530 | 74 | <2 | 8500 |
| Toluene | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| trans-1,2-Dichloroethene | 4.4 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| Trichloroethene | 770 | <2 | <2 | --- | 24 | --- | 190 | 4.9 | 5 | <2 | --- | 3.5 | 20 | <2 | 560 |
| Vinyl chloride | <2 | <2 | 14 | --- | 20 | --- | <20 | 13 | 14 | <2 | --- | <2 | <2 | <2 | <200 |
| Xylene (total) | <2 | <2 | <2 | --- | <2 | --- | <20 | <2 | <2 | <2 | --- | <2 | <2 | <2 | <200 |
| TPH (mg/L) | | | | | | | | | | | | | | | |
| Unidentified TPH | --- | --- | 8.8 | 8.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Dissolved Metals (ug/L) | | | | | | | | | | | | | | | |
| Lead | --- | --- | --- | --- | <12 | <12 | --- | --- | --- | --- | <12 | --- | --- | --- | --- |

Notes:

< = Less than the laboratory reporting limit
ug/L = Micro grams per liter, parts per billion
mg/L = Milligrams per liter, parts per million
TPH = Total Petroleum Hydrocarbons
--- = Not analyzed for.

Table 3
Groundwater Analytical Results
August/September 2009
Former Gorham Manufacturing Facility
Providence, Rhode Island

| CONSTITUENT | MW-202D 8/27/2009 Primary | MW-202S 8/27/2009 Primary | MW-207D 8/27/2009 Primary | MW-207S 8/27/2009 Primary | MW-209D 8/28/2009 Primary | MW-216D 8/28/2009 Primary | MW-216S 8/28/2009 Primary | MW-217D 8/28/2009 Primary | MW-217S 8/28/2009 Primary | MW-218D 8/27/2009 Primary | MW-218S 8/27/2009 Primary |
|--------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| VOC (ug/L) | | | | | | | | | | | |
| 1,1-Dichloroethane | <20 | <20 | <40 | <20 | <20 | <2 | 2 | <2 | <2 | <20 | <2 |
| 1,1-Dichloroethene | <10 | <10 | <20 | <10 | <10 | <1 | <1 | <1 | <1 | <10 | <1 |
| 1,2,4-Trimethylbenzene | <20 | <20 | <40 | <20 | <20 | <2 | 12 | <2 | <2 | <20 | <2 |
| 1,2-Dichlorobenzene | <20 | <20 | <40 | <20 | <20 | <2 | <2 | <2 | <2 | <20 | <2 |
| 1,3,5-Trimethylbenzene | <20 | <20 | <40 | <20 | <20 | <2 | 8.4 | <2 | <2 | <20 | <2 |
| Benzene | <10 | <10 | <20 | <10 | <10 | <1 | <1 | <1 | <1 | <10 | <1 |
| Chloroform | <20 | <20 | <40 | <20 | <20 | <2 | <2 | <2 | <2 | <20 | <2 |
| cis-1,2-Dichloroethene | 120 | 150 | <40 | 34 | <20 | <2 | 59 | 26 | 76 | <20 | 4.7 |
| Ethylbenzene | <20 | <20 | <40 | <20 | <20 | <2 | 2.5 | <2 | <2 | <20 | <2 |
| m/p-xylene | <20 | <20 | <40 | <20 | <20 | <2 | 6.3 | <2 | <2 | <20 | <2 |
| Methyltert-butylether | <20 | <20 | <40 | <20 | <20 | 3.8 | <2 | <2 | <2 | <20 | <2 |
| Naphthalene | <50 | <50 | <100 | <50 | <50 | <5 | 20 | <5 | 12 | <50 | <5 |
| o-Xylene | <20 | <20 | <40 | <20 | <20 | <2 | 8.6 | <2 | <2 | <20 | <2 |
| Tetrachloroethene | 19000 | 2600 | 3200 | 9600 | 490 | <2 | <2 | <2 | 8.6 | 800 | 17 |
| Toluene | <20 | <20 | <40 | <20 | <20 | <2 | 2.5 | <2 | <2 | <20 | <2 |
| trans-1,2-Dichloroethene | <20 | <20 | <40 | <20 | <20 | <2 | <2 | <2 | <2 | <20 | <2 |
| Trichloroethene | 32 | <20 | 89 | 65 | 120 | 3.1 | <2 | 11 | <2 | 78 | <2 |
| Vinyl chloride | <20 | <20 | <40 | <20 | <20 | <2 | <2 | <2 | 4.1 | <20 | 2.5 |
| Xylene (total) | <20 | <20 | <40 | <20 | <20 | <2 | 15 | <2 | <2 | <20 | <2 |
| TPH (mg/L) | | | | | | | | | | | |
| Unidentified TPH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Dissolved Metals (ug/L) | | | | | | | | | | | |
| Lead | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Notes:

< = Less than the laboratory reporting limit
ug/L = Micro grams per liter, parts per billion
mg/L = Milligrams per liter, parts per million
TPH = Total Petroleum Hydrocarbons
--- = Not analyzed for.

**Table 4
Compliance Wells Analytical Results
August/September 2009
Former Gorham
Manufacturing Facility
Providence, Rhode Island**

| Mashapaug Pond Compliance Wells | | | | | |
|---|---------------------------|---|-----------------------------|------------------------------|--|
| Sample ID Date Collected CONSTITUENT | GZA-3 9/4/2009 | GZA-3 9/4/2009 Duplicate | MW-109D 9/4/2009 | MW-109D 9/18/2009 | Compliance Standard¹ |
| Metals (mg/L) | | | | | |
| Lead | <0.012 | <0.012 | NA | <0.012 | 0.03 |
| VOCs (ug/L) | | | | | |
| 1,1-Dichloroethane | <2 | NA | <2 | NA | 50,000 |
| 1,1-Dichloroethene | 1.7 | NA | <1 | NA | 50,000 |
| cis-1,2-Dichloroethene | 33 | NA | <2 | NA | 50,000 |
| Tetrachloroethene | 3 | NA | <2 | NA | 5,000 |
| Trichloroethene | 24 | NA | <2 | NA | 20,000 |
| Vinyl chloride | 20 | NA | <2 | NA | 1,200 |

| TPH Remediation Area Well | | | |
|---|--------------------------|--|--|
| Sample ID Date Collected CONSTITUENT | CW-6 9/4/2009 | CW-6 9/4/2009 Duplicate | Compliance Standard¹ |
| TPH (mg/L) | 8.8 | 8.6 | 20 |

| Sewer Interceptor Area Wells | | | |
|---|---------------------------|---------------------------|--|
| Sample ID Date Collected CONSTITUENT | CW-1 8/28/2009 | CW-2 8/28/2009 | Compliance Standard² |
| VOCs (ug/L) | | | |
| 1,1-Dichloroethene | 11 | <1 | 23,000 |
| cis-1,2-Dichloroethene | 54 | <2 | 69,000 |
| trans-1,2-Dichloroethene | 4.4 | <2 | 79,000 |
| Tetrachloroethene | 5.4 | <2 | NS |
| Trichloroethene | 770 | <2 | 87,000 |

| Adelaide Avenue Wells | | | | | |
|---|-----------------------------|------------------------------|------------------------------|------------------------------|--|
| Sample ID Date Collected CONSTITUENT | MW-112 8/27/2009 | MW-209D 8/28/2009 | MW-218D 8/27/2009 | MW-218S 8/27/2009 | Compliance Standard³ |
| VOCs (ug/L) | | | | | |
| cis-1,2-Dichloroethene | <2 | <20 | <20 | 4.7 | 2,400 |
| 1,1-Dichloroethene | <1 | <10 | <10 | <1 | 7 |
| Benzene | <1 | <10 | <10 | <1 | 140 |
| Chloroform | 9.1 | <20 | <20 | <2 | 1,900 |
| Tetrachloroethene | 530 | 490 | 800 | 17 | 150 |
| Trichloroethene | 3.5 | 120 | 78 | <2 | 540 |
| Vinyl chloride | <2 | <20 | <20 | 2.5 | 2 |

Notes:

1. These Site specific compliance standards were taken from the approved RAWP dated April 1, 2001 and/or the RIDEM Remediation Regulations.
2. These compliance standards taken from Table 5 - Upper Concentration Limits for GB Groundwater, RIDEM Remediation Regulations.
3. These compliance standards taken from Table 4 -GB Groundwater Objectives of the RIDEM Remediation Regulations or in the case of vinyl chloride the compliance standard was taken from Table 3 of the Remediation Regulations and for chloroform the compliance standard was calculated from the algorithm in Appendix F of the Remediation Regulations (calculations attached as Appendix C of Status Report dated September 18, 2007).

mg/L - milligrams per liter

ug/L - micrograms per liter

< - compound was not detected below the laboratory reporting limit, concentration shown is the reporting limit.

VOCs - volatile organic compounds

TPH - total petroleum hydrocarbons

NA - Indicates that the analysis was not performed.

NS - Indicates that no applicable standard exists. Compound does not have a lower explosive limit (LEL).



111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

September 17, 2009

ANALYTICAL TEST RESULTS

Ed VanDoren
Shaw Environmental & Infrastructure, Inc.
11 Northeastern Boulevard
Salem, NH 030791953
TEL: (603) 870-4530
FAX: (603) 870-4501

Subject: 130274 Textrom Gorham

Workorder No.: 0909018

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 5 samples on 9/9/2009 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 30 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textrom Gorham
Lab Order: 0909018
Date Received: 9/9/2009

Work Order Sample Summary

| Lab Sample ID | Client Sample ID | Collection Date | Collection Time |
|----------------------|-------------------------|------------------------|------------------------|
| 0909018-01A | GZA-3 | 9/4/2009 | 10:04 AM |
| 0909018-01B | GZA-3 | 9/4/2009 | 10:04 AM |
| 0909018-02A | CW-6 | 9/4/2009 | 12:50 PM |
| 0909018-02B | CW-6 | 9/4/2009 | 12:50 PM |
| 0909018-03A | MW-109D | 9/4/2009 | 1:20 PM |
| 0909018-04A | GZA-3 Dup | 9/4/2009 | 10:14 AM |
| 0909018-05A | CW-6 Dup | 9/4/2009 | 1:00 PM |

AMRO Environmental Laboratories Corp.

14-Sep-09

DATES REPORT

Lab Order: 0909018
 Client: Shaw Environmental & Infrastructure, Inc.
 Project: 130274 Textrom Gorham

| Sample ID | Client Sample ID | Collection Date | Matrix | Analytical Test Name | Preparatory Test Name | Prep Date | Batch ID | Analysis Date | TCLP Date |
|-------------|------------------|----------------------|-------------|---------------------------------|--|-----------|----------|---------------|-----------|
| 0909018-01A | GZA-3 | 9/4/2009 10:04:00 AM | Groundwater | EPA 8260B VOLATILES by GC/MS | EPA 5030B | 9/4/2009 | R43127 | 9/10/2009 | |
| 0909018-01B | | | | EPA 6010B ICP METALS, DISSOLVED | EPA 3010 AQPREP TOTAL METALS: ICP/GFAA | 9/9/2009 | 19589 | 9/9/2009 | |
| 0909018-02A | CW-6 | 9/4/2009 12:50:00 PM | | EPA 8260B VOLATILES by GC/MS | EPA 5030B | 9/4/2009 | R43127 | 9/10/2009 | |
| 0909018-02B | | | | TPH by GC/FID (modified 8015B) | AQPREP SEP FUNNEL: FING | 9/10/2009 | 19594 | 9/10/2009 | |
| 0909018-03A | MW-109D | 9/4/2009 1:20:00 PM | | EPA 8260B VOLATILES by GC/MS | EPA 5030B | 9/4/2009 | R43127 | 9/10/2009 | |
| 0909018-04A | GZA-3 Dup | 9/4/2009 10:14:00 AM | | EPA 6010B ICP METALS, DISSOLVED | EPA 3010 AQPREP TOTAL METALS: ICP/GFAA | 9/9/2009 | 19589 | 9/9/2009 | |
| 0909018-05A | CW-6 Dup | 9/4/2009 1:00:00 PM | | TPH by GC/FID (modified 8015B) | AQPREP SEP FUNNEL: FING | 9/10/2009 | 19594 | 9/10/2009 | |

| | | | | | |
|---|---------------------------------|-------------------------|-------------------------------|-----------------------|---------------------------|
| Project No.: 130274 | Project Name: Textron Gorham | Project State: RI | Project Manager: Ed Van Doren | Samplers (Signature): | AMRO Project No.: 0909018 |
| P.O.#: 157431 | Results Needed by: Standard TAT | Total # of Cont. & Size | (Field #) Dissolved Lead | REQUESTED ANALYSES | |
| QUOTE #: | Seal Intact? Yes No N/A | Matrix | EPA 8260B (Vol) | Remarks | |
| Sample ID: | Date/Time Sampled | | TPH | | |
| GA-3 | 7/4/15 1004 | GW | 2 1 | | |
| GA-3 Dup | 1014 | | 2 1 | | |
| CW-6 | 1250 | | 2 2 | | |
| CW-6 Dup | 1300 | | 2 2 | | |
| AW-109D | 1320 | | 2 | | |
| Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other | | | | | |
| Send Results To: Ed VanDoren Shaw Environmental, Inc. 11 Northeastern Blvd. Salem, NH 03079-1953 PHONE #: 603-870-4530 FAX #: 603-870-4501 E-mail: Edward.VanDoren@Shawgrp.com | | | | | |
| AUTHORIZATION No.: BY: Relinquished By: Date/Time Received By: Date/Time 7/4/15 1532 9/9/15 1000 Ed Van Doren Ed Van Doren | | | | | |
| Priority Turnaround Time Authorization Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER METALS 8 RCRA 13 PP 23 TAL 14 MCP Method: 6010 200.7 Other Metals: Dissolved Metals Field Filtered? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/> AMRO report package level needed: EDD required: GISKey Formatted Required Reporting Limits: S-1 <input type="checkbox"/> S-2 <input type="checkbox"/> S-3 <input type="checkbox"/> Other: | | | | | |
| Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved. AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites. KNOWN SITE CONTAMINATION: | | | | | |
| White: Lab Copy Yellow: Client Copy SHEET 1 OF 1 AMROCOC2004, Rev.3 08/18/04 | | | | | |

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textrom Gorham
Lab Order: 0909018

CASE NARRATIVE

GC/MS VOLATILES:

1. No QC deviations were observed.

TPH GC/FID:

1. No QC deviations were observed.

METALS:

1. No QC deviations were observed.

DATA COMMENT PAGE

Organic Data Qualifiers

| | |
|----|--|
| ND | Indicates compound was analyzed for, but not detected at or above the reporting limit. |
| J | Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit. |
| H | Method prescribed holding time exceeded. |
| E | This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis. |
| B | This flag is used when the analyte is found in the associated blank as well as in the sample. |
| R | RPD outside accepted recovery limits |
| RL | Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate. |
| S | Spike Recovery outside accepted recovery limits. |
| # | See Case Narrative |

Micro Data Qualifiers

TNTC Too numerous to count

Inorganic Data Qualifiers

| | |
|---------|---|
| ND or U | Indicates element was analyzed for, but not detected at or above the reporting limit. |
| J | Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit. |
| H | Indicates analytical holding time exceedance. |
| B | Indicates that the analyte is found in the associated blank, as well as in the sample. |
| MSA | Indicates value determined by the Method of Standard Addition |
| E | This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis. |
| R | RPD outside accepted recovery limits |
| RL | Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate. |
| S | Spike Recovery outside accepted recovery limits. |
| W | Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance. |
| * | Duplicate analysis not within control limits. |
| + | Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995 |
| # | See Case Narrative |

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0909018
Project: 130274 Textrom Gorham
Lab ID: 0909018-01A

Client Sample ID: GZA-3
Collection Date: 9/4/2009 10:04:00 AM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|----------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Vinyl chloride | 20 | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,1-Dichloroethene | 1.7 | 1.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| cis-1,2-Dichloroethene | 33 | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Trichloroethene | 24 | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Tetrachloroethene | 3.0 | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0909018
Project: 130274 Textrom Gorham
Lab ID: 0909018-01A

Client Sample ID: GZA-3
Collection Date: 9/4/2009 10:04:00 AM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|----------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:02:00 PM |
| Surr: Dibromofluoromethane | 92.9 | 85-119 | | %REC | 1 | 9/10/2009 5:02:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 98.5 | 79-131 | | %REC | 1 | 9/10/2009 5:02:00 PM |
| Surr: Toluene-d8 | 91.2 | 90-110 | | %REC | 1 | 9/10/2009 5:02:00 PM |
| Surr: 4-Bromofluorobenzene | 88.8 | 76-117 | | %REC | 1 | 9/10/2009 5:02:00 PM |

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** CW-6
Lab Order: 0909018 **Collection Date:** 9/4/2009 12:50:00 PM
Project: 130274 Textrom Gorham **Matrix:** GROUNDWATER
Lab ID: 0909018-02A

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------------|----|----------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | Analyst: SK | | |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Vinyl chloride | 14 | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,1-Dichloroethane | 2.6 | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| cis-1,2-Dichloroethene | 3.8 | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Trichloroethene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Tetrachloroethene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0909018
Project: 130274 Textrom Gorham
Lab ID: 0909018-02A

Client Sample ID: CW-6
Collection Date: 9/4/2009 12:50:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|----------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2-Dichlorobenzene | 3.7 | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 6:15:00 PM |
| Surr: Dibromofluoromethane | 93.8 | 85-119 | | %REC | 1 | 9/10/2009 6:15:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 99.5 | 79-131 | | %REC | 1 | 9/10/2009 6:15:00 PM |
| Surr: Toluene-d8 | 91.8 | 90-110 | | %REC | 1 | 9/10/2009 6:15:00 PM |
| Surr: 4-Bromofluorobenzene | 90.2 | 76-117 | | %REC | 1 | 9/10/2009 6:15:00 PM |

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-109D
Lab Order: 0909018 **Collection Date:** 9/4/2009 1:20:00 PM
Project: 130274 Textrom Gorham **Matrix:** GROUNDWATER
Lab ID: 0909018-03A

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|----------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| cis-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Trichloroethene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Tetrachloroethene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-109D

Lab Order: 0909018

Collection Date: 9/4/2009 1:20:00 PM

Project: 130274 Textrom Gorham

Matrix: GROUNDWATER

Lab ID: 0909018-03A

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|----------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/10/2009 5:37:00 PM |
| Surr: Dibromofluoromethane | 94.3 | 85-119 | | %REC | 1 | 9/10/2009 5:37:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 98.1 | 79-131 | | %REC | 1 | 9/10/2009 5:37:00 PM |
| Surr: Toluene-d8 | 90.9 | 90-110 | | %REC | 1 | 9/10/2009 5:37:00 PM |
| Surr: 4-Bromofluorobenzene | 88.9 | 76-117 | | %REC | 1 | 9/10/2009 5:37:00 PM |

AMRO Environmental Laboratories Corp.

Date: 11-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0909018
Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Method Blank

Sample ID **MB-09/10/09** Batch ID: **R43127** Test Code: **SW8260B** Units: **µg/L** Analysis Date **9/10/09 10:05:00 AM** Prep Date **9/10/09**
 Client ID: Run ID: **V-3_090910A** SeqNo: **715930**

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | ND | 5.0 | µg/L | | | | | | | | | |
| Chloromethane | ND | 5.0 | µg/L | | | | | | | | | |
| Vinyl chloride | ND | 2.0 | µg/L | | | | | | | | | |
| Chloroethane | ND | 5.0 | µg/L | | | | | | | | | |
| Bromomethane | ND | 2.0 | µg/L | | | | | | | | | |
| Trichlorofluoromethane | ND | 2.0 | µg/L | | | | | | | | | |
| Diethyl ether | ND | 5.0 | µg/L | | | | | | | | | |
| Acetone | ND | 10 | µg/L | | | | | | | | | |
| 1,1-Dichloroethene | ND | 1.0 | µg/L | | | | | | | | | |
| Carbon disulfide | ND | 2.0 | µg/L | | | | | | | | | |
| Methylene chloride | ND | 5.0 | µg/L | | | | | | | | | |
| Methyl tert-butyl ether | ND | 2.0 | µg/L | | | | | | | | | |
| trans-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| 2-Butanone | ND | 10 | µg/L | | | | | | | | | |
| 2,2-Dichloropropane | ND | 2.0 | µg/L | | | | | | | | | |
| cis-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | |
| Chloroform | ND | 2.0 | µg/L | | | | | | | | | |
| Tetrahydrofuran | ND | 10 | µg/L | | | | | | | | | |
| Bromochloromethane | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1-Dichloropropene | ND | 2.0 | µg/L | | | | | | | | | |
| Carbon tetrachloride | ND | 2.0 | µg/L | | | | | | | | | |
| 1,2-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| Benzene | ND | 1.0 | µg/L | | | | | | | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 11-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0909018
Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Method Blank

| Compound | Reporting Limit | Concentration | Qualifier |
|---------------------------|-----------------|---------------|-----------|
| Trichloroethene | ND | 2.0 | µg/L |
| 1,2-Dichloropropane | ND | 2.0 | µg/L |
| Bromodichloromethane | ND | 2.0 | µg/L |
| Dibromomethane | ND | 2.0 | µg/L |
| 4-Methyl-2-pentanone | ND | 10 | µg/L |
| cis-1,3-Dichloropropene | ND | 1.0 | µg/L |
| Toluene | ND | 2.0 | µg/L |
| trans-1,3-Dichloropropene | ND | 1.0 | µg/L |
| 1,1,2-Trichloroethane | ND | 2.0 | µg/L |
| 1,2-Dibromoethane | ND | 2.0 | µg/L |
| 2-Hexanone | ND | 10 | µg/L |
| 1,3-Dichloropropane | ND | 2.0 | µg/L |
| Tetrachloroethene | ND | 2.0 | µg/L |
| Dibromochloromethane | ND | 2.0 | µg/L |
| Chlorobenzene | ND | 2.0 | µg/L |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | µg/L |
| Ethylbenzene | ND | 2.0 | µg/L |
| m,p-Xylene | ND | 2.0 | µg/L |
| o-Xylene | ND | 2.0 | µg/L |
| Styrene | ND | 2.0 | µg/L |
| Bromoform | ND | 2.0 | µg/L |
| Isopropylbenzene | ND | 2.0 | µg/L |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | µg/L |
| 1,2,3-Trichloropropane | ND | 2.0 | µg/L |
| Bromobenzene | ND | 2.0 | µg/L |
| n-Propylbenzene | ND | 2.0 | µg/L |
| 2-Chlorotoluene | ND | 2.0 | µg/L |
| 4-Chlorotoluene | ND | 2.0 | µg/L |
| 1,3,5-Trimethylbenzene | ND | 2.0 | µg/L |
| tert-Butylbenzene | ND | 2.0 | µg/L |
| 1,2,4-Trimethylbenzene | ND | 2.0 | µg/L |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 11-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0909018
 Project: 130274 Textrom Gorham

QC SUMMARY REPORT
 Method Blank

| Compound | Reporting Limit | Concentration (µg/L) | Recovery (%) | Acceptance Criteria |
|-----------------------------|-----------------|----------------------|--------------|---------------------|
| sec-Butylbenzene | ND | 2.0 | µg/L | |
| 4-Isopropyltoluene | ND | 2.0 | µg/L | |
| 1,3-Dichlorobenzene | ND | 2.0 | µg/L | |
| 1,4-Dichlorobenzene | ND | 2.0 | µg/L | |
| n-Butylbenzene | ND | 2.0 | µg/L | |
| 1,2-Dichlorobenzene | ND | 2.0 | µg/L | |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | µg/L | |
| 1,2,4-Trichlorobenzene | ND | 2.0 | µg/L | |
| Hexachlorobutadiene | ND | 2.0 | µg/L | |
| Naphthalene | ND | 5.0 | µg/L | |
| 1,2,3-Trichlorobenzene | ND | 2.0 | µg/L | |
| Surr: Dibromofluoromethane | 24.91 | 2.0 | 25 | 0 99.6 85 119 0 |
| Surr: 1,2-Dichloroethane-d4 | 27.35 | 2.0 | 25 | 0 109 79 131 0 |
| Surr: Toluene-d8 | 23.31 | 2.0 | 25 | 0 93.2 90 110 0 |
| Surr: 4-Bromofluorobenzene | 22.28 | 2.0 | 25 | 0 89.1 76 117 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 11-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0909018

Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID LCS-09/10/09 Batch ID: R43127 Test Code: SW8260B Units: µg/L Analysis Date 9/10/09 8:22:00 AM Prep Date 9/10/09
 Client ID: Run ID: V-3_090910A SeqNo: 715933

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | 20.7 | 5.0 | µg/L | 20 | 0 | 104 | 10 | 150 | 0 | 0 | 0 | 0 |
| Chloromethane | 22.55 | 5.0 | µg/L | 20 | 0 | 113 | 37 | 150 | 0 | 0 | 0 | 0 |
| Vinyl chloride | 22.16 | 2.0 | µg/L | 20 | 0 | 111 | 48 | 150 | 0 | 0 | 0 | 0 |
| Chloroethane | 23.31 | 5.0 | µg/L | 20 | 0 | 117 | 54 | 142 | 0 | 0 | 0 | 0 |
| Bromomethane | 21.53 | 2.0 | µg/L | 20 | 0 | 108 | 51 | 137 | 0 | 0 | 0 | 0 |
| Trichlorofluoromethane | 22.03 | 2.0 | µg/L | 20 | 0 | 110 | 62 | 141 | 0 | 0 | 0 | 0 |
| Diethyl ether | 21.04 | 5.0 | µg/L | 20 | 0 | 105 | 68 | 134 | 0 | 0 | 0 | 0 |
| Acetone | 20.98 | 10 | µg/L | 20 | 0 | 105 | 9 | 150 | 0 | 0 | 0 | 0 |
| 1,1-Dichloroethene | 22.21 | 1.0 | µg/L | 20 | 0 | 111 | 68 | 146 | 0 | 0 | 0 | 0 |
| Carbon disulfide | 21.16 | 2.0 | µg/L | 20 | 0 | 106 | 52 | 131 | 0 | 0 | 0 | 0 |
| Methylene chloride | 24.9 | 5.0 | µg/L | 20 | 0 | 125 | 67 | 138 | 0 | 0 | 0 | 0 |
| Methyl tert-butyl ether | 21.64 | 2.0 | µg/L | 20 | 0 | 108 | 63 | 139 | 0 | 0 | 0 | 0 |
| trans-1,2-Dichloroethene | 21.32 | 2.0 | µg/L | 20 | 0 | 107 | 81 | 126 | 0 | 0 | 0 | 0 |
| 1,1-Dichloroethane | 23.93 | 2.0 | µg/L | 20 | 0 | 120 | 78 | 124 | 0 | 0 | 0 | 0 |
| 2-Butanone | 17.24 | 10 | µg/L | 20 | 0 | 86.2 | 41 | 150 | 0 | 0 | 0 | 0 |
| 2,2-Dichloropropane | 24.19 | 2.0 | µg/L | 20 | 0 | 121 | 71 | 150 | 0 | 0 | 0 | 0 |
| cis-1,2-Dichloroethene | 22.84 | 2.0 | µg/L | 20 | 0 | 114 | 78 | 121 | 0 | 0 | 0 | 0 |
| Chloroform | 21.49 | 2.0 | µg/L | 20 | 0 | 107 | 82 | 123 | 0 | 0 | 0 | 0 |
| Tetrahydrofuran | 17.92 | 10 | µg/L | 20 | 0 | 89.6 | 51 | 146 | 0 | 0 | 0 | 0 |
| Bromochloromethane | 23.37 | 2.0 | µg/L | 20 | 0 | 117 | 77 | 131 | 0 | 0 | 0 | 0 |
| 1,1,1-Trichloroethane | 24.62 | 2.0 | µg/L | 20 | 0 | 123 | 81 | 127 | 0 | 0 | 0 | 0 |
| 1,1-Dichloropropene | 23.09 | 2.0 | µg/L | 20 | 0 | 115 | 76 | 119 | 0 | 0 | 0 | 0 |
| Carbon tetrachloride | 19.49 | 2.0 | µg/L | 20 | 0 | 97.5 | 76 | 129 | 0 | 0 | 0 | 0 |
| 1,2-Dichloroethane | 21.52 | 2.0 | µg/L | 20 | 0 | 108 | 76 | 127 | 0 | 0 | 0 | 0 |
| Benzene | 20.42 | 1.0 | µg/L | 20 | 0 | 102 | 81 | 118 | 0 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 11-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0909018
 Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Laboratory Control Spike

| Compound | Concentration (µg/L) | Recovery (%) | Acceptance | Recovery (%) | Acceptance | Recovery (%) | Acceptance | Recovery (%) | Acceptance |
|---------------------------|----------------------|--------------|------------|--------------|------------|--------------|------------|--------------|------------|
| Trichloroethene | 21.34 | 2.0 | 20 | 0 | 107 | 81 | 119 | 0 | 0 |
| 1,2-Dichloropropane | 21.95 | 2.0 | 20 | 0 | 110 | 79 | 120 | 0 | 0 |
| Bromodichloromethane | 19.05 | 2.0 | 20 | 0 | 95.2 | 77 | 131 | 0 | 0 |
| Dibromomethane | 19.41 | 2.0 | 20 | 0 | 97 | 76 | 128 | 0 | 0 |
| 4-Methyl-2-pentanone | 14.61 | 10 | 20 | 0 | 73 | 51 | 141 | 0 | 0 |
| cis-1,3-Dichloropropene | 18.66 | 1.0 | 20 | 0 | 93.3 | 76 | 120 | 0 | 0 |
| Toluene | 20.08 | 2.0 | 20 | 0 | 100 | 83 | 119 | 0 | 0 |
| trans-1,3-Dichloropropene | 16.36 | 1.0 | 20 | 0 | 81.8 | 66 | 128 | 0 | 0 |
| 1,1,2-Trichloroethane | 18.51 | 2.0 | 20 | 0 | 92.6 | 74 | 123 | 0 | 0 |
| 1,2-Dibromoethane | 17.49 | 2.0 | 20 | 0 | 87.5 | 72 | 128 | 0 | 0 |
| 2-Hexanone | 16.27 | 10 | 20 | 0 | 81.4 | 31 | 148 | 0 | 0 |
| 1,3-Dichloropropane | 21.77 | 2.0 | 20 | 0 | 109 | 76 | 122 | 0 | 0 |
| Tetrachloroethene | 22.11 | 2.0 | 20 | 0 | 111 | 81 | 124 | 0 | 0 |
| Dibromochloromethane | 16.07 | 2.0 | 20 | 0 | 80.4 | 63 | 126 | 0 | 0 |
| Chlorobenzene | 20.78 | 2.0 | 20 | 0 | 104 | 84 | 113 | 0 | 0 |
| 1,1,1,2-Tetrachloroethane | 21.87 | 2.0 | 20 | 0 | 109 | 73 | 124 | 0 | 0 |
| Ethylbenzene | 21.23 | 2.0 | 20 | 0 | 106 | 83 | 118 | 0 | 0 |
| m,p-Xylene | 40.27 | 2.0 | 40 | 0 | 101 | 85 | 116 | 0 | 0 |
| o-Xylene | 20.43 | 2.0 | 20 | 0 | 102 | 84 | 115 | 0 | 0 |
| Styrene | 20.91 | 2.0 | 20 | 0 | 105 | 81 | 118 | 0 | 0 |
| Bromoform | 13.49 | 2.0 | 20 | 0 | 67.5 | 55 | 126 | 0 | 0 |
| Isopropylbenzene | 22.31 | 2.0 | 20 | 0 | 112 | 77 | 125 | 0 | 0 |
| 1,1,2,2-Tetrachloroethane | 20.74 | 2.0 | 20 | 0 | 104 | 62 | 134 | 0 | 0 |
| 1,2,3-Trichloropropane | 23.76 | 2.0 | 20 | 0 | 119 | 62 | 132 | 0 | 0 |
| Bromobenzene | 21.43 | 2.0 | 20 | 0 | 107 | 78 | 119 | 0 | 0 |
| n-Propylbenzene | 21.79 | 2.0 | 20 | 0 | 109 | 77 | 127 | 0 | 0 |
| 2-Chlorotoluene | 22.04 | 2.0 | 20 | 0 | 110 | 78 | 118 | 0 | 0 |
| 4-Chlorotoluene | 22.83 | 2.0 | 20 | 0 | 114 | 77 | 119 | 0 | 0 |
| 1,3,5-Trimethylbenzene | 21.07 | 2.0 | 20 | 0 | 105 | 80 | 120 | 0 | 0 |
| tert-Butylbenzene | 20.13 | 2.0 | 20 | 0 | 101 | 81 | 120 | 0 | 0 |
| 1,2,4-Trimethylbenzene | 20.62 | 2.0 | 20 | 0 | 103 | 80 | 118 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 11-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0909018
 Project: 130274 Textrom Gorham

QC SUMMARY REPORT
 Laboratory Control Spike

| Compound | Concentration (µg/L) | Recovery (%) | Acceptance | Recovery Limit | Reporting Limit | Qualifiers | | |
|-----------------------------|----------------------|--------------|------------|----------------|-----------------|------------|-----|---|
| sec-Butylbenzene | 21.17 | 2.0 | 20 | 0 | 106 | 82 | 123 | 0 |
| 4-Isopropyltoluene | 19.59 | 2.0 | 20 | 0 | 98 | 80 | 126 | 0 |
| 1,3-Dichlorobenzene | 21.1 | 2.0 | 20 | 0 | 106 | 84 | 115 | 0 |
| 1,4-Dichlorobenzene | 21.15 | 2.0 | 20 | 0 | 106 | 79 | 117 | 0 |
| n-Butylbenzene | 20.96 | 2.0 | 20 | 0 | 105 | 76 | 128 | 0 |
| 1,2-Dichlorobenzene | 20.71 | 2.0 | 20 | 0 | 104 | 81 | 117 | 0 |
| 1,2-Dibromo-3-chloropropane | 14.89 | 5.0 | 20 | 0 | 74.4 | 47 | 136 | 0 |
| 1,2,4-Trichlorobenzene | 19.01 | 2.0 | 20 | 0 | 95 | 73 | 126 | 0 |
| Hexachlorobutadiene | 22.16 | 2.0 | 20 | 0 | 111 | 77 | 134 | 0 |
| Naphthalene | 17.34 | 5.0 | 20 | 0 | 86.7 | 58 | 138 | 0 |
| 1,2,3-Trichlorobenzene | 16.73 | 2.0 | 20 | 0 | 83.6 | 76 | 124 | 0 |
| Surr: Dibromofluoromethane | 24.29 | 2.0 | 25 | 0 | 97.2 | 85 | 119 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 25.88 | 2.0 | 25 | 0 | 104 | 79 | 131 | 0 |
| Surr: Toluene-d8 | 23.6 | 2.0 | 25 | 0 | 94.4 | 90 | 110 | 0 |
| Surr: 4-Bromofluorobenzene | 22.44 | 2.0 | 25 | 0 | 89.8 | 76 | 117 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 11-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0909018

Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID LCSD-09/10/09 Batch ID: R43127 Test Code: SW8260B Units: µg/L Analysis Date 9/10/09 8:56:00 AM Prep Date 9/10/09
 Client ID: Run ID: V-3_090910A SeqNo: 715932

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|-------|----------|-----|
| Dichlorodifluoromethane | 21.65 | 5.0 | µg/L | 20 | 0 | 108 | 10 | 150 | 20.7 | 4.49 | 20 | |
| Chloromethane | 22.29 | 5.0 | µg/L | 20 | 0 | 111 | 37 | 150 | 22.55 | 1.16 | 20 | |
| Vinyl chloride | 22.96 | 2.0 | µg/L | 20 | 0 | 115 | 48 | 150 | 22.16 | 3.55 | 20 | |
| Chloroethane | 23.22 | 5.0 | µg/L | 20 | 0 | 116 | 54 | 142 | 23.31 | 0.387 | 20 | |
| Bromomethane | 20.77 | 2.0 | µg/L | 20 | 0 | 104 | 51 | 137 | 21.53 | 3.59 | 20 | |
| Trichlorofluoromethane | 22.96 | 2.0 | µg/L | 20 | 0 | 115 | 62 | 141 | 22.03 | 4.13 | 20 | |
| Diethyl ether | 21.1 | 5.0 | µg/L | 20 | 0 | 106 | 68 | 134 | 21.04 | 0.285 | 20 | |
| Acetone | 19.61 | 10 | µg/L | 20 | 0 | 98 | 9 | 150 | 20.98 | 6.75 | 20 | |
| 1,1-Dichloroethene | 22.65 | 1.0 | µg/L | 20 | 0 | 113 | 68 | 146 | 22.21 | 1.96 | 20 | |
| Carbon disulfide | 21.03 | 2.0 | µg/L | 20 | 0 | 105 | 52 | 131 | 21.16 | 0.616 | 20 | |
| Methylene chloride | 25.14 | 5.0 | µg/L | 20 | 0 | 126 | 67 | 138 | 24.9 | 0.959 | 20 | |
| Methyl tert-butyl ether | 21.48 | 2.0 | µg/L | 20 | 0 | 107 | 63 | 139 | 21.64 | 0.742 | 20 | |
| trans-1,2-Dichloroethene | 21.67 | 2.0 | µg/L | 20 | 0 | 108 | 81 | 126 | 21.32 | 1.63 | 20 | |
| 1,1-Dichloroethane | 24.72 | 2.0 | µg/L | 20 | 0 | 124 | 78 | 124 | 23.93 | 3.25 | 20 | |
| 2-Butanone | 16.2 | 10 | µg/L | 20 | 0 | 81 | 41 | 150 | 17.24 | 6.22 | 20 | |
| 2,2-Dichloropropane | 24.28 | 2.0 | µg/L | 20 | 0 | 121 | 71 | 150 | 24.19 | 0.371 | 20 | |
| cis-1,2-Dichloroethene | 23.35 | 2.0 | µg/L | 20 | 0 | 117 | 78 | 121 | 22.84 | 2.21 | 20 | |
| Chloroform | 22.06 | 2.0 | µg/L | 20 | 0 | 110 | 82 | 123 | 21.49 | 2.62 | 20 | |
| Tetrahydrofuran | 17.36 | 10 | µg/L | 20 | 0 | 86.8 | 51 | 146 | 17.92 | 3.17 | 20 | |
| Bromochloromethane | 23.18 | 2.0 | µg/L | 20 | 0 | 116 | 77 | 131 | 23.37 | 0.816 | 20 | |
| 1,1,1-Trichloroethane | 24.82 | 2.0 | µg/L | 20 | 0 | 124 | 81 | 127 | 24.62 | 0.809 | 20 | |
| 1,1-Dichloropropene | 23.77 | 2.0 | µg/L | 20 | 0 | 119 | 76 | 119 | 23.09 | 2.9 | 20 | |
| Carbon tetrachloride | 20.04 | 2.0 | µg/L | 20 | 0 | 100 | 76 | 129 | 19.49 | 2.78 | 20 | |
| 1,2-Dichloroethane | 21.34 | 2.0 | µg/L | 20 | 0 | 107 | 76 | 127 | 21.52 | 0.84 | 20 | |
| Benzene | 20.96 | 1.0 | µg/L | 20 | 0 | 105 | 81 | 118 | 20.42 | 2.61 | 20 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 11-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0909018
 Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

| Compound | 21.24 | 21.97 | 19.47 | 19.23 | 14.57 | 18.51 | 20.62 | 16.02 | 18.78 | 17.92 | 15.09 | 21.55 | 22.88 | 16.06 | 20.73 | 21.63 | 21.55 | 40.86 | 20.82 | 21.45 | 13.28 | 22.49 | 20.49 | 22.86 | 21.73 | 21.49 | 22.19 | 23.67 | 21.43 | 20.75 | 21.21 | | | | | |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|-----|-----|-----|
| Trichloroethene | 2.0 | 2.0 | 2.0 | 2.0 | 10 | 1.0 | 2.0 | 1.0 | 2.0 | 2.0 | 10 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | | | | |
| 1,2-Dichloropropane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | | | |
| Bromodichloromethane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | | |
| Dibromomethane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | | |
| 4-Methyl-2-pentanone | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | | |
| cis-1,3-Dichloropropene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | | |
| Toluene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | | |
| trans-1,3-Dichloropropene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | |
| 1,1,2-Trichloroethane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | |
| 1,2-Dibromoethane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | |
| 2-Hexanone | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | |
| 1,3-Dichloropropane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | |
| Tetrachloroethene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | | |
| Dibromochloromethane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | |
| Chlorobenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | |
| 1,1,1,2-Tetrachloroethane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | |
| Ethylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | |
| m,p-Xylene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | |
| o-Xylene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | |
| Styrene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | |
| Bromoform | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | |
| Isopropylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,1,2,2-Tetrachloroethane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,2,3-Trichloropropane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| Bromobenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| n-Propylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 2-Chlorotoluene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 4-Chlorotoluene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,3,5-Trimethylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| tert-Butylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,2,4-Trimethylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 11-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0909018
 Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

| Compound | 21.65 | 19.96 | 21.49 | 21.49 | 20.97 | 20.75 | 14.09 | 19.7 | 22.69 | 17.4 | 16.74 | 24.72 | 25.9 | 23.84 | 23.16 |
|-----------------------------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|--------|-------|------|-------|-------|
| sec-Butylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 5.0 | 2.0 | 2.0 | 5.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 4-Isopropyltoluene | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 25 | 25 | 25 | 25 |
| 1,3-Dichlorobenzene | 82 | 80 | 84 | 79 | 76 | 81 | 47 | 73 | 77 | 58 | 76 | 85 | 79 | 90 | 76 |
| 1,4-Dichlorobenzene | 123 | 126 | 115 | 117 | 128 | 117 | 136 | 126 | 134 | 138 | 124 | 119 | 131 | 110 | 117 |
| n-Butylbenzene | 21.17 | 19.59 | 21.1 | 21.15 | 20.96 | 20.71 | 14.89 | 19.01 | 22.16 | 17.34 | 16.73 | 0 | 0 | 0 | 0 |
| 1,2-Dichlorobenzene | 2.24 | 1.87 | 1.83 | 1.59 | 0.0477 | 0.193 | 5.52 | 3.56 | 2.36 | 0.345 | 0.0598 | 0 | 0 | 0 | 0 |
| 1,2-Dibromo-3-chloropropane | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2,4-Trichlorobenzene | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hexachlorobutadiene | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Naphthalene | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2,3-Trichlorobenzene | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: Dibromofluoromethane | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: Toluene-d8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: 4-Bromofluorobenzene | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

| | | | |
|-------------------|---|--------------------------|----------------------|
| CLIENT: | Shaw Environmental & Infrastructure, Inc. | Client Sample ID: | CW-6 |
| Lab Order: | 0909018 | Tag Number: | |
| Project: | 130274 Textrom Gorham | Collection Date: | 9/4/2009 12:50:00 PM |
| Lab ID: | 0909018-02B | Matrix: | GROUNDWATER |

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|---------------------------------------|--------|----------------|------|-------------|----|----------------------|
| TPH BY GC/FID (MODIFIED 8015B) | | SW8015B | | Analyst: KA | | |
| Gasoline | ND | 0.050 | | mg/L | 1 | 9/10/2009 6:43:00 PM |
| Mineral Spirits | ND | 0.050 | | mg/L | 1 | 9/10/2009 6:43:00 PM |
| Kerosene | ND | 0.050 | | mg/L | 1 | 9/10/2009 6:43:00 PM |
| Diesel Fuel/Fuel Oil #2 | ND | 0.050 | | mg/L | 1 | 9/10/2009 6:43:00 PM |
| Motor Oil/Hydraulic Oil | ND | 0.10 | | mg/L | 1 | 9/10/2009 6:43:00 PM |
| Unidentified Hydrocarbons | 8.8 | 0.10 | | mg/L | 1 | 9/10/2009 6:43:00 PM |
| Surr: o-Terphenyl | 75.0 | 31-131 | | %REC | 1 | 9/10/2009 6:43:00 PM |

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

Qualifiers:

| | |
|---|---|
| ND - Not Detected at the Reporting Limit | S - Spike Recovery outside accepted recovery limits |
| J - Analyte detected below quantitation limits | R - RPD outside accepted recovery limits |
| B - Analyte detected in the associated Method Blank | E - Value above quantitation range |
| H - Method prescribed holding time exceeded. | # - See Case Narrative |
| RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate. | |

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

| | | | |
|-------------------|---|--------------------------|---------------------|
| CLIENT: | Shaw Environmental & Infrastructure, Inc. | Client Sample ID: | CW-6 Dup |
| Lab Order: | 0909018 | Tag Number: | |
| Project: | 130274 Textrom Gorham | Collection Date: | 9/4/2009 1:00:00 PM |
| Lab ID: | 0909018-05A | Matrix: | GROUNDWATER |

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|---------------------------------------|--------|----------------|------|-------------|----|----------------------|
| TPH BY GC/FID (MODIFIED 8015B) | | SW8015B | | Analyst: KA | | |
| Gasoline | ND | 0.050 | | mg/L | 1 | 9/10/2009 7:20:00 PM |
| Mineral Spirits | ND | 0.050 | | mg/L | 1 | 9/10/2009 7:20:00 PM |
| Kerosene | ND | 0.050 | | mg/L | 1 | 9/10/2009 7:20:00 PM |
| Diesel Fuel/Fuel Oil #2 | ND | 0.050 | | mg/L | 1 | 9/10/2009 7:20:00 PM |
| Motor Oil/Hydraulic Oil | ND | 0.10 | | mg/L | 1 | 9/10/2009 7:20:00 PM |
| Unidentified Hydrocarbons | 8.6 | 0.10 | | mg/L | 1 | 9/10/2009 7:20:00 PM |
| Surr: o-Terphenyl | 79.7 | 31-131 | | %REC | 1 | 9/10/2009 7:20:00 PM |

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

Qualifiers:

| | |
|---|---|
| ND - Not Detected at the Reporting Limit | S - Spike Recovery outside accepted recovery limits |
| J - Analyte detected below quantitation limits | R - RPD outside accepted recovery limits |
| B - Analyte detected in the associated Method Blank | E - Value above quantitation range |
| H - Method prescribed holding time exceeded. | # - See Case Narrative |
| RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate. | |

AMRO Environmental Laboratories Corp.

Date: 16-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0909018
Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: MB-19594 Batch ID: 19594 Test Code: SW8015B Units: mg/L Analysis Date: 9/10/2009 4:50:00 PM Prep Date: 9/10/2009
 Client ID: Run ID: GC-FING1_090910A SeqNo: 716008

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Que |
|---------------------------|------------------|-------|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Gasoline | ND | 0.050 | mg/L | | | | | | | | | |
| Mineral Spirits | ND | 0.050 | mg/L | | | | | | | | | |
| Kerosene | ND | 0.050 | mg/L | | | | | | | | | |
| Diesel Fuel/Fuel Oil #2 | ND | 0.050 | mg/L | | | | | | | | | |
| Motor Oil/Hydraulic Oil | ND | 0.10 | mg/L | | | | | | | | | |
| Unidentified Hydrocarbons | ND | 0.10 | mg/L | | | | | | | | | |
| Surr: o-Terphenyl | 0.08726 | 0 | mg/L | 0.1 | 0 | 87.3 | 31 | 131 | 0 | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 16-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0909018
Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: LCS-19594 Batch ID: 19594 Test Code: SW8015B Units: mg/L Analysis Date: 9/10/2009 5:27:00 PM Prep Date: 9/10/2009
 Client ID: Run ID: GC-FING1_090910A SeqNo: 716009

| Analyte | QC Sample | | QC Spike | | Original Sample | | Original Sample | | %RPD | RPDLimit | Qua |
|-------------------------|-----------|-------|----------|--------|-----------------|------|-----------------|-----------|------|----------|-----|
| | Result | RL | Units | Amount | Result | %REC | LowLimit | HighLimit | | | |
| Diesel Fuel/Fuel Oil #2 | 1.714 | 0.050 | mg/L | 2 | 0 | 85.7 | 42 | 119 | | | 0 |
| Surr: o-Terphenyl | 0.07942 | 0 | mg/L | 0.1 | 0 | 79.4 | 31 | 131 | | | 0 |

Sample ID: LCSD-19594 Batch ID: 19594 Test Code: SW8015B Units: mg/L Analysis Date: 9/10/2009 6:05:00 PM Prep Date: 9/10/2009
 Client ID: Run ID: GC-FING1_090910A SeqNo: 716010

| Analyte | QC Sample | | QC Spike | | Original Sample | | Original Sample | | %RPD | RPDLimit | Qua |
|-------------------------|-----------|-------|----------|--------|-----------------|------|-----------------|-----------|------|----------|-----|
| | Result | RL | Units | Amount | Result | %REC | LowLimit | HighLimit | | | |
| Diesel Fuel/Fuel Oil #2 | 1.773 | 0.050 | mg/L | 2 | 0 | 88.7 | 42 | 119 | | | 40 |
| Surr: o-Terphenyl | 0.0817 | 0 | mg/L | 0.1 | 0 | 81.7 | 31 | 131 | | | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 14-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textrom Gorham

Lab Order: 0909018

Lab ID: 0909018-01

Collection Date: 9/4/2009 10:04:00 AM

Collection Time:

Client Sample ID: GZA-3

Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|----------|--------|----|------|-------|----|---------------|
|----------|--------|----|------|-------|----|---------------|

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

| | | | | | | |
|------|----|------|--|------|---|---------------------|
| Lead | ND | 12.0 | | µg/L | 1 | 9/9/2009 7:48:21 PM |
|------|----|------|--|------|---|---------------------|

Lab ID: 0909018-04

Collection Date: 9/4/2009 10:14:00 AM

Collection Time:

Client Sample ID: GZA-3 Dup

Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|----------|--------|----|------|-------|----|---------------|
|----------|--------|----|------|-------|----|---------------|

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

| | | | | | | |
|------|----|------|--|------|---|---------------------|
| Lead | ND | 12.0 | | µg/L | 1 | 9/9/2009 7:54:01 PM |
|------|----|------|--|------|---|---------------------|

AMRO Environmental Laboratories Corp.

Date: 16-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0909018
 Project: 130274 Textrom Gorham

QC SUMMARY REPORT
 Method Blank

Sample ID: MB-19589 Batch ID: 19589 Test Code: SW6010B Units: µg/L Analysis Date: 9/9/2009 6:26:30 PM Prep Date: 9/9/2009
 Client ID: Run ID: ICP-OPTIMA_090909B SeqNo: 715751

| Analyte | QC Sample Result | RL | Units | Amount | QC Spike Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Que |
|---------|------------------|----|-------|--------|---------------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Lead | ND | 12 | µg/L | | | | | | | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 16-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0909018

Project: 130274 Textrom Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: LCS-19589 Batch ID: 19589 Test Code: SW6010B Units: µg/L Analysis Date: 9/9/2009 6:30:40 PM Prep Date: 9/9/2009
 Client ID: Run ID: ICP-OPTIMA_090909B SeqNo: 715752

| Analyte | QC Sample Result | RL | Units | Amount | QC Spike Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qualifier |
|---------|------------------|----|-------|--------|---------------------------------|------|----------|-----------|------------------------------|------|----------|-----------|
| Lead | 2030 | 12 | µg/L | 1998 | 0 | 102 | 80 | 120 | 0 | | | |

Sample ID: LCSD-19589 Batch ID: 19589 Test Code: SW6010B Units: µg/L Analysis Date: 9/9/2009 6:36:19 PM Prep Date: 9/9/2009
 Client ID: Run ID: ICP-OPTIMA_090909B SeqNo: 715753

| Analyte | QC Sample Result | RL | Units | Amount | QC Spike Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qualifier |
|---------|------------------|----|-------|--------|---------------------------------|------|----------|-----------|------------------------------|-------|----------|-----------|
| Lead | 2015 | 12 | µg/L | 1998 | 0 | 101 | 80 | 120 | 2030 | 0.757 | 20 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

October 05, 2009

ANALYTICAL TEST RESULTS

Ed VanDoren
Shaw Environmental & Infrastructure, Inc.
11 Northeastern Boulevard
Salem, NH 030791953
TEL: (603) 870-4530
FAX: (603) 870-4501

Subject: 130274 Textron Gorham

Workorder No.: 0909055

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 1 sample on 9/22/2009 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 12 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0909055
Date Received: 9/22/2009

Work Order Sample Summary

| Lab Sample ID | Client Sample ID | Collection Date | Collection Time |
|----------------------|-------------------------|------------------------|------------------------|
| 0909055-01A | MW-109D | 9/18/2009 | 7:00 AM |

AMRO Environmental Laboratories Corp.

02-Oct-09

Lab Order: 0909055
Client: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham

DATES REPORT

| Sample ID | Client Sample ID | Collection Date | Matrix | Analytical Test Name | Preparatory Test Name | Prep Date | Batch ID | Analysis Date | TCLP Date |
|-------------|------------------|----------------------|-------------|---------------------------------|--|-----------|----------|---------------|-----------|
| 0909055-01A | MW-109D | 9/18/2009 7:00:00 AM | Groundwater | EPA 6010B ICP METALS, DISSOLVED | EPA 3010 AQPREP TOTAL METALS: ICP/GFAA | 9/30/2009 | 19646 | 9/30/2009 | |

AMRO Environmental Laboratories Corporation
 111 Herrick Street
 Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

58972

Office: (603) 424-2022
 Fax: (603) 429-8496
 web: www.amrolabs.com

| | | | | | | |
|--|---|-------------------------|---------------------------------|-----------------------|------------------------------|---------|
| Project No.: 130274 | Project Name: Textron Gorham | Project State: RI | Project Manager: Ed VanDoren | Samplers (Signature): | AMRO Project No.: 0909055 | |
| P.O.#: 157431 | Results Needed by: Standard TAT Seal Intact? Yes No N/A | Total # of Cont. & Size | REQUESTED ANALYSES | | | Remarks |
| QUOTE #: | Date/Time Sampled | Matrix | Comp. | Grab | | |
| Sample ID: | | | | | | |
| AM-1099 | 9-18-09 | GW | 2/10ml | | | |
| MW-109D | 9-18-09 | GW | 1/50ml | | | |
| 4 | | | | | | |
| Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other | | | | | | |
| Send Results To: Ed VanDoren Shaw Environmental, Inc. 11 Northeastern Blvd. Salem, NH 03079-1953 | | | | | | |
| PHONE #: 603-870-4530 FAX #: 603-870-4501 E-mail: Edward.VanDoren@Shawgrp.com | | | | | | |
| Relinquished By: <i>[Signature]</i> Date/Time: 9/17/09 1600 Received By: <i>[Signature]</i> | | | | | | |
| MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/> | | | | | | |
| MCP Methods Needed: YES <input type="checkbox"/> NO <input type="checkbox"/> | | | | | | |
| AMRO report package level needed: YES <input type="checkbox"/> NO <input type="checkbox"/> | | | | | | |
| EDD required: YES <input type="checkbox"/> NO <input type="checkbox"/> | | | | | | |
| GISKey Format: YES <input type="checkbox"/> NO <input type="checkbox"/> | | | | | | |
| Required Reporting Limits: S-1 <input type="checkbox"/> GW-1 <input type="checkbox"/> | | | | | | |
| S-2 <input type="checkbox"/> GW-2 <input type="checkbox"/> | | | | | | |
| S-3 <input type="checkbox"/> GW-3 <input type="checkbox"/> | | | | | | |
| Other: <input type="checkbox"/> | | | | | | |
| AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites. | | | | | | |
| KNOWNSITE CONTAMINATION: | | | | | | |
| White: Lab Copy | | | | Yellow: Client Copy | | |
| SHEET | | | | OF | | |
| AMROCOC2004, Rev.3 08/18/04 | | | | | | |

Nancy Stewart

From: VanDoren, Edward [Edward.VanDoren@shawgrp.com]
Sent: Wednesday, September 23, 2009 9:57 AM
To: Login Account for multiple users; info
Subject: FW: Textron Metals Sample (AMRO 0909055)

Connie-

Go ahead and adjust the pH and if it does not change after 24 hours it is OK to run the sample (this according to your QA manager).

Otherwise let me know if there is still an issue.

Thanks
Ed

Edward Van Doren
Client Program Manager
Shaw Environmental & Infrastructure Group
11 Northeastern Boulevard
Salem, NH 03079
603.870.4530 direct
603.870.4501 fax
978.697.9991 cell

Shaw™ a world of Solutions™
www.shawgrp.com

From: Sasso, Vallerie
Sent: Wednesday, September 23, 2009 9:34 AM
To: VanDoren, Edward
Subject: FW: Textron Metals Sample (AMRO 0909055)

Ed:

From: Login Account for multiple users [mailto:login@amrolabs.com]
Sent: Tuesday, September 22, 2009 4:55 PM
To: Sasso, Vallerie
Subject: Textron Metals Sample (AMRO 0909055)

Hello Vallerie -

The pH of the sample that we picked up today was 4. We can adjust it to <2 and run the sample, but will need to flag the data since it is more than 24 hours old.

Is it OK for us to do this?

Thank you.

Connie in Receiving

****Internet Email Confidentiality Footer**** Privileged/Confidential Information may be contained in this message. If you are not the addressee indicated in this message (or responsible for delivery of the message to such person), you may not copy or deliver this message to anyone. In such case, you should destroy this message and notify the sender by reply email. Please advise immediately if you or your employer do not consent to Internet email for messages of this kind. Opinions, conclusions and other information in this message that do not relate to the official business of The Shaw Group Inc. or its subsidiaries shall be understood as neither given nor endorsed by it.

9/23/2009

SAMPLE RECEIPT CHECKLIST

Client: SHAW ENVIRONMENTAL AMRO ID: 0909035
 Project Name: TEXTRON GORHAM Date Rec.: 9-22-09
 Ship via: (circle one) Fed Ex., UPS AMRO Courier Date Due: 9-29-09
 Hand Del., Other Courier, Other: _____

| Items to be Checked Upon Receipt | Yes | No | NA | Comments |
|---|-----|----|----|-----------------|
| 1. Army Samples received in individual plastic bags? | | | ✓ | |
| 2. Custody Seals present? | | | ✓ | |
| 3. Custody Seals Intact? | | | ✓ | |
| 4. Air Bill included in folder if received? | | | ✓ | |
| 5. Is COC included with samples? | ✓ | | | |
| 6. Is COC signed and dated by client? | ✓ | | | |
| 7. Laboratory receipt temperature. TEMP = 5.2° Samples rec. with ice <input checked="" type="checkbox"/> ice packs <input type="checkbox"/> neither <input type="checkbox"/> | | | | |
| 8. Were samples received the same day they were sampled? Is client temperature = or <6°C? If no obtain authorization from the client for the analyses. Client authorization from: _____ Date: _____ Obtained by: _____ | ✓ | ✓ | | |
| 9. Is the COC filled out correctly and completely? | ✓ | | | |
| 10. Does the info on the COC match the samples? | ✓ | | | |
| 11. Were samples rec. within holding time? | ✓ | | | |
| 12. Were all samples properly labeled? | ✓ | | | |
| 13. Were all samples properly preserved? | ✓ | | | ADJUSTED @ AMRO |
| 14. Were proper sample containers used? | ✓ | | | |
| 15. Were all samples received intact? (none broken or leaking) | ✓ | | | |
| 16. Were VOA vials rec. with no air bubbles? | | | ✓ | |
| 17. Were the sample volumes sufficient for requested analysis? | ✓ | | | |
| 18. Were all samples received? | ✓ | | | |
| 19. VPH and VOA Soils only: Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container) Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk If M or SB: Does preservative cover the soil? If NO then client must be faxed. Does preservation level come close to the fill line on the vial? If NO then client must be faxed. Were vials provided by AMRO? If NO then weights MUST be obtained from client Was dry weight aliquot provided? If NO then fax client and inform the VOA lab ASAP. | | | ✓ | |
| 20. Subcontracted Samples: What samples sent: Where sent: Date: Analysis: TAT: | | | ✓ | |
| 21. Information entered into: Internal Tracking Log? Dry Weight Log? Client Log? Composite Log? Filtration Log? | ✓ | | ✓ | |
| Received By: <u>CC</u> Date: <u>9-22-09</u> Logged in By: <u>CC</u> Date: <u>9-23-09</u> Labeled By: <u>CC</u> Date: <u>9-23-09</u> Checked By: <u>M6</u> Date: <u>9-24-09</u> | | | | |

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0909055

CASE NARRATIVE

METALS:

1. No QC deviations were observed.

DATA COMMENT PAGE

Organic Data Qualifiers

| | |
|----|--|
| ND | Indicates compound was analyzed for, but not detected at or above the reporting limit. |
| J | Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit. |
| H | Method prescribed holding time exceeded. |
| E | This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis. |
| B | This flag is used when the analyte is found in the associated blank as well as in the sample. |
| R | RPD outside accepted recovery limits |
| RL | Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate. |
| S | Spike Recovery outside accepted recovery limits. |
| # | See Case Narrative |

Micro Data Qualifiers

| | |
|------|-----------------------|
| TNTC | Too numerous to count |
|------|-----------------------|

Inorganic Data Qualifiers

| | |
|---------|---|
| ND or U | Indicates element was analyzed for, but not detected at or above the reporting limit. |
| J | Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit. |
| H | Indicates analytical holding time exceedance. |
| B | Indicates that the analyte is found in the associated blank, as well as in the sample. |
| MSA | Indicates value determined by the Method of Standard Addition |
| E | This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis. |
| R | RPD outside accepted recovery limits |
| RL | Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate. |
| S | Spike Recovery outside accepted recovery limits. |
| W | Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance. |
| * | Duplicate analysis not within control limits. |
| + | Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995 |
| # | See Case Narrative |

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: 02-Oct-09

| | | | |
|-------------------|---|--------------------------|----------------------|
| CLIENT: | Shaw Environmental & Infrastructure, Inc. | Client Sample ID: | MW-109D |
| Lab Order: | 0909055 | Collection Date: | 9/18/2009 7:00:00 AM |
| Project: | 130274 Textron Gorham | Matrix: | GROUNDWATER |
| Lab ID: | 0909055-01A | | |

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|------------------------------------|---------------|----------------|-------------|--------------|-----------|-----------------------|
| ICP METALS DISSOLVED SW-846 | | SW6010B | | | | Analyst: AL |
| Lead | ND | 12.0 | | µg/L | 1 | 9/30/2009 11:10:06 PM |

Date: 05-Oct-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0909055
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-19646 **Batch ID:** 19646 **Test Code:** SW6010B **Units:** µg/L **Analysis Date:** 9/30/2009 10:26:22 PM **Prep Date:** 9/30/2009
Client ID: **Run ID:** ICP-OPTIMA_090930A **SeqNo:** 717549

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Que |
|---------|------------------|----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Lead | ND | 12 | µg/L | | | | | | | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 05-Oct-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0909055
Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Laboratory Control Spike

Sample ID: lcs-19646 Batch ID: 19646 Test Code: SW6010B Units: µg/L Analysis Date: 9/30/2009 10:30:39 PM Prep Date: 9/30/2009
 Client ID: Run ID: ICP-OPTIMA_090930A SeqNo: 717550

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Que |
|---------|------------------|----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Lead | 2110 | 12 | µg/L | 1998 | 0 | 106 | 80 | 120 | 0 | | | |

Sample ID: lcsd-19646 Batch ID: 19646 Test Code: SW6010B Units: µg/L Analysis Date: 9/30/2009 10:36:26 PM Prep Date: 9/30/2009
 Client ID: Run ID: ICP-OPTIMA_090930A SeqNo: 717551

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Que |
|---------|------------------|----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|--------|----------|-----|
| Lead | 2109 | 12 | µg/L | 1998 | 0 | 106 | 80 | 120 | 2110 | 0.0488 | 20 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method:Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



**111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com**

September 14, 2009

ANALYTICAL TEST RESULTS

Ed VanDoren
Shaw Environmental & Infrastructure, Inc.
11 Northeastern Boulevard
Salem, NH 030791953
TEL: (603) 870-4530
FAX: (603) 870-4501

Subject: 130274 Textron Gorham

Workorder No.: 0908081

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 20 samples on 8/31/2009 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 96 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

CLIENT: Shaw Environmental & Infrastructure, Inc.**Project:** 130274 Textron Gorham**Lab Order:** 0908081**Date Received:** 8/31/2009**Work Order Sample Summary**

| Lab Sample ID | Client Sample ID | Collection Date | Collection Time |
|----------------------|-------------------------|------------------------|------------------------|
| 0908081-01A | MW-218S | 8/27/2009 | 2:00 PM |
| 0908081-02A | MW-218D | 8/27/2009 | 2:15 PM |
| 0908081-03A | MW-101S | 8/27/2009 | 2:30 PM |
| 0908081-04A | MW-101D | 8/27/2009 | 2:45 PM |
| 0908081-05A | MW-101S DUP | 8/27/2009 | 2:38 PM |
| 0908081-06A | MW-202S | 8/27/2009 | 3:00 PM |
| 0908081-07A | MW-202D | 8/27/2009 | 3:10 PM |
| 0908081-08A | MW-207S | 8/27/2009 | 3:25 PM |
| 0908081-09A | MW-207D | 8/27/2009 | 3:35 PM |
| 0908081-10A | MW-201D | 8/28/2009 | 2:20 PM |
| 0908081-11A | MW-216S | 8/28/2009 | 2:35 PM |
| 0908081-12A | MW-216D | 8/28/2009 | 2:45 PM |
| 0908081-13A | MW-217S | 8/28/2009 | 3:00 PM |
| 0908081-14A | MW-217D | 8/28/2009 | 3:10 PM |
| 0908081-15A | CW-2 | 8/28/2009 | 3:30 PM |
| 0908081-16A | CW-1 | 8/28/2009 | 3:40 PM |
| 0908081-17A | MW-116S | 8/28/2009 | 4:00 PM |
| 0908081-18A | MW-116D | 8/28/2009 | 4:10 PM |
| 0908081-19A | MW-209D | 8/28/2009 | 2:00 PM |
| 0908081-20A | MW-112 | 8/27/2009 | 2:10 PM |

AMRO Environmental Laboratories Corp.

10-Sep-09

DATES REPORT

Lab Order: 0908081
 Client: Shaw Environmental & Infrastructure, Inc.
 Project: 130274 Textron Gorham

| Sample ID | Client Sample ID | Collection Date | Matrix | Analytical Test Name | Preparatory Test Name | Prep Date | Analysis Date | Batch ID | TCLP Date |
|-------------|------------------|----------------------|-------------|------------------------------|-----------------------|-----------|---------------|----------|-----------|
| 0908081-01A | MW-218S | 8/27/2009 2:00:00 PM | Groundwater | EPA 8260B VOLATILES by GC/MS | EPA 5030B | 8/27/2009 | 9/3/2009 | R43094 | |
| 0908081-02A | MW-218D | 8/27/2009 2:15:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/4/2009 | R43097 | |
| 0908081-03A | MW-101S | 8/27/2009 2:30:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/8/2009 | R43113 | |
| 0908081-04A | MW-101D | 8/27/2009 2:45:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/4/2009 | R43097 | |
| | | | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/8/2009 | R43113 | |
| 0908081-05A | MW-101S DUP | 8/27/2009 2:38:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/8/2009 | R43113 | |
| 0908081-06A | MW-202S | 8/27/2009 3:00:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/9/2009 | R43118 | |
| 0908081-07A | MW-202D | 8/27/2009 3:10:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/4/2009 | R43097 | |
| | | | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/8/2009 | R43113 | |
| 0908081-08A | MW-207S | 8/27/2009 3:25:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/4/2009 | R43097 | |
| | | | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/8/2009 | R43113 | |
| 0908081-09A | MW-207D | 8/27/2009 3:35:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | 9/8/2009 | R43113 | |

AMRO Environmental Laboratories Corp.

10-Sep-09

DATES REPORT

Lab Order: 0908081

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

| Sample ID | Client Sample ID | Collection Date | Matrix | Analytical Test Name | Preparatory Test Name | Prep Date | Batch ID | Analysis Date | TCLP Date |
|-------------|------------------|----------------------|-------------|------------------------------|-----------------------|-----------|----------|---------------|-----------|
| 0908081-10A | MW-201D | 8/28/2009 2:20:00 PM | Groundwater | EPA 8260B VOLATILES by GC/MS | EPA 5030B | 8/27/2009 | R43113 | 9/8/2009 | |
| 0908081-11A | MW-216S | 8/28/2009 2:35:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/28/2009 | R43094 | 9/3/2009 | |
| 0908081-12A | MW-216D | 8/28/2009 2:45:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/28/2009 | R43094 | 9/3/2009 | |
| 0908081-13A | MW-217S | 8/28/2009 3:00:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/28/2009 | R43094 | 9/3/2009 | |
| 0908081-14A | MW-217D | 8/28/2009 3:10:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/28/2009 | R43094 | 9/3/2009 | |
| 0908081-15A | CW-2 | 8/28/2009 3:30:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/28/2009 | R43094 | 9/3/2009 | |
| 0908081-16A | CW-1 | 8/28/2009 3:40:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/28/2009 | R43094 | 9/3/2009 | |
| 0908081-17A | MW-116S | 8/28/2009 4:00:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/28/2009 | R43097 | 9/4/2009 | |
| 0908081-18A | MW-116D | 8/28/2009 4:10:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/28/2009 | R43094 | 9/3/2009 | |
| 0908081-19A | MW-209D | 8/28/2009 2:00:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | R43113 | 9/8/2009 | |
| 0908081-20A | MW-112 | 8/27/2009 2:10:00 PM | | EPA 8260B VOLATILES by GC/MS | | 8/27/2009 | R43097 | 9/4/2009 | |

AMRO Environmental Laboratories Corp.

10-Sep-09

DATES REPORT

Lab Order: 0908081

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

| Sample ID | Client Sample ID | Collection Date | Matrix | Analytical Test Name | Preparatory Test Name | Prep Date | Analysis Date | Batch ID | TCLP Date |
|-------------|------------------|----------------------|-------------|------------------------------|-----------------------|-----------|---------------|----------|-----------|
| 0908081-20A | MW-112 | 8/27/2009 2:10:00 PM | Groundwater | EPA 8260B VOLATILES by GC/MS | EPA 5030B | 8/27/2009 | 9/8/2009 | R43113 | |

AMRO Environmental Laboratories Corporation
 111 Herrick Street
 Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

57006

Office: (603) 424-2022
 Fax: (603) 429-8496
 web: www.amrolabs.com

| | | | | | |
|---|------------------------------|-------------------------|------------------------------|-----------------------|---------------------------|
| Project No.: 130274 | Project Name: Textron Gorham | Project State: RI | Project Manager: Ed VanDoren | Samplers (Signature): | AMRO Project No.: 0908081 |
| P.O.#: 157431 | Results Needed by: | RI | REQUESTED ANALYSES | | |
| QUOTE #: | Standard TAT | Comp. | Remarks | | |
| | Seal Intact? Yes No N/A | Grab | | | |
| Sample ID.: | Date/Time Sampled | Total # of Cont. & Size | Dissolved Lead | | |
| MW-2183 | 8/27/9 1400 | 2 | EPA 8260B (VOC) | | |
| MW-2187D | 1415 | 2 | | | |
| MW1015 | 1430 | 2 | | | |
| MW-101D | 1445 | 2 | | | |
| MW-1015 DUP | 1438 | 2 | | | |
| MW-2025 | 1500 | 2 | | | |
| MW-202D | 1510 | 2 | | | |
| MW-2073 | 1525 | 2 | | | |
| MW-207D | 1535 | 2 | | | |
| MW-201D | 8/28/9 1420 | 2 | | | |
| Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other | | | | | |
| Send Results To: Ed VanDoren | | | | | |
| Shaw Environmental, Inc. | | | | | |
| 11 Northeastern Blvd. | | | | | |
| Salem, NH 03079-1953 | | | | | |
| PHONE #: 603-870-4530 FAX #: 603-870-4501 | | | | | |
| E-mail: Edward.Vandoren@Shawgrp.com | | | | | |
| Retrieved By: <i>Ed VanDoren</i> Date/Time: 8/28/9 1730 | | | | | |
| Received By: <i>Ed VanDoren</i> Date/Time: 8/28/9 1115 | | | | | |
| Date/Time: 8-31-09 12:30 | | | | | |
| Samples arriving after 12:00 noon will be tracked and billed as received on the following day. | | | | | |
| Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved. | | | | | |
| White: Lab Copy Yellow: Client Copy SHEET OF AMROCOC2004, Rev.3 08/18/04 | | | | | |

METALS 8 RCRA 13 PP 23 TAL 14 MCP
 Method: 6010 200.7 Other Metals:

Dissolved Metals Field Filtered? YES NO
 MCP Presumptive Certainty Required? YES NO

MCP Methods Needed: YES NO
 AMRO report package level needed: YES NO

EDD required: YES NO
 GISKey Format: YES NO

Required Reporting Limits: S-1 S-2 S-3
 Other:

KNOWN SITE CONTAMINATION:

| | | | | | |
|---|---------------------------------|---------------------------------|---|--|--------------------------|
| Project No.: 130274 | Project Name: Textron Gorham | Project State: RI | Project Manager: Ed Vandoren | Samplers (Signature): | AMRO Project No. 0908081 |
| P.O.#: 157431 | Results Needed by: Standard TAT | Total # of Cont. & Size | Matrix | REQUESTED ANALYSES | |
| QUOTE #: | Seal Intact? Yes No N/A | Comp. Grab | | Remarks | |
| Sample ID: | Date/Time Sampled | | | | |
| MW-216S | 8/28/09 1435 | 2 | GW | | |
| MW-216D | 1445 | 2 | | | |
| MW-217S | 1500 | 2 | | | |
| MW-217D | 1510 | 2 | | | |
| CW-2 | 1530 | 2 | | | |
| CW-1 | 1540 | 2 | | | |
| MW-163 | 1600 | 2 | | | |
| MW-116D | 1610 | 2 | | | |
| MW-209D | 1400 | 2 | | | |
| MW-112 | 1410 | 2 | | | |
| Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other | | | METALS 8 RCRA <input type="checkbox"/> 13 PP <input type="checkbox"/> 23 TAL <input type="checkbox"/> 14 MCP <input type="checkbox"/> | | |
| Send Results To: ED Vandoren | | | Method: 6010 <input type="checkbox"/> 200.7 <input type="checkbox"/> Other Metals: <input type="checkbox"/> | | |
| Shaw Environmental, Inc. | | | Dissolved Metals Field Filtered? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> | | |
| 11 Northeastern Blvd. | | | MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/> | | |
| Salem, NH 03079-1953 | | | AMRO report package level needed: <input type="checkbox"/> S-1 <input type="checkbox"/> S-2 <input type="checkbox"/> S-3 <input type="checkbox"/> Other: <input type="checkbox"/> | | |
| PHONE #: 603-870-4530 FAX #: 603-870-4501 | | | Required Reporting Limits: GW-1 <input type="checkbox"/> GW-2 <input type="checkbox"/> GW-3 <input type="checkbox"/> | | |
| E-mail: Edward.Vandoren@Shawgrp.com | | | AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites. | | |
| Relinquished By: <i>[Signature]</i> | | Received By: <i>[Signature]</i> | | AMRO report package level needed: EDD required: GISKey Format | |
| Date/Time: 8/28/09 1730 | | Date/Time: 8/28/09 11:15 | | AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites. | |
| Date/Time: 8/31/09 12:30 | | Date/Time: 8/31/09 12:30 | | AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites. | |
| Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved. | | | AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites. | | |
| White: Lab Copy | | Yellow: Client Copy | | AMROCC2004, Rev.3 08/18/04 | |

CLIENT: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Lab Order: 0908081

CASE NARRATIVE

GC/MS VOLATILES:

1. The surrogate Toluene-d8 recovered below the laboratory control limits in sample MW-101S (0908081-03A).

2. A Laboratory Control Sample (LCS) was performed on 09/03/09 (Batch ID: R43094).

2.1 The % Recovery for 2 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

3. A Laboratory Control Sample (LCS) was performed on 09/04/09 (Batch ID: R43097).

3.1 The % Recovery for 2 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

4. A Laboratory Control Sample (LCS) was performed on 09/08/09 (Batch ID: R43113).

4.1 The % Recovery for 1 analyte out of 67 analytes in the LCS was outside the laboratory control limits.

5. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample CW-1 (0908081-16A) (Batch ID: R43097).

5.1 The % Recovery for 3 analytes out of 67 analytes in the MS was outside the laboratory control limits.

5.2 The % Recovery for 1 analyte out of 67 analytes in the MSD was outside the laboratory control limits.

6. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-101S (0908081-03A) (Batch ID: R43113).

6.1 The % Recovery for 1 analyte out of 67 analytes in the MS was outside the laboratory control limits.

DATA COMMENT PAGE

Organic Data Qualifiers

| | |
|----|--|
| ND | Indicates compound was analyzed for, but not detected at or above the reporting limit. |
| J | Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit. |
| H | Method prescribed holding time exceeded. |
| E | This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis. |
| B | This flag is used when the analyte is found in the associated blank as well as in the sample. |
| R | RPD outside accepted recovery limits |
| RL | Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate. |
| S | Spike Recovery outside accepted recovery limits. |
| # | See Case Narrative |

Micro Data Qualifiers

TNTC Too numerous to count

Inorganic Data Qualifiers

| | |
|---------|---|
| ND or U | Indicates element was analyzed for, but not detected at or above the reporting limit. |
| J | Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit. |
| H | Indicates analytical holding time exceedance. |
| B | Indicates that the analyte is found in the associated blank, as well as in the sample. |
| MSA | Indicates value determined by the Method of Standard Addition |
| E | This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis. |
| R | RPD outside accepted recovery limits |
| RL | Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate. |
| S | Spike Recovery outside accepted recovery limits. |
| W | Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance. |
| * | Duplicate analysis not within control limits. |
| + | Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995 |
| # | See Case Narrative |

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-218S
Lab Order: 0908081 **Collection Date:** 8/27/2009 2:00:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0908081-01A

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: AL |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Vinyl chloride | 2.5 | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| cis-1,2-Dichloroethene | 4.7 | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Trichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Tetrachloroethene | 17 | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-01A

Client Sample ID: MW-218S
Collection Date: 8/27/2009 2:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:16:00 PM |
| Surr: Dibromofluoromethane | 96.7 | 85-119 | | %REC | 1 | 9/3/2009 5:16:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 106 | 79-131 | | %REC | 1 | 9/3/2009 5:16:00 PM |
| Surr: Toluene-d8 | 91.2 | 90-110 | | %REC | 1 | 9/3/2009 5:16:00 PM |
| Surr: 4-Bromofluorobenzene | 88.2 | 76-117 | | %REC | 1 | 9/3/2009 5:16:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-02A

Client Sample ID: MW-218D
Collection Date: 8/27/2009 2:15:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 50 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Chloromethane | ND | 50 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Vinyl chloride | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Chloroethane | ND | 50 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Bromomethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Trichlorofluoromethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Diethyl ether | ND | 50 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Acetone | ND | 100 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,1-Dichloroethene | ND | 10 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Carbon disulfide | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Methylene chloride | ND | 50 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Methyl tert-butyl ether | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| trans-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,1-Dichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 2-Butanone | ND | 100 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 2,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| cis-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Chloroform | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Tetrahydrofuran | ND | 100 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Bromochloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,1,1-Trichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,1-Dichloropropene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Carbon tetrachloride | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2-Dichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Benzene | ND | 10 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Trichloroethene | 78 | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Bromodichloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Dibromomethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 4-Methyl-2-pentanone | ND | 100 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| cis-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Toluene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| trans-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,1,2-Trichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2-Dibromoethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 2-Hexanone | ND | 100 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,3-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Tetrachloroethene | 800 | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Dibromochloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-02A

Client Sample ID: MW-218D
Collection Date: 8/27/2009 2:15:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Ethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| m,p-Xylene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| o-Xylene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Styrene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Bromoform | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Isopropylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2,3-Trichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Bromobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| n-Propylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 2-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 4-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,3,5-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| tert-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2,4-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| sec-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 4-Isopropyltoluene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,3-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,4-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| n-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 50 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2,4-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Hexachlorobutadiene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Naphthalene | ND | 50 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| 1,2,3-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 3:27:00 PM |
| Surr: Dibromofluoromethane | 99.4 | 85-119 | | %REC | 10 | 9/4/2009 3:27:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 109 | 79-131 | | %REC | 10 | 9/4/2009 3:27:00 PM |
| Surr: Toluene-d8 | 94.0 | 90-110 | | %REC | 10 | 9/4/2009 3:27:00 PM |
| Surr: 4-Bromofluorobenzene | 90.3 | 76-117 | | %REC | 10 | 9/4/2009 3:27:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-03A

Client Sample ID: MW-101S
Collection Date: 8/27/2009 2:30:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|----------------------|
| EPA 8260B VOLATILES BY GC/MS | | | | | | |
| | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Vinyl chloride | 13 | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| cis-1,2-Dichloroethene | 96 | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Benzene | 2.0 | 1.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Trichloroethene | 4.9 | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Tetrachloroethene | 88 | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-03A

Client Sample ID: MW-101S
Collection Date: 8/27/2009 2:30:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|----------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 12:54:00 PM |
| Surr: Dibromofluoromethane | 97.1 | 85-119 | | %REC | 1 | 9/8/2009 12:54:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 104 | 79-131 | | %REC | 1 | 9/8/2009 12:54:00 PM |
| Surr: Toluene-d8 | 89.8 | 90-110 | S | %REC | 1 | 9/8/2009 12:54:00 PM |
| Surr: 4-Bromofluorobenzene | 87.2 | 76-117 | | %REC | 1 | 9/8/2009 12:54:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-04A

Client Sample ID: MW-101D
Collection Date: 8/27/2009 2:45:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|------|----------------------|
| EPA 8260B VOLATILES BY GC/MS | | | | | | |
| | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 50 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Chloromethane | ND | 50 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Vinyl chloride | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Chloroethane | ND | 50 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Bromomethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Trichlorofluoromethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Diethyl ether | ND | 50 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Acetone | ND | 100 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,1-Dichloroethene | ND | 10 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Carbon disulfide | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Methylene chloride | ND | 50 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Methyl tert-butyl ether | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| trans-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,1-Dichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 2-Butanone | ND | 100 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 2,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| cis-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Chloroform | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Tetrahydrofuran | ND | 100 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Bromochloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,1,1-Trichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,1-Dichloropropene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Carbon tetrachloride | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2-Dichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Benzene | ND | 10 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Trichloroethene | 190 | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Bromodichloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Dibromomethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 4-Methyl-2-pentanone | ND | 100 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| cis-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Toluene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| trans-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,1,2-Trichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2-Dibromoethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 2-Hexanone | ND | 100 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,3-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Tetrachloroethene | 63,000 | 2,000 | | µg/L | 1000 | 9/8/2009 11:00:00 AM |
| Dibromochloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-04A

Client Sample ID: MW-101D
Collection Date: 8/27/2009 2:45:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Ethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| m,p-Xylene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| o-Xylene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Styrene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Bromoform | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Isopropylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2,3-Trichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Bromobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| n-Propylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 2-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 4-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,3,5-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| tert-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2,4-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| sec-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 4-Isopropyltoluene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,3-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,4-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| n-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 50 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2,4-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Hexachlorobutadiene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Naphthalene | ND | 50 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| 1,2,3-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 8:31:00 PM |
| Surr: Dibromofluoromethane | 98.9 | 85-119 | | %REC | 10 | 9/4/2009 8:31:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 111 | 79-131 | | %REC | 10 | 9/4/2009 8:31:00 PM |
| Surr: Toluene-d8 | 93.2 | 90-110 | | %REC | 10 | 9/4/2009 8:31:00 PM |
| Surr: 4-Bromofluorobenzene | 88.0 | 76-117 | | %REC | 10 | 9/4/2009 8:31:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-05A

Client Sample ID: MW-101S DUP
Collection Date: 8/27/2009 2:38:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Vinyl chloride | 15 | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| cis-1,2-Dichloroethene | 100 | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Benzene | 2.1 | 1.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Trichloroethene | 5.0 | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Tetrachloroethene | 85 | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-05A

Client Sample ID: MW-101S DUP
Collection Date: 8/27/2009 2:38:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/8/2009 1:29:00 PM |
| Surr: Dibromofluoromethane | 99.3 | 85-119 | | %REC | 1 | 9/8/2009 1:29:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 105 | 79-131 | | %REC | 1 | 9/8/2009 1:29:00 PM |
| Surr: Toluene-d8 | 92.1 | 90-110 | | %REC | 1 | 9/8/2009 1:29:00 PM |
| Surr: 4-Bromofluorobenzene | 87.5 | 76-117 | | %REC | 1 | 9/8/2009 1:29:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-06A

Client Sample ID: MW-202S
Collection Date: 8/27/2009 3:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 50 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Chloromethane | ND | 50 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Vinyl chloride | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Chloroethane | ND | 50 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Bromomethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Trichlorofluoromethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Diethyl ether | ND | 50 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Acetone | ND | 100 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,1-Dichloroethene | ND | 10 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Carbon disulfide | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Methylene chloride | ND | 50 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Methyl tert-butyl ether | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| trans-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,1-Dichloroethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 2-Butanone | ND | 100 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 2,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| cis-1,2-Dichloroethene | 150 | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Chloroform | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Tetrahydrofuran | ND | 100 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Bromochloromethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,1,1-Trichloroethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,1-Dichloropropene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Carbon tetrachloride | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2-Dichloroethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Benzene | ND | 10 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Trichloroethene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Bromodichloromethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Dibromomethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 4-Methyl-2-pentanone | ND | 100 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| cis-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Toluene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| trans-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,1,2-Trichloroethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2-Dibromoethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 2-Hexanone | ND | 100 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,3-Dichloropropane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Tetrachloroethene | 2,600 | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Dibromochloromethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-06A

Client Sample ID: MW-202S
Collection Date: 8/27/2009 3:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Ethylbenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| m,p-Xylene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| o-Xylene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Styrene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Bromoform | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Isopropylbenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2,3-Trichloropropane | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Bromobenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| n-Propylbenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 2-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 4-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,3,5-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| tert-Butylbenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2,4-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| sec-Butylbenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 4-Isopropyltoluene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,3-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,4-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| n-Butylbenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 50 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2,4-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Hexachlorobutadiene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Naphthalene | ND | 50 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| 1,2,3-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/9/2009 1:14:00 PM |
| Surr: Dibromofluoromethane | 99.5 | 85-119 | | %REC | 10 | 9/9/2009 1:14:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 108 | 79-131 | | %REC | 10 | 9/9/2009 1:14:00 PM |
| Surr: Toluene-d8 | 92.8 | 90-110 | | %REC | 10 | 9/9/2009 1:14:00 PM |
| Surr: 4-Bromofluorobenzene | 85.7 | 76-117 | | %REC | 10 | 9/9/2009 1:14:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-07A

Client Sample ID: MW-202D
Collection Date: 8/27/2009 3:10:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|-----|----------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 50 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Chloromethane | ND | 50 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Vinyl chloride | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Chloroethane | ND | 50 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Bromomethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Trichlorofluoromethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Diethyl ether | ND | 50 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Acetone | ND | 100 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,1-Dichloroethene | ND | 10 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Carbon disulfide | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Methylene chloride | ND | 50 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Methyl tert-butyl ether | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| trans-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,1-Dichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 2-Butanone | ND | 100 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 2,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| cis-1,2-Dichloroethene | 120 | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Chloroform | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Tetrahydrofuran | ND | 100 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Bromochloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,1,1-Trichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,1-Dichloropropene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Carbon tetrachloride | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2-Dichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Benzene | ND | 10 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Trichloroethene | 32 | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Bromodichloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Dibromomethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 4-Methyl-2-pentanone | ND | 100 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| cis-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Toluene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| trans-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,1,2-Trichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2-Dibromoethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 2-Hexanone | ND | 100 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,3-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Tetrachloroethene | 19,000 | 400 | | µg/L | 200 | 9/8/2009 11:36:00 AM |
| Dibromochloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-07A

Client Sample ID: MW-202D
Collection Date: 8/27/2009 3:10:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Ethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| m,p-Xylene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| o-Xylene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Styrene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Bromoform | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Isopropylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,1,1,2,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2,3-Trichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Bromobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| n-Propylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 2-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 4-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,3,5-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| tert-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2,4-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| sec-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 4-Isopropyltoluene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,3-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,4-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| n-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 50 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2,4-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Hexachlorobutadiene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Naphthalene | ND | 50 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| 1,2,3-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 9:55:00 PM |
| Surr: Dibromofluoromethane | 100 | 85-119 | | %REC | 10 | 9/4/2009 9:55:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 113 | 79-131 | | %REC | 10 | 9/4/2009 9:55:00 PM |
| Surr: Toluene-d8 | 93.2 | 90-110 | | %REC | 10 | 9/4/2009 9:55:00 PM |
| Surr: 4-Bromofluorobenzene | 87.5 | 76-117 | | %REC | 10 | 9/4/2009 9:55:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-08A

Client Sample ID: MW-207S
Collection Date: 8/27/2009 3:25:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|-----|----------------------|
| EPA 8260B VOLATILES BY GC/MS | | | | | | |
| | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 50 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Chloromethane | ND | 50 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Vinyl chloride | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Chloroethane | ND | 50 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Bromomethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Trichlorofluoromethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Diethyl ether | ND | 50 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Acetone | ND | 100 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,1-Dichloroethene | ND | 10 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Carbon disulfide | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Methylene chloride | ND | 50 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Methyl tert-butyl ether | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| trans-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,1-Dichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 2-Butanone | ND | 100 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 2,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| cis-1,2-Dichloroethene | 34 | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Chloroform | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Tetrahydrofuran | ND | 100 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Bromochloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,1,1-Trichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,1-Dichloropropene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Carbon tetrachloride | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2-Dichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Benzene | ND | 10 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Trichloroethene | 65 | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Bromodichloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Dibromomethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 4-Methyl-2-pentanone | ND | 100 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| cis-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Toluene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| trans-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,1,2-Trichloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2-Dibromoethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 2-Hexanone | ND | 100 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,3-Dichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Tetrachloroethene | 9,600 | 200 | | µg/L | 100 | 9/8/2009 12:11:00 PM |
| Dibromochloromethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-08A

Client Sample ID: MW-207S
Collection Date: 8/27/2009 3:25:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|----------------------|
| Chlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Ethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| m,p-Xylene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| o-Xylene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Styrene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Bromoform | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Isopropylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2,3-Trichloropropane | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Bromobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| n-Propylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 2-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 4-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,3,5-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| tert-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2,4-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| sec-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 4-Isopropyltoluene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,3-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,4-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| n-Butylbenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 50 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2,4-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Hexachlorobutadiene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Naphthalene | ND | 50 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| 1,2,3-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/4/2009 10:40:00 PM |
| Surr: Dibromofluoromethane | 101 | 85-119 | | %REC | 10 | 9/4/2009 10:40:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 112 | 79-131 | | %REC | 10 | 9/4/2009 10:40:00 PM |
| Surr: Toluene-d8 | 93.8 | 90-110 | | %REC | 10 | 9/4/2009 10:40:00 PM |
| Surr: 4-Bromofluorobenzene | 86.6 | 76-117 | | %REC | 10 | 9/4/2009 10:40:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-207D
Lab Order: 0908081 **Collection Date:** 8/27/2009 3:35:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0908081-09A

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 100 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Chloromethane | ND | 100 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Vinyl chloride | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Chloroethane | ND | 100 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Bromomethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Trichlorofluoromethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Diethyl ether | ND | 100 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Acetone | ND | 200 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,1-Dichloroethene | ND | 20 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Carbon disulfide | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Methylene chloride | ND | 100 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Methyl tert-butyl ether | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| trans-1,2-Dichloroethene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,1-Dichloroethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 2-Butanone | ND | 200 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 2,2-Dichloropropane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| cis-1,2-Dichloroethene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Chloroform | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Tetrahydrofuran | ND | 200 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Bromochloromethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,1,1-Trichloroethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,1-Dichloropropene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Carbon tetrachloride | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2-Dichloroethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Benzene | ND | 20 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Trichloroethene | 89 | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2-Dichloropropane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Bromodichloromethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Dibromomethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 4-Methyl-2-pentanone | ND | 200 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| cis-1,3-Dichloropropene | ND | 20 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Toluene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| trans-1,3-Dichloropropene | ND | 20 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,1,2-Trichloroethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2-Dibromoethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 2-Hexanone | ND | 200 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,3-Dichloropropane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Tetrachloroethene | 3,200 | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Dibromochloromethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-09A

Client Sample ID: MW-207D
Collection Date: 8/27/2009 3:35:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Ethylbenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| m,p-Xylene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| o-Xylene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Styrene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Bromoform | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Isopropylbenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2,3-Trichloropropane | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Bromobenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| n-Propylbenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 2-Chlorotoluene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 4-Chlorotoluene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,3,5-Trimethylbenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| tert-Butylbenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2,4-Trimethylbenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| sec-Butylbenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 4-Isopropyltoluene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,3-Dichlorobenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,4-Dichlorobenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| n-Butylbenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2-Dichlorobenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 100 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2,4-Trichlorobenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Hexachlorobutadiene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Naphthalene | ND | 100 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| 1,2,3-Trichlorobenzene | ND | 40 | | µg/L | 20 | 9/8/2009 2:03:00 PM |
| Surr: Dibromofluoromethane | 97.4 | 85-119 | | %REC | 20 | 9/8/2009 2:03:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 104 | 79-131 | | %REC | 20 | 9/8/2009 2:03:00 PM |
| Surr: Toluene-d8 | 91.5 | 90-110 | | %REC | 20 | 9/8/2009 2:03:00 PM |
| Surr: 4-Bromofluorobenzene | 85.4 | 76-117 | | %REC | 20 | 9/8/2009 2:03:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-10A

Client Sample ID: MW-201D
Collection Date: 8/28/2009 2:20:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|-----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 500 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Chloromethane | ND | 500 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Vinyl chloride | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Chloroethane | ND | 500 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Bromomethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Trichlorofluoromethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Diethyl ether | ND | 500 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Acetone | ND | 1,000 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,1-Dichloroethene | ND | 100 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Carbon disulfide | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Methylene chloride | ND | 500 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Methyl tert-butyl ether | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| trans-1,2-Dichloroethene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,1-Dichloroethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 2-Butanone | ND | 1,000 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 2,2-Dichloropropane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| cis-1,2-Dichloroethene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Chloroform | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Tetrahydrofuran | ND | 1,000 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Bromochloromethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,1,1-Trichloroethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,1-Dichloropropene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Carbon tetrachloride | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2-Dichloroethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Benzene | ND | 100 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Trichloroethene | 560 | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2-Dichloropropane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Bromodichloromethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Dibromomethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 4-Methyl-2-pentanone | ND | 1,000 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| cis-1,3-Dichloropropene | ND | 100 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Toluene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| trans-1,3-Dichloropropene | ND | 100 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,1,2-Trichloroethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2-Dibromoethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 2-Hexanone | ND | 1,000 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,3-Dichloropropane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Tetrachloroethene | 8,500 | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Dibromochloromethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-10A

Client Sample ID: MW-201D
Collection Date: 8/28/2009 2:20:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|-----|---------------------|
| Chlorobenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Ethylbenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| m,p-Xylene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| o-Xylene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Styrene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Bromoform | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Isopropylbenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,1,1,2,2-Tetrachloroethane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2,3-Trichloropropane | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Bromobenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| n-Propylbenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 2-Chlorotoluene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 4-Chlorotoluene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,3,5-Trimethylbenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| tert-Butylbenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2,4-Trimethylbenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| sec-Butylbenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 4-Isopropyltoluene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,3-Dichlorobenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,4-Dichlorobenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| n-Butylbenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2-Dichlorobenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 500 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2,4-Trichlorobenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Hexachlorobutadiene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Naphthalene | ND | 500 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| 1,2,3-Trichlorobenzene | ND | 200 | | µg/L | 100 | 9/8/2009 3:46:00 PM |
| Surr: Dibromofluoromethane | 97.4 | 85-119 | | %REC | 100 | 9/8/2009 3:46:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 108 | 79-131 | | %REC | 100 | 9/8/2009 3:46:00 PM |
| Surr: Toluene-d8 | 91.2 | 90-110 | | %REC | 100 | 9/8/2009 3:46:00 PM |
| Surr: 4-Bromofluorobenzene | 87.3 | 76-117 | | %REC | 100 | 9/8/2009 3:46:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-11A

Client Sample ID: MW-216S
Collection Date: 8/28/2009 2:35:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: AL |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,1-Dichloroethane | 2.0 | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| cis-1,2-Dichloroethene | 59 | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Trichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Toluene | 2.5 | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Tetrachloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-11A

Client Sample ID: MW-216S
Collection Date: 8/28/2009 2:35:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Ethylbenzene | 2.5 | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| m,p-Xylene | 6.3 | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| o-Xylene | 8.6 | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,3,5-Trimethylbenzene | 8.4 | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2,4-Trimethylbenzene | 12 | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Naphthalene | 20 | 5.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:07:00 PM |
| Surr: Dibromofluoromethane | 99.1 | 85-119 | | %REC | 1 | 9/3/2009 8:07:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 111 | 79-131 | | %REC | 1 | 9/3/2009 8:07:00 PM |
| Surr: Toluene-d8 | 93.0 | 90-110 | | %REC | 1 | 9/3/2009 8:07:00 PM |
| Surr: 4-Bromofluorobenzene | 89.0 | 76-117 | | %REC | 1 | 9/3/2009 8:07:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-12A

Client Sample ID: MW-216D
Collection Date: 8/28/2009 2:45:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: AL |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Methyl tert-butyl ether | 3.8 | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| cis-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Trichloroethene | 3.1 | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Tetrachloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-12A

Client Sample ID: MW-216D
Collection Date: 8/28/2009 2:45:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 8:42:00 PM |
| Surr: Dibromofluoromethane | 88.3 | 85-119 | | %REC | 1 | 9/3/2009 8:42:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 91.0 | 79-131 | | %REC | 1 | 9/3/2009 8:42:00 PM |
| Surr: Toluene-d8 | 91.9 | 90-110 | | %REC | 1 | 9/3/2009 8:42:00 PM |
| Surr: 4-Bromofluorobenzene | 92.0 | 76-117 | | %REC | 1 | 9/3/2009 8:42:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-13A

Client Sample ID: MW-217S
Collection Date: 8/28/2009 3:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: AL |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Vinyl chloride | 4.1 | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| cis-1,2-Dichloroethene | 76 | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Trichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Tetrachloroethene | 8.6 | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-13A

Client Sample ID: MW-217S
Collection Date: 8/28/2009 3:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Naphthalene | 12 | 5.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 5:50:00 PM |
| Surr: Dibromofluoromethane | 99.5 | 85-119 | | %REC | 1 | 9/3/2009 5:50:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 109 | 79-131 | | %REC | 1 | 9/3/2009 5:50:00 PM |
| Surr: Toluene-d8 | 93.5 | 90-110 | | %REC | 1 | 9/3/2009 5:50:00 PM |
| Surr: 4-Bromofluorobenzene | 88.0 | 76-117 | | %REC | 1 | 9/3/2009 5:50:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-14A

Client Sample ID: MW-217D
Collection Date: 8/28/2009 3:10:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | Analyst: AL | | |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| cis-1,2-Dichloroethene | 26 | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Trichloroethene | 11 | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Tetrachloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-14A

Client Sample ID: MW-217D
Collection Date: 8/28/2009 3:10:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:24:00 PM |
| Surr: Dibromofluoromethane | 96.9 | 85-119 | | %REC | 1 | 9/3/2009 6:24:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 110 | 79-131 | | %REC | 1 | 9/3/2009 6:24:00 PM |
| Surr: Toluene-d8 | 90.0 | 90-110 | | %REC | 1 | 9/3/2009 6:24:00 PM |
| Surr: 4-Bromofluorobenzene | 87.5 | 76-117 | | %REC | 1 | 9/3/2009 6:24:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-15A

Client Sample ID: CW-2
Collection Date: 8/28/2009 3:30:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: AL |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| cis-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Trichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Tetrachloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-15A

Client Sample ID: CW-2
Collection Date: 8/28/2009 3:30:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 6:58:00 PM |
| Surr: Dibromofluoromethane | 99.0 | 85-119 | | %REC | 1 | 9/3/2009 6:58:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 108 | 79-131 | | %REC | 1 | 9/3/2009 6:58:00 PM |
| Surr: Toluene-d8 | 92.2 | 90-110 | | %REC | 1 | 9/3/2009 6:58:00 PM |
| Surr: 4-Bromofluorobenzene | 88.1 | 76-117 | | %REC | 1 | 9/3/2009 6:58:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-16A

Client Sample ID: CW-1
Collection Date: 8/28/2009 3:40:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: AL |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,1-Dichloroethene | 11 | 1.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| trans-1,2-Dichloroethene | 4.4 | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| cis-1,2-Dichloroethene | 54 | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Trichloroethene | 770 | 20 | | µg/L | 10 | 9/4/2009 2:17:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Tetrachloroethene | 5.4 | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** CW-1
Lab Order: 0908081 **Collection Date:** 8/28/2009 3:40:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0908081-16A

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 7:33:00 PM |
| Surr: Dibromofluoromethane | 100 | 85-119 | | %REC | 1 | 9/3/2009 7:33:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 108 | 79-131 | | %REC | 1 | 9/3/2009 7:33:00 PM |
| Surr: Toluene-d8 | 94.7 | 90-110 | | %REC | 1 | 9/3/2009 7:33:00 PM |
| Surr: 4-Bromofluorobenzene | 87.4 | 76-117 | | %REC | 1 | 9/3/2009 7:33:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-17A

Client Sample ID: MW-116S
Collection Date: 8/28/2009 4:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | | | | | |
| | | SW8260B | | | | Analyst: AL |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| cis-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Trichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Tetrachloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-17A

Client Sample ID: MW-116S
Collection Date: 8/28/2009 4:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:16:00 PM |
| Surr: Dibromofluoromethane | 85.9 | 85-119 | | %REC | 1 | 9/3/2009 9:16:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 92.6 | 79-131 | | %REC | 1 | 9/3/2009 9:16:00 PM |
| Surr: Toluene-d8 | 93.2 | 90-110 | | %REC | 1 | 9/3/2009 9:16:00 PM |
| Surr: 4-Bromofluorobenzene | 92.1 | 76-117 | | %REC | 1 | 9/3/2009 9:16:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-18A

Client Sample ID: MW-116D
Collection Date: 8/28/2009 4:10:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | | | | | |
| | | SW8260B | | | | Analyst: AL |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| cis-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Chloroform | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Trichloroethene | 20 | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Tetrachloroethene | 74 | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-18A

Client Sample ID: MW-116D
Collection Date: 8/28/2009 4:10:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/3/2009 9:51:00 PM |
| Surr: Dibromofluoromethane | 89.8 | 85-119 | | %REC | 1 | 9/3/2009 9:51:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 94.4 | 79-131 | | %REC | 1 | 9/3/2009 9:51:00 PM |
| Surr: Toluene-d8 | 93.5 | 90-110 | | %REC | 1 | 9/3/2009 9:51:00 PM |
| Surr: 4-Bromofluorobenzene | 91.6 | 76-117 | | %REC | 1 | 9/3/2009 9:51:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-19A

Client Sample ID: MW-209D
Collection Date: 8/28/2009 2:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|---------------------|
| EPA 8260B VOLATILES BY GC/MS | | | | | | |
| | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 50 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Chloromethane | ND | 50 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Vinyl chloride | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Chloroethane | ND | 50 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Bromomethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Trichlorofluoromethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Diethyl ether | ND | 50 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Acetone | ND | 100 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,1-Dichloroethene | ND | 10 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Carbon disulfide | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Methylene chloride | ND | 50 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Methyl tert-butyl ether | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| trans-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,1-Dichloroethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 2-Butanone | ND | 100 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 2,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| cis-1,2-Dichloroethene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Chloroform | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Tetrahydrofuran | ND | 100 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Bromochloromethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,1,1-Trichloroethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,1-Dichloropropene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Carbon tetrachloride | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2-Dichloroethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Benzene | ND | 10 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Trichloroethene | 120 | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2-Dichloropropane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Bromodichloromethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Dibromomethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 4-Methyl-2-pentanone | ND | 100 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| cis-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Toluene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| trans-1,3-Dichloropropene | ND | 10 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,1,2-Trichloroethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2-Dibromoethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 2-Hexanone | ND | 100 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,3-Dichloropropane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Tetrachloroethene | 490 | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Dibromochloromethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-19A

Client Sample ID: MW-209D
Collection Date: 8/28/2009 2:00:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Ethylbenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| m,p-Xylene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| o-Xylene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Styrene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Bromoform | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Isopropylbenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2,3-Trichloropropane | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Bromobenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| n-Propylbenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 2-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 4-Chlorotoluene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,3,5-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| tert-Butylbenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2,4-Trimethylbenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| sec-Butylbenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 4-Isopropyltoluene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,3-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,4-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| n-Butylbenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2-Dichlorobenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 50 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2,4-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Hexachlorobutadiene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Naphthalene | ND | 50 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| 1,2,3-Trichlorobenzene | ND | 20 | | µg/L | 10 | 9/8/2009 2:38:00 PM |
| Surr: Dibromofluoromethane | 100 | 85-119 | | %REC | 10 | 9/8/2009 2:38:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 109 | 79-131 | | %REC | 10 | 9/8/2009 2:38:00 PM |
| Surr: Toluene-d8 | 93.1 | 90-110 | | %REC | 10 | 9/8/2009 2:38:00 PM |
| Surr: 4-Bromofluorobenzene | 88.5 | 76-117 | | %REC | 10 | 9/8/2009 2:38:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-20A

Client Sample ID: MW-112
Collection Date: 8/27/2009 2:10:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-------------------------------------|--------|----------------|------|-------|----|----------------------|
| EPA 8260B VOLATILES BY GC/MS | | SW8260B | | | | Analyst: SK |
| Dichlorodifluoromethane | ND | 5.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Chloromethane | ND | 5.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Vinyl chloride | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Chloroethane | ND | 5.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Bromomethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Diethyl ether | ND | 5.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Acetone | ND | 10 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Carbon disulfide | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Methylene chloride | ND | 5.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Methyl tert-butyl ether | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| trans-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 2-Butanone | ND | 10 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| cis-1,2-Dichloroethene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Chloroform | 9.1 | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Tetrahydrofuran | ND | 10 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Bromochloromethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Carbon tetrachloride | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2-Dichloroethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Benzene | ND | 1.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Trichloroethene | 3.5 | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Bromodichloromethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Dibromomethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Toluene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2-Dibromoethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Tetrachloroethene | 530 | 20 | | µg/L | 10 | 9/8/2009 10:24:00 AM |
| Dibromochloromethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0908081
Project: 130274 Textron Gorham
Lab ID: 0908081-20A

Client Sample ID: MW-112
Collection Date: 8/27/2009 2:10:00 PM
Matrix: GROUNDWATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------|--------|--------|------|-------|----|---------------------|
| Chlorobenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Ethylbenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| m,p-Xylene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| o-Xylene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Styrene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Bromoform | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Isopropylbenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Bromobenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| n-Propylbenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| sec-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| n-Butylbenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Naphthalene | ND | 5.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 1 | 9/4/2009 2:52:00 PM |
| Surr: Dibromofluoromethane | 97.5 | 85-119 | | %REC | 1 | 9/4/2009 2:52:00 PM |
| Surr: 1,2-Dichloroethane-d4 | 111 | 79-131 | | %REC | 1 | 9/4/2009 2:52:00 PM |
| Surr: Toluene-d8 | 94.4 | 90-110 | | %REC | 1 | 9/4/2009 2:52:00 PM |
| Surr: 4-Bromofluorobenzene | 87.2 | 76-117 | | %REC | 1 | 9/4/2009 2:52:00 PM |

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID mb-09/03/09 Batch ID: R43094 Test Code: SW8260B Units: µg/L Analysis Date 9/3/09 2:15:00 PM Prep Date 9/3/09
 Client ID: Run ID: V-3_090903A SeqNo: 715484

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample | Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|-----------------|--------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | ND | 5.0 | µg/L | | | | | | | | | | |
| Chloromethane | ND | 5.0 | µg/L | | | | | | | | | | |
| Vinyl chloride | ND | 2.0 | µg/L | | | | | | | | | | |
| Chloroethane | ND | 5.0 | µg/L | | | | | | | | | | |
| Bromomethane | ND | 2.0 | µg/L | | | | | | | | | | |
| Trichlorofluoromethane | ND | 2.0 | µg/L | | | | | | | | | | |
| Diethyl ether | ND | 5.0 | µg/L | | | | | | | | | | |
| Acetone | ND | 10 | µg/L | | | | | | | | | | |
| 1,1-Dichloroethene | ND | 1.0 | µg/L | | | | | | | | | | |
| Carbon disulfide | ND | 2.0 | µg/L | | | | | | | | | | |
| Methylene chloride | ND | 5.0 | µg/L | | | | | | | | | | |
| Methyl tert-butyl ether | ND | 2.0 | µg/L | | | | | | | | | | |
| trans-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | | |
| 1,1-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | | |
| 2-Butanone | ND | 10 | µg/L | | | | | | | | | | |
| 2,2-Dichloropropane | ND | 2.0 | µg/L | | | | | | | | | | |
| cis-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | | |
| Chloroform | ND | 2.0 | µg/L | | | | | | | | | | |
| Tetrahydrofuran | ND | 10 | µg/L | | | | | | | | | | |
| Bromochloromethane | ND | 2.0 | µg/L | | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 2.0 | µg/L | | | | | | | | | | |
| 1,1-Dichloropropene | ND | 2.0 | µg/L | | | | | | | | | | |
| Carbon tetrachloride | ND | 2.0 | µg/L | | | | | | | | | | |
| 1,2-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | | |
| Benzene | ND | 1.0 | µg/L | | | | | | | | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT

Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

| | | | |
|---------------------------|----|-----|------|
| Trichloroethene | ND | 2.0 | µg/L |
| 1,2-Dichloropropane | ND | 2.0 | µg/L |
| Bromodichloromethane | ND | 2.0 | µg/L |
| Dibromomethane | ND | 2.0 | µg/L |
| 4-Methyl-2-pentanone | ND | 10 | µg/L |
| cis-1,3-Dichloropropene | ND | 1.0 | µg/L |
| Toluene | ND | 2.0 | µg/L |
| trans-1,3-Dichloropropene | ND | 1.0 | µg/L |
| 1,1,2-Trichloroethane | ND | 2.0 | µg/L |
| 1,2-Dibromoethane | ND | 2.0 | µg/L |
| 2-Hexanone | ND | 10 | µg/L |
| 1,3-Dichloropropane | ND | 2.0 | µg/L |
| Tetrachloroethene | ND | 2.0 | µg/L |
| Dibromochloromethane | ND | 2.0 | µg/L |
| Chlorobenzene | ND | 2.0 | µg/L |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | µg/L |
| Ethylbenzene | ND | 2.0 | µg/L |
| m,p-Xylene | ND | 2.0 | µg/L |
| o-Xylene | ND | 2.0 | µg/L |
| Styrene | ND | 2.0 | µg/L |
| Bromoform | ND | 2.0 | µg/L |
| Isopropylbenzene | ND | 2.0 | µg/L |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | µg/L |
| 1,2,3-Trichloropropane | ND | 2.0 | µg/L |
| Bromobenzene | ND | 2.0 | µg/L |
| n-Propylbenzene | ND | 2.0 | µg/L |
| 2-Chlorotoluene | ND | 2.0 | µg/L |
| 4-Chlorotoluene | ND | 2.0 | µg/L |
| 1,3,5-Trimethylbenzene | ND | 2.0 | µg/L |
| tert-Butylbenzene | ND | 2.0 | µg/L |
| 1,2,4-Trimethylbenzene | ND | 2.0 | µg/L |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT

Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

Sample ID mb-09/04/09 Batch ID: R43097 Test Code: SW8260B Units: µg/L Analysis Date 9/4/09 1:43:00 PM Prep Date 9/4/09
 Client ID: Run ID: V-3_090904A SeqNo: 715535

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | ND | 5.0 | µg/L | | | | | | | | | |
| Chloromethane | ND | 5.0 | µg/L | | | | | | | | | |
| Vinyl chloride | ND | 2.0 | µg/L | | | | | | | | | |
| Chloroethane | ND | 5.0 | µg/L | | | | | | | | | |
| Bromomethane | ND | 2.0 | µg/L | | | | | | | | | |
| Trichlorofluoromethane | ND | 2.0 | µg/L | | | | | | | | | |
| Diethyl ether | ND | 5.0 | µg/L | | | | | | | | | |
| Acetone | ND | 10 | µg/L | | | | | | | | | |
| 1,1-Dichloroethene | ND | 1.0 | µg/L | | | | | | | | | |
| Carbon disulfide | ND | 2.0 | µg/L | | | | | | | | | |
| Methylene chloride | ND | 5.0 | µg/L | | | | | | | | | |
| Methyl tert-butyl ether | ND | 2.0 | µg/L | | | | | | | | | |
| trans-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| 2-Butanone | ND | 10 | µg/L | | | | | | | | | |
| 2,2-Dichloropropane | ND | 2.0 | µg/L | | | | | | | | | |
| cis-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | |
| Chloroform | ND | 2.0 | µg/L | | | | | | | | | |
| Tetrahydrofuran | ND | 10 | µg/L | | | | | | | | | |
| Bromochloromethane | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1-Dichloropropene | ND | 2.0 | µg/L | | | | | | | | | |
| Carbon tetrachloride | ND | 2.0 | µg/L | | | | | | | | | |
| 1,2-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| Benzene | ND | 1.0 | µg/L | | | | | | | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

| | | | |
|---------------------------|----|-----|------|
| Trichloroethene | ND | 2.0 | µg/L |
| 1,2-Dichloropropane | ND | 2.0 | µg/L |
| Bromodichloromethane | ND | 2.0 | µg/L |
| Dibromomethane | ND | 2.0 | µg/L |
| 4-Methyl-2-pentanone | ND | 10 | µg/L |
| cis-1,3-Dichloropropene | ND | 1.0 | µg/L |
| Toluene | ND | 2.0 | µg/L |
| trans-1,3-Dichloropropene | ND | 1.0 | µg/L |
| 1,1,2-Trichloroethane | ND | 2.0 | µg/L |
| 1,2-Dibromoethane | ND | 2.0 | µg/L |
| 2-Hexanone | ND | 10 | µg/L |
| 1,3-Dichloropropane | ND | 2.0 | µg/L |
| Tetrachloroethene | ND | 2.0 | µg/L |
| Dibromochloromethane | ND | 2.0 | µg/L |
| Chlorobenzene | ND | 2.0 | µg/L |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | µg/L |
| Ethylbenzene | ND | 2.0 | µg/L |
| m,p-Xylene | ND | 2.0 | µg/L |
| o-Xylene | ND | 2.0 | µg/L |
| Styrene | ND | 2.0 | µg/L |
| Bromoform | ND | 2.0 | µg/L |
| Isopropylbenzene | ND | 2.0 | µg/L |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | µg/L |
| 1,2,3-Trichloropropane | ND | 2.0 | µg/L |
| Bromobenzene | ND | 2.0 | µg/L |
| n-Propylbenzene | ND | 2.0 | µg/L |
| 2-Chlorotoluene | ND | 2.0 | µg/L |
| 4-Chlorotoluene | ND | 2.0 | µg/L |
| 1,3,5-Trimethylbenzene | ND | 2.0 | µg/L |
| tert-Butylbenzene | ND | 2.0 | µg/L |
| 1,2,4-Trimethylbenzene | ND | 2.0 | µg/L |

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT

Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

| Compound | Reporting Limit | Concentration (µg/L) | Recovery (%) | Acceptance | Notes |
|-----------------------------|-----------------|----------------------|--------------|------------|-----------------|
| sec-Butylbenzene | ND | 2.0 | µg/L | | |
| 4-Isopropyltoluene | ND | 2.0 | µg/L | | |
| 1,3-Dichlorobenzene | ND | 2.0 | µg/L | | |
| 1,4-Dichlorobenzene | ND | 2.0 | µg/L | | |
| n-Butylbenzene | ND | 2.0 | µg/L | | |
| 1,2-Dichlorobenzene | ND | 2.0 | µg/L | | |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | µg/L | | |
| 1,2,4-Trichlorobenzene | ND | 2.0 | µg/L | | |
| Hexachlorobutadiene | ND | 2.0 | µg/L | | |
| Naphthalene | ND | 5.0 | µg/L | | |
| 1,2,3-Trichlorobenzene | ND | 2.0 | µg/L | | |
| Surr: Dibromofluoromethane | 23.96 | 2.0 | µg/L | 25 | 0 95.8 85 119 0 |
| Surr: 1,2-Dichloroethane-d4 | 27.31 | 2.0 | µg/L | 25 | 0 109 79 131 0 |
| Surr: Toluene-d8 | 23.3 | 2.0 | µg/L | 25 | 0 93.2 90 110 0 |
| Surr: 4-Bromofluorobenzene | 22.51 | 2.0 | µg/L | 25 | 0 90 76 117 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT

Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

Sample ID mb-09/08/09 Batch ID: R43113 Test Code: SW8260B Units: µg/L Analysis Date 9/8/09 9:49:00 AM Prep Date 9/8/09
 Client ID: Run ID: V-3_090908A SeqNo: 715670

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | ND | 5.0 | µg/L | | | | | | | | | |
| Chloromethane | ND | 5.0 | µg/L | | | | | | | | | |
| Vinyl chloride | ND | 2.0 | µg/L | | | | | | | | | |
| Chloroethane | ND | 5.0 | µg/L | | | | | | | | | |
| Bromomethane | ND | 2.0 | µg/L | | | | | | | | | |
| Trichlorofluoromethane | ND | 2.0 | µg/L | | | | | | | | | |
| Diethyl ether | ND | 5.0 | µg/L | | | | | | | | | |
| Acetone | ND | 10 | µg/L | | | | | | | | | |
| 1,1-Dichloroethene | ND | 1.0 | µg/L | | | | | | | | | |
| Carbon disulfide | ND | 2.0 | µg/L | | | | | | | | | |
| Methylene chloride | ND | 5.0 | µg/L | | | | | | | | | |
| Methyl tert-butyl ether | ND | 2.0 | µg/L | | | | | | | | | |
| trans-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| 2-Butanone | ND | 10 | µg/L | | | | | | | | | |
| 2,2-Dichloropropane | ND | 2.0 | µg/L | | | | | | | | | |
| dis-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | |
| Chloroform | ND | 2.0 | µg/L | | | | | | | | | |
| Tetrahydrofuran | ND | 10 | µg/L | | | | | | | | | |
| Bromochloromethane | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1-Dichloropropene | ND | 2.0 | µg/L | | | | | | | | | |
| Carbon tetrachloride | ND | 2.0 | µg/L | | | | | | | | | |
| 1,2-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| Benzene | ND | 1.0 | µg/L | | | | | | | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

| | | | |
|---------------------------|----|-----|------|
| Trichloroethene | ND | 2.0 | µg/L |
| 1,2-Dichloropropane | ND | 2.0 | µg/L |
| Bromodichloromethane | ND | 2.0 | µg/L |
| Dibromomethane | ND | 2.0 | µg/L |
| 4-Methyl-2-pentanone | ND | 10 | µg/L |
| cis-1,3-Dichloropropene | ND | 1.0 | µg/L |
| Toluene | ND | 2.0 | µg/L |
| trans-1,3-Dichloropropene | ND | 1.0 | µg/L |
| 1,1,2-Trichloroethane | ND | 2.0 | µg/L |
| 1,2-Dibromoethane | ND | 2.0 | µg/L |
| 2-Hexanone | ND | 10 | µg/L |
| 1,3-Dichloropropane | ND | 2.0 | µg/L |
| Tetrachloroethene | ND | 2.0 | µg/L |
| Dibromochloromethane | ND | 2.0 | µg/L |
| Chlorobenzene | ND | 2.0 | µg/L |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | µg/L |
| Ethylbenzene | ND | 2.0 | µg/L |
| m,p-Xylene | ND | 2.0 | µg/L |
| o-Xylene | ND | 2.0 | µg/L |
| Styrene | ND | 2.0 | µg/L |
| Bromoform | ND | 2.0 | µg/L |
| Isopropylbenzene | ND | 2.0 | µg/L |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | µg/L |
| 1,2,3-Trichloropropane | ND | 2.0 | µg/L |
| Bromobenzene | ND | 2.0 | µg/L |
| n-Propylbenzene | ND | 2.0 | µg/L |
| 2-Chlorotoluene | ND | 2.0 | µg/L |
| 4-Chlorotoluene | ND | 2.0 | µg/L |
| 1,3,5-Trimethylbenzene | ND | 2.0 | µg/L |
| tert-Butylbenzene | ND | 2.0 | µg/L |
| 1,2,4-Trimethylbenzene | ND | 2.0 | µg/L |

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

| Compound | Reporting Limit | Concentration | Recovery | Acceptance | Concentration | Concentration | Concentration |
|-----------------------------|-----------------|---------------|----------|------------|---------------|---------------|---------------|
| sec-Butylbenzene | ND | 2.0 | µg/L | | | | |
| 4-Isopropyltoluene | ND | 2.0 | µg/L | | | | |
| 1,3-Dichlorobenzene | ND | 2.0 | µg/L | | | | |
| 1,4-Dichlorobenzene | ND | 2.0 | µg/L | | | | |
| n-Butylbenzene | ND | 2.0 | µg/L | | | | |
| 1,2-Dichlorobenzene | ND | 2.0 | µg/L | | | | |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | µg/L | | | | |
| 1,2,4-Trichlorobenzene | ND | 2.0 | µg/L | | | | |
| Hexachlorobutadiene | ND | 2.0 | µg/L | | | | |
| Naphthalene | ND | 5.0 | µg/L | | | | |
| 1,2,3-Trichlorobenzene | ND | 2.0 | µg/L | | | | |
| Surr: Dibromofluoromethane | 24.54 | 2.0 | µg/L | 25 | 0 | 98.2 | 85 |
| Surr: 1,2-Dichloroethane-d4 | 25.55 | 2.0 | µg/L | 25 | 0 | 102 | 79 |
| Surr: Toluene-d8 | 23.12 | 2.0 | µg/L | 25 | 0 | 92.5 | 90 |
| Surr: 4-Bromofluorobenzene | 22.07 | 2.0 | µg/L | 25 | 0 | 88.3 | 76 |
| | | | | | | | 119 |
| | | | | | | | 131 |
| | | | | | | | 110 |
| | | | | | | | 117 |
| | | | | | | | 0 |
| | | | | | | | 0 |
| | | | | | | | 0 |
| | | | | | | | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit
 S - Spike Recovery outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT

Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

Sample ID mb-09/09/09 Batch ID: R43118 Test Code: SW8260B Units: µg/L Analysis Date 9/9/09 10:16:00 AM Prep Date 9/9/09
 Client ID: Run ID: V-3_090909A SeqNo: 715723

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | ND | 5.0 | µg/L | | | | | | | | | |
| Chloromethane | ND | 5.0 | µg/L | | | | | | | | | |
| Vinyl chloride | ND | 2.0 | µg/L | | | | | | | | | |
| Chloroethane | ND | 5.0 | µg/L | | | | | | | | | |
| Bromomethane | ND | 2.0 | µg/L | | | | | | | | | |
| Trichlorofluoromethane | ND | 2.0 | µg/L | | | | | | | | | |
| Diethyl ether | ND | 5.0 | µg/L | | | | | | | | | |
| Acetone | ND | 10 | µg/L | | | | | | | | | |
| 1,1-Dichloroethene | ND | 1.0 | µg/L | | | | | | | | | |
| Carbon disulfide | ND | 2.0 | µg/L | | | | | | | | | |
| Methylene chloride | ND | 5.0 | µg/L | | | | | | | | | |
| Methyl tert-butyl ether | ND | 2.0 | µg/L | | | | | | | | | |
| trans-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| 2-Butanone | ND | 10 | µg/L | | | | | | | | | |
| 2,2-Dichloropropane | ND | 2.0 | µg/L | | | | | | | | | |
| cis-1,2-Dichloroethene | ND | 2.0 | µg/L | | | | | | | | | |
| Chloroform | ND | 2.0 | µg/L | | | | | | | | | |
| Tetrahydrofuran | ND | 10 | µg/L | | | | | | | | | |
| Bromochloromethane | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| 1,1-Dichloropropene | ND | 2.0 | µg/L | | | | | | | | | |
| Carbon tetrachloride | ND | 2.0 | µg/L | | | | | | | | | |
| 1,2-Dichloroethane | ND | 2.0 | µg/L | | | | | | | | | |
| Benzene | ND | 1.0 | µg/L | | | | | | | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

| | | | |
|---------------------------|----|-----|------|
| Trichloroethene | ND | 2.0 | µg/L |
| 1,2-Dichloropropane | ND | 2.0 | µg/L |
| Bromodichloromethane | ND | 2.0 | µg/L |
| Dibromomethane | ND | 2.0 | µg/L |
| 4-Methyl-2-pentanone | ND | 10 | µg/L |
| cis-1,3-Dichloropropene | ND | 1.0 | µg/L |
| Toluene | ND | 2.0 | µg/L |
| trans-1,3-Dichloropropene | ND | 1.0 | µg/L |
| 1,1,2-Trichloroethane | ND | 2.0 | µg/L |
| 1,2-Dibromoethane | ND | 2.0 | µg/L |
| 2-Hexanone | ND | 10 | µg/L |
| 1,3-Dichloropropane | ND | 2.0 | µg/L |
| Tetrachloroethene | ND | 2.0 | µg/L |
| Dibromochloromethane | ND | 2.0 | µg/L |
| Chlorobenzene | ND | 2.0 | µg/L |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | µg/L |
| Ethylbenzene | ND | 2.0 | µg/L |
| m,p-Xylene | ND | 2.0 | µg/L |
| o-Xylene | ND | 2.0 | µg/L |
| Styrene | ND | 2.0 | µg/L |
| Bromoform | ND | 2.0 | µg/L |
| Isopropylbenzene | ND | 2.0 | µg/L |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | µg/L |
| 1,2,3-Trichloropropane | ND | 2.0 | µg/L |
| Bromobenzene | ND | 2.0 | µg/L |
| n-Propylbenzene | ND | 2.0 | µg/L |
| 2-Chlorotoluene | ND | 2.0 | µg/L |
| 4-Chlorotoluene | ND | 2.0 | µg/L |
| 1,3,5-Trimethylbenzene | ND | 2.0 | µg/L |
| tert-Butylbenzene | ND | 2.0 | µg/L |
| 1,2,4-Trimethylbenzene | ND | 2.0 | µg/L |

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT
Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

| Compound | Reporting Limit | Concentration (µg/L) | Recovery (%) | Acceptance | Concentration (µg/L) | Recovery (%) | Acceptance |
|-----------------------------|-----------------|----------------------|--------------|------------|----------------------|--------------|------------|
| sec-Butylbenzene | ND | 2.0 | 0 | 0 | 85 | 119 | 0 |
| 4-Isopropyltoluene | ND | 2.0 | 0 | 0 | 79 | 131 | 0 |
| 1,3-Dichlorobenzene | ND | 2.0 | 0 | 0 | 90 | 110 | 0 |
| 1,4-Dichlorobenzene | ND | 2.0 | 0 | 0 | 76 | 117 | 0 |
| n-Butylbenzene | ND | 2.0 | 0 | 0 | | | |
| 1,2-Dichlorobenzene | ND | 2.0 | 0 | 0 | | | |
| 1,2-Dibromo-3-chloropropane | ND | 5.0 | 0 | 0 | | | |
| 1,2,4-Trichlorobenzene | ND | 2.0 | 0 | 0 | | | |
| Hexachlorobutadiene | ND | 2.0 | 0 | 0 | | | |
| Naphthalene | ND | 5.0 | 0 | 0 | | | |
| 1,2,3-Trichlorobenzene | ND | 2.0 | 0 | 0 | | | |
| Surr: Dibromofluoromethane | 24.49 | 2.0 | 0 | 0 | | | |
| Surr: 1,2-Dichloroethane-d4 | 26.42 | 2.0 | 0 | 0 | | | |
| Surr: Toluene-d8 | 22.92 | 2.0 | 0 | 0 | | | |
| Surr: 4-Bromofluorobenzene | 21.87 | 2.0 | 0 | 0 | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID Ics-09/03/09 Batch ID: R43094 Test Code: SW8260B Units: µg/L Analysis Date 9/3/09 1:06:00 PM Prep Date 9/3/09
 Client ID: Run ID: V-3_090903A SeqNo: 715502

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | 30.25 | 5.0 | µg/L | 20 | 0 | 151 | 10 | 150 | 0 | 0 | 150 | S |
| Chloromethane | 26.27 | 5.0 | µg/L | 20 | 0 | 131 | 37 | 150 | 0 | 0 | 150 | |
| Vinyl chloride | 26.72 | 2.0 | µg/L | 20 | 0 | 134 | 48 | 150 | 0 | 0 | 150 | |
| Chloroethane | 26.12 | 5.0 | µg/L | 20 | 0 | 131 | 54 | 142 | 0 | 0 | 142 | |
| Bromomethane | 23.56 | 2.0 | µg/L | 20 | 0 | 118 | 51 | 137 | 0 | 0 | 137 | |
| Trichlorofluoromethane | 25.29 | 2.0 | µg/L | 20 | 0 | 126 | 62 | 141 | 0 | 0 | 141 | |
| Diethyl ether | 20.77 | 5.0 | µg/L | 20 | 0 | 104 | 68 | 134 | 0 | 0 | 134 | |
| Acetone | 23.4 | 10 | µg/L | 20 | 0 | 117 | 9 | 150 | 0 | 0 | 150 | |
| 1,1-Dichloroethene | 22.66 | 1.0 | µg/L | 20 | 0 | 113 | 68 | 146 | 0 | 0 | 146 | |
| Carbon disulfide | 21.72 | 2.0 | µg/L | 20 | 0 | 109 | 52 | 131 | 0 | 0 | 131 | |
| Methylene chloride | 22.78 | 5.0 | µg/L | 20 | 0 | 114 | 67 | 138 | 0 | 0 | 138 | |
| Methyl tert-butyl ether | 21.84 | 2.0 | µg/L | 20 | 0 | 109 | 63 | 139 | 0 | 0 | 139 | |
| trans-1,2-Dichloroethene | 21.83 | 2.0 | µg/L | 20 | 0 | 109 | 81 | 126 | 0 | 0 | 126 | |
| 1,1-Dichloroethane | 24.37 | 2.0 | µg/L | 20 | 0 | 122 | 78 | 124 | 0 | 0 | 124 | |
| 2-Butanone | 16.61 | 10 | µg/L | 20 | 0 | 83 | 41 | 150 | 0 | 0 | 150 | |
| 2,2-Dichloropropane | 25.35 | 2.0 | µg/L | 20 | 0 | 127 | 71 | 150 | 0 | 0 | 150 | |
| cis-1,2-Dichloroethene | 23.3 | 2.0 | µg/L | 20 | 0 | 116 | 78 | 121 | 0 | 0 | 121 | |
| Chloroform | 21.73 | 2.0 | µg/L | 20 | 0 | 109 | 82 | 123 | 0 | 0 | 123 | |
| Tetrahydrofuran | 17.06 | 10 | µg/L | 20 | 0 | 85.3 | 51 | 146 | 0 | 0 | 146 | |
| Bromochloromethane | 23.87 | 2.0 | µg/L | 20 | 0 | 119 | 77 | 131 | 0 | 0 | 131 | |
| 1,1,1-Trichloroethane | 24.53 | 2.0 | µg/L | 20 | 0 | 123 | 81 | 127 | 0 | 0 | 127 | |
| 1,1-Dichloropropene | 24.48 | 2.0 | µg/L | 20 | 0 | 122 | 76 | 119 | 0 | 0 | 119 | |
| Carbon tetrachloride | 20.47 | 2.0 | µg/L | 20 | 0 | 102 | 76 | 129 | 0 | 0 | 129 | |
| 1,2-Dichloroethane | 21.02 | 2.0 | µg/L | 20 | 0 | 105 | 76 | 127 | 0 | 0 | 127 | |
| Benzene | 20.83 | 1.0 | µg/L | 20 | 0 | 104 | 81 | 118 | 0 | 0 | 118 | S |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0908081
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

| Compound | Reporting Limit | Concentration | Recovery | Spike | Recovery | Spike | Recovery | Spike | Recovery | Spike | Recovery |
|---------------------------|-----------------|---------------|----------|-------|----------|-------|----------|-------|----------|-------|----------|
| Trichloroethene | 21.34 | 2.0 | µg/L | 20 | 0 | 107 | 81 | 119 | 0 | 0 | 0 |
| 1,2-Dichloropropane | 22.09 | 2.0 | µg/L | 20 | 0 | 110 | 79 | 120 | 0 | 0 | 0 |
| Bromodichloromethane | 19.54 | 2.0 | µg/L | 20 | 0 | 97.7 | 77 | 131 | 0 | 0 | 0 |
| Dibromomethane | 19.82 | 2.0 | µg/L | 20 | 0 | 99.1 | 76 | 128 | 0 | 0 | 0 |
| 4-Methyl-2-pentanone | 15.17 | 10 | µg/L | 20 | 0 | 75.8 | 51 | 141 | 0 | 0 | 0 |
| cis-1,3-Dichloropropene | 19 | 1.0 | µg/L | 20 | 0 | 95 | 76 | 120 | 0 | 0 | 0 |
| Toluene | 20.54 | 2.0 | µg/L | 20 | 0 | 103 | 83 | 119 | 0 | 0 | 0 |
| trans-1,3-Dichloropropene | 17.01 | 1.0 | µg/L | 20 | 0 | 85 | 66 | 128 | 0 | 0 | 0 |
| 1,1,2-Trichloroethane | 19.18 | 2.0 | µg/L | 20 | 0 | 95.9 | 74 | 123 | 0 | 0 | 0 |
| 1,2-Dibromoethane | 18.31 | 2.0 | µg/L | 20 | 0 | 91.6 | 72 | 128 | 0 | 0 | 0 |
| 2-Hexanone | 15.78 | 10 | µg/L | 20 | 0 | 78.9 | 31 | 148 | 0 | 0 | 0 |
| 1,3-Dichloropropane | 22.23 | 2.0 | µg/L | 20 | 0 | 111 | 76 | 122 | 0 | 0 | 0 |
| Tetrachloroethene | 23.72 | 2.0 | µg/L | 20 | 0 | 119 | 81 | 124 | 0 | 0 | 0 |
| Dibromochloromethane | 16.66 | 2.0 | µg/L | 20 | 0 | 83.3 | 63 | 126 | 0 | 0 | 0 |
| Chlorobenzene | 21.34 | 2.0 | µg/L | 20 | 0 | 107 | 84 | 113 | 0 | 0 | 0 |
| 1,1,1,2-Tetrachloroethane | 22.12 | 2.0 | µg/L | 20 | 0 | 111 | 73 | 124 | 0 | 0 | 0 |
| Ethylbenzene | 22.12 | 2.0 | µg/L | 20 | 0 | 111 | 83 | 118 | 0 | 0 | 0 |
| m,p-Xylene | 42.15 | 2.0 | µg/L | 40 | 0 | 105 | 85 | 116 | 0 | 0 | 0 |
| o-Xylene | 21.27 | 2.0 | µg/L | 20 | 0 | 106 | 84 | 115 | 0 | 0 | 0 |
| Styrene | 21.55 | 2.0 | µg/L | 20 | 0 | 108 | 81 | 118 | 0 | 0 | 0 |
| Bromoform | 13.7 | 2.0 | µg/L | 20 | 0 | 68.5 | 55 | 126 | 0 | 0 | 0 |
| Isopropylbenzene | 23.19 | 2.0 | µg/L | 20 | 0 | 116 | 77 | 125 | 0 | 0 | 0 |
| 1,1,2,2-Tetrachloroethane | 20.89 | 2.0 | µg/L | 20 | 0 | 104 | 62 | 134 | 0 | 0 | 0 |
| 1,2,3-Trichloropropane | 23.07 | 2.0 | µg/L | 20 | 0 | 115 | 62 | 132 | 0 | 0 | 0 |
| Bromobenzene | 22.48 | 2.0 | µg/L | 20 | 0 | 112 | 78 | 119 | 0 | 0 | 0 |
| n-Propylbenzene | 22.53 | 2.0 | µg/L | 20 | 0 | 113 | 77 | 127 | 0 | 0 | 0 |
| 2-Chlorotoluene | 22.23 | 2.0 | µg/L | 20 | 0 | 111 | 78 | 118 | 0 | 0 | 0 |
| 4-Chlorotoluene | 23.34 | 2.0 | µg/L | 20 | 0 | 117 | 77 | 119 | 0 | 0 | 0 |
| 1,3,5-Trimethylbenzene | 21.65 | 2.0 | µg/L | 20 | 0 | 108 | 80 | 120 | 0 | 0 | 0 |
| tert-Butylbenzene | 21.16 | 2.0 | µg/L | 20 | 0 | 106 | 81 | 120 | 0 | 0 | 0 |
| 1,2,4-Trimethylbenzene | 21.3 | 2.0 | µg/L | 20 | 0 | 106 | 80 | 118 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

| Analyte | Concentration (µg/L) | Recovery (%) | Acceptance | Recovery (%) | Acceptance | Recovery (%) | Acceptance | Recovery (%) | Acceptance | Recovery (%) | Acceptance |
|-----------------------------|----------------------|--------------|------------|--------------|------------|--------------|------------|--------------|------------|--------------|------------|
| sec-Butylbenzene | 22.45 | 2.0 | 20 | 0 | 112 | 82 | 123 | 0 | 0 | 0 | 0 |
| 4-Isopropyltoluene | 20.87 | 2.0 | 20 | 0 | 104 | 80 | 126 | 0 | 0 | 0 | 0 |
| 1,3-Dichlorobenzene | 21.96 | 2.0 | 20 | 0 | 110 | 84 | 115 | 0 | 0 | 0 | 0 |
| 1,4-Dichlorobenzene | 21.69 | 2.0 | 20 | 0 | 108 | 79 | 117 | 0 | 0 | 0 | 0 |
| n-Butylbenzene | 21.87 | 2.0 | 20 | 0 | 109 | 76 | 128 | 0 | 0 | 0 | 0 |
| 1,2-Dichlorobenzene | 21.13 | 2.0 | 20 | 0 | 106 | 81 | 117 | 0 | 0 | 0 | 0 |
| 1,2-Dibromo-3-chloropropane | 14.92 | 5.0 | 20 | 0 | 74.6 | 47 | 136 | 0 | 0 | 0 | 0 |
| 1,2,4-Trichlorobenzene | 20.28 | 2.0 | 20 | 0 | 101 | 73 | 126 | 0 | 0 | 0 | 0 |
| Hexachlorobutadiene | 24.51 | 2.0 | 20 | 0 | 123 | 77 | 134 | 0 | 0 | 0 | 0 |
| Naphthalene | 18.54 | 5.0 | 20 | 0 | 92.7 | 58 | 138 | 0 | 0 | 0 | 0 |
| 1,2,3-Trichlorobenzene | 18.03 | 2.0 | 20 | 0 | 90.2 | 76 | 124 | 0 | 0 | 0 | 0 |
| Surr: Dibromofluoromethane | 24.39 | 2.0 | 25 | 0 | 97.6 | 85 | 119 | 0 | 0 | 0 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 25.48 | 2.0 | 25 | 0 | 102 | 79 | 131 | 0 | 0 | 0 | 0 |
| Surr: Toluene-d8 | 24.05 | 2.0 | 25 | 0 | 96.2 | 90 | 110 | 0 | 0 | 0 | 0 |
| Surr: 4-Bromofluorobenzene | 23.87 | 2.0 | 25 | 0 | 95.5 | 76 | 117 | 0 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID Ics-09/04/09 Batch ID: R43097 Test Code: SW8260B Units: µg/L Analysis Date 9/4/09 12:30:00 PM Prep Date 9/4/09
 Client ID: Run ID: V-3_090904A SeqNo: 715536

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | 28.77 | 5.0 | µg/L | 20 | 0 | 144 | 10 | 150 | 0 | 0 | 0 | |
| Chloromethane | 26.33 | 5.0 | µg/L | 20 | 0 | 132 | 37 | 150 | 0 | 0 | 0 | |
| Vinyl chloride | 26.67 | 2.0 | µg/L | 20 | 0 | 133 | 48 | 150 | 0 | 0 | 0 | |
| Chloroethane | 25.02 | 5.0 | µg/L | 20 | 0 | 125 | 54 | 142 | 0 | 0 | 0 | |
| Bromomethane | 23.5 | 2.0 | µg/L | 20 | 0 | 118 | 51 | 137 | 0 | 0 | 0 | |
| Trichlorofluoromethane | 25.17 | 2.0 | µg/L | 20 | 0 | 126 | 62 | 141 | 0 | 0 | 0 | |
| Diethyl ether | 21.21 | 5.0 | µg/L | 20 | 0 | 106 | 68 | 134 | 0 | 0 | 0 | |
| Acetone | 23.01 | 10 | µg/L | 20 | 0 | 115 | 9 | 150 | 0 | 0 | 0 | |
| 1,1-Dichloroethene | 21.89 | 1.0 | µg/L | 20 | 0 | 109 | 68 | 146 | 0 | 0 | 0 | |
| Carbon disulfide | 19.3 | 2.0 | µg/L | 20 | 0 | 96.5 | 52 | 131 | 0 | 0 | 0 | |
| Methylene chloride | 21.36 | 5.0 | µg/L | 20 | 0 | 107 | 67 | 138 | 0 | 0 | 0 | |
| Methyl tert-butyl ether | 21.69 | 2.0 | µg/L | 20 | 0 | 108 | 63 | 139 | 0 | 0 | 0 | |
| trans-1,2-Dichloroethene | 21.45 | 2.0 | µg/L | 20 | 0 | 107 | 81 | 126 | 0 | 0 | 0 | |
| 1,1-Dichloroethane | 23.61 | 2.0 | µg/L | 20 | 0 | 118 | 78 | 124 | 0 | 0 | 0 | |
| 2-Butanone | 20.27 | 10 | µg/L | 20 | 0 | 101 | 41 | 150 | 0 | 0 | 0 | |
| 2,2-Dichloropropane | 22.51 | 2.0 | µg/L | 20 | 0 | 113 | 71 | 150 | 0 | 0 | 0 | |
| cis-1,2-Dichloroethene | 22.97 | 2.0 | µg/L | 20 | 0 | 115 | 78 | 121 | 0 | 0 | 0 | |
| Chloroform | 21.36 | 2.0 | µg/L | 20 | 0 | 107 | 82 | 123 | 0 | 0 | 0 | |
| Tetrahydrofuran | 21.72 | 10 | µg/L | 20 | 0 | 109 | 51 | 146 | 0 | 0 | 0 | |
| Bromochloromethane | 23.97 | 2.0 | µg/L | 20 | 0 | 120 | 77 | 131 | 0 | 0 | 0 | |
| 1,1,1-Trichloroethane | 24.37 | 2.0 | µg/L | 20 | 0 | 122 | 81 | 127 | 0 | 0 | 0 | |
| 1,1-Dichloropropene | 24.11 | 2.0 | µg/L | 20 | 0 | 121 | 76 | 119 | 0 | 0 | 0 | S |
| Carbon tetrachloride | 20.19 | 2.0 | µg/L | 20 | 0 | 101 | 76 | 129 | 0 | 0 | 0 | |
| 1,2-Dichloroethane | 21.89 | 2.0 | µg/L | 20 | 0 | 109 | 76 | 127 | 0 | 0 | 0 | |
| Benzene | 21.16 | 1.0 | µg/L | 20 | 0 | 106 | 81 | 118 | 0 | 0 | 0 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

| Compound | Concentration (µg/L) | Recovery (%) | Acceptance | Recovery (%) | Acceptance | Recovery (%) | Acceptance | Recovery (%) | Acceptance |
|-----------------------------|----------------------|--------------|------------|--------------|------------|--------------|------------|--------------|------------|
| sec-Butylbenzene | 22.5 | 2.0 | 20 | 112 | 0 | 82 | 123 | 0 | 0 |
| 4-Isopropyltoluene | 20.4 | 2.0 | 20 | 102 | 0 | 80 | 126 | 0 | 0 |
| 1,3-Dichlorobenzene | 21.75 | 2.0 | 20 | 109 | 0 | 84 | 115 | 0 | 0 |
| 1,4-Dichlorobenzene | 20.94 | 2.0 | 20 | 105 | 0 | 79 | 117 | 0 | 0 |
| n-Butylbenzene | 21.86 | 2.0 | 20 | 109 | 0 | 76 | 128 | 0 | 0 |
| 1,2-Dichlorobenzene | 21.79 | 2.0 | 20 | 109 | 0 | 81 | 117 | 0 | 0 |
| 1,2-Dibromo-3-chloropropane | 18.8 | 5.0 | 20 | 94 | 0 | 47 | 136 | 0 | 0 |
| 1,2,4-Trichlorobenzene | 21.41 | 2.0 | 20 | 107 | 0 | 73 | 126 | 0 | 0 |
| Hexachlorobutadiene | 24.16 | 2.0 | 20 | 121 | 0 | 77 | 134 | 0 | 0 |
| Naphthalene | 21.91 | 5.0 | 20 | 110 | 0 | 58 | 138 | 0 | 0 |
| 1,2,3-Trichlorobenzene | 19.16 | 2.0 | 20 | 95.8 | 0 | 76 | 124 | 0 | 0 |
| Surr: Dibromofluoromethane | 23.97 | 2.0 | 25 | 95.9 | 0 | 85 | 119 | 0 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 25.66 | 2.0 | 25 | 103 | 0 | 79 | 131 | 0 | 0 |
| Surr: Toluene-d8 | 24.2 | 2.0 | 25 | 96.8 | 0 | 90 | 110 | 0 | 0 |
| Surr: 4-Bromofluorobenzene | 23.77 | 2.0 | 25 | 95.1 | 0 | 76 | 117 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID **ics-09/08/09** Batch ID: **R43113** Test Code: **SW8260B** Units: **µg/L** Analysis Date **9/8/09 8:40:00 AM** Prep Date **9/8/09**
 Client ID: Run ID: **V-3_090908A** SeqNo: **715671**

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | 25.4 | 5.0 | µg/L | 20 | 0 | 127 | 10 | 150 | 0 | 0 | 0 | |
| Chloromethane | 23 | 5.0 | µg/L | 20 | 0 | 115 | 37 | 150 | 0 | 0 | 0 | |
| Vinyl chloride | 24.8 | 2.0 | µg/L | 20 | 0 | 124 | 48 | 150 | 0 | 0 | 0 | |
| Chloroethane | 23.86 | 5.0 | µg/L | 20 | 0 | 119 | 54 | 142 | 0 | 0 | 0 | |
| Bromomethane | 22.67 | 2.0 | µg/L | 20 | 0 | 113 | 51 | 137 | 0 | 0 | 0 | |
| Trichlorofluoromethane | 24.19 | 2.0 | µg/L | 20 | 0 | 121 | 62 | 141 | 0 | 0 | 0 | |
| Diethyl ether | 18.61 | 5.0 | µg/L | 20 | 0 | 93 | 68 | 134 | 0 | 0 | 0 | |
| Acetone | 16.24 | 10 | µg/L | 20 | 0 | 81.2 | 9 | 150 | 0 | 0 | 0 | |
| 1,1-Dichloroethene | 21.96 | 1.0 | µg/L | 20 | 0 | 110 | 68 | 146 | 0 | 0 | 0 | |
| Carbon disulfide | 20.59 | 2.0 | µg/L | 20 | 0 | 103 | 52 | 131 | 0 | 0 | 0 | |
| Methylene chloride | 21.03 | 5.0 | µg/L | 20 | 0 | 105 | 67 | 138 | 0 | 0 | 0 | |
| Methyl tert-butyl ether | 20.1 | 2.0 | µg/L | 20 | 0 | 100 | 63 | 139 | 0 | 0 | 0 | |
| trans-1,2-Dichloroethene | 21.41 | 2.0 | µg/L | 20 | 0 | 107 | 81 | 126 | 0 | 0 | 0 | |
| 1,1-Dichloroethane | 23.88 | 2.0 | µg/L | 20 | 0 | 119 | 78 | 124 | 0 | 0 | 0 | |
| 2-Butanone | 15.65 | 10 | µg/L | 20 | 0 | 78.2 | 41 | 150 | 0 | 0 | 0 | |
| 2,2-Dichloropropane | 25.64 | 2.0 | µg/L | 20 | 0 | 128 | 71 | 150 | 0 | 0 | 0 | |
| cis-1,2-Dichloroethene | 23 | 2.0 | µg/L | 20 | 0 | 115 | 78 | 121 | 0 | 0 | 0 | |
| Chloroform | 21.49 | 2.0 | µg/L | 20 | 0 | 107 | 82 | 123 | 0 | 0 | 0 | |
| Tetrahydrofuran | 15.53 | 10 | µg/L | 20 | 0 | 77.7 | 51 | 146 | 0 | 0 | 0 | |
| Bromochloromethane | 22.44 | 2.0 | µg/L | 20 | 0 | 112 | 77 | 131 | 0 | 0 | 0 | |
| 1,1,1-Trichloroethane | 25.42 | 2.0 | µg/L | 20 | 0 | 127 | 81 | 127 | 0 | 0 | 0 | |
| 1,1-Dichloropropene | 23.7 | 2.0 | µg/L | 20 | 0 | 118 | 76 | 119 | 0 | 0 | 0 | S |
| Carbon tetrachloride | 20.94 | 2.0 | µg/L | 20 | 0 | 105 | 76 | 129 | 0 | 0 | 0 | |
| 1,2-Dichloroethane | 19.92 | 2.0 | µg/L | 20 | 0 | 99.6 | 76 | 127 | 0 | 0 | 0 | |
| Benzene | 20.38 | 1.0 | µg/L | 20 | 0 | 102 | 81 | 118 | 0 | 0 | 0 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0908081
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

| Compound | Reporting Limit | Concentration | Recovery | Spike | Recovery | Spike | Recovery | Spike | Recovery | Spike | Recovery |
|---------------------------|-----------------|---------------|----------|-------|----------|-------|----------|-------|----------|-------|----------|
| Trichloroethene | 21.17 | 2.0 | µg/L | 20 | 0 | 106 | 81 | 119 | 0 | 0 | 0 |
| 1,2-Dichloropropane | 21.54 | 2.0 | µg/L | 20 | 0 | 108 | 79 | 120 | 0 | 0 | 0 |
| Bromodichloromethane | 19.69 | 2.0 | µg/L | 20 | 0 | 98.4 | 77 | 131 | 0 | 0 | 0 |
| Dibromomethane | 18.24 | 2.0 | µg/L | 20 | 0 | 91.2 | 76 | 128 | 0 | 0 | 0 |
| 4-Methyl-2-pentanone | 13.61 | 10 | µg/L | 20 | 0 | 68 | 51 | 141 | 0 | 0 | 0 |
| cis-1,3-Dichloropropene | 18.76 | 1.0 | µg/L | 20 | 0 | 93.8 | 76 | 120 | 0 | 0 | 0 |
| Toluene | 20.29 | 2.0 | µg/L | 20 | 0 | 101 | 83 | 119 | 0 | 0 | 0 |
| trans-1,3-Dichloropropene | 16.82 | 1.0 | µg/L | 20 | 0 | 84.1 | 66 | 128 | 0 | 0 | 0 |
| 1,1,2-Trichloroethane | 17.64 | 2.0 | µg/L | 20 | 0 | 88.2 | 74 | 123 | 0 | 0 | 0 |
| 1,2-Dibromoethane | 16.95 | 2.0 | µg/L | 20 | 0 | 84.8 | 72 | 128 | 0 | 0 | 0 |
| 2-Hexanone | 15.21 | 10 | µg/L | 20 | 0 | 76 | 31 | 148 | 0 | 0 | 0 |
| 1,3-Dichloropropane | 21.24 | 2.0 | µg/L | 20 | 0 | 106 | 76 | 122 | 0 | 0 | 0 |
| Tetrachloroethene | 23.91 | 2.0 | µg/L | 20 | 0 | 120 | 81 | 124 | 0 | 0 | 0 |
| Dibromochloromethane | 16.62 | 2.0 | µg/L | 20 | 0 | 83.1 | 63 | 126 | 0 | 0 | 0 |
| Chlorobenzene | 21.2 | 2.0 | µg/L | 20 | 0 | 106 | 84 | 113 | 0 | 0 | 0 |
| 1,1,1,2-Tetrachloroethane | 23.06 | 2.0 | µg/L | 20 | 0 | 115 | 73 | 124 | 0 | 0 | 0 |
| Ethylbenzene | 21.95 | 2.0 | µg/L | 20 | 0 | 110 | 83 | 118 | 0 | 0 | 0 |
| m,p-Xylene | 42.26 | 2.0 | µg/L | 40 | 0 | 106 | 85 | 116 | 0 | 0 | 0 |
| o-Xylene | 21.16 | 2.0 | µg/L | 20 | 0 | 106 | 84 | 115 | 0 | 0 | 0 |
| Styrene | 21.85 | 2.0 | µg/L | 20 | 0 | 109 | 81 | 118 | 0 | 0 | 0 |
| Bromoform | 13.89 | 2.0 | µg/L | 20 | 0 | 69.5 | 55 | 126 | 0 | 0 | 0 |
| Isopropylbenzene | 23.29 | 2.0 | µg/L | 20 | 0 | 116 | 77 | 125 | 0 | 0 | 0 |
| 1,1,2,2-Tetrachloroethane | 19.35 | 2.0 | µg/L | 20 | 0 | 96.8 | 62 | 134 | 0 | 0 | 0 |
| 1,2,3-Trichloropropane | 20.98 | 2.0 | µg/L | 20 | 0 | 105 | 62 | 132 | 0 | 0 | 0 |
| Bromobenzene | 22.69 | 2.0 | µg/L | 20 | 0 | 113 | 78 | 119 | 0 | 0 | 0 |
| n-Propylbenzene | 22.65 | 2.0 | µg/L | 20 | 0 | 113 | 77 | 127 | 0 | 0 | 0 |
| 2-Chlorotoluene | 22.65 | 2.0 | µg/L | 20 | 0 | 113 | 78 | 118 | 0 | 0 | 0 |
| 4-Chlorotoluene | 23.75 | 2.0 | µg/L | 20 | 0 | 119 | 77 | 119 | 0 | 0 | 0 |
| 1,3,5-Trimethylbenzene | 21.77 | 2.0 | µg/L | 20 | 0 | 109 | 80 | 120 | 0 | 0 | 0 |
| tert-Butylbenzene | 21.43 | 2.0 | µg/L | 20 | 0 | 107 | 81 | 120 | 0 | 0 | 0 |
| 1,2,4-Trimethylbenzene | 21.52 | 2.0 | µg/L | 20 | 0 | 108 | 80 | 118 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

| Compound | Concentration (µg/L) | Recovery (%) | Spikes | Recovery (%) | Spikes | Recovery (%) | Spikes |
|-----------------------------|----------------------|--------------|--------|--------------|--------|--------------|--------|
| sec-Butylbenzene | 2.0 | 112 | 0 | 82 | 123 | 0 | 0 |
| 4-Isopropyltoluene | 2.0 | 101 | 0 | 80 | 126 | 0 | 0 |
| 1,3-Dichlorobenzene | 2.0 | 109 | 0 | 84 | 115 | 0 | 0 |
| 1,4-Dichlorobenzene | 2.0 | 106 | 0 | 79 | 117 | 0 | 0 |
| n-Butylbenzene | 2.0 | 109 | 0 | 76 | 128 | 0 | 0 |
| 1,2-Dichlorobenzene | 2.0 | 106 | 0 | 81 | 117 | 0 | 0 |
| 1,2-Dibromo-3-chloropropane | 5.0 | 75 | 0 | 47 | 136 | 0 | 0 |
| 1,2,4-Trichlorobenzene | 2.0 | 99.8 | 0 | 73 | 126 | 0 | 0 |
| Hexachlorobutadiene | 2.0 | 119 | 0 | 77 | 134 | 0 | 0 |
| Naphthalene | 5.0 | 82.6 | 0 | 58 | 138 | 0 | 0 |
| 1,2,3-Trichlorobenzene | 2.0 | 84.1 | 0 | 76 | 124 | 0 | 0 |
| Surr: Dibromofluoromethane | 2.0 | 95.6 | 0 | 85 | 119 | 0 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 2.0 | 97.4 | 0 | 79 | 131 | 0 | 0 |
| Surr: Toluene-d8 | 2.0 | 93.7 | 0 | 90 | 110 | 0 | 0 |
| Surr: 4-Bromofluorobenzene | 2.0 | 93 | 0 | 76 | 117 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0908081
 Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Laboratory Control Spike

| Sample ID | Ics-09/09/09 | Batch ID: R43118 | Test Code: SW8260B | Units: µg/L | Analysis Date 9/9/09 8:31:00 AM | Prep Date 9/9/09 | | | | | | |
|--------------------------|---------------------|------------------|--------------------|-----------------|---------------------------------|------------------|----------|-----------|------------------------------|------|----------|-----|
| Client ID: | Run ID: V-3_090909A | SeqNo: 715725 | | | | | | | | | | |
| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
| Dichlorodifluoromethane | 21.3 | 5.0 | µg/L | 20 | 0 | 106 | 10 | 150 | 0 | 0 | 0 | |
| Chloromethane | 21.45 | 5.0 | µg/L | 20 | 0 | 107 | 37 | 150 | 0 | 0 | 0 | |
| Vinyl chloride | 21.94 | 2.0 | µg/L | 20 | 0 | 110 | 48 | 150 | 0 | 0 | 0 | |
| Chloroethane | 22.07 | 5.0 | µg/L | 20 | 0 | 110 | 54 | 142 | 0 | 0 | 0 | |
| Bromomethane | 21 | 2.0 | µg/L | 20 | 0 | 105 | 51 | 137 | 0 | 0 | 0 | |
| Trichlorofluoromethane | 21.36 | 2.0 | µg/L | 20 | 0 | 107 | 62 | 141 | 0 | 0 | 0 | |
| Diethyl ether | 18.44 | 5.0 | µg/L | 20 | 0 | 92.2 | 68 | 134 | 0 | 0 | 0 | |
| Acetone | 18.01 | 10 | µg/L | 20 | 0 | 90 | 9 | 150 | 0 | 0 | 0 | |
| 1,1-Dichloroethene | 18.9 | 1.0 | µg/L | 20 | 0 | 94.5 | 68 | 146 | 0 | 0 | 0 | |
| Carbon disulfide | 17.27 | 2.0 | µg/L | 20 | 0 | 86.4 | 52 | 131 | 0 | 0 | 0 | |
| Methylene chloride | 21.08 | 5.0 | µg/L | 20 | 0 | 105 | 67 | 138 | 0 | 0 | 0 | |
| Methyl tert-butyl ether | 19.32 | 2.0 | µg/L | 20 | 0 | 96.6 | 63 | 139 | 0 | 0 | 0 | |
| trans-1,2-Dichloroethene | 19.25 | 2.0 | µg/L | 20 | 0 | 96.2 | 81 | 126 | 0 | 0 | 0 | |
| 1,1-Dichloroethane | 22.25 | 2.0 | µg/L | 20 | 0 | 111 | 78 | 124 | 0 | 0 | 0 | |
| 2-Butanone | 14.11 | 10 | µg/L | 20 | 0 | 70.6 | 41 | 150 | 0 | 0 | 0 | |
| 2,2-Dichloropropane | 22.95 | 2.0 | µg/L | 20 | 0 | 115 | 71 | 150 | 0 | 0 | 0 | |
| cis-1,2-Dichloroethene | 21.53 | 2.0 | µg/L | 20 | 0 | 108 | 78 | 121 | 0 | 0 | 0 | |
| Chloroform | 20.66 | 2.0 | µg/L | 20 | 0 | 103 | 82 | 123 | 0 | 0 | 0 | |
| Tetrahydrofuran | 15.89 | 10 | µg/L | 20 | 0 | 79.4 | 51 | 146 | 0 | 0 | 0 | |
| Bromochloromethane | 21.65 | 2.0 | µg/L | 20 | 0 | 108 | 77 | 131 | 0 | 0 | 0 | |
| 1,1,1-Trichloroethane | 22.88 | 2.0 | µg/L | 20 | 0 | 114 | 81 | 127 | 0 | 0 | 0 | |
| 1,1-Dichloropropene | 20.98 | 2.0 | µg/L | 20 | 0 | 105 | 76 | 119 | 0 | 0 | 0 | |
| Carbon tetrachloride | 18.25 | 2.0 | µg/L | 20 | 0 | 91.2 | 76 | 129 | 0 | 0 | 0 | |
| 1,2-Dichloroethane | 20.11 | 2.0 | µg/L | 20 | 0 | 101 | 76 | 127 | 0 | 0 | 0 | |
| Benzene | 19.27 | 1.0 | µg/L | 20 | 0 | 96.4 | 81 | 118 | 0 | 0 | 0 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

| Compound | Concentration (µg/L) | Recovery (%) | Acceptance | Reporting Limit | Spike | Recovery (%) | Acceptance | Reporting Limit | Spike | Recovery (%) | Acceptance |
|---------------------------|----------------------|--------------|------------|-----------------|-------|--------------|------------|-----------------|-------|--------------|------------|
| Trichloroethene | 19.66 | 2.0 | µg/L | 20 | 0 | 98.3 | 81 | 119 | 0 | | |
| 1,2-Dichloropropane | 20.66 | 2.0 | µg/L | 20 | 0 | 103 | 79 | 120 | 0 | | |
| Bromodichloromethane | 18.65 | 2.0 | µg/L | 20 | 0 | 93.3 | 77 | 131 | 0 | | |
| Dibromomethane | 17.6 | 2.0 | µg/L | 20 | 0 | 88 | 76 | 128 | 0 | | |
| 4-Methyl-2-pentanone | 13.61 | 10 | µg/L | 20 | 0 | 68 | 51 | 141 | 0 | | |
| cis-1,3-Dichloropropene | 17.82 | 1.0 | µg/L | 20 | 0 | 89.1 | 76 | 120 | 0 | | |
| Toluene | 19.06 | 2.0 | µg/L | 20 | 0 | 95.3 | 83 | 119 | 0 | | |
| trans-1,3-Dichloropropene | 15.81 | 1.0 | µg/L | 20 | 0 | 79 | 66 | 128 | 0 | | |
| 1,1,2-Trichloroethane | 17.74 | 2.0 | µg/L | 20 | 0 | 88.7 | 74 | 123 | 0 | | |
| 1,2-Dibromoethane | 16.74 | 2.0 | µg/L | 20 | 0 | 83.7 | 72 | 128 | 0 | | |
| 2-Hexanone | 15.26 | 10 | µg/L | 20 | 0 | 76.3 | 31 | 148 | 0 | | |
| 1,3-Dichloropropane | 21.06 | 2.0 | µg/L | 20 | 0 | 105 | 76 | 122 | 0 | | |
| Tetrachloroethene | 21.58 | 2.0 | µg/L | 20 | 0 | 108 | 81 | 124 | 0 | | |
| Dibromochloromethane | 15.44 | 2.0 | µg/L | 20 | 0 | 77.2 | 63 | 126 | 0 | | |
| Chlorobenzene | 20.39 | 2.0 | µg/L | 20 | 0 | 102 | 84 | 113 | 0 | | |
| 1,1,1,2-Tetrachloroethane | 21.6 | 2.0 | µg/L | 20 | 0 | 108 | 73 | 124 | 0 | | |
| Ethylbenzene | 20.83 | 2.0 | µg/L | 20 | 0 | 104 | 83 | 118 | 0 | | |
| m,p-Xylene | 39.89 | 2.0 | µg/L | 40 | 0 | 99.7 | 85 | 116 | 0 | | |
| o-Xylene | 20.21 | 2.0 | µg/L | 20 | 0 | 101 | 84 | 115 | 0 | | |
| Styrene | 20.79 | 2.0 | µg/L | 20 | 0 | 104 | 81 | 118 | 0 | | |
| Bromoform | 13.13 | 2.0 | µg/L | 20 | 0 | 65.6 | 55 | 126 | 0 | | |
| Isopropylbenzene | 21.85 | 2.0 | µg/L | 20 | 0 | 109 | 77 | 125 | 0 | | |
| 1,1,2,2-Tetrachloroethane | 19.5 | 2.0 | µg/L | 20 | 0 | 97.5 | 62 | 134 | 0 | | |
| 1,2,3-Trichloropropane | 21.47 | 2.0 | µg/L | 20 | 0 | 107 | 62 | 132 | 0 | | |
| Bromobenzene | 21.63 | 2.0 | µg/L | 20 | 0 | 108 | 78 | 119 | 0 | | |
| n-Propylbenzene | 20.82 | 2.0 | µg/L | 20 | 0 | 104 | 77 | 127 | 0 | | |
| 2-Chlorotoluene | 21.55 | 2.0 | µg/L | 20 | 0 | 108 | 78 | 118 | 0 | | |
| 4-Chlorotoluene | 22.52 | 2.0 | µg/L | 20 | 0 | 113 | 77 | 119 | 0 | | |
| 1,3,5-Trimethylbenzene | 20.54 | 2.0 | µg/L | 20 | 0 | 103 | 80 | 120 | 0 | | |
| tert-Butylbenzene | 19.77 | 2.0 | µg/L | 20 | 0 | 98.8 | 81 | 120 | 0 | | |
| 1,2,4-Trimethylbenzene | 20.25 | 2.0 | µg/L | 20 | 0 | 101 | 80 | 118 | 0 | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

| Compound | Concentration (µg/L) | Recovery (%) | Acceptance Criteria (%) | Recovery Status | Method | Control Spike |
|-----------------------------|----------------------|--------------|-------------------------|-----------------|--------|---------------|
| sec-Butylbenzene | 20.55 | 2.0 | 103 | 0 | 82 | 123 |
| 4-Isopropyltoluene | 19.1 | 2.0 | 95.5 | 0 | 80 | 126 |
| 1,3-Dichlorobenzene | 21 | 2.0 | 105 | 0 | 84 | 115 |
| 1,4-Dichlorobenzene | 20.71 | 2.0 | 104 | 0 | 79 | 117 |
| n-Butylbenzene | 20.25 | 2.0 | 101 | 0 | 76 | 128 |
| 1,2-Dichlorobenzene | 20.43 | 2.0 | 102 | 0 | 81 | 117 |
| 1,2-Dibromo-3-chloropropane | 13.76 | 5.0 | 68.8 | 0 | 47 | 136 |
| 1,2,4-Trichlorobenzene | 18.85 | 2.0 | 94.2 | 0 | 73 | 126 |
| Hexachlorobutadiene | 21.06 | 2.0 | 105 | 0 | 77 | 134 |
| Naphthalene | 16.6 | 5.0 | 83 | 0 | 58 | 138 |
| 1,2,3-Trichlorobenzene | 16.45 | 2.0 | 82.2 | 0 | 76 | 124 |
| Surr: Dibromofluoromethane | 24.25 | 2.0 | 97 | 0 | 85 | 119 |
| Surr: 1,2-Dichloroethane-d4 | 24.74 | 2.0 | 99 | 0 | 79 | 131 |
| Surr: Toluene-d8 | 23.46 | 2.0 | 93.8 | 0 | 90 | 110 |
| Surr: 4-Bromofluorobenzene | 23.52 | 2.0 | 94.1 | 0 | 76 | 117 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

| Sample ID | Icsd-09/09/09 | Batch ID: R43118 | Test Code: SW8260B | Units: µg/L | Analysis Date 9/9/09 9:06:00 AM | Prep Date 9/9/09 | | | | | | |
|--------------------------|---------------------|------------------|--------------------|-----------------|---------------------------------|------------------|----------|-----------|------------------------------|-------|----------|-----|
| Client ID: | Run ID: V-3_090909A | SeqNo: 715724 | | | | | | | | | | |
| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
| Dichlorodifluoromethane | 22.65 | 5.0 | µg/L | 20 | 0 | 113 | 10 | 150 | 21.3 | 6.14 | 20 | |
| Chloromethane | 22.8 | 5.0 | µg/L | 20 | 0 | 114 | 37 | 150 | 21.45 | 6.1 | 20 | |
| Vinyl chloride | 22.98 | 2.0 | µg/L | 20 | 0 | 115 | 48 | 150 | 21.94 | 4.63 | 20 | |
| Chloroethane | 23 | 5.0 | µg/L | 20 | 0 | 115 | 54 | 142 | 22.07 | 4.13 | 20 | |
| Bromomethane | 21.4 | 2.0 | µg/L | 20 | 0 | 107 | 51 | 137 | 21 | 1.89 | 20 | |
| Trichlorofluoromethane | 22.69 | 2.0 | µg/L | 20 | 0 | 113 | 62 | 141 | 21.36 | 6.04 | 20 | |
| Diethyl ether | 18.68 | 5.0 | µg/L | 20 | 0 | 93.4 | 68 | 134 | 18.44 | 1.29 | 20 | |
| Acetone | 18.37 | 10 | µg/L | 20 | 0 | 91.8 | 9 | 150 | 18.01 | 1.98 | 20 | |
| 1,1-Dichloroethene | 19.62 | 1.0 | µg/L | 20 | 0 | 98.1 | 68 | 146 | 18.9 | 3.74 | 20 | |
| Carbon disulfide | 17.48 | 2.0 | µg/L | 20 | 0 | 87.4 | 52 | 131 | 17.27 | 1.21 | 20 | |
| Methylene chloride | 21.23 | 5.0 | µg/L | 20 | 0 | 106 | 67 | 138 | 21.08 | 0.709 | 20 | |
| Methyl tert-butyl ether | 19.68 | 2.0 | µg/L | 20 | 0 | 98.4 | 63 | 139 | 19.32 | 1.85 | 20 | |
| trans-1,2-Dichloroethene | 20.19 | 2.0 | µg/L | 20 | 0 | 101 | 81 | 126 | 19.25 | 4.77 | 20 | |
| 1,1-Dichloroethane | 22.42 | 2.0 | µg/L | 20 | 0 | 112 | 78 | 124 | 22.25 | 0.761 | 20 | |
| 2-Butanone | 15.85 | 10 | µg/L | 20 | 0 | 79.2 | 41 | 150 | 14.11 | 11.6 | 20 | |
| 2,2-Dichloropropane | 22.85 | 2.0 | µg/L | 20 | 0 | 114 | 71 | 150 | 22.95 | 0.437 | 20 | |
| cis-1,2-Dichloroethene | 21.97 | 2.0 | µg/L | 20 | 0 | 110 | 78 | 121 | 21.53 | 2.02 | 20 | |
| Chloroform | 20.88 | 2.0 | µg/L | 20 | 0 | 104 | 82 | 123 | 20.66 | 1.06 | 20 | |
| Tetrahydrofuran | 15.89 | 10 | µg/L | 20 | 0 | 79.4 | 51 | 146 | 15.89 | 0 | 20 | |
| Bromochloromethane | 22.42 | 2.0 | µg/L | 20 | 0 | 112 | 77 | 131 | 21.65 | 3.49 | 20 | |
| 1,1,1-Trichloroethane | 24.06 | 2.0 | µg/L | 20 | 0 | 120 | 81 | 127 | 22.88 | 5.03 | 20 | |
| 1,1-Dichloropropene | 22.3 | 2.0 | µg/L | 20 | 0 | 112 | 76 | 119 | 20.98 | 6.1 | 20 | |
| Carbon tetrachloride | 19.43 | 2.0 | µg/L | 20 | 0 | 97.2 | 76 | 129 | 18.25 | 6.26 | 20 | |
| 1,2-Dichloroethane | 20.45 | 2.0 | µg/L | 20 | 0 | 102 | 76 | 127 | 20.11 | 1.68 | 20 | |
| Benzene | 20.05 | 1.0 | µg/L | 20 | 0 | 100 | 81 | 118 | 19.27 | 3.97 | 20 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

| Compound | Reporting Limit | Concentration (µg/L) | Recovery (%) | Method | Concentration (µg/L) | Recovery (%) | Method |
|---------------------------|-----------------|----------------------|--------------|--------|----------------------|--------------|--------|
| Trichloroethene | 20.31 | 2.0 | 102 | 0 | 19.66 | 3.25 | 20 |
| 1,2-Dichloropropane | 21.31 | 2.0 | 107 | 0 | 20.66 | 3.1 | 20 |
| Bromochloromethane | 18.54 | 2.0 | 92.7 | 0 | 18.65 | 0.592 | 20 |
| Dibromomethane | 18.46 | 2.0 | 92.3 | 0 | 17.6 | 4.77 | 20 |
| 4-Methyl-2-pentanone | 14.72 | 10 | 73.6 | 0 | 13.61 | 7.84 | 20 |
| cis-1,3-Dichloropropene | 17.9 | 1.0 | 89.5 | 0 | 17.82 | 0.448 | 20 |
| Toluene | 19.83 | 2.0 | 99.2 | 0 | 19.06 | 3.96 | 20 |
| trans-1,3-Dichloropropene | 16.04 | 1.0 | 80.2 | 0 | 15.81 | 1.44 | 20 |
| 1,1,2-Trichloroethane | 17.88 | 2.0 | 89.4 | 0 | 17.74 | 0.786 | 20 |
| 1,2-Dibromoethane | 17.33 | 2.0 | 86.7 | 0 | 16.74 | 3.46 | 20 |
| 2-Hexanone | 15.3 | 10 | 76.5 | 0 | 15.26 | 0.262 | 20 |
| 1,3-Dichloropropane | 20.73 | 2.0 | 104 | 0 | 21.06 | 1.58 | 20 |
| Tetrachloroethene | 22.47 | 2.0 | 112 | 0 | 21.58 | 4.04 | 20 |
| Dibromochloromethane | 15.18 | 2.0 | 75.9 | 0 | 15.44 | 1.7 | 20 |
| Chlorobenzene | 20.72 | 2.0 | 104 | 0 | 20.39 | 1.61 | 20 |
| 1,1,1,2-Tetrachloroethane | 22.86 | 2.0 | 114 | 0 | 21.6 | 5.67 | 20 |
| Ethylbenzene | 21.27 | 2.0 | 106 | 0 | 20.83 | 2.09 | 20 |
| m,p-Xylene | 40.98 | 2.0 | 102 | 0 | 39.89 | 2.7 | 20 |
| o-Xylene | 20.57 | 2.0 | 103 | 0 | 20.21 | 1.77 | 20 |
| Styrene | 21.22 | 2.0 | 106 | 0 | 20.79 | 2.05 | 20 |
| Bromoform | 11.84 | 2.0 | 59.2 | 0 | 13.13 | 10.3 | 20 |
| Isopropylbenzene | 22.31 | 2.0 | 112 | 0 | 21.85 | 2.08 | 20 |
| 1,1,2,2-Tetrachloroethane | 19.43 | 2.0 | 97.2 | 0 | 19.5 | 0.36 | 20 |
| 1,2,3-Trichloropropane | 21.44 | 2.0 | 107 | 0 | 21.47 | 0.14 | 20 |
| Bromobenzene | 21.36 | 2.0 | 107 | 0 | 21.63 | 1.26 | 20 |
| n-Propylbenzene | 21.1 | 2.0 | 106 | 0 | 20.82 | 1.34 | 20 |
| 2-Chlorotoluene | 21.62 | 2.0 | 108 | 0 | 21.55 | 0.324 | 20 |
| 4-Chlorotoluene | 23.39 | 2.0 | 117 | 0 | 22.52 | 3.79 | 20 |
| 1,3,5-Trimethylbenzene | 21.11 | 2.0 | 106 | 0 | 20.54 | 2.74 | 20 |
| tert-Butylbenzene | 19.95 | 2.0 | 99.8 | 0 | 19.77 | 0.906 | 20 |
| 1,2,4-Trimethylbenzene | 20.94 | 2.0 | 105 | 0 | 20.25 | 3.35 | 20 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

| Compound | 20.55 | 19.08 | 21.59 | 21.01 | 20.15 | 20.34 | 14.73 | 18.97 | 21.75 | 16.68 | 16.8 | 24.09 | 24.69 | 23.47 | 23.74 |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|
| sec-Butylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 5.0 | 2.0 | 2.0 | 5.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 4-Isopropyltoluene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,3-Dichlorobenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,4-Dichlorobenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| n-Butylbenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,2-Dichlorobenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,2-Dibromo-3-chloropropane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,2,4-Trichlorobenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| Hexachlorobutadiene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| Naphthalene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 1,2,3-Trichlorobenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| Surr: Dibromofluoromethane | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| Surr: 1,2-Dichloroethane-d4 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| Surr: Toluene-d8 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| Surr: 4-Bromofluorobenzene | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Sample ID: MW-217S Batch ID: R43094 Test Code: SW8260B Units: µg/L Analysis Date: 9/3/09 10:58:00 PM Prep Date: 8/28/09
 Client ID: MW-217S Run ID: V-3_090903A SeqNo: 715482

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | 146.1 | 25 | µg/L | 100 | 0 | 146 | 22 | 176 | 0 | 0 | 0 | 0 |
| Chloromethane | 138.4 | 25 | µg/L | 100 | 0 | 138 | 36 | 144 | 0 | 0 | 0 | 0 |
| Vinyl chloride | 137.4 | 10 | µg/L | 100 | 4.09 | 133 | 54 | 156 | 0 | 0 | 0 | 0 |
| Chloroethane | 121.6 | 25 | µg/L | 100 | 0 | 122 | 55 | 153 | 0 | 0 | 0 | 0 |
| Bromomethane | 107.9 | 10 | µg/L | 100 | 0 | 108 | 47 | 113 | 0 | 0 | 0 | 0 |
| Trichlorofluoromethane | 118.5 | 10 | µg/L | 100 | 0 | 118 | 80 | 161 | 0 | 0 | 0 | 0 |
| Diethyl ether | 104.6 | 25 | µg/L | 100 | 0 | 105 | 55 | 128 | 0 | 0 | 0 | 0 |
| Acetone | 104.9 | 50 | µg/L | 100 | 0 | 105 | 22 | 147 | 0 | 0 | 0 | 0 |
| 1,1-Dichloroethene | 116 | 5.0 | µg/L | 100 | 0 | 116 | 61 | 146 | 0 | 0 | 0 | 0 |
| Carbon disulfide | 95.95 | 10 | µg/L | 100 | 0 | 96 | 39 | 153 | 0 | 0 | 0 | 0 |
| Methylene chloride | 114.7 | 25 | µg/L | 100 | 0.92 | 114 | 44 | 147 | 0 | 0 | 0 | 0 |
| Methyl tert-butyl ether | 107.4 | 10 | µg/L | 100 | 0 | 107 | 64 | 137 | 0 | 0 | 0 | 0 |
| trans-1,2-Dichloroethene | 107.1 | 10 | µg/L | 100 | 0 | 107 | 68 | 140 | 0 | 0 | 0 | 0 |
| 1,1-Dichloroethane | 117.9 | 10 | µg/L | 100 | 0.79 | 117 | 66 | 139 | 0 | 0 | 0 | 0 |
| 2-Butanone | 82.15 | 50 | µg/L | 100 | 0 | 82.2 | 35 | 139 | 0 | 0 | 0 | 0 |
| 2,2-Dichloropropane | 110.8 | 10 | µg/L | 100 | 0 | 111 | 45 | 165 | 0 | 0 | 0 | 0 |
| cis-1,2-Dichloroethene | 170.6 | 10 | µg/L | 100 | 75.99 | 94.7 | 68 | 132 | 0 | 0 | 0 | 0 |
| Chloroform | 105 | 10 | µg/L | 100 | 0 | 105 | 78 | 136 | 0 | 0 | 0 | 0 |
| Tetrahydrofuran | 91.95 | 50 | µg/L | 100 | 0 | 92 | 27 | 139 | 0 | 0 | 0 | 0 |
| Bromochloromethane | 118.8 | 10 | µg/L | 100 | 0 | 119 | 72 | 132 | 0 | 0 | 0 | 0 |
| 1,1,1-Trichloroethane | 124.6 | 10 | µg/L | 100 | 0 | 125 | 78 | 148 | 0 | 0 | 0 | 0 |
| 1,1-Dichloropropene | 128.2 | 10 | µg/L | 100 | 0 | 128 | 82 | 139 | 0 | 0 | 0 | 0 |
| Carbon tetrachloride | 103 | 10 | µg/L | 100 | 0 | 103 | 72 | 143 | 0 | 0 | 0 | 0 |
| 1,2-Dichloroethane | 107.9 | 10 | µg/L | 100 | 0 | 108 | 72 | 141 | 0 | 0 | 0 | 0 |
| Benzene | 109.1 | 5.0 | µg/L | 100 | 0 | 109 | 73 | 135 | 0 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

| Compound | Reporting Limit | Concentration | Recovery | Acceptance | Recovery | Acceptance | Recovery | Acceptance | Recovery | Acceptance |
|---------------------------|-----------------|---------------|----------|------------|----------|------------|----------|------------|----------|------------|
| Trichloroethene | 113 | 10 | µg/L | 100 | 0.56 | 112 | 74 | 143 | 0 | 0 |
| 1,2-Dichloropropane | 114.5 | 10 | µg/L | 100 | 0 | 114 | 66 | 136 | 0 | 0 |
| Bromodichloromethane | 94.55 | 10 | µg/L | 100 | 0 | 94.6 | 72 | 132 | 0 | 0 |
| Dibromomethane | 101 | 10 | µg/L | 100 | 0 | 101 | 71 | 132 | 0 | 0 |
| 4-Methyl-2-pentanone | 91.75 | 50 | µg/L | 100 | 0 | 91.8 | 34 | 145 | 0 | 0 |
| cis-1,3-Dichloropropene | 92.6 | 5.0 | µg/L | 100 | 0 | 92.6 | 66 | 126 | 0 | 0 |
| Toluene | 109.6 | 10 | µg/L | 100 | 0 | 110 | 71 | 139 | 0 | 0 |
| trans-1,3-Dichloropropene | 81.95 | 5.0 | µg/L | 100 | 0 | 82 | 68 | 122 | 0 | 0 |
| 1,1,2-Trichloroethane | 97.55 | 10 | µg/L | 100 | 0 | 97.6 | 67 | 129 | 0 | 0 |
| 1,2-Dibromoethane | 95.5 | 10 | µg/L | 100 | 0 | 95.5 | 67 | 137 | 0 | 0 |
| 2-Hexanone | 98.05 | 50 | µg/L | 100 | 0 | 98 | 30 | 134 | 0 | 0 |
| 1,3-Dichloropropane | 115.6 | 10 | µg/L | 100 | 0 | 116 | 75 | 126 | 0 | 0 |
| Tetrachloroethene | 131.1 | 10 | µg/L | 100 | 8.59 | 123 | 70 | 150 | 0 | 0 |
| Dibromochloromethane | 78.05 | 10 | µg/L | 100 | 0 | 78 | 63 | 116 | 0 | 0 |
| Chlorobenzene | 110.4 | 10 | µg/L | 100 | 0 | 110 | 76 | 130 | 0 | 0 |
| 1,1,1,2-Tetrachloroethane | 116.4 | 10 | µg/L | 100 | 0 | 116 | 79 | 126 | 0 | 0 |
| Ethylbenzene | 118.7 | 10 | µg/L | 100 | 1.07 | 118 | 80 | 133 | 0 | 0 |
| m,p-Xylene | 222.3 | 10 | µg/L | 200 | 1.28 | 111 | 81 | 131 | 0 | 0 |
| o-Xylene | 115.7 | 10 | µg/L | 100 | 0.58 | 115 | 78 | 130 | 0 | 0 |
| Styrene | 113.3 | 10 | µg/L | 100 | 0 | 113 | 72 | 140 | 0 | 0 |
| Bromoform | 59.55 | 10 | µg/L | 100 | 0 | 59.6 | 47 | 113 | 0 | 0 |
| Isopropylbenzene | 125.4 | 10 | µg/L | 100 | 0 | 125 | 81 | 144 | 0 | 0 |
| 1,1,2,2-Tetrachloroethane | 114.6 | 10 | µg/L | 100 | 0 | 115 | 62 | 133 | 0 | 0 |
| 1,2,3-Trichloropropane | 125.4 | 10 | µg/L | 100 | 0 | 125 | 60 | 143 | 0 | 0 |
| Bromobenzene | 116.1 | 10 | µg/L | 100 | 0 | 116 | 82 | 127 | 0 | 0 |
| n-Propylbenzene | 118.6 | 10 | µg/L | 100 | 0 | 119 | 76 | 142 | 0 | 0 |
| 2-Chlorotoluene | 116.6 | 10 | µg/L | 100 | 0 | 117 | 75 | 134 | 0 | 0 |
| 4-Chlorotoluene | 121.1 | 10 | µg/L | 100 | 0 | 121 | 74 | 133 | 0 | 0 |
| 1,3,5-Trimethylbenzene | 115.6 | 10 | µg/L | 100 | 0 | 116 | 74 | 143 | 0 | 0 |
| tert-Butylbenzene | 113.4 | 10 | µg/L | 100 | 0 | 113 | 79 | 140 | 0 | 0 |
| 1,2,4-Trimethylbenzene | 114.6 | 10 | µg/L | 100 | 0.68 | 114 | 72 | 144 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

| Compound | 117.6 | 107.4 | 112.9 | 110.6 | 111 | 112.8 | 80.8 | 104.2 | 116.4 | 113.2 | 91.6 | 116.1 | 120.6 | 119.3 | 116.6 | 149 | 147 | 129 | 134 | 153 | 136 | 123 | 156 | 136 | 153 | 161 | 119 | 131 | 110 | 117 | |
|-----------------------------|-------|-------|-------|-------|-----|-------|------|-------|-------|-------|------|-------|-------|-------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| sec-Butylbenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 4-Isopropyltoluene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1,3-Dichlorobenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1,4-Dichlorobenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| n-Butylbenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1,2-Dichlorobenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1,2-Dibromo-3-chloropropane | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1,2,4-Trichlorobenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Hexachlorobutadiene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Naphthalene | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 11.79 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2,3-Trichlorobenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Surr: Dibromofluoromethane | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: Toluene-d8 | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: 4-Bromofluorobenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

| Sample ID | 0908081-13amsdf | Batch ID | R43094 | Test Code | SW8260B | Units | µg/L | Analysis Date | 9/3/09 11:33:00 PM | Prep Date | 8/28/09 | |
|--------------------------|------------------|----------|-------------|-----------------|------------------------|-------|----------|---------------|------------------------------|-----------|----------|-----|
| Client ID | MW-217S | Run ID | V-3_090903A | SeqNo: | 715483 | | | | | | | |
| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
| Dichlorodifluoromethane | 150.4 | 25 | µg/L | 100 | 0 | 150 | 22 | 176 | 146.1 | 2.87 | 20 | |
| Chloromethane | 142.8 | 25 | µg/L | 100 | 0 | 143 | 36 | 144 | 138.4 | 3.13 | 20 | |
| Vinyl chloride | 141.2 | 10 | µg/L | 100 | 4.09 | 137 | 54 | 156 | 137.4 | 2.76 | 20 | |
| Chloroethane | 123.6 | 25 | µg/L | 100 | 0 | 124 | 55 | 153 | 121.6 | 1.55 | 20 | |
| Bromomethane | 108.5 | 10 | µg/L | 100 | 0 | 108 | 47 | 113 | 107.9 | 0.555 | 20 | |
| Trichlorofluoromethane | 122 | 10 | µg/L | 100 | 0 | 122 | 80 | 161 | 118.5 | 2.87 | 20 | |
| Diethyl ether | 101 | 25 | µg/L | 100 | 0 | 101 | 55 | 128 | 104.6 | 3.6 | 20 | |
| Acetone | 98.1 | 50 | µg/L | 100 | 0 | 98.1 | 22 | 147 | 104.9 | 6.7 | 20 | |
| 1,1-Dichloroethene | 114.4 | 5.0 | µg/L | 100 | 0 | 114 | 61 | 146 | 116 | 1.35 | 20 | |
| Carbon disulfide | 97.3 | 10 | µg/L | 100 | 0 | 97.3 | 39 | 153 | 95.95 | 1.4 | 20 | |
| Methylene chloride | 114.3 | 25 | µg/L | 100 | 0.92 | 113 | 44 | 147 | 114.7 | 0.349 | 20 | |
| Methyl tert-butyl ether | 108.8 | 10 | µg/L | 100 | 0 | 109 | 64 | 137 | 107.4 | 1.25 | 20 | |
| trans-1,2-Dichloroethene | 110.9 | 10 | µg/L | 100 | 0 | 111 | 68 | 140 | 107.1 | 3.49 | 20 | |
| 1,1-Dichloroethane | 118.7 | 10 | µg/L | 100 | 0.79 | 118 | 66 | 139 | 117.9 | 0.676 | 20 | |
| 2-Butanone | 81 | 50 | µg/L | 100 | 0 | 81 | 35 | 139 | 82.15 | 1.41 | 20 | |
| 2,2-Dichloropropane | 110.7 | 10 | µg/L | 100 | 0 | 111 | 45 | 165 | 110.8 | 0.181 | 20 | |
| cis-1,2-Dichloroethene | 170.6 | 10 | µg/L | 100 | 75.99 | 94.7 | 68 | 132 | 170.6 | 0 | 20 | |
| Chloroform | 106.8 | 10 | µg/L | 100 | 0 | 107 | 78 | 136 | 105 | 1.75 | 20 | |
| Tetrahydrofuran | 90.3 | 50 | µg/L | 100 | 0 | 90.3 | 27 | 139 | 91.95 | 1.81 | 20 | |
| Bromochloromethane | 121.3 | 10 | µg/L | 100 | 0 | 121 | 72 | 132 | 118.8 | 2.12 | 20 | |
| 1,1,1-Trichloroethane | 122.8 | 10 | µg/L | 100 | 0 | 123 | 78 | 148 | 124.6 | 1.54 | 20 | |
| 1,1-Dichloropropene | 128.4 | 10 | µg/L | 100 | 0 | 128 | 82 | 139 | 128.2 | 0.156 | 20 | |
| Carbon tetrachloride | 102.5 | 10 | µg/L | 100 | 0 | 103 | 72 | 143 | 103 | 0.535 | 20 | |
| 1,2-Dichloroethane | 108 | 10 | µg/L | 100 | 0 | 108 | 72 | 141 | 107.9 | 0.139 | 20 | |
| Benzene | 110.2 | 5.0 | µg/L | 100 | 0 | 110 | 73 | 135 | 109.1 | 1.05 | 20 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0908081
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

| Compound | 115 | 10 | µg/L | 100 | 0.56 | 114 | 74 | 143 | 113 | 1.75 | 20 |
|---------------------------|-------|-----|------|-----|------|------|----|-----|-------|-------|----|
| Trichloroethene | 115 | 10 | µg/L | 100 | 0.56 | 114 | 74 | 143 | 113 | 1.75 | 20 |
| 1,2-Dichloropropane | 112.4 | 10 | µg/L | 100 | 0 | 112 | 66 | 136 | 114.5 | 1.9 | 20 |
| Bromodichloromethane | 95.7 | 10 | µg/L | 100 | 0 | 95.7 | 72 | 132 | 94.55 | 1.21 | 20 |
| Dibromomethane | 104.8 | 10 | µg/L | 100 | 0 | 105 | 71 | 132 | 101 | 3.65 | 20 |
| 4-Methyl-2-pentanone | 83.2 | 50 | µg/L | 100 | 0 | 83.2 | 34 | 145 | 91.75 | 9.77 | 20 |
| cis-1,3-Dichloropropene | 93.25 | 5.0 | µg/L | 100 | 0 | 93.2 | 66 | 126 | 92.6 | 0.699 | 20 |
| Toluene | 110.3 | 10 | µg/L | 100 | 0 | 110 | 71 | 139 | 109.6 | 0.591 | 20 |
| trans-1,3-Dichloropropene | 80.4 | 5.0 | µg/L | 100 | 0 | 80.4 | 68 | 122 | 81.95 | 1.91 | 20 |
| 1,1,2-Trichloroethane | 100.5 | 10 | µg/L | 100 | 0 | 100 | 67 | 129 | 97.55 | 2.93 | 20 |
| 1,2-Dibromoethane | 96.2 | 10 | µg/L | 100 | 0 | 96.2 | 67 | 137 | 95.5 | 0.73 | 20 |
| 2-Hexanone | 95.85 | 50 | µg/L | 100 | 0 | 95.8 | 30 | 134 | 98.05 | 2.27 | 20 |
| 1,3-Dichloropropane | 116.4 | 10 | µg/L | 100 | 0 | 116 | 75 | 126 | 115.6 | 0.733 | 20 |
| Tetrachloroethene | 132.4 | 10 | µg/L | 100 | 8.59 | 124 | 70 | 150 | 131.1 | 0.987 | 20 |
| Dibromochloromethane | 78.6 | 10 | µg/L | 100 | 0 | 78.6 | 63 | 116 | 78.05 | 0.702 | 20 |
| Chlorobenzene | 111.9 | 10 | µg/L | 100 | 0 | 112 | 76 | 130 | 110.4 | 1.35 | 20 |
| 1,1,1,2-Tetrachloroethane | 118.6 | 10 | µg/L | 100 | 0 | 119 | 79 | 126 | 116.4 | 1.87 | 20 |
| Ethylbenzene | 117.1 | 10 | µg/L | 100 | 1.07 | 116 | 80 | 133 | 118.7 | 1.36 | 20 |
| m,p-Xylene | 224.8 | 10 | µg/L | 200 | 1.28 | 112 | 81 | 131 | 222.3 | 1.1 | 20 |
| o-Xylene | 115.1 | 10 | µg/L | 100 | 0.58 | 115 | 78 | 130 | 115.7 | 0.52 | 20 |
| Styrene | 113.4 | 10 | µg/L | 100 | 0 | 113 | 72 | 140 | 113.3 | 0.132 | 20 |
| Bromoform | 60.15 | 10 | µg/L | 100 | 0 | 60.2 | 47 | 113 | 59.55 | 1 | 20 |
| Isopropylbenzene | 130.2 | 10 | µg/L | 100 | 0 | 130 | 81 | 144 | 125.4 | 3.79 | 20 |
| 1,1,2,2-Tetrachloroethane | 113.9 | 10 | µg/L | 100 | 0 | 114 | 62 | 133 | 114.6 | 0.613 | 20 |
| 1,2,3-Trichloropropane | 122.6 | 10 | µg/L | 100 | 0 | 123 | 60 | 143 | 125.4 | 2.26 | 20 |
| Bromobenzene | 118.6 | 10 | µg/L | 100 | 0 | 119 | 82 | 127 | 116.1 | 2.17 | 20 |
| n-Propylbenzene | 120.3 | 10 | µg/L | 100 | 0 | 120 | 76 | 142 | 118.6 | 1.47 | 20 |
| 2-Chlorotoluene | 120.3 | 10 | µg/L | 100 | 0 | 120 | 75 | 134 | 116.6 | 3.17 | 20 |
| 4-Chlorotoluene | 122.2 | 10 | µg/L | 100 | 0 | 122 | 74 | 133 | 121.1 | 0.904 | 20 |
| 1,3,5-Trimethylbenzene | 119.3 | 10 | µg/L | 100 | 0 | 119 | 74 | 143 | 115.6 | 3.15 | 20 |
| tert-Butylbenzene | 116.3 | 10 | µg/L | 100 | 0 | 116 | 79 | 140 | 113.4 | 2.57 | 20 |
| 1,2,4-Trimethylbenzene | 117.3 | 10 | µg/L | 100 | 0.68 | 117 | 72 | 144 | 114.6 | 2.28 | 20 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

| Compound | 122.1 | 112.5 | 114.6 | 112.5 | 116.9 | 115.6 | 84.45 | 109.9 | 121.5 | 115.6 | 97.35 | 116.6 | 121.2 | 119.4 | 115.2 |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| sec-Butylbenzene | 10 | 10 | 10 | 10 | 10 | 10 | 25 | 10 | 10 | 25 | 10 | 10 | 10 | 10 | 10 |
| 4-Isopropyltoluene | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 125 | 125 | 125 | 125 |
| 1,3-Dichlorobenzene | 76 | 80 | 78 | 76 | 68 | 73 | 41 | 55 | 46 | 39 | 41 | 85 | 79 | 90 | 76 |
| 1,4-Dichlorobenzene | 149 | 147 | 129 | 134 | 153 | 136 | 123 | 156 | 136 | 153 | 161 | 119 | 131 | 110 | 117 |
| n-Butylbenzene | 117.6 | 107.4 | 112.9 | 110.6 | 111 | 112.8 | 80.8 | 104.2 | 116.4 | 113.2 | 91.6 | 0 | 0 | 0 | 0 |
| 1,2-Dichlorobenzene | 3.75 | 4.69 | 1.5 | 1.75 | 5.18 | 2.5 | 4.42 | 5.32 | 4.33 | 2.14 | 6.09 | 0 | 0 | 0 | 0 |
| 1,2-Dibromo-3-chloropropane | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1,2,4-Trichlorobenzene | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Hexachlorobutadiene | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Naphthalene | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1,2,3-Trichlorobenzene | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Surr: Dibromofluoromethane | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: Toluene-d8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Surr: 4-Bromofluorobenzene | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Sample ID 0908081-16Amsf Batch ID: R43097

Analysis Date 9/4/09 11:44:00 PM

Prep Date 8/28/09

Client ID: CW-1

Run ID: V-3_090904A

SeqNo: 715533

Test Code: SW8260B Units: µg/L

| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-------|-----------------|------------------------|------|----------|-----------|------------------------------|------|----------|-----|
| Dichlorodifluoromethane | 257.2 | 50 | µg/L | 200 | 0 | 129 | 22 | 176 | 0 | 0 | | |
| Chloromethane | 249.7 | 50 | µg/L | 200 | 0 | 125 | 36 | 144 | 0 | 0 | | |
| Vinyl chloride | 235.6 | 20 | µg/L | 200 | 0 | 118 | 54 | 156 | 0 | 0 | | |
| Chloroethane | 231.4 | 50 | µg/L | 200 | 0 | 116 | 55 | 153 | 0 | 0 | | |
| Bromomethane | 232.1 | 20 | µg/L | 200 | 0 | 116 | 47 | 113 | 0 | 0 | | S |
| Trichlorofluoromethane | 224.7 | 20 | µg/L | 200 | 0 | 112 | 80 | 161 | 0 | 0 | | |
| Diethyl ether | 224.6 | 50 | µg/L | 200 | 0 | 112 | 55 | 128 | 0 | 0 | | S |
| Acetone | 295 | 100 | µg/L | 200 | 0 | 148 | 22 | 147 | 0 | 0 | | |
| 1,1-Dichloroethene | 228 | 10 | µg/L | 200 | 11.6 | 108 | 61 | 146 | 0 | 0 | | |
| Carbon disulfide | 172.8 | 20 | µg/L | 200 | 0 | 86.4 | 39 | 153 | 0 | 0 | | |
| Methylene chloride | 260.1 | 50 | µg/L | 200 | 10.9 | 125 | 44 | 147 | 0 | 0 | | |
| Methyl tert-butyl ether | 220.8 | 20 | µg/L | 200 | 0 | 110 | 64 | 137 | 0 | 0 | | |
| trans-1,2-Dichloroethene | 217.7 | 20 | µg/L | 200 | 0 | 109 | 68 | 140 | 0 | 0 | | |
| 1,1-Dichloroethane | 241.1 | 20 | µg/L | 200 | 0 | 121 | 66 | 139 | 0 | 0 | | |
| 2-Butanone | 214 | 100 | µg/L | 200 | 0 | 107 | 35 | 139 | 0 | 0 | | |
| 2,2-Dichloropropane | 190 | 20 | µg/L | 200 | 0 | 95 | 45 | 165 | 0 | 0 | | |
| cis-1,2-Dichloroethene | 285.2 | 20 | µg/L | 200 | 52 | 117 | 68 | 132 | 0 | 0 | | |
| Chloroform | 221.2 | 20 | µg/L | 200 | 0 | 111 | 78 | 136 | 0 | 0 | | |
| Tetrahydrofuran | 216.9 | 100 | µg/L | 200 | 0 | 108 | 27 | 139 | 0 | 0 | | |
| Bromochloromethane | 249.1 | 20 | µg/L | 200 | 0 | 125 | 72 | 132 | 0 | 0 | | |
| 1,1,1-Trichloroethane | 246.9 | 20 | µg/L | 200 | 0 | 123 | 78 | 148 | 0 | 0 | | |
| 1,1-Dichloropropene | 243.2 | 20 | µg/L | 200 | 0 | 122 | 82 | 139 | 0 | 0 | | |
| Carbon tetrachloride | 203.8 | 20 | µg/L | 200 | 0 | 102 | 72 | 143 | 0 | 0 | | |
| 1,2-Dichloroethane | 233.8 | 20 | µg/L | 200 | 0 | 117 | 72 | 141 | 0 | 0 | | |
| Benzene | 214.5 | 10 | µg/L | 200 | 0 | 107 | 73 | 135 | 0 | 0 | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

| Compound | Reported Limit | Concentration (µg/L) | Recovery (%) | Acceptance | Notes |
|---------------------------|----------------|----------------------|--------------|------------|-------|
| Trichloroethene | 920.2 | 20 | 74 | 0 | 143 |
| 1,2-Dichloropropane | 226.2 | 20 | 0 | 0 | 136 |
| Bromodichloromethane | 198.1 | 20 | 99 | 0 | 132 |
| Dibromomethane | 216.2 | 20 | 108 | 0 | 132 |
| 4-Methyl-2-pentanone | 212.3 | 100 | 106 | 0 | 145 |
| cis-1,3-Dichloropropene | 188.5 | 10 | 94.2 | 0 | 126 |
| Toluene | 208.8 | 20 | 104 | 0 | 139 |
| trans-1,3-Dichloropropene | 171.2 | 10 | 85.6 | 0 | 122 |
| 1,1,2-Trichloroethane | 212.4 | 20 | 106 | 0 | 129 |
| 1,2-Dibromoethane | 208.3 | 20 | 104 | 0 | 137 |
| 2-Hexanone | 224.7 | 100 | 112 | 0 | 134 |
| 1,3-Dichloropropane | 245.2 | 20 | 123 | 0 | 126 |
| Tetrachloroethene | 292.4 | 20 | 146 | 0 | 150 |
| Dibromochloromethane | 165.8 | 20 | 82.9 | 0 | 116 |
| Chlorobenzene | 213.1 | 20 | 107 | 0 | 130 |
| 1,1,1,2-Tetrachloroethane | 227.8 | 20 | 114 | 0 | 126 |
| Ethylbenzene | 218.1 | 20 | 109 | 0 | 133 |
| m,p-Xylene | 416.3 | 20 | 104 | 0 | 131 |
| o-Xylene | 213.4 | 20 | 107 | 0 | 130 |
| Styrene | 214.4 | 20 | 107 | 0 | 140 |
| Bromoform | 133.7 | 20 | 66.8 | 0 | 113 |
| Isopropylbenzene | 225.2 | 20 | 113 | 0 | 144 |
| 1,1,2,2-Tetrachloroethane | 254.2 | 20 | 127 | 0 | 133 |
| 1,2,3-Trichloropropane | 275.6 | 20 | 138 | 0 | 143 |
| Bromobenzene | 218.7 | 20 | 109 | 0 | 127 |
| n-Propylbenzene | 213.8 | 20 | 107 | 0 | 142 |
| 2-Chlorotoluene | 217.6 | 20 | 109 | 0 | 134 |
| 4-Chlorotoluene | 225.9 | 20 | 113 | 0 | 133 |
| 1,3,5-Trimethylbenzene | 208.4 | 20 | 104 | 0 | 143 |
| tert-Butylbenzene | 200.6 | 20 | 100 | 0 | 140 |
| 1,2,4-Trimethylbenzene | 205.3 | 20 | 103 | 0 | 144 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

| Compound | Concentration (µg/L) | Recovery (%) | Acceptance | Matrix Spike | Matrix Spike | Matrix Spike | Matrix Spike | Matrix Spike | Matrix Spike |
|-----------------------------|----------------------|--------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|
| sec-Butylbenzene | 205.5 | 20 | µg/L | 200 | 0 | 103 | 76 | 149 | 0 |
| 4-Isopropyltoluene | 188.7 | 20 | µg/L | 200 | 0 | 94.4 | 80 | 147 | 0 |
| 1,3-Dichlorobenzene | 213.5 | 20 | µg/L | 200 | 0 | 107 | 78 | 129 | 0 |
| 1,4-Dichlorobenzene | 211.3 | 20 | µg/L | 200 | 0 | 106 | 76 | 134 | 0 |
| n-Butylbenzene | 193.5 | 20 | µg/L | 200 | 0 | 96.8 | 68 | 153 | 0 |
| 1,2-Dichlorobenzene | 212.1 | 20 | µg/L | 200 | 0 | 106 | 73 | 136 | 0 |
| 1,2-Dibromo-3-chloropropane | 188.9 | 50 | µg/L | 200 | 0 | 94.4 | 41 | 123 | 0 |
| 1,2,4-Trichlorobenzene | 190.9 | 20 | µg/L | 200 | 0 | 95.4 | 55 | 156 | 0 |
| Hexachlorobutadiene | 205.9 | 20 | µg/L | 200 | 0 | 103 | 46 | 136 | 0 |
| Naphthalene | 212.2 | 50 | µg/L | 200 | 0 | 106 | 39 | 153 | 0 |
| 1,2,3-Trichlorobenzene | 171.7 | 20 | µg/L | 200 | 0 | 85.8 | 41 | 161 | 0 |
| Surr: Dibromofluoromethane | 251.6 | 20 | µg/L | 250 | 0 | 101 | 85 | 119 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 267.4 | 20 | µg/L | 250 | 0 | 107 | 79 | 131 | 0 |
| Surr: Toluene-d8 | 241 | 20 | µg/L | 250 | 0 | 96.4 | 90 | 110 | 0 |
| Surr: 4-Bromofluorobenzene | 235.8 | 20 | µg/L | 250 | 0 | 94.3 | 76 | 117 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Sample ID 0908081-16Amsdf Batch ID: R43097 Test Code: SW8260B Units: µg/L Analysis Date 9/5/09 12:51:00 AM Prep Date 8/29/09
 Client ID: CW-1 Run ID: V-3_090904A SeqNo: 715534

| Analyte | QC Sample Result | RL | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
|--------------------------|------------------|-----|-----------------|------------------------|------|----------|-----------|------------------------------|-------|----------|-----|
| Dichlorodifluoromethane | 291.5 | 50 | 200 | 0 | 146 | 22 | 176 | 257.2 | 12.5 | 20 | |
| Chloromethane | 273.5 | 50 | 200 | 0 | 137 | 36 | 144 | 249.7 | 9.1 | 20 | |
| Vinyl chloride | 264.5 | 20 | 200 | 0 | 132 | 54 | 156 | 235.6 | 11.6 | 20 | |
| Chloroethane | 247.8 | 50 | 200 | 0 | 124 | 55 | 153 | 231.4 | 6.84 | 20 | |
| Bromomethane | 242.5 | 20 | 200 | 0 | 121 | 47 | 113 | 232.1 | 4.38 | 20 | S |
| Trichlorofluoromethane | 252.8 | 20 | 200 | 0 | 126 | 80 | 161 | 224.7 | 11.8 | 20 | |
| Diethyl ether | 219.9 | 50 | 200 | 0 | 110 | 55 | 128 | 224.6 | 2.11 | 20 | |
| Acetone | 265.4 | 100 | 200 | 0 | 133 | 22 | 147 | 295 | 10.6 | 20 | |
| 1,1-Dichloroethene | 231.9 | 10 | 200 | 11.6 | 110 | 61 | 146 | 228 | 1.7 | 20 | |
| Carbon disulfide | 176.7 | 20 | 200 | 0 | 88.4 | 39 | 153 | 172.8 | 2.23 | 20 | |
| Methylene chloride | 255.8 | 50 | 200 | 0 | 122 | 44 | 147 | 260.1 | 1.67 | 20 | |
| Methyl tert-butyl ether | 222.6 | 20 | 200 | 10.9 | 111 | 64 | 137 | 220.8 | 0.812 | 20 | |
| trans-1,2-Dichloroethene | 229.4 | 20 | 200 | 0 | 115 | 68 | 140 | 217.7 | 5.23 | 20 | |
| 1,1-Dichloroethane | 244.5 | 20 | 200 | 0 | 122 | 66 | 139 | 241.1 | 1.4 | 20 | |
| 2-Butanone | 211.3 | 100 | 200 | 0 | 106 | 35 | 139 | 214 | 1.27 | 20 | |
| 2,2-Dichloropropane | 197.9 | 20 | 200 | 0 | 99 | 45 | 165 | 190 | 4.07 | 20 | |
| cis-1,2-Dichloroethene | 286.9 | 20 | 200 | 52 | 117 | 68 | 132 | 285.2 | 0.594 | 20 | |
| Chloroform | 221.2 | 20 | 200 | 0 | 111 | 78 | 136 | 221.2 | 0 | 20 | |
| Tetrahydrofuran | 221.9 | 100 | 200 | 0 | 111 | 27 | 139 | 216.9 | 2.28 | 20 | |
| Bromochloromethane | 252.5 | 20 | 200 | 0 | 126 | 72 | 132 | 249.1 | 1.36 | 20 | |
| 1,1,1-Trichloroethane | 252.4 | 20 | 200 | 0 | 126 | 78 | 148 | 246.9 | 2.2 | 20 | |
| 1,1-Dichloropropene | 253 | 20 | 200 | 0 | 127 | 82 | 139 | 243.2 | 3.95 | 20 | |
| Carbon tetrachloride | 206.5 | 20 | 200 | 0 | 103 | 72 | 143 | 203.8 | 1.32 | 20 | |
| 1,2-Dichloroethane | 229 | 20 | 200 | 0 | 114 | 72 | 141 | 233.8 | 2.07 | 20 | |
| Benzene | 218 | 10 | 200 | 0 | 109 | 73 | 135 | 214.5 | 1.62 | 20 | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

| | | | | | | | | | | | |
|---------------------------|-------|-----|------|-----|-------|------|----|-----|-------|-------|----|
| Trichloroethene | 940.2 | 20 | µg/L | 200 | 772.3 | 84 | 74 | 143 | 920.2 | 2.15 | 20 |
| 1,2-Dichloropropane | 227.3 | 20 | µg/L | 200 | 0 | 114 | 66 | 136 | 226.2 | 0.485 | 20 |
| Bromodichloromethane | 194.6 | 20 | µg/L | 200 | 0 | 97.3 | 72 | 132 | 198.1 | 1.78 | 20 |
| Dibromomethane | 214.1 | 20 | µg/L | 200 | 0 | 107 | 71 | 132 | 216.2 | 0.976 | 20 |
| 4-Methyl-2-pentanone | 205.2 | 100 | µg/L | 200 | 0 | 103 | 34 | 145 | 212.3 | 3.4 | 20 |
| cis-1,3-Dichloropropene | 186.1 | 10 | µg/L | 200 | 0 | 93 | 66 | 126 | 188.5 | 1.28 | 20 |
| Toluene | 215.5 | 20 | µg/L | 200 | 0 | 108 | 71 | 139 | 208.8 | 3.16 | 20 |
| trans-1,3-Dichloropropene | 168.4 | 10 | µg/L | 200 | 0 | 84.2 | 68 | 122 | 171.2 | 1.65 | 20 |
| 1,1,2-Trichloroethane | 206.7 | 20 | µg/L | 200 | 0 | 103 | 67 | 129 | 212.4 | 2.72 | 20 |
| 1,2-Dibromoethane | 204.4 | 20 | µg/L | 200 | 0 | 102 | 67 | 137 | 208.3 | 1.89 | 20 |
| 2-Hexanone | 221.5 | 100 | µg/L | 200 | 0 | 111 | 30 | 134 | 224.7 | 1.43 | 20 |
| 1,3-Dichloropropane | 241.4 | 20 | µg/L | 200 | 0 | 121 | 75 | 126 | 245.2 | 1.56 | 20 |
| Tetrachloroethene | 266 | 20 | µg/L | 200 | 0 | 133 | 70 | 150 | 292.4 | 9.46 | 20 |
| Dibromochloromethane | 162.4 | 20 | µg/L | 200 | 0 | 81.2 | 63 | 116 | 165.8 | 2.07 | 20 |
| Chlorobenzene | 216 | 20 | µg/L | 200 | 0 | 108 | 76 | 130 | 213.1 | 1.35 | 20 |
| 1,1,1,2-Tetrachloroethane | 221.5 | 20 | µg/L | 200 | 0 | 111 | 79 | 126 | 227.8 | 2.8 | 20 |
| Ethylbenzene | 221.1 | 20 | µg/L | 200 | 0 | 111 | 80 | 133 | 218.1 | 1.37 | 20 |
| m,p-Xylene | 422.8 | 20 | µg/L | 400 | 0 | 106 | 81 | 131 | 416.3 | 1.55 | 20 |
| o-Xylene | 212.1 | 20 | µg/L | 200 | 0 | 106 | 78 | 130 | 213.4 | 0.611 | 20 |
| Styrene | 217.6 | 20 | µg/L | 200 | 0 | 109 | 72 | 140 | 214.4 | 1.48 | 20 |
| Bromoform | 129.2 | 20 | µg/L | 200 | 0 | 64.6 | 47 | 113 | 133.7 | 3.42 | 20 |
| Isopropylbenzene | 231.5 | 20 | µg/L | 200 | 0 | 116 | 81 | 144 | 225.2 | 2.76 | 20 |
| 1,1,2,2-Tetrachloroethane | 246.2 | 20 | µg/L | 200 | 0 | 123 | 62 | 133 | 254.2 | 3.2 | 20 |
| 1,2,3-Trichloropropane | 279.1 | 20 | µg/L | 200 | 0 | 140 | 60 | 143 | 275.6 | 1.26 | 20 |
| Bromobenzene | 227 | 20 | µg/L | 200 | 0 | 114 | 82 | 127 | 218.7 | 3.72 | 20 |
| n-Propylbenzene | 220.4 | 20 | µg/L | 200 | 0 | 110 | 76 | 142 | 213.8 | 3.04 | 20 |
| 2-Chlorotoluene | 223.8 | 20 | µg/L | 200 | 0 | 112 | 75 | 134 | 217.6 | 2.81 | 20 |
| 4-Chlorotoluene | 233.2 | 20 | µg/L | 200 | 0 | 117 | 74 | 133 | 225.9 | 3.18 | 20 |
| 1,3,5-Trimethylbenzene | 214.1 | 20 | µg/L | 200 | 0 | 107 | 74 | 143 | 208.4 | 2.7 | 20 |
| tert-Butylbenzene | 210.9 | 20 | µg/L | 200 | 0 | 105 | 79 | 140 | 200.6 | 5.01 | 20 |
| 1,2,4-Trimethylbenzene | 211.7 | 20 | µg/L | 200 | 0 | 106 | 72 | 144 | 205.3 | 3.07 | 20 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

| Compound | 215.4 | 20 | 200 | 0 | 108 | 76 | 149 | 205.5 | 4.7 | 20 |
|-----------------------------|-------|----|-----|---|------|----|-----|-------|-------|----|
| sec-Butylbenzene | 196.6 | 20 | 200 | 0 | 98.3 | 80 | 147 | 188.7 | 4.1 | 20 |
| 4-Isopropyltoluene | 216.8 | 20 | 200 | 0 | 108 | 78 | 129 | 213.5 | 1.53 | 20 |
| 1,3-Dichlorobenzene | 212 | 20 | 200 | 0 | 106 | 76 | 134 | 211.3 | 0.331 | 20 |
| 1,4-Dichlorobenzene | 209.7 | 20 | 200 | 0 | 105 | 68 | 153 | 193.5 | 8.04 | 20 |
| n-Butylbenzene | 216 | 20 | 200 | 0 | 108 | 73 | 136 | 212.1 | 1.82 | 20 |
| 1,2-Dichlorobenzene | 180.9 | 50 | 200 | 0 | 90.4 | 41 | 123 | 188.9 | 4.33 | 20 |
| 1,2-Dibromo-3-chloropropane | 197.8 | 20 | 200 | 0 | 98.9 | 55 | 156 | 190.9 | 3.55 | 20 |
| 1,2,4-Trichlorobenzene | 224.1 | 20 | 200 | 0 | 112 | 46 | 136 | 205.9 | 8.47 | 20 |
| Hexachlorobutadiene | 210.5 | 50 | 200 | 0 | 105 | 39 | 153 | 212.2 | 0.804 | 20 |
| Naphthalene | 178.9 | 20 | 200 | 0 | 89.4 | 41 | 161 | 171.7 | 4.11 | 20 |
| 1,2,3-Trichlorobenzene | 241.1 | 20 | 250 | 0 | 96.4 | 85 | 119 | 0 | 0 | 0 |
| Surr: Dibromofluoromethane | 265.3 | 20 | 250 | 0 | 106 | 79 | 131 | 0 | 0 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 238.1 | 20 | 250 | 0 | 95.2 | 90 | 110 | 0 | 0 | 0 |
| Surr: Toluene-d8 | 233.2 | 20 | 250 | 0 | 93.3 | 76 | 117 | 0 | 0 | 0 |
| Surr: 4-Bromofluorobenzene | | | | | | | | | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

QC SUMMARY REPORT

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

Sample Matrix Spike

| Sample ID | 0908081-03Ams | Batch ID: R43113 | Test Code: SW8260B | Units: µg/L | Analysis Date 9/8/09 7:06:00 PM | Prep Date 8/27/09 | | | | | |
|--------------------------|---------------------|------------------|--------------------|------------------------|---------------------------------|-------------------|-----------|------------------------------|------|----------|-----|
| Client ID: MW-101S | Run ID: V-3_090908A | SeqNo: 715668 | | | | | | | | | |
| Analyte | QC Sample Result | RL | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
| Dichlorodifluoromethane | 134.4 | 25 | 100 µg/L | 0 | 134 | 22 | 176 | 0 | 0 | | |
| Chloromethane | 123.5 | 25 | 100 µg/L | 0 | 124 | 36 | 144 | 0 | 0 | | |
| Vinyl chloride | 139.4 | 10 | 100 µg/L | 13.49 | 126 | 54 | 156 | 0 | 0 | | |
| Chloroethane | 121.5 | 25 | 100 µg/L | 0 | 122 | 55 | 153 | 0 | 0 | | |
| Bromomethane | 114.2 | 10 | 100 µg/L | 0 | 114 | 47 | 113 | 0 | 0 | | S |
| Trichlorofluoromethane | 126.6 | 10 | 100 µg/L | 0 | 127 | 80 | 161 | 0 | 0 | | |
| Diethyl ether | 96.9 | 25 | 100 µg/L | 0 | 96.9 | 55 | 128 | 0 | 0 | | |
| Acetone | 96.95 | 50 | 100 µg/L | 3.57 | 93.4 | 22 | 147 | 0 | 0 | | |
| 1,1-Dichloroethene | 114.2 | 5.0 | 100 µg/L | 0 | 114 | 61 | 146 | 0 | 0 | | |
| Carbon disulfide | 89.5 | 10 | 100 µg/L | 0 | 89.5 | 39 | 153 | 0 | 0 | | |
| Methylene chloride | 122.6 | 25 | 100 µg/L | 1.37 | 121 | 44 | 147 | 0 | 0 | | |
| Methyl tert-butyl ether | 99.5 | 10 | 100 µg/L | 0 | 99.5 | 64 | 137 | 0 | 0 | | |
| trans-1,2-Dichloroethene | 110.9 | 10 | 100 µg/L | 0 | 111 | 68 | 140 | 0 | 0 | | |
| 1,1-Dichloroethane | 122.3 | 10 | 100 µg/L | 0 | 122 | 66 | 139 | 0 | 0 | | |
| 2-Butanone | 78.35 | 50 | 100 µg/L | 0 | 78.4 | 35 | 139 | 0 | 0 | | |
| 2,2-Dichloropropane | 107.2 | 10 | 100 µg/L | 0 | 107 | 45 | 165 | 0 | 0 | | |
| cis-1,2-Dichloroethene | 196.8 | 10 | 100 µg/L | 96.34 | 101 | 68 | 132 | 0 | 0 | | |
| Chloroform | 114.3 | 10 | 100 µg/L | 0 | 114 | 78 | 136 | 0 | 0 | | |
| Tetrahydrofuran | 81 | 50 | 100 µg/L | 0 | 81 | 27 | 139 | 0 | 0 | | |
| Bromochloromethane | 117.1 | 10 | 100 µg/L | 0 | 117 | 72 | 132 | 0 | 0 | | |
| 1,1,1-Trichloroethane | 129.6 | 10 | 100 µg/L | 0 | 130 | 78 | 148 | 0 | 0 | | |
| 1,1-Dichloropropene | 124.8 | 10 | 100 µg/L | 0 | 125 | 82 | 139 | 0 | 0 | | |
| Carbon tetrachloride | 105.2 | 10 | 100 µg/L | 0 | 105 | 72 | 143 | 0 | 0 | | |
| 1,2-Dichloroethane | 108.6 | 10 | 100 µg/L | 0 | 109 | 72 | 141 | 0 | 0 | | |
| Benzene | 111 | 5.0 | 100 µg/L | 2 | 109 | 73 | 135 | 0 | 0 | | |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

| Compound | Reporting Limit | Concentration | Recovery | Acceptance | Recovery Limits | Spikes | Blank |
|---------------------------|-----------------|---------------|----------|------------|-----------------|--------|-------|
| Trichloroethene | 115.8 | 10 | 100 | µg/L | 4.86 | 111 | 74 |
| 1,2-Dichloropropane | 114.7 | 10 | 100 | µg/L | 0 | 115 | 66 |
| Bromodichloromethane | 95.9 | 10 | 100 | µg/L | 0 | 95.9 | 72 |
| Dibromomethane | 96.95 | 10 | 100 | µg/L | 0 | 97 | 71 |
| 4-Methyl-2-pentanone | 75.35 | 50 | 100 | µg/L | 0 | 75.4 | 34 |
| cis-1,3-Dichloropropene | 88.8 | 5.0 | 100 | µg/L | 0 | 88.8 | 66 |
| Toluene | 107.3 | 10 | 100 | µg/L | 0 | 107 | 71 |
| trans-1,3-Dichloropropene | 76.55 | 5.0 | 100 | µg/L | 0 | 76.6 | 68 |
| 1,1,2-Trichloroethane | 93.25 | 10 | 100 | µg/L | 0 | 93.2 | 67 |
| 1,2-Dibromoethane | 89.4 | 10 | 100 | µg/L | 0 | 89.4 | 67 |
| 2-Hexanone | 76.8 | 50 | 100 | µg/L | 0 | 76.8 | 30 |
| 1,3-Dichloropropane | 109.6 | 10 | 100 | µg/L | 0 | 110 | 75 |
| Tetrachloroethene | 189 | 10 | 100 | µg/L | 88.25 | 101 | 70 |
| Dibromochloromethane | 75.65 | 10 | 100 | µg/L | 0 | 75.6 | 63 |
| Chlorobenzene | 108.4 | 10 | 100 | µg/L | 0 | 108 | 76 |
| 1,1,1,2-Tetrachloroethane | 113.8 | 10 | 100 | µg/L | 0 | 114 | 79 |
| Ethylbenzene | 112.9 | 10 | 100 | µg/L | 0 | 113 | 80 |
| m,p-Xylene | 216 | 10 | 200 | µg/L | 0 | 108 | 81 |
| o-Xylene | 106 | 10 | 100 | µg/L | 0 | 106 | 78 |
| Styrene | 109.8 | 10 | 100 | µg/L | 0 | 110 | 72 |
| Bromoform | 57.5 | 10 | 100 | µg/L | 0 | 57.5 | 47 |
| Isopropylbenzene | 121.6 | 10 | 100 | µg/L | 0 | 122 | 81 |
| 1,1,2,2-Tetrachloroethane | 101 | 10 | 100 | µg/L | 0 | 101 | 62 |
| 1,2,3-Trichloropropane | 113.6 | 10 | 100 | µg/L | 0 | 114 | 60 |
| Bromobenzene | 112.4 | 10 | 100 | µg/L | 0 | 112 | 82 |
| n-Propylbenzene | 115 | 10 | 100 | µg/L | 0 | 115 | 76 |
| 2-Chlorotoluene | 116.6 | 10 | 100 | µg/L | 0 | 117 | 75 |
| 4-Chlorotoluene | 121.3 | 10 | 100 | µg/L | 0 | 121 | 74 |
| 1,3,5-Trimethylbenzene | 112.6 | 10 | 100 | µg/L | 0 | 113 | 74 |
| tert-Butylbenzene | 108.3 | 10 | 100 | µg/L | 0 | 108 | 79 |
| 1,2,4-Trimethylbenzene | 108.8 | 10 | 100 | µg/L | 0 | 109 | 72 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 10-Sep-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0908081
 Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Sample Matrix Spike

| Compound | Concentration (µg/L) | Recovery (%) | Acceptance | Recovery Limits | Spikes | Matrix |
|-----------------------------|----------------------|--------------|------------|-----------------|--------|--------|
| sec-Butylbenzene | 109.3 | 10 | 100 | 0 | 109 | 149 |
| 4-Isopropyltoluene | 101.5 | 10 | 100 | 0 | 102 | 147 |
| 1,3-Dichlorobenzene | 112.1 | 10 | 100 | 0 | 112 | 129 |
| 1,4-Dichlorobenzene | 109.5 | 10 | 100 | 0 | 110 | 134 |
| n-Butylbenzene | 104 | 10 | 100 | 0 | 104 | 153 |
| 1,2-Dichlorobenzene | 107.4 | 10 | 100 | 0 | 107 | 136 |
| 1,2-Dibromo-3-chloropropane | 65.4 | 25 | 100 | 0 | 65.4 | 123 |
| 1,2,4-Trichlorobenzene | 93.45 | 10 | 100 | 0 | 93.4 | 156 |
| Hexachlorobutadiene | 107.2 | 10 | 100 | 0 | 107 | 136 |
| Naphthalene | 84.45 | 25 | 100 | 0 | 84.4 | 153 |
| 1,2,3-Trichlorobenzene | 79.8 | 10 | 100 | 0 | 79.8 | 161 |
| Surr: Dibromofluoromethane | 121.2 | 10 | 125 | 0 | 97 | 119 |
| Surr: 1,2-Dichloroethane-d4 | 126.7 | 10 | 125 | 0 | 101 | 131 |
| Surr: Toluene-d8 | 119.7 | 10 | 125 | 0 | 95.8 | 110 |
| Surr: 4-Bromofluorobenzene | 115 | 10 | 125 | 0 | 92 | 117 |

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

| Sample ID | 0908081-03Amsd | Batch ID: R43113 | Test Code: SW8260B | Units: µg/L | Analysis Date | 9/8/09 7:42:00 PM | Prep Date | 8/27/09 | | | | |
|--------------------------|------------------|------------------|--------------------|-----------------|------------------------|-------------------|-----------|-----------|------------------------------|--------|----------|-----|
| Client ID: | MW-101S | Run ID: | V-3_090908A | SeqNo: | 715669 | | | | | | | |
| Analyte | QC Sample Result | RL | Units | QC Spike Amount | Original Sample Result | %REC | LowLimit | HighLimit | Original Sample or MS Result | %RPD | RPDLimit | Qua |
| Dichlorodifluoromethane | 134.1 | 25 | µg/L | 100 | 0 | 134 | 22 | 176 | 134.4 | 0.224 | 20 | 20 |
| Chloromethane | 132.3 | 25 | µg/L | 100 | 0 | 132 | 36 | 144 | 123.5 | 6.88 | 20 | 20 |
| Vinyl chloride | 142.4 | 10 | µg/L | 100 | 13.49 | 129 | 54 | 156 | 139.4 | 2.17 | 20 | 20 |
| Chloroethane | 124.7 | 25 | µg/L | 100 | 0 | 125 | 55 | 153 | 121.5 | 2.6 | 20 | 20 |
| Bromomethane | 112 | 10 | µg/L | 100 | 0 | 112 | 47 | 113 | 114.2 | 1.95 | 20 | 20 |
| Trichlorofluoromethane | 127.6 | 10 | µg/L | 100 | 0 | 128 | 80 | 161 | 126.6 | 0.787 | 20 | 20 |
| Diethyl ether | 95.15 | 25 | µg/L | 100 | 0 | 95.2 | 55 | 128 | 96.9 | 1.82 | 20 | 20 |
| Acetone | 98.65 | 50 | µg/L | 100 | 3.57 | 95.1 | 22 | 147 | 96.95 | 1.74 | 20 | 20 |
| 1,1-Dichloroethene | 113.4 | 5.0 | µg/L | 100 | 0 | 113 | 61 | 146 | 114.2 | 0.791 | 20 | 20 |
| Carbon disulfide | 89.75 | 10 | µg/L | 100 | 0 | 89.8 | 39 | 153 | 89.5 | 0.279 | 20 | 20 |
| Methylene chloride | 121.3 | 25 | µg/L | 100 | 1.37 | 120 | 44 | 147 | 122.6 | 1.15 | 20 | 20 |
| Methyl tert-butyl ether | 98.3 | 10 | µg/L | 100 | 0 | 98.3 | 64 | 137 | 99.5 | 1.21 | 20 | 20 |
| trans-1,2-Dichloroethene | 112.2 | 10 | µg/L | 100 | 0 | 112 | 68 | 140 | 110.9 | 1.17 | 20 | 20 |
| 1,1-Dichloroethane | 122.2 | 10 | µg/L | 100 | 0 | 122 | 66 | 139 | 122.3 | 0.0409 | 20 | 20 |
| 2-Butanone | 74.25 | 50 | µg/L | 100 | 0 | 74.2 | 35 | 139 | 78.35 | 5.37 | 20 | 20 |
| 2,2-Dichloropropane | 106.9 | 10 | µg/L | 100 | 0 | 107 | 45 | 165 | 107.2 | 0.327 | 20 | 20 |
| cis-1,2-Dichloroethene | 202.1 | 10 | µg/L | 100 | 96.34 | 106 | 68 | 132 | 196.8 | 2.61 | 20 | 20 |
| Chloroform | 111.8 | 10 | µg/L | 100 | 0 | 112 | 78 | 136 | 114.3 | 2.26 | 20 | 20 |
| Tetrahydrofuran | 83.65 | 50 | µg/L | 100 | 0 | 83.6 | 27 | 139 | 81 | 3.22 | 20 | 20 |
| Bromochloromethane | 117.8 | 10 | µg/L | 100 | 0 | 118 | 72 | 132 | 117.1 | 0.596 | 20 | 20 |
| 1,1,1-Trichloroethane | 131.5 | 10 | µg/L | 100 | 0 | 132 | 78 | 148 | 129.6 | 1.49 | 20 | 20 |
| 1,1-Dichloropropene | 124 | 10 | µg/L | 100 | 0 | 124 | 82 | 139 | 124.8 | 0.603 | 20 | 20 |
| Carbon tetrachloride | 104.6 | 10 | µg/L | 100 | 0 | 105 | 72 | 143 | 105.2 | 0.524 | 20 | 20 |
| 1,2-Dichloroethane | 106.8 | 10 | µg/L | 100 | 0 | 107 | 72 | 141 | 108.6 | 1.67 | 20 | 20 |
| Benzene | 109.2 | 5.0 | µg/L | 100 | 2 | 107 | 73 | 135 | 111 | 1.64 | 20 | 20 |

Qualifiers: ND - Not Detected at the Reporting Limit
 S - Spike Recovery outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0908081
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

| | | | | | | | | | | | |
|---------------------------|-------|-----|------|-----|-------|------|----|-----|-------|--------|----|
| Trichloroethene | 113 | 10 | µg/L | 100 | 4.86 | 108 | 74 | 143 | 115.8 | 2.4 | 20 |
| 1,2-Dichloropropane | 112.5 | 10 | µg/L | 100 | 0 | 112 | 66 | 136 | 114.7 | 1.94 | 20 |
| Bromodichloromethane | 94.8 | 10 | µg/L | 100 | 0 | 94.8 | 72 | 132 | 95.9 | 1.15 | 20 |
| Dibromomethane | 92.95 | 10 | µg/L | 100 | 0 | 93 | 71 | 132 | 96.95 | 4.21 | 20 |
| 4-Methyl-2-pentanone | 69.8 | 50 | µg/L | 100 | 0 | 69.8 | 34 | 145 | 75.35 | 7.65 | 20 |
| cis-1,3-Dichloropropene | 87.85 | 5.0 | µg/L | 100 | 0 | 87.8 | 66 | 126 | 88.8 | 1.08 | 20 |
| Toluene | 104.8 | 10 | µg/L | 100 | 0 | 105 | 71 | 139 | 107.3 | 2.31 | 20 |
| trans-1,3-Dichloropropene | 76.15 | 5.0 | µg/L | 100 | 0 | 76.2 | 68 | 122 | 76.55 | 0.524 | 20 |
| 1,1,2-Trichloroethane | 90.05 | 10 | µg/L | 100 | 0 | 90 | 67 | 129 | 93.25 | 3.49 | 20 |
| 1,2-Dibromoethane | 85.8 | 10 | µg/L | 100 | 0 | 85.8 | 67 | 137 | 89.4 | 4.11 | 20 |
| 2-Hexanone | 80.2 | 50 | µg/L | 100 | 0 | 80.2 | 30 | 134 | 76.8 | 4.33 | 20 |
| 1,3-Dichloropropane | 110.4 | 10 | µg/L | 100 | 0 | 110 | 75 | 126 | 109.6 | 0.728 | 20 |
| Tetrachloroethene | 200.8 | 10 | µg/L | 100 | 88.25 | 113 | 70 | 150 | 189 | 6.06 | 20 |
| Dibromochloromethane | 78 | 10 | µg/L | 100 | 0 | 78 | 63 | 116 | 75.65 | 3.06 | 20 |
| Chlorobenzene | 110.1 | 10 | µg/L | 100 | 0 | 110 | 76 | 130 | 108.4 | 1.51 | 20 |
| 1,1,1,2-Tetrachloroethane | 118.8 | 10 | µg/L | 100 | 0 | 119 | 79 | 126 | 113.8 | 4.3 | 20 |
| Ethylbenzene | 116 | 10 | µg/L | 100 | 0 | 116 | 80 | 133 | 112.9 | 2.75 | 20 |
| m,p-Xylene | 222.2 | 10 | µg/L | 200 | 0 | 111 | 81 | 131 | 216 | 2.81 | 20 |
| o-Xylene | 110.5 | 10 | µg/L | 100 | 0 | 110 | 78 | 130 | 106 | 4.2 | 20 |
| Styrene | 113 | 10 | µg/L | 100 | 0 | 113 | 72 | 140 | 109.8 | 2.87 | 20 |
| Bromoform | 60.15 | 10 | µg/L | 100 | 0 | 60.2 | 47 | 113 | 57.5 | 4.5 | 20 |
| Isopropylbenzene | 118.4 | 10 | µg/L | 100 | 0 | 118 | 81 | 144 | 121.6 | 2.71 | 20 |
| 1,1,2,2-Tetrachloroethane | 102.8 | 10 | µg/L | 100 | 0 | 103 | 62 | 133 | 101 | 1.82 | 20 |
| 1,2,3-Trichloropropane | 110.4 | 10 | µg/L | 100 | 0 | 110 | 60 | 143 | 113.6 | 2.81 | 20 |
| Bromobenzene | 109.4 | 10 | µg/L | 100 | 0 | 109 | 82 | 127 | 112.4 | 2.71 | 20 |
| n-Propylbenzene | 113.8 | 10 | µg/L | 100 | 0 | 114 | 76 | 142 | 115 | 1.14 | 20 |
| 2-Chlorotoluene | 114.9 | 10 | µg/L | 100 | 0 | 115 | 75 | 134 | 116.6 | 1.51 | 20 |
| 4-Chlorotoluene | 119.6 | 10 | µg/L | 100 | 0 | 120 | 74 | 133 | 121.3 | 1.41 | 20 |
| 1,3,5-Trimethylbenzene | 111.7 | 10 | µg/L | 100 | 0 | 112 | 74 | 143 | 112.6 | 0.802 | 20 |
| tert-Butylbenzene | 108.2 | 10 | µg/L | 100 | 0 | 108 | 79 | 140 | 108.3 | 0.0924 | 20 |
| 1,2,4-Trimethylbenzene | 109 | 10 | µg/L | 100 | 0 | 109 | 72 | 144 | 108.8 | 0.23 | 20 |

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 10-Sep-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0908081

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

| Compound | Reporting Limit | Concentration | Recovery | Acceptance | Spikes | Replicate | Concentration | Recovery | Acceptance | Spikes | Replicate |
|-----------------------------|-----------------|---------------|----------|------------|--------|-----------|---------------|----------|------------|--------|-----------|
| sec-Butylbenzene | 111.7 | 10 | 100 | 0 | 112 | 76 | 149 | 109.3 | 2.13 | 20 | 20 |
| 4-Isopropyltoluene | 102.8 | 10 | 100 | 0 | 103 | 80 | 147 | 101.5 | 1.22 | 20 | 20 |
| 1,3-Dichlorobenzene | 111.8 | 10 | 100 | 0 | 112 | 78 | 129 | 112.1 | 0.313 | 20 | 20 |
| 1,4-Dichlorobenzene | 105.6 | 10 | 100 | 0 | 106 | 76 | 134 | 109.5 | 3.63 | 20 | 20 |
| n-Butylbenzene | 108.8 | 10 | 100 | 0 | 109 | 68 | 153 | 104 | 4.61 | 20 | 20 |
| 1,2-Dichlorobenzene | 106.6 | 10 | 100 | 0 | 107 | 73 | 136 | 107.4 | 0.701 | 20 | 20 |
| 1,2-Dibromo-3-chloropropane | 66.7 | 25 | 100 | 0 | 66.7 | 41 | 123 | 65.4 | 1.97 | 20 | 20 |
| 1,2,4-Trichlorobenzene | 97.55 | 10 | 100 | 0 | 97.6 | 55 | 156 | 93.45 | 4.29 | 20 | 20 |
| Hexachlorobutadiene | 112.3 | 10 | 100 | 0 | 112 | 46 | 136 | 107.2 | 4.6 | 20 | 20 |
| Naphthalene | 87.2 | 25 | 100 | 0 | 87.2 | 39 | 153 | 84.45 | 3.2 | 20 | 20 |
| 1,2,3-Trichlorobenzene | 84.75 | 10 | 100 | 0 | 84.8 | 41 | 161 | 79.8 | 6.02 | 20 | 20 |
| Surr: Dibromofluoromethane | 118.4 | 10 | 125 | 0 | 94.8 | 85 | 119 | 0 | 0 | 0 | 0 |
| Surr: 1,2-Dichloroethane-d4 | 127.8 | 10 | 125 | 0 | 102 | 79 | 131 | 0 | 0 | 0 | 0 |
| Surr: Toluene-d8 | 116.7 | 10 | 125 | 0 | 93.4 | 90 | 110 | 0 | 0 | 0 | 0 |
| Surr: 4-Bromofluorobenzene | 116.8 | 10 | 125 | 0 | 93.4 | 76 | 117 | 0 | 0 | 0 | 0 |

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.