

From: Patrick Dowling [mailto:PDowling@fando.com]
Sent: Monday, October 31, 2011 2:57 PM
To: OConnor, Donna
Cc: Kelly Owens; Jeffrey Crawford; Richard M. Bianculli, Jr; Timothy Clinton
Subject: RE: Spring Street School Remediation Plan

Hi Donna,

As part of our review of remediation operations at the Springfield Street School, we performed an inspection of the schools today. During that process, we met with both Ann Marie Anderson and Patricia Arcieri, the school nurses.

When we inquired about the frequency of occurrences of non-specific health complaints of students/teachers (i.e. head aches, nausea, etc), Ann Marie and Patricia indicated that they keep daily logs of those occurrences, and those logs are provided to the school administration (i.e. finance department).

Would it be possible for us to receive copies of these logs (with all personal information absent) for inclusion in our report? Please let me know.

Thank you

-PJD

Patrick J. Dowling, CPG
Project Manager
Fuss & O'Neill, Inc | 317 Iron Horse Way, Suite 204 | Providence, RI 02908
401.861.3070 x4568 | pdowling@fando.com | cell: 401.464.1846 | www.fando.com

From: OConnor, Donna [mailto:Donna.OConnor@ppsd.org]
Sent: Monday, October 24, 2011 7:13 PM
To: Burtan, Rupert C.
Cc: Patrick Dowling; Kelly Owens; Jeffrey Crawford; Richard M. Bianculli, Jr; Jones, Carleton
Subject: Re: Spring Street School Remediation Plan

Patrick,
You can reach me at 456-9318.
Donna O'Connor

Sent from my iPad

On Oct 24, 2011, at 4:50 PM, "Burtan, Rupert C." <Burtan-Rupert@Aramark.com> wrote:

Patrick,

Please contact me at your convenience.

Rupert Burtan
Resident District Manager
Providence Public Schools
Tele 401-278-2855
Cell 508-250-7921
burtan-rupert@aramark.com

From: Jones, Carleton [mailto:Carleton.Jones@ppsd.org]
Sent: Monday, October 24, 2011 4:12 PM
To: Patrick Dowling; Burtan, Rupert C.; OConnor, Donna
Cc: Kelly Owens; Jeffrey Crawford; Richard M. Bianculli, Jr
Subject: RE: Spring Street School Remediation Plan

Hi Pat,

The contact person for our custodial and maintenance contractor, Aramark, is General Manager Rupert Burtan. The PPSD Nurse Administrator is Donna O'Connor. (Both are copied on this email.)

Donna and Rupert,

From below: A consultant (Patrick Dowling of Fuss and O'Neill) for the Springfield Street School remediation plan would like to coordinate access with the Providence School Department. Mr. Dowling will require access to the two schools in order to conduct an inspection and arrange for interviews with pertinent school personnel, including the school nurse(s) and lead maintenance personnel.

Please make yourselves available to Mr. Dowling for the inspection and interviews. Thanks. -
cwj

Carleton W. Jones
Chief Operating Officer
Providence Public School District
797 Westminster Street
Providence Rhode Island 02903
401-456-0658
carleton.jones@ppsd.org

From: Patrick Dowling [mailto:PDowling@fando.com]
Sent: Monday, October 24, 2011 10:19 AM
To: Jones, Carleton
Cc: Kelly Owens; Jeffrey Crawford; Richard M. Bianculli, Jr
Subject: RE: Spring Street School Remediation Plan

Carleton,

Per your conversation with Rich Bianculli last Tuesday, I was anticipating that you would be providing us with the contact information necessary for us access the Springfield St School and perform our interviews with pertinent personnel as part of our 5 year environmental review.

Can you forward this information as soon as possible?

Thank you

Patrick J. Dowling, CPG
Project Manager

Fuss & O'Neill, Inc | 317 Iron Horse Way, Suite 204 | Providence, RI 02908
401.861.3070 x4568 | pdowling@fando.com | cell: 401.464.1846 | www.fando.com

From: Richard M. Bianculli, Jr [mailto:richard.bianculli@DEM.RI.GOV]
Sent: Tuesday, October 18, 2011 4:14 PM
To: Patrick Dowling
Cc: Kelly Owens; Jeffrey Crawford; Jones, Carleton
Subject: RE: Spring Street School Remediation Plan

Pat: I spoke with Carleton this afternoon. He will be emailing you the contact information for the maintenance supervisor (Rupert Burtan) and the school nurses. Once you have these contacts, you should be able to schedule the necessary inspection and interviews. Thank you.

Richard M. Bianculli Jr., Esq.

Rhode Island Department of Environmental Management
Office of Legal Services
235 Promenade Street - 4th Floor
Providence, RI 02908
Telephone 401.222.4700, ext. 2023
Fax 401.222.3378
richard.bianculli@dem.ri.gov
Before printing, think green!

From: Jones, Carleton [mailto:Carleton.Jones@ppsd.org]
Sent: Tuesday, October 18, 2011 1:24 PM
To: Richard M. Bianculli, Jr
Cc: 'PDowling@fando.com'; Kelly Owens; Jeffrey Crawford
Subject: Re: Spring Street School Remediation Plan

That's fine. Pat, please send your number and we'll talk at 2p. Thks
Sent from Blackberry mobile device

From: Richard M. Bianculli, Jr [mailto:richard.bianculli@DEM.RI.GOV]
Sent: Tuesday, October 18, 2011 12:20 PM
To: Jones, Carleton
Cc: Patrick Dowling <PDowling@fando.com>; Kelly Owens <kelly.owens@DEM.RI.GOV>; Jeffrey Crawford <jeff.crawford@DEM.RI.GOV>
Subject: RE: Spring Street School Remediation Plan

Carleton: I am available to speak at that time. Is it possible to include Pat Dowling on the call? If so, please ask Peggy to set up a conference call for 2 P.M. I want to make sure that any technical questions that you may have will be answered by Pat. Thank you.

Richard M. Bianculli Jr., Esq.
Rhode Island Department of Environmental Management
Office of Legal Services
235 Promenade Street - 4th Floor
Providence, RI 02908
Telephone 401.222.4700, ext. 2023
Fax 401.222.3378
richard.bianculli@dem.ri.gov
Before printing, think green!

From: Jones, Carleton [mailto:Carleton.Jones@ppsd.org]
Sent: Tuesday, October 18, 2011 9:59 AM
To: Richard M. Bianculli, Jr
Cc: Patrick Dowling; Kelly Owens; Jeffrey Crawford
Subject: RE: Spring Street School Remediation Plan

Good Morning Mr. Bianculli,

Let's speak hopefully today to get this matter resolved. Are you available to speak today between 2:00 and 3:00 PM? If not I will put you back in touch with my secretary, Peggy Tindall, who will schedule our phone call. Thanks. -cwj

Carleton W. Jones
Chief Operating Officer
Providence Public School District
797 Westminster Street
Providence Rhode Island 02903
401-456-0658
carleton.jones@ppsd.org

From: Richard M. Bianculli, Jr [mailto:richard.bianculli@DEM.RI.GOV]
Sent: Monday, October 17, 2011 4:03 PM
To: Jones, Carleton
Cc: Patrick Dowling; Kelly Owens; Jeffrey Crawford
Subject: Spring Street School Remediation Plan

Mr. Jones:

I left a message with your secretary this afternoon. The consultant (Patrick Dowling of Fuss and O'Neill) for the Springfield Street School remediation plan would like to coordinate access with the Providence School Department. Mr. Dowling will require access to the two schools in order to conduct an inspection and arrange for interviews with pertinent school personnel, including the school nurse(s) and lead maintenance personnel.

Mr. Dowling has made several attempts to contact the Department over the past several weeks, but, unfortunately, he has been unsuccessful. Please give me a call at your earliest convenience in order to discuss this matter. If you would prefer to coordinate an inspection with Mr. Dowling directly, he may be reached at 401.861.3070, extension 4568.

Please feel free to contact me directly if you have any questions. Thank you for your time and attention to this matter.

Sincerely,

Richard M. Bianculli Jr., Esq.

Rhode Island Department of Environmental Management

Office of Legal Services

235 Promenade Street - 4th Floor

Providence, RI 02908

Telephone 401.222.4700, ext. 2023

Fax 401.222.3378

richard.bianculli@dem.ri.gov

Before printing, think green!

*****This information may be confidential and/or privileged.? Use of this information by anyone other than the intended recipient is prohibited.? If you received this in error, please inform the sender and remove any record of this message.*****

*****This information may be confidential and/or privileged. Use of this information by anyone other than the intended recipient is prohibited. If you received this in error, please inform the sender and remove any record of this message.*****

*****This information may be confidential and/or privileged. Use of this information by anyone other than the intended recipient is prohibited. If you received this in error, please inform the sender and remove any record of this message.*****