

Proactive by Design

GEOTECHNICAL

ENVIRONMENTAL

ECOLOGICAL

WATER

CONSTRUCTION MANAGEMENT



#### MEMORANDUM

To: Joseph Martella, RIDEM

From: Dave Rusczyk, GZA

Cc: Kenneth Lento, National Grid

Date: July 8, 2021

Re: Site Response Action Report

Period June 13, 2021 through June 26, 2021

Former Tidewater Facility Pawtucket, Rhode Island

RIDEM Case No. 95-022 / Site Remediation File No. SR-26-0934

#### SITE ACTIVITIES PERFORMED

- Charter Contracting Company, LLC (Charter) continued activities related to implementation of the remedial construction work. These activities included:
  - o Continued backfilling behind the installed portions of the containment wall.
  - o Continued construction of the revetment in the southern portion of the Site.
  - Continued excavating to engineered cap subgrade to the east of the substation building including vacuum excavation proximate to the substation.
  - Placement of excavated Site materials as fill beneath engineered cap in the southern portion of the Site.
  - Excavation of the anchor trench for the geomembrane liner system and placement of excavated Site materials as fill beneath engineered cap in the southern portion of the Site.
- Perimeter air monitoring was performed during the period covered by this report with 11 air monitoring stations (4 solar powered units located proximate to the river and 7 electrically powered units). These stations measured and recorded respirable dust and total volatile organic compounds (TVOC) concentrations continuously 24 hours per day/7 days per week. As indicated in the attached weekly perimeter air monitoring graphs, isolated exceedances of the TVOC (0.5 parts per million) and respirable dust (150 μg/m³) perimeter threshold levels were noted during the period covered by this report.
  - Two isolated exceedances of the respirable dust perimeter threshold level were noted during the period covered by this report. The first isolated respirable dust exceedance was observed on June 18, 2021 during the workday; however, respirable dust levels decreased to levels consistent with background conditions before the implementation of engineered controls were necessary. The second isolated respirable dust exceedance was observed on June 22, 2021 during the workday. In response to the detected elevated respirable dust levels, the Contractor wetted exposed surface soils at the Site with a water truck and, after applying the water, respirable dust levels decreased to levels consistent with background conditions.
  - The elevated TVOC perimeter threshold exceedances were detected at the 4 solar powered stations located adjacent to the river. The air samples screened by the 4 solar powered stations (Stations 1 through 4) are not preheated within the unit prior to measuring the TVOC concentrations. As a result, the TVOC concentrations measured by



the solar powered stations are affected and biased high during conditions with elevated humidity/dewpoint levels or during rapid changes in humidity levels. As shown on the TVOC plots for the 4 solar power air monitoring stations, the humidity levels as measured by the on-Site weather station over the past 2-weeks ranged from approximately 20% to 100% and the elevated TVOC levels observed at the 4 solar powered air monitoring stations during this period were attributed to these elevated humidity levels and rapid changes in humidity levels rather than Site work activities.

 GZA collected ambient air samples from upwind and downwind locations on June 17, 2021 and June 24, 2021 for laboratory analysis for benzene, toluene, ethylbenzene, xylenes, and naphthalene. The analytical results from these samples indicated there were no exceedances of the project action levels. The analytical results were posted to the project website and the bulletin boards at the ends of Tidewater Street and Bowles Court and are also attached to this report.


#### ANTICIPATED SITE ACTIVITIES TO BE PERFORMED WITHIN NEXT 2 WEEKS


- Continued regrading of the southern portion of the Site to subgrade elevations for the engineered cap.
- Initial installation of the geomembrane liner system in the southern portion of the Site.
- Initial installation of the underdrain system in the southern portion of the Site.
- Initial placement of clean imported fill for the engineered cap in the southern portion of the Site.
- Installation of the foundation system for the new control house foundation for the substation.
- Excavation of deep obstructions within the alignment of the containment wall to allow continued installation of the containment wall.

Please contact Kenneth Lento at 781-907-3655 if you have any questions or comments.


#### Attachments:

Weekly Perimeter Air Monitoring Results Air Monitoring Station Locations Weekly Ambient Air Sampling Results







## Prepared by National Grid for the Businesses and Residents Located Near the Former Tidewater Facility Air Quality Monitoring - Total Volatile Organic Compounds




### Prepared by National Grid for the Businesses and Residents Located Near the Former Tidewater Facility


### **Air Quality Monitoring - Total Volatile Organic Compounds**









## Prepared by National Grid for the Businesses and Residents Located Near the Former Tidewater Facility Air Quality Monitoring - Total Volatile Organic Compounds



### Prepared by National Grid for the Businesses and Residents Located Near the Former Tidewater Facility

#### **Air Quality Monitoring - Total Volatile Organic Compounds**





### Prepared by National Grid for the Businesses and Residents Located Near the Former Tidewater Facility Weekly Ambient Air Sampling Results

Sample Date	Compounds							
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Naphthalen			
		(ppb v/v)						
12-3-20 UP STREAM	0.13	0.22	0.079	0.054	< 0.5			
12-3-20 DOWN STREAM	0.13	0.2	0.073	0.05	< 0.5			
12-10-20 UP STREAM	0.25	0.23	< 0.2	0.14	< 0.5			
12-10-20 DOWN STREAM	0.17	0.2	< 0.2	< 0.7	< 0.5			
12-16-20 UP STREAM	0.19	0.2	0.083	0.12	< 0.5			
12-16-20 DOWN STREAM	0.13	0.16	0.078	0.094	< 0.5			
12-23-20 UP STREAM	0.15	0.16	< 0.2	0.1	< 0.5			
12-23-20 DOWN STREAM	0.13	0.11	< 0.2	< 0.7	< 0.5			
12-30-20 UP STREAM	0.21	0.22	< 0.2	< 0.7	< 0.5			
12-30-20 DOWN STREAM	0.089	< 0.2	< 0.2	< 0.7	< 0.5			
1/7/21 UP STREAM	0.29	1.5	0.22	2.1	< 0.5			
1/7/21 DOWN STREAM	0.16	0.27	0.086	0.42	< 0.5			
1/14/21 UP STREAM	0.43	0.44	< 0.2	0.23	< 0.5			
1/14/21 DOWN STREAM	0.4	0.52	0.076	0.3	< 0.5			
1-21-21 UPSTREAM	0.15	0.28	0.1	< 0.7	0.24			
1-21-21 DOWNSTREAM	0.18	0.23	0.11	0.1	< 0.5			
1-28-21 UPSTREAM	0.21	0.19	< 0.2	< 0.7	< 0.5			
1-28-21 DOWNSTREAM	0.21	0.17	< 0.2	< 0.7	< 0.5			
2-4-21 UPSTREAM	0.2	1.1	0.23	1.4	0.18			
2-4-21 DOWNSTREAM	0.23	0.29	0.26	0.29	< 1.1			
2-11-21 UPSTREAM	0.19	0.12	< 0.2	< 0.7	< 0.5			
2-11-21 DOWNSTREAM	0.17	< 0.2	< 0.2	< 0.7	< 0.5			
2-18-21 UPSTREAM	0.46	2.8	0.11	0.25	< 0.5			
2-18-21 DOWNSTREAM	0.31	0.42	0.13	0.45	< 0.5			
2-25-21 UPSTREAM	< 0.2	0.16	< 0.2	0.16	< 0.5			
2-25-21 DOWNSTREAM	0.13	< 0.2	0.081	0.3	< 0.5			
3-4-21 UPSTREAM	0.2	0.21	< 0.2	0.18	0.27			
3-4-21 DOWNSTREAM	0.15	0.12	< 0.2	0.16	< 0.5			
3-11-21 UPSTREAM	0.13	0.17	< 0.2	0.23	0.3			
3-11-21 DOWNSTREAM	0.18	0.22	0.23	1.0	< 0.5			
3-18-21 DOWNSTREAM	0.18	1.6	0.19	0.67	< 0.5			
3-25-21 UPSTREAM	0.44	0.32	0.19	4.1	0.53			
3-25-21 DOWNSTREAM	0.17	0.52	0.16	0.57	0.33			
	0.33	0.67	< 0.2	< 0.7	-			
4-1-21 UPSTREAM					< 0.5			
4-1-21 DOWNSTREAM	0.12	0.11	< 0.2	< 0.7	< 0.5			
4-8-21 UPSTREAM	0.096	0.12	1.5	8.0	< 0.5			
4-8-21 DOWNSTREAM	0.086	0.14	0.086	0.38	0.19			
4-15-21 UPSTREAM	0.85	0.57	0.1	0.44	< 0.5			
4-15-21 DOWNSTREAM	0.11	0.11	0.26	1.20	< 0.5			
4-22-21 UPSTREAM	0.11	< 0.2	< 0.2	< 0.7	< 0.5			
4-22-21 DOWNSTREAM	0.11	0.16	< 0.2	< 0.7	< 0.5			
4-29-21 UPSTREAM	0.14	0.34	0.11	0.32	0.26			
4-29-21 DOWNSTREAM	0.19	0.39	0.11	0.37	0.27			
5-6-21 UPSTREAM	0.086	0.15	< 0.2	< 0.7	0.38			
5-6-21 DOWNSTREAM	1.0	8.4	0.21	0.69	< 0.5			
5-13-21 UPSTREAM	< 0.2	0.36	< 012	0.19	0.34			
5-13-21 DOWNSTREAM	0.12	< 0.2	< 0.2	< 0.7	< 0.5			
5-20-2021 UPSTREAM	0.38	2.5	< 0.2	< 0.7	< 0.5			
5-20-2021 DOWNSTREAM	0.16	0.56	0.3	1.40	< 0.5			
Project Action Levels	6.2	80	230	23	20			

### Prepared by National Grid for the Businesses and Residents Located Near the Former Tidewater Facility Weekly Ambient Air Sampling Results

Sample Date	Compounds						
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Naphthalene		
	(ppb v/v)						
5-27-21 UPSTREAM	0.095	0.12	0.45	2.10	0.4		
5-27-21 DOWNSTREAM	0.075	0.094	< 0.2	< 0.7	< 0.5		
6-3-21 UPSTREAM	< 0.2	0.16	< 0.2	< 0.7	< 0.5		
6-3-21 DOWNSTREAM	0.075	0.11	< 0.2	< 0.7	< 0.5		
6-10-21 UPSTREAM	< 0.2	< 0.2	< 0.2	< 0.7	< 0.5		
6-10-21 DOWNSTREAM	< 0.2	< 0.2	< 0.2	< 0.7	< 0.5		
6-17-21 UPSTREAM	0.64	0.6	0.48	0.66	0.64		
6-17-21 DOWNSTREAM	0.12	0.12	0.16	< 0.7	< 0.5		
6-24-21 UPSTREAM	< 0.2	0.17	< 0.2	< 0.7	< 0.5		
6-24-21 DOWNSTREAM	< 0.2	0.45	0.19	0.82	< 0.5		
Project Action Levels	6.2	80	230	23	20		

#### Notes:

- 1. The Project Action Levels are consistent with the Air Quality Monitoring Plan developed for the Site.
- 2. Air samples are collected in stainless steel summa canisters over an approximately 8-hour period.
- 3. Air samples are analyzed by EuroFins TestAmerica of Burlington, VT.
- 4. Results and action levels are listed in parts per billion volume/volume (ppb v/v).
- 5. An upstream ambient air sample was not collected on March 18, 2021 due to a problem with the sampling equipment.