



January 24, 2012

Vanasse Hangen Brustlin, Inc.

Ref: 72016.10

Mr. Timothy Fleury
Senior Engineer
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, Rhode Island 02908

Re: Trestle Trail, Coventry Rhode Island
Site Investigation Report Addendum

Dear Mr. Fleury:

Vanasse Hangen Brustlin Inc. (VHB), on behalf of our client, Prime Engineering, Inc. (PEI), submits this Site Investigation Report (SIR) Addendum to summarize additional investigations that have been conducted along the Trestle Trail right-of-way (ROW). Trestle Trail is approximately 10 miles in length and is located in the Town of Coventry. Its alignment is depicted in **Figure 1**.

Laboratory analytical results from previous investigation activities indicated that additional investigation was needed in five areas:

- The area of ROW south of the RICONN airport where soil samples exceeded the Rhode Island Department of Environmental Management (RIDEM) Residential Direct Exposure Criteria (RDEC) for polycyclic aromatic hydrocarbons (PAHs) and the Industrial/Commercial Direct Exposure Criteria (I/CDEC) for the PAH benzo(a)pyrene;
- The area of ROW proximate to soil sample SS-3, located east of Hopkins Hollow Road where soil samples exceeded the RIDEM RDEC and the I/CDEC for arsenic;
- The area of ROW proximate to soil sample SS-2 where soil samples exceeded the RIDEM RDEC for beryllium;
- The area of ROW proximate to RI Processing and SS-1, located near the intersection of Phillips Hill Road and Hill Farm Road, where soil samples exceeded the RDEC for PAHs and beryllium and the I/CDEC for arsenic; and
- The area of ROW south of Coventry Auto Body where soil samples exceeded the RIDEM RDEC for beryllium and the I/CDEC for arsenic.

Mr. Timothy Fleury
R.I.D.E.M.
Ref.: 72016.10
January 24, 2012
Page 2

In addition, comments received from the public during the public meeting held on July 12, 2011 and during the subsequent comment period indicated two additional areas for investigation:

- The ROW intersection with Hopkins Hollow Road in the Village of Greene (hereafter referred to as "Greene"); and
- The ROW intersection with Camp Westwood Road.

VHB and New England Geotech, LLC (NE Geotech) mobilized to these locations in October and December, 2011 to advance soil borings using a track-mounted geoprobe drill rig. Soil borings were advanced to a depth of two feet below surface grade, a VHB scientist logged soil morphology descriptions, screened soil samples using a photoionization detector (PID) equipped with a 10.6 eV lamp, and collected soil samples for laboratory analysis. Soil boring logs, summary data tables, and figures depicting the locations of soil samples are attached. In the interest of clarity, the results of these additional investigations will be discussed from west to east.

RICONN Airport

Laboratory analytical results of soil samples collected in September 2008 indicated concentrations of arsenic and PAHs exceeded RIDEM direct exposure criteria in RICONN-1, RICONN-2 and RICONN-3. Because of the relatively large distance between these samples (approximately 800 feet), additional samples were collected on October 3, 2011 at 50 foot intervals in between and on either side of these samples. This resulted in the collection of 39 additional soil samples.

Laboratory analytical results indicated that the extent of soil impacts east of RICONN-1 has been delineated, but the limits west of RICONN-3 have not been determined. Laboratory analytical results are summarized in **Table 1** and the soil sample locations are depicted on the RICONN Airport Site Plan (attached). Due to the proximity of the western-most sample (SB-139) to the terminus of the project, it was decided that additional investigations in a westerly direction were not warranted and that the soil would be assumed to be impacted.

Greene

Based on comments received during the public meeting held on July 12, 2011 that a former depot was located in the Village of Greene, soil samples SS-201 and SS-202 were collected along the ROW on the west side of Hopkins Hollow Road while soil samples SS-203 and SS-204 were collected on the east side on October 3, 2011. Laboratory analytical results indicated concentrations of arsenic that exceeded the RIDEM I/CDEC in soil samples SS-201, SS-202, and SS-204. A summary of the analytical results are provided in **Table 2** and the soil sample locations are depicted on the Greene Site Plan.



On December 12, 2011, additional samples were collected to define the western extent of soil impacts. Soil samples SS-210 to SS-213 were collected and submitted for laboratory analysis for arsenic. Laboratory analytical results of soil sample SS-210 indicated concentrations of arsenic that exceeded the RIDEM I/CDEC and concentrations of PAHs that exceeded the RIDEM RDEC. All the remaining soil samples were compliant for arsenic and PAHs, indicating that the western extent of impact was defined.

SS-3, East of Hopkins Hollow Road

Soil sample SS-3 was collected on September 9, 2008 approximately 700 feet east of Bucks Horn Brook and 2,100 feet east of Hopkins Hollow Road. Laboratory analytical results indicated concentrations of arsenic that exceeded the RIDEM I/CDEC. On October 4, 2011, VHB re-mobilized to the Site and collected soil samples SB- 501 to SB-509. Soil samples SB-501 to SB-504 were collected west of soil sample SS-3. Laboratory analytical results indicated that these samples indicated no substances that exceeded RIDEM criteria. Laboratory analytical results are summarized in **Table 3** and the soil sample locations are depicted in the SS-3 Site Plan.

Laboratory analytical results of soil sample SB-506 indicated concentrations of arsenic that exceeded the RIDEM I/CDEC and chrysene that exceeded the RIDEM RDEC. Also, laboratory analytical results indicated concentrations of arsenic that exceeded the RIDEM I/CDEC in soil sample SB-509. These results indicated that the eastern extent of soil impacts was not defined. On December 12, 2011, VHB and NE Geotech mobilized to the Site to collect soil samples SB-510 to SB-513. Laboratory analytical results indicated concentrations of arsenic in soil samples SB-510 and SB-511 that exceeded the RIDEM I/CDEC (16.3 ppm and 7.4 ppm, respectively), but that both of the eastern-most soil samples (SB-512 and SB-513) were compliant for arsenic.

SS-2, Proximate to Route 102 (Victory Highway)

Soil sample SS-2 was collected along the portion of the ROW the travels beneath Route 102. Analytical results indicated concentrations of beryllium that exceeded the RIDEM RDEC. On October 5, 2011, VHB collected four additional soil samples west of SS-2. Laboratory analytical results of soil samples SB-601, Sb-602, and SB-603 indicated concentrations of beryllium (0.66 ppm, 0.52 ppm, and 0.75 ppm, respectively) that exceeded the RIDEM RDEC. A summary of laboratory analytical results is provided as **Table 4**. Refer to the SS-2 Site Plan for the soil sample locations.

In November 2011, RIDEM promulgated amendments to their *Rules and Regulations for the Investigation and Remediation of Hazardous Material Releases (Remediation Regulations)*, which included a change to the beryllium RDEC. As part of the amendments, RIDEM used the statistical 95 percent upper confidence limit of natural background data across the state, which resulted in a new RDEC of 1.5 ppm. Based on these changes, the samples do not exceed the RIDEM RDEC and additional investigations were not warranted.



Camp Westwood Road

Based on comments received during the public meeting held on July 12, 2011, soil samples SS-701 and SS-702 were collected along the ROW on the west side of Camp Westwood Road while soil samples SS-703 and SS-704 were collected on the east side on October 3, 2011. Laboratory analytical results indicated concentrations of arsenic that exceeded the RIDEM I/CDEC in soil samples SB-701, SB-702, and SB-704, concentrations of PAHs in soil sample SB-701 that exceeded the RIDEM I/CDEC, and concentrations of PAHs that exceeded RIDEM RDEC in soil sample SB-704.

On December 13, 2011, VHB collected additional soil samples on both sides of Camp Westwood Road. On the west side of Camp Westwood Road, laboratory analysis of soil samples SB-705, SB-706 and SB-707 indicated concentrations of arsenic that exceeded the RIDEM I/CDEC and /or PAHs that exceeded the RIDEM RDEC. On the east side, laboratory analysis of soil sample SB-713 indicated concentrations of arsenic that exceeded the RIDEM I/CDEC and concentrations of arsenic that exceeded the RIDEM I/CDEC and PAHs that exceeded the RIDEM RDEC in SB-715. A summary of laboratory analytical results is provided as **Table 5** and the soil sample locations are depicted on the Camp Westwood Road Site Plan.

RI Processing and SS-1

In September 2008, soil samples were collected from the area of ROW proximate to RI Processing, located near the intersection of Phillips Hill Road and Hill Farm Road, where soil samples exceeded the RDEC for PAHs and beryllium and the I/CDEC for arsenic. A summary of laboratory analytical results is provided as **Table 6**. Refer to the RI Processing/SS-1 Site Plan for the soil sample locations.

On October 3, 2011, VHB collected an additional 12 soil samples for laboratory analysis for arsenic and PAHs. Laboratory analytical results indicated that there were no detections of PAHs above any RIDEM criteria and only soil sample SB-406 exceeded the RIDEM I/CDEC for arsenic.

Coventry Auto Body

On September 3, 2008, VHB collected soil samples from along the ROW behind Coventry Auto Body. Laboratory analytical results indicated concentrations of arsenic that exceeded the RIDEM I/CDEC. VHB returned to the Site on October 3, 2011 and collected soil samples SB-301, SB-302, and SB-303. Laboratory analytical results indicated that soil sample SB-303 exceeded the RIDEM I/CDEC for arsenic. A summary of laboratory analytical results is provided as **Table 7**. Refer to the Coventry Auto Body Site Plan for the soil sample locations.



Mr. Timothy Fleury
R.I.D.E.M.
Ref.: 72016.10
January 24, 2012
Page 5


Summary

Previous investigations conducted in 2008 identified areas of soil impacts along the ROW. Additional Site Investigation activities and laboratory analysis of soil samples collected from the ROW over two mobilizations in October and December, 2011 has indicated that the extent of identified soil impacts has been delineated. The Project Team requests that RIDEM deem the Site Investigation portion of the Project as complete through the issuance of a Program Letter. The Project Team can then provide abutter notification to transmit the results of the investigation and to present likely remediation scenarios.


If you have any questions or comments regarding these responses, please feel free to contact me at (401) 272-8100.

Very truly yours,

VANASSE HANGEN BRUSTLIN, INC.



Claude Masse
Senior Environmental Scientist



Suzanne Courtemanche, LSP, CHMM
Director of Oil & Hazardous Materials


Cc: A. Marshall, RIDOT
R. Bailey, RIDEM
H. Neenan, Prime Engineering, Inc.






Figures





Source: USGS Quadrangles




Vanasse Hangen Brustlin, Inc.

Figure 1
Phase II Boring Locations
Trestle Trail
Coventry, Rhode Island



Source: PhotoMapper, 2006.

Vanasse Hangen Brustlin, Inc.




Site Plan
RICONN Airport
Coventry, Rhode Island



Source: PhotoMapper, 2006.

Vanasse Hangen Brustlin, Inc.




Site Plan
Greene
Coventry, Rhode Island



Source: PhotoMapper, 2006.

Vanasse Hangen Brustlin, Inc.




Site Plan
Location of SS3
Coventry, Rhode Island



Source: PhotoMapper, 2006.

Vanasse Hangen Brustlin, Inc.




Site Plan
Location of SS2
Coventry, Rhode Island




Source: PhotoMapper, 2006.

Vanasse Hangen Brustlin, Inc.




Site Plan
Camp Westwood Road
Coventry, Rhode Island



Source: PhotoMapper, 2006.

Vanasse Hangen Brustlin, Inc.




Site Plan
RI Processing/ SS-1
Coventry, Rhode Island



Source: PhotoMapper, 2006.

Vanasse Hangen Brustlin, Inc.



Site Plan
Coventry Auto Body
Coventry, Rhode Island



Tables



Table 1. Summary of Soil Sample Results for RICONN Airport

Client Sample	SB-101 0ft-2ft	SB-102 0ft-2ft	SB-103 0ft-2ft	SB-104 0ft-2ft	SB-105 0ft-2ft	SB-106 0ft-2ft	SB-107 0ft-2ft	SB-108 0ft-2ft	SB-109 0ft-2ft	SB-110 0ft-2ft	SB-111 0ft-2ft	SB-112 0ft-2ft	SB-113 0ft-2ft	SB-114 0ft-2ft	SB-115 0ft-2ft	SB-116 0ft-2ft	SB-117 0ft-2ft	SB-118 0ft-2ft	SB-119 0ft-2ft	SB-120 0ft-2ft																						
Sample Date	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011																						
Lab Sample ID	1110010-01	1110010-02	1110010-03	1110010-04	1110010-05	1110010-06	1110010-07	1110010-08	1110010-09	1110010-10	1110010-11	1110010-12	1110010-13	1110010-14	1110010-15	1110010-16	1110010-17	1110010-18	1110010-19	1110010-20																						
Matrix	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid																						
Residential Units																																										
3050B/6000/7000 Total Metals																																										
Arsenic	7	mg/kg dry	26	U	24	46	25	U	23	U	9.9	37	11.4	6.8	29	35	24	U	25	U	39	24	U	25	U	7.5	26	U	26	63												
8270C Polynuclear Aromatic Hydrocarbons																																										
2-Methylnaphthalene	123	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.342	U	0.345	U	0.352	U	0.354	U	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U
Acenaphthene	43	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.342	U	0.345	U	0.352	U	0.354	U	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U
Acenaphthylene	23	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.342	U	0.345	U	0.352	U	0.354	U	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U
Anthracene	35	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.342	U	0.345	U	0.352	U	0.354	U	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U
Benzo(a)anthracene	0.9	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.342	U	0.345	U	0.352	U	0.354	U	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U
Benzo(a)pyrene	0.4	mg/kg dry	0.18	U	0.176	U	0.17	U	0.174	U	0.176	U	0.512	0.173	U	0.228	0.448	0.175	U	0.176	U	0.181	U	0.172	U	0.172	U	0.172	U	0.189	U	0.183	U	0.183	U	0.184	U	0.183	U	0.18	U	
Benzo(b)fluoranthene	0.9	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	1.07	0.345	U	0.42	1.11	0.348	U	0.351	U	0.36	U	0.342	U	0.342	U	0.344	U	0.377	U	0.365	U	0.388	0.366	U	0.365	U	0.359	U		
Benzo(g,h,i)perylene	0.6	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.387	0.345	U	0.352	U	0.435	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U		
Benzo(k)fluoranthene	0.9	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.495	0.345	U	0.352	U	0.502	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U		
Chrysene	0.4	mg/kg dry	0.18	U	0.176	U	0.17	U	0.174	U	0.176	U	0.734	0.173	U	0.304	0.864	0.175	U	0.176	U	0.181	U	0.172	U	0.172	U	0.172	U	0.189	U	0.183	U	0.314	0.184	U	0.183	U	0.259	U		
Dibenzo(a,h)anthracene	0.4	mg/kg dry	0.18	U	0.176	U	0.17	U	0.174	U	0.176	U	0.172	U	0.173	U	0.176	U	0.178	U	0.175	U	0.176	U	0.181	U	0.172	U	0.172	U	0.189	U	0.183	U	0.183	U	0.184	U	0.183	U	0.18	U
Fluoranthene	20	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.821	0.345	U	0.505	1.69	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U			
Fluorene	28	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.342	U	0.345	U	0.352	U	0.354	U	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U
Indeno(1,2,3-cd)Pyrene	0.9	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.4	0.345	U	0.352	U	0.459	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U		
Naphthalene	54	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.342	U	0.345	U	0.352	U	0.354	U	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U
Phenanthrene	40	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.342	U	0.345	U	0.352	U	0.354	U	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U
Pyrene	13	mg/kg dry	0.358	U	0.352	U	0.339	U	0.347	U	0.352	U	0.697	0.345	U	0.387	1.19	0.348	U	0.351	U	0.36	U	0.342	U	0.344	U	0.377	U	0.365	U	0.364	U	0.366	U	0.365	U	0.359	U			

Concentrations shown as bold exceed the RIDEM Residential Direct Exposure Criteria.
Concentrations shown as shaded exceed the RIDEM Industrial/Commercial Direct Exposure Criteria.

Table 1 (Cont'd). Summary of Soil Sample Results for RICONN Airport.

Client Sample	SB-121 0ft-2ft	SB-122 0ft-2ft	SB-123 0ft-2ft	SB-124 0ft-2ft	SB-125 0ft-2ft	SB-126 0ft-2ft	SB-127 0ft-2ft	SB-128 0ft-2ft	SB-129 0ft-2ft	SB-130 0ft-2ft	SB-131 0ft-2ft	SB-132 0ft-2ft	SB-133 0ft-2ft	SB-134 0ft-2ft	SB-135 0ft-2ft	SB-136 0ft-2ft	SB-137 0ft-2ft	SB-138 0ft-2ft	SB-139 0ft-2ft																					
Sample Date	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011																					
Lab Sample ID	1110012-01	1110012-02	1110012-03	1110012-04	1110012-05	1110012-06	1110012-07	1110012-08	1110012-09	1110012-10	1110012-11	1110012-12	1110012-13	1110012-14	1110012-15	1110012-16	1110012-17	1110012-18	1110012-19																					
Matrix	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid																					
Residential Units																																								
3050B/6000/7000 Total Metals																																								
Arsenic	7	mg/kg dry	16.8	4.2	19.4	20.4	39.1	6.3	13.8	13.2	5.1	2	U	4.5	5.5	2.2	4.3	3.1	7.9	2.4	U	2.3	U	3.7																
8270C Polynuclear Aromatic Hydrocarbons																																								
2-Methylnaphthalene	123	mg/kg dry	0.36	U	0.361	U	0.349	U	0.37	U	0.363	U	0.385	U	0.361	U	0.351	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	0.363	U
Acenaphthene	43	mg/kg dry	0.36	U	0.361	U	0.349	U	0.37	U	0.363	U	0.385	U	0.361	U	0.351	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	0.363	U
Acenaphthylene	23	mg/kg dry	0.36	U	0.361	U	0.349	U	0.37	U	0.363	U	0.385	U	0.361	U	0.351	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	0.363	U
Anthracene	35	mg/kg dry	0.36	U	0.361	U	0.349	U	0.37	U	0.363	U	0.385	U	0.361	U	0.351	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	0.758	
Benzo(a)anthracene	0.9	mg/kg dry	0.36	U	0.361	U	0.349	U	0.716	U	1.17	U	0.385	U	0.361	U	0.421	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	5.76	
Benzo(a)pyrene	0.4	mg/kg dry	0.342	U	0.181	U	0.175	U	0.753	U	1.15	U	0.193	U	0.181	U	0.478	U	0.175	U	0.176	U	0.18	U	0.173	U	0.179	U	0.176	U	0.177	U	0.179	U	0.184	U	0.179	U	3.3	
Benzo(b)fluoranthene	0.9	mg/kg dry	0.851	U	0.361	U	0.491	U	1.46	U	2.45	U	0.385	U	0.379	U	1.17	U	0.348	U	0.352	U	0.358	U	0.346	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	4.42	
Benzo(g,h)perylene	0.8	mg/kg dry	0.36	U	0.361	U	0.349	U	0.571	U	0.797	U	0.385	U	0.361	U	0.407	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	1.17	
Benzo(k)fluoranthene	0.9	mg/kg dry	0.36	U	0.361	U	0.349	U	0.544	U	0.855	U	0.385	U	0.361	U	0.386	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	1.36	
Chrysene	0.4	mg/kg dry	0.645	U	0.181	U	0.363	U	1.19	U	1.88	U	0.193	U	0.314	U	0.785	U	0.216	U	0.176	U	0.18	U	0.313	U	0.179	U	0.176	U	0.177	U	0.256	U	0.184	U	0.179	U	4.58	
Dibenzo(a,h)anthracene	0.4	mg/kg dry	0.181	U	0.181	U	0.175	U	0.186	U	0.182	U	0.193	U	0.181	U	0.176	U	0.175	U	0.176	U	0.18	U	0.173	U	0.179	U	0.176	U	0.177	U	0.179	U	0.184	U	0.179	U	0.58	
Fluoranthene	20	mg/kg dry	0.726	U	0.361	U	0.355	U	1.7	U	2.69	U	0.385	U	0.361	U	0.956	U	0.348	U	0.352	U	0.358	U	0.449	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	8.42	
Fluorene	28	mg/kg dry	0.36	U	0.361	U	0.349	U	0.37	U	0.363	U	0.385	U	0.361	U	0.351	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	0.363	U
Indeno(1,2,3-cd)Pyrene	0.9	mg/kg dry	0.36	U	0.361	U	0.349	U	0.563	U	0.843	U	0.385	U	0.361	U	0.415	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	1.24	
Naphthalene	54	mg/kg dry	0.36	U	0.361	U	0.349	U	0.37	U	0.363	U	0.385	U	0.361	U	0.351	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	0.384	
Phenanthrene	40	mg/kg dry	0.36	U	0.361	U	0.349	U	0.581	U	0.798	U	0.385	U	0.361	U	0.351	U	0.348	U	0.352	U	0.358	U	0.345	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	1.94	
Pyrene	13	mg/kg dry	0.636	U	0.361	U	0.349	U	1.44	U	2.21	U	0.385	U	0.361	U	0.796	U	0.348	U	0.352	U	0.358	U	0.395	U	0.357	U	0.351	U	0.353	U	0.358	U	0.368	U	0.356	U	6.71	

Concentrations shown as bold exceed the RIDE M Residential Direct Exposure Criteria.
 Concentrations shown as shaded exceed the RIDE M Industrial/Commercial Direct Exposure Criteria

Table 2. Summary of Soil Sample Results for Greene.

Client Sample	SB-201 0ft-2ft	SB-202 0ft-2ft	SB-203 0ft-2ft	SB-204 0ft-2ft	SS-210 0ft-2ft	SS-211 0ft-2ft	SS-212 0ft-2ft	SS-213 0ft-2ft
Sample Date	10/3/2011	10/3/2011	10/3/2011	10/3/2011	12/12/2011	12/12/2011	12/12/2011	12/12/2011
Lab Sample ID	1110015-01	1110015-02	1110015-03	1110015-04	1112220-01	1112220-02	1112220-03	1112220-04
Matrix	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid
Residential Units								

3050B/6000/7000 Total Metals

Element	Units	SB-201	SB-202	SB-203	SB-204	SS-210	SS-211	SS-212	SS-213
Antimony	10 mg/kg dry	5.2	4.3	5.1	5.1	--	--	--	--
Arsenic	7 mg/kg dry	9.3	9.2	3.2	15.7	9	5.6	3.2	3.1
Beryllium	0.4 mg/kg dry	0.13	0.14	0.25	0.16	--	--	--	--
Cadmium	39 mg/kg dry	0.52	0.43	0.52	0.51	--	--	--	--
Chromium	1400 mg/kg dry	1.1	1.2	1	1.2	--	--	--	--
Copper	3100 mg/kg dry	7.6	7.3	10.6	11.9	--	--	--	--
Lead	150 mg/kg dry	13.9	13.4	8.8	28.9	--	--	--	--
Mercury	23 mg/kg dry	0.035	0.031	0.028	0.031	--	--	--	--
Nickel	1000 mg/kg dry	2.6	2.1	2.6	2.6	--	--	--	--
Selenium	390 mg/kg dry	5.2	4.3	5.1	5.1	--	--	--	--
Silver	200 mg/kg dry	0.51	0.48	0.51	0.5	--	--	--	--
Thallium	5.5 mg/kg dry	1.27	1.06	1.27	1.26	--	--	--	--
Zinc	6000 mg/kg dry	10	10.1	12.4	13.3	--	--	--	--

8270C Polynuclear Aromatic Hydrocarbons

Compound	Units	SB-201	SB-202	SB-203	SB-204	SS-210	SS-211	SS-212	SS-213
2-Methylnaphthalene	123 mg/kg dry	0.374	0.352	0.354	0.355	0.358	0.39	0.383	0.416
Acenaphthene	43 mg/kg dry	0.374	0.352	0.354	0.355	0.358	0.39	0.383	0.416
Acenaphthylene	23 mg/kg dry	0.374	0.352	0.354	0.355	0.358	0.39	0.383	0.416
Anthracene	35 mg/kg dry	0.374	0.352	0.354	0.355	0.358	0.39	0.383	0.416
Benzo(a)anthracene	0.9 mg/kg dry	0.489	0.352	0.354	0.355	0.49	0.39	0.383	0.416
Benzo(a)pyrene	0.4 mg/kg dry	0.45	0.176	0.178	0.19	0.441	0.196	0.192	0.208
Benzo(b)fluoranthene	0.9 mg/kg dry	0.845	0.352	0.354	0.398	0.823	0.39	0.383	0.416
Benzo(g,h,i)perylene	0.8 mg/kg dry	0.374	0.352	0.354	0.355	0.37	0.39	0.383	0.416
Benzo(k)fluoranthene	0.9 mg/kg dry	0.374	0.352	0.354	0.355	0.383	0.39	0.383	0.416
Chrysene	0.4 mg/kg dry	0.668	0.179	0.178	0.285	0.719	0.208	0.192	0.208
Dibenzo(a,h)Anthracene	0.4 mg/kg dry	0.188	0.176	0.178	0.178	0.179	0.196	0.192	0.208
Fluoranthene	20 mg/kg dry	1	0.352	0.354	0.379	0.93	0.39	0.383	0.416
Fluorene	28 mg/kg dry	0.374	0.352	0.354	0.355	0.358	0.39	0.383	0.416
Indeno(1,2,3-cd)Pyrene	0.9 mg/kg dry	0.374	0.352	0.354	0.355	0.458	0.39	0.383	0.416
Naphthalene	54 mg/kg dry	0.374	0.352	0.354	0.355	0.358	0.39	0.383	0.416
Phenanthrene	40 mg/kg dry	0.374	0.352	0.354	0.355	0.358	0.39	0.383	0.416
Pyrene	13 mg/kg dry	0.824	0.352	0.354	0.355	0.918	0.39	0.383	0.416

Concentrations shown as **bold** exceed the RIDEM Residential Direct Exposure Criteria.

Concentrations shown as **shaded** exceed the RIDEM Industrial/Commercial Direct Exposure Criteria.

-- Not Analyzed

Table 3. Summary of Soil Sample Results for SS-3.

Client Sample		SB-501 0ft-2ft	SB-502 0ft-2ft	SB-503 0ft-2ft	SB-504 0ft-2ft	SB-506 0ft-2ft	SB-507 0ft-2ft	SB-508 0ft-2ft	SB-509 0ft-2ft	SS-510 0ft-2ft	SS-511 0ft-2ft	SS-512 0ft-2ft	SS-513 0ft-2ft
Sample Date		10/4/2011	10/4/2011	10/4/2011	10/4/2011	10/4/2011	10/4/2011	10/4/2011	10/4/2011	12/12/2011	12/12/2011	12/12/2011	12/12/2011
Lab Sample ID		1110025-01	1110025-02	1110025-03	1110025-04	1110025-05	1110025-06	1110025-07	1110025-08	1112220-05	1112220-06	1112220-07	1112220-08
Matrix		Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid
	Residential Units												
3050B/6000/7000 Total Metals													
Arsenic	7 mg/kg dry	2.5	2.5 U	2.7 U	5.6	8.6	3.6	4.6	14.4	16.3	7.4	2.4 U	5.1
8270C Polynuclear Aromatic Hydrocarbons													
2-Methylnaphthalene	123 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Acenaphthene	43 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Acenaphthylene	23 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Anthracene	35 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Benzo(a)anthracene	0.9 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Benzo(a)pyrene	0.4 mg/kg dry	0.182 U	0.188 U	0.192 U	0.184 U	0.344 U	0.18 U	0.213 U	0.172 U	--	--	--	--
Benzo(b)fluoranthene	0.9 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.857 U	0.359 U	0.55 U	0.344 U	--	--	--	--
Benzo(g,h,i)perylene	0.8 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Benzo(k)fluoranthene	0.9 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Chrysene	0.4 mg/kg dry	0.182 U	0.188 U	0.192 U	0.209 U	0.567	0.18 U	0.294 U	0.172 U	--	--	--	--
Dibenzo(a,h)Anthracene	0.4 mg/kg dry	0.182 U	0.188 U	0.192 U	0.184 U	0.183 U	0.18 U	0.175 U	0.172 U	--	--	--	--
Fluoranthene	20 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.745 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Fluorene	28 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Indeno(1,2,3-cd)Pyrene	0.9 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Naphthalene	54 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Phenanthrene	40 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.365 U	0.359 U	0.349 U	0.344 U	--	--	--	--
Pyrene	13 mg/kg dry	0.363 U	0.374 U	0.384 U	0.368 U	0.633 U	0.359 U	0.349 U	0.344 U	--	--	--	--

Concentrations shown as **bold** exceed the RIDEM Residential Direct Exposure Criteria.

Concentrations shown as **shaded** exceed the RIDEM Industrial/Commercial Direct Exposure Criteria.

Table 4. Summary of Soil Sample Results for SS-2.

Client Sample Sample Date Lab Sample ID Matrix	SB-601 0ft-2ft 10/5/2011 1110046-01 Solid	SB-602 0ft-2ft 10/5/2011 1110046-02 Solid	SB-603 0ft-2ft 10/5/2011 1110046-03 Solid	SB-604 0ft-2ft 10/5/2011 1110046-04 Solid
---	--	--	--	--

3050B/6000/7000 Total Metals

Beryllium 1.5 mg/kg dry

Concentrations shown as **bold** exceed the RIDEM Residential Direct Exposure Criteria.

Concentrations shown as **shaded** exceed the RIDEM Industrial/Commercial Direct Exposure Criteria.

0.66 0.52 0.75 D 0.28

Table 5. Summary of Soil Sample Results for Camp Westwood Road.

Client Sample			SB-701 0ft-2ft	SB-702 0ft-2ft	SB-703 0ft-2ft	SB-704 0ft-2ft	SS-705 0ft-2ft	SS-706 0ft-2ft	SS-707 0ft-2ft	SS-708 0ft-2ft	SS-713 0ft-2ft	SS-714 0ft-2ft	SS-715 0ft-2ft	SS-716 0ft-2ft												
Sample Date			10/5/2011	10/5/2011	10/5/2011	10/5/2011	12/13/2011	12/13/2011	12/13/2011	12/13/2011	12/13/2011	12/13/2011	12/13/2011	12/13/2011												
Lab Sample ID			1110046-05	1110046-06	1110046-07	1110046-08	1112243-01	1112243-02	1112243-03	1112243-04	1112243-05	1112243-06	1112243-07	1112243-08												
Matrix			Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid												
	Residential	Units																								
3050B/6000/7000 Total Metals																										
Antimony	10	mg/kg dry	5.1	U	5.1	U	5.1	U	5.2	U	--	--	--	--												
Arsenic	7	mg/kg dry	57.9		8.9		2.5	U	17.6		17.9	7.3	--	2.7	U	14	2.6	U	18.6	2.7	U					
Beryllium	0.4	mg/kg dry	0.43		0.28		0.27		0.24		--	--	--	--												
Cadmium	39	mg/kg dry	0.65		0.51	U	0.51	U	0.52	U	--	--	--	--												
Chromium	1400	mg/kg dry	2.1		1.7		1	U	1.6		--	--	--	--												
Copper	3100	mg/kg dry	19.2		3.9		2.5	U	4.3		--	--	--	--												
Lead	150	mg/kg dry	29.3		8.5		11.8		9.4		--	--	--	--												
Mercury	23	mg/kg dry	0.038	U	0.033	U	0.031	U	0.034	U	--	--	--	--												
Nickel	1000	mg/kg dry	2.6	U	2.5	U	2.5	U	2.6	U	--	--	--	--												
Selenium	390	mg/kg dry	5.1	U	5.1	U	5.1	U	5.2	U	--	--	--	--												
Silver	200	mg/kg dry	0.52	U	0.51	U	0.51	U	0.52	U	--	--	--	--												
Thallium	5.5	mg/kg dry	1.27	U, D	1.25	U, D	1.26	U, D	1.29	U, D	--	--	--	--												
Zinc	6000	mg/kg dry	30.9		17.7		17.9		15.6		--	--	--	--												
8270C Polynuclear Aromatic Hydrocarbons																										
2-Methylnaphthalene	123	mg/kg dry	0.387	U	0.353	U	0.342	U	0.346	U	0.379	U	0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Acenaphthene	43	mg/kg dry	0.387	U	0.353	U	0.342	U	0.346	U	0.379	U	0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Acenaphthylene	23	mg/kg dry	0.603		0.353	U	0.342	U	0.346	U	0.379	U	0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Anthracene	35	mg/kg dry	0.387	U	0.353	U	0.342	U	0.346	U	0.379	U	0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Benzo(a)anthracene	0.9	mg/kg dry	2.93		0.353	U	0.342	U	0.893		1.1		0.353	U	0.429		0.347	U	0.373	U	0.39	U	0.495		0.389	U
Benzo(a)pyrene	0.4	mg/kg dry	2.64		0.259		0.172	U	0.819		0.819		0.258		0.348		0.174	U	0.187	U	0.196	U	0.4		0.195	U
Benzo(b)fluoranthene	0.9	mg/kg dry	5.39		0.514		0.342	U	1.71		1.41		0.509		0.621		0.347	U	0.373	U	0.39	U	0.826		0.389	U
Benzo(g,h,i)perylene	0.8	mg/kg dry	1.21		0.353	U	0.342	U	0.368		0.587		0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Benzo(k)fluoranthene	0.9	mg/kg dry	1.97		0.353	U	0.342	U	0.603		0.565		0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Chrysene	0.4	mg/kg dry	3.52		0.344		0.172	U	1.09		1.47		0.421		0.5		0.174	U	0.261		0.196	U	0.893		0.195	U
Dibenzo(a,h)Anthracene	0.4	mg/kg dry	0.634		0.177	U	0.172	U	0.23		0.205		0.177	U	0.172	U	0.174	U	0.187	U	0.196	U	0.199	U	0.195	U
Fluoranthene	20	mg/kg dry	6.47		0.609		0.342	U	1.47		2.41		0.683		0.819		0.347	U	0.373	U	0.39	U	1.6		0.389	U
Fluorene	28	mg/kg dry	0.387	U	0.353	U	0.342	U	0.346	U	0.379	U	0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Indeno(1,2,3-cd)Pyrene	0.9	mg/kg dry	1.36		0.353	U	0.342	U	0.376		0.668		0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Naphthalene	54	mg/kg dry	0.387	U	0.353	U	0.342	U	0.346	U	0.379	U	0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.397	U	0.389	U
Phenanthrene	40	mg/kg dry	2.27		0.353	U	0.342	U	0.346	U	0.951		0.353	U	0.343	U	0.347	U	0.373	U	0.39	U	0.527		0.389	U
Pyrene	13	mg/kg dry	7.19		0.748		0.342	U	2.12		2.15		0.629		0.769		0.347	U	0.373	U	0.39	U	1.36		0.389	U

Concentrations shown as **bold** exceed the RIDEM Residential Direct Exposure Criteria.

Concentrations shown as **shaded** exceed the RIDEM Industrial/Commercial Direct Exposure Criteria.

-- Not Analyzed

Table 6. Summary of Soil Sample Results for RI Processing/SS-1.

Client Sample	SB-401 0ft-2ft	SB-402 0ft-2ft	SB-403 0ft-2ft	SB-404 0ft-2ft	SB-405 0ft-2ft	SB-406 0ft-2ft	SB-407 0ft-2ft	SB-408 0ft-2ft	SB-409 0ft-2ft	SB-410 0ft-2ft	SB-411 0ft-2ft	SB-412 0ft-2ft
Sample Date	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011	10/3/2011
Lab Sample ID	1110015-08	1110015-09	1110015-10	1110015-11	1110015-12	1110015-13	1110015-14	1110015-15	1110015-16	1110015-17	1110015-18	1110015-19
Matrix	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid
Residential Units												

3050B/6000/7000 Total Metals

Element	Units	SB-401	SB-402	SB-403	SB-404	SB-405	SB-406	SB-407	SB-408	SB-409	SB-410	SB-411	SB-412						
Antimony	10 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--						
Arsenic	7 mg/kg dry	3.2	2.5	4.5	U, D	4.8	U, D	2.3	U	8	6.8	2.9	2.8	2.3	U	2.2	U	2.6	U
Beryllium	0.4 mg/kg dry	0.35	0.27	0.51	D	0.46	D	0.39		0.32	0.35	0.4	0.22	0.29		0.31		0.28	
Cadmium	39 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	1400 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Copper	3100 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lead	150 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Mercury	23 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nickel	1000 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	390 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Silver	200 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Thallium	5.5 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Zinc	6000 mg/kg dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

8270C Polynuclear Aromatic Hydrocarbons

Compound	Units	SB-401	SB-402	SB-403	SB-404	SB-405	SB-406	SB-407	SB-408	SB-409	SB-410	SB-411	SB-412													
2-Methylnaphthalene	123 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Acenaphthene	43 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Acenaphthylene	23 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Anthracene	35 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Benzo(a)anthracene	0.9 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Benzo(a)pyrene	0.4 mg/kg dry	0.195	U	0.173	U	0.192	U	0.175	U	0.17	U	0.228	0.171	U	0.171	U	0.183	U	0.182	U	0.186	U	0.183	U	0.183	U
Benzo(b)fluoranthene	0.9 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.437	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	0.365	U
Benzo(g,h,i)perylene	0.8 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Benzo(k)fluoranthene	0.9 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Chrysene	0.4 mg/kg dry	0.195	U	0.173	U	0.192	U	0.175	U	0.17	U	0.356	0.183	U	0.171	U	0.183	U	0.182	U	0.186	U	0.183	U	0.183	U
Dibenzo(a,h)Anthracene	0.4 mg/kg dry	0.195	U	0.173	U	0.192	U	0.175	U	0.17	U	0.181	U	0.171	U	0.171	U	0.183	U	0.182	U	0.186	U	0.183	U	
Fluoranthene	20 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.491	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	0.365	U
Fluorene	28 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Indeno(1,2,3-cd)Pyrene	0.9 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Naphthalene	54 mg/kg dry	1.05		0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Phenanthrene	40 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.361	U	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	
Pyrene	13 mg/kg dry	0.39	U	0.346	U	0.383	U	0.349	U	0.339	U	0.448	0.34	U	0.34	U	0.365	U	0.363	U	0.372	U	0.365	U	0.365	U

Concentrations shown as **bold** exceed the RIDEM Residential Direct Exposure Criteria.

Concentrations shown as **shaded** exceed the RIDEM Industrial/Commercial Direct Exposure Criteria.

-- Not Analyzed

Table 7. Summary of Soil Sample Results for Coventry Auto Body.

Client Sample	SB-301 0ft-2ft	SB-302 0ft-2ft	SB-303 0ft-2ft
Sample Date	10/3/2011	10/3/2011	10/3/2011
Lab Sample ID	1110015-05	1110015-06	1110015-07
Matrix	Solid	Solid	Solid

3050B/6000/7000 Total Metals

Arsenic	7	mg/kg dry	6.9	5.8	7.4
Beryllium	0.4	mg/kg dry	0.17	0.26	0.25

Concentrations shown as **bold** exceed the RIDEM Residential Direct Exposure Criteria.

Concentrations shown as **shaded** exceed the RIDEM Industrial/Commercial Direct Exposure Criteria.



Soil Boring Logs





Log of Well No. SB-101

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-102 (0-2)	01	Ground Surface	
0.5			V drk brn f-co sand, trace silt	
1			Gry brn f-co sand	
2			Gry f-co sand, trace silt	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-102

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-102 (0-2')	ND	Ground Surface	
0.5			V. dk br/blk f sand, tr silt	
1			Lt olive br fine sand, tr silt, tr f gravel	
1.5			Lt olive br m/c sand, tr silt	
2			Olive br vf sand	
2.5			Lt gr vf sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-103

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-103 (0-2)	ND	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
2			Gry brn and gry f-co sand, trace silt and gravel	
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-104 (0-2)	0.1	Ground Surface	
0.5			Dk br vf/f sand, tr silt	
1.0			Lt olive br vf/m sand	
2.0			Lt olive br vf/f sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-105

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-105 (0-2)	ND	Ground Surface	
0-2			V drk brn f-co sand, trace silt, little gravel	
1			Gry brn and gry f-co sand, trace silt and gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-106

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DRILLING CONTRACTOR: **New England Geotech**

DRILLING METHOD: **Vibratory Hammer**

SAMPLING METHOD: **5 Ft. Sleeve**

HAMMER WEIGHT: **NA** DROP: **NA**

DATE STARTED: **3-Oct-11** DATE FINISHED: **3-Oct-11**

TOTAL DEPTH (ft.): **2** SCREEN INTERVAL (ft.): **NA**

DEPTH TO WATER: **NA** CASING: **NA**

LOGGED BY: **CM**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-106 (0-2')	0.1	Ground Surface	
0.5			Olive br f sand	
1.5			V dk br/blk f sand, tr/li coal dust	
2.0			Lt olive br vf/c sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-107

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-107 (0-2)	0.5	Ground Surface	
0.5			Drk gry brn f-co sand, trace silt and gravel	
1			Blk f-co sand, trace silt, little gravel; coal-like fragments	
2			Gry and gry brn f-co sand, trace silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 3-Oct-11

DATE FINISHED: 3-Oct-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: CM

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-108 (0-2')	0.2	Ground Surface	
1			Lt olive br/olive br vf/f sand	
2			V dk br/blk vf/c sand, tr m gravel, tr coal dust	
2			Olive br vf/f sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft): 2	SCREEN INTERVAL (ft): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-109 (0-2)	ND	Ground Surface	
1			V drk brn f-m sand, trace silt, little gravel; coal-like fragments	
2			Gry f-co sand, trace silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-110 (0-2')	0.1	Ground Surface	
0.5			Dk olive br vff sand	
1			V dk br/blk vff sand, tr f/m gravel, tr coal dust	
1.5			Olive br/yellowish br vff sand, tr f gravel	
2			Lt gr vf/m sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-111

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail		DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech		TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer		DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve		LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1	

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-111 (0-2)	1.3	Ground Surface	
0-2			V drk brn f-co sand, trace silt, some gravel	
1			Gry f-co sand, little gravel, trace silt	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-112 (0-2)	0.1	Ground Surface	
0.5			Dk br vf/f sand	
1			Lt gr vf/m sand	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 3-Oct-11

DATE FINISHED: 3-Oct-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-113 (0-2')	ND	Ground Surface	
0.5			V drk brn f-co sand, coal-like fragments	
1			Gry brn f-m sand with v drk brn f-co sand, trace silt, little gravel	
2			Yellow brn and gry f-co sand, trace silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-114 (0-2)	0.2	Ground Surface	
0-1			V dk br vf/f sand, tr m gravel	
1-2			Lt olive br/lit gr/yellowish br vf/m sand, tr f gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-115

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness, color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-115 (0-2')	ND	Ground Surface	
0.5			V drk brn f-m sand, trace silt and gravel; coal-like fragments	
1			Gry brn and gry f-co sand, trace silt and gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-116

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-116 (0-2')	0.1	Ground Surface	
0.5			V dk br/blk f sand, tr/li coal dust	
1.0			Lt olive br f sand	
1.5			Olive br/yellowish br vff sand	
2.0			Lt gr vff sand, tr olive yellow redoximorphic concentrations	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-117

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-117 (0-2)	ND	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
1.5			Gry and gry brn f-co sand, trace silt, little gravel	
2.0			Yellow brn f-co sand, trace silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No : 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-118 (0-2)	0.2	Ground Surface	
0			V dk br vf/f sand, tr f gravel	
1			Lt gr/lt olive br vf/f sand	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-119

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness, color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-119 (0-2)	ND	Ground Surface	
0.5			V drk brn f-co sand, trace silt; coal-like fragments	
1			Gry brn f-co sand, trace silt and gravel	
1.5			Gry brn and yel brn f-co sand; coal-like fragments	
2			Gry f-co sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-120

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-120 (0-2')	0.3	Ground Surface	
0.5			Blk/v dk br f sand, tr silt	
1.0			Lt olive br vf/f sand	
1.5			Lt olive br vf/m sand	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-121

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness, color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-121 (0-2')	ND	Ground Surface	
1			V drk brn f-m sand, little gravel, trace silt; coal-like fragments	
2			Gry f-m sand, trace silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-122

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-122 (0-2')	ND	Ground Surface	
0.5			Blk/v dk br vf/f sand	
1			Olive br vf/m sand	
2			Lt olive br/lt gr vf/c sand, tr f/m gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-123

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-123 (0-2')	ND	Ground Surface	
1			V drk brn f-m sand, trace silt, little gravel	
2			Gry f-m sand, trace silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-124

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-124 (0-2')	ND	Ground Surface	
1			Blk/V dk br vf/m sand, tr coal, tr f gravel	
2			Lt gr vf/f sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-125 (0-2')	ND	Ground Surface	
1			V drk brn f-m sand, trace silt, little gravel; coal-like fragments	
2			Brn gry f-co sand, trace silt and gravel	
2			Gry f-m sand, trace silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 3-Oct-11

DATE FINISHED: 3-Oct-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: CM

HAMMER WEIGHT: NA

DROP: NA

Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-126 (0-2)	ND	Ground Surface	
0.5			V dk br vf/m sand, tr coal dust	
1.0			Olive br/yellowish br vf/f sand, tr f gravel	
1.5			Lt gr vf sand	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-127 (0-2')	ND	Ground Surface	
1			V drk brn f-m sand, little gravel, trace silt; coal-like fragments	
2			Gry f-m sand, trace silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-128

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-128 (0-2)	0.1	Ground Surface	
1			Blk/ V dk br vf/m sand, tr coal dust	
2			Lt olive br/lt gr vf/m sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-129

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-129 (0-2')	ND	Ground Surface	
1			V drk brn f-m sand, trace silt and little gravel; coal-like fragments	
2			Brn f-co sand, trace silt and gravel	
3			Gry f-co sand, trace silt and gravel	
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-130

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-130 (0-2')	ND	Ground Surface	
0.5			V dk br vf/f sand	
1			Olive br vf/m sand	
2			Lt olive br vf/c sand, tr f gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-131 (0-2')	ND	Ground Surface	
0.5			V drk brn f-m sand, little gravel, trace silt	
1			Brn f-co sand, trace silt and gravel	
1.5			Gry and gry brn f-co sand, trace silt, little gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-132

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-132 (0-2')	ND	Ground Surface	
1			V dk br vff sand, tr m gravel, tr coal dust	
2			Olive br/yellowish br vf/m sand	
2			Lt olive br/lt gr vf/c sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness, color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-133 (0-2')	ND	Ground Surface	
0.5			V drk brn f-m sand, little gravel, trace silt; coal-like fragments	
1.0			Yel brn f-co sand, little gravel, trace silt	
1.5			Gry f-m sand, trace silt and gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-134

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-134 (0-2)	ND	Ground Surface	
0.5			V dk br vf/f sand, tr f/m gravel	
1			Lt olive br vf/m sand	
1.5			Lt gr vf/m sand	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-135

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION. strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-135 (0-2)	ND	Ground Surface	
0.5			V dk br/blk vf/m sand, tr f/m gravel	
1			Olive br/lt gr/lt olive br vf/c sand, tr m gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-136

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 3-Oct-11

DATE FINISHED: 3-Oct-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft): 2

SCREEN INTERVAL (ft): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No : 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-136 (0-2')	ND	Ground Surface	
1			V drk brn f-co sand, trace silt, little gravel; coal-like fragments	
2			Brn f-co sand, little gravel, trace silt	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-137

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-137 (0-2')	ND	Ground Surface	
			Olivebr vf/f sand	
1			Lt gr/lt olive br vf/f sand	
2			Yellowish br/olive br vf/c sand, li f/m gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 3-Oct-11

DATE FINISHED: 3-Oct-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-138 (0-2)	ND	Ground Surface	
1			Brn f-co sand, trace silt and gravel	
2			Gry brn f-m sand, trace silt and gravel	
3			Gry f-m sand and yel brn f-m sand	
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-139

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-139 (0-2)	ND	Ground Surface	
			V dk br vf/m sand	
1			Olive br/yellowish br vf/m sand, tr f/m gravel	
2			Lt gr/lit olive br vf/f sand	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-201

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-201 (0-2)	ND	Ground Surface	
0.5			Blk/v dk brvf/m sand, tr f/m gravel	
1			Yellowish br/olive br vff sand	
2			Lt gr vf/m sand, tr yellowish br redoximorphic concentrations	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-202

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-202 (0-2')	ND	Ground Surface	
0			V drk brn f-co sand, trace silt, some gravel	
1			Gry and gry brn f-co sand, little gravel, trace silt	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-203 (0-2)	ND	Ground Surface	
0.5			Br/gr vf/c sand, tr f/m gravel	
1.0			Gr vf/c sand, tr f/m gravel	
1.5			V dk br/blk vff sand	
2.0			Lt olive br vff sand	
2.5			Lt olive br vf/c sand, tr f/m gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 3-Oct-11

DATE FINISHED: 3-Oct-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-204 (0-2')	ND	Ground Surface	
0.5			V drk brn f-co sand, little gravel, trace silt	
1			Brn f-co sand, trace silt, little gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 12-Dec-11

DATE FINISHED: 12-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: CM

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-210 (0-2)	06	Ground Surface	
			Blk/V dk gr f/m sand, tr silt	
1			Lt olive br m sand	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 12-Dec-11	DATE FINISHED: 12-Dec-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-211 (0-2)	06	Ground Surface	
0.5			V drk brn f-co sand, trace silt and gravel	
1			Lt gry brn m-co sand, trace silt and gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 12-Dec-11	DATE FINISHED: 12-Dec-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness, color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-212 (0-2')	0.5	Ground Surface Blk f sand, tr/li gravel	
1			Lt olive br/gr/lt gr f sand, tr f/m gravel, appears to be a mixed horizon	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 12-Dec-11

DATE FINISHED: 12-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-213 (0-2)	0.5	Ground Surface	
0			V drk brn f-co sand, trace silt and gravel	
1			Brn-drk brn f-m sand, few silt and gravel (moist)	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-501

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **4-Oct-11**

DATE FINISHED: **4-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-501 (0-2)	0.4	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
1			Brn f-m sand, little silt and gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-502

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 4-Oct-11	DATE FINISHED: 4-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-502 (0-2')	03	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
1.0			Brn f-m sand, little silt and gravel	
2.0			Gry brn f-m sand, little silt, trace gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-503

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **4-Oct-11**

DATE FINISHED: **4-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-503 (0-2)	0.3	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
1.0			Brn co sand and gravel, trace silt	
1.5			Gry silt and f sand; coal-like fragments	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 4-Oct-11	DATE FINISHED: 4-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-504 (0-2')	03	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
1.0			Gry brn f-co sand, trace silt and gravel	
1.5			Drk brn f-co sand, little silt and gravel	
2.0			Gry and brn co sand and gravel, trc silt	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 4-Oct-11	DATE FINISHED: 4-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION. strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-506 (0-2)	0.3	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
1.0			Gry f-co sand, trace silt, and gravel	
1.5			Brn f-m sand, little silt and gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 4-Oct-11	DATE FINISHED: 4-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No : 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-507 (0-2)	0.6	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
1.0			Drk brn f-co sand, trace silt and gravel	
1.5			Brn f-co sand, trace silt and gravel	
2.0			Gry f-co sand, trace silt and gravel	
2.5			Brn f-co sand, little silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 4-Oct-11	DATE FINISHED: 4-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-508 (0-2')	03	Ground Surface	
0.5			V drk brn f-co sand, trace silt, little gravel	
1.0			Brn and gry f-co sand, trace silt and gravel	
2.0			Brn f-co sand, little silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-509

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **4-Oct-11**

DATE FINISHED: **4-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-509 (0-2)	2.8	Ground Surface	
0.5			V dk br f-c sand, tr silt, li gravel	
1.0			Br f-c sand, tr silt and gravel	
2.0			Gr br f-m sand, li silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 12-Dec-11

DATE FINISHED: 12-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft): 2

SCREEN INTERVAL (ft): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: CM

HAMMER WEIGHT: NA

DROP: NA

Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-510 (0-2')	0.3	Ground Surface	
0.5			Dk br/blk vf/f sand	
1			Lt olive br f/m sand	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 12-Dec-11

DATE FINISHED: 12-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No : 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-511 (0-2')	9.7	Ground Surface	
1			R=18"/24" 0.3' v drk brn m-co sand, trace silt, li gravel over 0.9' gry brn f-co sand, trace silt, li gravel over 0.3' drk bry brn f-co sand, li silt and gravel.	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 12-Dec-11

DATE FINISHED: 12-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: CM

HAMMER WEIGHT: NA

DROP: NA

Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-512 (0-2')	0.2	Ground Surface	
0.2			Dk br/blk f/m sand, tr coal dust	
0.5			Blk/lt olive br f/m sand	
2.0			Lt olive br f/m sand	
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 12-Dec-11

DATE FINISHED: 12-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS	
0	SB-513 (0-2')	0.2	Ground Surface		
0.4			R=20"/24" 0.4' v drk brn m-co sand, trace silt, li gravel over 1.1' Gry f-co sand, trace silt, li gravel		
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-601

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **5-Oct-11**

DATE FINISHED: **5-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-601 (0-2)	0.8	Ground Surface	
0.5			Gry brn f-co sand, trace silt, little gravel	
1.0			V drk brn to blk f-co sand, little gravel, trace silt	
1.5			Gry brn f-co sand, trace silt, little gravel	
2.0			Drk gry f-m sand, little silt, trace gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-602

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **5-Oct-11**

DATE FINISHED: **5-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-602 (0-2)	1	Ground Surface	
1			Gry brn f-co sand, trace silt, little gravel	
2			V drk brn and drk gry f-co sand, trace silt, little gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-603

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **5-Oct-11**

DATE FINISHED: **5-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-603 (0-2)	23	Ground Surface	
0.5			Gry brn f-co sand, trace silt, little gravel	
1			Drk gry and v drk brn f-co sand, little silt and gravel	
2			Brn f-co sand, little silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-604

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 5-Oct-11	DATE FINISHED: 5-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-604 (0-2)	1.5	Ground Surface	
0.5			Gry brn f-co sand, trace silt, little gravel	
1.0			Gry brn f-m sand, some silt, little gravel	
1.5			Gry brn f-co sand, trace silt, some gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-701

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 5-Oct-11	DATE FINISHED: 5-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-701 (0-2')	3.4	Ground Surface	
1			Drk brn f-co sand, trace silt, some gravel	
2			Lt brn f-co sand, little silt and gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-702

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: **Trestle Trail**

DRILLING CONTRACTOR: **New England Geotech**

DRILLING METHOD: **Vibratory Hammer**

SAMPLING METHOD: **5 Ft. Sleeve**

HAMMER WEIGHT: **NA** DROP: **NA**

DATE STARTED: **5-Oct-11** DATE FINISHED: **5-Oct-11**

TOTAL DEPTH (ft.): **2** SCREEN INTERVAL (ft.): **NA**

DEPTH TO WATER: **NA** CASING: **NA**

LOGGED BY: **JGK**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-702 (0-2)	1.1	Ground Surface	
1			Brn f-co sand, little silt, some gravel	
2			Drk brn f-co sand, little silt, some gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-703

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **5-Oct-11**

DATE FINISHED: **5-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-703 (0-2')	4	Ground Surface	
0-1			Drk brn f-co sand, trace silt, little gravel	
1-2			Brn co sand and gravel, trace silt	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-704

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **5-Oct-11**

DATE FINISHED: **5-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-704 (0-2)	0.4	Ground Surface	
1			Brn co sand and gravel, trace silt	
2			Drk brn f-co sand, some gravel, trace silt; coal-like fragments	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 13-Dec-11

DATE FINISHED: 13-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft): 2

SCREEN INTERVAL (ft): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-705 (0-2')	0.6	Ground Surface	
1			R=18"/24" 12 in v drk brn f-co sand, trace silt, li gravel over 3 in gry f-co sand, trace silt, so gravel over 3 in brn f-co sand, li silt, so gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 13-Dec-11	DATE FINISHED: 13-Dec-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0			Ground Surface	
1		0.4	R=18"/24" 9 in drk brn m-co sand, trace silt, so gravel over 9 in brn f-co sand, li silt, so grvl (wet)	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 13-Dec-11

DATE FINISHED: 13-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft): 2

SCREEN INTERVAL (ft): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-707 (0-2')	0.7	Ground Surface	
1			R=14"/24" 3 in gry f-co sand, trace silt, li gravel over 2 in v drk brn f-co sand, trace silt, li gravel over 9 in brn f-co sand, li silt, so gravel.	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 13-Dec-11

DATE FINISHED: 13-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-708 (0-2')	0.4	Ground Surface	
1			R=20"/24" 2 in v drk brn f-co sand, trace silt, li gravel over 18 in gry brn f-co sand, trace silt, li gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



Log of Well No. SB-713

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **13-Dec-11**

DATE FINISHED: **13-Dec-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS	
0	SB-713 (0-2)		Ground Surface		
1		0.4	R=15"/24" 6 in brn f-co sand, trace silt, so gravel over 2 in v drk brn f-co sand, so silt and gravel over 5 in gry and brn f-co sand, some silt and gravel; coal-like fragments		
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 13-Dec-11

DATE FINISHED: 13-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-714 (0-2')	0.4	Ground Surface	
1			R=14"/24" 3 in brn f-co sand, trc silt, so gravel over 11 in gry brn f-m sand, li silt and gravel (wet)	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail

DATE STARTED: 13-Dec-11

DATE FINISHED: 13-Dec-11

DRILLING CONTRACTOR: New England Geotech

TOTAL DEPTH (ft.): 2

SCREEN INTERVAL (ft.): NA

DRILLING METHOD: Vibratory Hammer

DEPTH TO WATER: NA

CASING: NA

SAMPLING METHOD: 5 Ft. Sleeve

LOGGED BY: JGK

HAMMER WEIGHT: NA

DROP: NA

Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-715 (0-2')	0.6	Ground Surface	
1			R=16"/24" 4 in brn f-co sand, trace silt, so gravel over 12 in v drk brn f-co sand, li silt and gravel (wet); staining and coal-like fragements	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **13-Dec-11**

DATE FINISHED: **13-Dec-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-716 (0-2)	0.6	Ground Surface	
1			R=14"/24" 4 in brn-drk brn f-co sand, trace silt, so gravel over 10 in gry brn f-co sand, li silt and gravel (wet)	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-401

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-401 (0-2')	0.6	Ground Surface	
1			Crushed asphalt	
2			Olive br vf/c sand, tr f/m gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-402

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-402 (0-2')	1	Ground Surface	
0-1			Drk brn f-co sand, trace silt, some gravel	
1-2			Brn f-co sand, trace silt, some gravel	
2			Lt brn f-co sand, some gravel, trace silt; coal-like fragments	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-403

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **3-Oct-11**

DATE FINISHED: **3-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **CM**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-403 (0-2)	03	Ground Surface	
0.5			Br/olive br vf/m sand, so c gravel	
1			Lt olive br vf/m sand, tr coal or asphalt	
2			Yellowish br vf/f s, tr silt	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-404

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **3-Oct-11**

DATE FINISHED: **3-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-404 (0-2')	1	Ground Surface	
1			Gry brn f-co sand, trace silt, some gravel	
2			Drk brn f-m sand, some silt, little gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-405

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: **Trestle Trail**

DRILLING CONTRACTOR: **New England Geotech**

DRILLING METHOD: **Vibratory Hammer**

SAMPLING METHOD: **5 Ft. Sleeve**

HAMMER WEIGHT: **NA** DROP: **NA**

DATE STARTED: **3-Oct-11** DATE FINISHED: **3-Oct-11**

TOTAL DEPTH (ft.): **2** SCREEN INTERVAL (ft.): **NA**

DEPTH TO WATER: **NA** CASING: **NA**

LOGGED BY: **CM**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-405 (0-2')	0.3	Ground Surface	
0.5			V dk br f sand, tr silt, tr m gravel	
1			Yellowish br f sand, tr silt, tr f gravel	
1.5			Lt olive br vf/m sand, tr f/c gravel, wet at bottom of core	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-406

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-406 (0-2)	0.7	Ground Surface	
1			V drk brn f-co sand, little silt and gravel; coal-like fragments	
2			Drk brn f-co sand, some silt, little gravel Gry brn f-co sand, little gravel, trace silt	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-407

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No : 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-407 (0-2)	0.6	Ground Surface	
0.5			Dk br vf/c sand, tr f/m gravel, tr silt	
1.0			Yellowish br/lt olive br vf/c sand, tr f/m gravel	
1.5			Lt olive br m/c sand, so f/c gravel	
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-408

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **4-Oct-11**

DATE FINISHED: **4-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **JGK**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-408 (0-2')	0.6	Ground Surface	
0-2			V drk brn f-co sand, trace silt, some gravel	
2			Brn and gry brn f-co sand, trace silt, some gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Vanasse Hangen Brustlin, Inc.

Log of Well No. SB-409

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DATE STARTED: **3-Oct-11**

DATE FINISHED: **3-Oct-11**

DRILLING CONTRACTOR: **New England Geotech**

TOTAL DEPTH (ft.): **2**

SCREEN INTERVAL (ft.): **NA**

DRILLING METHOD: **Vibratory Hammer**

DEPTH TO WATER: **NA**

CASING: **NA**

SAMPLING METHOD: **5 Ft. Sleeve**

LOGGED BY: **CM**

HAMMER WEIGHT: **NA**

DROP: **NA**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-409 (0-2)	0.1	Ground Surface	
0.5			V dk br/br f sand, tr f gravel	
1.0			Olive br vff sand	
2.0			Lt gr/lt olive br vff sand, tr c gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-410

GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 4-Oct-11	DATE FINISHED: 4-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-410 (0-2')	0.8	Ground Surface	
0.5			V drk brn f-m sand, little silt, and gravel	
1.0			Yel brn f-m sand, little silt and gravel	
2.0			Gry f-co sand, trace silt, some gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: **Trestle Trail**

DRILLING CONTRACTOR: **New England Geotech**

DRILLING METHOD: **Vibratory Hammer**

SAMPLING METHOD: **5 Ft. Sleeve**

HAMMER WEIGHT: **NA** DROP: **NA**

DATE STARTED: **3-Oct-11** DATE FINISHED: **3-Oct-11**

TOTAL DEPTH (ft.): **2** SCREEN INTERVAL (ft.): **NA**

DEPTH TO WATER: **NA** CASING: **NA**

LOGGED BY: **CM**

Project No.: **72016.1**

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-411 (0-2)	49	Ground Surface	
1			Br vf/m sand, tr f gravel	
2			Lt olive br/olive br vf/f sand, tr f gravel, abrupt lower boundary	
3			Gr vf/m sand, dense, li f/c gravel, wet at bottom	
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-412 (0-2')	0.6	Ground Surface	
0.5			Br vff sand, tr m gravel	
1			Olive br vff sand, abrupt lower boundary	
2			Gr vf/m sand, dense, tr m/c gravel, trace organics (woody)	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



GROUND SURFACE ELEVATION AND DATUM Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-301 (0-2')	0.6	Ground Surface	
0.5			V drk brn f-co sand, trace silt, some gravel	
1			Brn f-co sand, trace silt, little gravel	
2			Gry f-co sand, some gravel, trace silt	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-302

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: CM	
HAMMER WEIGHT: NA	DROP: NA	Project No : 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness,color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-302 (0-2')	0.1	Ground Surface	
0.5			V dk br vf/m sand, tr f gravel	
1			Olive br/yellowish br vf/m sand, so f/m gravel	
2			Lt gr/lt olive br vf/c sand and f/c gravel	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				



Log of Well No. SB-303

GROUND SURFACE ELEVATION AND DATUM: Not Surveyed

PROJECT: Trestle Trail	DATE STARTED: 3-Oct-11	DATE FINISHED: 3-Oct-11
DRILLING CONTRACTOR: New England Geotech	TOTAL DEPTH (ft.): 2	SCREEN INTERVAL (ft.): NA
DRILLING METHOD: Vibratory Hammer	DEPTH TO WATER: NA	CASING: NA
SAMPLING METHOD: 5 Ft. Sleeve	LOGGED BY: JGK	
HAMMER WEIGHT: NA	DROP: NA	Project No.: 72016.1

DEPTH (feet)	Sample No.	PID Reading	DESCRIPTION: strata thickness, color, texture, moisture, observations	WELL CONSTRUCTION DETAILS AND/OR DRILLING REMARKS
0	SB-303 (0-2)	0.2	Ground Surface	
1			V drk brn f-m sand, trace silt, some gravel, coal-like fragments	
2			Drk brn f-m sand, little silt, some gravel	
3			Brn f-co sand, some gravel, trace silt	
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				