

BORING CO. <u>New Hampshire Boring</u>	BORING LOCATION <u>Downgradient Robin Rug</u>
FOREMAN <u>O'Donnell</u>	GROUND SURFACE ELEV. _____ DATUM _____
GZA ENGINEER <u>Chris Cote</u>	DATE START _____ DATE END _____

SAMPLER: UNLESS OTHERWISE NOTED, SAMPLER CONSISTS OF A 2" SPLIT SPOON DRIVEN USING A 140 lb. HAMMER FALLING 30 IN CASING: UNLESS OTHERWISE NOTED, CASING DRIVEN USING A 300 LB HAMMER FALLING 24 IN. CASING SIZE: _____ OTHER: <u>3 3/4" HSA</u>	GROUNDWATER READINGS															
	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DATE</th> <th>TIME</th> <th>WATER</th> <th>CASING</th> <th>STABILIZATION TIME</th> </tr> <tr> <td>7/12/05</td> <td></td> <td>6.72'</td> <td></td> <td>6 Days</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	TIME	WATER	CASING	STABILIZATION TIME	7/12/05		6.72'		6 Days					
DATE	TIME	WATER	CASING	STABILIZATION TIME												
7/12/05		6.72'		6 Days												

DPTH (FT)	CASING BLOWS	SAMPLE				SAMPLE DESCRIPTION BURMISTER CLASSIFICATION	STRATUM DESCRIPTION	EQUIPMENT INSTALLED	FIELD TESTING	R K
		NO	PEN/REC	DEPTH (FT)	BLOWS/6"					
5		S-1	24/20	0-2	9-39	Brown, fine to medium SAND, trace Silt, gray/ brown, fine to medium Sand, some Gravel, trace Silt S-2: Brown, fine to medium CLAY, trace Silt, gray, fine to coarse Sand, trace Silt S-3: Light gray, fine to medium SAND, trace Silt, broken Boulder S-4: Brown, fine to medium SAND, fine Gravel, broken Boulder, trace Silt, trace Asphalt Gray, fine to medium Silty CLAY, crushed Granite Boulder Brown, fine to coarse Silty CLAY, black, fine to medium Sand, trace Silt, black, fine to coarse Sand, some Silt	±5'	SCREEN	0.0 ppm	
		S-2	24/12	2-4	11-8				0.0 ppm	
		S-3	24/7	4-6	95-29				0.0 ppm	
		S-4	24/15	6-8	16-14				0.0 ppm	
					7-9				0.0 ppm	
		S-5	24/13	10-12	50-52				0.0 ppm	
10					14-11			0.0 ppm		
15		S-6	24/16	15-17	9-15			0.0 ppm		
					15-14					
20					End of Exploration at ±17'					
25										
30										
35										

REMARKS:
 No evidence of petroleum sheen.
 Samples were screened with an OVM 580B Photoionization Detector (PID) equipped with a 11.8 ev lamp.

NOTES:
 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES; TRANSITIONS MAY BE GRADUAL.
 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED; FLUCTUATIONS OF GROUNDWATER TABLE MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.

APPENDIX G
LABORATORY REPORTS

			GZ-1		GZ-2		GZ-3	
			0507-00065-001		0507-00065-002		0507-00065-003	
			07/12/2005		07/12/2005		07/12/2005	
			Result	Limit	Result	Limit	Result	Limit
EPA 8260	VOLATILE ORGANICS							
	Dichlorodifluoromethane	75-71-8	ug/L (ppb)	< 2.0	< 2.0	< 2.0	< 2.0	
	Chloromethane	74-87-3	ug/L (ppb)	< 2.0	< 2.0	< 2.0	< 2.0	
	Vinyl Chloride	75-01-4	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Bromomethane	74-83-9	ug/L (ppb)	< 2.0	< 2.0	< 2.0	< 2.0	
	Chloroethane	75-00-3	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Trichlorofluoromethane	75-69-4	ug/L (ppb)	< 2.0	< 2.0	< 2.0	< 2.0	
	Diethylether	60-29-7	ug/L (ppb)	< 5.0	< 5.0	< 5.0	< 5.0	
	Acetone	67-64-1	ug/L (ppb)	< 25	< 25	< 25	< 25	
	1,1-Dichloroethene	75-35-4	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Dichloromethane	75-09-2	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Methyl-Tert-Butyl-Ether	1634-04-4	ug/L (ppb)	< 1.0	2.5	1.0	< 1.0	
	trans-1,2-Dichloroethene	156-60-5	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,1-Dichloroethane	75-34-3	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	2-Butanone	78-93-3	ug/L (ppb)	< 25	< 25	< 25	< 25	
	2,2-Dichloropropane	594-20-7	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	cis-1,2-Dichloroethene	156-59-2	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Chloroform	67-66-3	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Bromochloromethane	74-97-5	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Tetrahydrofuran	109-99-9	ug/L (ppb)	< 10	< 10	< 10	< 10	
	1,1,1-Trichloroethane	71-55-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,1-Dichloropropene	563-58-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Carbon Tetrachloride	56-23-5	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,2-Dichloroethane	107-06-2	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Benzene	71-43-2	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Trichloroethene	79-01-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,2-Dichloropropane	78-87-5	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Bromodichloromethane	75-27-4	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Dibromomethane	74-95-3	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	4-Methyl-2-Pentanone	108-10-1	ug/L (ppb)	< 2.0	< 2.0	< 2.0	< 2.0	
	cis-1,3-Dichloropropene	10061-01-5	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Toluene	108-88-3	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	trans-1,3-Dichloropropene	10061-02-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,1,2-Trichloroethane	79-00-5	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	2-Hexanone	591-78-6	ug/L (ppb)	< 2.0	< 2.0	< 2.0	< 2.0	
	1,3-Dichloropropane	142-28-9	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Tetrachloroethene	127-18-4	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Dibromochloromethane	124-48-1	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,2-Dibromoethane (EDB)	106-93-4	ug/L (ppb)	< 2.0	< 2.0	< 2.0	< 2.0	
	Chlorobenzene	108-90-7	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,1,1,2-Tetrachloroethane	630-20-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Ethylbenzene	100-41-4	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	m&p-Xylene	179601-231	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	o-Xylene	95-47-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Styrene	100-42-5	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Bromoform	75-25-2	ug/L (ppb)	< 2.0	< 2.0	< 2.0	< 2.0	
	Isopropylbenzene	98-82-8	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,1,2,2-Tetrachloroethane	79-34-5	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,2,3-Trichloropropane	96-18-4	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Bromobenzene	108-86-1	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	N-Propylbenzene	103-65-1	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	2-Chlorotoluene	95-49-8	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,3,5-Trimethylbenzene	108-67-8	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	4-Chlorotoluene	106-43-4	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	tert-Butylbenzene	98-06-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,2,4-Trimethylbenzene	95-63-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	sec-Butylbenzene	135-98-8	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	p-Isopropyltoluene	99-87-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,3-Dichlorobenzene	541-73-1	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,4-Dichlorobenzene	106-46-7	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	n-Butylbenzene	104-51-8	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,2-Dichlorobenzene	95-50-1	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	1,2-Dibromo-3-Chloropropane	96-12-8	ug/L (ppb)	< 5.0	< 5.0	< 5.0	< 5.0	
	1,2,4-Trichlorobenzene	120-82-1	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Hexachlorobutadiene	87-68-3	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
	Naphthalene	91-20-3	ug/L (ppb)	19	2.0	< 2.0	< 2.0	
	1,2,3-Trichlorobenzene	87-81-6	ug/L (ppb)	< 1.0	< 1.0	< 1.0	< 1.0	
Mod. EPA 8100	TOTAL PETROLEUM HYDROCARBON		PHC					
	Hydrocarbon Content	PHC	ug/L (ppb)	850	200	< 200	470	200

GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
140 Broadway
Providence, RI 02903

Mark Burbelo

Project Name: Robin Rug
Project No.: 03.0032938.01

Date Received: 7/12/05
Date Reported: 7/20/05
Work Order No.: 0507-00065

Sample ID: GZ-1
Sample Date: 7/12/2005

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			MQS	7/14/05
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chloromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Vinyl Chloride	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromomethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Trichlorofluoromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Diethylether	EPA 8260	<5.0	ug/L	MQS	7/14/05
Acetone	EPA 8260	<25	ug/L	MQS	7/14/05
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dichloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Methyl-Tert-Butyl-Ether	EPA 8260	<1.0	ug/L	MQS	7/14/05
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Butanone	EPA 8260	<25	ug/L	MQS	7/14/05
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Chloroform	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromochloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Tetrahydrofuran	EPA 8260	<10	ug/L	MQS	7/14/05
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Benzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Trichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromodichloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dibromomethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	MQS	7/14/05
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Toluene	EPA 8260	<1.0	ug/L	MQS	7/14/05

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Robin Rug
 Project No.: 03.0032938.01

Work Order No.: 0507-00065

Sample ID: GZ-1
 Sample Date: 7/12/2005

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Hexanone	EPA 8260	<2.0	ug/L	MQS	7/14/05
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Tetrachloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dibromochloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Ethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
m&p-xylene	EPA 8260	<1.0	ug/L	MQS	7/14/05
o-Xylene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Styrene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromoform	EPA 8260	<2.0	ug/L	MQS	7/14/05
Isopropylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
N-Propylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Chlorotoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
4-Chlorotoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
tert-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2,4-Trimethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
sec-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
n-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	MQS	7/14/05
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Naphthalene	EPA 8260	19	ug/L	MQS	7/14/05
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	90.9	% R	MQS	7/14/05
***Toluene-D8	EPA 8260	99.0	% R	MQS	7/14/05
***4-Bromofluorobenzene	EPA 8260	102	% R	MQS	7/14/05
Preparation	EPA 5030B	1.0	DF	MQS	7/14/05

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Robin Rug
Project No.: 03.0032938.01

Work Order No.: 0507-00065

Sample ID: GZ-1
Sample Date: 7/12/2005

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
TOTAL PETROLEUM HYDROCARBONS	Mod. EPA 8100			RJD	7/15/05
Hydrocarbon Content		850	ug/L	RJD	7/15/05
Surrogate:					
***p-Terphenyl		68.0	% R	RJD	7/15/05
Extraction	EPA 3510C	1.0	DF	JEJ	7/14/05

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Robin Rug
 Project No.: 03.0032938.01

Work Order No.: 0507-00065

Sample ID: GZ-2
 Sample Date: 7/12/2005

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			MQS	7/14/05
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chloromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Vinyl Chloride	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromomethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Trichlorofluoromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Diethylether	EPA 8260	<5.0	ug/L	MQS	7/14/05
Acetone	EPA 8260	<25	ug/L	MQS	7/14/05
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dichloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Methyl-Tert-Butyl-Ether	EPA 8260	2.5	ug/L	MQS	7/14/05
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Butanone	EPA 8260	<25	ug/L	MQS	7/14/05
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Chloroform	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromochloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Tetrahydrofuran	EPA 8260	<10	ug/L	MQS	7/14/05
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Benzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Trichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromodichloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dibromomethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	MQS	7/14/05
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Toluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Hexanone	EPA 8260	<2.0	ug/L	MQS	7/14/05
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Tetrachloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dibromochloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Robin Rug
 Project No.: 03.0032938.01

Work Order No.: 0507-00065

Sample ID: GZ-2
 Sample Date: 7/12/2005

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Ethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
m&p-xylene	EPA 8260	<1.0	ug/L	MQS	7/14/05
o-Xylene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Styrene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromoform	EPA 8260	<2.0	ug/L	MQS	7/14/05
Isopropylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
N-Propylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Chlorotoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
4-Chlorotoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
tert-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2,4-Trimethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
sec-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
n-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	MQS	7/14/05
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Naphthalene	EPA 8260	<2.0	ug/L	MQS	7/14/05
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	94.1	% R	MQS	7/14/05
***Toluene-D8	EPA 8260	99.3	% R	MQS	7/14/05
***4-Bromofluorobenzene	EPA 8260	103	% R	MQS	7/14/05
Preparation	EPA 5030B	1.0	DF	MQS	7/14/05
TOTAL PETROLEUM HYDROCARBONS	Mod. EPA 8100			RJD	7/15/05
Hydrocarbon Content		<200	ug/L	RJD	7/15/05
Surrogate:					
***p-Terphenyl		63.3	% R	RJD	7/15/05
Extraction	EPA 3510C	1.0	DF	JEJ	7/14/05

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Robin Rug
 Project No.: 03.0032938.01

Work Order No.: 0507-00065

Sample ID: GZ-3
 Sample Date: 7/12/2005

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			MQS	7/14/05
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chloromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Vinyl Chloride	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromomethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Trichlorofluoromethane	EPA 8260	<2.0	ug/L	MQS	7/14/05
Diethylether	EPA 8260	<5.0	ug/L	MQS	7/14/05
Acetone	EPA 8260	<25	ug/L	MQS	7/14/05
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dichloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Methyl-Tert-Butyl-Ether	EPA 8260	<1.0	ug/L	MQS	7/14/05
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Butanone	EPA 8260	<25	ug/L	MQS	7/14/05
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Chloroform	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromochloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Tetrahydrofuran	EPA 8260	<10	ug/L	MQS	7/14/05
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Benzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Trichloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromodichloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dibromomethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	MQS	7/14/05
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Toluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Hexanone	EPA 8260	<2.0	ug/L	MQS	7/14/05
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Tetrachloroethene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Dibromochloromethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	MQS	7/14/05
Chlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Robin Rug
 Project No.: 03.0032938.01

Work Order No.: 0507-00065

Sample ID: GZ-3
 Sample Date: 7/12/2005

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Ethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
m&p-xylene	EPA 8260	<1.0	ug/L	MQS	7/14/05
o-Xylene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Styrene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromoform	EPA 8260	<2.0	ug/L	MQS	7/14/05
Isopropylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	MQS	7/14/05
Bromobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
N-Propylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
2-Chlorotoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
4-Chlorotoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
tert-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2,4-Trimethylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
sec-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
n-Butylbenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	MQS	7/14/05
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Naphthalene	EPA 8260	<2.0	ug/L	MQS	7/14/05
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	MQS	7/14/05
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	92.4	% R	MQS	7/14/05
***Toluene-D8	EPA 8260	98.9	% R	MQS	7/14/05
***4-Bromofluorobenzene	EPA 8260	101	% R	MQS	7/14/05
Preparation	EPA 5030B	1.0	DF	MQS	7/14/05
TOTAL PETROLEUM HYDROCARBONS	Mod. EPA 8100			RJD	7/15/05
Hydrocarbon Content		470	ug/L	RJD	7/15/05
Surrogate:					
***p-Terphenyl		60.1	% R	RJD	7/15/05
Extraction	EPA 3510C	1.0	DF	JEJ	7/14/05

EPA Method 8260 / 524.2 Aqueous Method Blank (MB) and Laboratory Control Sample (LCS) Data

Method Blank

Laboratory Control Sample

Date Analyzed:	7/14/2005	Acceptance Limit	Date Analyzed:	7/14/2005	Acceptance Limits	Verdict
Volatile Organics	Conc. ug/L		Spike Concentration = 20ug/L	% Recovery		
dichlorodifluoromethane	< 1.0	< 1.0	dichlorodifluoromethane	85.8	70-130	ok
chloromethane	< 1.0	< 1.0	chloromethane	107	70-130	ok
vinyl chloride	< 1.0	< 1.0	vinyl chloride	95.4	70-130	ok
bromomethane	< 1.0	< 1.0	bromomethane	94.8	70-130	ok
chloroethane	< 1.0	< 1.0	chloroethane	94.1	70-130	ok
trichlorofluoromethane	< 1.0	< 1.0	trichlorofluoromethane	92.1	70-130	ok
diethyl ether	< 2.0	< 2.0	diethyl ether	75.3	70-130	ok
acetone	< 25	< 25	acetone	79.7	70-130	ok
1,1-dichloroethene	< 0.5	< 0.5	1,1-dichloroethene	95.8	70-130	ok
FREON-113	< 1.0	< 1.0	FREON-113	101	70-130	ok
carbon disulfide	< 1.0	< 1.0	carbon disulfide	94.3	70-130	ok
dichloromethane	< 1.0	< 1.0	dichloromethane	68.3	70-130	out
tert-butyl alcohol (TBA)	< 25	< 25	tert-butyl alcohol (TBA)	63.6	70-130	out
methyl-tert-butyl-ether	< 1.0	< 1.0	methyl-tert-butyl-ether	74.5	70-130	ok
trans-1,2-dichloroethene	< 0.5	< 0.5	trans-1,2-dichloroethene	91.7	70-130	ok
1,1-dichloroethane	< 0.5	< 0.5	1,1-dichloroethane	92.6	70-130	ok
di-isopropyl ether (DIPE)	< 1.0	< 1.0	di-isopropyl ether (DIPE)	77.4	70-130	ok
ethyl tert-butyl ether (ETBE)	< 1.0	< 1.0	ethyl tert-butyl ether (ETBE)	73.0	70-130	ok
2-butanone	< 25	< 25	2-butanone	65.4	70-130	out
2,2-dichloropropane	< 0.5	< 0.5	2,2-dichloropropane	117	70-130	ok
cis-1,2-dichloroethene	< 0.5	< 0.5	cis-1,2-dichloroethene	87.8	70-130	ok
chloroform	< 0.5	< 0.5	chloroform	97.9	70-130	ok
bromochloromethane	< 0.5	< 0.5	bromochloromethane	85.9	70-130	ok
tetrahydrofuran	< 5.0	< 5.0	tetrahydrofuran	73.2	70-130	ok
1,1,1-trichloroethane	< 0.5	< 0.5	1,1,1-trichloroethane	105	70-130	ok
1,1-dichloropropene	< 0.5	< 0.5	1,1-dichloropropene	102	70-130	ok
carbon tetrachloride	< 0.5	< 0.5	carbon tetrachloride	103	70-130	ok
1,2-dichloroethane	< 0.5	< 0.5	1,2-dichloroethane	82.8	70-130	ok
benzene	< 0.5	< 0.5	benzene	98.9	70-130	ok
tert-amyl methyl ether (TAME)	< 1.0	< 1.0	tert-amyl methyl ether (TAME)	79.6	70-130	ok
trichloroethene	< 0.5	< 0.5	trichloroethene	103	70-130	ok
1,2-dichloropropane	< 0.5	< 0.5	1,2-dichloropropane	92.5	70-130	ok
bromodichloromethane	< 0.5	< 0.5	bromodichloromethane	93.0	70-130	ok
1,4-Dioxane	< 50	< 50	1,4-Dioxane	72.8	70-130	ok
dibromomethane	< 0.5	< 0.5	dibromomethane	94.0	70-130	ok
4-methyl-2-pentanone	< 1.0	< 1.0	4-methyl-2-pentanone	72.7	70-130	ok
cis-1,3-dichloropropene	< 0.5	< 0.5	cis-1,3-dichloropropene	91.7	70-130	ok
toluene	< 0.5	< 0.5	toluene	102	70-130	ok
trans-1,3-dichloropropene	< 0.5	< 0.5	trans-1,3-dichloropropene	86.6	70-130	ok
1,1,2-trichloroethane	< 1.0	< 1.0	1,1,2-trichloroethane	91.8	70-130	ok
2-hexanone	< 1.0	< 1.0	2-hexanone	77.4	70-130	ok
1,3-dichloropropane	< 0.5	< 0.5	1,3-dichloropropane	80.4	70-130	ok
tetrachloroethene	< 0.5	< 0.5	tetrachloroethene	117	70-130	ok
dibromochloromethane	< 0.5	< 0.5	dibromochloromethane	87.0	70-130	ok
1,2-dibromoethane (EDB)	< 0.5	< 0.5	1,2-dibromoethane (EDB)	92.1	70-130	ok
chlorobenzene	< 0.5	< 0.5	chlorobenzene	99.0	70-130	ok
1,1,1,2-tetrachloroethane	< 0.5	< 0.5	1,1,1,2-tetrachloroethane	92.8	70-130	ok
ethylbenzene	< 0.5	< 0.5	ethylbenzene	104	70-130	ok
1,1,2,2-tetrachloroethane	< 0.5	< 0.5	1,1,2,2-tetrachloroethane	87.6	70-130	ok
m&p-xylene	< 0.5	< 0.5	m&p-xylene	101	70-130	ok
o-xylene	< 0.5	< 0.5	o-xylene	101	70-130	ok
styrene	< 0.5	< 0.5	styrene	98.7	70-130	ok
bromoforn	< 0.5	< 0.5	bromoforn	90.8	70-130	ok
isopropylbenzene	< 0.5	< 0.5	isopropylbenzene	106	70-130	ok
1,2,3-trichloropropane	< 0.5	< 0.5	1,2,3-trichloropropane	71.0	70-130	ok
bromobenzene	< 0.5	< 0.5	bromobenzene	98.0	70-130	ok
n-propylbenzene	< 0.5	< 0.5	n-propylbenzene	108	70-130	ok
2-chlorotoluene	< 0.5	< 0.5	2-chlorotoluene	101	70-130	ok
1,3,5-trimethylbenzene	< 0.5	< 0.5	1,3,5-trimethylbenzene	101	70-130	ok
4-chlorotoluene	< 0.5	< 0.5	4-chlorotoluene	101	70-130	ok
tert-butyl-benzene	< 0.5	< 0.5	tert-butyl-benzene	105	70-130	ok
1,2,4-trimethylbenzene	< 0.5	< 0.5	1,2,4-trimethylbenzene	98.5	70-130	ok
sec-butyl-benzene	< 0.5	< 0.5	sec-butyl-benzene	110	70-130	ok
p-isopropyltoluene	< 2.5	< 2.5	p-isopropyltoluene	104	70-130	ok
1,3-dichlorobenzene	< 0.5	< 0.5	1,3-dichlorobenzene	101	70-130	ok
1,4-dichlorobenzene	< 0.5	< 0.5	1,4-dichlorobenzene	100	70-130	ok
n-butylbenzene	< 0.5	< 0.5	n-butylbenzene	108	70-130	ok
1,2-dichlorobenzene	< 0.5	< 0.5	1,2-dichlorobenzene	91.6	70-130	ok
1,2-dibromo-3-chloropropane	< 1.0	< 1.0	1,2-dibromo-3-chloropropane	76.4	70-130	ok
1,2,4-trichlorobenzene	< 0.5	< 0.5	1,2,4-trichlorobenzene	92.7	70-130	ok
hexachlorobutadiene	< 0.5	< 0.5	hexachlorobutadiene	103	70-130	ok
naphthalene	< 0.5	< 0.5	naphthalene	72.4	70-130	ok
1,2,3-trichlorobenzene	< 0.5	< 0.5	1,2,3-trichlorobenzene	84.8	70-130	ok

SMF criteria allows 5 compounds to be outside acceptance limits

Surrogates:	Recovery (%)	Acceptance Limits	Surrogates:	Recovery (%)	Acceptance Limits	Verdict
DIBROMOFLUOROMETHANE	93.0	70-130	DIBROMOFLUOROMETHANE	95.0	70-130	ok
1,2-DICHLOROETHANE-D4	96.1	70-130	1,2-DICHLOROETHANE-D4	94.2	70-130	ok
TOLUENE-D8	97.7	70-130	TOLUENE-D8	102	70-130	ok
4-BROMOFLUOROBENZENE	104	70-130	4-BROMOFLUOROBENZENE	106	70-130	ok
1,2-DICHLOROBENZENE-D4	103	70-130	1,2-DICHLOROBENZENE-D4	105	70-130	ok

**GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748
(781) 278-4700**

Laboratory Identification Numbers:
MA and ME: MA092 NH: 2028
CT: PH0579 RI: LAO00236
NELAC - NYS DOH: 11063

ANALYTICAL DATA REPORT

GZA GeoEnvironmental, Inc.
140 Broadway
Providence, RI 02903
(401)421-4140
Mark Burbelo

Project No.: 03.0032938.01
Work Order No.: 0507-00065
Date Received: 7/12/05
Date Reported: 7/20/05

SAMPLE INFORMATION

Date Sampled	Matrix	Laboratory ID	Sample ID
7/12/2005	Aqueous	0507-00065 001	GZ-1
7/12/2005	Aqueous	0507-00065 002	GZ-2
7/12/2005	Aqueous	0507-00065 003	GZ-3

GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
140 Broadway
Providence, RI 02903

Mark Burbelo

Project Name: Robin Rug
Project No.: 03.0032938.01

Date Received: 7/12/05
Date Reported: 7/20/05
Work Order No.: 0507-00065

PROJECT NARRATIVE:

1. Sample Receipt

The samples were received on 07/12/05 via GZA courier, EC, FEDEX, or hand delivered. The temperature of the temperature blank/ cooler air, was 6.9 degrees C. The samples were received intact for all requested analyses.

The samples were appropriately preserved in accordance with the method they reference.

2. EPA Method 8260 - VOCs

Attach QC 8260 07/14/05 - Aqueous

GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
140 Broadway
Providence, RI 02903

Mark Burbelo

Project Name: Robin Rug
Project No.: 03.0032938.01

Date Received: 7/12/05
Date Reported: 7/20/05
Work Order No.: 0507-00065

Data Authorized By: _____



% R = % Recovery
DF = Dilution Factor
DFS = Dilution Factor Solids
DO = Diluted Out

Method 8260: The current version of the method is 8260B.
Method 8021: The current version of the method is 8021B.
Method 8270: The current version of the method is 8270C.
Method 6010: The current version of the method is 6010B.

Please note that the laboratory signed copy of the chain of custody record is an integral part of the data report.

The laboratory report shall not be reproduced except in full without the written consent of the laboratory.

Soil data is reported on a dry weight basis unless otherwise specified.

Matrix Spike / Matrix Spike Duplicate sets are performed as per each method and are reported at the end of the analytical report if assigned on the chain of custody.

W.O. # 0507-00065
(for lab use only)

CHAIN-OF-CUSTODY RECORD

Sample I.D.	Date/Time Sampled (Very Important)	Matrix A=Air S=Soil GW=Ground W. SW=Surface W. WW=Waste W. DWW=Drinking W. Other (specify)	ANALYSIS REQUIRED													Total # of Cont.	Note #									
			PH Cond.	GC Screen (VIA)	824	801 802	625	Formaldehyde	8260	8021 - 8010' List	8021 - 8020' List	8270 CFM DPAH DBN	8082 PCBs Only	8081 - Pest Only	TPH-GC (Mod. 8100)			TPH-GC w/IMG	EPH (MA DEP)	VPH (MA DEP)	TCLP (Spec. Below)	Filtering (if requested)	Metals DPPL-13 □ R-8	Metals (List Below)		
GZ-1	7/12/05	GW						X							X										4	
GZ-2	7/12/05	GW						X							X										4	
GZ-3	7/12/05	GW						X							X										4	

NOTES: Preservatives, special reporting limits, known contamination, additional testing parameters, etc.:

MCP Field Presumptive Certainty
N/A Y N
() () () Metals/Cyanide assigned 1
Matrix Spike per 20
() () () DW QC Required
() () () Short (Metals/VOA's) List OK

LAB USE:
TURNAROUND TIME: Standard Rush ___ Days, Approved by: _____
TEMP. OF COOLER 6.9 °C

PROJECT: Robin Rug
LOCATION: Bristol, RI
COLLECTOR(S): Chris Cote

DATA REPORT PDF (Adobe) ASCII EXCEL Specify State _____
GZA FILE NO: 32938.01 P.O. NO. _____
GZA PROJECT: 32938.01

GZA GEOENVIRONMENTAL, INC.
ENGINEERS AND SCIENTISTS
106 South Street
Hopkinton, MA 01748
(508) 435-9244
FAX (508) 435-9912



				WELL	
				0506-00183-001	
				06/24/2005	
				Result	Limit
EPA 8260	VOLATILE ORGANICS				
	Dichlorodifluoromethane	75-71-8	ug/L (ppb)	<	2.0
	Chloromethane	74-87-3	ug/L (ppb)	<	2.0
	Vinyl Chloride	75-01-4	ug/L (ppb)	<	1.0
	Bromomethane	74-83-9	ug/L (ppb)	<	2.0
	Chloroethane	75-00-3	ug/L (ppb)	<	1.0
	Trichlorofluoromethane	75-69-4	ug/L (ppb)	<	2.0
	Diethylether	60-29-7	ug/L (ppb)	<	5.0
	Acetone	67-64-1	ug/L (ppb)	<	25
	1,1-Dichloroethene	75-35-4	ug/L (ppb)	<	1.0
	Dichloromethane	75-09-2	ug/L (ppb)	<	1.0
	Methyl-Tert-Butyl-Ether	1634-04-4	ug/L (ppb)	<	1.0
	trans-1,2-Dichloroethene	156-60-5	ug/L (ppb)	<	1.0
	1,1-Dichloroethane	75-34-3	ug/L (ppb)	<	1.0
	2-Butanone	78-93-3	ug/L (ppb)	<	25
	2,2-Dichloropropane	594-20-7	ug/L (ppb)	<	1.0
	cis-1,2-Dichloroethene	156-59-2	ug/L (ppb)	<	1.0
	Chloroform	67-66-3	ug/L (ppb)	<	1.0
	Bromochloromethane	74-97-5	ug/L (ppb)	<	1.0
	Tetrahydrofuran	109-99-9	ug/L (ppb)	<	10
	1,1,1-Trichloroethane	71-55-6	ug/L (ppb)	<	1.0
	1,1-Dichloropropene	563-58-6	ug/L (ppb)	<	1.0
	Carbon Tetrachloride	56-23-5	ug/L (ppb)	<	1.0
	1,2-Dichloroethane	107-06-2	ug/L (ppb)	<	1.0
	Benzene	71-43-2	ug/L (ppb)	<	1.0
	Trichloroethene	79-01-6	ug/L (ppb)	<	1.0
	1,2-Dichloropropane	78-87-5	ug/L (ppb)	<	1.0
	Bromodichloromethane	75-27-4	ug/L (ppb)	<	1.0
	Dibromomethane	74-95-3	ug/L (ppb)	<	1.0
	4-Methyl-2-Pentanone	108-10-1	ug/L (ppb)	<	2.0
	cis-1,3-Dichloropropene	10061-01-5	ug/L (ppb)	<	1.0
	Toluene	108-88-3	ug/L (ppb)	<	1.0
	trans-1,3-Dichloropropene	10061-02-6	ug/L (ppb)	<	1.0
	1,1,2-Trichloroethane	79-00-5	ug/L (ppb)	<	1.0
	2-Hexanone	591-78-6	ug/L (ppb)	<	2.0
	1,3-Dichloropropane	142-28-9	ug/L (ppb)	<	1.0
	Tetrachloroethene	127-18-4	ug/L (ppb)	<	1.0
	Dibromochloromethane	124-48-1	ug/L (ppb)	<	1.0
	1,2-Dibromoethane (EDB)	106-93-4	ug/L (ppb)	<	2.0
	Chlorobenzene	108-90-7	ug/L (ppb)	<	1.0
	1,1,1,2-Tetrachloroethane	630-20-6	ug/L (ppb)	<	1.0
	Ethylbenzene	100-41-4	ug/L (ppb)	<	1.0
	m&p-Xylene	179601-231	ug/L (ppb)	<	1.0
	o-Xylene	95-47-6	ug/L (ppb)	<	1.0
	Styrene	100-42-5	ug/L (ppb)	<	1.0
	Bromofom	75-25-2	ug/L (ppb)	<	2.0
	Isopropylbenzene	98-82-8	ug/L (ppb)	<	1.0
	1,1,2,2-Tetrachloroethane	79-34-5	ug/L (ppb)	<	1.0
	1,2,3-Trichloropropane	96-18-4	ug/L (ppb)	<	1.0
	Bromobenzene	108-86-1	ug/L (ppb)	<	1.0
	N-Propylbenzene	103-65-1	ug/L (ppb)	<	1.0
	2-Chlorotoluene	95-49-8	ug/L (ppb)	<	1.0
	1,3,5-Trimethylbenzene	108-67-8	ug/L (ppb)	<	1.0
	4-Chlorotoluene	106-43-4	ug/L (ppb)	<	1.0
	tert-Butylbenzene	98-06-6	ug/L (ppb)	<	1.0
	1,2,4-Trimethylbenzene	95-63-6	ug/L (ppb)	<	1.0
	sec-Butylbenzene	135-98-8	ug/L (ppb)	<	1.0
	p-Isopropyltoluene	99-87-6	ug/L (ppb)	<	1.0
	1,3-Dichlorobenzene	541-73-1	ug/L (ppb)	<	1.0
	1,4-Dichlorobenzene	106-46-7	ug/L (ppb)	<	1.0
	n-Butylbenzene	104-51-8	ug/L (ppb)	<	1.0
	1,2-Dichlorobenzene	95-50-1	ug/L (ppb)	<	1.0
	1,2-Dibromo-3-Chloropropane	96-12-8	ug/L (ppb)	<	5.0
	1,2,4-Trichlorobenzene	120-82-1	ug/L (ppb)	<	1.0
	Hexachlorobutadiene	87-68-3	ug/L (ppb)	<	1.0
	Naphthalene	91-20-3	ug/L (ppb)	<	1.0
	1,2,3-Trichlorobenzene	87-61-6	ug/L (ppb)	<	1.0

GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
140 Broadway
Providence, RI 02903

Mark Burbelo

Project Name: no charge lab analyses or temp
Project No.: 03.009999.10

Date Received: 6/28/05
Date Reported: 7/05/05
Work Order No.: 0506-00183

Sample ID: WELL
Sample Date: 6/24/2005

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			MQS	6/30/05
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	MQS	6/30/05
Chloromethane	EPA 8260	<2.0	ug/L	MQS	6/30/05
Vinyl Chloride	EPA 8260	<1.0	ug/L	MQS	6/30/05
Bromomethane	EPA 8260	<2.0	ug/L	MQS	6/30/05
Chloroethane	EPA 8260	<1.0	ug/L	MQS	6/30/05
Trichlorofluoromethane	EPA 8260	<2.0	ug/L	MQS	6/30/05
Diethylether	EPA 8260	<5.0	ug/L	MQS	6/30/05
Acetone	EPA 8260	<25	ug/L	MQS	6/30/05
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	6/30/05
Dichloromethane	EPA 8260	<1.0	ug/L	MQS	6/30/05
Methyl-Tert-Butyl-Ether	EPA 8260	<1.0	ug/L	MQS	6/30/05
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	6/30/05
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	MQS	6/30/05
2-Butanone	EPA 8260	<25	ug/L	MQS	6/30/05
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	6/30/05
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	MQS	6/30/05
Chloroform	EPA 8260	<1.0	ug/L	MQS	6/30/05
Bromochloromethane	EPA 8260	<1.0	ug/L	MQS	6/30/05
Tetrahydrofuran	EPA 8260	<10	ug/L	MQS	6/30/05
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	MQS	6/30/05
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	6/30/05
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	MQS	6/30/05
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	MQS	6/30/05
Benzene	EPA 8260	<1.0	ug/L	MQS	6/30/05
Trichloroethene	EPA 8260	<1.0	ug/L	MQS	6/30/05
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	MQS	6/30/05
Bromodichloromethane	EPA 8260	<1.0	ug/L	MQS	6/30/05
Dibromomethane	EPA 8260	<1.0	ug/L	MQS	6/30/05
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	MQS	6/30/05
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	MQS	6/30/05
Toluene	EPA 8260	<1.0	ug/L	MQS	6/30/05

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: no charge lab analyses or temp

Project No.: 03.0099999.10

Work Order No.: 0506-00183

Sample ID: WELL
Sample Date: 6/24/2005

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
trans-1,3-Dichloropropene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,1,2-Trichloroethane	EPA 8260	< 1.0	ug/L	MQS	6/30/05
2-Hexanone	EPA 8260	< 2.0	ug/L	MQS	6/30/05
1,3-Dichloropropane	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Tetrachloroethene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Dibromochloromethane	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,2-Dibromoethane (EDB)	EPA 8260	< 2.0	ug/L	MQS	6/30/05
Chlorobenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,1,1,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Ethylbenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
m&p-xylene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
o-Xylene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Styrene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Bromoform	EPA 8260	< 2.0	ug/L	MQS	6/30/05
Isopropylbenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,1,2,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,2,3-Trichloropropane	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Bromobenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
N-Propylbenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
2-Chlorotoluene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,3,5-Trimethylbenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
4-Chlorotoluene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
tert-Butylbenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,2,4-Trimethylbenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
sec-Butylbenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
p-Isopropyltoluene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,3-Dichlorobenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,4-Dichlorobenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
n-Butylbenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,2-Dichlorobenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,2-Dibromo-3-Chloropropane	EPA 8260	< 5.0	ug/L	MQS	6/30/05
1,2,4-Trichlorobenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Hexachlorobutadiene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Naphthalene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
1,2,3-Trichlorobenzene	EPA 8260	< 1.0	ug/L	MQS	6/30/05
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	95.7	% R	MQS	6/30/05
***Toluene-D8	EPA 8260	99.5	% R	MQS	6/30/05
***4-Bromofluorobenzene	EPA 8260	104	% R	MQS	6/30/05
Preparation	EPA 5030B	1.0	DF	MQS	6/30/05

EPA Method 8260 / 524.2 Aqueous Method Blank (MB) and Laboratory Control Sample (LCS) Data

Method Blank

Date Analyzed:	6/30/2005	Acceptance Limit
Volatile Organics	Conc. ug/L	
dichlorodifluoromethane	< 1.0	< 1.0
chloromethane	< 1.0	< 1.0
vinyl chloride	< 1.0	< 1.0
bromomethane	< 1.0	< 1.0
chloroethane	< 1.0	< 1.0
trichlorofluoromethane	< 1.0	< 1.0
diethyl ether	< 2.0	< 2.0
acetone	< 25	< 25
1,1-dichloroethene	< 0.5	< 0.5
FREON-113	< 1.0	< 1.0
carbon disulfide	< 1.0	< 1.0
dichloromethane	< 1.0	< 1.0
tert-butyl alcohol (TBA)	< 25	< 25
methyl-tert-butyl-ether	< 1.0	< 1.0
trans-1,2-dichloroethene	< 0.5	< 0.5
1,1-dichloroethane	< 0.5	< 0.5
di-isopropyl ether (DIPE)	< 1.0	< 1.0
ethyl tert-butyl ether (EtBE)	< 1.0	< 1.0
2-butanone	< 25	< 25
2,2-dichloropropane	< 0.5	< 0.5
cis-1,2-dichloroethene	< 0.5	< 0.5
chloroform	< 0.5	< 0.5
bromochloromethane	< 0.5	< 0.5
tetrahydrofuran	< 5.0	< 5.0
1,1,1-trichloroethane	< 0.5	< 0.5
1,1-dichloropropene	< 0.5	< 0.5
carbon tetrachloride	< 0.5	< 0.5
1,2-dichloroethane	< 0.5	< 0.5
benzene	< 0.5	< 0.5
tert-amyl methyl ether (TAME)	< 1.0	< 1.0
trichloroethene	< 0.5	< 0.5
1,2-dichloropropane	< 0.5	< 0.5
bromodichloromethane	< 0.5	< 0.5
1,4-Dioxane	< 50	< 50
dibromomethane	< 0.5	< 0.5
4-methyl-2-pentanone	< 1.0	< 1.0
cis-1,3-dichloropropene	< 0.5	< 0.5
toluene	< 0.5	< 0.5
trans-1,3-dichloropropene	< 0.5	< 0.5
1,1,2-trichloroethane	< 1.0	< 1.0
2-hexanone	< 1.0	< 1.0
1,3-dichloropropane	< 0.5	< 0.5
tetrachloroethene	< 0.5	< 0.5
dibromochloromethane	< 0.5	< 0.5
1,2-dibromoethane (EDB)	< 0.5	< 0.5
chlorobenzene	< 0.5	< 0.5
1,1,1,2-tetrachloroethane	< 0.5	< 0.5
ethylbenzene	< 0.5	< 0.5
1,1,2,2-tetrachloroethane	< 0.5	< 0.5
m&p-xylene	< 0.5	< 0.5
o-xylene	< 0.5	< 0.5
styrene	< 0.5	< 0.5
bromofom	< 0.5	< 0.5
isopropylbenzene	< 0.5	< 0.5
1,2,3-trichloropropane	< 0.5	< 0.5
bromobenzene	< 0.5	< 0.5
n-propylbenzene	< 0.5	< 0.5
2-chlorotoluene	< 0.5	< 0.5
1,3,5-trimethylbenzene	< 0.5	< 0.5
4-chlorotoluene	< 0.5	< 0.5
tert-butyl-benzene	< 0.5	< 0.5
1,2,4-trimethylbenzene	< 0.5	< 0.5
sec-butyl-benzene	< 0.5	< 0.5
p-isopropyltoluene	< 2.5	< 2.5
1,3-dichlorobenzene	< 0.5	< 0.5
1,4-dichlorobenzene	< 0.5	< 0.5
n-butylbenzene	< 0.5	< 0.5
1,2-dichlorobenzene	< 0.5	< 0.5
1,2-dibromo-3-chloropropane	< 1.0	< 1.0
1,2,4-trichlorobenzene	< 0.5	< 0.5
hexachlorobutadiene	< 0.5	< 0.5
naphthalene	< 0.5	< 0.5
1,2,3-trichlorobenzene	< 0.5	< 0.5

Laboratory Control Sample

Date Analyzed:	6/30/2005	Acceptance Limits	Verdict
Spike Concentration = 20ug/L	% Recovery		
dichlorodifluoromethane	73.0	70-130	ok
chloromethane	97.2	70-130	ok
vinyl chloride	89.4	70-130	ok
bromomethane	90.8	70-130	ok
chloroethane	91.3	70-130	ok
trichlorofluoromethane	89.5	70-130	ok
diethyl ether	76.3	70-130	ok
acetone	85.5	70-130	ok
1,1-dichloroethene	94.6	70-130	ok
FREON-113	101	70-130	ok
carbon disulfide	92.1	70-130	ok
dichloromethane	70.8	70-130	ok
tert-butyl alcohol (TBA)	73.1	70-130	ok
methyl-tert-butyl-ether	78.4	70-130	ok
trans-1,2-dichloroethene	93.1	70-130	ok
1,1-dichloroethane	94.4	70-130	ok
di-isopropyl ether (DIPE)	80.7	70-130	ok
ethyl tert-butyl ether (EtBE)	76.9	70-130	ok
2-butanone	70.3	70-130	ok
2,2-dichloropropane	115	70-130	ok
cis-1,2-dichloroethene	91.2	70-130	ok
chloroform	97.8	70-130	ok
bromochloromethane	89.6	70-130	ok
tetrahydrofuran	72.9	70-130	ok
1,1,1-trichloroethane	104	70-130	ok
1,1-dichloropropene	103	70-130	ok
carbon tetrachloride	103	70-130	ok
1,2-dichloroethane	87.0	70-130	ok
benzene	98.4	70-130	ok
tert-amyl methyl ether (TAME)	82.0	70-130	ok
trichloroethene	104	70-130	ok
1,2-dichloropropane	96.2	70-130	ok
bromodichloromethane	99.3	70-130	ok
1,4-Dioxane	81.0	70-130	ok
dibromomethane	101	70-130	ok
4-methyl-2-pentanone	77.6	70-130	ok
cis-1,3-dichloropropene	97.5	70-130	ok
toluene	103	70-130	ok
trans-1,3-dichloropropene	89.6	70-130	ok
1,1,2-trichloroethane	98.9	70-130	ok
2-hexanone	83.8	70-130	ok
1,3-dichloropropane	96.6	70-130	ok
tetrachloroethene	119	70-130	ok
dibromochloromethane	95.2	70-130	ok
1,2-dibromoethane (EDB)	102	70-130	ok
chlorobenzene	104	70-130	ok
1,1,1,2-tetrachloroethane	99.2	70-130	ok
ethylbenzene	106	70-130	ok
1,1,2,2-tetrachloroethane	95.7	70-130	ok
m&p-xylene	103	70-130	ok
o-xylene	103	70-130	ok
styrene	104	70-130	ok
bromofom	100	70-130	ok
isopropylbenzene	107	70-130	ok
1,2,3-trichloropropane	73.2	70-130	ok
bromobenzene	104	70-130	ok
n-propylbenzene	109	70-130	ok
2-chlorotoluene	105	70-130	ok
1,3,5-trimethylbenzene	103	70-130	ok
4-chlorotoluene	103	70-130	ok
tert-butyl-benzene	106	70-130	ok
1,2,4-trimethylbenzene	102	70-130	ok
sec-butyl-benzene	110	70-130	ok
p-isopropyltoluene	105	70-130	ok
1,3-dichlorobenzene	108	70-130	ok
1,4-dichlorobenzene	104	70-130	ok
n-butylbenzene	107	70-130	ok
1,2-dichlorobenzene	99.5	70-130	ok
1,2-dibromo-3-chloropropane	87.6	70-130	ok
1,2,4-trichlorobenzene	99.3	70-130	ok
hexachlorobutadiene	104	70-130	ok
naphthalene	80.8	70-130	ok
1,2,3-trichlorobenzene	92.4	70-130	ok

SMF criteria allows 5 compounds to be outside acceptance limits

Surrogates:	Recovery (%)	Acceptance Limits	Surrogates:	Recovery (%)	Acceptance Limits	Verdict
DIBROMOFLUOROMETHANE	96.7	70-130	DIBROMOFLUOROMETHANE	93.4	70-130	ok
1,2-DICHLOROETHANE-D4	100	70-130	1,2-DICHLOROETHANE-D4	93.0	70-130	ok
TOLUENE-D8	97.5	70-130	TOLUENE-D8	97.6	70-130	ok
4-BROMOFLUOROBENZENE	104	70-130	4-BROMOFLUOROBENZENE	107	70-130	ok
1,2-DICHLOROBENZENE-D4	103	70-130	1,2-DICHLOROBENZENE-D4	107	70-130	ok

GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
140 Broadway
Providence, RI 02903

Mark Burbelo

Project Name: no charge lab analyses or temp
Project No.: 03.0099999.10

Date Received: 6/28/05
Date Reported: 7/05/05
Work Order No.: 0506-00183

Data Authorized By: _____



% R = % Recovery
DF = Dilution Factor
DFS = Dilution Factor Solids
DO = Diluted Out

Method 8260: The current version of the method is 8260B.
Method 8021: The current version of the method is 8021B.
Method 8270: The current version of the method is 8270C.
Method 6010: The current version of the method is 6010B.

Please note that the laboratory signed copy of the chain of custody record is an integral part of the data report.

The laboratory report shall not be reproduced except in full without the written consent of the laboratory.

Soil data is reported on a dry weight basis unless otherwise specified.

Matrix Spike / Matrix Spike Duplicate sets are performed as per each method and are reported at the end of the analytical report if assigned on the chain of custody.

GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
140 Broadway
Providence, RI 02903

Mark Burbelo

Project Name: no charge lab analyses or temp
Project No.: 03.0099999.10

Date Received: 6/28/05
Date Reported: 7/05/05
Work Order No.: 0506-00183

PROJECT NARRATIVE:

1. Sample Receipt

The samples were received on 06/28/05 via GZA courier, EC, FEDEX, or hand delivered.
The temperature of the temperature blank/ cooler air, was 2.6 degrees C. The samples were received intact for all requested analyses.

The samples were appropriately preserved in accordance with the method they reference.

2. EPA Method 8260 - VOCs

Attach QC 8260 06/30/05 - Aqueous

**GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748
(781) 278-4700**

Laboratory Identification Numbers:
MA and ME: MA092 NH: 2028
CT: PH0579 RI: LAO00236
NELAC - NYS DOH: 11063

ANALYTICAL DATA REPORT

GZA GeoEnvironmental, Inc.
140 Broadway
Providence, RI 02903
(401)421-4140
Mark Burbelo

Project No.: 03.0099999.10
Work Order No.: 0506-00183
Date Received: 6/28/05
Date Reported: 7/05/05

SAMPLE INFORMATION

Date Sampled	Matrix	Laboratory ID	Sample ID
6/24/2005	Aqueous	0506-00183 001	WELL

TAB 2

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
UNDERGROUND STORAGE TANK SECTION
235 Promenade Street
Providence, Rhode Island 02908
(401) 222-2797

UST FACILITY ID #4012
LUST FACILITY ID _____

CLOSURE CERTIFICATE
FOR UNDERGROUND STORAGE FACILITIES

In compliance with Chapter 46-12 of the Rhode Island General Laws, as amended, and the Regulations for Underground Storage Facilities Used for Petroleum Products and Hazardous Materials.

Robin Rug, Inc.

owner/operator of an underground storage facility located at

125 Thames Street
Bristol, RI

is issued this Certificate of Closure indicating that the storage tanks described below have been taken out of service permanently, in compliance with the Regulations for Underground Storage Facilities Used for Petroleum Products and Hazardous Materials.

TANK ID	VOLUME	STORED MATERIAL	DATE LAST USED	STATUS OF TANK F=Filled R=Removed
001	20000 gal.	#6 fuel oil	_____	R
002	20000 gal.	#6 fuel oil	_____	R
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Signed this 20th day of September, 2005

Kevin Dillen

Approved: _____
Underground Storage Tank Section
Department of Environmental Management

NOTE: This is not a document to approve or certify that tanks are/were safe or clean to transport.