



**Shaw**® Shaw Environmental, Inc.

Shaw Environmental, Inc.

11 Northeastern Boulevard  
Salem, NH 03079-1953  
603.870.4500  
Fax: 603.870.4501

January 10, 2007  
Project 101960

Mr. Joseph T. Martella, II  
Rhode Island Department of Environmental Management  
Office of Waste Management  
235 Promenade Street  
Providence, RI 02908-5767

**Re: Status Report: November-December 2006 Activities  
Former Gorham Manufacturing Facility  
333 Adelaide Avenue, Providence, RI  
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this quarterly status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using an in-situ application of sodium permanganate.

A revised RAWP was prepared by Shaw dated June 11, 2004 providing a plan for the follow-on injection of sodium permanganate as part of the remediation of PCE contaminated groundwater. The Revised RAWP was approved by RIDEM in a letter dated July 27, 2004. The follow-on permanganate injections were started on September 28, 2004 and finished on October 4, 2004. Approximately 24,400 pounds of oxidant as sodium permanganate was applied to the treatment area (Figure 2). This status report describes activities conducted in accordance with the approved Revised RAWP dated June 11, 2004.

In addition, Textron has conducted a sampling event that included the perimeter wells for the site. The additional wells sampled included: MW-216S&D, MW-217S&D, and MW-218S&D (Figure 1).

## **FIELD ACTIVITIES**

The following field activities were conducted on November 28, 2006:

### Monitoring Activities

Field measurements were taken from treatment area monitoring wells and included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation measurements were also collected from both the treatment area wells and the compliance wells. These results are presented in Tables 1 and 2.

### Groundwater Sampling

Twenty-seven (27) groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) and twenty-one (21) samples were collected for analysis for chloride (EPA Method 300.0 Part A) and chemical oxygen demand (COD) (Hach 8000) from 21 monitoring wells within and around the treatment area. One duplicate sample was collected for VOC analysis from MW-101S. Groundwater samples were collected by first purging approximately three well volumes from each well and then collecting a sample in a dedicated bailer. Groundwater samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis.

## **SUMMARY OF ANALYTICAL DATA**

A summary of the analytical data associated with the treatment area is contained in Table 3. A copy of the laboratory analytical report is attached as Appendix A of this report. The PCE concentrations found in wells MW-101S, MW-201D, MW-202D, MW-202S, MW-207D, and MW-207S are currently above the treatment goal of 7,700 ug/L.

## **LABORATORY TREATABILITY STUDY**

In accordance with a letter proposing to conduct a laboratory treatability study in the source area to evaluate enhanced bioremediation, dated August 21, 2006, Shaw collected soil and groundwater samples on December 6, 2006. The laboratory treatability testing is being conducted at this time and the results will be provided in the next status report or a revised RAWP.

Mr. Joseph T. Martella, II


January 10, 2007

Page 3 of 4

If you have any questions, please contact Ed Van Doren at (603) 870-4530.

Sincerely,

**SHAW ENVIRONMENTAL, INC.**



Edward P. Van Doren, PE, LSP

Project Manager

Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

Tables

Table 1 – Summary Field Parameters

Table 2 – Water Table Elevations

Table 3 – VOCs, Chloride, and COD in Groundwater

Appendices:

Appendix A – Laboratory Analytical Report

cc:     Craig Roy, RIDEM OWR  
          Greg Simpson, Textron  
          Dave McCabe, Textron  
          Jamieson Schiff, Textron  
          Thomas Dellar, City of Providence  
          Jeff Morgan, Stop & Shop  
          Ronald Ruth, Sherin and Lodgen

Mr. Joseph T. Martella, II  
January 10, 2007  
Page 4 of 4

## CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:


I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated January 10, 2006, certify that the information contained in this report is complete and accurate to the best of my knowledge.

  
Edward P. Van Doren, PE, LSP  
Project Manager


01/16/2007  
Date:


We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.

  
Gregory L. Simpson  
Project Manager

1/12/2007  
Date:





**Table 1**  
**Summary Field Parameters**  
**November 2006**  
**Former Gorham Manufacturing Facility**  
**Providence, Rhode Island**

Well ID	Date	pH (STD)	Temperature (C°)	Specific Conductance (ms/cm)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (mV)
MW-101D	11/28/2006	6.12	12.54	0.407	2.08	26.5
MW-101S	11/28/2006	6.04	12.81	0.684	1.70	48.3
MW-112	11/28/2006	5.28	12.70	0.396	5.31	185.0
MW-116D	11/28/2006	5.71	15.25	0.136	4.10	165.4
MW-116S	11/28/2006	6.48	15.17	0.265	8.11	145.5
MW-201D	11/28/2006	6.70	13.63	1.143	1.68	46.4
MW-201S	11/28/2006	6.12	14.03	1.216	3.59	107.6
MW-202D	11/28/2006	5.64	13.77	1.191	2.03	159.6
MW-202S	11/28/2006	5.48	13.60	1.007	1.53	156.7
MW-203D	11/28/2006	5.70	14.12	0.538	2.18	165.4
MW-203S	11/28/2006	5.69	15.03	0.912	1.74	165.6
MW-204D	11/28/2006	6.17	14.47	1.911	1.61	135.0
MW-204S	11/28/2006	6.28	14.36	1.494	1.06	139.5
MW-205	11/28/2006	6.00	13.27	1.116	1.61	70.0
MW-206D	11/28/2006	5.77	15.03	0.540	2.07	169.6
MW-206S	11/28/2006	6.03	15.04	1.124	1.06	160.1
MW-207D	11/28/2006	5.96	14.63	1.234	1.91	132.5
MW-207S	11/28/2006	5.92	14.56	1.370	1.73	139.9
MW-208D	11/28/2006	5.42	13.45	0.855	1.49	168.5
MW-208S	11/28/2006	5.42	13.59	1.000	1.46	161.6
MW-209D	11/28/2006	6.65	12.43	0.763	1.80	142.5

Note  
C° = degrees Celsius  
ms/cm = microsiemens per centimeter  
mg/l = milligrams per liter  
mV = milli volts

**Table 2**  
**Water Table Elevations**  
**November 2006**  
**Former Gorham Manufacturing Facility**  
**Providence, Rhode Island**

Location	Date	Reference Elevation (Feet)	Depth to Water (Feet)	Groundwater Elevation (Feet)
MW-101D	11/28/2006	98.91	23.97	74.94
MW-101S	11/28/2006	98.90	24.02	74.88
MW-112	11/28/2006	100.63	25.69	74.94
MW-116D	11/28/2006	98.92	23.95	74.97
MW-116S	11/28/2006	99.40	24.41	74.99
MW-201D	11/28/2006	98.80	23.95	74.85
MW-201S	11/28/2006	98.75	23.86	74.89
MW-202D	11/28/2006	98.17	23.28	74.89
MW-202S	11/28/2006	98.06	23.18	74.88
MW-203D	11/28/2006	98.91	23.97	74.94
MW-203S	11/28/2006	98.92	24.00	74.92
MW-204D	11/28/2006	98.88	24.03	74.85
MW-204S	11/28/2006	98.84	23.97	74.87
MW-205	11/28/2006	99.47	24.55	74.92
MW-206D	11/28/2006	98.71	23.92	74.79
MW-206S	11/28/2006	98.55	23.70	74.85
MW-207D	11/28/2006	98.18	23.32	74.86
MW-207S	11/28/2006	98.28	23.40	74.88
MW-208D	11/28/2006	99.68	24.78	74.90
MW-208S	11/28/2006	99.50	24.60	74.90
MW-209D	11/28/2006	100.47	25.51	74.96
MW-216D	11/28/2006	98.69	24.56	74.13
MW-216S	11/28/2006	99.58	24.56	75.02
MW-217D	11/28/2006	98.65	23.96	74.69
MW-217S	11/28/2006	98.71	23.99	74.72
MW-218D	11/28/2006	99.67	24.71	74.96
MW-218S	11/28/2006	99.61	24.65	74.96

Notes:  
 Groundwater elevations are based on an arbitrary reference datum established for the site.

**Table 3**  
**Volatile Organic Compounds (VOCs), Chloride, and Chemical Oxygen Demand (COD) in Groundwater**  
**November 2006**  
Former Gorham Manufacturing Facility  
Providence, Rhode Island

Sample ID Date Collected <b>CONSTITUENT</b>	MW-101D 11/28/2006 Primary	MW-101S 11/28/2006 Primary	MW-101S 11/28/2006 Duplicate 1	MW-112 11/28/2006 Primary	MW-116D 11/28/2006 Primary	MW-116S 11/28/2006 Primary	MW-201D 11/28/2006 Primary	MW-201S 11/28/2006 Primary	MW-202D 11/28/2006 Primary	MW-202S 11/28/2006 Primary	MW-203D 11/28/2006 Primary	MW-203S 11/28/2006 Primary	MW-204D 11/28/2006 Primary	MW-204S 11/28/2006 Primary
<b>Method 8260 (ug/l)</b>														
1,1,1,2-Tetrachloroethane	<2	15	17	<2	<2	<2	<2	<2	<20	<20	<2	<2	<20	<20
1,1,1-Trichloroethane	<2	5.5	5.5	<2	<2	<2	2.9	6.8	<20	<20	<2	8.8	<20	23
1,1,2-Trichloroethane	4	<2	<2	<2	<2	<2	4.6	<2	<20	<20	<2	<2	<20	<20
1,1-Dichloroethane	<2	<2	<2	<2	<2	<2	6.3	<2	<20	<20	<2	<2	41	22
1,1-Dichloroethene	6.4	1.8	1.8	<1	<1	<1	21	<1	<10	<10	<1	<1	<10	<10
1,2,4-Trimethylbenzene	<2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	11	<20	<20
1,3,5-Trimethylbenzene	<2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	4.7	<20	<20
Benzene	<1	1.3	1.2	<1	<1	<1	<1	<1	<10	<10	<1	<1	<10	<10
Carbon tetrachloride	2.1	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	<2	<20	<20
Chloroform	3.2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	<2	<20	<20
cis-1,2-Dichloroethene	130	1000D	1000D	<2	<2	<2	29	2.2	36	86	<2	<2	<20	<20
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	<2	<20	<20
m/p-xylene	<2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	4.6	<20	<20
Methyltert-butylether	<2	30	30	15	2.8	6.2	<2	7	<20	<20	7.1	2.2	<20	<20
Naphthalene	<5	<5	<5	<5	<5	<5	<5	<5	<50	<50	<5	<5	<50	<50
o-Xylene	<2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	3.4	<20	<20
Tetrachloroethene	1400D	46000D	46000D,H	140	<2	<2	12000D	1100D	13000D	62000D	210	81	990	1700
Toluene	<2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	<2	<20	<20
trans-1,2-Dichloroethene	<2	2.5	2.8	<2	<2	<2	2.4	<2	<20	<20	<2	<2	<20	<20
Trichloroethene	110	100	100	4.8	2.7	<2	1000D	130	220	100	46	230	120	170
Trichlorofluoromethane	<2	<2	<2	<2	<2	<2	<2	3.1	<20	<20	<2	<2	<20	<20
Vinyl chloride	17	260	260	<2	<2	<2	<2	<2	<20	<20	<2	<2	<20	<20
Xylene (total)	<2	<2	<2	<2	<2	<2	<2	<2	<20	<20	<2	8	<20	<20
<b>Miscellaneous (mg/l)</b>														
Chloride	64	83	83	82	110	34	120	220	270	210	110	180	190	140
COD	<50	320	300	<50	170	69	<50	<50	<50	69	<50	100	<50	<50

Notes:

ug/L = microgram per liter

mg/L = milligram per liter

< = compound was not detected. Value indicated is the method reporting limit.

D = value reported is from a diluted sample.

H = Method prescribed holding time exceeded.

COD = chemical oxygen demand

VOCs = volatile organic compounds

--- = analysis not performed

**Table 3**  
**Volatile Organic Compounds (VOCs), Chloride, and Chemical Oxygen Demand (COD) in Groundwater**  
**November 2006**  
Former Gorham Manufacturing Facility  
Providence, Rhode Island

Sample ID	MW-205S 11/28/2006 Primary	MW-206D 11/28/2006 Primary	MW-206S 11/28/2006 Primary	MW-207D 11/28/2006 Primary	MW-207S 11/28/2006 Primary	MW-208D 11/28/2006 Primary	MW-208S 11/28/2006 Primary	MW-209D 11/28/2006 Primary	MW-216D 11/28/2006 Primary	MW-216S 11/28/2006 Primary	MW-217D 11/28/2006 Primary	MW-217S 11/28/2006 Primary	MW-218D 11/28/2006 Primary	MW-218S 11/28/2006 Primary
<b>Method 8260 (ug/l)</b>														
1,1,1,2-Tetrachloroethane	<2	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	<20
1,1,1-Trichloroethane	3.1	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	<20
1,1,2-Trichloroethane	<2	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	<20
1,1-Dichloroethane	<2	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	<20
1,1-Dichloroethene	<1	<10	<10	<10	<10	<10	<10	<10	<1	<1	<1	<1	14	<10
1,2,4-Trimethylbenzene	<2	<20	<20	<20	<20	<20	<20	<20	<2	13	<2	<2	<20	<20
1,3,5-Trimethylbenzene	<2	<20	<20	<20	<20	<20	<20	<20	<2	9	<2	<2	<20	<20
Benzene	2.4	<10	<10	<10	<10	<10	<10	<10	<1	<1	<1	<1	<10	<10
Carbon tetrachloride	<2	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	<20
Chloroform	<2	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	<20
cis-1,2-Dichloroethene	46	<20	<20	<20	45	210	200	<20	<2	140	37	5.3	54	270
Ethylbenzene	<2	<20	<20	<20	<20	<20	<20	<20	<2	2.2	<2	<2	<20	<20
m/p-xylene	<2	<20	<20	<20	<20	<20	<20	<20	<2	6.2	<2	<2	<20	<20
Methyltert-butylether	3.6	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	<20
Naphthalene	<5	<50	<50	<50	<50	<50	<50	<50	<5	22	<5	<5	<50	<50
o-Xylene	<2	<20	<20	<20	<20	<20	<20	<20	<2	8.4	<2	<2	<20	<20
Tetrachloroethylene	370D	360	120	10000D	8100D	740	900	1600	<2	<2	<2	16	1100	700
Toluene	<2	<20	<20	<20	<20	<20	<20	<20	<2	3.2	<2	<2	<20	<20
trans-1,2-Dichloroethene	<2	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	<20
Trichloroethylene	220	180	220	150	90	26	29	180	4.5	<2	71	<2	430	28
Trichlorofluoromethane	<2	<20	<20	<20	<20	<20	<20	<20	<2	<2	2.5	<2	<20	<20
Vinyl chloride	<2	<20	<20	<20	<20	<20	<20	<20	<2	<2	<2	<2	<20	26
Xylene (total)	<2	<20	<20	<20	<20	<20	<20	<20	<2	15	<2	<2	<20	<20
<b>Miscellaneous (mg/l)</b>														
Chloride	190	110	150	170	200	170	210	100	---	---	---	---	---	---
COD	150	<50	69	<50	62	66	53	<50	---	---	---	---	---	---

Notes:

ug/L = microgram per liter

mg/L = milligram per liter

< = compound was not detected. Val

D = value reported is from a diluted s

H = Method prescribed holding time ε

COD = chemical oxygen demand

VOCs = volatile organic compounds

--- = analysis not performed



111 Herrick Street, Merrimack, NH 03054  
TEL: (603) 424-2022 • FAX: (603) 429-8496  
[www.amrolabs.com](http://www.amrolabs.com)

December 13, 2006

#### ANALYTICAL TEST RESULTS

Ed VanDoren  
SHAW E & I, Inc.  
11 Northeastern Boulevard  
Salem, NH 030791953  
TEL: (603) 870-4500  
FAX: (603) 870-4501

Subject: 101960-06000000 Textron Gorham

Workorder No.: 0611162

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 29 samples on 11/29/06 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 171 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart  
Vice President

**State Certifications:** NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

*Hard copy of the State Certification is available upon request.*

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham  
**Lab Order:** 0611162  
**Date Received:** 11/29/06

**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0611162-01A	MW 205 S	11/28/06	12:30 PM
0611162-01B	MW 205 S	11/28/06	12:30 PM
0611162-01C	MW 205 S	11/28/06	12:30 PM
0611162-02A	MW 101 D	11/28/06	1:00 PM
0611162-02B	MW 101 D	11/28/06	1:00 PM
0611162-02C	MW 101 D	11/28/06	1:00 PM
0611162-03A	MW 101 S	11/28/06	1:30 PM
0611162-03B	MW 101 S	11/28/06	1:30 PM
0611162-03C	MW 101 S	11/28/06	1:30 PM
0611162-04A	MW 101 S Dup	11/28/06	1:45 PM
0611162-04B	MW 101 S Dup	11/28/06	1:45 PM
0611162-04C	MW 101 S Dup	11/28/06	1:45 PM
0611162-05A	MW 201 S	11/28/06	2:00 PM
0611162-05B	MW 201 S	11/28/06	2:00 PM
0611162-05C	MW 201 S	11/28/06	2:00 PM
0611162-06A	MW 201 D	11/28/06	2:30 PM
0611162-06B	MW 201 D	11/28/06	2:30 PM
0611162-06C	MW 201 D	11/28/06	2:30 PM
0611162-07A	MW 203 S	11/28/06	3:00 PM
0611162-07B	MW 203 S	11/28/06	3:00 PM
0611162-07C	MW 203 S	11/28/06	3:00 PM
0611162-08A	MW 203 D	11/28/06	3:30 PM
0611162-08B	MW 203 D	11/28/06	3:30 PM
0611162-08C	MW 203 D	11/28/06	3:30 PM
0611162-09A	MW 209 D	11/28/06	4:00 PM
0611162-09B	MW 209 D	11/28/06	4:00 PM
0611162-09C	MW 209 D	11/28/06	4:00 PM
0611162-10A	MW 112	11/28/06	4:30 PM
0611162-10B	MW 112	11/28/06	4:30 PM
0611162-10C	MW 112	11/28/06	4:30 PM
0611162-11A	MW 206 S	11/28/06	7:30 AM
0611162-11B	MW 206 S	11/28/06	7:30 AM
0611162-11C	MW 206 S	11/28/06	7:30 AM
0611162-12A	MW 206 D	11/28/06	8:00 AM
0611162-12B	MW 206 D	11/28/06	8:00 AM

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham  
**Lab Order:** 0611162  
**Date Received:** 11/29/06

### Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0611162-12C	MW 206 D	11/28/06	8:00 AM
0611162-13A	MW 204 S	11/28/06	8:30 AM
0611162-13B	MW 204 S	11/28/06	8:30 AM
0611162-13C	MW 204 S	11/28/06	8:30 AM
0611162-14A	MW 204 D	11/28/06	9:00 AM
0611162-14B	MW 204 D	11/28/06	9:00 AM
0611162-14C	MW 204 D	11/28/06	9:00 AM
0611162-15A	MW 207 S	11/28/06	9:30 AM
0611162-15B	MW 207 S	11/28/06	9:30 AM
0611162-15C	MW 207 S	11/28/06	9:30 AM
0611162-16A	MW 207 D	11/28/06	10:00 AM
0611162-16B	MW 207 D	11/28/06	10:00 AM
0611162-16C	MW 207 D	11/28/06	10:00 AM
0611162-17A	MW 208 S	11/28/06	10:30 AM
0611162-17B	MW 208 S	11/28/06	10:30 AM
0611162-17C	MW 208 S	11/28/06	10:30 AM
0611162-18A	MW 208 D	11/28/06	11:00 AM
0611162-18B	MW 208 D	11/28/06	11:00 AM
0611162-18C	MW 208 D	11/28/06	11:00 AM
0611162-19A	MW 202 S	11/28/06	11:30 AM
0611162-19B	MW 202 S	11/28/06	11:30 AM
0611162-19C	MW 202 S	11/28/06	11:30 AM
0611162-20A	MW 202 D	11/28/06	12:00 PM
0611162-20B	MW 202 D	11/28/06	12:00 PM
0611162-20C	MW 202 D	11/28/06	12:00 PM
0611162-21A	MW 218 S	11/28/06	1:15 PM
0611162-22A	MW 218 D	11/28/06	1:20 PM
0611162-23A	MW 216 S	11/28/06	3:15 PM
0611162-24A	MW 216 D	11/28/06	3:30 PM
0611162-25A	MW 217 S	11/28/06	5:00 PM
0611162-26A	MW 217 D	11/28/06	5:30 PM
0611162-27A	MW 116 S	11/28/06	9:30 AM
0611162-27B	MW 116 S	11/28/06	9:30 AM
0611162-27C	MW 116 S	11/28/06	9:30 AM
0611162-28A	MW 116 D	11/28/06	10:00 AM
0611162-28B	MW 116 D	11/28/06	10:00 AM
0611162-28C	MW 116 D	11/28/06	10:00 AM

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham  
**Lab Order:** 0611162  
**Date Received:** 11/29/06

## Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0611162-29A	Trip Blank	11/28/06	5:30 PM

**AMRO Environmental Laboratories Corp.**

13-Dec-06

**DATES REPORT****Lab Order:** 0611162**Client:** SHAW E & I, Inc.**Project:** 101960-06000000 Textron Gorha

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Analysis Date	Batch ID	TCLP Date
0611162-01A	MW 205 S	11/28/06 12:30:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS		11/28/06	12/5/06	R35102	
			EPA 5030B						
				EPA 8260B VOLATILES by GC/MS		11/28/06	12/1/06	R35067	
0611162-01B				Hach 8000 COD		11/28/06	12/6/06	R35107	
0611162-01C				Ion Chromatography, EPA 300		12/8/06	12/8/06	R35174	
0611162-02A	MW 101 D	11/28/06 1:00:00 PM		EPA 8260B VOLATILES by GC/MS		11/28/06	12/4/06	R35086	
			EPA 5030B						
				EPA 8260B VOLATILES by GC/MS		11/28/06	12/1/06	R35067	
0611162-02B				Hach 8000 COD		11/28/06	12/6/06	R35107	
0611162-02C				Ion Chromatography, EPA 300		12/8/06	12/8/06	R35174	
0611162-03A	MW 101 S	11/28/06 1:30:00 PM		EPA 8260B VOLATILES by GC/MS		11/28/06	12/1/06	R35067	
			EPA 5030B						
				EPA 8260B VOLATILES by GC/MS		11/28/06	12/5/06	R35102	
				EPA 8260B VOLATILES by GC/MS		12/7/06	12/7/06	R35114	
0611162-03B				Hach 8000 COD		12/6/06	12/6/06	R35107	

# AMRO Environmental Laboratories Corp.

13-Dec-06

## DATES REPORT

Lab Order:	Client:	Project:	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Prep Date	Analysis Date	Batch ID	TCLP Date
0611162-062	SHAW E & I, Inc.	101960-06000000 Textron Gorha								
0611162-03C	MW 101 S		11/28/06 1:30:00 PM	Groundwater	Ion Chromatography, EPA 300			12/8/06	R35174	
0611162-04A	MW 101 S Dup		11/28/06 1:45:00 PM	EPA 8260B VOLATILES by GC/MS EPA 5030B			11/28/06	12/1/06	R35067	
0611162-04B				EPA 8260B VOLATILES by GC/MS			12/7/06	12/7/06	R35114	
0611162-04C				EPA 8260B VOLATILES by GC/MS			11/28/06	12/5/06	R35102	
0611162-05A	MW 201 S		11/28/06 2:00:00 PM	EPA 8260B VOLATILES by GC/MS EPA 5030B			11/28/06	12/1/06	R35067	
0611162-05B				EPA 8260B VOLATILES by GC/MS			11/28/06	12/5/06	R35102	
0611162-05C				Hach 80000 COD				12/6/06	R35107	
0611162-06A	MW 201 D		11/28/06 2:30:00 PM	Ion Chromatography, EPA 300				12/8/06	R35174	
0611162-06A	MW 201 D		11/28/06 2:30:00 PM	EPA 8260B VOLATILES by GC/MS EPA 5030B			11/28/06	12/1/06	R35067	
				EPA 8260B VOLATILES by GC/MS				12/4/06	R35086	

**AMRO Environmental Laboratories Corp.**

13-Dec-06

**DATES REPORT**

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Prep Date	Batch ID	TCLP Date
0611162-06B	MW 201 D	11/28/06 2:30:00 PM	Groundwater	Hach 8000 COD	12/6/06	R35107	
0611162-06C				Ion Chromatography, EPA 300	12/8/06	R35174	
0611162-07A	MW 203 S	11/28/06 3:00:00 PM		EPA 8260B VOLATILES by GC/MS	12/4/06		
				EPA 5030B	11/28/06	R35086	
			Hach 8000 COD		12/6/06	R35107	
0611162-07C				Ion Chromatography, EPA 300	12/8/06	R35174	
0611162-08A	MW 203 D	11/28/06 3:30:00 PM		EPA 8260B VOLATILES by GC/MS	12/4/06		
				EPA 5030B	11/28/06	R35086	
			Hach 8000 COD		12/6/06	R35107	
0611162-08C				Ion Chromatography, EPA 300	12/8/06	R35174	
0611162-09A	MW 209 D	11/28/06 4:00:00 PM		EPA 8260B VOLATILES by GC/MS	12/4/06		
				EPA 5030B	11/28/06	R35086	
0611162-09B			Hach 8000 COD		12/6/06	R35107	
0611162-09C				Ion Chromatography, EPA 300	12/8/06	R35174	
0611162-10A	MW 112	11/28/06 4:30:00 PM		EPA 8260B VOLATILES by GC/MS	12/4/06		
				EPA 5030B	11/28/06	R35086	

**AMRO Environmental Laboratories Corp.**

13-Dec-06

**DATES REPORT**

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
0611162-10B	MW 112	11/28/06 4:30:00 PM	Groundwater	Hach 8000 COD	12/8/06	R35123		
0611162-10C				Ion Chromatography, EPA 300	12/8/06	R35174		
0611162-11A	MW 206 S	11/28/06 7:30:00 AM		EPA 8260B VOLATILES by GC/MS	12/5/06			
				EPA 5030B	11/28/06	R35102		
				Hach 8000 COD	12/6/06	R35107		
0611162-11C				Ion Chromatography, EPA 300	12/8/06	R35174		
0611162-12A	MW 206 D	11/28/06 8:00:00 AM		EPA 8260B VOLATILES by GC/MS	12/5/06			
				EPA 5030B	11/28/06	R35102		
0611162-12B				Hach 8000 COD	12/6/06	R35107		
0611162-12C				Ion Chromatography, EPA 300	12/8/06	R35174		
0611162-13A	MW 204 S	11/28/06 8:30:00 AM		EPA 8260B VOLATILES by GC/MS	12/8/06			
				EPA 5030B	11/28/06	R35127		
0611162-13B				Hach 8000 COD	12/6/06	R35107		
0611162-13C				Ion Chromatography, EPA 300	12/8/06	R35174		
0611162-14A	MW 204 D	11/28/06 9:00:00 AM		EPA 8260B VOLATILES by GC/MS	12/9/06			
				EPA 5030B	11/28/06	R35129		

**AMRO Environmental Laboratories Corp.**

13-Dec-06

**DATES REPORT**

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
0611162-14B	MW 204 D	11/28/06 9:00:00 AM	Groundwater	Hach 3000 COD		12/6/06	R35107		
0611162-14C				Ion Chromatography, EPA 300		12/8/06	R35174		
0611162-15A	MW 207 S	11/28/06 9:30:00 AM		EPA 8260B VOLATILES by GC/MS	EPA 5030B	11/28/06	R35127	12/8/06	
				EPA 8260B VOLATILES by GC/MS		11/28/06	R35127	12/8/06	
0611162-15B				Hach 3000 COD		12/6/06	R35107		
0611162-15C				Ion Chromatography, EPA 300		12/11/06	R35173		
0611162-16A	MW 207 D	11/28/06 10:00:00 AM		EPA 8260B VOLATILES by GC/MS	EPA 5030B	11/28/06	R35127	12/8/06	
				EPA 8260B VOLATILES by GC/MS		11/28/06	R35127	12/8/06	
0611162-16B				Hach 3000 COD		12/6/06	R35107		
0611162-16C				Ion Chromatography, EPA 300		12/11/06	R35173		
0611162-17A	MW 208 S	11/28/06 10:30:00 AM		EPA 8260B VOLATILES by GC/MS	EPA 5030B	11/28/06	R35129	12/9/06	
0611162-17B				Hach 3000 COD		12/6/06	R35107	12/6/06	

**AMRO Environmental Laboratories Corp.**

13-Dec-06

**DATES REPORT****Lab Order:** 0611162**Client:** SHAW E & I, Inc.**Project:** 101960-06000000 Textron Gorha

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Batch ID	TCLP Date
0611162-17C	MW 208 S	11/28/06 10:30:00 AM	Groundwater	Ion Chromatography, EPA 300				12/11/06 R35173
0611162-18A	MW 208 D	11/28/06 11:00:00 AM		EPA 8260B VOLATILES by GC/MS	EPA 5030B	11/28/06		12/8/06 R35127
0611162-18B				Hach 3000 COD				12/6/06 R35107
0611162-18C				Ion Chromatography, EPA 300				12/11/06 R35173
0611162-19A	MW 202 S	11/28/06 11:30:00 AM		EPA 8260B VOLATILES by GC/MS	EPA 5030B	12/7/06		12/7/06 R35114
10				EPA 8260B VOLATILES by GC/MS				12/9/06 R35129
0611162-19B				Hach 3000 COD				12/6/06 R35107
0611162-19C				Ion Chromatography, EPA 300				12/11/06 R35173
0611162-20A	MW 202 D	11/28/06 12:00:00 PM		EPA 8260B VOLATILES by GC/MS	EPA 5030B	11/28/06		12/9/06 R35129
				EPA 8260B VOLATILES by GC/MS				12/7/06 R35114
0611162-20B				Hach 3000 COD				12/6/06 R35107
0611162-20C				Ion Chromatography, EPA 300				12/11/06 R35173

**AMRO Environmental Laboratories Corp.**

13-Dec-06

**DATES REPORT****Lab Order:** 0611162**Client:** SHAW E & I, Inc.**Project:** 101960-06000000 Textron Gorha

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Analysis Date	Batch ID	TCLP Date
0611162-21A	MW 218 S	11/28/06 1:15:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	12/7/06	12/7/06	R35114	
0611162-22A	MW 218 D	11/28/06 1:20:00 PM		EPA 8260B VOLATILES by GC/MS		11/28/06	12/8/06	R35127	
0611162-23A	MW 216 S	11/28/06 3:15:00 PM		EPA 8260B VOLATILES by GC/MS		11/28/06	12/8/06	R35127	
0611162-24A	MW 216 D	11/28/06 3:30:00 PM		EPA 8260B VOLATILES by GC/MS		11/28/06	12/1/06	R35148	
0611162-25A	MW 217 S	11/28/06 5:00:00 PM		EPA 8260B VOLATILES by GC/MS		11/28/06	12/1/06	R35148	
0611162-26A	MW 217 D	11/28/06 5:30:00 PM		EPA 8260B VOLATILES by GC/MS		11/28/06	12/1/06	R35148	
0611162-27A	MW 116 S	11/28/06 9:30:00 AM		EPA 8260B VOLATILES by GC/MS		11/28/06	12/1/06	R35148	
0611162-27B				Hach 3000 COD			12/6/06	R35107	
0611162-27C				Ion Chromatography, EPA 300			12/1/06	R35173	
0611162-28A	MW 116 D	11/28/06 10:00:00 AM		EPA 8260B VOLATILES by GC/MS	EPA 5030B	11/28/06	12/1/06	R35148	
0611162-28B				Hach 3000 COD			12/6/06	R35107	
0611162-28C				Ion Chromatography, EPA 300			12/1/06	R35173	

**AMRO Environmental Laboratories Corp.**

13-Dec-06

**DATES REPORT**

Lab Order:	0611162	Client:	SHAW E & I, Inc.	Project:	101960-060000000 Textron Gorha				
Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
0611162-29A	Trip Blank	11/28/06 5:30:00 PM	Trip Blank	EPA 8260B VOLATILES by GC/MS	EPA 5030B	12/7/06	R35114	12/7/06	

AMRO Environmental Laboratories Corporation  
111 Herrick Street  
Merrimack, NH 03054

## CHAIN-OF-CUSTODY RECORD

No. 50746

Office: (603) 424-2022  
Fax: (603) 429-8496  
web: www.amrolabs.com

Project No.: P.O.#:	Project Name: Textron Gorham	Project Manager: Edward Vandoren	REQUESTED ANALYSES												AMRO Project No.: <i>06/11/62</i>					
			Samplers (Signature):													Remarks				
101960-06000000	State: RI	Seal Intact?													*Email GISKEY EDD to: catherine.joe @shawgrp.com					
157413	Results Needed by:	Yes No N/A																		
QUOTE #:																				
Sample ID.:	Date/Time Sampled	Matrix	Total # of Cont. & Size	Comp.	Grab															
MW 205 S	11:28:48/1230	GW	5	✓	3	1														
MW 101 D	13:00		1																	
MW 101 S	13:30		1																	
MW 201 S	13:45		1																	
MW 201 D	14:00		1																	
MW 203 S	14:30		1																	
MW 203 D	15:00		1																	
MW 209 D	16:00		1																	
MW 1/2	16:30		1																	
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O-Other															C1 S -					
Send Results To: Edward Vandoren															Priority Turnaround Time Authorization					
Shaw Environmental, Inc.															Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER					
11 Northeastern Boulevard															AUTHORIZATION No.:					
Salem, NH 03079-1953															BY:					
PHONE #: 603-870-4530															FAX #: 603-870-4501		Method:		Metals	
E-mail: edward.vandoren@shawgrp.com															MCP Presumptive Certainty Required?		8 RCRA		13 PP	
Relinquished By:															YES <input type="checkbox"/> NO <input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
<i>John Sander</i>															Date/Time		Received By		23 TAL	
<i>John Sander</i>															<i>John Sander</i>		<i>John Sander</i>		<input type="checkbox"/> 14 MCP	
<i>John Sander</i>															11:29:00					
<i>John Sander</i>															11:29:06		12:15			
<i>John Sander</i>															11:29:06		16:15			
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.															Samples arriving after 12:00 noon will be tracked and billed as received on the following day.		AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.		KNOWN SITE CONTAMINATION:	
Yellow: Accompanies Report															Print: Client Copy		SHEET OF		AMROCOC2004.Rev.3.08/18/04	
White: Lab Copy																				

AMRO Environmental Laboratories Corporation  
111 Herrick Street  
Merrimack, NH 03054

## CHAIN-OF-CUSTODY RECORD

Office: (603) 424-2022  
Fax: (603) 429-8496  
web: www.amrolabs.com

No. - 50745

Project No.: 101960-06000000		Project Name: Textron Gorham		Project State: RI		Project Manager: Edward Vandoren		Samplers (Signature):		AMRO Project No.: 0611162	
P.O.#: 157413		Results Needed by:								Remarks	
QUOTE #:		Seal Intact? Yes No N/A									
Sample ID.:		Date/Time Sampled		Matrix		Crab Comp.		Total # of Cont & Size		*	
Mw 206 S		11:38AM/0730		GW		S		3		Email GISKEY	
Mw 206 D		0800				S		1		EDD To:	
Mw 204 S		0830				S		1		catherine.joe@shawgrp.com	
Mw 204 D		0900				S		1			
Mw 207 S		0930				S		1			
Mw 207 D		1000				S		1			
Mw 208 S		1030				S		1			
Mw 209 D		1100				S		1			
Mw 202 S		1130				S		1			
Mw 202 D		1200				S		1			
Preservative, Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other											
Send Results To: Edward Vandoren PRIORITY TURNAROUND TIME AUTHORIZATION											
Shaw Environmental, Inc. Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER											
AUTHORIZATION No.: BY: Authorization No.: BY:											
PHONE #: 603-870-4530 FAX #: 603-870-4501											
E-mail: edward.vandoren@shawgrp.com											
Relinquished By:		Date/Time		Received By		MCP Presumptive Certainty Required?		MCP Methods Needed:		Required Reporting Limits:	
<i>Suzanne L. Jackson</i>		11/29/06 12:15		<i>Jeffrey J. Sandoval</i>		YES <input type="checkbox"/> NO <input type="checkbox"/>		YES <input type="checkbox"/> NO <input type="checkbox"/>		S-1 <input type="checkbox"/> GW-1 <input type="checkbox"/>	
Yellow: Lab Copy		Pink: Accompanies Report		SHEET OF		AMRO report package		S-2 <input type="checkbox"/> GW-2 <input type="checkbox"/>			
White: Lab Copy		Pink: Client Copy		SHEET OF		level needed:		S-3 <input type="checkbox"/> GW-3 <input type="checkbox"/>			
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.		Samples arriving after 12:00 noon will be tracked and billed as collected from highly contaminated sites.		Samples arriving after 12:00 noon will be tracked and billed as received on the following day.		AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.		EDD required: * <input checked="" type="checkbox"/> GITSKey formatted		Other: Other: Known Site Contamination:	
Yellow: Lab Copy		Pink: Accompanies Report		SHEET OF		AMROCOC2004, Rev.3 08/18/04					

CHAIN-OF-CUSTODY RECORD

No. 50747

Project No.:	Project Name:	Project State:	R.I.	Project Manager:	Samplers (Signature):	AMRO Project No.:	
101960-06000000	Textron Gorham			Edward Vandoren		0611162	
P.O.#: 157413	Results Needed by:					Remarks	
QUOTE #:	Seal Intact?	Yes No N/A					
Sample ID.:	Date/Time Sampled	Matrix	Total # of Cont. & Size	Comp.	Grab		
MW 2/18 S	11:18:06/1315	GW	5	✓	✓	* Email GISKEY EDD to: Catherine.Joe Shawgrp.com	
MW 2/18 D	1320						
MW 2/16 S	1515						
MW 2/16 D	1530						
MW 2/17 S	1700						
MW 2/17 D	1730						
TRIP Blank	11:28:46/1730						
MW 116 S	0930		5		✓		
MW 116 D	1000		5		✓		
Preservative: Cl-HCl, MeOH, NHNO3, H2SO4, Na-NaOH, O-Other							
Send Results To: Edward Vandoren						PRIORITY TURNAROUND TIME AUTHORIZATION	
						Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER	
						AUTHORIZATION No.: BY:	
PHONE #:	603-870-4530	FAX #:	603-870-4501	MCP Methods Needed:			
Email:	edward.vandoren@shawgrp.com			Method:	6010	200.7	
Relinquished By:						Dissolved Metals Field Filtered? N/A YES NO NO	
						MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/>	Required Reporting Limits: S-1 <input type="checkbox"/> GW-1 <input type="checkbox"/> S-2 <input type="checkbox"/> GW-2 <input type="checkbox"/> S-3 <input type="checkbox"/> GW-3 <input type="checkbox"/>
						Date/Time Received By:	Other:
						11/29/06 12:15 <i>T. Vandoren</i>	EDD required: *
						11/29/06 1615 <i>C. Chaffey</i>	GISKEY Formatted
Samples arriving after 12:00 noon will be packed and filled as received on the following day.						AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.	
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.						KNOWN SITE CONTAMINATION:	
White: Lab Copy	Yellow: Accompanies Report	Pink: Client Copy	SHEET OF	AMROCC2004.Rv.3 08/18/04			

## Login Account for multiple users

**From:** VanDoren, Edward [Edward.VanDoren@shawgrp.com]  
**Sent:** Thursday, November 30, 2006 1:38 PM  
**To:** Login Account for multiple users  
**Subject:** RE: Textron Samples - COC 50747 (AMRO 0611162)

Hi Connie-

The E300 method for chloride analysis is also acceptable.

Thanks,  
Ed

Edward Van Doren  
Client Program Manager  
Shaw Environmental, Inc.  
11 Northeastern Boulevard  
Salem, NH 03079-1953  
603.870.4530 direct  
603.870.4501 fax  
[edward.vandoren@shawgrp.com](mailto:edward.vandoren@shawgrp.com)  
[www.shawgrp.com](http://www.shawgrp.com)

---

**From:** Login Account for multiple users [mailto:[login@amrolabs.com](mailto:login@amrolabs.com)]  
**Sent:** Thursday, November 30, 2006 12:29 PM  
**To:** VanDoren, Edward  
**Cc:** Maria Nicoletta Borduz  
**Subject:** Textron Samples - COC 50747 (AMRO 0611162)

Hi Ed -

To follow up my voice mail today, we can't seem to find COD or chloride bottles for the following:

MW 218S  
MW 218D  
MW 216S  
MW 216D  
MW 217S  
MW 217D

We did receive vials for these sample IDs. Did we leave the other bottles behind, or were they not sampled? I will get started on the login for the rest and hope to hear from you soon.

Thanks for your help!

Connie in Receiving

---

\*\*\*\*Internet Email Confidentiality Footer\*\*\*\*

Privileged/Confidential Information may be contained in this

## Login Account for multiple users

---

**From:** VanDoren, Edward [Edward.VanDoren@shawgrp.com]  
**Sent:** Monday, December 04, 2006 10:20 AM  
**To:** Login Account for multiple users  
**Subject:** RE: Textron Samples - COC 50747 (AMRO 0611162)

No analysis for COD and chloride on the 6 samples:

MW 218S

MW 218D

MW 216S

MW 216D

MW 217S

MW 217D

Thanks,

Ed

Edward Van Doren  
Client Program Manager  
Shaw Environmental, Inc.  
11 Northeastern Boulevard  
Salem, NH 03079-1953  
603.870.4530 direct  
603.870.4501 fax  
[edward.vandoren@shawgrp.com](mailto:edward.vandoren@shawgrp.com)  
[www.shawgrp.com](http://www.shawgrp.com)

---

**From:** Login Account for multiple users [mailto:[login@amrolabs.com](mailto:login@amrolabs.com)]  
**Sent:** Monday, December 04, 2006 10:13 AM  
**To:** VanDoren, Edward  
**Subject:** RE: Textron Samples - COC 50747 (AMRO 0611162)

Hello again, Ed -

Would you mind confirming for me that we should not have received the 6 samples, listed below, for COD-chloride? Either your confirmation here by email or an adjusted Chain of Custody would be sufficient. Paul told me by phone last week that they should not have been listed for those 2 analyses, only for VOCs, but we need something to put into the folder confirming that.

Thanks!

Connie

---

**From:** VanDoren, Edward [mailto:[Edward.VanDoren@shawgrp.com](mailto:Edward.VanDoren@shawgrp.com)]  
**Sent:** Thursday, November 30, 2006 1:38 PM  
**To:** Login Account for multiple users  
**Subject:** RE: Textron Samples - COC 50747 (AMRO 0611162)  
Hi Connie-

The E300 method for chloride analysis is also acceptable.

Thanks,  
Ed

Edward Van Doren  
Client Program Manager

## SAMPLE RECEIPT CHECKLIST

Client:	<u>SHAW ENVIRONMENTAL, INC</u>	AMRO ID:	<u>0611162</u>
Project Name:	<u>TEXTRON GORHAM</u>	Date Rec.:	<u>11-29-06</u>
Ship via: (circle one)	Fed Ex., UPS <u>AMRO Courier</u>	Date Due:	<u>12-6-06</u>
Hand Del., Other Courier, Other:			

## Items to be Checked Upon Receipt

1. Army Samples received in individual plastic bags?
2. Custody Seals present?
3. Custody Seals Intact?
4. Air Bill included in folder if received?
5. Is COC included with samples?
6. Is COC signed and dated by client?
7. Laboratory receipt temperature. TEMP = 30  
Samples rec. with ice  ice packs  neither
8. Were samples received the same day they were sampled?

Is client temperature  $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$ ?

If no obtain authorization from the client for the analyses.

Client authorization from: \_\_\_\_\_ Date: \_\_\_\_\_ Obtained by: \_\_\_\_\_

9. Is the COC filled out correctly and completely?
10. Does the info on the COC match the samples?
11. Were samples rec. within holding time?
12. Were all samples properly labeled?
13. Were all samples properly preserved?
14. Were proper sample containers used?
15. Were all samples received intact? (none broken or leaking)
16. Were VOA vials rec. with no air bubbles?
17. Were the sample volumes sufficient for requested analysis?
18. Were all samples received?

## 19. VPH and VOA Soils only:

Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)

Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk

If M or SB:

Does preservative cover the soil?

If NO then client must be faxed.

Does preservation level come close to the fill line on the vial?

If NO then client must be faxed.

Were vials provided by AMRO?

If NO then weights MUST be obtained from client

Was dry weight aliquot provided?

If NO then fax client and inform the VOA lab ASAP.

## 20. Subcontracted Samples:

What samples sent:

Where sent:

Date:

Analysis:

TAT:

## 21. Information entered into:

Internal Tracking Log?

Dry Weight Log?

Client Log?

Composite Log?

Filtration Log?

Received By: <u>CC</u>	Date: <u>11-29-06</u>	Logged in By: <u>CC</u>	Date: <u>11-30-06</u>
Labeled By: <u>CC</u>	Date: <u>11-30-06</u>	Checked By: <u>MG</u>	Date: <u>12-1-06</u>



**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham  
**Lab Order:** 0611162

**CASE NARRATIVE****GC/MS VOLATILES:**

1. A Laboratory Control Sample (LCS) was performed on 12/4/06 (Batch ID:R35086).
  - 1.1 The % Recovery for 1 analyte out of 65 analytes in the LCS was outside the laboratory control limits.
2. A Laboratory Control Sample (LCS) was performed on 12/7/06 (Batch ID:R35114).
  - 2.1 The % Recovery for 10 analytes out of 65 analytes in the LCS was outside the laboratory control limits.
3. A Laboratory Control Sample (LCS) was performed on 12/8/06 (Batch ID:R35127).
  - 3.1 The % Recovery for 4 analytes out of 65 analytes in the LCS was outside the laboratory control limits.
4. A Laboratory Control Sample (LCS) was performed on 12/9/06 (Batch ID:R35129).
  - 4.1 The % Recovery for 1 analyte out of 65 analytes in the LCS was outside the laboratory control limits.
5. A Laboratory Control Sample (LCS) was performed on 12/11/06 (Batch ID:R35148).
  - 5.1 The % Recovery for 4 analytes out of 65 analytes in the LCS was outside the laboratory control limits.
6. A Laboratory Control Sample (LCS) was performed on 12/15/06 (Batch ID:R35221).
  - 6.1 The % Recovery for 5 analytes out of 65 analytes in the LCS was outside the laboratory control limits.
7. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW 203 S (0611162-07) Batch ID: R35086.
  - 7.1 The % Recovery for 2 analytes out of 65 analytes in the MS was outside the laboratory control limits.
  - 7.2 The % Recovery for 1 analyte out of 65 analytes in the MSD was outside the laboratory control limits.

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham  
**Lab Order:** 0611162

## CASE NARRATIVE

7.3 The %RPD for 11 analytes out of 65 analytes was outside the laboratory control limits.

8. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW 205 S (0611162-01) Batch ID: R35102.

8.1 The % Recovery for 3 analytes out of 65 analytes in the MS was outside the laboratory control limits.

8.2 The % Recovery for 6 analytes out of 65 analytes in the MSD was outside the laboratory control limits.

8.3 The %RPD for 17 analytes out of 65 analytes was outside the laboratory control limits.

9. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW 202 D (0611162-20) Batch ID: R35127.

9.1 The % Recovery for 2 analytes out of 65 analytes in the MS was outside the laboratory control limits.

9.2 The % Recovery for 3 analytes out of 65 analytes in the MSD was outside the laboratory control limits.

9.3 The %RPD for 1 analyte out of 65 analytes was outside the laboratory control limits.

10. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW 202 S (0611162-19) Batch ID: R35129.

10.1 The % Recovery for 10 analytes out of 65 analytes in the MS was outside the laboratory control limits.

10.2 The % Recovery for 11 analytes out of 65 analytes in the MSD was outside the laboratory control limits.

10.3 The %RPD for 1 analyte out of 65 analytes was outside the laboratory control limits.

11. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW 216 D (0611162-24) Batch ID: R35148.

11.1 The % Recovery for 1 analyte out of 65 analytes in the MS was outside the laboratory control limits.

11.2 The % Recovery for 1 analyte out of 65 analytes in the MSD was outside the laboratory control limits.

12. The analysis of sample MW 101 S Dup (0611132-04A) at a 1000 times dilution for Tetrachloroethene only was performed outside the holding time.

## DATA COMMENT PAGE

### Organic Data Qualifiers

- ND Indicates compound was analyzed for, but not detected at or above the reporting limit.
- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
- H Method prescribed holding time exceeded.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- B This flag is used when the analyte is found in the associated blank as well as in the sample.
- R RPD outside accepted recovery limits
- RL Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
- S Spike Recovery outside accepted recovery limits.
- # See Case Narrative

### Micro Data Qualifiers

- TNTC Too numerous to count

### Inorganic Data Qualifiers

- ND or U Indicates element was analyzed for, but not detected at or above the reporting limit.
- J Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
- H Indicates analytical holding time exceedance.
- B Indicates that the analyte is found in the associated blank, as well as in the sample.
- MSA Indicates value determined by the Method of Standard Addition
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- R RPD outside accepted recovery limits
- RL Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
- S Spike Recovery outside accepted recovery limits.
- W Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
- \*
- + Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
- # See Case Narrative

#### Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-01A

**Client Sample ID:** MW 205 S  
**Collection Date:** 11/28/06 12:30:00 PM  
**Matrix:** GROUNDWATER

Analyses		Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B					Analyst: KT
Dichlorodifluoromethane		ND	5.0	µg/L		1	12/1/06 3:52:00 PM
Chloromethane		ND	5.0	µg/L		1	12/1/06 3:52:00 PM
Vinyl chloride		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Chloroethane		ND	5.0	µg/L		1	12/1/06 3:52:00 PM
Bromomethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Trichlorofluoromethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Diethyl ether		ND	5.0	µg/L		1	12/1/06 3:52:00 PM
Acetone		ND	10	µg/L		1	12/1/06 3:52:00 PM
1,1-Dichloroethene		ND	1.0	µg/L		1	12/1/06 3:52:00 PM
Carbon disulfide		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Methylene chloride		ND	5.0	µg/L		1	12/1/06 3:52:00 PM
Methyl tert-butyl ether		3.6	2.0	µg/L		1	12/1/06 3:52:00 PM
trans-1,2-Dichloroethene		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
1,1-Dichloroethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
2-Butanone		ND	10	µg/L		1	12/1/06 3:52:00 PM
2,2-Dichloropropane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
cis-1,2-Dichloroethene		46	2.0	µg/L		1	12/1/06 3:52:00 PM
Chloroform		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Tetrahydrofuran		ND	10	µg/L		1	12/1/06 3:52:00 PM
Bromoform		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
1,1,1-Trichloroethane		3.1	2.0	µg/L		1	12/1/06 3:52:00 PM
1,1-Dichloropropene		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Carbon tetrachloride		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
1,2-Dichloroethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Benzene		2.4	1.0	µg/L		1	12/1/06 3:52:00 PM
Trichloroethene		220	2.0	µg/L		1	12/1/06 3:52:00 PM
1,2-Dichloropropane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Bromodichloromethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Dibromomethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
4-Methyl-2-pentanone		ND	10	µg/L		1	12/1/06 3:52:00 PM
cis-1,3-Dichloropropene		ND	1.0	µg/L		1	12/1/06 3:52:00 PM
Toluene		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
trans-1,3-Dichloropropene		ND	1.0	µg/L		1	12/1/06 3:52:00 PM
1,1,2-Trichloroethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
1,2-Dibromoethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
2-Hexanone		ND	10	µg/L		1	12/1/06 3:52:00 PM
1,3-Dichloropropane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM
Tetrachloroethene		370	20	µg/L		10	12/5/06 3:06:00 PM
Dibromochloromethane		ND	2.0	µg/L		1	12/1/06 3:52:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-01A

**Client Sample ID:** MW 205 S  
**Collection Date:** 11/28/06 12:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
o-Xylene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
Styrene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
Bromoform	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/1/06 3:52:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
Naphthalene	ND	5.0		µg/L	1	12/1/06 3:52:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 3:52:00 PM
Surr: Dibromofluoromethane	95.8	85-116	%REC		1	12/1/06 3:52:00 PM
Surr: 1,2-Dichloroethane-d4	96.2	77-127	%REC		1	12/1/06 3:52:00 PM
Surr: Toluene-d8	99.5	86-114	%REC		1	12/1/06 3:52:00 PM
Surr: 4-Bromofluorobenzene	90.9	79-117	%REC		1	12/1/06 3:52:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-02A

**Client Sample ID:** MW 101 D  
**Collection Date:** 11/28/06 1:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/1/06 4:26:00 PM
Chloromethane	ND	5.0		µg/L	1	12/1/06 4:26:00 PM
Vinyl chloride	17	2.0		µg/L	1	12/1/06 4:26:00 PM
Chloroethane	ND	5.0		µg/L	1	12/1/06 4:26:00 PM
Bromomethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/1/06 4:26:00 PM
Acetone	ND	10		µg/L	1	12/1/06 4:26:00 PM
1,1-Dichloroethene	6.4	1.0		µg/L	1	12/1/06 4:26:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/1/06 4:26:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
2-Butanone	ND	10		µg/L	1	12/1/06 4:26:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
cis-1,2-Dichloroethene	130	2.0		µg/L	1	12/1/06 4:26:00 PM
Chloroform	3.2	2.0		µg/L	1	12/1/06 4:26:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/1/06 4:26:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Carbon tetrachloride	2.1	2.0		µg/L	1	12/1/06 4:26:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Benzene	ND	1.0		µg/L	1	12/1/06 4:26:00 PM
Trichloroethene	110	2.0		µg/L	1	12/1/06 4:26:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/1/06 4:26:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/1/06 4:26:00 PM
Toluene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/1/06 4:26:00 PM
1,1,2-Trichloroethane	4.0	2.0		µg/L	1	12/1/06 4:26:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
2-Hexanone	ND	10		µg/L	1	12/1/06 4:26:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Tetrachloroethene	1,400	40		µg/L	20	12/4/06 5:21:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-02A

**Client Sample ID:** MW 101-D  
**Collection Date:** 11/28/06 1:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
o-Xylene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Styrene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Bromoform	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/1/06 4:26:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Naphthalene	ND	5.0		µg/L	1	12/1/06 4:26:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 4:26:00 PM
Surr: Dibromofluoromethane	97.0	85-116		%REC	1	12/1/06 4:26:00 PM
Surr: 1,2-Dichloroethane-d4	101	77-127		%REC	1	12/1/06 4:26:00 PM
Surr: Toluene-d8	98.8	86-114		%REC	1	12/1/06 4:26:00 PM
Surr: 4-Bromofluorobenzene	92.0	79-117		%REC	1	12/1/06 4:26:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-03A

**Client Sample ID:** MW 101 S  
**Collection Date:** 11/28/06 1:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/1/06 5:01:00 PM
Chloromethane	ND	5.0		µg/L	1	12/1/06 5:01:00 PM
Vinyl chloride	260	2.0		µg/L	1	12/1/06 5:01:00 PM
Chloroethane	ND	5.0		µg/L	1	12/1/06 5:01:00 PM
Bromomethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/1/06 5:01:00 PM
Acetone	ND	10		µg/L	1	12/1/06 5:01:00 PM
1,1-Dichloroethene	1.8	1.0		µg/L	1	12/1/06 5:01:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/1/06 5:01:00 PM
Methyl tert-butyl ether	30	2.0		µg/L	1	12/1/06 5:01:00 PM
trans-1,2-Dichloroethene	2.5	2.0		µg/L	1	12/1/06 5:01:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
2-Butanone	ND	10		µg/L	1	12/1/06 5:01:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
cis-1,2-Dichloroethene	1,000	200		µg/L	100	12/5/06 4:14:00 PM
Chloroform	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/1/06 5:01:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,1,1-Trichloroethane	5.5	2.0		µg/L	1	12/1/06 5:01:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Benzene	1.3	1.0		µg/L	1	12/1/06 5:01:00 PM
Trichloroethene	100	2.0		µg/L	1	12/1/06 5:01:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/1/06 5:01:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/1/06 5:01:00 PM
Toluene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/1/06 5:01:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
2-Hexanone	ND	10		µg/L	1	12/1/06 5:01:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Tetrachloroethene	46,000	2,000		µg/L	1000	12/7/06 11:25:00 AM
Dibromochloromethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-03A

**Client Sample ID:** MW 101 S  
**Collection Date:** 11/28/06 1:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,1,1,2-Tetrachloroethane	15	2.0		µg/L	1	12/1/06 5:01:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
o-Xylene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Styrene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Bromoform	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/1/06 5:01:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Naphthalene	ND	5.0		µg/L	1	12/1/06 5:01:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 5:01:00 PM
Surr: Dibromofluoromethane	100	85-116		%REC	1	12/1/06 5:01:00 PM
Surr: 1,2-Dichloroethane-d4	105	77-127		%REC	1	12/1/06 5:01:00 PM
Surr: Toluene-d8	98.6	86-114		%REC	1	12/1/06 5:01:00 PM
Surr: 4-Bromofluorobenzene	88.6	79-117		%REC	1	12/1/06 5:01:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 18-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-04A

**Client Sample ID:** MW 101 S Dup  
**Collection Date:** 11/28/2006 1:45:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/1/2006 5:36:00 PM
Chloromethane	ND	5.0		µg/L	1	12/1/2006 5:36:00 PM
Vinyl chloride	260	2.0		µg/L	1	12/1/2006 5:36:00 PM
Chloroethane	ND	5.0		µg/L	1	12/1/2006 5:36:00 PM
Bromomethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Trichlorodifluoromethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/1/2006 5:36:00 PM
Acetone	ND	10		µg/L	1	12/1/2006 5:36:00 PM
1,1-Dichloroethene	1.8	1.0		µg/L	1	12/1/2006 5:36:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/1/2006 5:36:00 PM
Methyl tert-butyl ether	30	2.0		µg/L	1	12/1/2006 5:36:00 PM
trans-1,2-Dichloroethene	2.8	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
2-Butanone	ND	10		µg/L	1	12/1/2006 5:36:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
cis-1,2-Dichloroethene	1,000	200		µg/L	100	12/5/2006 4:48:00 PM
Chloroform	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/1/2006 5:36:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,1,1-Trichloroethane	5.5	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Benzene	1.2	1.0		µg/L	1	12/1/2006 5:36:00 PM
Trichloroethene	100	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/1/2006 5:36:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/1/2006 5:36:00 PM
Toluene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/1/2006 5:36:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
2-Hexanone	ND	10		µg/L	1	12/1/2006 5:36:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Tetrachloroethene	46,000	2,000	H	µg/L	1000	12/15/2006 2:00:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 18-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-04A

**Client Sample ID:** MW 101 S Dup  
**Collection Date:** 11/28/2006 1:45:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,1,1,2-Tetrachloroethane	17	2.0		µg/L	1	12/1/2006 5:36:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
o-Xylene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Styrene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Bromoform	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/1/2006 5:36:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Naphthalene	ND	5.0		µg/L	1	12/1/2006 5:36:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/1/2006 5:36:00 PM
Surr: Dibromofluoromethane	101	85-116	%REC		1	12/1/2006 5:36:00 PM
Surr: 1,2-Dichloroethane-d4	105	77-127	%REC		1	12/1/2006 5:36:00 PM
Surr: Toluene-d8	98.1	86-114	%REC		1	12/1/2006 5:36:00 PM
Surr: 4-Bromofluorobenzene	86.1	79-117	%REC		1	12/1/2006 5:36:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-05A

**Client Sample ID:** MW 201 S  
**Collection Date:** 11/28/06 2:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/1/06 6:11:00 PM
Chloromethane	ND	5.0		µg/L	1	12/1/06 6:11:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Chloroethane	ND	5.0		µg/L	1	12/1/06 6:11:00 PM
Bromomethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Trichlorofluoromethane	3.1	2.0		µg/L	1	12/1/06 6:11:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/1/06 6:11:00 PM
Acetone	ND	10		µg/L	1	12/1/06 6:11:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/1/06 6:11:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/1/06 6:11:00 PM
Methyl tert-butyl ether	7.0	2.0		µg/L	1	12/1/06 6:11:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
2-Butanone	ND	10		µg/L	1	12/1/06 6:11:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
cis-1,2-Dichloroethene	2.2	2.0		µg/L	1	12/1/06 6:11:00 PM
Chloroform	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/1/06 6:11:00 PM
Bromoform	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,1,1-Trichloroethane	6.8	2.0		µg/L	1	12/1/06 6:11:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Benzene	ND	1.0		µg/L	1	12/1/06 6:11:00 PM
Trichloroethene	130	2.0		µg/L	1	12/1/06 6:11:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/1/06 6:11:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/1/06 6:11:00 PM
Toluene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/1/06 6:11:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
2-Hexanone	ND	10		µg/L	1	12/1/06 6:11:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Tetrachloroethene	1,100	20		µg/L	10	12/5/06 3:40:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-05A

**Client Sample ID:** MW 201 S  
**Collection Date:** 11/28/06 2:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
o-Xylene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Styrene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Bromoform	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/1/06 6:11:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Naphthalene	ND	5.0		µg/L	1	12/1/06 6:11:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:11:00 PM
Surr: Dibromofluoromethane	99.0	85-116		%REC	1	12/1/06 6:11:00 PM
Surr: 1,2-Dichloroethane-d4	103	77-127		%REC	1	12/1/06 6:11:00 PM
Surr: Toluene-d8	97.9	86-114		%REC	1	12/1/06 6:11:00 PM
Surr: 4-Bromofluorobenzene	92.7	79-117		%REC	1	12/1/06 6:11:00 PM

# AMRO Environmental Laboratories Corp.

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-06A

**Client Sample ID:** MW 201 D  
**Collection Date:** 11/28/06 2:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0	µg/L		1	12/1/06 6:46:00 PM
Chloromethane	ND	5.0	µg/L		1	12/1/06 6:46:00 PM
Vinyl chloride	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Chloroethane	ND	5.0	µg/L		1	12/1/06 6:46:00 PM
Bromomethane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Trichlorofluoromethane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Diethyl ether	ND	5.0	µg/L		1	12/1/06 6:46:00 PM
Acetone	ND	10	µg/L		1	12/1/06 6:46:00 PM
1,1-Dichloroethene	21	1.0	µg/L		1	12/1/06 6:46:00 PM
Carbon disulfide	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Methylene chloride	ND	5.0	µg/L		1	12/1/06 6:46:00 PM
Methyl tert-butyl ether	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
trans-1,2-Dichloroethene	2.4	2.0	µg/L		1	12/1/06 6:46:00 PM
1,1-Dichloroethane	6.3	2.0	µg/L		1	12/1/06 6:46:00 PM
2-Butanone	ND	10	µg/L		1	12/1/06 6:46:00 PM
2,2-Dichloropropane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
cis-1,2-Dichloroethene	29	2.0	µg/L		1	12/1/06 6:46:00 PM
Chloroform	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Tetrahydrofuran	ND	10	µg/L		1	12/1/06 6:46:00 PM
Bromochloromethane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
1,1,1-Trichloroethane	2.9	2.0	µg/L		1	12/1/06 6:46:00 PM
1,1-Dichloropropene	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Carbon tetrachloride	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
1,2-Dichloroethane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Benzene	ND	1.0	µg/L		1	12/1/06 6:46:00 PM
Trichloroethene	1,000	200	µg/L		100	12/4/06 6:29:00 PM
1,2-Dichloropropane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Bromodichloromethane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Dibromomethane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
4-Methyl-2-pentanone	ND	10	µg/L		1	12/1/06 6:46:00 PM
cis-1,3-Dichloropropene	ND	1.0	µg/L		1	12/1/06 6:46:00 PM
Toluene	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
trans-1,3-Dichloropropene	ND	1.0	µg/L		1	12/1/06 6:46:00 PM
1,1,2-Trichloroethane	4.6	2.0	µg/L		1	12/1/06 6:46:00 PM
1,2-Dibromoethane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
2-Hexanone	ND	10	µg/L		1	12/1/06 6:46:00 PM
1,3-Dichloropropane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM
Tetrachloroethene	12,000	200	µg/L		100	12/4/06 6:29:00 PM
Dibromochloromethane	ND	2.0	µg/L		1	12/1/06 6:46:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-06A

**Client Sample ID:** MW 201 D

**Collection Date:** 11/28/06 2:30:00 PM

**Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
Chlorobenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
o-Xylene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
Styrene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
Bromoform	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/1/06 6:46:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
Naphthalene	ND	5.0		µg/L	1	12/1/06 6:46:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/1/06 6:46:00 PM
Surr: Dibromofluoromethane	100	85-116		%REC	1	12/1/06 6:46:00 PM
Surr: 1,2-Dichloroethane-d4	103	77-127		%REC	1	12/1/06 6:46:00 PM
Surr: Toluene-d8	101	86-114		%REC	1	12/1/06 6:46:00 PM
Surr: 4-Bromofluorobenzene	89.6	79-117		%REC	1	12/1/06 6:46:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-07A

**Client Sample ID:** MW 203 S

**Collection Date:** 11/28/06 3:00:00 PM

**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/4/06 3:38:00 PM
Chloromethane	ND	5.0		µg/L	1	12/4/06 3:38:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Chloroethane	ND	5.0		µg/L	1	12/4/06 3:38:00 PM
Bromomethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/4/06 3:38:00 PM
Acetone	ND	10		µg/L	1	12/4/06 3:38:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/4/06 3:38:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/4/06 3:38:00 PM
Methyl tert-butyl ether	2.2	2.0		µg/L	1	12/4/06 3:38:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
2-Butanone	ND	10		µg/L	1	12/4/06 3:38:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Chloroform	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/4/06 3:38:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,1,1-Trichloroethane	8.8	2.0		µg/L	1	12/4/06 3:38:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Benzene	ND	1.0		µg/L	1	12/4/06 3:38:00 PM
Trichloroethene	230	2.0		µg/L	1	12/4/06 3:38:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/4/06 3:38:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/4/06 3:38:00 PM
Toluene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/4/06 3:38:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
2-Hexanone	ND	10		µg/L	1	12/4/06 3:38:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Tetrachloroethene	81	2.0		µg/L	1	12/4/06 3:38:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-07A

**Client Sample ID:** MW 203 S  
**Collection Date:** 11/28/06 3:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
m,p-Xylene	4.6	2.0		µg/L	1	12/4/06 3:38:00 PM
o-Xylene	3.4	2.0		µg/L	1	12/4/06 3:38:00 PM
Styrene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Bromoform	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,3,5-Trimethylbenzene	4.7	2.0		µg/L	1	12/4/06 3:38:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,2,4-Trimethylbenzene	11	2.0		µg/L	1	12/4/06 3:38:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/4/06 3:38:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Naphthalene	ND	5.0		µg/L	1	12/4/06 3:38:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/4/06 3:38:00 PM
Surr: Dibromofluoromethane	89.1	85-116		%REC	1	12/4/06 3:38:00 PM
Surr: 1,2-Dichloroethane-d4	77.2	77-127		%REC	1	12/4/06 3:38:00 PM
Surr: Toluene-d8	100	86-114		%REC	1	12/4/06 3:38:00 PM
Surr: 4-Bromofluorobenzene	91.7	79-117		%REC	1	12/4/06 3:38:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-08A

**Client Sample ID:** MW 203 D  
**Collection Date:** 11/28/06 3:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>	<b>SW8260B</b>					<b>Analyst: KT</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/4/06 4:13:00 PM
Chloromethane	ND	5.0		µg/L	1	12/4/06 4:13:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Chloroethane	ND	5.0		µg/L	1	12/4/06 4:13:00 PM
Bromomethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/4/06 4:13:00 PM
Acetone	ND	10		µg/L	1	12/4/06 4:13:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/4/06 4:13:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/4/06 4:13:00 PM
Methyl tert-butyl ether	7.1	2.0		µg/L	1	12/4/06 4:13:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
2-Butanone	ND	10		µg/L	1	12/4/06 4:13:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Chloroform	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/4/06 4:13:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Benzene	ND	1.0		µg/L	1	12/4/06 4:13:00 PM
Trichloroethene	46	2.0		µg/L	1	12/4/06 4:13:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/4/06 4:13:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/4/06 4:13:00 PM
Toluene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/4/06 4:13:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
2-Hexanone	ND	10		µg/L	1	12/4/06 4:13:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Tetrachloroethene	210	2.0		µg/L	1	12/4/06 4:13:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-08A

**Client Sample ID:** MW 203 D  
**Collection Date:** 11/28/06 3:30:00 PM  
**Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
Chlorobenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
o-Xylene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Styrene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Bromoform	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/4/06 4:13:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Naphthalene	ND	5.0		µg/L	1	12/4/06 4:13:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:13:00 PM
Surr: Dibromofluoromethane	89.6	85-116		%REC	1	12/4/06 4:13:00 PM
Surr: 1,2-Dichloroethane-d4	82.6	77-127		%REC	1	12/4/06 4:13:00 PM
Surr: Toluene-d8	99.4	86-114		%REC	1	12/4/06 4:13:00 PM
Surr: 4-Bromofluorobenzene	92.4	79-117		%REC	1	12/4/06 4:13:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-09A

**Client Sample ID:** MW 209 D  
**Collection Date:** 11/28/06 4:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>	<b>SW8260B</b>					<b>Analyst: KT</b>
Dichlorodifluoromethane	ND	50	µg/L		10	12/4/06 7:03:00 PM
Chloromethane	ND	50	µg/L		10	12/4/06 7:03:00 PM
Vinyl chloride	ND	20	µg/L		10	12/4/06 7:03:00 PM
Chloroethane	ND	50	µg/L		10	12/4/06 7:03:00 PM
Bromomethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
Trichlorofluoromethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
Diethyl ether	ND	50	µg/L		10	12/4/06 7:03:00 PM
Acetone	ND	100	µg/L		10	12/4/06 7:03:00 PM
1,1-Dichloroethene	ND	10	µg/L		10	12/4/06 7:03:00 PM
Carbon disulfide	ND	20	µg/L		10	12/4/06 7:03:00 PM
Methylene chloride	ND	50	µg/L		10	12/4/06 7:03:00 PM
Methyl tert-butyl ether	ND	20	µg/L		10	12/4/06 7:03:00 PM
trans-1,2-Dichloroethene	ND	20	µg/L		10	12/4/06 7:03:00 PM
1,1-Dichloroethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
2-Butanone	ND	100	µg/L		10	12/4/06 7:03:00 PM
2,2-Dichloropropane	ND	20	µg/L		10	12/4/06 7:03:00 PM
cis-1,2-Dichloroethene	ND	20	µg/L		10	12/4/06 7:03:00 PM
Chloroform	ND	20	µg/L		10	12/4/06 7:03:00 PM
Tetrahydrofuran	ND	100	µg/L		10	12/4/06 7:03:00 PM
Bromo-chloromethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
1,1,1-Trichloroethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
1,1-Dichloropropene	ND	20	µg/L		10	12/4/06 7:03:00 PM
Carbon tetrachloride	ND	20	µg/L		10	12/4/06 7:03:00 PM
1,2-Dichloroethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
Benzene	ND	10	µg/L		10	12/4/06 7:03:00 PM
Trichloroethene	180	20	µg/L		10	12/4/06 7:03:00 PM
1,2-Dichloropropane	ND	20	µg/L		10	12/4/06 7:03:00 PM
Bromodichloromethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
Dibromomethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
4-Methyl-2-pentanone	ND	100	µg/L		10	12/4/06 7:03:00 PM
cis-1,3-Dichloropropene	ND	10	µg/L		10	12/4/06 7:03:00 PM
Toluene	ND	20	µg/L		10	12/4/06 7:03:00 PM
trans-1,3-Dichloropropene	ND	10	µg/L		10	12/4/06 7:03:00 PM
1,1,2-Trichloroethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
1,2-Dibromoethane	ND	20	µg/L		10	12/4/06 7:03:00 PM
2-Hexanone	ND	100	µg/L		10	12/4/06 7:03:00 PM
1,3-Dichloropropane	ND	20	µg/L		10	12/4/06 7:03:00 PM
Tetrachloroethene	1,600	20	µg/L		10	12/4/06 7:03:00 PM
Dibromochloromethane	ND	20	µg/L		10	12/4/06 7:03:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-09A

**Client Sample ID:** MW 209 D  
**Collection Date:** 11/28/06 4:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/4/06 7:03:00 PM
Ethylbenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
m,p-Xylene	ND	20		µg/L	10	12/4/06 7:03:00 PM
o-Xylene	ND	20		µg/L	10	12/4/06 7:03:00 PM
Styrene	ND	20		µg/L	10	12/4/06 7:03:00 PM
Bromoform	ND	20		µg/L	10	12/4/06 7:03:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/4/06 7:03:00 PM
Bromobenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/4/06 7:03:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/4/06 7:03:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/4/06 7:03:00 PM
Naphthalene	ND	50		µg/L	10	12/4/06 7:03:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/4/06 7:03:00 PM
Surr: Dibromofluoromethane	102	85-116		%REC	10	12/4/06 7:03:00 PM
Surr: 1,2-Dichloroethane-d4	102	77-127		%REC	10	12/4/06 7:03:00 PM
Surr: Toluene-d8	101	86-114		%REC	10	12/4/06 7:03:00 PM
Surr: 4-Bromofluorobenzene	92.9	79-117		%REC	10	12/4/06 7:03:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-10A

**Client Sample ID:** MW 112  
**Collection Date:** 11/28/06 4:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/4/06 4:47:00 PM
Chloromethane	ND	5.0		µg/L	1	12/4/06 4:47:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Chloroethane	ND	5.0		µg/L	1	12/4/06 4:47:00 PM
Bromomethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/4/06 4:47:00 PM
Acetone	ND	10		µg/L	1	12/4/06 4:47:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/4/06 4:47:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/4/06 4:47:00 PM
Methyl tert-butyl ether	15	2.0		µg/L	1	12/4/06 4:47:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
2-Butanone	ND	10		µg/L	1	12/4/06 4:47:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Chloroform	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/4/06 4:47:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Benzene	ND	1.0		µg/L	1	12/4/06 4:47:00 PM
Trichloroethene	4.8	2.0		µg/L	1	12/4/06 4:47:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/4/06 4:47:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/4/06 4:47:00 PM
Toluene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/4/06 4:47:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
2-Hexanone	ND	10		µg/L	1	12/4/06 4:47:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Tetrachloroethene	140	2.0		µg/L	1	12/4/06 4:47:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-10A

**Client Sample ID:** MW 112  
**Collection Date:** 11/28/06 4:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
o-Xylene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Styrene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Bromoform	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/4/06 4:47:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Naphthalene	ND	5.0		µg/L	1	12/4/06 4:47:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/4/06 4:47:00 PM
Surr: Dibromofluoromethane	90.9	85-116		%REC	1	12/4/06 4:47:00 PM
Surr: 1,2-Dichloroethane-d4	87.2	77-127		%REC	1	12/4/06 4:47:00 PM
Surr: Toluene-d8	98.6	86-114		%REC	1	12/4/06 4:47:00 PM
Surr: 4-Bromofluorobenzene	90.6	79-117		%REC	1	12/4/06 4:47:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-11A

**Client Sample ID:** MW 206 S  
**Collection Date:** 11/28/06 7:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	50	µg/L		10	12/5/06 5:22:00 PM
Chloromethane	ND	50	µg/L		10	12/5/06 5:22:00 PM
Vinyl chloride	ND	20	µg/L		10	12/5/06 5:22:00 PM
Chloroethane	ND	50	µg/L		10	12/5/06 5:22:00 PM
Bromomethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
Trichlorofluoromethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
Diethyl ether	ND	50	µg/L		10	12/5/06 5:22:00 PM
Acetone	ND	100	µg/L		10	12/5/06 5:22:00 PM
1,1-Dichloroethene	ND	10	µg/L		10	12/5/06 5:22:00 PM
Carbon disulfide	ND	20	µg/L		10	12/5/06 5:22:00 PM
Methylene chloride	ND	50	µg/L		10	12/5/06 5:22:00 PM
Methyl tert-butyl ether	ND	20	µg/L		10	12/5/06 5:22:00 PM
trans-1,2-Dichloroethene	ND	20	µg/L		10	12/5/06 5:22:00 PM
1,1-Dichloroethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
2-Butanone	ND	100	µg/L		10	12/5/06 5:22:00 PM
2,2-Dichloropropane	ND	20	µg/L		10	12/5/06 5:22:00 PM
cis-1,2-Dichloroethene	ND	20	µg/L		10	12/5/06 5:22:00 PM
Chloroform	ND	20	µg/L		10	12/5/06 5:22:00 PM
Tetrahydrofuran	ND	100	µg/L		10	12/5/06 5:22:00 PM
Bromochloromethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
1,1,1-Trichloroethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
1,1-Dichloropropene	ND	20	µg/L		10	12/5/06 5:22:00 PM
Carbon tetrachloride	ND	20	µg/L		10	12/5/06 5:22:00 PM
1,2-Dichloroethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
Benzene	ND	10	µg/L		10	12/5/06 5:22:00 PM
Trichloroethene	220	20	µg/L		10	12/5/06 5:22:00 PM
1,2-Dichloropropane	ND	20	µg/L		10	12/5/06 5:22:00 PM
Bromodichloromethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
Dibromomethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
4-Methyl-2-pentanone	ND	100	µg/L		10	12/5/06 5:22:00 PM
cis-1,3-Dichloropropene	ND	10	µg/L		10	12/5/06 5:22:00 PM
Toluene	ND	20	µg/L		10	12/5/06 5:22:00 PM
trans-1,3-Dichloropropene	ND	10	µg/L		10	12/5/06 5:22:00 PM
1,1,2-Trichloroethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
1,2-Dibromoethane	ND	20	µg/L		10	12/5/06 5:22:00 PM
2-Hexanone	ND	100	µg/L		10	12/5/06 5:22:00 PM
1,3-Dichloropropane	ND	20	µg/L		10	12/5/06 5:22:00 PM
Tetrachloroethene	120	20	µg/L		10	12/5/06 5:22:00 PM
Dibromochloromethane	ND	20	µg/L		10	12/5/06 5:22:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-11A

**Client Sample ID:** MW 206 S  
**Collection Date:** 11/28/06 7:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual.	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/5/06 5:22:00 PM
Ethylbenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
m,p-Xylene	ND	20		µg/L	10	12/5/06 5:22:00 PM
o-Xylene	ND	20		µg/L	10	12/5/06 5:22:00 PM
Styrene	ND	20		µg/L	10	12/5/06 5:22:00 PM
Bromoform	ND	20		µg/L	10	12/5/06 5:22:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/5/06 5:22:00 PM
Bromobenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/5/06 5:22:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/5/06 5:22:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/5/06 5:22:00 PM
Naphthalene	ND	50		µg/L	10	12/5/06 5:22:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/5/06 5:22:00 PM
Surr: Dibromofluoromethane	98.8	85-116		%REC	10	12/5/06 5:22:00 PM
Surr: 1,2-Dichloroethane-d4	94.0	77-127		%REC	10	12/5/06 5:22:00 PM
Surr: Toluene-d8	101	86-114		%REC	10	12/5/06 5:22:00 PM
Surr: 4-Bromofluorobenzene	89.0	79-117		%REC	10	12/5/06 5:22:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-12A

**Client Sample ID:** MW 206 D  
**Collection Date:** 11/28/06 8:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	50		µg/L	10	12/5/06 5:55:00 PM
Chloromethane	ND	50		µg/L	10	12/5/06 5:55:00 PM
Vinyl chloride	ND	20		µg/L	10	12/5/06 5:55:00 PM
Chloroethane	ND	50		µg/L	10	12/5/06 5:55:00 PM
Bromomethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
Diethyl ether	ND	50		µg/L	10	12/5/06 5:55:00 PM
Acetone	ND	100		µg/L	10	12/5/06 5:55:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	12/5/06 5:55:00 PM
Carbon disulfide	ND	20		µg/L	10	12/5/06 5:55:00 PM
Methylene chloride	ND	50		µg/L	10	12/5/06 5:55:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	12/5/06 5:55:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
2-Butanone	ND	100		µg/L	10	12/5/06 5:55:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	12/5/06 5:55:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	12/5/06 5:55:00 PM
Chloroform	ND	20		µg/L	10	12/5/06 5:55:00 PM
Tetrahydrofuran	ND	100		µg/L	10	12/5/06 5:55:00 PM
Bromoform	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	12/5/06 5:55:00 PM
Carbon tetrachloride	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
Benzene	ND	10		µg/L	10	12/5/06 5:55:00 PM
Trichloroethene	180	20		µg/L	10	12/5/06 5:55:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	12/5/06 5:55:00 PM
Bromodichloromethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
Dibromomethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	12/5/06 5:55:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	12/5/06 5:55:00 PM
Toluene	ND	20		µg/L	10	12/5/06 5:55:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	12/5/06 5:55:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
2-Hexanone	ND	100		µg/L	10	12/5/06 5:55:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	12/5/06 5:55:00 PM
Tetrachloroethene	360	20		µg/L	10	12/5/06 5:55:00 PM
Dibromochloromethane	ND	20		µg/L	10	12/5/06 5:55:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-12A

**Client Sample ID:** MW 206 D  
**Collection Date:** 11/28/06 8:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
Ethylbenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
m,p-Xylene	ND	20		µg/L	10	12/5/06 5:55:00 PM
o-Xylene	ND	20		µg/L	10	12/5/06 5:55:00 PM
Styrene	ND	20		µg/L	10	12/5/06 5:55:00 PM
Bromoform	ND	20		µg/L	10	12/5/06 5:55:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/5/06 5:55:00 PM
Bromobenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/5/06 5:55:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/5/06 5:55:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/5/06 5:55:00 PM
Naphthalene	ND	50		µg/L	10	12/5/06 5:55:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/5/06 5:55:00 PM
Surr: Dibromofluoromethane	100	85-116		%REC	10	12/5/06 5:55:00 PM
Surr: 1,2-Dichloroethane-d4	101	77-127		%REC	10	12/5/06 5:55:00 PM
Surr: Toluene-d8	103	86-114		%REC	10	12/5/06 5:55:00 PM
Surr: 4-Bromofluorobenzene	89.7	79-117		%REC	10	12/5/06 5:55:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-13A

**Client Sample ID:** MW 204 S  
**Collection Date:** 11/28/06 8:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>	<b>SW8260B</b>					<b>Analyst: KT</b>
Dichlorodifluoromethane	ND	50		µg/L	10	12/8/06 1:53:00 PM
Chloromethane	ND	50		µg/L	10	12/8/06 1:53:00 PM
Vinyl chloride	ND	20		µg/L	10	12/8/06 1:53:00 PM
Chloroethane	ND	50		µg/L	10	12/8/06 1:53:00 PM
Bromomethane	ND	20		µg/L	10	12/8/06 1:53:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	12/8/06 1:53:00 PM
Diethyl ether	ND	50		µg/L	10	12/8/06 1:53:00 PM
Acetone	ND	100		µg/L	10	12/8/06 1:53:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	12/8/06 1:53:00 PM
Carbon disulfide	ND	20		µg/L	10	12/8/06 1:53:00 PM
Methylene chloride	ND	50		µg/L	10	12/8/06 1:53:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	12/8/06 1:53:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	12/8/06 1:53:00 PM
1,1-Dichloroethane	22	20		µg/L	10	12/8/06 1:53:00 PM
2-Butanone	ND	100		µg/L	10	12/8/06 1:53:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	12/8/06 1:53:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	12/8/06 1:53:00 PM
Chloroform	ND	20		µg/L	10	12/8/06 1:53:00 PM
Tetrahydrofuran	ND	100		µg/L	10	12/8/06 1:53:00 PM
Bromochloromethane	ND	20		µg/L	10	12/8/06 1:53:00 PM
1,1,1-Trichloroethane	23	20		µg/L	10	12/8/06 1:53:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	12/8/06 1:53:00 PM
Carbon tetrachloride	ND	20		µg/L	10	12/8/06 1:53:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	12/8/06 1:53:00 PM
Benzene	ND	10		µg/L	10	12/8/06 1:53:00 PM
Trichloroethene	170	20		µg/L	10	12/8/06 1:53:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	12/8/06 1:53:00 PM
Bromodichloromethane	ND	20		µg/L	10	12/8/06 1:53:00 PM
Dibromomethane	ND	20		µg/L	10	12/8/06 1:53:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	12/8/06 1:53:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	12/8/06 1:53:00 PM
Toluene	ND	20		µg/L	10	12/8/06 1:53:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	12/8/06 1:53:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	12/8/06 1:53:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	12/8/06 1:53:00 PM
2-Hexanone	ND	100		µg/L	10	12/8/06 1:53:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	12/8/06 1:53:00 PM
Tetrachloroethene	1,700	20		µg/L	10	12/8/06 1:53:00 PM
Dibromochloromethane	ND	20		µg/L	10	12/8/06 1:53:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-13A

**Client Sample ID:** MW 204 S

**Collection Date:** 11/28/06 8:30:00 AM

**Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
Chlorobenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/06/06 1:53:00 PM
Ethylbenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
m,p-Xylene	ND	20		µg/L	10	12/06/06 1:53:00 PM
o-Xylene	ND	20		µg/L	10	12/06/06 1:53:00 PM
Styrene	ND	20		µg/L	10	12/06/06 1:53:00 PM
Bromoform	ND	20		µg/L	10	12/06/06 1:53:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/06/06 1:53:00 PM
Bromobenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/06/06 1:53:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/06/06 1:53:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/06/06 1:53:00 PM
Naphthalene	ND	50		µg/L	10	12/06/06 1:53:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/06/06 1:53:00 PM
Surr: Dibromofluoromethane	98.6	85-116		%REC	10	12/06/06 1:53:00 PM
Surr: 1,2-Dichloroethane-d4	95.1	77-127		%REC	10	12/06/06 1:53:00 PM
Surr: Toluene-d8	99.9	86-114		%REC	10	12/06/06 1:53:00 PM
Surr: 4-Bromofluorobenzene	92.0	79-117		%REC	10	12/06/06 1:53:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-14A

**Client Sample ID:** MW 204 D  
**Collection Date:** 11/28/06 9:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: SK
Dichlorodifluoromethane	ND	50	µg/L	10	12/9/06 2:09:00 PM	
Chloromethane	ND	50	µg/L	10	12/9/06 2:09:00 PM	
Vinyl chloride	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Chloroethane	ND	50	µg/L	10	12/9/06 2:09:00 PM	
Bromomethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Trichlorofluoromethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Diethyl ether	ND	50	µg/L	10	12/9/06 2:09:00 PM	
Acetone	ND	100	µg/L	10	12/9/06 2:09:00 PM	
1,1-Dichloroethene	ND	10	µg/L	10	12/9/06 2:09:00 PM	
Carbon disulfide	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Methylene chloride	ND	50	µg/L	10	12/9/06 2:09:00 PM	
Methyl tert-butyl ether	ND	20	µg/L	10	12/9/06 2:09:00 PM	
trans-1,2-Dichloroethene	ND	20	µg/L	10	12/9/06 2:09:00 PM	
1,1-Dichloroethane	41	20	µg/L	10	12/9/06 2:09:00 PM	
2-Butanone	ND	100	µg/L	10	12/9/06 2:09:00 PM	
2,2-Dichloropropane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
cis-1,2-Dichloroethene	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Chloroform	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Tetrahydrofuran	ND	100	µg/L	10	12/9/06 2:09:00 PM	
Bromochloromethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
1,1,1-Trichloroethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
1,1-Dichloropropene	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Carbon tetrachloride	ND	20	µg/L	10	12/9/06 2:09:00 PM	
1,2-Dichloroethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Benzene	ND	10	µg/L	10	12/9/06 2:09:00 PM	
Trichloroethene	120	20	µg/L	10	12/9/06 2:09:00 PM	
1,2-Dichloropropane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Bromodichloromethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Dibromomethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
4-Methyl-2-pentanone	ND	100	µg/L	10	12/9/06 2:09:00 PM	
cis-1,3-Dichloropropene	ND	10	µg/L	10	12/9/06 2:09:00 PM	
Toluene	ND	20	µg/L	10	12/9/06 2:09:00 PM	
trans-1,3-Dichloropropene	ND	10	µg/L	10	12/9/06 2:09:00 PM	
1,1,2-Trichloroethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
1,2-Dibromoethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
2-Hexanone	ND	100	µg/L	10	12/9/06 2:09:00 PM	
1,3-Dichloropropane	ND	20	µg/L	10	12/9/06 2:09:00 PM	
Tetrachloroethene	990	20	µg/L	10	12/9/06 2:09:00 PM	
Dibromochloromethane	ND	20	µg/L	10	12/9/06 2:09:00 PM	

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-14A

**Client Sample ID:** MW 204 D  
**Collection Date:** 11/28/06 9:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/9/06 2:09:00 PM
Ethylbenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
m,p-Xylene	ND	20		µg/L	10	12/9/06 2:09:00 PM
o-Xylene	ND	20		µg/L	10	12/9/06 2:09:00 PM
Styrene	ND	20		µg/L	10	12/9/06 2:09:00 PM
Bromoform	ND	20		µg/L	10	12/9/06 2:09:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/9/06 2:09:00 PM
Bromobenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/9/06 2:09:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/9/06 2:09:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/9/06 2:09:00 PM
Naphthalene	ND	50		µg/L	10	12/9/06 2:09:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/9/06 2:09:00 PM
Surr: Dibromofluoromethane	103	85-116		%REC	10	12/9/06 2:09:00 PM
Surr: 1,2-Dichloroethane-d4	113	77-127		%REC	10	12/9/06 2:09:00 PM
Surr: Toluene-d8	97.5	86-114		%REC	10	12/9/06 2:09:00 PM
Surr: 4-Bromofluorobenzene	90.2	79-117		%REC	10	12/9/06 2:09:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-15A

**Client Sample ID:** MW 207 S  
**Collection Date:** 11/28/06 9:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>	<b>SW8260B</b>					<b>Analyst: KT</b>
Dichlorodifluoromethane	ND	50		µg/L	10	12/8/06 3:02:00 PM
Chloromethane	ND	50		µg/L	10	12/8/06 3:02:00 PM
Vinyl chloride	ND	20		µg/L	10	12/8/06 3:02:00 PM
Chloroethane	ND	50		µg/L	10	12/8/06 3:02:00 PM
Bromomethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
Diethyl ether	ND	50		µg/L	10	12/8/06 3:02:00 PM
Acetone	ND	100		µg/L	10	12/8/06 3:02:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	12/8/06 3:02:00 PM
Carbon disulfide	ND	20		µg/L	10	12/8/06 3:02:00 PM
Methylene chloride	ND	50		µg/L	10	12/8/06 3:02:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	12/8/06 3:02:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
2-Butanone	ND	100		µg/L	10	12/8/06 3:02:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	12/8/06 3:02:00 PM
cis-1,2-Dichloroethene	45	20		µg/L	10	12/8/06 3:02:00 PM
Chloroform	ND	20		µg/L	10	12/8/06 3:02:00 PM
Tetrahydrofuran	ND	100		µg/L	10	12/8/06 3:02:00 PM
Bromoform	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	12/8/06 3:02:00 PM
Carbon tetrachloride	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
Benzene	ND	10		µg/L	10	12/8/06 3:02:00 PM
Trichloroethene	90	20		µg/L	10	12/8/06 3:02:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	12/8/06 3:02:00 PM
Bromodichloromethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
Dibromomethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	12/8/06 3:02:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	12/8/06 3:02:00 PM
Toluene	ND	20		µg/L	10	12/8/06 3:02:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	12/8/06 3:02:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
2-Hexanone	ND	100		µg/L	10	12/8/06 3:02:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	12/8/06 3:02:00 PM
Tetrachloroethene	8,100	200		µg/L	100	12/8/06 2:27:00 PM
Dibromochloromethane	ND	20		µg/L	10	12/8/06 3:02:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-15A

**Client Sample ID:** MW 207 S  
**Collection Date:** 11/28/06 9:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
Ethylbenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
m,p-Xylene	ND	20		µg/L	10	12/8/06 3:02:00 PM
o-Xylene	ND	20		µg/L	10	12/8/06 3:02:00 PM
Styrene	ND	20		µg/L	10	12/8/06 3:02:00 PM
Bromoform	ND	20		µg/L	10	12/8/06 3:02:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/8/06 3:02:00 PM
Bromobenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/8/06 3:02:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/8/06 3:02:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/8/06 3:02:00 PM
Naphthalene	ND	50		µg/L	10	12/8/06 3:02:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/8/06 3:02:00 PM
Surr: Dibromofluoromethane	101	85-116		%REC	10	12/8/06 3:02:00 PM
Surr: 1,2-Dichloroethane-d4	105	77-127		%REC	10	12/8/06 3:02:00 PM
Surr: Toluene-d8	99.9	86-114		%REC	10	12/8/06 3:02:00 PM
Surr: 4-Bromofluorobenzene	89.2	79-117		%REC	10	12/8/06 3:02:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-16A

**Client Sample ID:** MW 207 D  
**Collection Date:** 11/28/06 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	50	µg/L	10	12/8/06 4:10:00 PM	
Chloromethane	ND	50	µg/L	10	12/8/06 4:10:00 PM	
Vinyl chloride	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Chloroethane	ND	50	µg/L	10	12/8/06 4:10:00 PM	
Bromomethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Trichlorofluoromethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Diethyl ether	ND	50	µg/L	10	12/8/06 4:10:00 PM	
Acetone	ND	100	µg/L	10	12/8/06 4:10:00 PM	
1,1-Dichloroethene	ND	10	µg/L	10	12/8/06 4:10:00 PM	
Carbon disulfide	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Methylene chloride	ND	50	µg/L	10	12/8/06 4:10:00 PM	
Methyl tert-butyl ether	ND	20	µg/L	10	12/8/06 4:10:00 PM	
trans-1,2-Dichloroethene	ND	20	µg/L	10	12/8/06 4:10:00 PM	
1,1-Dichloroethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
2-Butanone	ND	100	µg/L	10	12/8/06 4:10:00 PM	
2,2-Dichloropropane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
cis-1,2-Dichloroethene	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Chloroform	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Tetrahydrofuran	ND	100	µg/L	10	12/8/06 4:10:00 PM	
Bromochloromethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
1,1,1-Trichloroethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
1,1-Dichloropropene	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Carbon tetrachloride	ND	20	µg/L	10	12/8/06 4:10:00 PM	
1,2-Dichloroethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Benzene	ND	10	µg/L	10	12/8/06 4:10:00 PM	
Trichloroethene	150	20	µg/L	10	12/8/06 4:10:00 PM	
1,2-Dichloropropane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Bromodichloromethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Dibromomethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
4-Methyl-2-pentanone	ND	100	µg/L	10	12/8/06 4:10:00 PM	
cis-1,3-Dichloropropene	ND	10	µg/L	10	12/8/06 4:10:00 PM	
Toluene	ND	20	µg/L	10	12/8/06 4:10:00 PM	
trans-1,3-Dichloropropene	ND	10	µg/L	10	12/8/06 4:10:00 PM	
1,1,2-Trichloroethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
1,2-Dibromoethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
2-Hexanone	ND	100	µg/L	10	12/8/06 4:10:00 PM	
1,3-Dichloropropane	ND	20	µg/L	10	12/8/06 4:10:00 PM	
Tetrachloroethene	10,000	200	µg/L	100	12/8/06 3:35:00 PM	
Dibromochloromethane	ND	20	µg/L	10	12/8/06 4:10:00 PM	

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-16A

**Client Sample ID:** MW 207 D  
**Collection Date:** 11/28/06 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/06/06 4:10:00 PM
Ethylbenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
m,p-Xylene	ND	20		µg/L	10	12/06/06 4:10:00 PM
c-Xylene	ND	20		µg/L	10	12/06/06 4:10:00 PM
Styrene	ND	20		µg/L	10	12/06/06 4:10:00 PM
Bromoform	ND	20		µg/L	10	12/06/06 4:10:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/06/06 4:10:00 PM
Bromobenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/06/06 4:10:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/06/06 4:10:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/06/06 4:10:00 PM
Naphthalene	ND	50		µg/L	10	12/06/06 4:10:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/06/06 4:10:00 PM
Surr: Dibromofluoromethane	99.8	85-116		%REC	10	12/06/06 4:10:00 PM
Surr: 1,2-Dichloroethane-d4	108	77-127		%REC	10	12/06/06 4:10:00 PM
Surr: Toluene-d8	100	86-114		%REC	10	12/06/06 4:10:00 PM
Surr: 4-Bromofluorobenzene	91.7	79-117		%REC	10	12/06/06 4:10:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-17A

**Client Sample ID:** MW 208 S  
**Collection Date:** 11/28/06 10:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>						
	SW8260B					Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	12/9/06 2:43:00 PM
Chloromethane	ND	50		µg/L	10	12/9/06 2:43:00 PM
Vinyl chloride	ND	20		µg/L	10	12/9/06 2:43:00 PM
Chloroethane	ND	50		µg/L	10	12/9/06 2:43:00 PM
Bromomethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
Diethyl ether	ND	50		µg/L	10	12/9/06 2:43:00 PM
Acetone	ND	100		µg/L	10	12/9/06 2:43:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	12/9/06 2:43:00 PM
Carbon disulfide	ND	20		µg/L	10	12/9/06 2:43:00 PM
Methylene chloride	ND	50		µg/L	10	12/9/06 2:43:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	12/9/06 2:43:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
2-Butanone	ND	100		µg/L	10	12/9/06 2:43:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	12/9/06 2:43:00 PM
cis-1,2-Dichloroethene	200	20		µg/L	10	12/9/06 2:43:00 PM
Chloroform	ND	20		µg/L	10	12/9/06 2:43:00 PM
Tetrahydrofuran	ND	100		µg/L	10	12/9/06 2:43:00 PM
Bromochloromethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	12/9/06 2:43:00 PM
Carbon tetrachloride	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
Benzene	ND	10		µg/L	10	12/9/06 2:43:00 PM
Trichloroethene	29	20		µg/L	10	12/9/06 2:43:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	12/9/06 2:43:00 PM
Bromodichloromethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
Dibromomethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	12/9/06 2:43:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	12/9/06 2:43:00 PM
Toluene	ND	20		µg/L	10	12/9/06 2:43:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	12/9/06 2:43:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
2-Hexanone	ND	100		µg/L	10	12/9/06 2:43:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	12/9/06 2:43:00 PM
Tetrachloroethene	900	20		µg/L	10	12/9/06 2:43:00 PM
Dibromochloromethane	ND	20		µg/L	10	12/9/06 2:43:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-17A

**Client Sample ID:** MW 208 S  
**Collection Date:** 11/28/06 10:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
Ethylbenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
m,p-Xylene	ND	20		µg/L	10	12/9/06 2:43:00 PM
o-Xylene	ND	20		µg/L	10	12/9/06 2:43:00 PM
Styrene	ND	20		µg/L	10	12/9/06 2:43:00 PM
Bromoform	ND	20		µg/L	10	12/9/06 2:43:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/9/06 2:43:00 PM
Bromobenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/9/06 2:43:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/9/06 2:43:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/9/06 2:43:00 PM
Naphthalene	ND	50		µg/L	10	12/9/06 2:43:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/9/06 2:43:00 PM
Surr: Dibromofluoromethane	102	85-116		%REC	10	12/9/06 2:43:00 PM
Surr: 1,2-Dichloroethane-d4	115	77-127		%REC	10	12/9/06 2:43:00 PM
Surr: Toluene-d8	102	86-114		%REC	10	12/9/06 2:43:00 PM
Surr: 4-Bromofluorobenzene	85.6	79-117		%REC	10	12/9/06 2:43:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-18A

**Client Sample ID:** MW 208 D  
**Collection Date:** 11/28/06 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>	<b>SW8260B</b>					<b>Analyst: KT</b>
Dichlorodifluoromethane	ND	50	µg/L		10	12/8/06 12:34:00 PM
Chloromethane	ND	50	µg/L		10	12/8/06 12:34:00 PM
Vinyl chloride	ND	20	µg/L		10	12/8/06 12:34:00 PM
Chloroethane	ND	50	µg/L		10	12/8/06 12:34:00 PM
Bromomethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
Trichlorofluoromethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
Diethyl ether	ND	50	µg/L		10	12/8/06 12:34:00 PM
Acetone	ND	100	µg/L		10	12/8/06 12:34:00 PM
1,1-Dichloroethene	ND	10	µg/L		10	12/8/06 12:34:00 PM
Carbon disulfide	ND	20	µg/L		10	12/8/06 12:34:00 PM
Methylene chloride	ND	50	µg/L		10	12/8/06 12:34:00 PM
Methyl tert-butyl ether	ND	20	µg/L		10	12/8/06 12:34:00 PM
trans-1,2-Dichloroethene	ND	20	µg/L		10	12/8/06 12:34:00 PM
1,1-Dichloroethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
2-Butanone	ND	100	µg/L		10	12/8/06 12:34:00 PM
2,2-Dichloropropane	ND	20	µg/L		10	12/8/06 12:34:00 PM
cis-1,2-Dichloroethene	210	20	µg/L		10	12/8/06 12:34:00 PM
Chloroform	ND	20	µg/L		10	12/8/06 12:34:00 PM
Tetrahydrofuran	ND	100	µg/L		10	12/8/06 12:34:00 PM
Bromochloromethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
1,1,1-Trichloroethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
1,1-Dichloropropene	ND	20	µg/L		10	12/8/06 12:34:00 PM
Carbon tetrachloride	ND	20	µg/L		10	12/8/06 12:34:00 PM
1,2-Dichloroethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
Benzene	ND	10	µg/L		10	12/8/06 12:34:00 PM
Trichloroethene	26	20	µg/L		10	12/8/06 12:34:00 PM
1,2-Dichloropropane	ND	20	µg/L		10	12/8/06 12:34:00 PM
Bromodichloromethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
Dibromomethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
4-Methyl-2-pentanone	ND	100	µg/L		10	12/8/06 12:34:00 PM
cis-1,3-Dichloropropene	ND	10	µg/L		10	12/8/06 12:34:00 PM
Toluene	ND	20	µg/L		10	12/8/06 12:34:00 PM
trans-1,3-Dichloropropene	ND	10	µg/L		10	12/8/06 12:34:00 PM
1,1,2-Trichloroethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
1,2-Dibromoethane	ND	20	µg/L		10	12/8/06 12:34:00 PM
2-Hexanone	ND	100	µg/L		10	12/8/06 12:34:00 PM
1,3-Dichloropropane	ND	20	µg/L		10	12/8/06 12:34:00 PM
Tetrachloroethene	740	20	µg/L		10	12/8/06 12:34:00 PM
Dibromochloromethane	ND	20	µg/L		10	12/8/06 12:34:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-18A

**Client Sample ID:** MW 208 D  
**Collection Date:** 11/28/06 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/8/06 12:34:00 PM
Ethylbenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
m,p-Xylene	ND	20		µg/L	10	12/8/06 12:34:00 PM
o-Xylene	ND	20		µg/L	10	12/8/06 12:34:00 PM
Styrene	ND	20		µg/L	10	12/8/06 12:34:00 PM
Bromoform	ND	20		µg/L	10	12/8/06 12:34:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/8/06 12:34:00 PM
Bromobenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/8/06 12:34:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/8/06 12:34:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/8/06 12:34:00 PM
Naphthalene	ND	50		µg/L	10	12/8/06 12:34:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/8/06 12:34:00 PM
Surr: Dibromoform	94.0	85-116		%REC	10	12/8/06 12:34:00 PM
Surr: 1,2-Dichloroethane-d4	87.4	77-127		%REC	10	12/8/06 12:34:00 PM
Surr: Toluene-d8	100	86-114		%REC	10	12/8/06 12:34:00 PM
Surr: 4-Bromofluorobenzene	92.4	79-117		%REC	10	12/8/06 12:34:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.      **Client Sample ID:** MW 202 S  
**Lab Order:** 0611162      **Collection Date:** 11/28/06 11:30:00 AM  
**Project:** 101960-06000000 Textron Gorham      **Matrix:** GROUNDWATER  
**Lab ID:** 0611162-19A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	50		µg/L	10	12/7/06 5:01:00 PM
Chloromethane	ND	50		µg/L	10	12/7/06 5:01:00 PM
Vinyl chloride	ND	20		µg/L	10	12/7/06 5:01:00 PM
Chloroethane	ND	50		µg/L	10	12/7/06 5:01:00 PM
Bromomethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
Diethyl ether	ND	50		µg/L	10	12/7/06 5:01:00 PM
Acetone	ND	100		µg/L	10	12/7/06 5:01:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	12/7/06 5:01:00 PM
Carbon disulfide	ND	20		µg/L	10	12/7/06 5:01:00 PM
Methylene chloride	ND	50		µg/L	10	12/7/06 5:01:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	12/7/06 5:01:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
2-Butanone	ND	100		µg/L	10	12/7/06 5:01:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	12/7/06 5:01:00 PM
cis-1,2-Dichloroethene	86	20		µg/L	10	12/7/06 5:01:00 PM
Chloroform	ND	20		µg/L	10	12/7/06 5:01:00 PM
Tetrahydrofuran	ND	100		µg/L	10	12/7/06 5:01:00 PM
Bromochloromethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	12/7/06 5:01:00 PM
Carbon tetrachloride	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
Benzene	ND	10		µg/L	10	12/7/06 5:01:00 PM
Trichloroethene	100	20		µg/L	10	12/7/06 5:01:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	12/7/06 5:01:00 PM
Bromodichloromethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
Dibromomethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	12/7/06 5:01:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	12/7/06 5:01:00 PM
Toluene	ND	20		µg/L	10	12/7/06 5:01:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	12/7/06 5:01:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
2-Hexanone	ND	100		µg/L	10	12/7/06 5:01:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	12/7/06 5:01:00 PM
Tetrachloroethene	62,000	2,000		µg/L	1000	12/9/06 1:00:00 PM
Dibromochloromethane	ND	20		µg/L	10	12/7/06 5:01:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-19A

**Client Sample ID:** MW 202 S  
**Collection Date:** 11/28/06 11:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
Ethylbenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
m,p-Xylene	ND	20		µg/L	10	12/7/06 5:01:00 PM
o-Xylene	ND	20		µg/L	10	12/7/06 5:01:00 PM
Styrene	ND	20		µg/L	10	12/7/06 5:01:00 PM
Bromoform	ND	20		µg/L	10	12/7/06 5:01:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/7/06 5:01:00 PM
Bromobenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/7/06 5:01:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/7/06 5:01:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/7/06 5:01:00 PM
Naphthalene	ND	50		µg/L	10	12/7/06 5:01:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/7/06 5:01:00 PM
Surr: Dibromofluoromethane	105	85-116		%REC	10	12/7/06 5:01:00 PM
Surr: 1,2-Dichloroethane-d4	112	77-127		%REC	10	12/7/06 5:01:00 PM
Surr: Toluene-d8	100	86-114		%REC	10	12/7/06 5:01:00 PM
Surr: 4-Bromofluorobenzene	89.1	79-117		%REC	10	12/7/06 5:01:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.      **Client Sample ID:** MW 202 D  
**Lab Order:** 0611162      **Collection Date:** 11/28/06 12:00:00 PM  
**Project:** 101960-06000000 Textron Gorham      **Matrix:** GROUNDWATER  
**Lab ID:** 0611162-20A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>						<b>Analyst: KT</b>
Dichlorodifluoromethane	ND	50	µg/L	10	12/7/06 5:36:00 PM	
Chloromethane	ND	50	µg/L	10	12/7/06 5:36:00 PM	
Vinyl chloride	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Chloroethane	ND	50	µg/L	10	12/7/06 5:36:00 PM	
Bromomethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Trichlorofluoromethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Diethyl ether	ND	50	µg/L	10	12/7/06 5:36:00 PM	
Acetone	ND	100	µg/L	10	12/7/06 5:36:00 PM	
1,1-Dichloroethene	ND	10	µg/L	10	12/7/06 5:36:00 PM	
Carbon disulfide	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Methylene chloride	ND	50	µg/L	10	12/7/06 5:36:00 PM	
Methyl tert-butyl ether	ND	20	µg/L	10	12/7/06 5:36:00 PM	
trans-1,2-Dichloroethene	ND	20	µg/L	10	12/7/06 5:36:00 PM	
1,1-Dichloroethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
2-Butanone	ND	100	µg/L	10	12/7/06 5:36:00 PM	
2,2-Dichloropropane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
cis-1,2-Dichloroethene	36	20	µg/L	10	12/7/06 5:36:00 PM	
Chloroform	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Tetrahydrofuran	ND	100	µg/L	10	12/7/06 5:36:00 PM	
Bromochloromethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
1,1,1-Trichloroethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
1,1-Dichloropropene	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Carbon tetrachloride	ND	20	µg/L	10	12/7/06 5:36:00 PM	
1,2-Dichloroethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Benzene	ND	10	µg/L	10	12/7/06 5:36:00 PM	
Trichloroethene	220	20	µg/L	10	12/7/06 5:36:00 PM	
1,2-Dichloropropane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Bromodichloromethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Dibromomethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
4-Methyl-2-pentanone	ND	100	µg/L	10	12/7/06 5:36:00 PM	
cis-1,3-Dichloropropene	ND	10	µg/L	10	12/7/06 5:36:00 PM	
Toluene	ND	20	µg/L	10	12/7/06 5:36:00 PM	
trans-1,3-Dichloropropene	ND	10	µg/L	10	12/7/06 5:36:00 PM	
1,1,2-Trichloroethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
1,2-Dibromoethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
2-Hexanone	ND	100	µg/L	10	12/7/06 5:36:00 PM	
1,3-Dichloropropane	ND	20	µg/L	10	12/7/06 5:36:00 PM	
Tetrachloroethene	13,000	200	µg/L	100	12/9/06 1:35:00 PM	
Dibromochloromethane	ND	20	µg/L	10	12/7/06 5:36:00 PM	

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

<b>CLIENT:</b>	SHAW E & I, Inc.	<b>Client Sample ID:</b>	MW 202 D
<b>Lab Order:</b>	0611162	<b>Collection Date:</b>	11/28/06 12:00:00 PM
<b>Project:</b>	101960-06000000 Textron Gorham	<b>Matrix:</b>	GROUNDWATER
<b>Lab ID:</b>	0611162-20A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/7/06 5:36:00 PM
Ethylbenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
m,p-Xylene	ND	20		µg/L	10	12/7/06 5:36:00 PM
o-Xylene	ND	20		µg/L	10	12/7/06 5:36:00 PM
Styrene	ND	20		µg/L	10	12/7/06 5:36:00 PM
Bromoform	ND	20		µg/L	10	12/7/06 5:36:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/7/06 5:36:00 PM
Bromobenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/7/06 5:36:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/7/06 5:36:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/7/06 5:36:00 PM
Naphthalene	ND	50		µg/L	10	12/7/06 5:36:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/7/06 5:36:00 PM
Surr: Dibromofluoromethane	110	85-116		%REC	10	12/7/06 5:36:00 PM
Surr: 1,2-Dichloroethane-d4	114	77-127		%REC	10	12/7/06 5:36:00 PM
Surr: Toluene-d8	102	86-114		%REC	10	12/7/06 5:36:00 PM
Surr: 4-Bromofluorobenzene	91.5	79-117		%REC	10	12/7/06 5:36:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-21A

**Client Sample ID:** MW 218 S  
**Collection Date:** 11/28/06 1:15:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	50	µg/L		10	12/7/06 6:10:00 PM
Chloromethane	ND	50	µg/L		10	12/7/06 6:10:00 PM
Vinyl chloride	26	20	µg/L		10	12/7/06 6:10:00 PM
Chloroethane	ND	50	µg/L		10	12/7/06 6:10:00 PM
Bromomethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
Trichlorofluoromethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
Diethyl ether	ND	50	µg/L		10	12/7/06 6:10:00 PM
Acetone	ND	100	µg/L		10	12/7/06 6:10:00 PM
1,1-Dichloroethene	ND	10	µg/L		10	12/7/06 6:10:00 PM
Carbon disulfide	ND	20	µg/L		10	12/7/06 6:10:00 PM
Methylene chloride	ND	50	µg/L		10	12/7/06 6:10:00 PM
Methyl tert-butyl ether	ND	20	µg/L		10	12/7/06 6:10:00 PM
trans-1,2-Dichloroethene	ND	20	µg/L		10	12/7/06 6:10:00 PM
1,1-Dichloroethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
2-Butanone	ND	100	µg/L		10	12/7/06 6:10:00 PM
2,2-Dichloropropane	ND	20	µg/L		10	12/7/06 6:10:00 PM
cis-1,2-Dichloroethene	270	20	µg/L		10	12/7/06 6:10:00 PM
Chloroform	ND	20	µg/L		10	12/7/06 6:10:00 PM
Tetrahydrofuran	ND	100	µg/L		10	12/7/06 6:10:00 PM
Bromo-chloromethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
1,1,1-Trichloroethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
1,1-Dichloropropene	ND	20	µg/L		10	12/7/06 6:10:00 PM
Carbon tetrachloride	ND	20	µg/L		10	12/7/06 6:10:00 PM
1,2-Dichloroethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
Benzene	ND	10	µg/L		10	12/7/06 6:10:00 PM
Trichloroethene	28	20	µg/L		10	12/7/06 6:10:00 PM
1,2-Dichloropropane	ND	20	µg/L		10	12/7/06 6:10:00 PM
Bromodichloromethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
Dibromomethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
4-Methyl-2-pentanone	ND	100	µg/L		10	12/7/06 6:10:00 PM
cis-1,3-Dichloropropene	ND	10	µg/L		10	12/7/06 6:10:00 PM
Toluene	ND	20	µg/L		10	12/7/06 6:10:00 PM
trans-1,3-Dichloropropene	ND	10	µg/L		10	12/7/06 6:10:00 PM
1,1,2-Trichloroethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
1,2-Dibromoethane	ND	20	µg/L		10	12/7/06 6:10:00 PM
2-Hexanone	ND	100	µg/L		10	12/7/06 6:10:00 PM
1,3-Dichloropropane	ND	20	µg/L		10	12/7/06 6:10:00 PM
Tetrachloroethene	700	20	µg/L		10	12/7/06 6:10:00 PM
Dibromochloromethane	ND	20	µg/L		10	12/7/06 6:10:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-21A

**Client Sample ID:** MW 218 S  
**Collection Date:** 11/28/06 1:15:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/7/06 6:10:00 PM
Ethylbenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
m,p-Xylene	ND	20		µg/L	10	12/7/06 6:10:00 PM
o-Xylene	ND	20		µg/L	10	12/7/06 6:10:00 PM
Styrene	ND	20		µg/L	10	12/7/06 6:10:00 PM
Bromoform	ND	20		µg/L	10	12/7/06 6:10:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/7/06 6:10:00 PM
Bromobenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/7/06 6:10:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/7/06 6:10:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/7/06 6:10:00 PM
Naphthalene	ND	50		µg/L	10	12/7/06 6:10:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/7/06 6:10:00 PM
Surr: Dibromofluoromethane	111	85-116		%REC	10	12/7/06 6:10:00 PM
Surr: 1,2-Dichloroethane-d4	116	77-127		%REC	10	12/7/06 6:10:00 PM
Surr: Toluene-d8	101	86-114		%REC	10	12/7/06 6:10:00 PM
Surr: 4-Bromofluorobenzene	90.2	79-117		%REC	10	12/7/06 6:10:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-22A

**Client Sample ID:** MW 218 D  
**Collection Date:** 11/28/06 1:20:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	50		µg/L	10	12/8/06 1:18:00 PM
Chloromethane	ND	50		µg/L	10	12/8/06 1:18:00 PM
Vinyl chloride	ND	20		µg/L	10	12/8/06 1:18:00 PM
Chloroethane	ND	50		µg/L	10	12/8/06 1:18:00 PM
Bromomethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
Diethyl ether	ND	50		µg/L	10	12/8/06 1:18:00 PM
Acetone	ND	100		µg/L	10	12/8/06 1:18:00 PM
1,1-Dichloroethene	14	10		µg/L	10	12/8/06 1:18:00 PM
Carbon disulfide	ND	20		µg/L	10	12/8/06 1:18:00 PM
Methylene chloride	ND	50		µg/L	10	12/8/06 1:18:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	12/8/06 1:18:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	12/8/06 1:18:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
2-Butanone	ND	100		µg/L	10	12/8/06 1:18:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	12/8/06 1:18:00 PM
cis-1,2-Dichloroethene	54	20		µg/L	10	12/8/06 1:18:00 PM
Chloroform	ND	20		µg/L	10	12/8/06 1:18:00 PM
Tetrahydrofuran	ND	100		µg/L	10	12/8/06 1:18:00 PM
Bromochloromethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	12/8/06 1:18:00 PM
Carbon tetrachloride	ND	20		µg/L	10	12/8/06 1:18:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
Benzene	ND	10		µg/L	10	12/8/06 1:18:00 PM
Trichloroethene	430	20		µg/L	10	12/8/06 1:18:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	12/8/06 1:18:00 PM
Bromodichloromethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
Dibromomethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	12/8/06 1:18:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	12/8/06 1:18:00 PM
Toluene	ND	20		µg/L	10	12/8/06 1:18:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	12/8/06 1:18:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	12/8/06 1:18:00 PM
2-Hexanone	ND	100		µg/L	10	12/8/06 1:18:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	12/8/06 1:18:00 PM
Tetrachloroethene	1,100	20		µg/L	10	12/8/06 1:18:00 PM
Dibromochloromethane	ND	20		µg/L	10	12/8/06 1:18:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-22A

**Client Sample ID:** MW 218 D  
**Collection Date:** 11/28/06 1:20:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	12/06 1:18:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	12/06 1:18:00 PM
Ethylbenzene	ND	20		µg/L	10	12/06 1:18:00 PM
m,p-Xylene	ND	20		µg/L	10	12/06 1:18:00 PM
o-Xylene	ND	20		µg/L	10	12/06 1:18:00 PM
Styrene	ND	20		µg/L	10	12/06 1:18:00 PM
Bromoform	ND	20		µg/L	10	12/06 1:18:00 PM
Isopropylbenzene	ND	20		µg/L	10	12/06 1:18:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	12/06 1:18:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	12/06 1:18:00 PM
Bromobenzene	ND	20		µg/L	10	12/06 1:18:00 PM
n-Propylbenzene	ND	20		µg/L	10	12/06 1:18:00 PM
2-Chlorotoluene	ND	20		µg/L	10	12/06 1:18:00 PM
4-Chlorotoluene	ND	20		µg/L	10	12/06 1:18:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	12/06 1:18:00 PM
tert-Butylbenzene	ND	20		µg/L	10	12/06 1:18:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	12/06 1:18:00 PM
sec-Butylbenzene	ND	20		µg/L	10	12/06 1:18:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	12/06 1:18:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	12/06 1:18:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	12/06 1:18:00 PM
n-Butylbenzene	ND	20		µg/L	10	12/06 1:18:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	12/06 1:18:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	12/06 1:18:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	12/06 1:18:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	12/06 1:18:00 PM
Naphthalene	ND	50		µg/L	10	12/06 1:18:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	12/06 1:18:00 PM
Surr: Dibromofluoromethane	96.8	85-116		%REC	10	12/06 1:18:00 PM
Surr: 1,2-Dichloroethane-d4	94.9	77-127		%REC	10	12/06 1:18:00 PM
Surr: Toluene-d8	98.8	86-114		%REC	10	12/06 1:18:00 PM
Surr: 4-Bromofluorobenzene	93.2	79-117		%REC	10	12/06 1:18:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-23A

**Client Sample ID:** MW 216 S  
**Collection Date:** 11/28/06 3:15:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/06 9:06:00 AM
Chloromethane	ND	5.0		µg/L	1	12/06 9:06:00 AM
Vinyl chloride	ND	2.0		µg/L	1	12/06 9:06:00 AM
Chloroethane	ND	5.0		µg/L	1	12/06 9:06:00 AM
Bromomethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
Diethyl ether	ND	5.0		µg/L	1	12/06 9:06:00 AM
Acetone	ND	10		µg/L	1	12/06 9:06:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/06 9:06:00 AM
Carbon disulfide	ND	2.0		µg/L	1	12/06 9:06:00 AM
Methylene chloride	ND	5.0		µg/L	1	12/06 9:06:00 AM
Methyl tert-butyl ether	ND	2.0		µg/L	1	12/06 9:06:00 AM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/06 9:06:00 AM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
2-Butanone	ND	10		µg/L	1	12/06 9:06:00 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/06 9:06:00 AM
cis-1,2-Dichloroethene	140	2.0		µg/L	1	12/06 9:06:00 AM
Chloroform	ND	2.0		µg/L	1	12/06 9:06:00 AM
Tetrahydrofuran	ND	10		µg/L	1	12/06 9:06:00 AM
Bromochloromethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/06 9:06:00 AM
Carbon tetrachloride	ND	2.0		µg/L	1	12/06 9:06:00 AM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
Benzene	ND	1.0		µg/L	1	12/06 9:06:00 AM
Trichloroethene	ND	2.0		µg/L	1	12/06 9:06:00 AM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/06 9:06:00 AM
Bromodichloromethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
Dibromomethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/06 9:06:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/06 9:06:00 AM
Toluene	3.2	2.0		µg/L	1	12/06 9:06:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/06 9:06:00 AM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/06 9:06:00 AM
2-Hexanone	ND	10		µg/L	1	12/06 9:06:00 AM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/06 9:06:00 AM
Tetrachloroethene	ND	2.0		µg/L	1	12/06 9:06:00 AM
Dibromochloromethane	ND	2.0		µg/L	1	12/06 9:06:00 AM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-23A

**Client Sample ID:** MW 216 S  
**Collection Date:** 11/28/06 3:15:00 PM  
**Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
Chlorobenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
Ethylbenzene	2.2	2.0		µg/L	1	12/8/06 9:06:00 AM
m,p-Xylene	6.2	2.0		µg/L	1	12/8/06 9:06:00 AM
o-Xylene	8.4	2.0		µg/L	1	12/8/06 9:06:00 AM
Styrene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
Bromoform	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
Isopropylbenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
Bromobenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
n-Propylbenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
2-Chlorotoluene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
4-Chlorotoluene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,3,5-Trimethylbenzene	9.0	2.0		µg/L	1	12/8/06 9:06:00 AM
tert-Butylbenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,2,4-Trimethylbenzene	13	2.0		µg/L	1	12/8/06 9:06:00 AM
sec-Butylbenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
n-Butylbenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/8/06 9:06:00 AM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
Naphthalene	22	5.0		µg/L	1	12/8/06 9:06:00 AM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/8/06 9:06:00 AM
Surr: Dibromofluoromethane	101	85-116		%REC	1	12/8/06 9:06:00 AM
Surr: 1,2-Dichloroethane-d4	104	77-127		%REC	1	12/8/06 9:06:00 AM
Surr: Toluene-d8	95.8	86-114		%REC	1	12/8/06 9:06:00 AM
Surr: 4-Bromofluorobenzene	91.9	79-117		%REC	1	12/8/06 9:06:00 AM

# AMRO Environmental Laboratories Corp.

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-24A

**Client Sample ID:** MW 216 D  
**Collection Date:** 11/28/06 3:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/11/06 2:01:00 PM
Chloromethane	ND	5.0		µg/L	1	12/11/06 2:01:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Chloroethane	ND	5.0		µg/L	1	12/11/06 2:01:00 PM
Bromomethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/11/06 2:01:00 PM
Acetone	ND	10		µg/L	1	12/11/06 2:01:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/11/06 2:01:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/11/06 2:01:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
2-Butanone	ND	10		µg/L	1	12/11/06 2:01:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Chloroform	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/11/06 2:01:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Benzene	ND	1.0		µg/L	1	12/11/06 2:01:00 PM
Trichloroethene	4.5	2.0		µg/L	1	12/11/06 2:01:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/11/06 2:01:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 2:01:00 PM
Toluene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 2:01:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
2-Hexanone	ND	10		µg/L	1	12/11/06 2:01:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-24A

**Client Sample ID:** MW 216 D  
**Collection Date:** 11/28/06 3:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
o-Xylene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Styrene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Bromoform	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/11/06 2:01:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Naphthalene	ND	5.0		µg/L	1	12/11/06 2:01:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:01:00 PM
Surr: Dibromofluoromethane	112	85-116		%REC	1	12/11/06 2:01:00 PM
Surr: 1,2-Dichloroethane-d4	119	77-127		%REC	1	12/11/06 2:01:00 PM
Surr: Toluene-d8	101	86-114		%REC	1	12/11/06 2:01:00 PM
Surr: 4-Bromofluorobenzene	89.6	79-117		%REC	1	12/11/06 2:01:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-25A

**Client Sample ID:** MW 217 S  
**Collection Date:** 11/28/06 5:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>	<b>SW8260B</b>					<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/11/06 2:35:00 PM
Chloromethane	ND	5.0		µg/L	1	12/11/06 2:35:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Chloroethane	ND	5.0		µg/L	1	12/11/06 2:35:00 PM
Bromomethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/11/06 2:35:00 PM
Acetone	ND	10		µg/L	1	12/11/06 2:35:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/11/06 2:35:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/11/06 2:35:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
2-Butanone	ND	10		µg/L	1	12/11/06 2:35:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
cis-1,2-Dichloroethene	5.3	2.0		µg/L	1	12/11/06 2:35:00 PM
Chloroform	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/11/06 2:35:00 PM
Bromoform	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Benzene	ND	1.0		µg/L	1	12/11/06 2:35:00 PM
Trichloroethene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/11/06 2:35:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 2:35:00 PM
Toluene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 2:35:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
2-Hexanone	ND	10		µg/L	1	12/11/06 2:35:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Tetrachloroethene	16	2.0		µg/L	1	12/11/06 2:35:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-25A

**Client Sample ID:** MW 217 S  
**Collection Date:** 11/28/06 5:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
o-Xylene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Styrene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Bromoform	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/11/06 2:35:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Naphthalene	ND	5.0		µg/L	1	12/11/06 2:35:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 2:35:00 PM
Surr: Dibromofluoromethane	101	85-116		%REC	1	12/11/06 2:35:00 PM
Surr: 1,2-Dichloroethane-d4	108	77-127		%REC	1	12/11/06 2:35:00 PM
Surr: Toluene-d8	101	86-114		%REC	1	12/11/06 2:35:00 PM
Surr: 4-Bromofluorobenzene	92.2	79-117		%REC	1	12/11/06 2:35:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-26A

**Client Sample ID:** MW 217 D  
**Collection Date:** 11/28/06 5:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/11/06 3:09:00 PM
Chloromethane	ND	5.0		µg/L	1	12/11/06 3:09:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Chloroethane	ND	5.0		µg/L	1	12/11/06 3:09:00 PM
Bromomethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Trichlorofluoromethane	2.5	2.0		µg/L	1	12/11/06 3:09:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/11/06 3:09:00 PM
Acetone	ND	10		µg/L	1	12/11/06 3:09:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/11/06 3:09:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/11/06 3:09:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
2-Butanone	ND	10		µg/L	1	12/11/06 3:09:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
cis-1,2-Dichloroethene	37	2.0		µg/L	1	12/11/06 3:09:00 PM
Chloroform	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/11/06 3:09:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Benzene	ND	1.0		µg/L	1	12/11/06 3:09:00 PM
Trichloroethene	71	2.0		µg/L	1	12/11/06 3:09:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/11/06 3:09:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 3:09:00 PM
Toluene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 3:09:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
2-Hexanone	ND	10		µg/L	1	12/11/06 3:09:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM

**AMRO Environmental Laboratories Corp.**
**Date: 13-Dec-06**

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-26A

**Client Sample ID:** MW 217 D  
**Collection Date:** 11/28/06 5:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
o-Xylene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Styrene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Bromoform	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/11/06 3:09:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Naphthalene	ND	5.0		µg/L	1	12/11/06 3:09:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:09:00 PM
Surr: Dibromofluoromethane	106	85-116	%REC		1	12/11/06 3:09:00 PM
Surr: 1,2-Dichloroethane-d4	114	77-127	%REC		1	12/11/06 3:09:00 PM
Surr: Toluene-d8	102	86-114	%REC		1	12/11/06 3:09:00 PM
Surr: 4-Bromofluorobenzene	91.3	79-117	%REC		1	12/11/06 3:09:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-27A

**Client Sample ID:** MW 116 S  
**Collection Date:** 11/28/06 9:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/11/06 3:44:00 PM
Chloromethane	ND	5.0		µg/L	1	12/11/06 3:44:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Chloroethane	ND	5.0		µg/L	1	12/11/06 3:44:00 PM
Bromomethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/11/06 3:44:00 PM
Acetone	ND	10		µg/L	1	12/11/06 3:44:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/11/06 3:44:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/11/06 3:44:00 PM
Methyl tert-butyl ether	6.2	2.0		µg/L	1	12/11/06 3:44:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
2-Butanone	ND	10		µg/L	1	12/11/06 3:44:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Chloroform	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/11/06 3:44:00 PM
Bromochloromethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Benzene	ND	1.0		µg/L	1	12/11/06 3:44:00 PM
Trichloroethene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/11/06 3:44:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 3:44:00 PM
Toluene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 3:44:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
2-Hexanone	ND	10		µg/L	1	12/11/06 3:44:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM

# AMRO Environmental Laboratories Corp.

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-27A

**Client Sample ID:** MW 116 S  
**Collection Date:** 11/28/06 9:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
o-Xylene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Styrene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Bromoform	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/11/06 3:44:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Naphthalene	ND	5.0		µg/L	1	12/11/06 3:44:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 3:44:00 PM
Surr: Dibromofluoromethane	101	85-116		%REC	1	12/11/06 3:44:00 PM
Surr: 1,2-Dichloroethane-d4	109	77-127		%REC	1	12/11/06 3:44:00 PM
Surr: Toluene-d8	102	86-114		%REC	1	12/11/06 3:44:00 PM
Surr: 4-Bromofluorobenzene	89.6	79-117		%REC	1	12/11/06 3:44:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-28A

**Client Sample ID:** MW 116 D  
**Collection Date:** 11/28/06 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/11/06 4:18:00 PM
Chloromethane	ND	5.0		µg/L	1	12/11/06 4:18:00 PM
Vinyl chloride	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Chloroethane	ND	5.0		µg/L	1	12/11/06 4:18:00 PM
Bromomethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Diethyl ether	ND	5.0		µg/L	1	12/11/06 4:18:00 PM
Acetone	ND	10		µg/L	1	12/11/06 4:18:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/11/06 4:18:00 PM
Carbon disulfide	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Methylene chloride	ND	5.0		µg/L	1	12/11/06 4:18:00 PM
Methyl tert-butyl ether	2.8	2.0		µg/L	1	12/11/06 4:18:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
2-Butanone	ND	10		µg/L	1	12/11/06 4:18:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Chloroform	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Tetrahydrofuran	ND	10		µg/L	1	12/11/06 4:18:00 PM
Bromoform	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Benzene	ND	1.0		µg/L	1	12/11/06 4:18:00 PM
Trichloroethene	2.7	2.0		µg/L	1	12/11/06 4:18:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Dibromomethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/11/06 4:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 4:18:00 PM
Toluene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/11/06 4:18:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
2-Hexanone	ND	10		µg/L	1	12/11/06 4:18:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-28A

**Client Sample ID:** MW 116 D  
**Collection Date:** 11/28/06 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Ethylbenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
m,p-Xylene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
o-Xylene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Styrene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Bromoform	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Bromobenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/11/06 4:18:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Naphthalene	ND	5.0		µg/L	1	12/11/06 4:18:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/11/06 4:18:00 PM
Surr: Dibromofluoromethane	101	85-116		%REC	1	12/11/06 4:18:00 PM
Surr: 1,2-Dichloroethane-d4	110	77-127		%REC	1	12/11/06 4:18:00 PM
Surr: Toluene-d8	99.8	86-114		%REC	1	12/11/06 4:18:00 PM
Surr: 4-Bromofluorobenzene	93.7	79-117		%REC	1	12/11/06 4:18:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-29A

**Client Sample ID:** Trip Blank  
**Collection Date:** 11/28/06 5:30:00 PM  
**Matrix:** TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: KT
Dichlorodifluoromethane	ND	5.0		µg/L	1	12/7/06 10:52:00 AM
Chloromethane	ND	5.0		µg/L	1	12/7/06 10:52:00 AM
Vinyl chloride	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Chloroethane	ND	5.0		µg/L	1	12/7/06 10:52:00 AM
Bromomethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Trichlorofluoromethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Diethyl ether	ND	5.0		µg/L	1	12/7/06 10:52:00 AM
Acetone	ND	10		µg/L	1	12/7/06 10:52:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/7/06 10:52:00 AM
Carbon disulfide	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Methylene chloride	ND	5.0		µg/L	1	12/7/06 10:52:00 AM
Methyl tert-butyl ether	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,1-Dichloroethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
2-Butanone	ND	10		µg/L	1	12/7/06 10:52:00 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Chloroform	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Tetrahydrofuran	ND	10		µg/L	1	12/7/06 10:52:00 AM
Bromochloromethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,1-Dichloropropene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Carbon tetrachloride	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,2-Dichloroethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Benzene	ND	1.0		µg/L	1	12/7/06 10:52:00 AM
Trichloroethene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,2-Dichloropropane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Bromodichloromethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Dibromomethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/7/06 10:52:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/7/06 10:52:00 AM
Toluene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/7/06 10:52:00 AM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,2-Dibromoethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
2-Hexanone	ND	10		µg/L	1	12/7/06 10:52:00 AM
1,3-Dichloropropane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Tetrachloroethene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Dibromochloromethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM

# AMRO Environmental Laboratories Corp.

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham  
**Lab ID:** 0611162-29A

**Client Sample ID:** Trip Blank  
**Collection Date:** 11/28/06 5:30:00 PM  
**Matrix:** TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Ethylbenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
m,p-Xylene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
o-Xylene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Styrene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Bromoform	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Isopropylbenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Bromobenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
n-Propylbenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
2-Chlorotoluene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
4-Chlorotoluene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
tert-Butylbenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
sec-Butylbenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
4-Isopropyltoluene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
n-Butylbenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	12/7/06 10:52:00 AM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Hexachlorobutadiene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Naphthalene	ND	5.0		µg/L	1	12/7/06 10:52:00 AM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	12/7/06 10:52:00 AM
Surr: Dibromofluoromethane	107	85-116		%REC	1	12/7/06 10:52:00 AM
Surr: 1,2-Dichloroethane-d4	110	77-127		%REC	1	12/7/06 10:52:00 AM
Surr: Toluene-d8	101	86-114		%REC	1	12/7/06 10:52:00 AM
Surr: 4-Bromofluorobenzene	90.8	79-117		%REC	1	12/7/06 10:52:00 AM

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Sample ID: mb-12/01/06	Batch ID: R35067	Test Code: SW8260B	Units: $\mu\text{g/L}$	Analysis Date: 12/1/2006 10:39:00 AM	Prep Date: 12/1/2006
Client ID:	Run ID:	V-3_061201A	SeqNo:	Original Sample	
Analyte	QC Sample	QC Spike	Original Sample	LowLimit	HighLimit
	Result	RL	Amount	%REC	RRD Limit
Dichlorodifluoromethane	ND	5.0	$\mu\text{g/L}$		
Chloromethane	ND	5.0	$\mu\text{g/L}$		
Vinyl chloride	ND	2.0	$\mu\text{g/L}$		
Chloroethane	ND	5.0	$\mu\text{g/L}$		
Bromomethane	ND	2.0	$\mu\text{g/L}$		
Trichlorofluoromethane	ND	2.0	$\mu\text{g/L}$		
Diethyl ether	ND	5.0	$\mu\text{g/L}$		
Acetone	ND	10	$\mu\text{g/L}$		
1,1-Dichloroethene	ND	1.0	$\mu\text{g/L}$		
Carbon disulfide	ND	2.0	$\mu\text{g/L}$		
Methylene chloride	ND	5.0	$\mu\text{g/L}$		
Methyl tert-butyl ether	ND	2.0	$\mu\text{g/L}$		
trans-1,2-Dichloroethene	ND	2.0	$\mu\text{g/L}$		
1,1-Dichloroethane	ND	2.0	$\mu\text{g/L}$		
2-Butanone	ND	10	$\mu\text{g/L}$		
2,2-Dichloropropane	ND	2.0	$\mu\text{g/L}$		
cis-1,2-Dichloroethene	ND	2.0	$\mu\text{g/L}$		
Chloroform	ND	2.0	$\mu\text{g/L}$		
Tetrahydrofuran	ND	10	$\mu\text{g/L}$		
Bromo-chloromethane	ND	2.0	$\mu\text{g/L}$		
1,1,1-Trichloroethane	ND	2.0	$\mu\text{g/L}$		
1,1-Dichloropropene	ND	2.0	$\mu\text{g/L}$		
Carbon tetrachloride	ND	2.0	$\mu\text{g/L}$		
1,2-Dichloroethane	ND	2.0	$\mu\text{g/L}$		
Benzene	ND	1.0	$\mu\text{g/L}$		

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

		$\mu\text{g/L}$
Trichloroethene	ND	2.0
1,2-Dichloropropane	ND	2.0
Bromodichloromethane	ND	2.0
Dibromoethane	ND	2.0
4-Methyl-2-pentanone	ND	10
cis-1,3-Dichloropropene	ND	1.0
Toluene	ND	2.0
trans-1,3-Dichloropropene	ND	1.0
1,1,2-Trichloroethane	ND	2.0
1,2-Dibromoethane	ND	2.0
2-Hexanone	ND	10
1,3-Dichloropropane	ND	2.0
Tetrachloroethene	ND	2.0
Dibromochloromethane	ND	2.0
Chlorobenzene	ND	2.0
1,1,1,2-Tetrachloroethane	ND	2.0
Ethylbenzene	ND	2.0
m,p-Xylene	ND	2.0
o-Xylene	ND	2.0
Styrene	ND	2.0
Bromoform	ND	2.0
Isopropylbenzene	ND	2.0
1,1,2,2-Tetrachloroethane	ND	2.0
1,2,3-Trichloropropane	ND	2.0
Bromobenzene	ND	2.0
n-Propylbenzene	ND	2.0
2-Chlorotoluene	ND	2.0
4-Chlorotoluene	ND	2.0
1,3,5-Trimethylbenzene	ND	2.0
tert-Butylbenzene	ND	2.0
1,2,4-Trimethylbenzene	ND	2.0

**Qualifiers:** ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

				µg/L
sec-Butylbenzene	ND	2.0		
4-Isopropyltoluene	ND	2.0		
1,3-Dichlorobenzene	ND	2.0		
1,4-Dichlorobenzene	ND	2.0		
n-Butylbenzene	ND	2.0		
1,2-Dichlorobenzene	ND	2.0		
1,2-Dibromo-3-chloropropane	ND	5.0		
1,2,4-Trichlorobenzene	ND	2.0		
Hexachlorobutadiene	ND	2.0		
Naphthalene	ND	5.0		
1,2,3-Trichlorobenzene	ND	2.0		
Surr: Dibromofluoromethane	23.18	2.0		
Surr: 1,2-Dichloroethane-d4	22.33	2.0		
Surr: Toluene-d8	24.47	2.0		
Surr: 4-Bromofluorobenzene	21.83	2.0		

**Qualifiers:** ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**S** - Spike Recovery outside accepted recovery limits

**R** - RPD outside accepted recovery limits

**B** - Analyte detected in the associated Method Blank

**NA** - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
 Client: SHAW E & I, Inc.  
 Work Order: 0611162  
 Project: 101960-06000000 Textron Gorham

Method Blank

Analyte	QC Sample Result	QC Amount	QC Spike Result	Original Sample Result	%REC	LowLimit	HighLimit	or MS Result	%RPD	RPDLimit	Qu
Dichlorodifluoromethane	ND	5.0	5.0	5.0	100						
Chloromethane	ND	5.0	5.0	5.0	100						
Vinyl chloride	ND	2.0	2.0	2.0	100						
Chloroethane	ND	5.0	5.0	5.0	100						
Bromomethane	ND	2.0	2.0	2.0	100						
Trichlorofluoromethane	ND	2.0	2.0	2.0	100						
Diethyl ether	ND	5.0	5.0	5.0	100						
Acetone	ND	10	10	10	100						
1,1-Dichloroethene	ND	1.0	1.0	1.0	100						
Carbon disulfide	ND	2.0	2.0	2.0	100						
Methylene chloride	ND	5.0	5.0	5.0	100						
Methyl tert-butyl ether	ND	2.0	2.0	2.0	100						
trans-1,2-Dichlorethene	ND	2.0	2.0	2.0	100						
1,1-Dichloroethane	ND	2.0	2.0	2.0	100						
2-Butanone	ND	10	10	10	100						
2,2-Dichloropropane	ND	2.0	2.0	2.0	100						
cis-1,2-Dichloroethene	ND	2.0	2.0	2.0	100						
Chloroform	ND	2.0	2.0	2.0	100						
Tetrahydrofuran	ND	10	10	10	100						
Bromochloromethane	ND	2.0	2.0	2.0	100						
1,1,1-Trichloroethane	ND	2.0	2.0	2.0	100						
1,1-Dichloropropene	ND	2.0	2.0	2.0	100						
Carbon tetrachloride	ND	2.0	2.0	2.0	100						
1,2-Dichloroethane	ND	2.0	2.0	2.0	100						
Benzene	ND	1.0	1.0	1.0	100						

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Trichloroethene	ND	2.0	µg/L		
1,2-Dichloropropane	ND	2.0	µg/L		
Bromodichloromethane	ND	2.0	µg/L		
Dibromomethane	ND	2.0	µg/L		
4-Methyl-2-pentanone	ND	10	µg/L		
cis-1,3-Dichloropropene	ND	1.0	µg/L		
Toluene	ND	2.0	µg/L		
trans-1,3-Dichloropropene	ND	1.0	µg/L		
1,1,2-Trichloroethane	ND	2.0	µg/L		
1,2-Dibromoethane	ND	2.0	µg/L		
2-Hexanone	ND	10	µg/L		
1,3-Dichloropropane	ND	2.0	µg/L		
Tetrachloroethene	ND	2.0	µg/L		
Dibromochloromethane	ND	2.0	µg/L		
Chlorobenzene	ND	2.0	µg/L		
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L		
Ethylbenzene	ND	2.0	µg/L		
m,p-Xylene	ND	2.0	µg/L		
o-Xylene	ND	2.0	µg/L		
Styrene	ND	2.0	µg/L		
Bromoform	ND	2.0	µg/L		
Isopropylbenzene	ND	2.0	µg/L		
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L		
1,2,3-Trichloropropane	ND	2.0	µg/L		
Bromobenzene	ND	2.0	µg/L		
n-Propylbenzene	ND	2.0	µg/L		
2-Chlorotoluene	ND	2.0	µg/L		
4-Chlorotoluene	ND	2.0	µg/L		
1,3,5-Trimethylbenzene	ND	2.0	µg/L		
tert-Butylbenzene	ND	2.0	µg/L		
1,2,4-Trimethylbenzene	ND	2.0	µg/L		

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

**QC SUMMARY REPORT**  
**Method Blank**

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

	ND	2.0	µg/L
sec-Butylbenzene	ND	2.0	µg/L
4-Isopropyltoluene	ND	2.0	µg/L
1,3-Dichlorobenzene	ND	2.0	µg/L
1,4-Dichlorobenzene	ND	2.0	µg/L
n-Butylbenzene	ND	2.0	µg/L
1,2-Dichlorobenzene	ND	2.0	µg/L
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L
1,2,4-Trichlorobenzene	ND	2.0	µg/L
Hexachlorobutadiene	ND	2.0	µg/L
Naphthalene	ND	5.0	µg/L
1,2,3-Trichlorobenzene	ND	2.0	µg/L
Surr: Dibromofluoromethane	22.76	2.0	µg/L
Surr: 1,2-Dichloroethane-d4	22.82	2.0	µg/L
Surr: Toluene-d8	25.55	2.0	µg/L
Surr: 4-Bromofluorobenzene	22.91	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
R - RPD outside accepted recovery limits  
NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
**Method Blank**

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-060000000 Textron Gorham

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qualifier	Analysis Date 12/5/2006 10:00:00 AM		Prep Date: 12/5/2006			
													SeqNo:	580514	Run ID:	V-3_061205A	Test Code:	SW8260B
Dichlorodifluoromethane	ND	5.0	µg/L															
Chloromethane	ND	5.0	µg/L															
Vinyl chloride	ND	2.0	µg/L															
Chloroethane	ND	5.0	µg/L															
Bromomethane	ND	2.0	µg/L															
Trichlorofluoromethane	ND	2.0	µg/L															
Diethyl ether	ND	5.0	µg/L															
Acetone	ND	10	µg/L															
1,1-Dichloroethene	ND	1.0	µg/L															
Carbon disulfide	ND	2.0	µg/L															
Methylene chloride	ND	5.0	µg/L															
Methyl tert-butyl ether	ND	2.0	µg/L															
trans-1,2-Dichlorethane	ND	2.0	µg/L															
1,1-Dichloroethane	ND	2.0	µg/L															
2-Butanone	ND	10	µg/L															
2,2-Dichloropropane	ND	2.0	µg/L															
cis-1,2-Dichloroethene	ND	2.0	µg/L															
Chloroform	ND	2.0	µg/L															
Tetrahydrofuran	ND	10	µg/L															
Bromochloromethane	ND	2.0	µg/L															
1,1,1-Trichloroethane	ND	2.0	µg/L															
1,1-Dichloropropene	ND	2.0	µg/L															
Carbon tetrachloride	ND	2.0	µg/L															
1,2-Dichloroethane	ND	2.0	µg/L															
Benzene	ND	1.0	µg/L															

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Trichloroethene	ND	2.0	µg/L	
1,2-Dichloropropane	ND	2.0	µg/L	
Bromodichloromethane	ND	2.0	µg/L	
Dibromoethane	ND	2.0	µg/L	
4-Methyl-2-pentanone	ND	10	µg/L	
cis-1,3-Dichloropropene	ND	1.0	µg/L	
Toluene	ND	2.0	µg/L	
trans-1,3-Dichloropropene	ND	1.0	µg/L	
1,1,2-Trichloroethane	ND	2.0	µg/L	
1,2-Dibromoethane	ND	2.0	µg/L	
2-Hexanone	ND	10	µg/L	
1,3-Dichloropropane	ND	2.0	µg/L	
Tetrachloroethene	ND	2.0	µg/L	
Dibromochloromethane	ND	2.0	µg/L	
Chlorobenzene	ND	2.0	µg/L	
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L	
Ethylbenzene	ND	2.0	µg/L	
m,p-Xylene	ND	2.0	µg/L	
o-Xylene	ND	2.0	µg/L	
Styrene	ND	2.0	µg/L	
Bromoform	ND	2.0	µg/L	
Isopropylbenzene	ND	2.0	µg/L	
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	
1,2,3-Trichloropropane	ND	2.0	µg/L	
Bromobenzene	ND	2.0	µg/L	
n-Propylbenzene	ND	2.0	µg/L	
2-Chlorotoluene	ND	2.0	µg/L	
4-Chlorotoluene	ND	2.0	µg/L	
1,3,5-Trimethylbenzene	ND	2.0	µg/L	
tert-Butylbenzene	ND	2.0	µg/L	
1,2,4-Trimethylbenzene	ND	2.0	µg/L	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R.L. - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

				µg/L
sec-Butylbenzene	ND	2.0		µg/L
4-Isopropyltoluene	ND	2.0		µg/L
1,3-Dichlorobenzene	ND	2.0		µg/L
1,4-Dichlorobenzene	ND	2.0		µg/L
n-Butylbenzene	ND	2.0		µg/L
1,2-Dichlorobenzene	ND	2.0		µg/L
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L
1,2,4-Trichlorobenzene	ND	2.0		µg/L
Hexachlorobutadiene	ND	2.0		µg/L
Naphthalene	ND	5.0		µg/L
1,2,3-Trichlorobenzene	ND	2.0		µg/L
Surr: Dibromofluoromethane	26.12	2.0		µg/L
Surr: 1,2-Dichloroethane-d4	27.03	2.0		µg/L
Surr: Toluene-d8	25.78	2.0		µg/L
Surr: 4-Bromofluorobenzene	23.54	2.0		µg/L

**Qualifiers:** ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**S - Spike Recovery outside accepted recovery limits**

R - RPD outside accepted recovery limits

**B - Analyte detected in the associated Method Blank**

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Sample ID: mb-12/07/06	Batch ID: R35114	Test Code: SWB260B	Units: $\mu\text{g/L}$	Analysis Date: 12/7/2006 9:44:00 AM	Prep Date: 12/7/2006								
Client ID:		Run ID: V-3_061207A		SeqNo: 588512									
Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	ND	5.0	$\mu\text{g/L}$										
Chloromethane	ND	5.0	$\mu\text{g/L}$										
Vinyl chloride	ND	2.0	$\mu\text{g/L}$										
Chloroethane	ND	5.0	$\mu\text{g/L}$										
Bromomethane	ND	2.0	$\mu\text{g/L}$										
Trichlorofluoromethane	ND	2.0	$\mu\text{g/L}$										
Diethyl ether	ND	5.0	$\mu\text{g/L}$										
Acetone	ND	10	$\mu\text{g/L}$										
1,1-Dichloroethene	ND	1.0	$\mu\text{g/L}$										
Carbon disulfide	ND	2.0	$\mu\text{g/L}$										
Methylene chloride	ND	5.0	$\mu\text{g/L}$										
Methyl tert-butyl ether	ND	2.0	$\mu\text{g/L}$										
trans-1,2-Dichloroethene	ND	2.0	$\mu\text{g/L}$										
1,1-Dichloroethane	ND	2.0	$\mu\text{g/L}$										
2-Butanone	ND	10	$\mu\text{g/L}$										
2,2-Dichloropropane	ND	2.0	$\mu\text{g/L}$										
cis-1,2-Dichloroethene	ND	2.0	$\mu\text{g/L}$										
Chloroform	ND	2.0	$\mu\text{g/L}$										
Tetrahydrofuran	ND	10	$\mu\text{g/L}$										
Bromoform	ND	2.0	$\mu\text{g/L}$										
1,1,1-Trichloroethane	ND	2.0	$\mu\text{g/L}$										
1,1-Dichloropropene	ND	2.0	$\mu\text{g/L}$										
Carbon tetrachloride	ND	2.0	$\mu\text{g/L}$										
1,2-Dichloroethane	ND	2.0	$\mu\text{g/L}$										
Benzene	ND	1.0	$\mu\text{g/L}$										

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R.L - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Project: 101960-06000000 Textron Gorham

Method Blank

		ND	2.0	$\mu\text{g/L}$
Trichloroethene		ND	2.0	$\mu\text{g/L}$
1,2-Dichloropropane		ND	2.0	$\mu\text{g/L}$
Bromodichloromethane		ND	2.0	$\mu\text{g/L}$
Dibromomethane		ND	2.0	$\mu\text{g/L}$
4-Methyl-2-pentanone		ND	10	$\mu\text{g/L}$
cis-1,3-Dichloropropene		ND	1.0	$\mu\text{g/L}$
Toluene		ND	2.0	$\mu\text{g/L}$
trans-1,3-Dichloropropene		ND	1.0	$\mu\text{g/L}$
1,1,2-Trichloroethane		ND	2.0	$\mu\text{g/L}$
1,2-Dibromoethane		ND	2.0	$\mu\text{g/L}$
2-Hexanone		ND	10	$\mu\text{g/L}$
1,3-Dichloropropane		ND	2.0	$\mu\text{g/L}$
Tetrachloroethene		ND	2.0	$\mu\text{g/L}$
Dibromo-chloromethane		ND	2.0	$\mu\text{g/L}$
Chlorobenzene		ND	2.0	$\mu\text{g/L}$
1,1,1,2-Tetrachloroethane		ND	2.0	$\mu\text{g/L}$
Ethylbenzene		ND	2.0	$\mu\text{g/L}$
m,p-Xylene		ND	2.0	$\mu\text{g/L}$
o-Xylene		ND	2.0	$\mu\text{g/L}$
Styrene		ND	2.0	$\mu\text{g/L}$
Bromoform		ND	2.0	$\mu\text{g/L}$
Isopropylbenzene		ND	2.0	$\mu\text{g/L}$
1,1,2,2-Tetrachloroethane		ND	2.0	$\mu\text{g/L}$
1,2,3-Trichloropropane		ND	2.0	$\mu\text{g/L}$
Bromobenzene		ND	2.0	$\mu\text{g/L}$
n-Propylbenzene		ND	2.0	$\mu\text{g/L}$
2-Chlorotoluene		ND	2.0	$\mu\text{g/L}$
4-Chlorotoluene		ND	2.0	$\mu\text{g/L}$
1,3,5-Trimethylbenzene		ND	2.0	$\mu\text{g/L}$
tert-Butylbenzene		ND	2.0	$\mu\text{g/L}$
1,2,4-Trimethylbenzene		ND	2.0	$\mu\text{g/L}$

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

		μg/L
sec-Butylbenzene	ND	2.0
4-Isopropyltoluene	ND	2.0
1,3-Dichlorobenzene	ND	2.0
1,4-Dichlorobenzene	ND	2.0
n-Butylbenzene	ND	2.0
1,2-Dichlorobenzene	ND	2.0
1,2-Dibromo-3-chloropropane	ND	5.0
1,2,4-Trichlorobenzene	ND	2.0
Hexachlorbutadiene	ND	2.0
Naphthalene	ND	5.0
1,2,3-Trichlorobenzene	ND	2.0
Sur.: Dibromofluoromethane	25.63	2.0
Sur.: 1,2-Dichloroethane-d4	27.28	2.0
Sur.: Toluene-d8	25.62	2.0
Sur.: 4-Bromofluorobenzene	22.47	2.0
		0
		25
		25
		25
		25
		0
		103
		0
		109
		0
		102
		86
		0
		89.9
		79
		116
		77
		127
		0
		114
		0
		117
		0

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits  
                   J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits  
                   RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank  
                   NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Analyte	QC Sample Result	RL	Units	QC Spike		%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qu
				Original Sample	Amount							
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromo-chloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Trichloroethene	ND	2.0	µg/L		
1,2-Dichloropropane	ND	2.0	µg/L		
Bromodichloromethane	ND	2.0	µg/L		
Dibromoethane	ND	2.0	µg/L		
4-Methyl-2-pentanone	ND	10	µg/L		
dis-1,3-Dichloropropene	ND	1.0	µg/L		
Toluene	ND	2.0	µg/L		
trans-1,3-Dichloropropene	ND	1.0	µg/L		
1,1,2-Trichloroethane	ND	2.0	µg/L		
1,2-Dibromoethane	ND	2.0	µg/L		
2-Hexanone	ND	10	µg/L		
1,3-Dichloropropane	ND	2.0	µg/L		
Tetrachloroethene	ND	2.0	µg/L		
Dibromochloromethane	ND	2.0	µg/L		
Chlorobenzene	ND	2.0	µg/L		
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L		
Ethylbenzene	ND	2.0	µg/L		
m,p-Xylene	ND	2.0	µg/L		
o-Xylene	ND	2.0	µg/L		
Styrene	ND	2.0	µg/L		
Bromoform	ND	2.0	µg/L		
Isopropylbenzene	ND	2.0	µg/L		
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L		
1,2,3-Trichloropropane	ND	2.0	µg/L		
Bromobenzene	ND	2.0	µg/L		
n-Propylbenzene	ND	2.0	µg/L		
2-Chlorotoluene	ND	2.0	µg/L		
4-Chlorotoluene	ND	2.0	µg/L		
1,3,5-Trimethylbenzene	ND	2.0	µg/L		
tert-Butylbenzene	ND	2.0	µg/L		
1,2,4-Trimethylbenzene	ND	2.0	µg/L		

**Qualifiers:** ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

<b>QC SUMMARY REPORT</b>		
<b>CLIENT:</b>	SHAW E & I, Inc.	
<b>Work Order:</b>	0611162	
<b>Project:</b>	101960-06000000 Textron Gorham	

		<b>Method Blank</b>
sec-Butylbenzene	ND	2.0
4-Isopropyltoluene	ND	2.0
1,3-Dichlorobenzene	ND	2.0
1,4-Dichlorobenzene	ND	2.0
n-Butylbenzene	ND	2.0
1,2-Dichlorobenzene	ND	2.0
1,2-Dibromo-3-chloropropane	ND	5.0
1,2,4-Trichlorobenzene	ND	2.0
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	5.0
1,2,3-Trichlorobenzene	ND	2.0
Surr: Dibromofluoromethane	24.7	2.0
Surr: 1,2-Dichloroethane-d4	25.21	2.0
Surr: Toluene-d8	24.77	2.0
Surr: 4-Bromofluorobenzene	22.17	2.0

<b>Qualifiers:</b>	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	NA - Not applicable where J values or ND results occur	RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
		B - Analyte detected in the associated Method Blank

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
**Method Blank**

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Analyte	Result	RL	Units	QC Sample			% REC	Result	% REC	LowLimit	HighLimit	Original Sample	or MS Result	% RPD	RPD Limit	Qu
				QC Spike	Original Sample	Amount										
Dichlorodifluoromethane	ND	5.0	µg/L													
Chloromethane	ND	5.0	µg/L													
Vinyl chloride	ND	2.0	µg/L													
Chloroethane	ND	5.0	µg/L													
Bromomethane	ND	2.0	µg/L													
Trichlorofluoromethane	ND	2.0	µg/L													
Diethyl ether	ND	5.0	µg/L													
Acetone	ND	10	µg/L													
1,1-Dichloroethene	ND	1.0	µg/L													
Carbon disulfide	ND	2.0	µg/L													
Methylene chloride	ND	5.0	µg/L													
Methyl tert-butyl ether	ND	2.0	µg/L													
trans-1,2-Dichloroethene	ND	2.0	µg/L													
1,1-Dichloroethane	ND	2.0	µg/L													
2-Butanone	ND	10	µg/L													
2,2-Dichloropropane	ND	2.0	µg/L													
cis-1,2-Dichloroethene	ND	2.0	µg/L													
Chloroform	ND	2.0	µg/L													
Tetrahydrofuran	ND	10	µg/L													
Bromo-chloromethane	ND	2.0	µg/L													
1,1,1-Trichloroethane	ND	2.0	µg/L													
1,1-Dichloropropene	ND	2.0	µg/L													
Carbon tetrachloride	ND	2.0	µg/L													
1,2-Dichloroethane	ND	2.0	µg/L													
Benzene	ND	1.0	µg/L													

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

I - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where I values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

	Method Blank	μg/L
sec-Butylbenzene	ND	2.0
4-Isopropyltoluene	ND	2.0
1,3-Dichlorobenzene	ND	2.0
1,4-Dichlorobenzene	ND	2.0
n-Butylbenzene	ND	2.0
1,2-Dichlorobenzene	ND	2.0
1,2-Dibromo-3-chloropropane	ND	5.0
1,2,4-Trichlorobenzene	ND	2.0
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	5.0
1,2,3-Trichlorobenzene	ND	2.0
Surr: Dibromofluoromethane	24.58	2.0
Surr: 1,2-Dichlorethane-d4	26.39	2.0
Surr: Toluene-d8	25.31	2.0
Surr: 4-Bromofluorobenzene	22.65	2.0

**Qualifiers:** ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**S** - Spike Recovery outside accepted recovery limits

**R** - RPD outside accepted recovery limits

**B** - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Sample ID: mb-12/11/06 Batch ID: R3548 Test Code: SW8260B Units:  $\mu\text{g/L}$  Analysis Date: 12/11/2006 1:27:00 PM Prep Date: 12/11/2006

Client ID: Run ID: V-3\_061211A QC Spike Amount Original Sample Result %REC LowLimit HighLimit %RPD RPD Limit Qua

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	%RPD	RPD Limit	Qua
Dichlorodifluoromethane	ND	5.0	$\mu\text{g/L}$								
Chloromethane	ND	5.0	$\mu\text{g/L}$								
Vinyl chloride	ND	2.0	$\mu\text{g/L}$								
Chloroethane	ND	5.0	$\mu\text{g/L}$								
Bromomethane	ND	2.0	$\mu\text{g/L}$								
Trichlorofluoromethane	ND	2.0	$\mu\text{g/L}$								
Diethyl ether	ND	5.0	$\mu\text{g/L}$								
Acetone	ND	10	$\mu\text{g/L}$								
1,1-Dichloroethene	ND	1.0	$\mu\text{g/L}$								
Carbon disulfide	ND	2.0	$\mu\text{g/L}$								
Methylene chloride	ND	5.0	$\mu\text{g/L}$								
Methyl tert-butyl ether	ND	2.0	$\mu\text{g/L}$								
trans-1,2-Dichloroethene	ND	2.0	$\mu\text{g/L}$								
1,1-Dichloroethane	ND	2.0	$\mu\text{g/L}$								
2-Butanone	ND	10	$\mu\text{g/L}$								
2,2-Dichloropropane	ND	2.0	$\mu\text{g/L}$								
cis-1,2-Dichloroethene	ND	2.0	$\mu\text{g/L}$								
Chloroform	ND	2.0	$\mu\text{g/L}$								
Tetrahydrofuran	ND	10	$\mu\text{g/L}$								
Bromoform	ND	2.0	$\mu\text{g/L}$								
1,1,1-Trichloroethane	ND	2.0	$\mu\text{g/L}$								
1,1-Dichloropropene	ND	2.0	$\mu\text{g/L}$								
Carbon tetrachloride	ND	2.0	$\mu\text{g/L}$								
1,2-Dichloroethane	ND	2.0	$\mu\text{g/L}$								
Benzene	ND	1.0	$\mu\text{g/L}$								

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

		μg/L
Trichloroethene	ND	2.0
1,2-Dichloropropane	ND	2.0
Bromodichloromethane	ND	2.0
Dibromomethane	ND	2.0
4-Methyl-2-pentanone	ND	10
cis-1,3-Dichloropropene	ND	1.0
Toluene	ND	2.0
trans-1,3-Dichloropropene	ND	1.0
1,1,2-Trichloroethane	ND	2.0
1,2-Dibromoethane	ND	2.0
2-Hexanone	ND	10
1,3-Dichloropropane	ND	2.0
Tetrachloroethene	ND	2.0
Dibromochloromethane	ND	2.0
Chlorobenzene	ND	2.0
1,1,1,2-Tetrachloroethane	ND	2.0
Ethylbenzene	ND	2.0
m,p-Xylene	ND	2.0
o-Xylene	ND	2.0
Styrene	ND	2.0
Bromoform	ND	2.0
Isopropylbenzene	ND	2.0
1,1,2,2-Tetrachloroethane	ND	2.0
1,2,3-Trichloropropane	ND	2.0
Bromobenzene	ND	2.0
n-Propylbenzene	ND	2.0
2-Chlorotoluene	ND	2.0
4-Chlorotoluene	ND	2.0
1,3,5-Trimethylbenzene	ND	2.0
tert-Butylbenzene	ND	2.0
1,2,4-Trimethylbenzene	ND	2.0

100

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

QC SUMMARY REPORT		
CLIENT:	SHAW E & I, Inc.	
Work Order:	0611162	
Project:	101960-06000000 Textron Gorham	

		Method Blank	
sec-Butylbenzene	ND	2.0	µg/L
4-Iso propyltoluene	ND	2.0	µg/L
1,3-Dichlorobenzene	ND	2.0	µg/L
1,4-Dichlorobenzene	ND	2.0	µg/L
n-Butylbenzene	ND	2.0	µg/L
1,2-Dichlorobenzene	ND	2.0	µg/L
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L
1,2,4-Trichlorobenzene	ND	2.0	µg/L
Hexachlorobutadiene	ND	2.0	µg/L
Naphthalene	ND	5.0	µg/L
1,2,3-Trichlorobenzene	ND	2.0	µg/L
Surf: Dibromofluoromethane	26.36	2.0	µg/L
Surf: 1,2-Dichloroethane-d4	29.96	2.0	µg/L
Surf: Toluene-d8	25.97	2.0	µg/L
Surf: 4-Bromofluorobenzene	23.18	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 18-Dec-06

<b>QC SUMMARY REPORT</b>	
Method Blank	

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Sample ID: mb-12/15/06	Batch ID: R35221	Test Code: SW8260B	Units: µg/L	Analysis Date 12/15/2006 1:26:00 PM	Prep Date: 12/15/2006							
Client ID:	Run ID:	V-1_061215A	SeqNo: 581929	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample	%RRD	RPDLimit	Qual
Analyte	QC Sample Result	RL	Units	QC Amount	Original Sample Result	%REC	LowLimit	HighLimit	or iMS Result	%RRD	RPDLimit	Qual
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromo-chloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 18-Dec-06

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 18-Dec-06

<b>QC SUMMARY REPORT</b>		
CLIENT:	SHAW E & I, Inc.	
Work Order:	0611162	
Project:	101960-06000000 Textron Gorham	
<b>Method Blank</b>		

sec-Butylbenzene	ND	2.0	µg/L
4-Isopropyltoluene	ND	2.0	µg/L
1,3-Dichlorobenzene	ND	2.0	µg/L
1,4-Dichlorobenzene	ND	2.0	µg/L
n-Butylbenzene	ND	2.0	µg/L
1,2-Dichlorobenzene	ND	2.0	µg/L
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L
1,2,4-Trichlorobenzene	ND	2.0	µg/L
Hexachlorobutadiene	ND	2.0	µg/L
Naphthalene	ND	5.0	µg/L
1,2,3-Trichlorobenzene	ND	2.0	µg/L
Surr: Dibromofluoromethane	26.54	2.0	µg/L
Surr: 1,2-Dichloroethane-d4	26.79	2.0	µg/L
Surr: Toluene-d8	25.34	2.0	µg/L
Surr: 4-Bromofluorobenzene	26.22	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Project: 101960-06000000 Textron Gorham

Laboratory Control Spike - Full List											
Sample ID: Icsf1-12/01/06	Batch ID: R35067	Test Code: SW8260B	Units: µg/L	Analysis Date: 12/1/2006 8:57:00 AM						Prep Date: 12/1/2006	
Client ID:	Run ID:	V-3_061201A	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Analyte	QC Sample Result	RL	Units	Amount	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	14.96	5.0	µg/L	20	0	74.8	10	150	0	0	0
Chloromethane	17.28	5.0	µg/L	20	0	86.4	37	150	0	0	0
Vinyl chloride	19.56	2.0	µg/L	20	0	97.8	48	150	0	0	0
Chloroethane	20.62	5.0	µg/L	20	0	103	54	142	0	0	0
Bromomethane	17.83	2.0	µg/L	20	0	89.2	51	137	0	0	0
Trichlorodifluoromethane	18.41	2.0	µg/L	20	0	92	62	141	0	0	0
Diethyl ether	17.28	5.0	µg/L	20	0	86.4	68	134	0	0	0
Acetone	24.36	10	µg/L	20	0	122	9	150	0	0	0
1,1-Dichloroethene	18.05	1.0	µg/L	20	0	90.2	68	146	0	0	0
Carbon disulfide	15.72	2.0	µg/L	20	0	78.6	52	131	0	0	0
Methylene chloride	18.1	5.0	µg/L	20	0	90.5	67	138	0	0	0
Methyl tert-butyl ether	18.24	2.0	µg/L	20	0	91.2	63	139	0	0	0
trans-1,2-Dichloroethene	18.93	2.0	µg/L	20	0	94.6	81	126	0	0	0
1,1-Dichloroethane	19.35	2.0	µg/L	20	0	96.8	78	124	0	0	0
2-Butanone	26.78	10	µg/L	20	0	134	41	150	0	0	0
2,2-Dichloropropane	22.59	2.0	µg/L	20	0	113	71	150	0	0	0
cis-1,2-Dichloroethene	19.11	2.0	µg/L	20	0	95.6	78	121	0	0	0
Chloroform	20.29	2.0	µg/L	20	0	101	82	123	0	0	0
Tetrahydrofuran	24.8	10	µg/L	20	0	124	51	146	0	0	0
Bromoform	19.23	2.0	µg/L	20	0	96.2	77	131	0	0	0
1,1,1-Trichloroethane	19.38	2.0	µg/L	20	0	96.9	81	127	0	0	0
1,1-Dichloropropene	21.35	2.0	µg/L	20	0	107	76	119	0	0	0
Carbon tetrachloride	19.09	2.0	µg/L	20	0	95.4	76	129	0	0	0
1,2-Dichloroethane	19.32	2.0	µg/L	20	0	96.6	76	127	0	0	0
Benzene	19.59	1.0	µg/L	20	0	98	81	118	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank

N/A - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
**Laboratory Control Spike - Full List**

CLIENT: SHAW E & I, Inc.  
 Work Order: 0611162  
 Project: 101960-06000000 Textron Gotham

	19.79	2.0	µg/L	20	0	99	81	119	0
Trichloroethene	20.97	2.0	µg/L	20	0	105	79	120	0
1,2-Dichloropropane	17.9	2.0	µg/L	20	0	89.5	77	131	0
Bromodichloromethane	19.47	2.0	µg/L	20	0	97.4	76	128	0
Dibromomethane	20.07	10	µg/L	20	0	100	51	141	0
4-Methyl-2-pentanone									
cis-1,3-Dichloropropene	20.76	1.0	µg/L	20	0	104	76	120	0
Toluene	21.66	2.0	µg/L	20	0	108	83	119	0
trans-1,3-Dichloropropene	20.74	1.0	µg/L	20	0	104	66	128	0
1,1,2-Trichloroethane	19.77	2.0	µg/L	20	0	98.8	74	123	0
1,2-Dibromoethane	20.37	2.0	µg/L	20	0	102	72	128	0
2-Hexanone	19.98	10	µg/L	20	0	99.9	31	148	0
1,3-Dichloropropane	19.39	2.0	µg/L	20	0	97	76	122	0
Tetrachloroethene	20.41	2.0	µg/L	20	0	102	81	124	0
Dibromochloromethane	17.23	2.0	µg/L	20	0	86.2	63	126	0
Chlorobenzene	20.08	2.0	µg/L	20	0	100	84	113	0
1,1,1,2-Tetrachloroethane	19.28	2.0	µg/L	20	0	96.4	73	124	0
Ethylbenzene	21.12	2.0	µg/L	20	0	106	83	118	0
m,p-Xylene	43.13	2.0	µg/L	40	0	108	85	116	0
o-Xylene	21.33	2.0	µg/L	20	0	107	84	115	0
Styrene	22.77	2.0	µg/L	20	0	114	81	118	0
Bromoform	17.58	2.0	µg/L	20	0	87.9	55	126	0
Isopropylbenzene	22.68	2.0	µg/L	20	0	113	77	125	0
1,1,2,2-Tetrachloroethane	22.5	2.0	µg/L	20	0	112	62	134	0
1,2,3-Trichloropropane	21.87	2.0	µg/L	20	0	109	62	132	0
Bromobenzene	20.96	2.0	µg/L	20	0	105	78	119	0
n-Propylbenzene	21.08	2.0	µg/L	20	0	105	77	127	0
2-Chlorotoluene	21.42	2.0	µg/L	20	0	107	78	118	0
4-Chlorotoluene	20.96	2.0	µg/L	20	0	105	77	119	0
1,3,5-Trimethylbenzene	21.12	2.0	µg/L	20	0	106	80	120	0
tert-Butylbenzene	20.99	2.0	µg/L	20	0	105	81	120	0
1,2,4-Trimethylbenzene	21.19	2.0	µg/L	20	0	106	80	118	0

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

				µg/L								
sec-Butylbenzene		20.83	2.0		20	0	104	82	123	0		
4-Isopropyltoluene		21.01	2.0	µg/L	20	0	105	80	126	0		
1,3-Dichlorobenzene		19.17	2.0	µg/L	20	0	95.8	84	115	0		
1,4-Dichlorobenzene		20.19	2.0	µg/L	20	0	101	79	117	0		
n-Butylbenzene		21.34	2.0	µg/L	20	0	107	76	128	0		
1,2-Dichlorobenzene		19.49	2.0	µg/L	20	0	97.5	81	117	0		
1,2-Dibromo-3-chloropropane		18.9	5.0	µg/L	20	0	94.5	47	136	0		
1,2,4-Trichlorobenzene		21.17	2.0	µg/L	20	0	106	73	126	0		
Hexachlorobutadiene		17.95	2.0	µg/L	20	0	89.8	77	134	0		
Naphthalene		19.69	5.0	µg/L	20	0	98.4	58	138	0		
1,2,3-Trichlorobenzene		20.06	2.0	µg/L	20	0	100	76	124	0		
Surr: Dibromoformmethane		23.62	2.0	µg/L	25	0	94.5	85	116	0		
Surr: 1,2-Dichloroethane-d4		23.44	2.0	µg/L	25	0	93.8	77	127	0		
Surr: Toluene-d8		25.27	2.0	µg/L	25	0	101	86	114	0		
Surr: 4-Bromofluorobenzene		24.1	2.0	µg/L	25	0	96.4	79	117	0		

**Qualifiers:** ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**S** - Spike Recovery outside accepted recovery limits

**R** - RPD outside accepted recovery limits

**B** - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

Client ID:	Sample ID: Icsf-12/04/06	Batch ID: R35086	Test Code: SW8260B	Units: µg/L	Analysis Date: 12/4/2006 9:58:00 AM	Prep Date: 12/4/2006				
Analyte:	QC Sample Result	Run ID: V-3_061204A	QC Spike Amount	Original Sample Result	LowLimit	HighLimit	Original Sample or MS Result	%RRD	RPDLimit	Qual
Dichlorodifluoromethane	38.97	5.0	µg/L	20	0	170	10	150	0	S
Chloromethane	27.92	5.0	µg/L	20	0	140	37	150	0	
Vinyl chloride	27.58	2.0	µg/L	20	0	138	48	150	0	
Chloroethane	27.14	5.0	µg/L	20	0	136	54	142	0	
Bromomethane	22.79	2.0	µg/L	20	0	114	51	137	0	
Trichlorodifluoromethane	24.08	2.0	µg/L	20	0	120	62	141	0	
Diethyl ether	14.66	5.0	µg/L	20	0	73.3	68	134	0	
Acetone	14.96	10	µg/L	20	0	74.8	9	150	0	
1,1-Dichloroethene	16.31	1.0	µg/L	20	0	81.6	68	146	0	
Carbon disulfide	14.93	2.0	µg/L	20	0	74.7	52	131	0	
Methylene chloride	18.3	5.0	µg/L	20	0	91.5	67	138	0	
Methyl tert-butyl ether	17.35	2.0	µg/L	20	0	86.8	63	139	0	
trans-1,2-Dichloroethene	17.33	2.0	µg/L	20	0	86.7	81	126	0	
1,1-Dichloroethane	18.39	2.0	µg/L	20	0	92	78	124	0	
2-Butanone	17.46	10	µg/L	20	0	87.3	41	150	0	
2,2-Dichloropropane	27.44	2.0	µg/L	20	0	137	71	150	0	
cis-1,2-Dichloroethene	17.75	2.0	µg/L	20	0	88.8	78	121	0	
Chloroform	19.51	2.0	µg/L	20	0	97.6	82	123	0	
Tetrahydrofuran	14.07	10	µg/L	20	0	70.4	51	146	0	
Bromoform	16.68	2.0	µg/L	20	0	83.4	77	131	0	
1,1,1-Trichloroethane	19.54	2.0	µg/L	20	0	97.7	81	127	0	
1,1-Dichloropropene	19.52	2.0	µg/L	20	0	97.6	76	119	0	
Carbon tetrachloride	18.73	2.0	µg/L	20	0	93.6	76	129	0	
1,2-Dichloroethane	17.27	2.0	µg/L	20	0	86.4	76	127	0	
Benzene	17.77	1.0	µg/L	20	0	88.8	81	118	0	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

**QC SUMMARY REPORT**  
 Project: 101960-06000000 Textron Gorham

 CLIENT: SHAW E & I, Inc.  
 Work Order: 0611162  
 Project: 101960-06000000 Textron Gorham

	Laboratory Control Spike - Full List					
Trichloroethene	18.03	2.0	µg/L	20	0	90.2
1,2-Dichloropropane	19.05	2.0	µg/L	20	0	95.2
Bromodichloromethane	16.09	2.0	µg/L	20	0	80.4
Dibromomethane	16.16	2.0	µg/L	20	0	80.8
4-Methyl-2-pentanone	10.97	10	µg/L	20	0	54.8
cis-1,3-Dichloropropene	18.47	1.0	µg/L	20	0	92.4
Toluene	19.34	2.0	µg/L	20	0	96.7
trans-1,3-Dichloropropene	18.08	1.0	µg/L	20	0	90.4
1,1,2-Trichloroethane	15.77	2.0	µg/L	20	0	78.8
1,2-Dibromoethane	16	2.0	µg/L	20	0	80
2-Hexanone	11.7	10	µg/L	20	0	58.5
1,3-Dichloropropane	15.82	2.0	µg/L	20	0	79.1
Tetrachloroethene	19.87	2.0	µg/L	20	0	99.4
Dibromochloromethane	14.32	2.0	µg/L	20	0	71.6
Chlorobenzene	18.12	2.0	µg/L	20	0	90.6
1,1,1,2-Tetrachloroethane	17.27	2.0	µg/L	20	0	86.4
Ethylbenzene	19.47	2.0	µg/L	20	0	97.4
m,p-Xylene	39.45	2.0	µg/L	40	0	98.6
o-Xylene	19.65	2.0	µg/L	20	0	98.2
Styrene	20.63	2.0	µg/L	20	0	103
Bromoform	13.64	2.0	µg/L	20	0	68.2
Isopropylbenzene	21.47	2.0	µg/L	20	0	107
1,1,2,2-Tetrachloroethane	16.12	2.0	µg/L	20	0	80.6
1,2,3-Trichloropropane	15.76	2.0	µg/L	20	0	78.8
Bromobenzene	18.76	2.0	µg/L	20	0	93.8
n-Propylbenzene	19.62	2.0	µg/L	20	0	98.1
2-Chlorotoluene	20.74	2.0	µg/L	20	0	104
4-Chlorotoluene	20.16	2.0	µg/L	20	0	101
1,3,5-Trimethylbenzene	21.23	2.0	µg/L	20	0	106
tert-Butylbenzene	20.97	2.0	µg/L	20	0	105
1,2,4-Trimethylbenzene	21.01	2.0	µg/L	20	0	105

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S : Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B : Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
 Work Order: 0611162  
 Project: 101960-06000000 Textron Gorham

			µg/L						
sec-Butylbenzene	21.52	2.0		20	0	108	82	123	0
4-Isopropyltoluene	21.89	2.0	µg/L	20	0	109	80	126	0
1,3-Dichlorobenzene	18.36	2.0	µg/L	20	0	91.8	84	115	0
1,4-Dichlorobenzene	18.62	2.0	µg/L	20	0	93.1	79	117	0
n-Butylbenzene	22.35	2.0	µg/L	20	0	112	76	128	0
1,2-Dichlorobenzene	18.04	2.0	µg/L	20	0	90.2	81	117	0
1,2-Dibromo-3-chloropropane	14.8	5.0	µg/L	20	0	74	47	136	0
1,2,4-Trichlorobenzene	21.21	2.0	µg/L	20	0	106	73	126	0
Hexachlorobutadiene	18.96	2.0	µg/L	20	0	94.8	77	134	0
Naphthalene	16.32	5.0	µg/L	20	0	81.6	58	138	0
1,2,3-Trichlorobenzene	20.31	2.0	µg/L	20	0	102	76	124	0
Surr: Dibromofluoromethane	25.19	2.0	µg/L	25	0	101	85	116	0
Surr: 1,2-Dichloroethane-d4	24.59	2.0	µg/L	25	0	98.4	77	127	0
Surr: Toluene-d8	25.65	2.0	µg/L	25	0	103	86	114	0
Surr: 4-Bromofluorobenzene	24.04	2.0	µg/L	25	0	96.2	79	117	0

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gotham

Sample ID: Icst-12/05/06	Batch ID: R35102	Test Code: SW8260B	Units: µg/L	Analysis Date: 12/5/2006 8:16:00 AM							
Client ID:	Run ID: V-3_061205A	QC Sample	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPLimit	Qua
Dichlorodifluoromethane	21.34	5.0	µg/L	20	0	107	10	150	0	0	
Chloromethane	27.13	5.0	µg/L	20	0	136	37	150	0	0	
Vinyl chloride	28.05	2.0	µg/L	20	0	140	48	150	0	0	
Chloroethane	26.04	5.0	µg/L	20	0	130	54	142	0	0	
Bromomethane	24.94	2.0	µg/L	20	0	125	51	137	0	0	
Trichlorofluoromethane	21.34	2.0	µg/L	20	0	107	62	141	0	0	
Diethyl ether	16.98	5.0	µg/L	20	0	84.9	68	134	0	0	
Acetone	17.37	10	µg/L	20	0	86.8	9	150	0	0	
1,1-Dichloroethene	18.12	1.0	µg/L	20	0	90.6	68	146	0	0	
Carbon disulfide	16.22	2.0	µg/L	20	0	81.1	52	131	0	0	
Methylene chloride	20.99	5.0	µg/L	20	0	105	67	138	0	0	
Methyl tert-butyl ether	19.12	2.0	µg/L	20	0	95.6	63	139	0	0	
trans-1,2-Dichloroethene	19.43	2.0	µg/L	20	0	97.2	81	126	0	0	
1,1-Dichloroethane	20.63	2.0	µg/L	20	0	103	78	124	0	0	
2-Butanone	14.88	10	µg/L	20	0	74.4	41	150	0	0	
2,2-Dichloropropane	28.75	2.0	µg/L	20	0	144	71	150	0	0	
cis-1,2-Dichloroethene	19.71	2.0	µg/L	20	0	98.6	78	121	0	0	
Chloroform	21.11	2.0	µg/L	20	0	106	82	123	0	0	
Tetrahydrofuran	14.31	10	µg/L	20	0	71.6	51	146	0	0	
Bromoform	18.94	2.0	µg/L	20	0	94.7	77	131	0	0	
1,1,1-Trichloroethane	21.44	2.0	µg/L	20	0	107	81	127	0	0	
1,1-Dichloropropane	21.59	2.0	µg/L	20	0	108	76	119	0	0	
Carbon tetrachloride	20.36	2.0	µg/L	20	0	102	76	129	0	0	
1,2-Dichloroethane	19.21	2.0	µg/L	20	0	96	76	127	0	0	
Benzene	19.93	1.0	µg/L	20	0	99.7	81	118	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Project: 101960-06000000 Textron Gotham

	Laboratory Control Spike - Full List					
Trichloroethene	20.66	2.0	µg/L	20	0	103
1,2-Dichloropropane	20.73	2.0	µg/L	20	0	104
Bromodichloromethane	18.2	2.0	µg/L	20	0	91
Dibromomethane	17.59	2.0	µg/L	20	0	88
4-Methyl-2-pentanone	13.82	10	µg/L	20	0	69.1
cis-1,3-Dichloropropene	21.04	1.0	µg/L	20	0	105
Toluene	21.31	2.0	µg/L	20	0	107
trans-1,3-Dichloropropene	19.75	1.0	µg/L	20	0	98.8
1,1,2-Trichloroethane	17.35	2.0	µg/L	20	0	86.8
1,2-Dibromoethane	17.15	2.0	µg/L	20	0	85.8
2-Hexanone	12.04	10	µg/L	20	0	60.2
1,3-Dichloropropane	17.98	2.0	µg/L	20	0	89.9
Tetrachloroethylene	21.56	2.0	µg/L	20	0	108
Dibromochloromethane	16.16	2.0	µg/L	20	0	80.8
Chlorobenzene	20.06	2.0	µg/L	20	0	100
1,1,1,2-Tetrachloroethane	19.71	2.0	µg/L	20	0	98.6
Ethylbenzene	21.6	2.0	µg/L	20	0	108
m,p-Xylene	43.8	2.0	µg/L	40	0	110
o-Xylene	21.64	2.0	µg/L	20	0	108
Styrene	22.76	2.0	µg/L	20	0	114
Bromoform	15.09	2.0	µg/L	20	0	75.5
Isopropylbenzene	23.66	2.0	µg/L	20	0	118
1,1,2,2-Tetrachloroethane	18.01	2.0	µg/L	20	0	90
1,2,3-Trichloropropane	17.72	2.0	µg/L	20	0	88.6
Bromobenzene	20.65	2.0	µg/L	20	0	103
n-Propylbenzene	21.77	2.0	µg/L	20	0	109
2-Chlorotoluene	22.51	2.0	µg/L	20	0	113
4-Chlorotoluene	22.42	2.0	µg/L	20	0	112
1,3,5-Trimethylbenzene	23.12	2.0	µg/L	20	0	116
tert-Butylbenzene	22.79	2.0	µg/L	20	0	114
1,2,4-Trimethylbenzene	22.76	2.0	µg/L	20	0	114

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R.L. - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Project: 101960-06000000 Textron Gorham

	Laboratory Control Spike - Full List					
sec-Butylbenzene	22.95	2.0	µg/L	20	0	115
4-Isopropyltoluene	23.07	2.0	µg/L	20	0	115
1,3-Dichlorobenzene	19.92	2.0	µg/L	20	0	99.6
1,4-Dichlorobenzene	20.63	2.0	µg/L	20	0	103
n-Butylbenzene	24.08	2.0	µg/L	20	0	120
1,2-Dichlorobenzene	19.14	2.0	µg/L	20	0	95.7
1,2-Dibromo-3-chloropropane	14.16	5.0	µg/L	20	0	70.8
1,2,4-Trichlorobenzene	21.27	2.0	µg/L	20	0	106
Hexachlorobutadiene	17.99	2.0	µg/L	20	0	90
Naphthalene	16.85	5.0	µg/L	20	0	84.2
1,2,3-Trichlorobenzene	19.55	2.0	µg/L	20	0	97.8
Surr: Dibromofluoromethane	24.4	2.0	µg/L	25	0	97.6
Surr: 1,2-Dichloroethane-d4	24.06	2.0	µg/L	25	0	96.2
Surr: Toluene-d8	25.16	2.0	µg/L	25	0	101
Surr: 4-Bromofluorobenzene	23.63	2.0	µg/L	25	0	94.5

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Laboratory Control Spike

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Sample ID: Ics-12070706	Batch ID: R35114	Test Code: SW03260B	Units: µg/L	Analysis Date: 12/7/2006 8:01:00 AM	Prep Date: 12/7/2006						
Client ID:	Run ID: V-3_061207A	SeqNo: 580513	QC Sample	Original Sample	Original Sample						
Analyte	Result	RL	Units	Amount	Result	%REC	LowLimit	HighLimit	%RRD	RPLimit	Qua
Dichlorodifluoromethane	23.86	5.0	µg/L	20	0	119	10	150	0	0	
Chloromethane	24.25	5.0	µg/L	20	0	121	37	150	0	0	
Vinyl chloride	26.4	2.0	µg/L	20	0	132	48	150	0	0	
Chloroethane	24.94	5.0	µg/L	20	0	125	54	142	0	0	
Bromomethane	22.72	2.0	µg/L	20	0	114	51	137	0	0	
Trichlorofluoromethane	23.38	2.0	µg/L	20	0	117	62	141	0	0	
Diethyl ether	15.73	5.0	µg/L	20	0	78.7	68	134	0	0	
Acetone	17.45	10	µg/L	20	0	87.2	9	150	0	0	
1,1-Dichloroethene	17.41	1.0	µg/L	20	0	87	68	146	0	0	
Carbon disulfide	15.52	2.0	µg/L	20	0	77.6	52	131	0	0	
Methylene chloride	23.3	5.0	µg/L	20	0	116	67	138	0	0	
Methyl tert-butyl ether	17.77	2.0	µg/L	20	0	88.8	63	139	0	0	
trans-1,2-Dichloroethene	18.82	2.0	µg/L	20	0	94.1	81	126	0	0	
1,1-Dichloroethane	20.04	2.0	µg/L	20	0	100	78	124	0	0	
2-Butanone	13.98	10	µg/L	20	0	69.9	41	150	0	0	
2,2-Dichloropropane	28.92	2.0	µg/L	20	0	145	71	150	0	0	
cis-1,2-Dichloroethene	20	2.0	µg/L	20	0	100	78	121	0	0	
Chloroform	22.14	2.0	µg/L	20	0	111	82	123	0	0	
Tetrahydrofuran	14.81	10	µg/L	20	0	74	51	146	0	0	
Bromoform	19.34	2.0	µg/L	20	0	96.7	77	131	0	0	
1,1,1-Trichloroethane	22.78	2.0	µg/L	20	0	114	81	127	0	0	
1,1-Dichloropropene	21.21	2.0	µg/L	20	0	106	76	119	0	0	
Carbon tetrachloride	21.13	2.0	µg/L	20	0	106	76	129	0	0	
1,2-Dichloroethane	20.43	2.0	µg/L	20	0	102	76	127	0	0	
Benzene	19.92	1.0	µg/L	20	0	99.6	81	118	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

Laboratory Control Spike

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Trichloroethene	21.08	2.0	µg/L	20	0	105	81	119	0
1,2-Dichloropropane	21.69	2.0	µg/L	20	0	108	79	120	0
Bromodichloromethane	18.71	2.0	µg/L	20	0	98.6	77	131	0
Dibromomethane	18.04	2.0	µg/L	20	0	90.2	76	128	0
4-Methyl-2-pentanone	11.96	10	µg/L	20	0	59.8	51	141	0
cis-1,3-Dichloropropene	20.42	1.0	µg/L	20	0	102	76	120	0
Toluene	21.53	2.0	µg/L	20	0	108	83	119	0
trans-1,3-Dichloropropene	19.7	1.0	µg/L	20	0	98.5	66	128	0
1,1,2-Trichloroethane	17.61	2.0	µg/L	20	0	88	74	123	0
1,2-Dibromoethane	17.39	2.0	µg/L	20	0	87	72	128	0
2-Hexanone	11.11	10	µg/L	20	0	55.6	31	148	0
1,3-Dichloropropane	18.98	2.0	µg/L	20	0	94.9	76	122	0
Tetrachloroethene	21.62	2.0	µg/L	20	0	108	81	124	0
Dibromo-chloromethane	17.35	2.0	µg/L	20	0	86.8	63	126	0
Chlorobenzene	21.35	2.0	µg/L	20	0	107	84	113	0
1,1,1,2-Tetrachloroethane	21.55	2.0	µg/L	20	0	108	73	124	0
Ethylbenzene	22.69	2.0	µg/L	20	0	113	83	118	0
m,p-Xylene	46.49	2.0	µg/L	40	0	116	85	116	0
o-Xylene	22.47	2.0	µg/L	20	0	112	84	115	0
Styrene	24.28	2.0	µg/L	20	0	121	81	118	0
Bromoform	15.46	2.0	µg/L	20	0	77.3	55	126	0
Isopropylbenzene	25.48	2.0	µg/L	20	0	127	77	125	0
1,1,2,2-Tetrachloroethane	19.03	2.0	µg/L	20	0	95.2	62	134	0
1,2,3-Trichloropropane	19.11	2.0	µg/L	20	0	95.6	62	132	0
Bromo-ether	22.72	2.0	µg/L	20	0	114	78	119	0
n-Propylbenzene	24.17	2.0	µg/L	20	0	121	77	127	0
2-Chlorotoluene	24.73	2.0	µg/L	20	0	124	78	118	0
4-Chlorotoluene	24.39	2.0	µg/L	20	0	122	77	119	0
1,3,5-Trimethylbenzene	25.74	2.0	µg/L	20	0	129	80	120	0
tert-Butylbenzene	24.01	2.0	µg/L	20	0	120	81	120	0
1,2,4-Trimethylbenzene	24.84	2.0	µg/L	20	0	124	80	118	0

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Laboratory Control Spike

CLIENT:	SHAW E & I, Inc.	Project:	101960-06000000 Textron Gorham <th>Qualifiers:</th> <td></td>	Qualifiers:	
Work Order:	0611162				
sec-Butylbenzene	23.87	2.0	µg/L	20	0 119 82 123 0
4-Isopropyltoluene	25.32	2.0	µg/L	20	0 127 80 126 0
1,3-Dichlorobenzene	21.73	2.0	µg/L	20	0 109 84 115 0
1,4-Dichlorobenzene	21.76	2.0	µg/L	20	0 109 79 117 0
n-Butylbenzene	25.64	2.0	µg/L	20	0 128 76 128 0
1,2-Dichlorobenzene	21.61	2.0	µg/L	20	0 108 81 117 0
1,2-Dibromo-3-chloropropane	14.52	5.0	µg/L	20	0 72.6 47 136 0
1,2,4-Trichlorobenzene	22.27	2.0	µg/L	20	0 111 73 126 0
Hexachlorobutadiene	20.65	2.0	µg/L	20	0 103 77 134 0
Naphthalene	17.04	5.0	µg/L	20	0 85.2 58 138 0
1,2,3-Trichlorobenzene	20.86	2.0	µg/L	20	0 104 76 124 0
Surr: Dibromoform methane	25.68	2.0	µg/L	25	0 103 85 116 0
Surr: 1,2-Dichloroethane-d4	24.86	2.0	µg/L	25	0 99.4 77 127 0
Surr: Toluene-d8	25.21	2.0	µg/L	25	0 101 86 114 0
Surr: 4-Bromofluorobenzene	24.17	2.0	µg/L	25	0 96.7 79 117 0

Qualifiers: ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
R.L. - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

**QC SUMMARY REPORT**  
 Project: 101960-06000000 Textron Gorham

 Client ID: V-3\_061208A      Test Code: SW8260B      Units: µg/L  
 Sample ID: Icsf-12/08/06      Batch ID: R35127      Run ID: V-3\_061208A

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	26.54	5.0	µg/L	20	0	133	10	150	0	0	0	
Chloromethane	24.65	5.0	µg/L	20	0	123	37	150	0	0	0	
Vinyl chloride	25.44	2.0	µg/L	20	0	127	48	150	0	0	0	
Chloroethane	25.33	5.0	µg/L	20	0	127	54	142	0	0	0	
Bromomethane	23.08	2.0	µg/L	20	0	115	51	137	0	0	0	
Trichlorodifluoromethane	24.62	2.0	µg/L	20	0	123	62	141	0	0	0	
Diethyl ether	18.36	5.0	µg/L	20	0	91.8	68	134	0	0	0	
Acetone	19.58	10	µg/L	20	0	97.9	9	150	0	0	0	
1,1-Dichloroethene	22.49	1.0	µg/L	20	0	112	68	146	0	0	0	
Carbon disulfide	21.03	2.0	µg/L	20	0	105	52	131	0	0	0	
Methylene chloride	22.23	5.0	µg/L	20	0	111	67	138	0	0	0	
Methyl tert-butyl ether	18.85	2.0	µg/L	20	0	94.2	63	139	0	0	0	
trans-1,2-Dichloroethene	21.52	2.0	µg/L	20	0	108	81	126	0	0	0	
1,1-Dichloroethane	21.53	2.0	µg/L	20	0	108	78	124	0	0	0	
2-Butanone	16.19	10	µg/L	20	0	81	41	150	0	0	0	
2,2-Dichloropropane	31.45	2.0	µg/L	20	0	157	71	150	0	0	0	
cis-1,2-Dichloroethene	21.58	2.0	µg/L	20	0	108	78	121	0	0	0	
Chloroform	22.07	2.0	µg/L	20	0	110	82	123	0	0	0	
Tetrahydrofuran	14.56	10	µg/L	20	0	72.8	51	146	0	0	0	
Bromoform	19	2.0	µg/L	20	0	95	77	131	0	0	0	
1,1,1-Trichloroethane	22.15	2.0	µg/L	20	0	111	81	127	0	0	0	
1,1-Dichloropropene	23.18	2.0	µg/L	20	0	116	76	119	0	0	0	
Carbon tetrachloride	20.61	2.0	µg/L	20	0	103	76	129	0	0	0	
1,2-Dichloroethane	20.32	2.0	µg/L	20	0	102	76	127	0	0	0	
Benzene	20.53	1.0	µg/L	20	0	103	81	118	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Project: 101960-06000000 Textron Gotham

	Laboratory Control Spike - Full List					
Trichloroethene	20.68	2.0	µg/L	20	0	103
1,2-Dichloropropane	20.99	2.0	µg/L	20	0	105
Bromodichloromethane	18.42	2.0	µg/L	20	0	92.1
Dibromomethane	18	2.0	µg/L	20	0	90
4-Methyl-2-pentanone	12.12	10	µg/L	20	0	60.6
cis-1,3-Dichloropropene	20.65	1.0	µg/L	20	0	103
Toluene	21.94	2.0	µg/L	20	0	110
trans-1,3-Dichloropropene	19.26	1.0	µg/L	20	0	96.3
1,1,2-Trichloroethane	16.04	2.0	µg/L	20	0	80.2
1,2-Dibromoethane	17.27	2.0	µg/L	20	0	86.4
2-Hexanone	10.68	10	µg/L	20	0	53.4
1,3-Dichloropropane	18.14	2.0	µg/L	20	0	90.7
Tetrachloroethene	22.11	2.0	µg/L	20	0	111
Dibromochloromethane	16.53	2.0	µg/L	20	0	82.6
Chlorobenzene	20.7	2.0	µg/L	20	0	104
1,1,1,2-Tetrachloroethane	20	2.0	µg/L	20	0	100
Ethylbenzene	22.45	2.0	µg/L	20	0	112
m,p-Xylene	45.73	2.0	µg/L	40	0	114
o-Xylene	22.1	2.0	µg/L	20	0	110
Styrene	23.9	2.0	µg/L	20	0	120
Bromoform	14.94	2.0	µg/L	20	0	74.7
Isopropylbenzene	24.72	2.0	µg/L	20	0	124
1,1,2,2-Tetrachloroethane	17.74	2.0	µg/L	20	0	88.7
1,2,3-Trichloropropane	17.31	2.0	µg/L	20	0	86.6
Bromobenzene	21.67	2.0	µg/L	20	0	108
n-Propylbenzene	23.1	2.0	µg/L	20	0	116
2-Chlorotoluene	23.78	2.0	µg/L	20	0	119
4-Chlorotoluene	23	2.0	µg/L	20	0	115
1,3,5-Trimethylbenzene	24.39	2.0	µg/L	20	0	122
tert-Butylbenzene	23.98	2.0	µg/L	20	0	120
1,2,4-Trimethylbenzene	23.44	2.0	µg/L	20	0	117

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

**QC SUMMARY REPORT**  
 Laboratory Control Spike - Full List

 CLIENT: SHAW E & I, Inc.  
 Work Order: 0611162  
 Project: 101960-06000000 Textron Gorham

				µg/L							
sec-Butylbenzene		24.57	2.0	µg/L	20	0	123	82	123	0	0
4-Isopropyltoluene		24.37	2.0	µg/L	20	0	122	80	126	0	0
1,3-Dichlorobenzene		21.22	2.0	µg/L	20	0	106	84	115	0	0
1,4-Dichlorobenzene		21.16	2.0	µg/L	20	0	106	79	117	0	0
n-Butylbenzene		25.21	2.0	µg/L	20	0	126	76	128	0	0
1,2-Dichlorobenzene		20.57	2.0	µg/L	20	0	103	81	117	0	0
1,2-Dibromo-3-chloropropane		14.44	5.0	µg/L	20	0	72.2	47	136	0	0
1,2,4-Trichlorobenzene		23.23	2.0	µg/L	20	0	116	73	126	0	0
Hexachlorobutadiene		20.29	2.0	µg/L	20	0	101	77	134	0	0
Naphthalene		17.65	5.0	µg/L	20	0	88.2	58	138	0	0
1,2,3-Trichlorobenzene		21.78	2.0	µg/L	20	0	109	76	124	0	0
Surr: Dibromofluoromethane		25.06	2.0	µg/L	25	0	100	85	116	0	0
Surr: 1,2-Dichloroethane-d4		24.39	2.0	µg/L	25	0	97.6	77	127	0	0
Surr: Toluene-d8		24.78	2.0	µg/L	25	0	99.1	86	114	0	0
Surr: 4-Bromo fluorobenzene		23.47	2.0	µg/L	25	0	93.9	79	117	0	0

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

Client ID:	Sample ID: Icsf-12/09/06	Batch ID: R35129	Test Code: SW8260B	Units: µg/L	Analysis Date: 12/9/2006	10:44:00 AM	Prep Date: 12/9/2006	
Client ID:	Run ID: V-3_061209A	QC Sample	QC Amount	Original Sample Result	%REC	LowLimit	HighLimit	
Analyte	Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit
Dichlorodifluoromethane	19.97	5.0	µg/L	20	0	99.8	10	150
Chloromethane	21.92	5.0	µg/L	20	0	110	37	150
Vinyl chloride	23.24	2.0	µg/L	20	0	116	48	150
Chloroethane	23.87	5.0	µg/L	20	0	119	54	142
Bromomethane	22.14	2.0	µg/L	20	0	111	51	137
Trichlorofluoromethane	22.79	2.0	µg/L	20	0	114	62	141
Diethyl ether	18.56	5.0	µg/L	20	0	92.8	68	134
Acetone	23.05	10	µg/L	20	0	115	9	150
1,1-Dichloroethene	20.74	1.0	µg/L	20	0	104	68	146
Carbon disulfide	19.08	2.0	µg/L	20	0	95.4	52	131
Methylene chloride	21.22	5.0	µg/L	20	0	106	67	138
Methyl tert-butyl ether	19.42	2.0	µg/L	20	0	97.1	63	139
trans-1,2-Dichloroethene	19.98	2.0	µg/L	20	0	99.9	81	126
1,1-Dichloroethane	20.89	2.0	µg/L	20	0	104	78	124
2-Butanone	17.14	10	µg/L	20	0	85.7	41	150
2,2-Dichloropropane	28.68	2.0	µg/L	20	0	143	71	150
cis-1,2-Dichloroethene	20.26	2.0	µg/L	20	0	101	78	121
Chloroform	21.64	2.0	µg/L	20	0	108	82	123
Tetrahydrofuran	17.55	10	µg/L	20	0	87.8	51	146
Bromoform	19.51	2.0	µg/L	20	0	97.6	77	131
1,1,1-Trichloroethane	21.87	2.0	µg/L	20	0	109	81	127
1,1-Dichloropropane	22.17	2.0	µg/L	20	0	111	76	119
Carbon tetrachloride	20.68	2.0	µg/L	20	0	103	76	129
1,2-Dichloroethane	20.43	2.0	µg/L	20	0	102	76	127
Benzene	20.74	1.0	µg/L	20	0	104	81	118

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

	21.26	2.0	µg/L	20	0	106	81	119	0
Trichloroethene	21.93	2.0	µg/L	20	0	110	79	120	0
1,2-Dichloropropane	18.59	2.0	µg/L	20	0	93	77	131	0
Bromodichloromethane	19.08	2.0	µg/L	20	0	95.4	76	128	0
Dibromomethane	15.08	10	µg/L	20	0	75.4	51	141	0
4-Methyl-2-pentanone									
cis-1,3-Dichloropropene	20.78	1.0	µg/L	20	0	104	76	120	0
Toluene	22.11	2.0	µg/L	20	0	111	83	119	0
trans-1,3-Dichloropropene	20.67	1.0	µg/L	20	0	103	66	128	0
1,1,2-Trichloroethane	18.37	2.0	µg/L	20	0	91.8	74	123	0
1,2-Dibromoethane	18.3	2.0	µg/L	20	0	91.5	72	128	0
2-Hexanone	14.5	10	µg/L	20	0	72.5	31	148	0
1,3-Dichloropropane	19.15	2.0	µg/L	20	0	95.8	76	122	0
Tetrachloroethene	21.94	2.0	µg/L	20	0	110	81	124	0
Dibromo-chloromethane	17.33	2.0	µg/L	20	0	86.7	63	126	0
Chlorobenzene	20.62	2.0	µg/L	20	0	103	84	113	0
1,1,1,2-Tetrachloroethane	20.03	2.0	µg/L	20	0	100	73	124	0
Ethybenzene	21.71	2.0	µg/L	20	0	109	83	118	0
m,p-Xylene	44.68	2.0	µg/L	40	0	112	85	116	0
o-Xylene	22.08	2.0	µg/L	20	0	110	84	115	0
Styrene	23.7	2.0	µg/L	20	0	118	81	118	0
Bromoform	16.62	2.0	µg/L	20	0	83.1	55	126	0
Isopropylbenzene	23.84	2.0	µg/L	20	0	119	77	125	0
1,1,2,2-Tetrachloroethane	20.27	2.0	µg/L	20	0	101	62	134	0
1,2,3-Trichloropropane	20.04	2.0	µg/L	20	0	100	62	132	0
Bromobenzene	21.42	2.0	µg/L	20	0	107	78	119	0
n-Propylbenzene	22.15	2.0	µg/L	20	0	111	77	127	0
2-Chlorotoluene	21.99	2.0	µg/L	20	0	110	78	118	0
4-Chlorotoluene	22.66	2.0	µg/L	20	0	113	77	119	0
1,3,5-Trimethylbenzene	23.49	2.0	µg/L	20	0	117	80	120	0
tert-Butylbenzene	22.95	2.0	µg/L	20	0	115	81	120	0
1,2,4-Trimethylbenzene	22.55	2.0	µg/L	20	0	113	80	118	0

Qualifiers: ND - Not Detected at the Reporting Limit

J

S

R

NA

B - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

### Project: 101960-06000000 Textron Gorham

	Laboratory Control Spike - Full List									
	2.0 µg/L	2.0 µg/L	2.0 µg/L	2.0 µg/L	2.0 µg/L	2.0 µg/L	2.0 µg/L	2.0 µg/L	2.0 µg/L	2.0 µg/L
sec-Butylbenzene	23.44	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
4-Isopropyltoluene	23.53	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,3-Dichlorobenzene	20.82	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,4-Dichlorobenzene	20.9	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
n-Butylbenzene	24.2	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,2-Dichlorobenzene	20.4	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,2-Dibromo-3-chloropropane	18.67	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
1,2,4-Trichlorobenzene	23.34	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Hexachlorbutadiene	19.88	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Naphthalene	19.53	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
1,2,3-Trichlorobenzene	22.28	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Surr: Dibromofluoromethane	24.55	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Surr: 1,2-Dichloroethane-d4	25.47	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Surr: Toluene-d8	25.61	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Surr: 4-Bromofluorobenzene	24.3	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0

Qualifiers:

NID - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or NID results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Project: 101960-060000000 Textron Gorham

Client:	SHAW E & I, Inc.
Work Order:	0611162
Project:	101960-060000000 Textron Gorham

Analyte	QC Sample Result	FL.	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RRD	RRDLimit	Qual
Dichlorodifluoromethane	21.27	5.0	µg/L	20	0	106	10	150	0	0	0	S
Chloromethane	23.42	5.0	µg/L	20	0	117	37	150	0	0	0	S
Vinyl chloride	24.58	2.0	µg/L	20	0	123	48	150	0	0	0	S
Chloroethane	25.78	5.0	µg/L	20	0	129	54	142	0	0	0	S
Bromomethane	22.85	2.0	µg/L	20	0	114	51	137	0	0	0	S
Trichlorofluoromethane	27.38	2.0	µg/L	20	0	137	62	141	0	0	0	S
Diethyl ether	19.68	5.0	µg/L	20	0	98.4	68	134	0	0	0	S
Acetone	20.32	10	µg/L	20	0	102	9	150	0	0	0	S
1,1-Dichloroethene	23.12	1.0	µg/L	20	0	116	68	146	0	0	0	S
Carbon disulfide	22.14	2.0	µg/L	20	0	111	52	131	0	0	0	S
Methylene chloride	22.35	5.0	µg/L	20	0	112	67	138	0	0	0	S
Methyl tert-butyl ether	21.19	2.0	µg/L	20	0	106	63	139	0	0	0	S
trans-1,2-Dichloroethene	22.32	2.0	µg/L	20	0	112	81	126	0	0	0	S
1,1-Dichloroethane	22.37	2.0	µg/L	20	0	112	78	124	0	0	0	S
2-Butanone	18.47	10	µg/L	20	0	92.4	41	150	0	0	0	S
2,2-Dichloropropane	36.22	2.0	µg/L	20	0	181	71	150	0	0	0	S
cis-1,2-Dichloroethene	21.63	2.0	µg/L	20	0	108	78	121	0	0	0	S
Chloroform	23.63	2.0	µg/L	20	0	118	82	123	0	0	0	S
Tetrahydrofuran	18.98	10	µg/L	20	0	94.9	51	146	0	0	0	S
Bromoform	20.53	2.0	µg/L	20	0	103	77	131	0	0	0	S
1,1,1-Trichloroethane	25.37	2.0	µg/L	20	0	127	81	127	0	0	0	S
1,1-Dichloropropene	24.34	2.0	µg/L	20	0	122	76	119	0	0	0	S
Carbon tetrachloride	25.1	2.0	µg/L	20	0	126	76	129	0	0	0	S
1,2-Dichloroethane	22.49	2.0	µg/L	20	0	112	76	127	0	0	0	S
Benzene	21.23	1.0	µg/L	20	0	106	81	118	0	0	0	S

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Project: 101960-06000000 Textron Gorham

	Laboratory Control Spike - Full List									
Trichloroethene	22.07	2.0	µg/L	20	0	110	81	119	0	0
1,2-Dichloropropane	22.16	2.0	µg/L	20	0	111	79	120	0	0
Bromodichloromethane	20.63	2.0	µg/L	20	0	103	77	131	0	0
Dibromomethane	19.78	2.0	µg/L	20	0	98.9	76	128	0	0
4-Methyl-2-pentanone	12.95	10	µg/L	20	0	64.8	51	141	0	0
cis-1,3-Dichloropropene	21.72	1.0	µg/L	20	0	109	76	120	0	0
Toluene	22.97	2.0	µg/L	20	0	115	83	119	0	0
trans-1,3-Dichloropropene	20.87	1.0	µg/L	20	0	104	66	128	0	0
1,1,2-Trichloroethane	18.64	2.0	µg/L	20	0	93.2	74	123	0	0
1,2-Dibromoethane	18.61	2.0	µg/L	20	0	93	72	128	0	0
2-Hexanone	12.71	10	µg/L	20	0	63.6	31	148	0	0
1,3-Dichloropropane	19.55	2.0	µg/L	20	0	97.8	76	122	0	0
Tetrachloroethene	22.87	2.0	µg/L	20	0	114	81	124	0	0
Dibromochloromethane	17.93	2.0	µg/L	20	0	89.7	63	126	0	0
Chlorobenzene	21.3	2.0	µg/L	20	0	106	84	113	0	0
1,1,1,2-Tetrachloroethane	21.51	2.0	µg/L	20	0	108	73	124	0	0
Ethylbenzene	22.96	2.0	µg/L	20	0	115	83	118	0	0
m,p-Xylene	46.41	2.0	µg/L	40	0	116	85	116	0	0
o-Xylene	22.23	2.0	µg/L	20	0	111	84	115	0	0
Styrene	23.63	2.0	µg/L	20	0	118	81	118	0	0
Bromoform	16.3	2.0	µg/L	20	0	81.5	55	126	0	0
Isopropylbenzene	23.78	2.0	µg/L	20	0	119	77	125	0	0
1,1,2,2-Tetrachloroethane	19.01	2.0	µg/L	20	0	95	62	134	0	0
1,2,3-Trichloropropane	19.45	2.0	µg/L	20	0	97.3	62	132	0	0
Bromobenzene	21.12	2.0	µg/L	20	0	106	78	119	0	0
n-Propylbenzene	22.17	2.0	µg/L	20	0	111	77	127	0	0
2-Chlorotoluene	22.78	2.0	µg/L	20	0	114	78	118	0	0
4-Chlorotoluene	22.9	2.0	µg/L	20	0	114	77	119	0	0
1,3,5-Trimethylbenzene	23.75	2.0	µg/L	20	0	119	80	120	0	0
tert-Butylbenzene	22.18	2.0	µg/L	20	0	111	81	120	0	0
1,2,4-Trimethylbenzene	23.2	2.0	µg/L	20	0	116	80	118	0	0

Qualifiers:

N - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

	24.24	2.0	µg/L	20	0	121	82	123	0
sec-Butylbenzene	23.9	2.0	µg/L	20	0	120	80	126	0
4-Isopropyltoluene	20.55	2.0	µg/L	20	0	103	84	115	0
1,3-Dichlorobenzene	20.47	2.0	µg/L	20	0	102	79	117	0
1,4-Dichlorobenzene	24.42	2.0	µg/L	20	0	122	76	128	0
n-Butylbenzene	19.96	2.0	µg/L	20	0	99.8	81	117	0
1,2-Dichlorobenzene	18.35	5.0	µg/L	20	0	91.8	47	136	0
1,2-Dibromo-3-chloropropane	21.87	2.0	µg/L	20	0	109	73	126	0
1,2,4-Trichlorobenzene	18.89	2.0	µg/L	20	0	94.4	77	134	0
Hexachlorobutadiene	17.61	5.0	µg/L	20	0	88	58	138	0
Naphthalene	20.75	2.0	µg/L	20	0	104	76	124	0
1,2,3-Trichlorobenzene	25.76	2.0	µg/L	25	0	103	85	116	0
Surr: Dibromoformmethane	26.89	2.0	µg/L	25	0	108	77	127	0
Surr: 1,2-Dichloroethane-d4	25.56	2.0	µg/L	25	0	102	86	114	0
Surr: Toluene-d8	24.98	2.0	µg/L	25	0	99.9	79	117	0
Surr: 4-Bromofluorobenzene									

Qualifiers: ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
R.L - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 18-Dec-06

**QC SUMMARY REPORT**  
Project: 101960-06000000 Textron Gotham

Laboratory Control Spike - Full List

Sample ID: Icsf-1215/06	Batch ID: R35221	Test Code: SW8260B	Units: µg/L	Run ID: V-1_06/215A	QC Spike Amount	Original Sample Amount	%REC	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RRD	RPD Limit	Qu
Dichlorodifluoromethane	22	5.0	µg/L		20	0	110	10	150	150	0			
Chloromethane	20.44	5.0	µg/L		20	0	102	37	150	150	0			
Vinyl chloride	21.02	2.0	µg/L		20	0	105	48	150	150	0			
Chloroethane	18.48	5.0	µg/L		20	0	92.4	54	142	142	0			
Bromomethane	18.33	2.0	µg/L		20	0	91.7	51	137	137	0			
Trichlorodifluoromethane	20.38	2.0	µg/L		20	0	102	62	141	141	0			
Diethyl ether	22	5.0	µg/L		20	0	110	68	134	134	0			
Acetone	26.98	10	µg/L		20	0	135	9	150	150	0			
1,1-Dichloroethene	18.4	1.0	µg/L		20	0	92	68	146	146	0			
Carbon disulfide	18.85	2.0	µg/L		20	0	94.2	52	131	131	0			
Methylene chloride	20.74	5.0	µg/L		20	0	104	67	138	138	0			
Methyl tert-butyl ether	19.88	2.0	µg/L		20	0	99.4	63	139	139	0			
trans-1,2-Dichloroethene	21.19	2.0	µg/L		20	0	106	81	126	126	0			
1,1-Dichloroethane	20.76	2.0	µg/L		20	0	104	78	124	124	0			
2-Butanone	25.13	10	µg/L		20	0	126	41	150	150	0			
2,2-Dichloropropane	21.02	2.0	µg/L		20	0	105	71	150	150	0			
cis-1,2-Dichloroethene	21.22	2.0	µg/L		20	0	106	78	121	121	0			
Chloroform	22.57	2.0	µg/L		20	0	113	82	123	123	0			
Tetrahydrofuran	34.73	10	µg/L		20	0	174	51	146	146	0			
Bromochloromethane	23.3	2.0	µg/L		20	0	116	77	131	131	0			
1,1,1-Trichloroethane	23.11	2.0	µg/L		20	0	116	81	127	127	0			
1,1-Dichloropropene	19.97	2.0	µg/L		20	0	99.8	76	119	119	0			
Carbon tetrachloride	22.53	2.0	µg/L		20	0	113	76	129	129	0			
1,2-Dichloroethane	21.52	2.0	µg/L		20	0	108	76	127	127	0			
Benzene	20.69	1.0	µg/L		20	0	103	81	118	118	0			

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 18-Dec-06

**QC SUMMARY REPORT**  
Project: 101960-06000000 Textron Gorham

	Laboratory Control Spike - Full List					
Trichloroethene	21.23	2.0	µg/L	20	0	106
1,2-Dichloropropane	21.35	2.0	µg/L	20	0	107
Bromodichloromethane	20.38	2.0	µg/L	20	0	102
Dibromomethane	22.51	2.0	µg/L	20	0	113
4-Methyl-2-pentanone	26.05	10	µg/L	20	0	130
cis-1,3-Dichloropropene	21.05	1.0	µg/L	20	0	105
Toluene	20.54	2.0	µg/L	20	0	103
trans-1,3-Dichloropropene	21.47	1.0	µg/L	20	0	107
1,1,2-Trichloroethane	22.51	2.0	µg/L	20	0	113
1,2-Dibromoethane	23.31	2.0	µg/L	20	0	117
2-Hexanone	23.25	10	µg/L	20	0	116
1,3-Dichloropropane	20.24	2.0	µg/L	20	0	101
Tetrachloroethene	19.57	2.0	µg/L	20	0	97.8
Dibromochloromethane	20.6	2.0	µg/L	20	0	103
Chlorobenzene	19.37	2.0	µg/L	20	0	96.8
1,1,1,2-Tetrachloroethane	19.94	2.0	µg/L	20	0	99.7
Ethylbenzene	19.23	2.0	µg/L	20	0	96.2
m,p-Xylene	40.17	2.0	µg/L	40	0	100
o-Xylene	20.14	2.0	µg/L	20	0	101
Styrene	21.53	2.0	µg/L	20	0	108
Bromoform	21.34	2.0	µg/L	20	0	107
Isopropylbenzene	19.57	2.0	µg/L	20	0	97.8
1,1,2,2-Tetrachloroethane	21.3	2.0	µg/L	20	0	106
1,2,3-Trichloropropane	19.66	2.0	µg/L	20	0	98.3
Bromobenzene	19.24	2.0	µg/L	20	0	96.2
n-Propylbenzene	19.17	2.0	µg/L	20	0	95.8
2-Chlorotoluene	18.63	2.0	µg/L	20	0	93.2
4-Chlorotoluene	19.15	2.0	µg/L	20	0	95.8
1,3,5-Trimethylbenzene	19.36	2.0	µg/L	20	0	96.8
tert-Butylbenzene	19.67	2.0	µg/L	20	0	98.4
1,2,4-Trimethylbenzene	20.43	2.0	µg/L	20	0	102

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 18-Dec-06

**QC SUMMARY REPORT**  
Project: 101960-06000000 Textron Gorham

		Laboratory Control Spike - Full List					
sec-Butylbenzene	19.72	2.0	µg/L	20	0	98.6	82
4-Isopropyltoluene	20.2	2.0	µg/L	20	0	101	80
1,3-Dichlorobenzene	19.61	2.0	µg/L	20	0	98	84
1,4-Dichlorobenzene	20.09	2.0	µg/L	20	0	100	79
n-Butylbenzene	19.51	2.0	µg/L	20	0	97.6	76
1,2-Dichlorobenzene	19.61	2.0	µg/L	20	0	98	81
1,2-Dibromo-3-chloropropane	31.32	5.0	µg/L	20	0	157	47
1,2,4-Trichlorobenzene	27.87	2.0	µg/L	20	0	139	73
Hexachlorobutadiene	25.12	2.0	µg/L	20	0	126	77
Naphthalene	28.03	5.0	µg/L	20	0	140	58
1,2,3-Trichlorobenzene	35.57	2.0	µg/L	20	0	178	76
Surr. Dibromoformmethane	27.35	2.0	µg/L	25	0	109	85
Surr. 1,2-Dichloroethane-d4	26.3	2.0	µg/L	25	0	105	77
Surr. Toluene-d8	25.32	2.0	µg/L	25	0	101	86
Surr. 4-Bromofluorobenzene	26.81	2.0	µg/L	25	0	107	79

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Sample ID:	0611162-07Amsf	Batch ID:	R35086	Test Code:	SW8260B	Units:	µg/L	Analysis Date:	12/4/2006	Prep Date:	11/28/2006
Client ID:	MW 203 S	Run ID:	V-3 061204A	SeqNo:	579418	Original Sample		Original Sample or MS Result	%MS Result	%RPD	RPDLimit
Analyte	QC Sample Result	RL	Units	Amount	QC Spike Result	Original Sample Result	%REC	LowLimit	HighLimit		Qua
Dichlorodifluoromethane	158	25	µg/L		100	0	158	16	150	0	S
Chloromethane	143.2	25	µg/L		100	0	143	35	150	0	
Vinyl chloride	144.2	10	µg/L		100	0	144	49	150	0	
Chloroethane	146	25	µg/L		100	0	146	58	147	0	
Bromomethane	123.8	10	µg/L		100	0	124	49	142	0	
Trichlorofluoromethane	141.8	10	µg/L		100	0.96	141	57	149	0	
Diethyl ether	73.6	25	µg/L		100	0	73.6	66	136	0	
Acetone	54.5	50	µg/L		100	0	54.5	16	150	0	
1,1-Dichloroethene	95.6	5.0	µg/L		100	0	95.6	70	150	0	
Carbon disulfide	85.3	10	µg/L		100	0	85.3	47	135	0	
Methylene chloride	112.8	25	µg/L		100	0	113	66	142	0	
Methyl tert-butyl ether	86.65	10	µg/L		100	2.16	84.5	63	138	0	
trans-1,2-Dichloroethene	97.3	10	µg/L		100	0	97.3	78	135	0	
1,1-Dichloroethane	102.8	10	µg/L		100	0	103	76	131	0	
2-Butanone	55.55	50	µg/L		100	0	55.6	51	142	0	
2,2-Dichloropropane	138.2	10	µg/L		100	0	138	60	149	0	
cis-1,2-Dichloroethene	103.8	10	µg/L		100	0.71	103	74	128	0	
Chloroform	114	10	µg/L		100	0.69	113	80	129	0	
Tetrahydrofuran	59.95	50	µg/L		100	0	60	53	145	0	
Bromoform	90.9	10	µg/L		100	0	90.9	78	130	0	
1,1,1-Trichloroethane	123.4	10	µg/L		100	8.85	115	77	139	0	
1,1-Dichloropropene	107.3	10	µg/L		100	0	107	74	127	0	
Carbon tetrachloride	114.4	10	µg/L		100	0	114	73	138	0	
1,2-Dichloroethane	97.25	10	µg/L		100	0	97.2	75	130	0	
Benzene	96.6	5.0	µg/L		100	0	96.6	79	123	0	

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

### QC SUMMARY REPORT Project: 101960-06000000 Textron Gorham

					S
Trichloroethene	303	10	µg/L	100	228.7
1,2-Dichloropropane	99.05	10	µg/L	100	74.2
Bromodichloromethane	91.25	10	µg/L	100	99
Dibromomethane	87.35	10	µg/L	100	91.2
4-Methyl-2-pentanone	54.3	50	µg/L	100	87.4
cis-1,3-Dichloropropene	93.55	5.0	µg/L	100	54.3
Toluene	107.4	10	µg/L	100	53
trans-1,3-Dichloropropene	89.4	5.0	µg/L	100	141
1,1,2-Trichloroethane	81.3	10	µg/L	100	0
1,2-Dibromoethane	78.15	10	µg/L	100	0
2-Hexanone	45.65	50	µg/L	100	0
1,3-Dichloropropane	82.15	10	µg/L	100	0
Tetrachloroethene	170.8	10	µg/L	100	82.2
Dibromochloromethane	75.6	10	µg/L	100	82
Chlorobenzene	95.9	10	µg/L	100	78.2
1,1,1,2-Tetrachloroethane	98.85	10	µg/L	100	73
Ethylbenzene	105.9	10	µg/L	100	124
m,p-Xylene	221.5	10	µg/L	200	127
o-Xylene	105.8	10	µg/L	100	0
Styrene	108.1	10	µg/L	100	0
Bromoform	69.75	10	µg/L	100	124
Isopropylbenzene	118.3	10	µg/L	100	0
1,1,2,2-Tetrachloroethane	81.8	10	µg/L	100	0
1,2,3,3-Tetrachloropropene	77.5	10	µg/L	100	0
Bromobenzene	102	10	µg/L	100	0
n-Propylbenzene	109.4	10	µg/L	100	0
2-Chlorotoluene	110.4	10	µg/L	100	0
4-Chlorotoluene	109	10	µg/L	100	0
1,3,5-Trimethylbenzene	117.1	10	µg/L	100	0
tert-Butylbenzene	112.6	10	µg/L	100	0
1,2,4-Trimethylbenzene	119.1	10	µg/L	100	0

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

## Matrix Spike - Full List

CLIENT:	SHAW E & I, Inc.	Work Order:	0611162	Project:	101960-06000000 Textron Gorham								
						µg/L							
sec-Butylbenzene	112.3	10				100	0	112	82	128		0	
4-Isopropyltoluene	114.8	10	µg/L	µg/L	µg/L	100	0	115	77	128		0	
1,3-Dichlorobenzene	98.35	10				100	0	98.4	80	122		0	
1,4-Dichlorobenzene	97.45	10	µg/L	µg/L	µg/L	100	0	97.5	78	123		0	
n-Butylbenzene	117.2	10				100	0	117	74	130		0	
1,2-Dichlorobenzene	94.2	10	µg/L	µg/L	µg/L	100	0	94.2	78	121		0	
1,2-Dibromo-3-chloropropane	64.15	25				100	0	64.2	50	127		0	
1,2,4-Trichlorobenzene	98.8	10	µg/L	µg/L	µg/L	100	0	98.8	67	128		0	
Hexachlorobutadiene	95.6	10				100	0	95.6	74	134		0	
Naphthalene	74.85	25	µg/L	µg/L	µg/L	100	3.23	71.6	57	131		0	
1,2,3-Trichlorobenzene	91.75	10				100	0	91.8	64	131		0	
Surr: Dibromofluoromethane	131.2	10	µg/L	µg/L	µg/L	125	0	105	85	116		0	
Surr: 1,2-Dichloroethane-d4	128.9	10	µg/L	µg/L	µg/L	125	0	103	77	127		0	
Surr: Toluene-d8	130.6	10	µg/L	µg/L	µg/L	125	0	105	86	114		0	
Surr: 4-Bromofluorobenzene	121.4	10	µg/L	µg/L	µg/L	125	0	97.2	79	117		0	

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Analyte	QC Sample Result	RL	Units	Amount	QC Spike Result	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RRD	RPDLimit	Qua
Dichlorodifluoromethane	139.8	25	µg/L	100	0	140	16	150	158	12.2	20		
Chloromethane	119.6	25	µg/L	100	0	120	35	150	143.2	17.9	20		
Vinyl chloride	132.9	10	µg/L	100	0	133	49	150	144.2	8.16	20		
Chloroethane	118.8	25	µg/L	100	0	119	58	147	146	20.6	20	R	
Bromomethane	109.7	10	µg/L	100	0	110	49	142	123.8	12.1	20		
Trichlorodifluoromethane	121.2	10	µg/L	100	0.96	120	57	149	141.8	15.6	20		
Diethyl ether	84.65	25	µg/L	100	0	84.6	66	136	73.6	14	20		
Acetone	102.8	50	µg/L	100	0	103	16	150	54.5	61.4	20	R	
1,1-Dichloroethene	89.1	5.0	µg/L	100	0	89.1	70	150	95.6	7.04	20		
Carbon disulfide	77.9	10	µg/L	100	0	77.9	47	135	85.3	9.07	20		
Methylene chloride	106.6	25	µg/L	100	0	107	66	142	112.8	5.56	20		
Methyl tert-butyl ether	91.35	10	µg/L	100	2.16	89.2	63	138	86.65	5.28	20		
trans-1,2-Dichloroethene	91.7	10	µg/L	100	0	91.7	78	135	97.3	5.93	20		
1,1-Dichloroethane	95.55	10	µg/L	100	0	95.6	76	131	102.8	7.26	20		
2-Butanone	97.8	50	µg/L	100	0	97.8	51	142	55.55	55.1	20	R	
2,2-Dichloropropane	115	10	µg/L	100	0	115	60	149	138.2	18.4	20		
cis-1,2-Dichloroethene	95.85	10	µg/L	100	0.71	95.1	74	128	103.8	8.01	20		
Chloroform	109.6	10	µg/L	100	0.69	109	80	129	114	3.98	20		
Tetrahydrofuran	96.65	50	µg/L	100	0	96.7	53	145	59.95	46.9	20	R	
Bromoform	95.45	10	µg/L	100	0	95.4	78	130	90.9	4.38	20		
1,1,1-Trichloroethane	118.4	10	µg/L	100	8.85	110	77	139	123.4	4.09	20		
1,1-Dichloropropene	108	10	µg/L	100	0	108	74	127	107.3	0.604	20		
Carbon tetrachloride	106.4	10	µg/L	100	0	106	73	138	114.4	7.29	20		
1,2-Dichloroethane	102.5	10	µg/L	100	0	103	75	130	97.25	5.26	20		
Benzene	98.9	5.0	µg/L	100	0	98.9	79	123	96.6	2.35	20		

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits.

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

RJ - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike Duplicate - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

	Trichloroethene	291.9	10	µg/L	100	228.7	63.2	79	126	303	3.72	20	S
1,2-Dichloropropane	99.2	10	µg/L	100	0	99.2	76	125	99.05	0.151	20		
Bromodichloromethane	91.35	10	µg/L	100	0	91.4	69	119	91.25	0.11	20		
Dibromomethane	95.2	10	µg/L	100	0	95.2	76	127	87.35	8.6	20		
4-Methyl-2-pentanone	93.65	50	µg/L	100	0	93.6	53	141	54.3	53.2	20	R	
cis-1,3-Dichloropropene	99.15	5.0	µg/L	100	0	99.2	70	119	93.55	5.81	20		
Toluene	103.8	10	µg/L	100	0	104	82	124	107.4	3.46	20		
trans-1,3-Dichloropropene	99.95	5.0	µg/L	100	0	100	64	124	89.4	11.1	20		
1,1,2-Trichloroethane	93.3	10	µg/L	100	0	93.3	73	127	81.3	13.7	20		
1,2-Dibromoethane	94.65	10	µg/L	100	0	94.6	73	127	78.15	19.1	20		
2-Hexanone	96.1	50	µg/L	100	0	96.1	37	145	45.65	71.2	20	R	
1,3-Dichloropropane	98.5	10	µg/L	100	0	98.5	76	123	82.15	18.1	20		
Tetrachloroethene	176.9	10	µg/L	100	80.98	95.9	82	129	170.8	3.48	20		
Dibromochloromethane	87.4	10	µg/L	100	0	87.4	59	125	75.6	14.5	20		
Chlorobenzene	100.4	10	µg/L	100	0	100	80	120	95.9	4.58	20		
1,1,1,2-Tetrachloroethane	101.3	10	µg/L	100	0	101	72	124	98.85	2.45	20		
Ethylbenzene	109.5	10	µg/L	100	0.79	109	83	123	105.9	3.34	20		
m,p-Xylene	229	10	µg/L	200	4.6	112	84	121	221.5	3.31	20		
o-Xylene	112	10	µg/L	100	3.37	109	83	119	105.8	5.74	20		
Styrene	116.6	10	µg/L	100	0	117	80	122	108.1	7.61	20		
Bromotform	87.15	10	µg/L	100	0	87.2	54	119	69.75	22.2	20	R	
Isopropylbenzene	121	10	µg/L	100	0.61	120	75	131	118.3	2.3	20	R	
1,1,2,2-Tetrachloroethane	111	10	µg/L	100	0	111	61	139	81.8	30.3	20	R	
1,2,3-Trichloropropane	107.6	10	µg/L	100	0	108	66	130	77.5	32.5	20	R	
Bromobenzene	108	10	µg/L	100	0	108	77	124	102	5.72	20		
n-Propylbenzene	110.9	10	µg/L	100	0.94	110	76	131	109.4	1.41	20		
2-Chlorotoluene	116.8	10	µg/L	100	0	117	78	125	110.4	5.63	20		
4-Chlorotoluene	114.2	10	µg/L	100	0	114	75	124	109	4.66	20		
1,3,5-Trimethylbenzene	119.2	10	µg/L	100	4.67	115	79	124	117.1	1.78	20		
tert-Butylbenzene	114.2	10	µg/L	100	0	114	79	126	112.6	1.37	20		
1,2,4-Trimethylbenzene	122.5	10	µg/L	100	10.87	112	77	124	119.1	2.81	20		

Qualifiers: ND = Not Detected at the Reporting Limit

J = Analyte detected below quantitation limits

S = Spike Recovery outside accepted recovery limits

R = RPD outside accepted recovery limits

B = Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

### QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Project:	101960-06000000 Textron Gorham									
sec-Butylbenzene	113.8	10	$\mu\text{g/L}$	100	0	114	82	128	112.3	1.33
4-Isopropyltoluene	115.8	10	$\mu\text{g/L}$	100	0	116	77	128	114.8	0.824
1,3-Dichlorobenzene	100.4	10	$\mu\text{g/L}$	100	0	100	80	122	98.35	2.06
1,4-Dichlorobenzene	104.7	10	$\mu\text{g/L}$	100	0	105	78	123	97.45	7.17
n-Butylbenzene	119.1	10	$\mu\text{g/L}$	100	0	119	74	130	117.2	1.61
1,2-Dichlorobenzene	100.4	10	$\mu\text{g/L}$	100	0	100	78	121	94.2	6.37
1,2-Dibromo-3-chloropropane	107.8	25	$\mu\text{g/L}$	100	0	108	50	127	64.15	50.8
1,2,4-Trichlorobenzene	111.2	10	$\mu\text{g/L}$	100	0	111	67	128	98.8	11.9
Hexachlorobutadiene	96.95	10	$\mu\text{g/L}$	100	0	97	74	134	95.6	1.4
Naphthalene	107.4	25	$\mu\text{g/L}$	100	3.23	104	57	131	74.85	35.7
1,2,3-Trichlorobenzene	107	10	$\mu\text{g/L}$	100	0	107	64	131	91.75	15.4
Surr: Dibromofluoromethane	120	10	$\mu\text{g/L}$	125	0	96	85	116	0	0
Surr: 1,2-Dichloroethane-d4	126	10	$\mu\text{g/L}$	125	0	101	77	127	0	0
Surr: Toluene-d8	120.6	10	$\mu\text{g/L}$	125	0	96.4	86	114	0	0
Surr: 4-Bromofluorobenzene	120.9	10	$\mu\text{g/L}$	125	0	96.7	79	117	0	0

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	299	50	µg/L	200	0	150	16	150	0	0	S	S
Chloromethane	304.7	50	µg/L	200	0	152	35	150	0	0		
Vinyl chloride	303.8	20	µg/L	200	0	152	49	150	0	0		
Chloroethane	247.6	50	µg/L	200	0	124	58	147	0	0		
Bromomethane	177.6	20	µg/L	200	0	88.8	49	142	0	0		
Trichlorofluoromethane	214.7	20	µg/L	200	0	107	57	149	0	0		
Diethyl ether	152.3	50	µg/L	200	0	76.2	66	136	0	0		
Acetone	114	100	µg/L	200	0	57	16	150	0	0		
1,1-Dichloroethene	194.5	10	µg/L	200	0	97.2	70	150	0	0		
Carbon disulfide	169.8	20	µg/L	200	0	84.9	47	135	0	0		
Methylene chloride	209.3	50	µg/L	200	0	105	66	142	0	0		
Methyl tert-butyl ether	185.4	20	µg/L	200	0	92.7	63	138	0	0		
trans-1,2-Dichloroethene	208.4	20	µg/L	200	0	104	78	135	0	0		
1,1-Dichloroethane	216.5	20	µg/L	200	0	108	76	131	0	0		
2-Butanone	136.3	100	µg/L	200	0	68.2	51	142	0	0		
2,2-Dichloropropane	277.8	20	µg/L	200	0	139	60	149	0	0		
cis-1,2-Dichloroethene	262	20	µg/L	200	42.2	110	74	128	0	0		
Chloroform	196.8	20	µg/L	200	0	98.4	80	129	0	0		
Tetrahydrofuran	115.4	100	µg/L	200	0	57.7	53	145	0	0		
Bromochloromethane	166.6	20	µg/L	200	0	83.3	78	130	0	0		
1,1,1-Trichloroethane	202	20	µg/L	200	0	101	77	139	0	0		
1,1-Dichloropropene	231.2	20	µg/L	200	0	116	74	127	0	0		
Carbon tetrachloride	185.4	20	µg/L	200	0	92.7	73	138	0	0		
1,2-Dichloroethane	166.5	20	µg/L	200	0	83.2	75	130	0	0		
Benzene	209.8	10	µg/L	200	0	105	79	123	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT:	SHAW E & I, Inc.		
Work Order:	0611162		
Project:	101960-06000000 Textron Gorham		
Trichloroethene	406.7	20	μg/L
1,2-Dichloropropane	204.4	20	μg/L
Bromodichloromethane	164.3	20	μg/L
Dibromomethane	157.2	20	μg/L
4-Methyl-2-pentanone	90.8	100	μg/L
dis-1,3-Dichloropropene	196.6	10	μg/L
Toluene	218.9	20	μg/L
trans-1,3-Dichloropropene	176.9	10	μg/L
1,1,2-Trichloroethane	147.7	20	μg/L
1,2-Dibromoethane	150.8	20	μg/L
2-Hexanone	108.1	100	μg/L
1,3-Dichloropropane	163.5	20	μg/L
Tetrachloroethylene	584.8	20	μg/L
Dibromochloromethane	142.1	20	μg/L
Chlorobenzene	206.2	20	μg/L
1,1,1,2-Tetrachloroethane	189.9	20	μg/L
Ethylbenzene	229.3	20	μg/L
m,p-Xylene	462.5	20	μg/L
o-Xylene	222.9	20	μg/L
Styrene	231.8	20	μg/L
Bromoform	124.5	20	μg/L
Isopropylbenzene	258	20	μg/L
1,1,2,2-Tetrachloroethane	157.8	20	μg/L
1,2,3-Trichloropropane	147.3	20	μg/L
Bromobenzene	208.7	20	μg/L
n-Propylbenzene	234.9	20	μg/L
2-Chlorotoluene	231.6	20	μg/L
4-Chlorotoluene	228.2	20	μg/L
1,3,5-Trimethylbenzene	247	20	μg/L
tert-Butylbenzene	245.7	20	μg/L
1,2,4-Trimethylbenzene	240.6	20	μg/L

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

ND - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT:	SHAW E & I, Inc.	Work Order:	0611162	Project:	101960-06000000 Textron Gorham	µg/L	200	0	126	82	128	0
sec-Butylbenzene	252.4	20				µg/L	200	0	125	77	128	0
4-Isopropyltoluene	250.5	20				µg/L	200	0	101	80	122	0
1,3-Dichlorobenzene	202.8	20				µg/L	200	0	100	78	123	0
1,4-Dichlorobenzene	200.9	20				µg/L	200	0	130	74	130	0
n-Butylbenzene	259.5	20				µg/L	200	0	97.3	78	121	0
1,2-Dichlorobenzene	194.6	20				µg/L	200	0	54.6	50	127	0
1,2-Dibromo-3-chloropropane	109.3	50				µg/L	200	0	115	67	128	0
1,2,4-Trichlorobutene	230.1	20				µg/L	200	0	105	74	134	0
Hexachlorobutadiene	209.9	20				µg/L	200	0	83.3	57	131	0
Naphthalene	166.6	50				µg/L	200	0	101	64	131	0
1,2,3-Trichlorobenzene	202.7	20				µg/L	200	0	91	85	116	0
Surr: Dibromofluoromethane	227.6	20				µg/L	250	0	80.8	77	127	0
Surr: 1,2-Dichloroethane-d4	202	20				µg/L	250	0	99.9	86	114	0
Surr: Toluene-d8	249.7	20				µg/L	250	0	93.4	79	117	0
Surr: 4-Bromofluorobenzene	233.6	20				µg/L	250	0				

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RU - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

**QC SUMMARY REPORT**  
 Matrix Spike Duplicate - Full List

 Client ID: MW 205 S      Batch ID: R35102      Test Code: SW8260B      Units: µg/L  
 Project: 101960-06000000 Textron Gorham      Run ID: V-3\_061205A      Analysis Date 12/5/2006 1:57:00 PM  
 SeqNo: 579697      Prep Date: 11/28/2006

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	273.3	50	µg/L	200	0	137	16	150	299	8.98	20	
Chloromethane	285.1	50	µg/L	200	0	143	35	150	304.7	6.66	20	S
Vinyl chloride	303.7	20	µg/L	200	0	151	49	150	303.8	0.694	20	
Chloroethane	271.2	50	µg/L	200	0	136	58	147	247.6	9.1	20	R
Bromomethane	233.6	20	µg/L	200	0	117	49	142	177.6	27.2	20	
Trichlorofluoromethane	231	20	µg/L	200	0	116	57	149	214.7	7.31	20	
Diethyl ether	178.5	50	µg/L	200	0	89.2	66	136	152.3	15.8	20	
Acetone	188	100	µg/L	200	0	94	16	150	114	49	20	R
1,1-Dichloroethene	201.5	10	µg/L	200	0	101	70	150	194.5	3.54	20	
Carbon disulfide	176.1	20	µg/L	200	0	88	47	135	169.8	3.64	20	
Methylene chloride	211	50	µg/L	200	0	106	66	142	209.3	0.809	20	
Methyl tert-butyl ether	197.2	20	µg/L	200	0	98.6	63	138	185.4	6.17	20	
trans-1,2-Dichloroethene	210.5	20	µg/L	200	0	105	78	135	208.4	1	20	
1,1-Dichloroethane	214	20	µg/L	200	0	107	76	131	216.5	1.16	20	
2-Butanone	207.5	100	µg/L	200	0	104	51	142	136.3	41.4	20	R
2,2-Dichloropropane	261.1	20	µg/L	200	0	131	60	149	277.8	6.2	20	
cis-1,2-Dichloroethene	268.4	20	µg/L	200	42.2	113	74	128	262	2.41	20	
Chloroform	222.9	20	µg/L	200	0	111	80	129	196.8	12.4	20	
Tetrahydrofuran	207.2	100	µg/L	200	0	104	53	145	115.4	56.9	20	R
Bromo-chloromethane	207.3	20	µg/L	200	0	104	78	130	166.6	21.8	20	
1,1,1-Trichloroethane	227.3	20	µg/L	200	0	114	77	139	202	11.8	20	
1,1-Dichloropropene	245	20	µg/L	200	0	122	74	127	231.2	5.8	20	
Carbon tetrachloride	225.4	20	µg/L	200	0	113	73	138	185.4	19.5	20	
1,2-Dichloroethane	206	20	µg/L	200	0	103	75	130	166.5	21.2	20	R
Benzene	222.8	10	µg/L	200	0	111	79	123	209.8	6.01	20	

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

		20	μg/L	200	192.8	114	79	126	406.7	3.57	20
Trichloroethene		421.5		200		108	76	125	204.4	5.24	20
1,2-Dichloropropane		215.4	20	μg/L	200	0	96	69	119	164.3	15.6
Bromodichloromethane		192.1	20	μg/L	200	0	97.7	76	127	157.2	21.7
Dibromomethane		195.4	20	μg/L	200	0	86	53	141	90.8	61.8
4-Methyl-2-pentanone		172.1	100	μg/L	200	0	110	70	119	196.6	11.1
cis-1,3-Dichloropropene		219.7	10	μg/L	200	0	118	82	124	218.9	7.86
Toluene		236.8	20	μg/L	200	0	106	64	124	176.9	17.8
trans-1,3-Dichloropropene		211.5	10	μg/L	200	0	96.7	73	127	147.7	26.7
1,1,2-Trichloroethane		193.3	20	μg/L	200	0	98.5	73	127	150.8	26.6
1,2-Dibromoethane		197	20	μg/L	200	0	84.4	37	145	108.1	43.8
2-Hexanone		168.7	100	μg/L	200	0	99.5	76	123	163.5	19.6
1,3-Dichloropropane		199	20	μg/L	200	0	367.6	119	82	129	584.8
Tetrachloroethene		605.5	20	μg/L	200	0	89	59	125	142.1	22.5
Dibromochloromethane		178.1	20	μg/L	200	0	110	80	120	206.2	6.34
Chlorobenzene		219.7	20	μg/L	200	0	103	72	124	189.9	8.42
1,1,1,2-Tetrachloroethane		206.6	20	μg/L	200	0	120	83	123	229.3	4.6
Ethylbenzene		240.1	20	μg/L	200	0	121	84	121	462.5	4.52
m,p-Xylene		483.9	20	μg/L	400	0	120	83	119	222.9	7.55
o-Xylene		240.4	20	μg/L	200	0	124	80	122	231.8	6.67
Styrene		247.8	20	μg/L	200	0	84.7	54	119	124.5	30.6
Bromoform		169.4	20	μg/L	200	0	135	75	131	258	4.66
Isopropylbenzene		270.3	20	μg/L	200	0	105	61	139	157.8	28.4
1,1,2,2-Tetrachloroethane		210.1	20	μg/L	200	0	102	66	130	147.3	32
1,2,3-Trichloropropane		203.5	20	μg/L	200	0	115	77	124	208.7	10.1
Bromobenzene		230.9	20	μg/L	200	0	124	79	131	234.9	5.63
n-Propylbenzene		248.5	20	μg/L	200	0	124	76	131	231.6	3.94
2-Chlorotoluene		240.9	20	μg/L	200	0	120	78	125	228.2	6.24
4-Chlorotoluene		242.9	20	μg/L	200	0	121	75	124	247	3.15
1,3,5-Trimethylbenzene		254.9	20	μg/L	200	0	127	79	126	245.7	3.56
tert-Butylbenzene		254.6	20	μg/L	200	0	127	79	124	240.6	2.91
1,2,4-Trimethylbenzene		247.7	20	μg/L	200	0	124	77	124	240.6	20

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**

CLIENT: SHAW E & I, Inc.  
 Work Order: 0611162  
 Project: 101960-06000000 Textron Gorham

	Matrix Spike Duplicate - Full List					
	200	0	127	82	128	252.4
sec-Butylbenzene	254.1	20	μg/L	200	0	0.671
4-Isopropyltoluene	251.8	20	μg/L	200	0	20
1,3-Dichlorobenzene	216.6	20	μg/L	200	0	20
1,4-Dichlorobenzene	220.7	20	μg/L	200	0	20
n-Butylbenzene	258.9	20	μg/L	200	0	20
1,2-Dichlorobenzene	215.3	20	μg/L	200	0	20
1,2-Dibromo-3-chloropropane	169.4	50	μg/L	200	0	20
1,2,4-Trichlorobenzene	238.9	20	μg/L	200	0	20
Hexachlorobutadiene	208.3	20	μg/L	200	0	20
Naphthalene	207.2	50	μg/L	200	0	20
1,2,3-Trichlorobenzene	229.6	20	μg/L	200	0	20
Surr: Dibromofluoromethane	245.1	20	μg/L	250	0	20
Sur: 1,2-Dichloroethane-d4	232	20	μg/L	250	0	20
Sur: Toluene-d8	252.6	20	μg/L	250	0	20
Sur: 4-Bromofluorobenzene	239.9	20	μg/L	250	0	20

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

Sample ID:	0611162-20Amst	Batch ID:	R35127	Test Code:	SWB260B	Units:	µg/L	Analysis Date	12/9/2006 5:53:00 AM	Prep Date:	11/28/2006	
Client ID:	MW 202 D	Run ID:	V-3_061208A	SeqNo:	580184			Original Sample		%RRD	RPD/Limit	Qu
Analyte		QC Sample		QC Amount	Original Sample Amount	Result	%REC	LowLimit	HighLimit	on MS Result		
Dichlorodifluoromethane		2413	500	µg/L	2000	0	121	16	150	0		
Chloromethane		2146	500	µg/L	2000	0	107	35	150	0		
Vinyl chloride		2714	200	µg/L	2000	0	136	49	150	0		
Chloroethane		2833	500	µg/L	2000	0	142	58	147	0		
Bromomethane		2372	200	µg/L	2000	0	119	49	142	0		
Trichlorofluoromethane		2558	200	µg/L	2000	0	128	57	149	0		
Diethyl ether		2065	500	µg/L	2000	0	103	66	136	0		
Acetone		2458	1,000	µg/L	2000	0	123	16	150	0		
1,1-Dichloroethene		2332	100	µg/L	2000	0	117	70	150	0		
Carbon disulfide		2271	200	µg/L	2000	0	114	47	135	0		
Methylene chloride		2287	500	µg/L	2000	0	114	66	142	0		
Methyl tert-butyl ether		2127	200	µg/L	2000	0	106	63	138	0		
trans-1,2-Dichloroethene		2240	200	µg/L	2000	0	112	78	135	0		
1,1-Dichloroethane		2261	200	µg/L	2000	0	113	76	131	0		
2-Butanone		2168	1,000	µg/L	2000	0	108	51	142	0		
2,2-Dichloropropane		1915	200	µg/L	2000	0	95.8	60	149	0		
cis-1,2-Dichloroethene		2169	200	µg/L	2000	0	108	74	128	0		
Chloroform		2424	200	µg/L	2000	0	121	80	129	0		
Tetrahydrofuran		3025	1,000	µg/L	2000	0	151	53	145	0		
Bromo-chloromethane		2101	200	µg/L	2000	0	105	78	130	0		
1,1,1-Trichloroethane		2503	200	µg/L	2000	0	125	77	139	0		
1,1-Dichloropropene		2511	200	µg/L	2000	0	126	74	127	0		
Carbon tetrachloride		2438	200	µg/L	2000	0	122	73	138	0		
1,2-Dichloroethane		2298	200	µg/L	2000	0	115	75	130	0		
Benzene		2224	100	µg/L	2000	0	111	79	123	0		

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT:	SHAW E & I, Inc.		
Work Order:	0611162		
Project:	101960-06000000 Textron Gorham		
Trichloroethene	2450	200	μg/L
1,2-Dichloropropane	2273	200	μg/L
Bromodichloromethane	2058	200	μg/L
Dibromomethane	2109	200	μg/L
4-Methyl-2-pentanone	1756	1,000	μg/L
cis-1,3-Dichloropropene	2099	100	μg/L
Toluene	2299	200	μg/L
trans-1,3-Dichloropropene	2115	100	μg/L
1,1,2-Trichloroethane	2028	200	μg/L
1,2-Dibromoethane	2092	200	μg/L
2-Hexanone	1975	1,000	μg/L
1,3-Dichloropropane	2132	200	μg/L
Tetrachloroethene	14950	200	μg/L
Dibromochloromethane	1945	200	μg/L
Chlorobenzene	2197	200	μg/L
1,1,1,2-Tetrachloroethane	2130	200	μg/L
Ethylbenzene	2368	200	μg/L
m,p-Xylene	4811	200	μg/L
o-Xylene	2331	200	μg/L
Styrene	2544	200	μg/L
Bromotform	1931	200	μg/L
Isopropylbenzene	2474	200	μg/L
1,1,2,2-Tetrachloroethane	2361	200	μg/L
1,2,3-Trichloropropane	2354	200	μg/L
Bromobenzene	2320	200	μg/L
n-Propylbenzene	2316	200	μg/L
2-Chlorotoluene	2358	200	μg/L
4-Chlorotoluene	2442	200	μg/L
1,3,5-Trimethylbenzene	2465	200	μg/L
tert-Butylbenzene	2356	200	μg/L
1,2,4-Trimethylbenzene	2374	200	μg/L

Qualifiers: ND - Not Detected at the Reporting Limit.

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT:	SHAW E & I, Inc.	Work Order:	0611162	Project:	101960-06000000 Textron Gorham	µg/L	2000	0	122	82	128	0
sec-Butylbenzene	2436	200										
4-Isopropyltoluene	2418	200	µg/L	2000		0	121	77	128	77	128	0
1,3-Dichlorobenzene	2163	200	µg/L	2000		0	108	80	122	80	122	0
1,4-Dichlorobenzene	2178	200	µg/L	2000		0	109	78	123	78	123	0
n-Butylbenzene	2451	200	µg/L	2000		0	123	74	130	74	130	0
1,2-Dichlorobenzene	2178	200	µg/L	2000		0	109	78	121	78	121	0
1,2-Dibromo-3-chloropropane	2064	500	µg/L	2000		0	103	50	127	50	127	0
1,2,4-Trichlorobenzene	2280	200	µg/L	2000		0	114	67	128	67	128	0
Hexachlorobutadiene	2047	200	µg/L	2000		0	102	74	134	74	134	0
Naphthalene	2222	500	µg/L	2000		0	111	57	131	57	131	0
1,2,3-Trichlorobenzene	2263	200	µg/L	2000		0	113	64	131	64	131	0
Surr: Dibromofluoromethane	2452	200	µg/L	2500		0	98.1	85	116	85	116	0
Surr: 1,2-Dichloroethane-d4	2610	200	µg/L	2500		0	104	77	127	77	127	0
Surr: Toluene-d8	2537	200	µg/L	2500		0	101	86	114	86	114	0
Surr: 4-Bromofluorobenzene	2407	200	µg/L	2500		0	96.3	79	117	79	117	0

Qualifiers: ND - Not Detected at the Reporting Limit.

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

**QC SUMMARY REPORT**  
Matrix Spike Duplicate - Full List

Date: 12-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Analyte	QC Sample Result	RL	Units	Amount	QC Spike Result	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	2060	500	µg/L	2000	0	103	16	150	2413	15.8	20		
Chloromethane	2335	500	µg/L	2000	0	117	35	150	2146	8.44	20		
Vinyl chloride	2499	200	µg/L	2000	0	125	49	150	2714	8.26	20		
Chloroethane	2628	500	µg/L	2000	0	131	58	147	2833	7.51	20		
Bromomethane	2273	200	µg/L	2000	0	114	49	142	2372	4.26	20		
Trichlorodifluoromethane	2361	200	µg/L	2000	0	118	57	149	2558	8.01	20		
Diethyl ether	2077	500	µg/L	2000	0	104	66	136	2065	0.579	20		
Acetone	2406	1,000	µg/L	2000	0	120	16	150	2458	2.14	20		
1,1-Dichloroethene	2256	100	µg/L	2000	0	113	70	150	2332	3.31	20		
Carbon disulfide	2108	200	µg/L	2000	0	105	47	135	2271	7.44	20		
Methylene chloride	2283	500	µg/L	2000	0	114	66	142	2287	0.175	20		
Methyl tert-butyl ether	2241	200	µg/L	2000	0	112	63	138	2127	5.22	20		
trans-1,2-Dichloroethene	2271	200	µg/L	2000	0	114	78	135	2240	1.37	20		
1,1-Dichloroethane	2305	200	µg/L	2000	0	115	76	131	2261	1.93	20		
2-Butanone	2170	1,000	µg/L	2000	0	108	51	142	2168	0.0922	20		
2,2-Dichloropropane	2038	200	µg/L	2000	0	102	60	149	1915	6.22	20		
cis-1,2-Dichloroethene	2277	200	µg/L	2000	0	114	74	128	2169	4.86	20		
Chloroform	2472	200	µg/L	2000	0	124	80	129	2424	1.96	20		
Tetrahydrofuran	2293	1,000	µg/L	2000	0	115	53	145	3025	27.5	20	R	
Bromochloromethane	2235	200	µg/L	2000	0	112	78	130	2101	6.18	20		
1,1,1-Trichloroethane	2529	200	µg/L	2000	0	126	77	139	2503	1.03	20		
1,1-Dichloropropene	2491	200	µg/L	2000	0	125	74	127	2511	0.8	20		
Carbon tetrachloride	2407	200	µg/L	2000	0	120	73	138	2438	1.28	20		
1,2-Dichloroethane	2286	200	µg/L	2000	0	114	75	130	2298	0.524	20		
Benzene	2268	100	µg/L	2000	0	113	79	123	2224	1.96	20		

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

## AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

**QC SUMMARY REPORT**  
 Matrix Spike Duplicate - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

	Trichloroethene	2548	200	µg/L	2000	208	117	79	126	2450	3.92	20
1,2-Dichloropropane	2348	200	µg/L	2000	0	117	76	125	2273	3.25	20	
Bromodichloromethane	2029	200	µg/L	2000	0	101	69	119	2058	1.42	20	
Dibromomethane	2090	200	µg/L	2000	0	104	76	127	2109	0.905	20	
4-Methyl-2-pentanone	1697	1,000	µg/L	2000	0	84.8	53	141	1756	3.42	20	
cis-3-Dichloropropene	2184	100	µg/L	2000	0	109	70	119	2099	3.97	20	
Toluene	2408	200	µg/L	2000	0	120	82	124	2299	4.63	20	
trans-1,3-Dichloropropene	2109	100	µg/L	2000	0	105	64	124	2115	0.284	20	
1,1,2-Trichloroethane	1955	200	µg/L	2000	0	97.8	73	127	2028	3.67	20	
1,2-Dibromoethane	2097	200	µg/L	2000	0	105	73	127	2092	0.239	20	
2-Hexanone	1626	1,000	µg/L	2000	0	81.3	37	145	1975	19.4	20	
1,3-Dichloropropane	2062	200	µg/L	2000	0	103	76	123	2132	3.34	20	
Tetrachloroethene	14350	200	µg/L	2000	12660	84.2	82	129	14950	4.14	20	
Dibromochloromethane	1883	200	µg/L	2000	0	94.2	59	125	1945	3.24	20	
Chlorobenzene	2180	200	µg/L	2000	0	109	80	120	2197	0.777	20	
1,1,1,2-Tetrachloroethane	2124	200	µg/L	2000	0	106	72	124	2130	0.282	20	
Ethylbenzene	2328	200	µg/L	2000	0	116	83	123	2368	1.7	20	
m,p-Xylene	4703	200	µg/L	4000	0	118	84	121	4811	2.27	20	
o-Xylene	2295	200	µg/L	2000	0	115	83	119	2331	1.56	20	
Styrene	2511	200	µg/L	2000	0	126	80	122	2544	1.31	20	
Bromoform	1805	200	µg/L	2000	0	90.2	54	119	1931	6.75	20	
Isopropylbenzene	2578	200	µg/L	2000	0	129	75	131	2474	4.12	20	
1,1,2,2-Tetrachloroethane	2199	200	µg/L	2000	0	110	61	139	2361	7.11	20	
1,2,3-Trichloropropane	2257	200	µg/L	2000	0	113	66	130	2354	4.21	20	
Bromobenzene	2299	200	µg/L	2000	0	115	77	124	2320	0.909	20	
n-Propylbenzene	2371	200	µg/L	2000	0	119	76	131	2316	2.35	20	
2-Chlorotoluene	2364	200	µg/L	2000	0	118	78	125	2358	0.254	20	
4-Chlorotoluene	2476	200	µg/L	2000	0	124	75	124	2442	1.38	20	
1,3,5-Trimethylbenzene	2491	200	µg/L	2000	0	125	79	124	2465	1.05	20	
tert-Butylbenzene	2481	200	µg/L	2000	0	124	79	126	2356	5.17	20	
1,2,4-Trimethylbenzene	2508	200	µg/L	2000	0	125	77	124	2374	5.49	20	

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

QC SUMMARY REPORT						
Matrix Spike Duplicate - Full List						
CLIENT:	SHAW E & I, Inc.					
Work Order:	0611162					
Project:	101960-06000000 Textron Gorham					
sec-Butylbenzene	2463	200	µg/L	2000	0	123
4-Isopropyltoluene	2524	200	µg/L	2000	0	126
1,3-Dichlorobenzene	2224	200	µg/L	2000	0	111
1,4-Dichlorobenzene	2244	200	µg/L	2000	0	112
n-Butylbenzene	2517	200	µg/L	2000	0	126
1,2-Dichlorobenzene	2216	200	µg/L	2000	0	111
1,2-Dibromo-3-chloropropane	2010	500	µg/L	2000	0	100
1,2,4-Trichlorobenzene	2353	200	µg/L	2000	0	118
Hexachlorobutadiene	1943	200	µg/L	2000	0	97.2
Naphthalene	2035	500	µg/L	2000	0	102
1,2,3-Trichlorobenzene	2302	200	µg/L	2000	0	115
Surr: Dibromofluoromethane	2537	200	µg/L	2500	0	101
Surr: 1,2-Dichloroethane-d4	2675	200	µg/L	2500	0	107
Surr: Toluene-d8	2863	200	µg/L	2500	0	104
Surr: 4-Bromofluorobenzene	2397	200	µg/L	2500	0	95.9

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-060000000 Textron Gorham

Sample ID:	0611162-19Amstf	Batch ID:	R35129	Test Code:	SW8260B	Units:	µg/L	Analysis Date 12/9/2006 8:06:00 PM			Prep Date: 11/28/2006			
Client ID:	MW 202 S	Run ID:	V-3_061209A	SeqNo:	580234									
Analyte	QC Sample	Result	RL	Units	QC Spike Amount	Original Sample	Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	21790	5,000	µg/L	20000	0	109	16	150	0	0				
Chloromethane	22690	5,000	µg/L	20000	0	113	35	150	0	0				
Vinyl chloride	24660	2,000	µg/L	20000	0	123	49	150	0	0				
Chloroethane	26530	5,000	µg/L	20000	0	133	58	147	0	0				
Bromomethane	23810	2,000	µg/L	20000	0	119	49	142	0	0				
Trichlorofluoromethane	28820	2,000	µg/L	20000	0	144	57	149	0	0				
Diethyl ether	18110	5,000	µg/L	20000	0	90.6	66	136	0	0				
Acetone	18480	10,000	µg/L	20000	0	92.4	16	150	0	0				
1,1-Dichloroethene	22980	1,000	µg/L	20000	0	115	70	150	0	0				
Carbon disulfide	21790	2,000	µg/L	20000	0	109	47	135	0	0				
Methylene chloride	22740	5,000	µg/L	20000	22.6	114	66	142	0	0				
Methyl tert-butyl ether	20030	2,000	µg/L	20000	0	100	63	138	0	0				
trans-1,2-Dichloroethene	22980	2,000	µg/L	20000	0	115	78	135	0	0				
1,1-Dichloroethane	23280	2,000	µg/L	20000	0	116	76	131	0	0				
2-Butanone	16100	10,000	µg/L	20000	0	80.5	51	142	0	0				
2,2-Dichloropropane	32070	2,000	µg/L	20000	0	160	60	149	0	0				
cis-1,2-Dichloroethene	21440	2,000	µg/L	20000	86.3	107	74	128	0	0				
Chloroform	24910	2,000	µg/L	20000	0	125	80	129	0	0				
Tetrahydrofuran	14150	10,000	µg/L	20000	0	70.8	53	145	0	0				
Bromoform	20970	2,000	µg/L	20000	0	105	78	130	0	0				
1,1,1-Trichloroethane	26530	2,000	µg/L	20000	9.2	133	77	139	0	0				
1,1-Dichloropropene	25180	2,000	µg/L	20000	0	126	74	127	0	0				
Carbon tetrachloride	26320	2,000	µg/L	20000	16.7	132	73	138	0	0				
1,2-Dichloroethane	23400	2,000	µg/L	20000	0	117	75	130	0	0				
Benzene	22180	1,000	µg/L	20000	0	111	79	123	0	0				

Qualifiers: S - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

		2,000	μg/L	20000	104.3	114	79	126	0
Trichloroethene		22890							
1,2-Dichloropropane		22410	2,000	μg/L	20000	0	112	76	125
Bromodichloromethane		21250	2,000	μg/L	20000	0	106	69	119
Dibromomethane		19360	2,000	μg/L	20000	0	96.8	76	127
4-Methyl-2-pentanone		13040	10,000	μg/L	20000	0	65.2	53	141
cis-1,3-Dichloropropene		20480	1,000	μg/L	20000	0	102	70	119
Toluene		23100	2,000	μg/L	20000	0	116	82	124
trans-1,3-Dichloropropene		20400	1,000	μg/L	20000	0	102	64	124
1,1,2-Trichloroethane		17760	2,000	μg/L	20000	0	88.8	73	127
1,2-Dibromoethane		18100	2,000	μg/L	20000	0	90.5	73	127
2-Hexanone		11010	10,000	μg/L	20000	0	55	37	145
1,3-Dichloropropane		19910	2,000	μg/L	20000	0	99.6	76	123
Tetrachloroethene		82600	2,000	μg/L	20000	18760	319	82	129
Dibromochloromethane		18250	2,000	μg/L	20000	0	91.2	59	125
Chlorobenzene		22260	2,000	μg/L	20000	0	111	80	120
1,1,1,2-Tetrachloroethane		22210	2,000	μg/L	20000	0	111	72	124
Ethylbenzene		24180	2,000	μg/L	20000	0	121	83	123
m,p-Xylene		49510	2,000	μg/L	40000	0	124	84	121
o-Xylene		23310	2,000	μg/L	20000	0	117	83	119
Styrene		25090	2,000	μg/L	20000	0	125	80	122
Bromoform		15560	2,000	μg/L	20000	0	79.8	54	119
Isopropylbenzene		25190	2,000	μg/L	20000	0	126	75	131
1,1,2,2-Tetrachloroethane		19830	2,000	μg/L	20000	0	99.2	61	139
1,2,3-Trichloropropane		19190	2,000	μg/L	20000	0	96	66	130
Bromobenzene		22380	2,000	μg/L	20000	0	112	77	124
n-Propylbenzene		24240	2,000	μg/L	20000	0	121	76	131
2-Chlorotoluene		24990	2,000	μg/L	20000	0	125	78	125
4-Chlorotoluene		25590	2,000	μg/L	20000	0	127	75	124
1,3,5-Trimethylbenzene		25880	2,000	μg/L	20000	0	129	79	124
tert-Butylbenzene		24730	2,000	μg/L	20000	0	124	79	126
1,2,4-Trimethylbenzene		25390	2,000	μg/L	20000	0	127	77	124

Qualifiers:

J - Analyte detected below quantitation limits

S - ND - Not Detected at the Reporting Limit

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RI - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

### Matrix Spike - Full List

	CLIENT:	SHAW E & I, Inc.							
	Work Order:	0611162							
	Project:	101960-06000000 Textron Gorham							
sec-Butylbenzene		26660	2,000	µg/L	20000	0	133	82	128
4-Isopropyltoluene		26270	2,000	µg/L	20000	0	131	77	128
1,3-Dichlorobenzene		22250	2,000	µg/L	20000	0	111	80	122
1,4-Dichlorobenzene		22750	2,000	µg/L	20000	0	114	78	123
n-Butylbenzene		26360	2,000	µg/L	20000	0	132	74	130
1,2-Dichlorobenzene		21660	2,000	µg/L	20000	0	108	78	121
1,2-Dibromo-3-chloropropane		16230	5,000	µg/L	20000	0	81.2	50	127
1,2,4-Trichlorobenzene		22050	2,000	µg/L	20000	0	110	67	128
Hexachlorobutadiene		22110	2,000	µg/L	20000	0	111	74	134
Naphthalene		18280	5,000	µg/L	20000	0	91.4	57	131
1,2,3-Trichlorobenzene		21090	2,000	µg/L	20000	0	105	64	131
Sur: Dibromofluoromethane		25950	2,000	µg/L	25000	0	104	85	116
Sur: 1,2-Dichloroethane-d4		27640	2,000	µg/L	25000	0	111	77	127
Sur: Toluene-d8		25360	2,000	µg/L	25000	0	101	86	114
Sur: 4-Bromofluorobenzene		23990	2,000	µg/L	25000	0	96	79	117

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike Duplicate - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Analyte	QC Sample Result	RL	Units	QC Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	20680	5,000	µg/L	20000	0	103	16	150	21790	5.23	20	
Chloromethane	22650	5,000	µg/L	20000	0	113	35	150	22690	0.619	20	
Vinyl chloride	26280	2,000	µg/L	20000	0	131	49	150	24490	6.24	20	
Chloroethane	27480	5,000	µg/L	20000	0	137	58	147	26530	3.52	20	
Bromomethane	24100	2,000	µg/L	20000	0	120	49	142	23810	1.21	20	
Trichlorofluoromethane	27670	2,000	µg/L	20000	0	138	57	149	28820	4.07	20	
Diethyl ether	18800	5,000	µg/L	20000	0	94	66	136	18110	3.74	20	R
Acetone	14950	10,000	µg/L	20000	0	74.8	16	150	18480	21.1	20	
1,1-Dichloroethene	22440	1,000	µg/L	20000	0	112	70	150	22990	2.6	20	
Carbon disulfide	21620	2,000	µg/L	20000	0	108	47	135	21790	0.783	20	
Methylene chloride	223860	5,000	µg/L	20000	22.6	112	66	142	22740	1.69	20	
Methyl tert-butyl ether	20150	2,000	µg/L	20000	0	101	63	138	20030	0.597	20	
trans-1,2-Dichloroethene	22820	2,000	µg/L	20000	0	114	78	135	22990	0.742	20	
1,1-Dichloroethane	23490	2,000	µg/L	20000	0	117	76	131	23280	0.898	20	
2-Butanone	17670	10,000	µg/L	20000	0	88.4	51	142	16100	9.3	20	S
2,2-Dichloropropane	32180	2,000	µg/L	20000	0	161	60	149	32070	0.342	20	
cis-1,2-Dichloroethene	22390	2,000	µg/L	20000	86.3	112	74	128	21440	4.33	20	
Chloroform	24660	2,000	µg/L	20000	0	123	80	129	24910	1.01	20	
Tetrahydrofuran	15970	10,000	µg/L	20000	0	79.8	53	145	14150	12.1	20	
Bromochloromethane	19870	2,000	µg/L	20000	0	99.4	78	130	20970	5.39	20	
1,1,1-Trichloroethane	26330	2,000	µg/L	20000	9.2	132	77	139	26530	0.757	20	
1,1-Dichloropropane	25400	2,000	µg/L	20000	0	127	74	127	25180	0.87	20	
Carbon tetrachloride	24730	2,000	µg/L	20000	16.7	124	73	138	26320	6.23	20	
1,2-Dichloroethane	22980	2,000	µg/L	20000	0	115	75	130	23400	1.9	20	
Benzene	22160	1,000	µg/L	20000	0	111	79	123	22180	0.0902	20	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

### Matrix Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

	Trichlorethene	2,000	$\mu\text{g/L}$	20000	104.3	115	79	126	22900	0.913	20
1,2-Dichloropropane	22130	2,000	$\mu\text{g/L}$	20000	0	111	76	125	22410	1.26	20
Bromodichloromethane	20370	2,000	$\mu\text{g/L}$	20000	0	102	69	119	21250	4.23	20
Dibromomethane	18680	2,000	$\mu\text{g/L}$	20000	0	93.4	76	127	19360	3.58	20
4-Methyl-2-pentanone	11760	10,000	$\mu\text{g/L}$	20000	0	58.8	53	141	13040	10.3	20
cis-1,3-Dichloropropene	20810	1,000	$\mu\text{g/L}$	20000	0	104	70	119	20480	1.6	20
Toluene	22740	2,000	$\mu\text{g/L}$	20000	0	114	82	124	23100	1.57	20
trans-1,3-Dichloropropene	20750	1,000	$\mu\text{g/L}$	20000	0	104	64	124	20400	1.7	20
1,1,2-Trichloroethane	17200	2,000	$\mu\text{g/L}$	20000	0	86	73	127	17760	3.2	20
1,2-Dibromoethane	17620	2,000	$\mu\text{g/L}$	20000	0	88.1	73	127	18100	2.69	20
2-Hexanone	12070	10,000	$\mu\text{g/L}$	20000	0	60.4	37	145	11010	9.19	20
1,3-Dichloropropane	19630	2,000	$\mu\text{g/L}$	20000	0	98.2	76	123	19910	1.42	20
Tetrachloroethene	82980	2,000	$\mu\text{g/L}$	20000	18760	321	82	129	82600	0.459	20
Dibromochloromethane	17930	2,000	$\mu\text{g/L}$	20000	0	89.7	59	125	18250	1.77	20
Chlorobenzene	22360	2,000	$\mu\text{g/L}$	20000	0	112	80	120	22260	0.448	20
1,1,1,2-Tetrachloroethane	21860	2,000	$\mu\text{g/L}$	20000	0	109	72	124	22210	1.59	20
Ethylbenzene	24090	2,000	$\mu\text{g/L}$	20000	0	120	83	123	24180	0.373	20
m,p-Xylene	49020	2,000	$\mu\text{g/L}$	40000	0	123	84	121	49510	0.995	20
o-Xylene	23820	2,000	$\mu\text{g/L}$	20000	0	119	83	119	23310	2.16	20
Styrene	25600	2,000	$\mu\text{g/L}$	20000	0	128	80	122	25090	2.01	20
Bromoform	15700	2,000	$\mu\text{g/L}$	20000	0	78.5	54	119	15960	1.64	20
Isopropylbenzene	26280	2,000	$\mu\text{g/L}$	20000	0	131	75	131	25190	4.24	20
1,1,2,2-Tetrachloroethane	18280	2,000	$\mu\text{g/L}$	20000	0	91.4	61	139	19830	8.13	20
1,2,3-Trichloropropane	18630	2,000	$\mu\text{g/L}$	20000	0	93.2	66	130	19190	2.96	20
Bromobenzene	21760	2,000	$\mu\text{g/L}$	20000	0	109	77	124	22380	2.81	20
n-Propylbenzene	23970	2,000	$\mu\text{g/L}$	20000	0	120	76	131	24240	1.12	20
2-Chlorotoluene	24460	2,000	$\mu\text{g/L}$	20000	0	122	78	125	24990	2.14	20
4-Chlorotoluene	24510	2,000	$\mu\text{g/L}$	20000	0	123	75	124	25390	3.53	20
1,3,5-Trimethylbenzene	25820	2,000	$\mu\text{g/L}$	20000	0	129	79	124	25880	0.232	20
tert-Butylbenzene	25210	2,000	$\mu\text{g/L}$	20000	0	126	79	126	24730	1.92	20
1,2,4-Trimethylbenzene	24500	2,000	$\mu\text{g/L}$	20000	0	122	77	124	25390	3.57	20

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

JL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.  
RL - Reporting Limit

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

		Matrix Spike Duplicate - Full List									
sec-Butylbenzene	26230	2,000	µg/L	20000	0	131	82	128	26600	1.4	20
4-Isopropyltoluene	26630	2,000	µg/L	20000	0	133	77	128	26270	1.36	20
1,3-Dichlorobenzene	21750	2,000	µg/L	20000	0	109	80	122	22250	2.27	20
1,4-Dichlorobenzene	22250	2,000	µg/L	20000	0	111	78	123	22750	2.22	20
n-Butylbenzene	26830	2,000	µg/L	20000	0	134	74	130	26360	1.77	20
1,2-Dichlorobenzene	20980	2,000	µg/L	20000	0	105	78	121	21660	3.19	20
1,2-Dibromo-3-chloropropane	16450	5,000	µg/L	20000	0	82.4	50	127	16230	1.53	20
1,2,4-Trichlorobenzene	23700	2,000	µg/L	20000	0	118	67	128	22060	7.17	20
Hexachlorobutadiene	21270	2,000	µg/L	20000	0	106	74	134	22110	3.87	20
Naphthalene	18650	5,000	µg/L	20000	0	93.2	57	131	18280	2	20
1,2,3-Trichlorobenzene	22140	2,000	µg/L	20000	0	111	64	131	21090	4.86	20
Surr: Dibromofluoromethane	25580	2,000	µg/L	25000	0	102	85	116	0	0	0
Surr: 1,2-Dichloroethane-d4	27590	2,000	µg/L	25000	0	110	77	127	0	0	0
Surr: Toluene-d8	25260	2,000	µg/L	25000	0	101	86	114	0	0	0
Surr: 4-Bromofluorobenzene	23810	2,000	µg/L	25000	0	95.2	79	117	0	0	0

**Qualifiers:** ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
R - RPD outside accepted recovery limits  
NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

Sample ID:	0611162-244amsf	Batch ID:	R35148	Test Code:	SW8260B	Units:	µg/L	Analysis Date 12/11/2006 4:52:00 PM			Prep Date: 11/28/2006			
Client ID:	MW 216 D	Run ID:	V-3_061211A	SeqNo:	580488									
Analyte	QC Sample Result	RL	Units	QC Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua		
Dichlorodifluoromethane	103.4	25	µg/L	100	0	103	16	150	150	0	0			
Chloromethane	104.2	25	µg/L	100	0	104	35	150	150	0	0			
Vinyl chloride	114.8	10	µg/L	100	0	115	49	150	150	0	0			
Chloroethane	118.6	25	µg/L	100	0	119	58	147	147	0	0			
Bromomethane	111.2	10	µg/L	100	0	111	49	142	142	0	0			
Trichlorofluoromethane	135	10	µg/L	100	1.68	133	57	149	149	0	0			
Diethyl ether	97.4	25	µg/L	100	0	97.4	66	136	136	0	0			
Acetone	103.2	50	µg/L	100	0	103	16	150	150	0	0			
1,1-Dichloroethene	114.6	5.0	µg/L	100	0	115	70	150	150	0	0			
Carbon disulfide	104.6	10	µg/L	100	0	105	47	135	135	0	0			
Methylene chloride	114.6	25	µg/L	100	0	115	66	142	142	0	0			
Methyl tert-butyl ether	102.5	10	µg/L	100	0	103	63	138	138	0	0			
trans-1,2-Dichlorethane	107.8	10	µg/L	100	0	108	78	135	135	0	0			
1,1-Dichloroethane	112.8	10	µg/L	100	0	113	76	131	131	0	0			
2-Butanone	106.6	50	µg/L	100	0	107	51	142	142	0	0			
2,2-Dichloropropane	160.6	10	µg/L	100	0	161	60	149	149	0	0			
cis-1,2-Dichloroethene	108.5	10	µg/L	100	0.78	108	74	128	128	0	0			
Chloroform	119.4	10	µg/L	100	0	119	80	129	129	0	0			
Tetrahydrofuran	88.95	50	µg/L	100	0	89	53	145	145	0	0			
Bromochloromethane	101.7	10	µg/L	100	0	102	78	130	130	0	0			
1,1,1-Trichloroethane	128.9	10	µg/L	100	0	129	77	139	139	0	0			
1,1-Dichloropropene	125.1	10	µg/L	100	0	125	74	127	127	0	0			
Carbon tetrachloride	129	10	µg/L	100	0	129	73	138	138	0	0			
1,2-Dichloroethane	118.4	10	µg/L	100	0	118	75	130	130	0	0			
Benzene	108	5.0	µg/L	100	0	108	79	123	123	0	0			

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

	115	10	µg/L	100	4.52	110	79	126	0
Trichloroethene	112.6	10	µg/L	100	0	113	76	125	0
1,2-Dichloropropane	101.9	10	µg/L	100	0	102	69	119	0
Bromodichloromethane	101.8	10	µg/L	100	0	102	76	127	0
Dibromomethane	72.6	50	µg/L	100	0	72.6	53	141	0
4-Methyl-2-pentanone	107.5	5.0	µg/L	100	0	107	70	119	0
cis-1,3-Dichloropropene	115.4	10	µg/L	100	0	115	82	124	0
Toluene	106.6	5.0	µg/L	100	0	107	64	124	0
trans-1,3-Dichloropropene	97.7	10	µg/L	100	0	97.7	73	127	0
1,1,2-Trichloroethane	98.05	10	µg/L	100	0	98	73	127	0
1,2-Dibromoethane	72.4	50	µg/L	100	0	72.4	37	145	0
2-Hexanone	94.15	10	µg/L	100	0	94.2	76	123	0
1,3-Dichloropropane	"	"	"	100	0	110	82	129	0
Tetrachloroethene	109.8	10	µg/L	100	0	88.7	59	125	0
Dibromochloromethane	88.7	10	µg/L	100	0	105	80	120	0
Chlorobenzene	104.8	10	µg/L	100	0	105	80	120	0
1,1,1,2-Tetrachloroethane	105.3	10	µg/L	100	0	105	72	124	0
Ethylbenzene	112.4	10	µg/L	100	0	112	83	123	0
m,p-Xylene	225	10	µg/L	200	0	112	84	121	0
o-Xylene	108.8	10	µg/L	100	0	109	83	119	0
Styrene	118.5	10	µg/L	100	0	118	80	122	0
Bromoform	84.25	10	µg/L	100	0	84.2	54	119	0
Isopropylbenzene	119.1	10	µg/L	100	0	119	75	131	0
1,1,2,2-Tetrachloroethane	101.4	10	µg/L	100	0	101	61	139	0
1,2,3-Trichloropropane	97.85	10	µg/L	100	0	97.8	66	130	0
Bromobenzene	105.2	10	µg/L	100	0	105	77	124	0
n-Propylbenzene	112	10	µg/L	100	0	112	76	131	0
2-Chlorotoluene	112.2	10	µg/L	100	0	112	78	125	0
4-Chlorotoluene	114.4	10	µg/L	100	0	114	75	124	0
1,3,5-Trimethylbenzene	119.6	10	µg/L	100	0	120	79	124	0
tert-Butylbenzene	111.2	10	µg/L	100	0	111	79	126	0
1,2,4-Trimethylbenzene	114.1	10	µg/L	100	0	114	77	124	0

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

	116	10	µg/L	100	0	116	82	128
sec-Butylbenzene	119	10	µg/L	100	0	119	77	128
4-Isopropyltoluene	102.7	10	µg/L	100	0	103	80	122
1,3-Dichlorobenzene	107.7	10	µg/L	100	0	108	78	123
1,4-Dichlorobenzene	117.6	10	µg/L	100	0	118	74	130
n-Butylbenzene	99.4	10	µg/L	100	0	99.4	78	121
1,2-Dichlorobenzene	98.3	25	µg/L	100	0	98.3	50	127
1,2-Dibromo-3-chloropropane	105.1	10	µg/L	100	0	105	67	128
1,2,4-Trichlorobenzene	86.5	10	µg/L	100	0	86.5	74	134
Hexachlorobutadiene	92.05	25	µg/L	100	0	92	57	131
Naphthalene	99.95	10	µg/L	100	0	100	64	131
1,2,3-Trichlorobenzene	129.8	10	µg/L	125	0	104	85	116
Surr: Dibromofluoromethane	138.3	10	µg/L	125	0	111	77	127
Surr: 1,2-Dichloroethane-d4	128.8	10	µg/L	125	0	103	86	114
Surr: Toluene-d8	119.8	10	µg/L	125	0	95.8	79	117
Surr: 4-Bromofluorobenzene								

**Qualifiers:** ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**S - Spike Recovery outside accepted recovery limits**

**R - RPD outside accepted recovery limits**

**B - Analyte detected in the associated Method Blank**

**NA - Not applicable where J values or ND results occur**

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

### Matrix Spike Duplicate - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Analyte	QC Sample	Result	RL	Units	QC Spike	Original Sample	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qu
Dichlorodifluoromethane		103.4	25	µg/L	100	0	103	16	150	103.4	0.0967	20	
Chloromethane		98.7	25	µg/L	100	0	98.7	35	150	104.2	5.42	20	
Vinyl chloride		119.9	10	µg/L	100	0	120	49	150	114.8	4.35	20	
Chloorethane		117.4	25	µg/L	100	0	117	58	147	118.6	1.02	20	
Bromomethane		119.2	10	µg/L	100	0	119	49	142	111.2	6.86	20	
Trichlorofluoromethane		133.5	10	µg/L	100	1.68	132	57	149	135	1.08	20	
Diethyl ether		99.2	25	µg/L	100	0	99.2	66	136	97.4	1.83	20	
Acetone		88.4	50	µg/L	100	0	88.4	16	150	103.2	15.4	20	
1,1-Dichloroethene		112.9	5.0	µg/L	100	0	113	70	150	114.6	1.54	20	
Carbon disulfide		106.4	10	µg/L	100	0	106	47	135	104.6	1.71	20	
Methylene chloride		114.4	25	µg/L	100	0	114	66	142	114.6	0.131	20	
Methyl tert-butyl ether		105.3	10	µg/L	100	0	105	63	138	102.5	2.69	20	
trans-1,2-Dichloroethene		110.4	10	µg/L	100	0	110	78	135	107.8	2.47	20	
1,1-Dichloroethane		112.3	10	µg/L	100	0	112	76	131	112.8	0.4	20	
2-Butanone		111.9	50	µg/L	100	0	112	51	142	106.6	4.8	20	
2,2-Dichloropropane		157.7	10	µg/L	100	0	158	60	149	160.6	1.82	20	S
cis-1,2-Dichloroethene		107.8	10	µg/L	100	0.78	107	74	128	108.5	0.601	20	
Chloroform		119.1	10	µg/L	100	0	119	80	129	119.4	0.294	20	
Tetrahydrofuran		96	50	µg/L	100	0	96	53	145	88.95	7.62	20	
Bromochloromethane		102.2	10	µg/L	100	0	102	78	130	101.7	0.442	20	
1,1,1-Trichloroethane		124.6	10	µg/L	100	0	125	77	139	128.9	3.39	20	
1,1-Dichloropropene		125.2	10	µg/L	100	0	125	74	127	125.1	0.112	20	
Carbon tetrachloride		122.4	10	µg/L	100	0	122	73	138	129	5.25	20	
1,2-Dichloroethane		115	10	µg/L	100	0	115	75	130	118.4	2.87	20	
Benzene		110.1	5.0	µg/L	100	0	110	79	123	108	1.93	20	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 12-Dec-06

**QC SUMMARY REPORT**  
Matrix Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0611162  
Project: 101960-06000000 Textron Gorham

	117.1	10	µg/L	100	4.52	113	79	126	115	1.85	20
Trichloroethene	108.7	10	µg/L	100	0	109	76	125	112.6	3.52	20
1,2-Dichloropropane	101.2	10	µg/L	100	0	101	69	119	101.9	0.64	20
Bromodichloromethane	97.45	10	µg/L	100	0	97.5	76	127	101.8	4.32	20
Dibromomethane	80.25	50	µg/L	100	0	80.2	53	141	72.6	10	20
4-Methyl-2-pentanone	108.5	5.0	µg/L	100	0	108	70	119	107.5	0.972	20
cis-1,3-Dichloropropene	117.6	10	µg/L	100	0	118	82	124	115.4	1.93	20
Toluene	107.3	5.0	µg/L	100	0	107	64	124	106.6	0.655	20
trans-1,3-Dichloropropene	95.45	10	µg/L	100	0	95.4	73	127	97.7	2.33	20
1,1,2-Trichloroethane	98.4	10	µg/L	100	0	98.4	73	127	98.05	0.356	20
1,2-Dibromoethane	73.95	50	µg/L	100	0	74	37	145	72.4	2.12	20
2-Hexanone	94.05	10	µg/L	100	0	94	76	123	94.15	0.106	20
1,3-Dichloropropane	113.4	10	µg/L	100	0	113	82	129	109.8	3.27	20
Tetrachloroethylene	87.9	10	µg/L	100	0	87.9	59	125	88.7	0.906	20
Dibromochloromethane	107.5	10	µg/L	100	0	107	80	120	104.8	2.5	20
Chlorobenzene	103.6	10	µg/L	100	0	104	72	124	105.3	1.58	20
1,1,1,2-Tetrachloroethane	113.2	10	µg/L	100	0	113	83	123	112.4	0.665	20
Ethylbenzene	231.7	10	µg/L	200	0	116	84	121	225	2.91	20
m,p-Xylene	111	10	µg/L	100	0	111	83	119	108.8	2.05	20
o-Xylene	120	10	µg/L	100	0	120	80	122	118.5	1.22	20
Styrene	83.05	10	µg/L	100	0	83	54	119	84.25	1.43	20
Bromoform	120.6	10	µg/L	100	0	121	75	131	119.1	1.29	20
Isopropylbenzene	100	10	µg/L	100	0	100	61	139	101.4	1.34	20
1,1,2,2-Tetrachloroethane	103.2	10	µg/L	100	0	103	66	130	97.85	5.37	20
1,2,3-Trichloropropane	106.2	10	µg/L	100	0	106	77	124	105.2	0.899	20
Bromobenzene	114	10	µg/L	100	0	114	76	131	112	1.77	20
n-Propylbenzene	111	10	µg/L	100	0	111	78	125	112.2	1.08	20
2-Chlorotoluene	116.2	10	µg/L	100	0	116	75	124	114.4	1.47	20
4-Chlorotoluene	119.6	10	µg/L	100	0	120	79	124	119.6	0	20
1,3,5-Trimethylbenzene	114.7	10	µg/L	100	0	115	79	126	111.2	3.14	20
tert-Butylbenzene	116.4	10	µg/L	100	0	116	77	124	114.1	2.04	20

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 12-Dec-06

## QC SUMMARY REPORT

### Matrix Spike Duplicate - Full List

	CLIENT: SHAW E & I, Inc.	Project: 101960-06000000 Textron Gorham	sec-Butylbenzene	118.4	10	$\mu\text{g/L}$	100	0	118	82	128	116	2.09	20
4-Isopropyltoluene			118.2	10	$\mu\text{g/L}$	100	0	118	77	128	119	0.633	20	
1,3-Dichlorobenzene			102.8	10	$\mu\text{g/L}$	100	0	103	80	122	102.7	0.0487	20	
1,4-Dichlorobenzene			104.6	10	$\mu\text{g/L}$	100	0	105	78	123	107.7	2.92	20	
n-Butylbenzene			120.7	10	$\mu\text{g/L}$	100	0	121	74	130	117.6	2.56	20	
1,2-Dichlorobenzene			102.8	10	$\mu\text{g/L}$	100	0	103	78	121	99.4	3.31	20	
1,2-Dibromo-3-chloropropane			82.8	25	$\mu\text{g/L}$	100	0	82.8	50	127	98.3	17.1	20	
1,2,4-Trichlorobenzene			110.2	10	$\mu\text{g/L}$	100	0	110	67	128	105.1	4.74	20	
Hexachlorobutadiene			84.8	10	$\mu\text{g/L}$	100	0	84.8	74	134	86.5	1.98	20	
Naphthalene			100.2	25	$\mu\text{g/L}$	100	0	100	57	131	92.05	8.43	20	
1,2,3-Trichlorobenzene			109.2	10	$\mu\text{g/L}$	100	0	109	64	131	99.95	8.85	20	
Sur: Dibromofluoromethane			122.6	10	$\mu\text{g/L}$	125	0	98	85	116	0	0	0	
Sur: 1,2-Dichloroethane-d4			131.7	10	$\mu\text{g/L}$	125	0	105	77	127	0	0	0	
Sur: Toluene-d8			128.8	10	$\mu\text{g/L}$	125	0	103	86	114	0	0	0	
Sur: 4-Bromofluorobenzene			121.4	10	$\mu\text{g/L}$	125	0	97.1	79	117	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham**Lab Order:** 0611162**Lab ID:** 0611162-01 **Collection Date:** 11/28/06 12:30:00 PM**Collection Time:****Client Sample ID:** MW 205 S **Matrix:** GROUNDWATER**Analyses** **Result** **RL** **Qual** **Units** **DF** **Date Analyzed****ION CHROMATOGRAPHY** **E300** **Analyst:** RK

Chloride 190 50 mg/L 100 12/8/06

**HACH 8000 COD** **HACH8000** **Analyst:** GM

Chemical Oxygen Demand 150 50 mg/L 1 12/6/06

**Lab ID:** 0611162-02 **Collection Date:** 11/28/06 1:00:00 PM**Collection Time:****Client Sample ID:** MW 101 D **Matrix:** GROUNDWATER**Analyses** **Result** **RL** **Qual** **Units** **DF** **Date Analyzed****ION CHROMATOGRAPHY** **E300** **Analyst:** RK

Chloride 64 50 mg/L 100 12/8/06

**HACH 8000 COD** **HACH8000** **Analyst:** GM

Chemical Oxygen Demand ND 50 mg/L 1 12/6/06

**Lab ID:** 0611162-03 **Collection Date:** 11/28/06 1:30:00 PM**Collection Time:****Client Sample ID:** MW 101 S **Matrix:** GROUNDWATER**Analyses** **Result** **RL** **Qual** **Units** **DF** **Date Analyzed****ION CHROMATOGRAPHY** **E300** **Analyst:** RK

Chloride 83 50 mg/L 100 12/8/06

**HACH 8000 COD** **HACH8000** **Analyst:** GM

Chemical Oxygen Demand 320 50 mg/L 1 12/6/06

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

<b>CLIENT:</b>	SHAW E & I, Inc.	<b>Lab Order:</b>	0611162
<b>Project:</b>	101960-06000000 Textron Gorham		

<b>Lab ID:</b>	0611162-04	<b>Collection Date:</b>	11/28/06 1:45:00 PM
----------------	------------	-------------------------	---------------------

**Collection Time:**

<b>Client Sample ID:</b>	MW 101 S Dup	<b>Matrix:</b>	GROUNDWATER
--------------------------	--------------	----------------	-------------

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
-----------------	---------------	-----------	-------------	--------------	-----------	----------------------

<b>ION CHROMATOGRAPHY</b>	<b>E300</b>					<b>Analyst: RK</b>
---------------------------	-------------	--	--	--	--	--------------------

Chloride	83	50	mg/L	100	12/8/06
----------	----	----	------	-----	---------

<b>HACH 8000 COD</b>	<b>HACH8000</b>					<b>Analyst: GM</b>
----------------------	-----------------	--	--	--	--	--------------------

Chemical Oxygen Demand	300	50	mg/L	1	12/6/06
------------------------	-----	----	------	---	---------

<b>Lab ID:</b>	0611162-05	<b>Collection Date:</b>	11/28/06 2:00:00 PM
----------------	------------	-------------------------	---------------------

**Collection Time:**

<b>Client Sample ID:</b>	MW 201 S	<b>Matrix:</b>	GROUNDWATER
--------------------------	----------	----------------	-------------

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
-----------------	---------------	-----------	-------------	--------------	-----------	----------------------

<b>ION CHROMATOGRAPHY</b>	<b>E300</b>					<b>Analyst: RK</b>
---------------------------	-------------	--	--	--	--	--------------------

Chloride	220	50	mg/L	100	12/8/06
----------	-----	----	------	-----	---------

<b>HACH 8000 COD</b>	<b>HACH8000</b>					<b>Analyst: GM</b>
----------------------	-----------------	--	--	--	--	--------------------

Chemical Oxygen Demand	ND	50	mg/L	1	12/6/06
------------------------	----	----	------	---	---------

<b>Lab ID:</b>	0611162-06	<b>Collection Date:</b>	11/28/06 2:30:00 PM
----------------	------------	-------------------------	---------------------

**Collection Time:**

<b>Client Sample ID:</b>	MW 201 D	<b>Matrix:</b>	GROUNDWATER
--------------------------	----------	----------------	-------------

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
-----------------	---------------	-----------	-------------	--------------	-----------	----------------------

<b>ION CHROMATOGRAPHY</b>	<b>E300</b>					<b>Analyst: RK</b>
---------------------------	-------------	--	--	--	--	--------------------

Chloride	120	50	mg/L	100	12/8/06
----------	-----	----	------	-----	---------

<b>HACH 8000 COD</b>	<b>HACH8000</b>					<b>Analyst: GM</b>
----------------------	-----------------	--	--	--	--	--------------------

Chemical Oxygen Demand	ND	50	mg/L	1	12/6/06
------------------------	----	----	------	---	---------

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham**Lab Order:** 0611162**Lab ID:** 0611162-07**Collection Date:** 11/28/06 3:00:00 PM**Collection Time:****Client Sample ID:** MW 203 S**Matrix:** GROUNDWATER**Analyses****Result****RL****Qual****Units****DF****Date Analyzed****ION CHROMATOGRAPHY****E300****Analyst:** RK

Chloride

180

50

mg/L

100

12/8/06

**HACH 8000 COD****HACH8000****Analyst:** GM

Chemical Oxygen Demand

100

50

mg/L

1

12/6/06

**Lab ID:** 0611162-08**Collection Date:** 11/28/06 3:30:00 PM**Collection Time:****Client Sample ID:** MW 203 D**Matrix:** GROUNDWATER**Analyses****Result****RL****Qual****Units****DF****Date Analyzed****ION CHROMATOGRAPHY****E300****Analyst:** RK

Chloride

110

50

mg/L

100

12/8/06

**HACH 8000 COD****HACH8000****Analyst:** GM

Chemical Oxygen Demand

ND

50

mg/L

1

12/6/06

**Lab ID:** 0611162-09**Collection Date:** 11/28/06 4:00:00 PM**Collection Time:****Client Sample ID:** MW 209 D**Matrix:** GROUNDWATER**Analyses****Result****RL****Qual****Units****DF****Date Analyzed****ION CHROMATOGRAPHY****E300****Analyst:** RK

Chloride

100

50

mg/L

100

12/8/06

**HACH 8000 COD****HACH8000****Analyst:** GM

Chemical Oxygen Demand

ND

50

mg/L

1

12/6/06

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham**Lab Order:** 0611162**Lab ID:** 0611162-10      **Collection Date:** 11/28/06 4:30:00 PM**Collection Time:****Client Sample ID:** MW 112**Matrix:** GROUNDWATER**Analyses**      **Result**      **RL**      **Qual**      **Units**      **DF**      **Date Analyzed****ION CHROMATOGRAPHY**      **E300**      **Analyst:** RK

Chloride      82      50      mg/L      100      12/8/06

**HACH 8000 COD**      **HACH8000**      **Analyst:** GM

Chemical Oxygen Demand      ND      50      mg/L      1      12/8/06

**Lab ID:** 0611162-11      **Collection Date:** 11/28/06 7:30:00 AM**Collection Time:****Client Sample ID:** MW 206 S      **Matrix:** GROUNDWATER**Analyses**      **Result**      **RL**      **Qual**      **Units**      **DF**      **Date Analyzed****ION CHROMATOGRAPHY**      **E300**      **Analyst:** RK

Chloride      150      50      mg/L      100      12/8/06

**HACH 8000 COD**      **HACH8000**      **Analyst:** GM

Chemical Oxygen Demand      69      50      mg/L      1      12/6/06

**Lab ID:** 0611162-12      **Collection Date:** 11/28/06 8:00:00 AM**Collection Time:****Client Sample ID:** MW 206 D      **Matrix:** GROUNDWATER**Analyses**      **Result**      **RL**      **Qual**      **Units**      **DF**      **Date Analyzed****ION CHROMATOGRAPHY**      **E300**      **Analyst:** RK

Chloride      110      50      mg/L      100      12/8/06

**HACH 8000 COD**      **HACH8000**      **Analyst:** GM

Chemical Oxygen Demand      ND      50      mg/L      1      12/6/06

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc. **Lab Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

**Lab ID:** 0611162-13 **Collection Date:** 11/28/06 8:30:00 AM

**Collection Time:**

**Client Sample ID:** MW 204 S **Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
-----------------	---------------	-----------	-------------	--------------	-----------	----------------------

**ION CHROMATOGRAPHY** **E300** **Analyst:** RK

Chloride 140 50 mg/L 100 12/8/06

**HACH 8000 COD** **HACH8000** **Analyst:** GM

Chemical Oxygen Demand ND 50 mg/L 1 12/6/06

**Lab ID:** 0611162-14 **Collection Date:** 11/28/06 9:00:00 AM

**Collection Time:**

**Client Sample ID:** MW 204 D **Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
-----------------	---------------	-----------	-------------	--------------	-----------	----------------------

**ION CHROMATOGRAPHY** **E300** **Analyst:** RK

Chloride 190 50 mg/L 100 12/8/06

**HACH 8000 COD** **HACH8000** **Analyst:** GM

Chemical Oxygen Demand ND 50 mg/L 1 12/6/06

**Lab ID:** 0611162-15 **Collection Date:** 11/28/06 9:30:00 AM

**Collection Time:**

**Client Sample ID:** MW 207 S **Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
-----------------	---------------	-----------	-------------	--------------	-----------	----------------------

**ION CHROMATOGRAPHY** **E300** **Analyst:** RK

Chloride 200 50 mg/L 100 12/11/06

**HACH 8000 COD** **HACH8000** **Analyst:** GM

Chemical Oxygen Demand 62 50 mg/L 1 12/6/06

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

<b>CLIENT:</b>	SHAW E & I, Inc.	<b>Lab Order:</b>	0611162
<b>Project:</b>	101960-06000000 Textron Gorham		

<b>Lab ID:</b>	0611162-16	<b>Collection Date:</b>	11/28/06 10:00:00 AM
----------------	------------	-------------------------	----------------------

**Collection Time:****Client Sample ID:** MW 207 D      **Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
<b>ION CHROMATOGRAPHY</b>	<b>E300</b>					<b>Analyst: RK</b>
Chloride	170	50		mg/L	100	12/11/06
<b>HACH 8000 COD</b>	<b>HACH8000</b>					<b>Analyst: GM</b>
Chemical Oxygen Demand	ND	50		mg/L	1	12/6/06

<b>Lab ID:</b>	0611162-17	<b>Collection Date:</b>	11/28/06 10:30:00 AM
----------------	------------	-------------------------	----------------------

**Collection Time:****Client Sample ID:** MW 208 S      **Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
<b>ION CHROMATOGRAPHY</b>	<b>E300</b>					<b>Analyst: RK</b>
Chloride	210	50		mg/L	100	12/11/06
<b>HACH 8000 COD</b>	<b>HACH8000</b>					<b>Analyst: GM</b>
Chemical Oxygen Demand	53	50		mg/L	1	12/6/06

<b>Lab ID:</b>	0611162-18	<b>Collection Date:</b>	11/28/06 11:00:00 AM
----------------	------------	-------------------------	----------------------

**Collection Time:****Client Sample ID:** MW 208 D      **Matrix:** GROUNDWATER

<b>Analyses</b>	<b>Result</b>	<b>RL</b>	<b>Qual</b>	<b>Units</b>	<b>DF</b>	<b>Date Analyzed</b>
<b>ION CHROMATOGRAPHY</b>	<b>E300</b>					<b>Analyst: RK</b>
Chloride	170	50		mg/L	100	12/11/06
<b>HACH 8000 COD</b>	<b>HACH8000</b>					<b>Analyst: GM</b>
Chemical Oxygen Demand	66	50		mg/L	1	12/6/06

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham**Lab Order:** 0611162**Lab ID:** 0611162-19      **Collection Date:** 11/28/06 11:30:00 AM**Collection Time:****Client Sample ID:** MW 202 S      **Matrix:** GROUNDWATER**Analyses**      **Result**      **RL**      **Qual**      **Units**      **DF**      **Date Analyzed****ION CHROMATOGRAPHY**      E300      **Analyst:** RK

Chloride      210      50      mg/L      100      12/11/06

**HACH 8000 COD**      HACH8000      **Analyst:** GM

Chemical Oxygen Demand      69      50      mg/L      1      12/6/06

**Lab ID:** 0611162-20      **Collection Date:** 11/28/06 12:00:00 PM**Collection Time:****Client Sample ID:** MW 202 D      **Matrix:** GROUNDWATER**Analyses**      **Result**      **RL**      **Qual**      **Units**      **DF**      **Date Analyzed****ION CHROMATOGRAPHY**      E300      **Analyst:** RK

Chloride      270      50      mg/L      100      12/11/06

**HACH 8000 COD**      HACH8000      **Analyst:** GM

Chemical Oxygen Demand      ND      50      mg/L      1      12/6/06

**Lab ID:** 0611162-27      **Collection Date:** 11/28/06 9:30:00 AM**Collection Time:****Client Sample ID:** MW 116 S      **Matrix:** GROUNDWATER**Analyses**      **Result**      **RL**      **Qual**      **Units**      **DF**      **Date Analyzed****ION CHROMATOGRAPHY**      E300      **Analyst:** RK

Chloride      34      2.5      mg/L      5      12/11/06

**HACH 8000 COD**      HACH8000      **Analyst:** GM

Chemical Oxygen Demand      69      50      mg/L      1      12/6/06

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960-06000000 Textron Gorham**Lab Order:** 0611162**Lab ID:** 0611162-28      **Collection Date:** 11/28/06 10:00:00 AM**Client Sample ID:** MW 116 D      **Collection Time:****Matrix:** GROUNDWATER**Analyses**      **Result**      **RL**      **Qual**      **Units**      **DF**      **Date Analyzed****ION CHROMATOGRAPHY**      **E300**      **Analyst:** RK

Chloride      110      50      mg/L      100      12/11/06

**HACH 8000 COD**      **HACH8000**      **Analyst:** GM

Chemical Oxygen Demand      170      50      mg/L      1      12/6/06

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**QC SUMMARY REPORT**

Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Sample ID:	Batch ID:	Test Code:	Units:	QC Sample Result	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Analysis Date:	SeqNo:	Prep Date:
Sample ID: <b>MB-R35173</b>	Batch ID: <b>R35173</b>	Test Code: <b>E300</b>	Units: <b>mg/L</b>	Run ID: <b>DIONEX_061211B</b>								
Client ID:				QC Sample Result	RL	Units	%REC					
Analyte:				Chloride	ND	0.50						
						mg/L						
Sample ID: <b>MB-R35174</b>	Batch ID: <b>R35174</b>	Test Code: <b>E300</b>	Units: <b>mg/L</b>	Run ID: <b>DIONEX_061208C</b>								
Client ID:				QC Sample Result	RL	Units	%REC					
Analyte:				Chloride	ND	0.50						
						mg/L						
Sample ID: <b>MB-R35107</b>	Batch ID: <b>R35107</b>	Test Code: <b>HACH8000</b>	Units: <b>mg/L</b>	Run ID: <b>ING-WET_061206B</b>								
Client ID:				QC Sample Result	RL	Units	%REC					
Analyte:				Chemical Oxygen Demand	ND	0.50						
						mg/L						
Sample ID: <b>MB-R35123</b>	Batch ID: <b>R35123</b>	Test Code: <b>HACH8000</b>	Units: <b>mg/L</b>	Run ID: <b>ING-WET_061208A</b>								
Client ID:				QC Sample Result	RL	Units	%REC					
Analyte:				Chemical Oxygen Demand	ND	50						
						mg/L						

**Qualifiers:** ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**QC SUMMARY REPORT**  
Laboratory Control Spike

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Sample ID:	Batch ID:	Test Code:	Units:	Analysis Date:	Prep Date:						
Client ID:	Run ID:	DIONEX_061211B	mg/L	12/11/2006	12/11/2006						
Analyte	QC Sample Result	RL	Units	Original Sample Amount	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qu
Chloride	12.6	0.50	mg/L	12.5	0	101	90	110	0	0	
<hr/>											
Sample ID:	Batch ID:	Test Code:	Units:	Analysis Date:	Prep Date:						
Client ID:	Run ID:	DIONEX_061208C	mg/L	12/8/2006	12/8/2006						
Analyte	QC Sample Result	RL	Units	Original Sample Amount	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qu
Chloride	12.28	0.50	mg/L	12.5	0	98.2	90	110	0	0	
<hr/>											
Sample ID:	Batch ID:	Test Code:	Units:	Analysis Date:	Prep Date:						
Client ID:	Run ID:	ING-WET_061206B	mg/L	12/6/2006	12/6/2006						
Analyte	QC Sample Result	RL	Units	Original Sample Amount	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qu
Chemical Oxygen Demand	481.4	50	mg/L	500	0	96.3	80	120	0	0	
<hr/>											
Sample ID:	Batch ID:	Test Code:	Units:	Analysis Date:	Prep Date:						
Client ID:	Run ID:	ING-WET_061208A	mg/L	12/8/2006	12/8/2006						
Analyte	QC Sample Result	RL	Units	Original Sample Amount	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qu
Chemical Oxygen Demand	501.8	50	mg/L	500	0	100	80	120	0	0	

**Qualifiers:** ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**QC SUMMARY REPORT**  
**Sample Matrix Spike**

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Sample ID: 0611162-28CMS	Batch ID: R35173	Test Code: E300	Units: mg/L	Analysis Date: 12/1/2006			Prep Date:			
Client ID: MW 116 D	Run ID: DIONEX_061211B	QC Sample Result	RL Units	QC Spike Amount	Original Sample Result	%REC	LowLimit HighLimit	%RPD	RPDLimit	Qu
Chloride	1392	50	mg/L	1250	114.6	102	90	110	0	
Sample ID: 0611162-28CMSD	Batch ID: R35173	Test Code: E300	Units: mg/L	Analysis Date: 12/1/2006			Prep Date:			
Client ID: MW 116 D	Run ID: DIONEX_061211B	QC Sample Result	RL Units	QC Spike Amount	Original Sample Result	%REC	LowLimit HighLimit	%RPD	RPDLimit	Qu
Chloride	1391	50	mg/L	1250	114.6	102	90	110	0	
Sample ID: 0611162-14CMS	Batch ID: R35174	Test Code: E300	Units: mg/L	Analysis Date: 12/8/2006			Prep Date:			
Client ID: MW 204 D	Run ID: DIONEX_061208C	QC Sample Result	RL Units	QC Spike Amount	Original Sample Result	%REC	LowLimit HighLimit	%RPD	RPDLimit	Qu
Chloride	1435	50	mg/L	1250	189.3	99.7	90	110	0	
Sample ID: 0611162-14CMSD	Batch ID: R35174	Test Code: E300	Units: mg/L	Analysis Date: 12/8/2006			Prep Date:			
Client ID: MW 204 D	Run ID: DIONEX_061208C	QC Sample Result	RL Units	QC Spike Amount	Original Sample Result	%REC	LowLimit HighLimit	%RPD	RPDLimit	Qu
Chloride	1431	50	mg/L	1250	189.3	99.4	90	110	1435	0.26

**Qualifiers:** ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**QC SUMMARY REPORT**  
**Sample Matrix Spike**

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Sample ID:	MW 203 S	Batch ID:	R35174	Test Code:	E300	Units:	mg/L	Analysis Date:	12/8/2006	Prep Date:		
Analyte	Chloride	QC Sample Result	Run ID: DIONEX_061208C	QC Spike Result	Original Sample Amount	Result	%REC	Low Limit	High limit	%RPD	RPD Limit	Out
	1442	50	mg/L	1250	177.4	101	90	90	110	0		
<b>Sample ID: 0611162-07CMSSD</b>		<b>Batch ID: R35174</b>	<b>Test Code: E300</b>	<b>Units: mg/L</b>		<b>Analysis Date: 12/8/2006</b>		<b>Prep Date:</b>				
Client ID:	MW 203 S	QC Sample Result	Run ID: DIONEX_061208C	QC Spike Result	Original Sample Amount	Result	%REC	Low Limit	High limit	%RPD	RPD Limit	Out
	1447	50	mg/L	1250	177.4	102	90	90	110	1442	0.347	20
Sample ID:	MW 116 D	Batch ID: R35107	Test Code: HACH8000	Units: mg/L	Analysis Date:	12/6/2006	Prep Date:					
Analyte	Chloride	QC Sample Result	Run ID: ING-WET_061206B	QC Spike Result	Original Sample Amount	Result	%REC	Low Limit	High limit	%RPD	RPD Limit	Out
	1167	100	mg/L	1000	166.1	100	80	80	120	0		
<b>Chemical Oxygen Demand</b>		<b>Batch ID: R35107</b>	<b>Test Code: HACH8000</b>	<b>Units: mg/L</b>		<b>Analysis Date: 12/6/2006</b>		<b>Prep Date:</b>				
Client ID:	MW 116 D	QC Sample Result	Run ID: ING-WET_061206B	QC Spike Result	Original Sample Amount	Result	%REC	Low Limit	High limit	%RPD	RPD Limit	Out
	1158	100	mg/L	1000	166.1	99.2	80	80	120	1167	0.781	20
<b>Chemical Oxygen Demand</b>												

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits  
                   J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits  
                   RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank  
                   NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 13-Dec-06

**QC SUMMARY REPORT**

Sample Matrix Spike

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0611162  
**Project:** 101960-06000000 Textron Gorham

Sample ID: 0611162-10BMS		Batch ID: R35123		Test Code: HACH8000		Units: mg/L		Analysis Date: 12/8/2006		Prep Date:				
Client ID: MW 112		Run ID: ING-WET_0611208A		QC Sample		Original Sample		SeqNo: 580151		Original Sample				
Analyte	Result	RL	Units	Amount	QC Spike	Original Sample	Result	%REC	LowLimit	HighLimit	%REC	RPDI	RPDI limit	Qua
Chemical Oxygen Demand	931.1	100	mg/L	1000	9.56	92.2	80	120	0	0	0	0	0	
Sample ID: 0611162-10BMSD		Batch ID: R35123		Test Code: HACH8000		Units: mg/L		Analysis Date: 12/8/2006		Prep Date:				
Client ID: MW 112		Run ID: ING-WET_0611208A		QC Sample		Original Sample		SeqNo: 580152		Original Sample				
Analyte	Result	RL	Units	Amount	QC Spike	Original Sample	Result	%REC	LowLimit	HighLimit	%REC	RPDI	RPDI limit	Qua
Chemical Oxygen Demand	944.7	100	mg/L	1000	9.56	93.5	80	120	931.1	944.7	944.7	1.45	20	

**Qualifiers:** NND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPDI outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur