

June 5, 2008
Project 101960

Mr. Joseph T. Martella, II
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

**Re: Status Report: May 2008 Activities
Former Gorham Manufacturing Facility
333 Adelaide Avenue, Providence, RI
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this quarterly status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater in this area. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

FIELD ACTIVITIES

The following field activities were conducted on May 6 and 7, 2008:

Monitoring Activities

Field parameters were measured in treatment area wells on May 6 and 7, 2008. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). There was a light non-aqueous phase liquid (LNAPL) sheen in the development water collected from wells MW-216S and MW-216D. The thickness of LNAPL in these wells was not appreciable. The results of the field parameter measurements are presented in Tables 1 and 2.

Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) on May 6 and 7, 2008 from 17 monitoring wells within and around the treatment area. One duplicate sample was also collected for VOC analysis. Groundwater samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis.

SUMMARY OF ANALYTICAL DATA

A summary of all the analytical data associated with the groundwater sampling conducted in May 2008 is contained in Table 3. A copy of the laboratory analytical report is attached as Appendix A of this report. The PCE concentration found in well MW-202S was above the treatment goal of 7,700 ug/L.

FUTURE ACTIVITIES

Field parameter measurements, groundwater elevation measurements, and groundwater sampling will continue on a quarterly basis. Compliance well sampling will continue on a semi-annual basis. The next semi-annual compliance well sampling event is scheduled for August 2008. The next quarterly sampling event is scheduled for November 2008.

Mr. Joseph T. Martella, II
June 5, 2008
Page 3 of 4

If you have any questions regarding this report, please contact Ed Van Doren at (603) 870-4530.

Sincerely,

SHAW ENVIRONMENTAL, INC.



Edward P. Van Doren, PE, LSP
Project Manager

Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

Tables

Table 1 – Summary Field Parameters

Table 2 – Groundwater Elevations

Table 3 – VOCs in Groundwater

Appendices:

Appendix A – Laboratory Analytical Report

cc: Craig Roy, RIDEM OWR
Greg Simpson, Textron
Jamieson Schiff, Textron
Dave Heislein, MACTEC
Thomas Dellar, City of Providence
Jeff Morgan, Stop & Shop
Ronald Ruth, Sherin and Lodgen

Mr. Joseph T. Martella, II

June 5, 2008

Page 4 of 4


CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated June 5, 2008, certify that the information contained in this report is complete and accurate to the best of my knowledge.



Edward P. Van Doren, PE, LSP
Project Manager




Date:

We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.



Gregory L. Simpson
Project Manager




Date:




LEGEND

MW-101S MONITORING WELL





File: N:\dwg\Gorham\smtgf-02.dwg Layout: SP User: James.O'Donnell Mar 07, 2008 - 10:14am



DATE	3/7/08
DWN	J.O'D.
APP	
REV	
PROJECT NO.	101960

FIGURE 1
TEXTRON PROVIDENCE
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND
SITE PLAN

File: N:\dwg\Gorham\smtgf-01.dwg User: James.O'Donnell Mar 07, 2008 - 10:08am
Layout: Inj_well



LEGEND

	MW-101S	MONITORING WELL
	SB-2	SOIL BORING
	04IS01	INJECTION WELL



DATE	3/7/08
DWN	J.O'D.
APP	E.P.V.
REV	
PROJECT NO.	101960

FIGURE 2
TEXTRON PROVIDENCE
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND
INJECTION WELL LOCATIONS

Table 1
Summary Field Parameters
May 2008
Former Gorham Manufacturing Facility
Providence, Rhode Island

WELL ID	DATE	pH	Temperature (C°)	Conductivity (ms/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)
MW-101D	5/6/2008	2.46	16.47	0.126	5.35	712.8
MW-101S	5/6/2008	2.68	15.82	0.116	0.56	720.8
MW-112	5/6/2008	5.44	13.38	0.212	1.10	661.7
MW-116D	5/7/2008	4.56	14.29	0.108	0.88	678.3
MW-116S	5/7/2008	1.55	16.13	0.321	6.51	706.5
MW-201D	5/6/2008	3.09	16.14	2.209	0.66	680.2
MW-202D	5/6/2008	2.66	16.11	0.584	3.48	678.0
MW-202S	5/6/2008	4.97	15.58	0.143	6.90	646.1
MW-207D	5/6/2008	4.74	15.47	1.095	0.76	608.6
MW-207S	5/6/2008	4.91	16.38	0.922	2.73	598.3
MW-209D	5/6/2008	5.61	14.29	0.090	3.88	600.1
MW-216D	5/7/2008	4.66	14.24	0.213	0.70	486.3
MW-216S	5/7/2008	5.67	14.57	0.766	0.72	-41.3
MW-217D	5/7/2008	4.83	14.96	0.179	2.42	559.1
MW-217S	5/7/2008	3.84	14.32	0.492	0.65	505.7
MW-218D	5/6/2008	5.54	15.54	0.341	0.89	611.6
MW-218S	5/6/2008	4.79	15.62	0.474	0.56	578.4

Notes:
C° = degrees Celsius
ms/cm = microsiemens per centimeter
mg/L = milligrams per liter
mV = milli volts

Table 2
Groundwater Elevations
May 2008
Former Gorham Manufacturing Facility
Providence, Rhode Island

Well ID	Date	Reference Elevation (Feet)	Depth to Water (Feet)	LNAPL Thickness (Feet)	Groundwater Elevation (Feet)
MW-101D	5/6/2008	98.91	24.20	--	74.71
MW-101S	5/6/2008	98.90	24.30	--	74.60
MW-112	5/6/2008	100.63	25.95	--	74.68
MW-116D	5/7/2008	98.92	24.28	--	74.64
MW-116S	5/7/2008	99.40	24.65	--	74.75
MW-201D	5/6/2008	98.80	24.20	--	74.60
MW-202D	5/6/2008	98.17	23.60	--	74.57
MW-202S	5/6/2008	98.06	23.48	--	74.58
MW-207D	5/6/2008	98.18	23.64	--	74.54
MW-207S	5/6/2008	98.28	23.72	--	74.56
MW-209D	5/6/2008	99.90	25.68	--	74.22
MW-216D	5/7/2008	98.69	24.97	<0.01	73.72
MW-216S	5/7/2008	99.58	24.96	<0.01	74.62
MW-218D	5/6/2008	99.67	25.06	--	74.61
MW-218S	5/6/2008	99.61	24.98	--	74.63

Notes:
Groundwater elevations are based on an arbitrary reference datum established for the site.

Table 3
VOCs in Groundwater
Positive Detections Only
May 2008

Former Gorham Manufacturing Facility
Providence, RI

CONSTITUENT (ug/l)	MW-101D 5/6/2008 Primary	MW-101S 5/6/2008 Primary	MW-101S 5/6/2008 Duplicate 1	MW-112 5/6/2008 Primary	MW-116D 5/7/2008 Primary	MW-116S 5/7/2008 Primary	MW-201D 5/6/2008 Primary	MW-202D 5/6/2008 Primary	MW-202S 5/6/2008 Primary
1,1-Dichloroethene	<10	<10	<10	<10	<1	<1	<100	<100	<100
1,2,4-Trimethylbenzene	<20	<20	<20	<20	<2	<2	<200	<200	<200
1,3,5-Trimethylbenzene	<20	<20	<20	<20	<2	<2	<200	<200	<200
4-Isopropyltoluene	<20	<20	<20	<20	<2	<2	<200	<200	<200
Benzene	<10	<10	<10	<10	<1	<1	<100	<100	<100
Bromodichloromethane	<20	<20	<20	<20	2.6	<2	<200	<200	<200
Chloroform	<20	<20	<20	36	32	2.8	<200	<200	<200
cis-1,2-Dichloroethene	<20	<20	<20	<20	<2	<2	<200	<200	<200
Ethylbenzene	<20	<20	<20	<20	<2	<2	<200	<200	<200
m/p-xylene	<20	<20	<20	<20	<2	<2	<200	<200	<200
Methyltert-butylether	<20	<20	<20	<20	<2	<2	<200	<200	<200
Naphthalene	<50	<50	<50	<50	<5	<5	<500	<500	<500
o-Xylene	<20	<20	<20	<20	<2	<2	<200	<200	<200
Tetrachloroethene	6400	1500	1400	130	<2	<2	5800	6200	12000
Toluene	<20	<20	<20	<20	<2	<2	<200	<200	<200
Trichloroethene	53	34	32	<20	<2	<2	720	<200	<200
Vinyl chloride	<20	<20	<20	<20	<2	<2	<200	<200	<200
Xylene (total)	<20	<20	<20	<20	<2	<2	<200	<200	<200

Notes:

< = Less than the laboratory
reporting limit
ug/l = Micro grams per liter

Table 3
VOCs in Groundwater
Positive Detections Only
May 2008

Former Gorham Manufacturing Facility
Providence, RI

CONSTITUENT (ug/l)	MW-207D 5/6/2008 Primary	MW-207S 5/6/2008 Primary	MW-209D 5/6/2008 Primary	MW-216D 5/7/2008 Primary	MW-216S 5/7/2008 Primary	MW-217D 5/7/2008 Primary	MW-217S 5/7/2008 Primary	MW-218D 5/6/2008 Primary	MW-218S 5/6/2008 Primary
1,1-Dichloroethene	<10	<10	<1	<1	<1	<1	<1	13	1.8
1,2,4-Trimethylbenzene	<20	<20	<2	<2	12	<2	<2	<20	<2
1,3,5-Trimethylbenzene	<20	<20	<2	<2	8.4	<2	<2	<20	<2
4-Isopropyltoluene	<20	<20	<2	<2	2.1	<2	<2	<20	<2
Benzene	<10	<10	<1	<1	<1	<1	<1	<10	6.1
Bromodichloromethane	<20	<20	<2	<2	<2	<2	<2	<20	<2
Chloroform	<20	<20	<2	<2	<2	<2	<2	<20	<2
cis-1,2-Dichloroethene	36	<20	2.2	<2	54	27	39	22	440
Ethylbenzene	<20	<20	<2	<2	2.4	<2	<2	<20	<2
m/p-xylene	<20	<20	<2	<2	6.9	<2	<2	<20	<2
Methyltert-butylether	<20	<20	<2	3.1	<2	<2	<2	<20	<2
Naphthalene	<50	<50	<5	<5	22	<5	6.8	<50	<5
o-Xylene	<20	<20	<2	<2	9	<2	<2	<20	<2
Tetrachloroethene	4700	1400	160	<2	2.2	<2	8.1	900	360
Toluene	<20	<20	<2	<2	3.2	<2	<2	<20	<2
Trichloroethene	150	79	20	4.4	<2	3.5	<2	500	45
Vinyl chloride	<20	<20	<2	<2	<2	<2	2.1	<20	30
Xylene (total)	<20	<20	<2	<2	16	<2	<2	<20	<2

Notes:

< = Less than the laboratory
reporting limit
ug/l = Micro grams per liter



May 27, 2008

ANALYTICAL TEST RESULTS

Ed VanDoren
Shaw Environmental & Infrastructure, Inc.
11 Northeastern Boulevard
Salem, NH 030791953
TEL: (603) 870-4530
FAX: (603) 870-4501

Subject: 130274 Textron Gorham

Workorder No.: 0805036

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 19 samples on 5/8/08 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 75 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0805036
Date Received: 5/8/08

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0805036-01A	MW-207S	5/6/08	12:15 PM
0805036-02A	MW-207D	5/6/08	12:35 PM
0805036-03A	MW-202S	5/6/08	12:50 PM
0805036-04A	MW-202D	5/6/08	1:10 PM
0805036-05A	MW-101S	5/6/08	1:30 PM
0805036-06A	MW-101S DUP	5/6/08	1:35 PM
0805036-07A	MW-101D	5/6/08	2:00 PM
0805036-08A	MW-201D	5/6/08	2:30 PM
0805036-09A	MW-218S	5/6/08	2:50 PM
0805036-10A	MW-218D	5/6/08	3:15 PM
0805036-11A	MW-209D	5/6/08	3:45 PM
0805036-12A	MW-112	5/6/08	3:55 PM
0805036-13A	MW-216S	5/7/08	9:25 AM
0805036-14A	MW-216D	5/7/08	10:00 AM
0805036-15A	MW-217D	5/7/08	10:30 AM
0805036-16A	MW-217S	5/7/08	10:50 AM
0805036-17A	MW-116D	5/7/08	11:45 AM
0805036-18A	MW-116S	5/7/08	12:15 PM
0805036-19A	Trip Blank	5/7/08	12:00 AM

AMRO Environmental Laboratories Corp.

22-May-08

DATES REPORT

Lab Order: 0805036

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name Preparatory Test Name	Prep Date	Analysis Date Batch ID	TCLP Date
0805036-01A	MW-207S	5/6/08 12:15:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS EPA 5030B	5/7/08	5/13/08 R39996	
0805036-02A	MW-207D	5/6/08 12:35:00 PM		EPA 8260B VOLATILES by GC/MS	5/7/08	5/13/08 R39996	
0805036-03A	MW-202S	5/6/08 12:50:00 PM		EPA 8260B VOLATILES by GC/MS	5/7/08	5/16/08 R40028	
0805036-04A	MW-202D	5/6/08 1:10:00 PM		EPA 8260B VOLATILES by GC/MS	5/8/08	5/13/08 R39990	
0805036-05A	MW-101S	5/6/08 1:30:00 PM		EPA 8260B VOLATILES by GC/MS	5/8/08	5/13/08 R39990	
0805036-06A	MW-101S DUP	5/6/08 1:35:00 PM		EPA 8260B VOLATILES by GC/MS	5/8/08	5/13/08 R39990	
0805036-07A	MW-101D	5/6/08 2:00:00 PM		EPA 8260B VOLATILES by GC/MS	5/7/08	5/16/08 R40028	
0805036-08A	MW-201D	5/6/08 2:30:00 PM		EPA 8260B VOLATILES by GC/MS	5/8/08	5/13/08 R39990	
0805036-09A	MW-218S	5/6/08 2:50:00 PM		EPA 8260B VOLATILES by GC/MS	5/7/08	5/13/08 R39996	
				EPA 8260B VOLATILES by GC/MS	5/7/08	5/16/08 R40028	

AMRO Environmental Laboratories Corp.

22-May-08

DATES REPORT

Lab Order: 0805036

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Analysis Date	Batch ID	TCLP Date
0805036-10A	MW-218D	5/6/08 3:15:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	5/8/08	5/13/08	R39990	
0805036-11A	MW-209D	5/6/08 3:45:00 PM		EPA 8260B VOLATILES by GC/MS		5/7/08	5/13/08	R39996	
0805036-12A	MW-112	5/6/08 3:55:00 PM		EPA 8260B VOLATILES by GC/MS		5/8/08	5/13/08	R39990	
0805036-13A	MW-216S	5/7/08 9:25:00 AM		EPA 8260B VOLATILES by GC/MS		5/7/08	5/13/08	R39996	
0805036-14A	MW-216D	5/7/08 10:00:00 AM		EPA 8260B VOLATILES by GC/MS		5/7/08	5/13/08	R39996	
0805036-15A	MW-217D	5/7/08 10:30:00 AM		EPA 8260B VOLATILES by GC/MS		5/7/08	5/13/08	R39996	
0805036-16A	MW-217S	5/7/08 10:50:00 AM		EPA 8260B VOLATILES by GC/MS		5/7/08	5/13/08	R39996	
0805036-17A	MW-116D	5/7/08 11:45:00 AM		EPA 8260B VOLATILES by GC/MS		5/7/08	5/13/08	R39996	
0805036-18A	MW-116S	5/7/08 12:15:00 PM		EPA 8260B VOLATILES by GC/MS		5/7/08	5/13/08	R39996	
0805036-19A	Trip Blank	5/7/08	Trip Blank	EPA 8260B VOLATILES by GC/MS		5/7/08	5/13/08	R39996	

57345

Project No.: 135274	Project Name: TAT from 4010	Project Manager: Ed Van Doren	Project State: RI	Project Manager Signature: <i>Ed Van Doren</i>	AMRO Project No.: 0805036
P.O.#: 157431	Results Needed by: Standard TAT	Matrix: GW	Comp. Grab	Requested Analyses	Remarks
QUOTE #:	Seal Intact? Yes No N/A	Date/Time Sampled	Total # of Cont. & Size	Requested Analyses	
Sample ID:					
MW-209 D	5/6/08 / 1545	GW	2-40ml		
MW-112	5/6/08 / 1555	GW	2-40ml		
MW-216 S	5/7/08 / 0925	GW	2-40ml		
MW-216 B	5/7/08 / 1000	GW	2-40ml		
MW-217 D	5/7/08 / 1030	GW	2-40ml		
MW-217 S	5/7/08 / 1050	GW	2-40ml		
MW-116 D	5/7/08 / 1145	GW	2-40ml		
MW-116 S	5/7/08 / 1215	GW	2-40ml		
Trip Blank	5/7/08		1-40ml		
Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other					
Send Results To: Ed Van Doren					
Shaw Environmental, Inc.					
11 Northwater Blvd					
Salmon, NH 03079-1953					
PHONE #: 603-870-4530 FAX #: 603-870-4501					
E-mail: Edward.VanDoren@ShawEnv.com					
Relinquished By: <i>Ed Van Doren</i>	Date/Time: 5/7/08 1506	Received By: <i>Ed Van Doren</i>	MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/>	MCP Methods Needed: YES <input type="checkbox"/> NO <input type="checkbox"/>	Required Reporting Limits: S-1 <input type="checkbox"/> GW-1 <input type="checkbox"/>
	Date/Time: 5-8-08 1650	Received By: <i>C. Carls</i>	MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/>	AMRO report package level needed: YES <input type="checkbox"/> NO <input type="checkbox"/>	S-2 <input type="checkbox"/> GW-2 <input type="checkbox"/>
			AMRO report package level needed: YES <input type="checkbox"/> NO <input type="checkbox"/>	EDD required: <i>Gistry Permit</i>	S-3 <input type="checkbox"/> GW-3 <input type="checkbox"/>
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.					
Samples arriving after 12:00 noon will be tracked and billed as received on the following day.					
White: Lab Copy	Yellow: Client Copy	SHEET	OF	AMROCOC2004, Rev.3 08/18/04	KNOWN SITE CONTAMINATION:

56990

Project No.: 130274	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed Vandoren	Samplers (Signature): <i>[Signature]</i>	AMRO Project No.: 0805036
P.O.#: 157431	Results Needed by:	Total # of Cont. & Size	Requested Analyses	Remarks	
QUOTE #:	Standard TAT Seal Intact? Yes No N/A	Matrix	Requested Analyses	Remarks	
Sample ID:	Date/Time Sampled	Matrix	Requested Analyses	Remarks	
MW-207S	5/6/08 / 1215	GW	EPA 8210B (VOC)		
MW-207D	5/4/08 / 1235				
MW-202S	5/4/08 / 1250				
MW-202D	5/4/08 / 1310				
MW-101S	5/4/08 / 1330				
MW-101S DUB	5/6/08 / 1335				
MW-101D	5/6/08 / 1400				
MW-201D	5/4/08 / 1430				
MW-218S	5/6/08 / 1450				
MW-218D	5/6/08 / 1515				
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other					
Send Results To: Ed Vandoren					
Shaw Environmental, Inc.					
11 Northeastern Blvd.					
Salem, NH 03079-1953					
PHONE #: 603-870-4530 FAX #: 603-870-4501					
E-mail: Edward.Vandoren@Shawgrp.com					
Relinquished By: <i>[Signature]</i>	Date/Time: 5/7/08 15:08	Received By: <i>[Signature]</i>	MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/>		
MCP Methods Needed: YES <input type="checkbox"/> NO <input type="checkbox"/>		AMRO report package level needed: YES <input type="checkbox"/> NO <input type="checkbox"/>		Required Reporting Limits: S-1 <input type="checkbox"/> S-2 <input type="checkbox"/> S-3 <input type="checkbox"/> Other: <input type="checkbox"/>	
EDD required: YES <input type="checkbox"/> NO <input type="checkbox"/>		GISKEY format: YES <input type="checkbox"/> NO <input type="checkbox"/>		AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.	
White: Lab Copy		Yellow: Client Copy		SHEET OF	

SAMPLE RECEIPT CHECKLIST

Client: <u>SHAW ENVIRONMENTAL, INC</u>	AMRO ID: <u>0805036</u>
Project Name: <u>TEXTRON GORHAM</u>	Date Rec.: <u>5-8-08</u>
Ship via: (circle one) Fed Ex., UPS (<u>AMRO Courier</u>),	Date Due: <u>5-15-08</u>
Hand Del., Other Courier, Other:	

Items to be Checked Upon Receipt	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature. TEMP = <u>40</u> Samples rec. with ice <input checked="" type="checkbox"/> ice packs <input type="checkbox"/> neither <input type="checkbox"/>				
8. Were samples received the same day they were sampled? Is client temperature 4°C ± 2°C? If no obtain authorization from the client for the analyses. Client authorization from: _____ Date: _____ Obtained by: _____	✓	✓		
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓			
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?	✓			
14. Were proper sample containers used?	✓			
15. Were all samples received intact?. (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?	✓			
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			

19. VPH and VOA Soils only:

Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)

Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk

If M or SB:

Does preservative cover the soil? If NO then client must be faxed.

Does preservation level come close to the fill line on the vial? If NO then client must be faxed.

Were vials provided by AMRO? If NO then weights MUST be obtained from client

Was dry weight aliquot provided? If NO then fax client and inform the VOA lab ASAP.

			✓	

20. Subcontracted Samples:

What samples sent: _____

Where sent: _____

Date: _____

Analysis: _____

TAT: _____

			✓	

21. Information entered into:

Internal Tracking Log?

Dry Weight Log?

Client Log?

Composite Log?

Filtration Log?

	✓		✓	
			✓	
			✓	

Received By: <u>CC</u>	Date: <u>5-8-08</u>	Logged in By: <u>CC</u>	Date: <u>5-9-08</u>
Labeled By: <u>CC</u>	Date: <u>5-9-08</u>	Checked By: <u>DN</u>	Date: <u>5-13-08</u>

Please Circle if:
Sample= Soil
Sample= Waste

AMRO ID: 0805036

Sample ID	Analysis	Volume Sample	Preserv. Listed	Initial pH*	Acceptable? Y or N	List Preserv. Added by AMRO	Solution ID # of Preserv.	Volume Preservative Added	Final adjusted pH	Final adjusted pH (after 16 hours)
01A-18A	VOC	2-40ml	HCl	—	—					
19A	VOC	1-40ml	HCl	—	—					

* = if the laboratory preserves the drinking water sample (s) for EPA Method 200 series, sample (s) should be held at least 16 hours prior to analysis

pH Checked By: _____ Date: _____ pH adjusted By: _____ Date: _____

pH Checked By: _____ Date: _____ pH adjusted (16hrs) By: _____ Date: _____

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0805036

CASE NARRATIVE

GC/MS VOLATILES:

1. A Laboratory Control Sample (LCS) was performed on 05/13/08 (Batch ID: R39990).

1.1 The % Recovery for 1 analyte out of 67 analytes in the LCS was outside the laboratory control limits.

2. A Laboratory Control Sample (LCS) was performed on 05/16/08 (Batch ID: R40028).

2.1 The % Recovery for 3 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

3. A Laboratory Control Sample (LCS) and Laboratory Control Sample Duplicate (LCSD) were performed on 05/13/08 (Batch ID: R39996).

3.1 The % RPD for 1 analyte out of 67 analytes was outside the laboratory control limits.

DATA COMMENT PAGE

Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

Micro Data Qualifiers

TNTC Too numerous to count

Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-01A

Client Sample ID: MW-207S
Collection Date: 5/6/08 12:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: AL		
Dichlorodifluoromethane	ND	50		µg/L	10	5/13/08 4:56:00 PM
Chloromethane	ND	50		µg/L	10	5/13/08 4:56:00 PM
Vinyl chloride	ND	20		µg/L	10	5/13/08 4:56:00 PM
Chloroethane	ND	50		µg/L	10	5/13/08 4:56:00 PM
Bromomethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
Diethyl ether	ND	50		µg/L	10	5/13/08 4:56:00 PM
Acetone	ND	100		µg/L	10	5/13/08 4:56:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	5/13/08 4:56:00 PM
Carbon disulfide	ND	20		µg/L	10	5/13/08 4:56:00 PM
Methylene chloride	ND	50		µg/L	10	5/13/08 4:56:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	5/13/08 4:56:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
2-Butanone	ND	100		µg/L	10	5/13/08 4:56:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	5/13/08 4:56:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 4:56:00 PM
Chloroform	ND	20		µg/L	10	5/13/08 4:56:00 PM
Tetrahydrofuran	ND	100		µg/L	10	5/13/08 4:56:00 PM
Bromochloromethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	5/13/08 4:56:00 PM
Carbon tetrachloride	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
Benzene	ND	10		µg/L	10	5/13/08 4:56:00 PM
Trichloroethene	79	20		µg/L	10	5/13/08 4:56:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	5/13/08 4:56:00 PM
Bromodichloromethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
Dibromomethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	5/13/08 4:56:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 4:56:00 PM
Toluene	ND	20		µg/L	10	5/13/08 4:56:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 4:56:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
2-Hexanone	ND	100		µg/L	10	5/13/08 4:56:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	5/13/08 4:56:00 PM
Tetrachloroethene	1,400	20		µg/L	10	5/13/08 4:56:00 PM
Dibromochloromethane	ND	20		µg/L	10	5/13/08 4:56:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-207S
Lab Order: 0805036 **Collection Date:** 5/6/08 12:15:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-01A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
Ethylbenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
m,p-Xylene	ND	20		µg/L	10	5/13/08 4:56:00 PM
o-Xylene	ND	20		µg/L	10	5/13/08 4:56:00 PM
Styrene	ND	20		µg/L	10	5/13/08 4:56:00 PM
Bromoform	ND	20		µg/L	10	5/13/08 4:56:00 PM
Isopropylbenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	5/13/08 4:56:00 PM
Bromobenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
n-Propylbenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
2-Chlorotoluene	ND	20		µg/L	10	5/13/08 4:56:00 PM
4-Chlorotoluene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
tert-Butylbenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
sec-Butylbenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
n-Butylbenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	5/13/08 4:56:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	5/13/08 4:56:00 PM
Naphthalene	ND	50		µg/L	10	5/13/08 4:56:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	5/13/08 4:56:00 PM
Surr: Dibromofluoromethane	100	85-119		%REC	10	5/13/08 4:56:00 PM
Surr: 1,2-Dichloroethane-d4	94.6	79-131		%REC	10	5/13/08 4:56:00 PM
Surr: Toluene-d8	99.4	90-110		%REC	10	5/13/08 4:56:00 PM
Surr: 4-Bromofluorobenzene	95.6	76-117		%REC	10	5/13/08 4:56:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-207D
Lab Order: 0805036 **Collection Date:** 5/6/08 12:35:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-02A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	50		µg/L	10	5/13/08 5:29:00 PM
Chloromethane	ND	50		µg/L	10	5/13/08 5:29:00 PM
Vinyl chloride	ND	20		µg/L	10	5/13/08 5:29:00 PM
Chloroethane	ND	50		µg/L	10	5/13/08 5:29:00 PM
Bromomethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
Diethyl ether	ND	50		µg/L	10	5/13/08 5:29:00 PM
Acetone	ND	100		µg/L	10	5/13/08 5:29:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	5/13/08 5:29:00 PM
Carbon disulfide	ND	20		µg/L	10	5/13/08 5:29:00 PM
Methylene chloride	ND	50		µg/L	10	5/13/08 5:29:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	5/13/08 5:29:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
2-Butanone	ND	100		µg/L	10	5/13/08 5:29:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	5/13/08 5:29:00 PM
cis-1,2-Dichloroethene	36	20		µg/L	10	5/13/08 5:29:00 PM
Chloroform	ND	20		µg/L	10	5/13/08 5:29:00 PM
Tetrahydrofuran	ND	100		µg/L	10	5/13/08 5:29:00 PM
Bromochloromethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	5/13/08 5:29:00 PM
Carbon tetrachloride	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
Benzene	ND	10		µg/L	10	5/13/08 5:29:00 PM
Trichloroethene	150	20		µg/L	10	5/13/08 5:29:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	5/13/08 5:29:00 PM
Bromodichloromethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
Dibromomethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	5/13/08 5:29:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 5:29:00 PM
Toluene	ND	20		µg/L	10	5/13/08 5:29:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 5:29:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
2-Hexanone	ND	100		µg/L	10	5/13/08 5:29:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	5/13/08 5:29:00 PM
Tetrachloroethene	4,700	200		µg/L	100	5/16/08 2:15:00 PM
Dibromochloromethane	ND	20		µg/L	10	5/13/08 5:29:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-02A

Client Sample ID: MW-207D
Collection Date: 5/6/08 12:35:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
Ethylbenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
m,p-Xylene	ND	20		µg/L	10	5/13/08 5:29:00 PM
o-Xylene	ND	20		µg/L	10	5/13/08 5:29:00 PM
Styrene	ND	20		µg/L	10	5/13/08 5:29:00 PM
Bromoform	ND	20		µg/L	10	5/13/08 5:29:00 PM
Isopropylbenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	5/13/08 5:29:00 PM
Bromobenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
n-Propylbenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
2-Chlorotoluene	ND	20		µg/L	10	5/13/08 5:29:00 PM
4-Chlorotoluene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
tert-Butylbenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
sec-Butylbenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
n-Butylbenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	5/13/08 5:29:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	5/13/08 5:29:00 PM
Naphthalene	ND	50		µg/L	10	5/13/08 5:29:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	5/13/08 5:29:00 PM
Surr: Dibromofluoromethane	97.4	85-119		%REC	10	5/13/08 5:29:00 PM
Surr: 1,2-Dichloroethane-d4	93.0	79-131		%REC	10	5/13/08 5:29:00 PM
Surr: Toluene-d8	99.1	90-110		%REC	10	5/13/08 5:29:00 PM
Surr: 4-Bromofluorobenzene	89.0	76-117		%REC	10	5/13/08 5:29:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-202S
Lab Order: 0805036 **Collection Date:** 5/6/08 12:50:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-03A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	5/13/08 12:00:00 PM
Chloromethane	ND	500		µg/L	100	5/13/08 12:00:00 PM
Vinyl chloride	ND	200		µg/L	100	5/13/08 12:00:00 PM
Chloroethane	ND	500		µg/L	100	5/13/08 12:00:00 PM
Bromomethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
Diethyl ether	ND	500		µg/L	100	5/13/08 12:00:00 PM
Acetone	ND	1,000		µg/L	100	5/13/08 12:00:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	5/13/08 12:00:00 PM
Carbon disulfide	ND	200		µg/L	100	5/13/08 12:00:00 PM
Methylene chloride	ND	500		µg/L	100	5/13/08 12:00:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	5/13/08 12:00:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
2-Butanone	ND	1,000		µg/L	100	5/13/08 12:00:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	5/13/08 12:00:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	5/13/08 12:00:00 PM
Chloroform	ND	200		µg/L	100	5/13/08 12:00:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	5/13/08 12:00:00 PM
Bromochloromethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	5/13/08 12:00:00 PM
Carbon tetrachloride	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
Benzene	ND	100		µg/L	100	5/13/08 12:00:00 PM
Trichloroethene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	5/13/08 12:00:00 PM
Bromodichloromethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
Dibromomethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	5/13/08 12:00:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	5/13/08 12:00:00 PM
Toluene	ND	200		µg/L	100	5/13/08 12:00:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	5/13/08 12:00:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
2-Hexanone	ND	1,000		µg/L	100	5/13/08 12:00:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	5/13/08 12:00:00 PM
Tetrachloroethene	12,000	200		µg/L	100	5/13/08 12:00:00 PM
Dibromochloromethane	ND	200		µg/L	100	5/13/08 12:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-202S
Lab Order: 0805036 **Collection Date:** 5/6/08 12:50:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-03A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
Ethylbenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
m,p-Xylene	ND	200		µg/L	100	5/13/08 12:00:00 PM
o-Xylene	ND	200		µg/L	100	5/13/08 12:00:00 PM
Styrene	ND	200		µg/L	100	5/13/08 12:00:00 PM
Bromoform	ND	200		µg/L	100	5/13/08 12:00:00 PM
Isopropylbenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	5/13/08 12:00:00 PM
Bromobenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
n-Propylbenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
2-Chlorotoluene	ND	200		µg/L	100	5/13/08 12:00:00 PM
4-Chlorotoluene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
tert-Butylbenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
sec-Butylbenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
n-Butylbenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	5/13/08 12:00:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	5/13/08 12:00:00 PM
Naphthalene	ND	500		µg/L	100	5/13/08 12:00:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	5/13/08 12:00:00 PM
Surr: Dibromofluoromethane	115	85-119		%REC	100	5/13/08 12:00:00 PM
Surr: 1,2-Dichloroethane-d4	119	79-131		%REC	100	5/13/08 12:00:00 PM
Surr: Toluene-d8	101	90-110		%REC	100	5/13/08 12:00:00 PM
Surr: 4-Bromofluorobenzene	100	76-117		%REC	100	5/13/08 12:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-04A

Client Sample ID: MW-202D
Collection Date: 5/6/08 1:10:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	5/13/08 12:34:00 PM
Chloromethane	ND	500		µg/L	100	5/13/08 12:34:00 PM
Vinyl chloride	ND	200		µg/L	100	5/13/08 12:34:00 PM
Chloroethane	ND	500		µg/L	100	5/13/08 12:34:00 PM
Bromomethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
Diethyl ether	ND	500		µg/L	100	5/13/08 12:34:00 PM
Acetone	ND	1,000		µg/L	100	5/13/08 12:34:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	5/13/08 12:34:00 PM
Carbon disulfide	ND	200		µg/L	100	5/13/08 12:34:00 PM
Methylene chloride	ND	500		µg/L	100	5/13/08 12:34:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	5/13/08 12:34:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
2-Butanone	ND	1,000		µg/L	100	5/13/08 12:34:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	5/13/08 12:34:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	5/13/08 12:34:00 PM
Chloroform	ND	200		µg/L	100	5/13/08 12:34:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	5/13/08 12:34:00 PM
Bromochloromethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	5/13/08 12:34:00 PM
Carbon tetrachloride	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
Benzene	ND	100		µg/L	100	5/13/08 12:34:00 PM
Trichloroethene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	5/13/08 12:34:00 PM
Bromodichloromethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
Dibromomethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	5/13/08 12:34:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	5/13/08 12:34:00 PM
Toluene	ND	200		µg/L	100	5/13/08 12:34:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	5/13/08 12:34:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
2-Hexanone	ND	1,000		µg/L	100	5/13/08 12:34:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	5/13/08 12:34:00 PM
Tetrachloroethene	6,200	200		µg/L	100	5/13/08 12:34:00 PM
Dibromochloromethane	ND	200		µg/L	100	5/13/08 12:34:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-202D
Lab Order: 0805036 **Collection Date:** 5/6/08 1:10:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-04A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
Ethylbenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
m,p-Xylene	ND	200		µg/L	100	5/13/08 12:34:00 PM
o-Xylene	ND	200		µg/L	100	5/13/08 12:34:00 PM
Styrene	ND	200		µg/L	100	5/13/08 12:34:00 PM
Bromoform	ND	200		µg/L	100	5/13/08 12:34:00 PM
Isopropylbenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	5/13/08 12:34:00 PM
Bromobenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
n-Propylbenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
2-Chlorotoluene	ND	200		µg/L	100	5/13/08 12:34:00 PM
4-Chlorotoluene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
tert-Butylbenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
sec-Butylbenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
n-Butylbenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	5/13/08 12:34:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	5/13/08 12:34:00 PM
Naphthalene	ND	500		µg/L	100	5/13/08 12:34:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	5/13/08 12:34:00 PM
Surr: Dibromofluoromethane	108	85-119		%REC	100	5/13/08 12:34:00 PM
Surr: 1,2-Dichloroethane-d4	121	79-131		%REC	100	5/13/08 12:34:00 PM
Surr: Toluene-d8	103	90-110		%REC	100	5/13/08 12:34:00 PM
Surr: 4-Bromofluorobenzene	99.7	76-117		%REC	100	5/13/08 12:34:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-101S
Lab Order: 0805036 **Collection Date:** 5/6/08 1:30:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-05A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	5/13/08 1:09:00 PM
Chloromethane	ND	50		µg/L	10	5/13/08 1:09:00 PM
Vinyl chloride	ND	20		µg/L	10	5/13/08 1:09:00 PM
Chloroethane	ND	50		µg/L	10	5/13/08 1:09:00 PM
Bromomethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
Diethyl ether	ND	50		µg/L	10	5/13/08 1:09:00 PM
Acetone	ND	100		µg/L	10	5/13/08 1:09:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	5/13/08 1:09:00 PM
Carbon disulfide	ND	20		µg/L	10	5/13/08 1:09:00 PM
Methylene chloride	ND	50		µg/L	10	5/13/08 1:09:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	5/13/08 1:09:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
2-Butanone	ND	100		µg/L	10	5/13/08 1:09:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	5/13/08 1:09:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 1:09:00 PM
Chloroform	ND	20		µg/L	10	5/13/08 1:09:00 PM
Tetrahydrofuran	ND	100		µg/L	10	5/13/08 1:09:00 PM
Bromochloromethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	5/13/08 1:09:00 PM
Carbon tetrachloride	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
Benzene	ND	10		µg/L	10	5/13/08 1:09:00 PM
Trichloroethene	34	20		µg/L	10	5/13/08 1:09:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	5/13/08 1:09:00 PM
Bromodichloromethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
Dibromomethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	5/13/08 1:09:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 1:09:00 PM
Toluene	ND	20		µg/L	10	5/13/08 1:09:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 1:09:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
2-Hexanone	ND	100		µg/L	10	5/13/08 1:09:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	5/13/08 1:09:00 PM
Tetrachloroethene	1,500	20		µg/L	10	5/13/08 1:09:00 PM
Dibromochloromethane	ND	20		µg/L	10	5/13/08 1:09:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-101S
Lab Order:	0805036	Collection Date:	5/6/08 1:30:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0805036-05A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
Ethylbenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
m,p-Xylene	ND	20		µg/L	10	5/13/08 1:09:00 PM
o-Xylene	ND	20		µg/L	10	5/13/08 1:09:00 PM
Styrene	ND	20		µg/L	10	5/13/08 1:09:00 PM
Bromoform	ND	20		µg/L	10	5/13/08 1:09:00 PM
Isopropylbenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	5/13/08 1:09:00 PM
Bromobenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
n-Propylbenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
2-Chlorotoluene	ND	20		µg/L	10	5/13/08 1:09:00 PM
4-Chlorotoluene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
tert-Butylbenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
sec-Butylbenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
n-Butylbenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	5/13/08 1:09:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	5/13/08 1:09:00 PM
Naphthalene	ND	50		µg/L	10	5/13/08 1:09:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	5/13/08 1:09:00 PM
Surr: Dibromofluoromethane	116	85-119		%REC	10	5/13/08 1:09:00 PM
Surr: 1,2-Dichloroethane-d4	130	79-131		%REC	10	5/13/08 1:09:00 PM
Surr: Toluene-d8	110	90-110		%REC	10	5/13/08 1:09:00 PM
Surr: 4-Bromofluorobenzene	97.1	76-117		%REC	10	5/13/08 1:09:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-101S DUP
Lab Order: 0805036 **Collection Date:** 5/6/08 1:35:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-06A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	5/13/08 1:42:00 PM
Chloromethane	ND	50		µg/L	10	5/13/08 1:42:00 PM
Vinyl chloride	ND	20		µg/L	10	5/13/08 1:42:00 PM
Chloroethane	ND	50		µg/L	10	5/13/08 1:42:00 PM
Bromomethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
Diethyl ether	ND	50		µg/L	10	5/13/08 1:42:00 PM
Acetone	ND	100		µg/L	10	5/13/08 1:42:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	5/13/08 1:42:00 PM
Carbon disulfide	ND	20		µg/L	10	5/13/08 1:42:00 PM
Methylene chloride	ND	50		µg/L	10	5/13/08 1:42:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	5/13/08 1:42:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
2-Butanone	ND	100		µg/L	10	5/13/08 1:42:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	5/13/08 1:42:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 1:42:00 PM
Chloroform	ND	20		µg/L	10	5/13/08 1:42:00 PM
Tetrahydrofuran	ND	100		µg/L	10	5/13/08 1:42:00 PM
Bromochloromethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	5/13/08 1:42:00 PM
Carbon tetrachloride	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
Benzene	ND	10		µg/L	10	5/13/08 1:42:00 PM
Trichloroethene	32	20		µg/L	10	5/13/08 1:42:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	5/13/08 1:42:00 PM
Bromodichloromethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
Dibromomethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	5/13/08 1:42:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 1:42:00 PM
Toluene	ND	20		µg/L	10	5/13/08 1:42:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 1:42:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
2-Hexanone	ND	100		µg/L	10	5/13/08 1:42:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	5/13/08 1:42:00 PM
Tetrachloroethene	1,400	20		µg/L	10	5/13/08 1:42:00 PM
Dibromochloromethane	ND	20		µg/L	10	5/13/08 1:42:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-101S DUP
Lab Order:	0805036	Collection Date:	5/6/08 1:35:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0805036-06A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
Ethylbenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
m,p-Xylene	ND	20		µg/L	10	5/13/08 1:42:00 PM
o-Xylene	ND	20		µg/L	10	5/13/08 1:42:00 PM
Styrene	ND	20		µg/L	10	5/13/08 1:42:00 PM
Bromoform	ND	20		µg/L	10	5/13/08 1:42:00 PM
Isopropylbenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	5/13/08 1:42:00 PM
Bromobenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
n-Propylbenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
2-Chlorotoluene	ND	20		µg/L	10	5/13/08 1:42:00 PM
4-Chlorotoluene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
tert-Butylbenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
sec-Butylbenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
n-Butylbenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	5/13/08 1:42:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	5/13/08 1:42:00 PM
Naphthalene	ND	50		µg/L	10	5/13/08 1:42:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	5/13/08 1:42:00 PM
Surr: Dibromofluoromethane	110	85-119		%REC	10	5/13/08 1:42:00 PM
Surr: 1,2-Dichloroethane-d4	119	79-131		%REC	10	5/13/08 1:42:00 PM
Surr: Toluene-d8	102	90-110		%REC	10	5/13/08 1:42:00 PM
Surr: 4-Bromofluorobenzene	104	76-117		%REC	10	5/13/08 1:42:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-101D
Lab Order: 0805036 **Collection Date:** 5/6/08 2:00:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-07A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	50		µg/L	10	5/13/08 2:17:00 PM
Chloromethane	ND	50		µg/L	10	5/13/08 2:17:00 PM
Vinyl chloride	ND	20		µg/L	10	5/13/08 2:17:00 PM
Chloroethane	ND	50		µg/L	10	5/13/08 2:17:00 PM
Bromomethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
Diethyl ether	ND	50		µg/L	10	5/13/08 2:17:00 PM
Acetone	ND	100		µg/L	10	5/13/08 2:17:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	5/13/08 2:17:00 PM
Carbon disulfide	ND	20		µg/L	10	5/13/08 2:17:00 PM
Methylene chloride	ND	50		µg/L	10	5/13/08 2:17:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	5/13/08 2:17:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
2-Butanone	ND	100		µg/L	10	5/13/08 2:17:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	5/13/08 2:17:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 2:17:00 PM
Chloroform	ND	20		µg/L	10	5/13/08 2:17:00 PM
Tetrahydrofuran	ND	100		µg/L	10	5/13/08 2:17:00 PM
Bromochloromethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	5/13/08 2:17:00 PM
Carbon tetrachloride	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
Benzene	ND	10		µg/L	10	5/13/08 2:17:00 PM
Trichloroethene	53	20		µg/L	10	5/13/08 2:17:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	5/13/08 2:17:00 PM
Bromodichloromethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
Dibromomethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	5/13/08 2:17:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 2:17:00 PM
Toluene	ND	20		µg/L	10	5/13/08 2:17:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 2:17:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
2-Hexanone	ND	100		µg/L	10	5/13/08 2:17:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	5/13/08 2:17:00 PM
Tetrachloroethene	6,400	200		µg/L	100	5/16/08 2:49:00 PM
Dibromochloromethane	ND	20		µg/L	10	5/13/08 2:17:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-101D
Lab Order: 0805036 **Collection Date:** 5/6/08 2:00:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-07A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
Ethylbenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
m,p-Xylene	ND	20		µg/L	10	5/13/08 2:17:00 PM
o-Xylene	ND	20		µg/L	10	5/13/08 2:17:00 PM
Styrene	ND	20		µg/L	10	5/13/08 2:17:00 PM
Bromoform	ND	20		µg/L	10	5/13/08 2:17:00 PM
Isopropylbenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	5/13/08 2:17:00 PM
Bromobenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
n-Propylbenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
2-Chlorotoluene	ND	20		µg/L	10	5/13/08 2:17:00 PM
4-Chlorotoluene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
tert-Butylbenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
sec-Butylbenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
n-Butylbenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	5/13/08 2:17:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	5/13/08 2:17:00 PM
Naphthalene	ND	50		µg/L	10	5/13/08 2:17:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	5/13/08 2:17:00 PM
Surr: Dibromofluoromethane	109	85-119		%REC	10	5/13/08 2:17:00 PM
Surr: 1,2-Dichloroethane-d4	118	79-131		%REC	10	5/13/08 2:17:00 PM
Surr: Toluene-d8	102	90-110		%REC	10	5/13/08 2:17:00 PM
Surr: 4-Bromofluorobenzene	99.2	76-117		%REC	10	5/13/08 2:17:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-08A

Client Sample ID: MW-201D
Collection Date: 5/6/08 2:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						Analyst: SK
		SW8260B				
Dichlorodifluoromethane	ND	500		µg/L	100	5/13/08 4:39:00 PM
Chloromethane	ND	500		µg/L	100	5/13/08 4:39:00 PM
Vinyl chloride	ND	200		µg/L	100	5/13/08 4:39:00 PM
Chloroethane	ND	500		µg/L	100	5/13/08 4:39:00 PM
Bromomethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
Diethyl ether	ND	500		µg/L	100	5/13/08 4:39:00 PM
Acetone	ND	1,000		µg/L	100	5/13/08 4:39:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	5/13/08 4:39:00 PM
Carbon disulfide	ND	200		µg/L	100	5/13/08 4:39:00 PM
Methylene chloride	ND	500		µg/L	100	5/13/08 4:39:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	5/13/08 4:39:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
2-Butanone	ND	1,000		µg/L	100	5/13/08 4:39:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	5/13/08 4:39:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	5/13/08 4:39:00 PM
Chloroform	ND	200		µg/L	100	5/13/08 4:39:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	5/13/08 4:39:00 PM
Bromochloromethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	5/13/08 4:39:00 PM
Carbon tetrachloride	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
Benzene	ND	100		µg/L	100	5/13/08 4:39:00 PM
Trichloroethene	720	200		µg/L	100	5/13/08 4:39:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	5/13/08 4:39:00 PM
Bromodichloromethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
Dibromomethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	5/13/08 4:39:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	5/13/08 4:39:00 PM
Toluene	ND	200		µg/L	100	5/13/08 4:39:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	5/13/08 4:39:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
2-Hexanone	ND	1,000		µg/L	100	5/13/08 4:39:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	5/13/08 4:39:00 PM
Tetrachloroethene	5,800	200		µg/L	100	5/13/08 4:39:00 PM
Dibromochloromethane	ND	200		µg/L	100	5/13/08 4:39:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-08A

Client Sample ID: MW-201D
Collection Date: 5/6/08 2:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
Ethylbenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
m,p-Xylene	ND	200		µg/L	100	5/13/08 4:39:00 PM
o-Xylene	ND	200		µg/L	100	5/13/08 4:39:00 PM
Styrene	ND	200		µg/L	100	5/13/08 4:39:00 PM
Bromoform	ND	200		µg/L	100	5/13/08 4:39:00 PM
Isopropylbenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	5/13/08 4:39:00 PM
Bromobenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
n-Propylbenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
2-Chlorotoluene	ND	200		µg/L	100	5/13/08 4:39:00 PM
4-Chlorotoluene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
tert-Butylbenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
sec-Butylbenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
n-Butylbenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	5/13/08 4:39:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	5/13/08 4:39:00 PM
Naphthalene	ND	500		µg/L	100	5/13/08 4:39:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	5/13/08 4:39:00 PM
Surr: Dibromofluoromethane	109	85-119		%REC	100	5/13/08 4:39:00 PM
Surr: 1,2-Dichloroethane-d4	128	79-131		%REC	100	5/13/08 4:39:00 PM
Surr: Toluene-d8	104	90-110		%REC	100	5/13/08 4:39:00 PM
Surr: 4-Bromofluorobenzene	104	76-117		%REC	100	5/13/08 4:39:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-218S
Lab Order: 0805036 **Collection Date:** 5/6/08 2:50:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-09A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 12:25:00 PM
Chloromethane	ND	5.0		µg/L	1	5/13/08 12:25:00 PM
Vinyl chloride	30	2.0		µg/L	1	5/13/08 12:25:00 PM
Chloroethane	ND	5.0		µg/L	1	5/13/08 12:25:00 PM
Bromomethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 12:25:00 PM
Acetone	ND	10		µg/L	1	5/13/08 12:25:00 PM
1,1-Dichloroethene	1.8	1.0		µg/L	1	5/13/08 12:25:00 PM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 12:25:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
2-Butanone	ND	10		µg/L	1	5/13/08 12:25:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
cis-1,2-Dichloroethene	440	20		µg/L	10	5/16/08 1:41:00 PM
Chloroform	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 12:25:00 PM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Benzene	6.1	1.0		µg/L	1	5/13/08 12:25:00 PM
Trichloroethene	45	2.0		µg/L	1	5/13/08 12:25:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 12:25:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 12:25:00 PM
Toluene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 12:25:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
2-Hexanone	ND	10		µg/L	1	5/13/08 12:25:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Tetrachloroethene	360	20		µg/L	10	5/16/08 1:41:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-218S
Lab Order: 0805036 **Collection Date:** 5/6/08 2:50:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-09A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Ethylbenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
m,p-Xylene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
o-Xylene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Styrene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Bromoform	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 12:25:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Naphthalene	ND	5.0		µg/L	1	5/13/08 12:25:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:25:00 PM
Surr: Dibromofluoromethane	105	85-119		%REC	1	5/13/08 12:25:00 PM
Surr: 1,2-Dichloroethane-d4	99.6	79-131		%REC	1	5/13/08 12:25:00 PM
Surr: Toluene-d8	100	90-110		%REC	1	5/13/08 12:25:00 PM
Surr: 4-Bromofluorobenzene	95.6	76-117		%REC	1	5/13/08 12:25:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-218D
Lab Order: 0805036 **Collection Date:** 5/6/08 3:15:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-10A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	5/13/08 3:30:00 PM
Chloromethane	ND	50		µg/L	10	5/13/08 3:30:00 PM
Vinyl chloride	ND	20		µg/L	10	5/13/08 3:30:00 PM
Chloroethane	ND	50		µg/L	10	5/13/08 3:30:00 PM
Bromomethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
Diethyl ether	ND	50		µg/L	10	5/13/08 3:30:00 PM
Acetone	ND	100		µg/L	10	5/13/08 3:30:00 PM
1,1-Dichloroethene	13	10		µg/L	10	5/13/08 3:30:00 PM
Carbon disulfide	ND	20		µg/L	10	5/13/08 3:30:00 PM
Methylene chloride	ND	50		µg/L	10	5/13/08 3:30:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	5/13/08 3:30:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
2-Butanone	ND	100		µg/L	10	5/13/08 3:30:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	5/13/08 3:30:00 PM
cis-1,2-Dichloroethene	22	20		µg/L	10	5/13/08 3:30:00 PM
Chloroform	ND	20		µg/L	10	5/13/08 3:30:00 PM
Tetrahydrofuran	ND	100		µg/L	10	5/13/08 3:30:00 PM
Bromochloromethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	5/13/08 3:30:00 PM
Carbon tetrachloride	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
Benzene	ND	10		µg/L	10	5/13/08 3:30:00 PM
Trichloroethene	500	20		µg/L	10	5/13/08 3:30:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	5/13/08 3:30:00 PM
Bromodichloromethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
Dibromomethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	5/13/08 3:30:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 3:30:00 PM
Toluene	ND	20		µg/L	10	5/13/08 3:30:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 3:30:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
2-Hexanone	ND	100		µg/L	10	5/13/08 3:30:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	5/13/08 3:30:00 PM
Tetrachloroethene	900	20		µg/L	10	5/13/08 3:30:00 PM
Dibromochloromethane	ND	20		µg/L	10	5/13/08 3:30:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-218D
Lab Order: 0805036 **Collection Date:** 5/6/08 3:15:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-10A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
Ethylbenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
m,p-Xylene	ND	20		µg/L	10	5/13/08 3:30:00 PM
o-Xylene	ND	20		µg/L	10	5/13/08 3:30:00 PM
Styrene	ND	20		µg/L	10	5/13/08 3:30:00 PM
Bromoform	ND	20		µg/L	10	5/13/08 3:30:00 PM
Isopropylbenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	5/13/08 3:30:00 PM
Bromobenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
n-Propylbenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
2-Chlorotoluene	ND	20		µg/L	10	5/13/08 3:30:00 PM
4-Chlorotoluene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
tert-Butylbenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
sec-Butylbenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
n-Butylbenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	5/13/08 3:30:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	5/13/08 3:30:00 PM
Naphthalene	ND	50		µg/L	10	5/13/08 3:30:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	5/13/08 3:30:00 PM
Surr: Dibromofluoromethane	106	85-119		%REC	10	5/13/08 3:30:00 PM
Surr: 1,2-Dichloroethane-d4	117	79-131		%REC	10	5/13/08 3:30:00 PM
Surr: Toluene-d8	101	90-110		%REC	10	5/13/08 3:30:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	10	5/13/08 3:30:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-209D
Lab Order: 0805036 **Collection Date:** 5/6/08 3:45:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-11A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 12:59:00 PM
Chloromethane	ND	5.0		µg/L	1	5/13/08 12:59:00 PM
Vinyl chloride	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Chloroethane	ND	5.0		µg/L	1	5/13/08 12:59:00 PM
Bromomethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 12:59:00 PM
Acetone	ND	10		µg/L	1	5/13/08 12:59:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	5/13/08 12:59:00 PM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 12:59:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
2-Butanone	ND	10		µg/L	1	5/13/08 12:59:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
cis-1,2-Dichloroethene	2.2	2.0		µg/L	1	5/13/08 12:59:00 PM
Chloroform	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 12:59:00 PM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Benzene	ND	1.0		µg/L	1	5/13/08 12:59:00 PM
Trichloroethene	20	2.0		µg/L	1	5/13/08 12:59:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 12:59:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 12:59:00 PM
Toluene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 12:59:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
2-Hexanone	ND	10		µg/L	1	5/13/08 12:59:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Tetrachloroethene	160	2.0		µg/L	1	5/13/08 12:59:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-11A

Client Sample ID: MW-209D
Collection Date: 5/6/08 3:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Ethylbenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
m,p-Xylene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
o-Xylene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Styrene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Bromoform	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 12:59:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Naphthalene	ND	5.0		µg/L	1	5/13/08 12:59:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 12:59:00 PM
Surr: Dibromofluoromethane	104	85-119		%REC	1	5/13/08 12:59:00 PM
Surr: 1,2-Dichloroethane-d4	97.3	79-131		%REC	1	5/13/08 12:59:00 PM
Surr: Toluene-d8	101	90-110		%REC	1	5/13/08 12:59:00 PM
Surr: 4-Bromofluorobenzene	93.0	76-117		%REC	1	5/13/08 12:59:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-112
Lab Order:	0805036	Collection Date:	5/6/08 3:55:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0805036-12A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	5/13/08 4:05:00 PM
Chloromethane	ND	50		µg/L	10	5/13/08 4:05:00 PM
Vinyl chloride	ND	20		µg/L	10	5/13/08 4:05:00 PM
Chloroethane	ND	50		µg/L	10	5/13/08 4:05:00 PM
Bromomethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
Diethyl ether	ND	50		µg/L	10	5/13/08 4:05:00 PM
Acetone	ND	100		µg/L	10	5/13/08 4:05:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	5/13/08 4:05:00 PM
Carbon disulfide	ND	20		µg/L	10	5/13/08 4:05:00 PM
Methylene chloride	ND	50		µg/L	10	5/13/08 4:05:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	5/13/08 4:05:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
2-Butanone	ND	100		µg/L	10	5/13/08 4:05:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	5/13/08 4:05:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	5/13/08 4:05:00 PM
Chloroform	36	20		µg/L	10	5/13/08 4:05:00 PM
Tetrahydrofuran	ND	100		µg/L	10	5/13/08 4:05:00 PM
Bromochloromethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	5/13/08 4:05:00 PM
Carbon tetrachloride	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
Benzene	ND	10		µg/L	10	5/13/08 4:05:00 PM
Trichloroethene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	5/13/08 4:05:00 PM
Bromodichloromethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
Dibromomethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	5/13/08 4:05:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 4:05:00 PM
Toluene	ND	20		µg/L	10	5/13/08 4:05:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	5/13/08 4:05:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
2-Hexanone	ND	100		µg/L	10	5/13/08 4:05:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	5/13/08 4:05:00 PM
Tetrachloroethene	130	20		µg/L	10	5/13/08 4:05:00 PM
Dibromochloromethane	ND	20		µg/L	10	5/13/08 4:05:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-112
Lab Order: 0805036 **Collection Date:** 5/6/08 3:55:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-12A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
Ethylbenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
m,p-Xylene	ND	20		µg/L	10	5/13/08 4:05:00 PM
o-Xylene	ND	20		µg/L	10	5/13/08 4:05:00 PM
Styrene	ND	20		µg/L	10	5/13/08 4:05:00 PM
Bromoform	ND	20		µg/L	10	5/13/08 4:05:00 PM
Isopropylbenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	5/13/08 4:05:00 PM
Bromobenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
n-Propylbenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
2-Chlorotoluene	ND	20		µg/L	10	5/13/08 4:05:00 PM
4-Chlorotoluene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
tert-Butylbenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
sec-Butylbenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
n-Butylbenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	5/13/08 4:05:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	5/13/08 4:05:00 PM
Naphthalene	ND	50		µg/L	10	5/13/08 4:05:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	5/13/08 4:05:00 PM
Surr: Dibromofluoromethane	117	85-119		%REC	10	5/13/08 4:05:00 PM
Surr: 1,2-Dichloroethane-d4	130	79-131		%REC	10	5/13/08 4:05:00 PM
Surr: Toluene-d8	107	90-110		%REC	10	5/13/08 4:05:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	10	5/13/08 4:05:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-216S
Lab Order: 0805036 **Collection Date:** 5/7/08 9:25:00 AM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-13A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 1:33:00 PM
Chloromethane	ND	5.0		µg/L	1	5/13/08 1:33:00 PM
Vinyl chloride	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Chloroethane	ND	5.0		µg/L	1	5/13/08 1:33:00 PM
Bromomethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 1:33:00 PM
Acetone	ND	10		µg/L	1	5/13/08 1:33:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	5/13/08 1:33:00 PM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 1:33:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
2-Butanone	ND	10		µg/L	1	5/13/08 1:33:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
cis-1,2-Dichloroethene	54	2.0		µg/L	1	5/13/08 1:33:00 PM
Chloroform	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 1:33:00 PM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Benzene	ND	1.0		µg/L	1	5/13/08 1:33:00 PM
Trichloroethene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 1:33:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 1:33:00 PM
Toluene	3.2	2.0		µg/L	1	5/13/08 1:33:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 1:33:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
2-Hexanone	ND	10		µg/L	1	5/13/08 1:33:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Tetrachloroethene	2.2	2.0		µg/L	1	5/13/08 1:33:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-216S
Lab Order: 0805036 **Collection Date:** 5/7/08 9:25:00 AM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-13A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Ethylbenzene	2.4	2.0		µg/L	1	5/13/08 1:33:00 PM
m,p-Xylene	6.9	2.0		µg/L	1	5/13/08 1:33:00 PM
o-Xylene	9.0	2.0		µg/L	1	5/13/08 1:33:00 PM
Styrene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Bromoform	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,3,5-Trimethylbenzene	8.4	2.0		µg/L	1	5/13/08 1:33:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,2,4-Trimethylbenzene	12	2.0		µg/L	1	5/13/08 1:33:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
4-Isopropyltoluene	2.1	2.0		µg/L	1	5/13/08 1:33:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 1:33:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Naphthalene	22	5.0		µg/L	1	5/13/08 1:33:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 1:33:00 PM
Surr: Dibromofluoromethane	103	85-119		%REC	1	5/13/08 1:33:00 PM
Surr: 1,2-Dichloroethane-d4	97.3	79-131		%REC	1	5/13/08 1:33:00 PM
Surr: Toluene-d8	99.9	90-110		%REC	1	5/13/08 1:33:00 PM
Surr: 4-Bromofluorobenzene	97.5	76-117		%REC	1	5/13/08 1:33:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-14A

Client Sample ID: MW-216D
Collection Date: 5/7/08 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 2:06:00 PM
Chloromethane	ND	5.0		µg/L	1	5/13/08 2:06:00 PM
Vinyl chloride	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Chloroethane	ND	5.0		µg/L	1	5/13/08 2:06:00 PM
Bromomethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 2:06:00 PM
Acetone	ND	10		µg/L	1	5/13/08 2:06:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	5/13/08 2:06:00 PM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 2:06:00 PM
Methyl tert-butyl ether	3.1	2.0		µg/L	1	5/13/08 2:06:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
2-Butanone	ND	10		µg/L	1	5/13/08 2:06:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Chloroform	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 2:06:00 PM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Benzene	ND	1.0		µg/L	1	5/13/08 2:06:00 PM
Trichloroethene	4.4	2.0		µg/L	1	5/13/08 2:06:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 2:06:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 2:06:00 PM
Toluene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 2:06:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
2-Hexanone	ND	10		µg/L	1	5/13/08 2:06:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-14A

Client Sample ID: MW-216D
Collection Date: 5/7/08 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Ethylbenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
m,p-Xylene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
o-Xylene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Styrene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Bromoform	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 2:06:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Naphthalene	ND	5.0		µg/L	1	5/13/08 2:06:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:06:00 PM
Surr: Dibromofluoromethane	94.6	85-119		%REC	1	5/13/08 2:06:00 PM
Surr: 1,2-Dichloroethane-d4	90.1	79-131		%REC	1	5/13/08 2:06:00 PM
Surr: Toluene-d8	99.1	90-110		%REC	1	5/13/08 2:06:00 PM
Surr: 4-Bromofluorobenzene	96.1	76-117		%REC	1	5/13/08 2:06:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-15A

Client Sample ID: MW-217D
Collection Date: 5/7/08 10:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 2:40:00 PM
Chloromethane	ND	5.0		µg/L	1	5/13/08 2:40:00 PM
Vinyl chloride	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Chloroethane	ND	5.0		µg/L	1	5/13/08 2:40:00 PM
Bromomethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 2:40:00 PM
Acetone	ND	10		µg/L	1	5/13/08 2:40:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	5/13/08 2:40:00 PM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 2:40:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
2-Butanone	ND	10		µg/L	1	5/13/08 2:40:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
cis-1,2-Dichloroethene	27	2.0		µg/L	1	5/13/08 2:40:00 PM
Chloroform	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 2:40:00 PM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Benzene	ND	1.0		µg/L	1	5/13/08 2:40:00 PM
Trichloroethene	3.5	2.0		µg/L	1	5/13/08 2:40:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 2:40:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 2:40:00 PM
Toluene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 2:40:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
2-Hexanone	ND	10		µg/L	1	5/13/08 2:40:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-15A

Client Sample ID: MW-217D
Collection Date: 5/7/08 10:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Ethylbenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
m,p-Xylene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
o-Xylene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Styrene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Bromoform	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 2:40:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Naphthalene	ND	5.0		µg/L	1	5/13/08 2:40:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 2:40:00 PM
Surr: Dibromofluoromethane	99.6	85-119		%REC	1	5/13/08 2:40:00 PM
Surr: 1,2-Dichloroethane-d4	91.2	79-131		%REC	1	5/13/08 2:40:00 PM
Surr: Toluene-d8	103	90-110		%REC	1	5/13/08 2:40:00 PM
Surr: 4-Bromofluorobenzene	98.9	76-117		%REC	1	5/13/08 2:40:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-217S
Lab Order: 0805036 **Collection Date:** 5/7/08 10:50:00 AM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0805036-16A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: AL		
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 3:14:00 PM
Chloromethane	ND	5.0		µg/L	1	5/13/08 3:14:00 PM
Vinyl chloride	2.1	2.0		µg/L	1	5/13/08 3:14:00 PM
Chloroethane	ND	5.0		µg/L	1	5/13/08 3:14:00 PM
Bromomethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 3:14:00 PM
Acetone	ND	10		µg/L	1	5/13/08 3:14:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	5/13/08 3:14:00 PM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 3:14:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
2-Butanone	ND	10		µg/L	1	5/13/08 3:14:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
cis-1,2-Dichloroethene	39	2.0		µg/L	1	5/13/08 3:14:00 PM
Chloroform	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 3:14:00 PM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Benzene	ND	1.0		µg/L	1	5/13/08 3:14:00 PM
Trichloroethene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 3:14:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 3:14:00 PM
Toluene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 3:14:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
2-Hexanone	ND	10		µg/L	1	5/13/08 3:14:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Tetrachloroethene	8.1	2.0		µg/L	1	5/13/08 3:14:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-16A

Client Sample ID: MW-217S
Collection Date: 5/7/08 10:50:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Ethylbenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
m,p-Xylene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
o-Xylene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Styrene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Bromoform	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 3:14:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Naphthalene	6.8	5.0		µg/L	1	5/13/08 3:14:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:14:00 PM
Surr: Dibromofluoromethane	97.8	85-119		%REC	1	5/13/08 3:14:00 PM
Surr: 1,2-Dichloroethane-d4	90.5	79-131		%REC	1	5/13/08 3:14:00 PM
Surr: Toluene-d8	100	90-110		%REC	1	5/13/08 3:14:00 PM
Surr: 4-Bromofluorobenzene	93.4	76-117		%REC	1	5/13/08 3:14:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-17A

Client Sample ID: MW-116D
Collection Date: 5/7/08 11:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: AL		
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 3:47:00 PM
Chloromethane	ND	5.0		µg/L	1	5/13/08 3:47:00 PM
Vinyl chloride	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Chloroethane	ND	5.0		µg/L	1	5/13/08 3:47:00 PM
Bromomethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 3:47:00 PM
Acetone	ND	10		µg/L	1	5/13/08 3:47:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	5/13/08 3:47:00 PM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 3:47:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
2-Butanone	ND	10		µg/L	1	5/13/08 3:47:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Chloroform	32	2.0		µg/L	1	5/13/08 3:47:00 PM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 3:47:00 PM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Benzene	ND	1.0		µg/L	1	5/13/08 3:47:00 PM
Trichloroethene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Bromodichloromethane	2.6	2.0		µg/L	1	5/13/08 3:47:00 PM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 3:47:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 3:47:00 PM
Toluene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 3:47:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
2-Hexanone	ND	10		µg/L	1	5/13/08 3:47:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Lab Order: 0805036
 Project: 130274 Textron Gorham
 Lab ID: 0805036-17A

Client Sample ID: MW-116D
 Collection Date: 5/7/08 11:45:00 AM
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Ethylbenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
m,p-Xylene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
o-Xylene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Styrene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Bromoform	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 3:47:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Naphthalene	ND	5.0		µg/L	1	5/13/08 3:47:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 3:47:00 PM
Surr: Dibromofluoromethane	101	85-119		%REC	1	5/13/08 3:47:00 PM
Surr: 1,2-Dichloroethane-d4	94.1	79-131		%REC	1	5/13/08 3:47:00 PM
Surr: Toluene-d8	102	90-110		%REC	1	5/13/08 3:47:00 PM
Surr: 4-Bromofluorobenzene	94.5	76-117		%REC	1	5/13/08 3:47:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-116S
Lab Order:	0805036	Collection Date:	5/7/08 12:15:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0805036-18A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 4:22:00 PM
Chloromethane	ND	5.0		µg/L	1	5/13/08 4:22:00 PM
Vinyl chloride	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Chloroethane	ND	5.0		µg/L	1	5/13/08 4:22:00 PM
Bromomethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 4:22:00 PM
Acetone	ND	10		µg/L	1	5/13/08 4:22:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	5/13/08 4:22:00 PM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 4:22:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
2-Butanone	ND	10		µg/L	1	5/13/08 4:22:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Chloroform	2.8	2.0		µg/L	1	5/13/08 4:22:00 PM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 4:22:00 PM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Benzene	ND	1.0		µg/L	1	5/13/08 4:22:00 PM
Trichloroethene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 4:22:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 4:22:00 PM
Toluene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 4:22:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
2-Hexanone	ND	10		µg/L	1	5/13/08 4:22:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-116S
Lab Order:	0805036	Collection Date:	5/7/08 12:15:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0805036-18A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Ethylbenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
m,p-Xylene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
o-Xylene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Styrene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Bromoform	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 4:22:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Naphthalene	ND	5.0		µg/L	1	5/13/08 4:22:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 4:22:00 PM
Surr: Dibromofluoromethane	102	85-119		%REC	1	5/13/08 4:22:00 PM
Surr: 1,2-Dichloroethane-d4	96.6	79-131		%REC	1	5/13/08 4:22:00 PM
Surr: Toluene-d8	102	90-110		%REC	1	5/13/08 4:22:00 PM
Surr: 4-Bromofluorobenzene	92.5	76-117		%REC	1	5/13/08 4:22:00 PM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-19A

Client Sample ID: Trip Blank
Collection Date: 5/7/08
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	5/13/08 11:15:00 AM
Chloromethane	ND	5.0		µg/L	1	5/13/08 11:15:00 AM
Vinyl chloride	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Chloroethane	ND	5.0		µg/L	1	5/13/08 11:15:00 AM
Bromomethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Trichlorofluoromethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Diethyl ether	ND	5.0		µg/L	1	5/13/08 11:15:00 AM
Acetone	ND	10		µg/L	1	5/13/08 11:15:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	5/13/08 11:15:00 AM
Carbon disulfide	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Methylene chloride	ND	5.0		µg/L	1	5/13/08 11:15:00 AM
Methyl tert-butyl ether	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,1-Dichloroethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
2-Butanone	ND	10		µg/L	1	5/13/08 11:15:00 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Chloroform	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Tetrahydrofuran	ND	10		µg/L	1	5/13/08 11:15:00 AM
Bromochloromethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,1-Dichloropropene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Carbon tetrachloride	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,2-Dichloroethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Benzene	ND	1.0		µg/L	1	5/13/08 11:15:00 AM
Trichloroethene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,2-Dichloropropane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Bromodichloromethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Dibromomethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	5/13/08 11:15:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 11:15:00 AM
Toluene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	5/13/08 11:15:00 AM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,2-Dibromoethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
2-Hexanone	ND	10		µg/L	1	5/13/08 11:15:00 AM
1,3-Dichloropropane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Tetrachloroethene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Dibromochloromethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM

AMRO Environmental Laboratories Corp.

Date: 22-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0805036
Project: 130274 Textron Gorham
Lab ID: 0805036-19A

Client Sample ID: Trip Blank
Collection Date: 5/7/08
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Ethylbenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
m,p-Xylene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
o-Xylene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Styrene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Bromoform	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Isopropylbenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Bromobenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
n-Propylbenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
2-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
4-Chlorotoluene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
tert-Butylbenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
sec-Butylbenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
4-Isopropyltoluene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
n-Butylbenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	5/13/08 11:15:00 AM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Hexachlorobutadiene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Naphthalene	ND	5.0		µg/L	1	5/13/08 11:15:00 AM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	5/13/08 11:15:00 AM
Surr: Dibromofluoromethane	102	85-119		%REC	1	5/13/08 11:15:00 AM
Surr: 1,2-Dichloroethane-d4	99.8	79-131		%REC	1	5/13/08 11:15:00 AM
Surr: Toluene-d8	101	90-110		%REC	1	5/13/08 11:15:00 AM
Surr: 4-Bromofluorobenzene	94.1	76-117		%REC	1	5/13/08 11:15:00 AM

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0805036

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-05/13/08 Batch ID: R39990 Test Code: SW8260B Units: µg/L Analysis Date: 5/13/2008 11:24:00 AM Prep Date: 5/13/2008
 Client ID: Run ID: V-1_080513B SeqNo: 667902

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT
Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0805036
Project: 130274 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance
sec-Butylbenzene	ND	2.0	0	0
4-Isopropyltoluene	ND	2.0	0	0
1,3-Dichlorobenzene	ND	2.0	0	0
1,4-Dichlorobenzene	ND	2.0	0	0
n-Butylbenzene	ND	2.0	0	0
1,2-Dichlorobenzene	ND	2.0	0	0
1,2-Dibromo-3-chloropropane	ND	5.0	0	0
1,2,4-Trichlorobenzene	ND	2.0	0	0
Hexachlorobutadiene	ND	2.0	0	0
Naphthalene	ND	5.0	0	0
1,2,3-Trichlorobenzene	ND	2.0	0	0
Surr: Dibromofluoromethane	27.21	2.0	109	85
Surr: 1,2-Dichloroethane-d4	31.95	2.0	128	79
Surr: Toluene-d8	25.53	2.0	102	90
Surr: 4-Bromofluorobenzene	24.49	2.0	98	76

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0805036
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-05/16/08 **Batch ID:** R40028 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 5/16/2008 1:06:00 PM **Prep Date:** 5/16/2008
Client ID: **Run ID:** V-3_080516A **SeqNo:** 668477

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	QC
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0805036
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT
Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0805036
Project: 130274 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)
sec-Butylbenzene	ND	2.0	0	90.8	85
4-Isopropyltoluene	ND	2.0	0	100	79
1,3-Dichlorobenzene	ND	2.0	0	102	90
1,4-Dichlorobenzene	ND	2.0	0	95.9	76
n-Butylbenzene	ND	2.0	25	0	119
1,2-Dichlorobenzene	ND	2.0	25	0	131
1,2-Dibromo-3-chloropropane	ND	5.0	25	0	110
1,2,4-Trichlorobenzene	ND	2.0	25	0	117
Hexachlorobutadiene	ND	2.0	25	0	0
Naphthalene	ND	5.0	25	0	0
1,2,3-Trichlorobenzene	ND	2.0	25	0	0
Surr: Dibromofluoromethane	22.7	2.0	25	0	0
Surr: 1,2-Dichloroethane-d4	25.12	2.0	25	0	0
Surr: Toluene-d8	25.53	2.0	25	0	0
Surr: 4-Bromofluorobenzene	23.98	2.0	25	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0805036
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-05/13/08 Batch ID: R39996 Test Code: SW8260B Units: µg/L Analysis Date: 5/13/2008 10:40:00 AM Prep Date: 5/13/2008
Client ID: Run ID: V-3_080513A SeqNo: 669252

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT
Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit
 S - Spike Recovery outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT
Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance
sec-Butylbenzene	ND	2.0	0	104	85	0
4-Isopropyltoluene	ND	2.0	0	98.7	79	0
1,3-Dichlorobenzene	ND	2.0	0	99.9	90	0
1,4-Dichlorobenzene	ND	2.0	0	95.4	76	0
n-Butylbenzene	ND	2.0	0			
1,2-Dichlorobenzene	ND	2.0	0			
1,2-Dibromo-3-chloropropane	ND	5.0	0			
1,2,4-Trichlorobenzene	ND	2.0	0			
Hexachlorobutadiene	ND	2.0	0			
Naphthalene	ND	5.0	0			
1,2,3-Trichlorobenzene	ND	2.0	0			
Surr: Dibromofluoromethane	25.94	2.0	25	104	85	0
Surr: 1,2-Dichloroethane-d4	24.67	2.0	25	98.7	79	0
Surr: Toluene-d8	24.97	2.0	25	99.9	90	0
Surr: 4-Bromofluorobenzene	23.86	2.0	25	95.4	76	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0805036
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Sample ID: Icsf-05/13/08 **Batch ID:** R39990 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 5/13/2008 10:14:00 AM **Prep Date:** 5/13/2008
Client ID: **Run ID:** V-1_080513B **SeqNo:** 667903

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	34.86	5.0	µg/L	20	0	174	10	150	0	0	150	S
Chloromethane	22.35	5.0	µg/L	20	0	112	37	150	0	0	150	
Vinyl chloride	22.01	2.0	µg/L	20	0	110	48	150	0	0	150	
Chloroethane	19.65	5.0	µg/L	20	0	98.2	54	142	0	0	142	
Bromomethane	19.9	2.0	µg/L	20	0	99.5	51	137	0	0	137	
Trichlorofluoromethane	27.68	2.0	µg/L	20	0	138	62	141	0	0	141	
Diethyl ether	19.5	5.0	µg/L	20	0	97.5	68	134	0	0	134	
Acetone	11.23	10	µg/L	20	0	56.2	9	150	0	0	150	
1,1-Dichloroethene	20.27	1.0	µg/L	20	0	101	68	146	0	0	146	
Carbon disulfide	20.57	2.0	µg/L	20	0	103	52	131	0	0	131	
Methylene chloride	20.64	5.0	µg/L	20	0	103	67	138	0	0	138	
Methyl tert-butyl ether	21.52	2.0	µg/L	20	0	108	63	139	0	0	139	
trans-1,2-Dichloroethene	20.62	2.0	µg/L	20	0	103	81	126	0	0	126	
1,1-Dichloroethane	21.38	2.0	µg/L	20	0	107	78	124	0	0	124	
2-Butanone	20.13	10	µg/L	20	0	101	41	150	0	0	150	
2,2-Dichloropropane	27.34	2.0	µg/L	20	0	137	71	150	0	0	150	
cis-1,2-Dichloroethene	20.48	2.0	µg/L	20	0	102	78	121	0	0	121	
Chloroform	22.76	2.0	µg/L	20	0	114	82	123	0	0	123	
Tetrahydrofuran	18.7	10	µg/L	20	0	93.5	51	146	0	0	146	
Bromochloromethane	20.12	2.0	µg/L	20	0	101	77	131	0	0	131	
1,1,1-Trichloroethane	23.17	2.0	µg/L	20	0	116	81	127	0	0	127	
1,1-Dichloropropene	21.73	2.0	µg/L	20	0	109	76	119	0	0	119	
Carbon tetrachloride	23.42	2.0	µg/L	20	0	117	76	129	0	0	129	
1,2-Dichloroethane	24.15	2.0	µg/L	20	0	121	76	127	0	0	127	
Benzene	22	1.0	µg/L	20	0	110	81	118	0	0	118	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Laboratory Control Spike - Full List

Compound	Reporting Limit	Concentration	Recovery	Method	Spikes	Recovery	Method
Trichloroethene	22.72	2.0	µg/L	20	81	119	0
1,2-Dichloropropane	20.37	2.0	µg/L	20	79	120	0
Bromodichloromethane	18.99	2.0	µg/L	20	77	131	0
Dibromomethane	22.45	2.0	µg/L	20	76	128	0
4-Methyl-2-pentanone	20.08	10	µg/L	20	51	141	0
cis-1,3-Dichloropropene	18.56	1.0	µg/L	20	76	120	0
Toluene	20.02	2.0	µg/L	20	83	119	0
trans-1,3-Dichloropropene	20	1.0	µg/L	20	66	128	0
1,1,2-Trichloroethane	20.41	2.0	µg/L	20	74	123	0
1,2-Dibromoethane	19.58	2.0	µg/L	20	72	128	0
2-Hexanone	18.93	10	µg/L	20	31	148	0
1,3-Dichloropropane	20.76	2.0	µg/L	20	76	122	0
Tetrachloroethene	21.33	2.0	µg/L	20	81	124	0
Dibromochloromethane	17.48	2.0	µg/L	20	63	126	0
Chlorobenzene	18.62	2.0	µg/L	20	84	113	0
1,1,1,2-Tetrachloroethane	19.57	2.0	µg/L	20	73	124	0
Ethylbenzene	20.53	2.0	µg/L	20	83	118	0
m,p-Xylene	41.94	2.0	µg/L	40	85	116	0
o-Xylene	21.33	2.0	µg/L	20	84	115	0
Styrene	21.17	2.0	µg/L	20	81	118	0
Bromoform	20.16	2.0	µg/L	20	55	126	0
Isopropylbenzene	22.43	2.0	µg/L	20	77	125	0
1,1,2,2-Tetrachloroethane	21.58	2.0	µg/L	20	62	134	0
1,2,3-Trichloropropane	23.07	2.0	µg/L	20	62	132	0
Bromobenzene	20.91	2.0	µg/L	20	78	119	0
n-Propylbenzene	19.91	2.0	µg/L	20	77	127	0
2-Chlorotoluene	22.33	2.0	µg/L	20	78	118	0
4-Chlorotoluene	21.85	2.0	µg/L	20	77	119	0
1,3,5-Trimethylbenzene	22.22	2.0	µg/L	20	80	120	0
tert-Butylbenzene	22.21	2.0	µg/L	20	81	120	0
1,2,4-Trimethylbenzene	22.1	2.0	µg/L	20	80	118	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

QC SUMMARY REPORT

Laboratory Control Spike - Full List

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0805036

Project: 130274 Textron Gorham

Compound	Reporting Limit	Concentration	Recovery	Acceptance	Recovery	Acceptance	Concentration	Recovery	Acceptance
sec-Butylbenzene	21.04	2.0	105	0	105	82	123	0	0
4-Isopropyltoluene	22.6	2.0	113	0	113	80	126	0	0
1,3-Dichlorobenzene	20.6	2.0	103	0	103	84	115	0	0
1,4-Dichlorobenzene	19.6	2.0	98	0	98	79	117	0	0
n-Butylbenzene	21.19	2.0	106	0	106	76	128	0	0
1,2-Dichlorobenzene	20.2	2.0	101	0	101	81	117	0	0
1,2-Dibromo-3-chloropropane	22.86	5.0	114	0	114	47	136	0	0
1,2,4-Trichlorobenzene	21.23	2.0	106	0	106	73	126	0	0
Hexachlorobutadiene	20.51	2.0	103	0	103	77	134	0	0
Naphthalene	20.05	5.0	100	0	100	58	138	0	0
1,2,3-Trichlorobenzene	21.22	2.0	106	0	106	76	124	0	0
Surr: Dibromofluoromethane	26.21	2.0	105	0	105	85	119	0	0
Surr: 1,2-Dichloroethane-d4	30.08	2.0	120	0	120	79	131	0	0
Surr: Toluene-d8	25.47	2.0	102	0	102	90	110	0	0
Surr: 4-Bromofluorobenzene	25.72	2.0	103	0	103	76	117	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0805036
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Sample ID: Icsf-05/16/08 **Batch ID:** R40028 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 5/16/2008 11:58:00 AM **Prep Date:** 5/16/2008
Client ID: **Run ID:** V-3_080516A **SeqNo:** 668478

Analyte	QC Sample		RL	QC Spike		Original Sample	Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
	Result	Units		Amount	Amount									
Dichlorodifluoromethane	10.44	µg/L	5.0	20	20	0	52.2	10	150	0	0			
Chloromethane	14.68	µg/L	5.0	20	20	0	73.4	37	150	0	0			
Vinyl chloride	15.95	µg/L	2.0	20	20	0	79.8	48	150	0	0			
Chloroethane	16.57	µg/L	5.0	20	20	0	82.8	54	142	0	0			
Bromomethane	15.21	µg/L	2.0	20	20	0	76	51	137	0	0			
Trichlorofluoromethane	15.53	µg/L	2.0	20	20	0	77.7	62	141	0	0			
Diethyl ether	19.39	µg/L	5.0	20	20	0	97	68	134	0	0			
Acetone	21.77	µg/L	10	20	20	0	109	9	150	0	0			
1,1-Dichloroethene	14.3	µg/L	1.0	20	20	0	71.5	68	146	0	0			
Carbon disulfide	15.35	µg/L	2.0	20	20	0	76.8	52	131	0	0			
Methylene chloride	19.07	µg/L	5.0	20	20	0	95.4	67	138	0	0			
Methyl tert-butyl ether	24.53	µg/L	2.0	20	20	0	123	63	139	0	0			
trans-1,2-Dichloroethene	16.34	µg/L	2.0	20	20	0	81.7	81	126	0	0			
1,1-Dichloroethane	17.32	µg/L	2.0	20	20	0	86.6	78	124	0	0			
2-Butanone	27.07	µg/L	10	20	20	0	135	41	150	0	0			
2,2-Dichloropropane	18.9	µg/L	2.0	20	20	0	94.5	71	150	0	0			
cis-1,2-Dichloroethene	18.36	µg/L	2.0	20	20	0	91.8	78	121	0	0			
Chloroform	18.18	µg/L	2.0	20	20	0	90.9	82	123	0	0			
Tetrahydrofuran	28.9	µg/L	10	20	20	0	145	51	146	0	0			
Bromochloromethane	18.55	µg/L	2.0	20	20	0	92.8	77	131	0	0			
1,1,1-Trichloroethane	17.94	µg/L	2.0	20	20	0	89.7	81	127	0	0			
1,1-Dichloropropene	17.18	µg/L	2.0	20	20	0	85.9	76	119	0	0			
Carbon tetrachloride	16.69	µg/L	2.0	20	20	0	83.4	76	129	0	0			
1,2-Dichloroethane	21.41	µg/L	2.0	20	20	0	107	76	127	0	0			
Benzene	17.56	µg/L	1.0	20	20	0	87.8	81	118	0	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Reporting Limit (µg/L)	Detected	Method
Trichloroethene	2.0	90.6	20	18.12	81	119
1,2-Dichloropropane	2.0	97.3	20	19.45	79	120
Bromodichloromethane	2.0	98.8	20	19.77	77	131
Dibromomethane	2.0	100	20	20.03	76	128
4-Methyl-2-pentanone	10	148	20	29.68	51	141
cis-1,3-Dichloropropene	1.0	114	20	22.81	76	120
Toluene	2.0	93.2	20	18.64	83	119
trans-1,3-Dichloropropene	1.0	110	20	21.96	66	128
1,1,2-Trichloroethane	2.0	100	20	20.03	74	123
1,2-Dibromoethane	2.0	108	20	21.62	72	128
2-Hexanone	10	113	20	22.62	31	148
1,3-Dichloropropane	2.0	93.9	20	18.78	76	122
Tetrachloroethene	2.0	73.6	20	14.71	81	124
Dibromochloromethane	2.0	98.8	20	19.77	63	126
Chlorobenzene	2.0	86	20	17.19	84	113
1,1,1,2-Tetrachloroethane	2.0	93.4	20	18.68	73	124
Ethylbenzene	2.0	86.3	20	17.26	83	118
m,p-Xylene	2.0	88.8	40	35.51	85	116
o-Xylene	2.0	94.4	20	18.89	84	115
Styrene	2.0	90	20	18	81	118
Bromoform	2.0	95.8	20	19.17	55	126
Isopropylbenzene	2.0	96.7	20	19.34	77	125
1,1,2,2-Tetrachloroethane	2.0	98.7	20	19.74	62	134
1,2,3-Trichloropropane	2.0	107	20	21.36	62	132
Bromobenzene	2.0	91.9	20	18.38	78	119
n-Propylbenzene	2.0	84	20	16.79	77	127
2-Chlorotoluene	2.0	88.6	20	17.73	78	118
4-Chlorotoluene	2.0	88.9	20	17.78	77	119
1,3,5-Trimethylbenzene	2.0	96.6	20	19.31	80	120
tert-Butylbenzene	2.0	88.1	20	17.62	81	120
1,2,4-Trimethylbenzene	2.0	95.1	20	19.02	80	118

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Compound	Reporting Limit	Concentration	Recovery	Accepted Recovery Limits	Recovery Status	Method	Notes
sec-Butylbenzene	17.08	2.0	85.4	0	0	82	123
4-Isopropyltoluene	18.06	2.0	90.3	0	0	80	126
1,3-Dichlorobenzene	18.58	2.0	92.9	0	0	84	115
1,4-Dichlorobenzene	17.34	2.0	86.7	0	0	79	117
n-Butylbenzene	16.59	2.0	83	0	0	76	128
1,2-Dichlorobenzene	19.6	2.0	98	0	0	81	117
1,2-Dibromo-3-chloropropane	25.5	5.0	128	0	0	47	136
1,2,4-Trichlorobenzene	19.51	2.0	97.6	0	0	73	126
Hexachlorobutadiene	13.56	2.0	67.8	0	0	77	134
Naphthalene	19.27	5.0	96.4	0	0	58	138
1,2,3-Trichlorobenzene	19.18	2.0	95.9	0	0	76	124
Surr: Dibromofluoromethane	24.88	2.0	99.5	0	0	85	119
Surr: 1,2-Dichloroethane-d4	26.66	2.0	107	0	0	79	131
Surr: Toluene-d8	26.04	2.0	104	0	0	90	110
Surr: 4-Bromofluorobenzene	24.73	2.0	98.9	0	0	76	117

S

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT

Laboratory Control Spike - Full List

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0805036
Project: 130274 Textron Gorham

Sample ID: Icsf-05/13/08 **Batch ID:** R39996 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 5/13/2008 8:57:00 AM **Prep Date:** 5/13/2008
Client ID: **Run ID:** V-3_080513A **SeqNo:** 669253

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	21.03	5.0	µg/L	20	0	105	10	150	0	0		
Chloromethane	21.42	5.0	µg/L	20	0	107	37	150	0	0		
Vinyl chloride	24.58	2.0	µg/L	20	0	123	48	150	0	0		
Chloroethane	22.2	5.0	µg/L	20	0	111	54	142	0	0		
Bromomethane	22.89	2.0	µg/L	20	0	114	51	137	0	0		
Trichlorofluoromethane	22.58	2.0	µg/L	20	0	113	62	141	0	0		
Diethyl ether	19.97	5.0	µg/L	20	0	99.8	68	134	0	0		
Acetone	17.97	10	µg/L	20	0	89.8	9	150	0	0		
1,1-Dichloroethene	21.29	1.0	µg/L	20	0	106	68	146	0	0		
Carbon disulfide	22.05	2.0	µg/L	20	0	110	52	131	0	0		
Methylene chloride	20.07	5.0	µg/L	20	0	100	67	138	0	0		
Methyl tert-butyl ether	20.71	2.0	µg/L	20	0	104	63	139	0	0		
trans-1,2-Dichloroethene	20.97	2.0	µg/L	20	0	105	81	126	0	0		
1,1-Dichloroethane	19.97	2.0	µg/L	20	0	99.8	78	124	0	0		
2-Butanone	21.3	10	µg/L	20	0	106	41	150	0	0		
2,2-Dichloropropane	23.37	2.0	µg/L	20	0	117	71	150	0	0		
cis-1,2-Dichloroethene	20.9	2.0	µg/L	20	0	104	78	121	0	0		
Chloroform	21	2.0	µg/L	20	0	105	82	123	0	0		
Tetrahydrofuran	20.33	10	µg/L	20	0	102	51	146	0	0		
Bromochloromethane	21.84	2.0	µg/L	20	0	109	77	131	0	0		
1,1,1-Trichloroethane	22.08	2.0	µg/L	20	0	110	81	127	0	0		
1,1-Dichloropropene	22.18	2.0	µg/L	20	0	111	76	119	0	0		
Carbon tetrachloride	21.08	2.0	µg/L	20	0	105	76	129	0	0		
1,2-Dichloroethane	20.15	2.0	µg/L	20	0	101	76	127	0	0		
Benzene	22.21	1.0	µg/L	20	0	111	81	118	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0805036

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Trichloroethene	22.29	2.0	µg/L	20	0	111	81	119	0
1,2-Dichloropropane	22.21	2.0	µg/L	20	0	111	79	120	0
Bromodichloromethane	19.98	2.0	µg/L	20	0	99.9	77	131	0
Dibromomethane	21.44	2.0	µg/L	20	0	107	76	128	0
4-Methyl-2-pentanone	17.28	10	µg/L	20	0	86.4	51	141	0
cis-1,3-Dichloropropene	20.6	1.0	µg/L	20	0	103	76	120	0
Toluene	22.21	2.0	µg/L	20	0	111	83	119	0
trans-1,3-Dichloropropene	18.74	1.0	µg/L	20	0	93.7	66	128	0
1,1,2-Trichloroethane	20.13	2.0	µg/L	20	0	101	74	123	0
1,2-Dibromoethane	20.98	2.0	µg/L	20	0	105	72	128	0
2-Hexanone	16.59	10	µg/L	20	0	83	31	148	0
1,3-Dichloropropane	19.71	2.0	µg/L	20	0	98.6	76	122	0
Tetrachloroethene	20.35	2.0	µg/L	20	0	102	81	124	0
Dibromochloromethane	18.23	2.0	µg/L	20	0	91.2	63	126	0
Chlorobenzene	20.45	2.0	µg/L	20	0	102	84	113	0
1,1,1,2-Tetrachloroethane	20.46	2.0	µg/L	20	0	102	73	124	0
Ethylbenzene	20.54	2.0	µg/L	20	0	103	83	118	0
m,p-Xylene	43.29	2.0	µg/L	40	0	108	85	116	0
o-Xylene	21.84	2.0	µg/L	20	0	109	84	115	0
Styrene	19.65	2.0	µg/L	20	0	98.2	81	118	0
Bromoform	15.27	2.0	µg/L	20	0	76.4	55	126	0
Isopropylbenzene	22	2.0	µg/L	20	0	110	77	125	0
1,1,2,2-Tetrachloroethane	19.4	2.0	µg/L	20	0	97	62	134	0
1,2,3-Trichloropropane	20.4	2.0	µg/L	20	0	102	62	132	0
Bromobenzene	18.84	2.0	µg/L	20	0	94.2	78	119	0
n-Propylbenzene	21.31	2.0	µg/L	20	0	107	77	127	0
2-Chlorotoluene	20.1	2.0	µg/L	20	0	100	78	118	0
4-Chlorotoluene	19.47	2.0	µg/L	20	0	97.4	77	119	0
1,3,5-Trimethylbenzene	21.55	2.0	µg/L	20	0	108	80	120	0
tert-Butylbenzene	20.47	2.0	µg/L	20	0	102	81	120	0
1,2,4-Trimethylbenzene	21.39	2.0	µg/L	20	0	107	80	118	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike - Full List

sec-Butylbenzene	21.51	2.0	µg/L	20	0	108	82	123	0
4-Isopropyltoluene	22.24	2.0	µg/L	20	0	111	80	126	0
1,3-Dichlorobenzene	20.54	2.0	µg/L	20	0	103	84	115	0
1,4-Dichlorobenzene	20.01	2.0	µg/L	20	0	100	79	117	0
n-Butylbenzene	21.07	2.0	µg/L	20	0	105	76	128	0
1,2-Dichlorobenzene	21.13	2.0	µg/L	20	0	106	81	117	0
1,2-Dibromo-3-chloropropane	16.19	5.0	µg/L	20	0	81	47	136	0
1,2,4-Trichlorobenzene	19.62	2.0	µg/L	20	0	98.1	73	126	0
Hexachlorobutadiene	16.89	2.0	µg/L	20	0	84.4	77	134	0
Naphthalene	16.24	5.0	µg/L	20	0	81.2	58	138	0
1,2,3-Trichlorobenzene	19.06	2.0	µg/L	20	0	95.3	76	124	0
Surr: Dibromofluoromethane	24.89	2.0	µg/L	25	0	99.6	85	119	0
Surr: 1,2-Dichloroethane-d4	23.46	2.0	µg/L	25	0	93.8	79	131	0
Surr: Toluene-d8	25.3	2.0	µg/L	25	0	101	90	110	0
Surr: 4-Bromofluorobenzene	24.25	2.0	µg/L	25	0	97	76	117	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0805036

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Sample ID: Icsdf-05/13/08 Batch ID: R39996 Test Code: SW8260B Units: µg/L Analysis Date: 5/13/2008 9:31:00 AM Prep Date: 5/13/2008
 Client ID: Run ID: V-3_080513A SeqNo: 669254

Analyte	QC Sample		QC Spike		Original Sample		%RPD	RPDLimit	Que	
	Result	RL	Units	Amount	Result	HighLimit				LowLimit
Dichlorodifluoromethane	20.62	5.0	µg/L	20	0	103	21.03	10	1.97	20
Chloromethane	19.87	5.0	µg/L	20	0	99.4	21.42	37	7.51	20
Vinyl chloride	23.34	2.0	µg/L	20	0	117	24.58	48	5.18	20
Chloroethane	20.17	5.0	µg/L	20	0	101	22.2	54	9.58	20
Bromomethane	22.7	2.0	µg/L	20	0	114	22.89	51	0.834	20
Trichlorofluoromethane	20.83	2.0	µg/L	20	0	104	22.58	62	8.06	20
Diethyl ether	19.6	5.0	µg/L	20	0	98	19.97	68	1.87	20
Acetone	19.73	10	µg/L	20	0	98.6	17.97	9	9.34	20
1,1-Dichloroethene	20.43	1.0	µg/L	20	0	102	21.29	68	4.12	20
Carbon disulfide	20.61	2.0	µg/L	20	0	103	22.05	52	6.75	20
Methylene chloride	19.32	5.0	µg/L	20	0	96.6	20.07	67	3.81	20
Methyl tert-butyl ether	20.42	2.0	µg/L	20	0	102	20.71	63	1.41	20
trans-1,2-Dichloroethene	19.46	2.0	µg/L	20	0	97.3	20.97	81	7.47	20
1,1-Dichloroethane	19.18	2.0	µg/L	20	0	95.9	19.97	78	4.04	20
2-Butanone	19.48	10	µg/L	20	0	97.4	21.3	41	8.93	20
2,2-Dichloropropane	21.9	2.0	µg/L	20	0	110	23.37	71	6.49	20
cis-1,2-Dichloroethene	19.57	2.0	µg/L	20	0	97.8	20.9	78	6.57	20
Chloroform	20.47	2.0	µg/L	20	0	102	21	82	2.56	20
Tetrahydrofuran	21.74	10	µg/L	20	0	109	20.33	51	6.7	20
Bromochloromethane	21.4	2.0	µg/L	20	0	107	21.84	77	2.04	20
1,1,1-Trichloroethane	20.88	2.0	µg/L	20	0	104	22.08	81	5.59	20
1,1-Dichloropropene	21.18	2.0	µg/L	20	0	106	22.18	76	4.61	20
Carbon tetrachloride	20.28	2.0	µg/L	20	0	101	21.08	76	3.87	20
1,2-Dichloroethane	19.69	2.0	µg/L	20	0	98.4	20.15	76	2.31	20
Benzene	21.71	1.0	µg/L	20	0	109	22.21	81	2.28	20

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0805036

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Chemical Name	Concentration (µg/L)	Reporting Limit	Recovery (%)	Acceptance	Spikes	Recovery (%)	Acceptance	Spikes
Trichloroethene	21.2	2.0	0	0	106	81	119	22.29
1,2-Dichloropropane	21.75	2.0	0	0	109	79	120	22.21
Bromodichloromethane	19.86	2.0	0	99.3	0	77	131	19.98
Dibromomethane	21.95	2.0	0	110	0	76	128	21.44
4-Methyl-2-pentanone	21.47	10	0	107	0	51	141	17.28
cis-1,3-Dichloropropene	20.56	1.0	0	103	0	76	120	20.6
Toluene	21.74	2.0	0	109	0	83	119	22.21
trans-1,3-Dichloropropene	18.66	1.0	0	93.3	0	66	128	18.74
1,1,2-Trichloroethane	20.24	2.0	0	101	0	74	123	20.13
1,2-Dibromoethane	21.86	2.0	0	109	0	72	128	20.98
2-Hexanone	17.87	10	0	89.4	0	31	148	16.59
1,3-Dichloropropane	20.05	2.0	0	100	0	76	122	19.71
Tetrachloroethene	20.52	2.0	0	103	0	81	124	20.35
Dibromochloromethane	18.52	2.0	0	92.6	0	63	126	18.23
Chlorobenzene	19.56	2.0	0	97.8	0	84	113	20.45
1,1,1,2-Tetrachloroethane	19.91	2.0	0	99.6	0	73	124	20.46
Ethylbenzene	19.32	2.0	0	96.6	0	83	118	20.54
m,p-Xylene	42.05	2.0	0	105	0	85	116	43.29
o-Xylene	21.07	2.0	0	105	0	84	115	21.84
Styrene	18.92	2.0	0	94.6	0	81	118	19.65
Bromoform	16.17	2.0	0	80.8	0	55	126	15.27
Isopropylbenzene	20.54	2.0	0	103	0	77	125	22
1,1,2,2-Tetrachloroethane	19.84	2.0	0	99.2	0	62	134	19.4
1,2,3-Trichloropropane	19.27	2.0	0	96.4	0	62	132	20.4
Bromobenzene	18.34	2.0	0	91.7	0	78	119	18.84
n-Propylbenzene	19.31	2.0	0	96.6	0	77	127	21.31
2-Chlorotoluene	19.09	2.0	0	95.4	0	78	118	20.1
4-Chlorotoluene	18.36	2.0	0	91.8	0	77	119	19.47
1,3,5-Trimethylbenzene	20.36	2.0	0	102	0	80	120	21.55
tert-Butylbenzene	19.82	2.0	0	99.1	0	81	120	20.47
1,2,4-Trimethylbenzene	20.43	2.0	0	102	0	80	118	21.39

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Analyte	Concentration (µg/L)	Reporting Limit	Recovery	Accepted Recovery Limits	Method	Control Spike	Control Spike Duplicate	Control Spike Duplicate - Full List
sec-Butylbenzene	19.36	2.0	0	20	µg/L	82	21.51	20
4-Isopropyltoluene	20.47	2.0	0	20	µg/L	80	22.24	20
1,3-Dichlorobenzene	19.32	2.0	0	20	µg/L	84	20.54	20
1,4-Dichlorobenzene	18.96	2.0	0	20	µg/L	79	20.01	20
n-Butylbenzene	19.48	2.0	0	20	µg/L	76	21.07	20
1,2-Dichlorobenzene	20.16	2.0	0	20	µg/L	81	21.13	20
1,2-Dibromo-3-chloropropane	16.43	5.0	0	20	µg/L	47	16.19	20
1,2,4-Trichlorobenzene	19.05	2.0	0	20	µg/L	73	19.62	20
Hexachlorobutadiene	17.21	2.0	0	20	µg/L	77	16.89	20
Naphthalene	18.12	5.0	0	20	µg/L	58	16.24	20
1,2,3-Trichlorobenzene	18.63	2.0	0	20	µg/L	76	19.06	20
Surr: Dibromofluoromethane	24.79	2.0	0	25	µg/L	85	0	0
Surr: 1,2-Dichloroethane-d4	22.83	2.0	0	25	µg/L	79	0	0
Surr: Toluene-d8	25.7	2.0	0	25	µg/L	90	0	0
Surr: 4-Bromofluorobenzene	25.17	2.0	0	25	µg/L	76	0	0

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0805036

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Sample ID: 0805036-14Amsf Batch ID: R39996 Test Code: SW8260B Units: µg/L Analysis Date: 5/13/2008 6:38:00 PM Prep Date: 5/7/2008
Client ID: MW-216D Run ID: V-3_080513A SeqNo: 668009

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	128.3	25	µg/L	100	0	128	16	150	0			
Chloromethane	102.7	25	µg/L	100	0	103	35	150	0			
Vinyl chloride	123.8	10	µg/L	100	0	124	49	150	0			
Chloroethane	112.4	25	µg/L	100	0	112	58	147	0			
Bromomethane	121.3	10	µg/L	100	0	121	49	142	0			
Trichlorofluoromethane	127.3	10	µg/L	100	1.15	126	57	149	0			
Diethyl ether	103.8	25	µg/L	100	0	104	66	136	0			
Acetone	108.6	50	µg/L	100	0	109	16	150	0			
1,1-Dichloroethene	116.4	5.0	µg/L	100	0	116	70	150	0			
Carbon disulfide	112.6	10	µg/L	100	0	113	47	135	0			
Methylene chloride	110.3	25	µg/L	100	0.68	110	66	142	0			
Methyl tert-butyl ether	110.6	10	µg/L	100	3.12	107	63	138	0			
trans-1,2-Dichloroethene	107	10	µg/L	100	0	107	78	135	0			
1,1-Dichloroethane	105.2	10	µg/L	100	0	105	76	131	0			
2-Butanone	106.1	50	µg/L	100	0	106	51	142	0			
2,2-Dichloropropane	111.3	10	µg/L	100	0	111	60	149	0			
cis-1,2-Dichloroethene	104.3	10	µg/L	100	0.67	104	74	128	0			
Chloroform	111.4	10	µg/L	100	0	111	80	129	0			
Tetrahydrofuran	124.1	50	µg/L	100	0	124	53	145	0			
Bromochloromethane	116.8	10	µg/L	100	0	117	78	130	0			
1,1,1-Trichloroethane	114.9	10	µg/L	100	0	115	77	139	0			
1,1-Dichloropropene	122	10	µg/L	100	0	122	74	127	0			
Carbon tetrachloride	119.2	10	µg/L	100	0	119	73	138	0			
1,2-Dichloroethane	107.4	10	µg/L	100	0	107	75	130	0			
Benzene	116.2	5.0	µg/L	100	0	116	79	123	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Spikes	Recovery (%)	Acceptance	Spikes
Trichloroethene	121.2	10	µg/L	100	4.41	117	79
1,2-Dichloropropane	113.6	10	µg/L	100	0	114	76
Bromodichloromethane	106.8	10	µg/L	100	0	107	69
Dibromomethane	120.2	10	µg/L	100	0	120	76
4-Methyl-2-pentanone	109.6	50	µg/L	100	0	110	53
cis-1,3-Dichloropropene	106.6	5.0	µg/L	100	0	107	70
Toluene	113.4	10	µg/L	100	0	113	82
trans-1,3-Dichloropropene	97.85	5.0	µg/L	100	0	97.8	64
1,1,2-Trichloroethane	110.4	10	µg/L	100	0	110	73
1,2-Dibromoethane	115.8	10	µg/L	100	0	116	73
2-Hexanone	98.45	50	µg/L	100	0	98.4	37
1,3-Dichloropropane	100.7	10	µg/L	100	0	101	76
Tetrachloroethene	112.8	10	µg/L	100	0.78	112	82
Dibromochloromethane	92	10	µg/L	100	0	92	59
Chlorobenzene	103	10	µg/L	100	0	103	80
1,1,1,2-Tetrachloroethane	104.6	10	µg/L	100	0	105	72
Ethylbenzene	105.6	10	µg/L	100	0	106	83
m,p-Xylene	221.4	10	µg/L	200	0	111	84
o-Xylene	111.8	10	µg/L	100	0	112	83
Styrene	101.3	10	µg/L	100	0	101	80
Bromoform	84.55	10	µg/L	100	0	84.6	54
Isopropylbenzene	109.8	10	µg/L	100	0	110	75
1,1,2,2-Tetrachloroethane	99.6	10	µg/L	100	0	99.6	61
1,2,3-Trichloropropane	107.6	10	µg/L	100	0	108	66
Bromobenzene	93.95	10	µg/L	100	0	94	77
n-Propylbenzene	104	10	µg/L	100	0	104	76
2-Chlorotoluene	97.7	10	µg/L	100	0	97.7	78
4-Chlorotoluene	95.6	10	µg/L	100	0	95.6	75
1,3,5-Trimethylbenzene	106	10	µg/L	100	0	106	79
tert-Butylbenzene	99.45	10	µg/L	100	0	99.4	79
1,2,4-Trimethylbenzene	103	10	µg/L	100	0	103	77

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 27-May-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Compound	Reported Limit	Concentration	Recovery	Accepted								
sec-Butylbenzene	103.4	10	100	0	103	82	128	0	128	0	128	0
4-Isopropyltoluene	103.8	10	100	0	104	77	128	0	128	0	128	0
1,3-Dichlorobenzene	99.95	10	100	0	100	80	122	0	122	0	122	0
1,4-Dichlorobenzene	96.9	10	100	0	96.9	78	123	0	123	0	123	0
n-Butylbenzene	99.85	10	100	0	99.8	74	130	0	130	0	130	0
1,2-Dichlorobenzene	104.6	10	100	0	105	78	121	0	121	0	121	0
1,2-Dibromo-3-chloropropane	85.9	25	100	0	85.9	50	127	0	127	0	127	0
1,2,4-Trichlorobenzene	94.95	10	100	0	95	67	128	0	128	0	128	0
Hexachlorobutadiene	84.3	10	100	0	84.3	74	134	0	134	0	134	0
Naphthalene	92.85	25	100	0	92.8	57	131	0	131	0	131	0
1,2,3-Trichlorobenzene	93.4	10	100	0	93.4	64	131	0	131	0	131	0
Surr: Dibromofluoromethane	126	10	125	0	101	85	119	0	119	0	119	0
Surr: 1,2-Dichloroethane-d4	124.6	10	125	0	99.7	79	131	0	131	0	131	0
Surr: Toluene-d8	129.8	10	125	0	104	90	110	0	110	0	110	0
Surr: 4-Bromofluorobenzene	125.1	10	125	0	100	76	117	0	117	0	117	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0805036

Project: 130274 Textron Gorham

QC SUMMARY REPORT
Matrix Spike Duplicate - Full List

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	119.6	25	µg/L	100	0	120	16	150	128.3	6.98	20	
Chloromethane	99	25	µg/L	100	0	99	35	150	102.7	3.67	20	
Vinyl chloride	123.2	10	µg/L	100	0	123	49	150	123.8	0.445	20	
Chloroethane	110.2	25	µg/L	100	0	110	58	147	112.4	1.89	20	
Bromomethane	109.2	10	µg/L	100	0	109	49	142	121.3	10.5	20	
Trichlorofluoromethane	122.1	10	µg/L	100	1.15	121	57	149	127.3	4.17	20	
Diethyl ether	105.6	25	µg/L	100	0	106	66	136	103.8	1.77	20	
Acetone	109.2	50	µg/L	100	0	109	16	150	108.6	0.505	20	
1,1-Dichloroethene	112	5.0	µg/L	100	0	112	70	150	116.4	3.77	20	
Carbon disulfide	106.6	10	µg/L	100	0	107	47	135	112.6	5.43	20	
Methylene chloride	108	25	µg/L	100	0.68	107	66	142	110.3	2.06	20	
Methyl tert-butyl ether	113.1	10	µg/L	100	3.12	110	63	138	110.6	2.28	20	
trans-1,2-Dichloroethene	104.8	10	µg/L	100	0	105	78	135	107	2.13	20	
1,1-Dichloroethane	100.6	10	µg/L	100	0	101	76	131	105.2	4.57	20	
2-Butanone	120.6	50	µg/L	100	0	121	51	142	106.1	12.8	20	
2,2-Dichloropropane	107.2	10	µg/L	100	0	107	60	149	111.3	3.8	20	
cis-1,2-Dichloroethene	105.6	10	µg/L	100	0.67	105	74	128	104.3	1.19	20	
Chloroform	109.2	10	µg/L	100	0	109	80	129	111.4	2.04	20	
Tetrahydrofuran	140.4	50	µg/L	100	0	140	53	145	124.1	12.3	20	
Bromochloromethane	102.1	10	µg/L	100	0	102	78	130	116.8	13.5	20	
1,1,1-Trichloroethane	116.4	10	µg/L	100	0	116	77	139	114.9	1.38	20	
1,1-Dichloropropene	121.3	10	µg/L	100	0	121	74	127	122	0.534	20	
Carbon tetrachloride	119.1	10	µg/L	100	0	119	73	138	119.2	0.042	20	
1,2-Dichloroethane	107.8	10	µg/L	100	0	108	75	130	107.4	0.372	20	
Benzene	115.7	5.0	µg/L	100	0	116	79	123	116.2	0.474	20	

Sample ID: 0805036-14Amsdf Batch ID: R39996 Test Code: SW8260B Units: µg/L Analysis Date: 5/13/2008 7:13:00 PM Prep Date: 5/7/2008

Client ID: MW-216D Run ID: V-3_080513A SeqNo: 668010

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Compound	Reporting Limit	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits	B - Analyte detected in the associated Method Blank	Matrix Spike Duplicate - Full List
Trichloroethene	119.2	10	100	115	126
1,2-Dichloropropane	113.2	10	100	113	125
Bromodichloromethane	105.2	10	100	105	119
Dibromomethane	118.1	10	100	118	127
4-Methyl-2-pentanone	128.6	50	100	129	141
cis-1,3-Dichloropropene	106.8	5.0	100	107	119
Toluene	117.2	10	100	117	124
trans-1,3-Dichloropropene	98.65	5.0	100	98.6	124
1,1,2-Trichloroethane	117.5	10	100	118	127
1,2-Dibromoethane	122.2	10	100	122	127
2-Hexanone	114.1	50	100	114	145
1,3-Dichloropropane	104.8	10	100	105	123
Tetrachloroethene	113.6	10	100	113	129
Dibromochloromethane	97.2	10	100	97.2	125
Chlorobenzene	104	10	100	104	120
1,1,1,2-Tetrachloroethane	101.9	10	100	102	124
Ethylbenzene	106.9	10	100	107	123
m,p-Xylene	221.8	10	200	111	121
o-Xylene	114	10	100	114	119
Styrene	102.4	10	100	102	122
Bromoform	87.7	10	100	87.7	119
Isopropylbenzene	114.9	10	100	115	131
1,1,2,2-Tetrachloroethane	112.4	10	100	112	139
1,2,3-Trichloropropane	118.6	10	100	119	130
Bromobenzene	98.75	10	100	98.8	124
n-Propylbenzene	110.4	10	100	110	131
2-Chlorotoluene	100.1	10	100	100	125
4-Chlorotoluene	100.1	10	100	100	124
1,3,5-Trimethylbenzene	110.7	10	100	111	124
tert-Butylbenzene	104.6	10	100	105	126
1,2,4-Trimethylbenzene	107.2	10	100	107	124

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 27-May-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0805036
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Compound	112.4	111.8	104.4	105.8	106.8	111.2	101.8	104.1	92.3	104.4	104.2	127.6	120.9	129.8	123.2
sec-Butylbenzene	10	10	10	10	10	10	25	10	10	25	10	10	10	10	10
4-Isopropyltoluene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125
1,3-Dichlorobenzene	112	112	104	106	107	111	102	104	92.3	104	104	102	96.7	104	98.6
1,4-Dichlorobenzene	82	77	80	78	74	78	50	67	74	57	64	85	79	90	76
n-Butylbenzene	128	128	122	123	130	121	127	128	134	131	131	119	131	110	117
1,2-Dichlorobenzene	103.4	103.8	99.95	96.9	99.85	104.6	85.9	94.95	84.3	92.85	93.4	0	0	0	0
1,2-Dibromo-3-chloropropane	8.43	7.47	4.31	8.78	6.68	6.12	16.9	9.19	9.06	11.8	10.9	0	0	0	0
1,2,4-Trichlorobenzene	20	20	20	20	20	20	20	20	20	20	20	0	0	0	0
Hexachlorobutadiene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Naphthalene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,2,3-Trichlorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: Dibromofluoromethane	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: 1,2-Dichloroethane-d4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: Toluene-d8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: 4-Bromofluorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.