



Shaw Environmental, Inc.

11 Northeastern Boulevard
Salem, NH 03079-1953
603.870.4500
Fax: 603.870.4501

December 15, 2008
Project 101960

Mr. Joseph T. Martella, II
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

**Re: Status Report: November 2008 Activities
Former Gorham Manufacturing Facility
333 Adelaide Avenue, Providence, RI
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this quarterly status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater in this area. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

FIELD ACTIVITIES

The following field activities were conducted on November 11, 2008:

Monitoring Activities

Field parameters were measured in treatment area wells on November 11, 2008. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). There was a light non-aqueous phase liquid (LNAPL) sheen in the development water collected from well MW-216S. The thickness of LNAPL in this well was not appreciable. The results of the field parameter measurements are presented in Tables 1 and 2.

Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) on November 11, 2008 from 17 monitoring wells within and around the treatment area. One duplicate sample was also collected for VOC analysis. Groundwater samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis.

SUMMARY OF ANALYTICAL DATA

A summary of the analytical data associated with the groundwater sampling conducted on November 11, 2008 is contained in Table 3. A copy of the laboratory analytical report is attached as Appendix A of this report. The PCE concentration found in well MW-101D, MW-101S, MW-201D, MW-202D, and MW-202S were above the treatment goal of 7,700 ug/L.

FUTURE ACTIVITIES

The next sampling event is scheduled for February 2009.

Mr. Joseph T. Martella, II
December 15, 2008
Page 3 of 4

If you have any questions regarding this report, please contact Ed Van Doren at (603) 870-4530.

Sincerely,

SHAW ENVIRONMENTAL, INC.



Edward P. Van Doren, PE, LSP
Project Manager

Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

Tables

Table 1 – Summary Field Parameters

Table 2 – Groundwater Elevations

Table 3 – VOCs in Groundwater

Appendices:

Appendix A – Laboratory Analytical Report

cc: Craig Roy, RIDEM OWR
Greg Simpson, Textron
Jamieson Schiff, Textron
Dave Heislein, MACTEC
Thomas Dellar, City of Providence
Jeff Morgan, Stop & Shop
Ronald Ruth, Sherin and Lodgen

Mr. Joseph T. Martella, II

December 15, 2008

Page 4 of 4


CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated December 15, 2008, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren, PE, LSP
Project Manager



Date:

We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.


Certification on behalf of Textron Inc.



Gregory L. Simpson
Project Manager



Date:






Table 1
Summary Field Parameters
November 2008

Former Gorham Manufacturing Facility Providence, Rhode Island

MONITORING WELL ID	DATE	pH	Temperature (deg.c)	Conductivity (mS/cm)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (mv)
MW-101D	11/11/2008	6.82	15.69	0.013	6.93	239
MW-101S	11/11/2008	6.37	15.33	0.503	0.78	133
MW-112	11/11/2008	5.77	13.25	0.408	4.64	303
MW-116D	11/11/2008	5.63	14.43	0.213	3.56	175
MW-116S	11/11/2008	5.62	14.39	0.147	6.19	185.7
MW-201D	11/11/2008	6.22	16.48	2.1	1.6	71.6
MW-202D	11/11/2008	5.98	16.66	0.93	2.1	72.3
MW-202S	11/11/2008	6.05	16.4	0.515	4.82	63.6
MW-207D	11/11/2008	6.05	16.58	1.366	2.17	39.8
MW-207S	11/11/2008	6.26	16.12	1.297	3.47	34.3
MW-209D	11/11/2008	6.64	13.26	0.228	2.69	222
MW-216D	11/11/2008	6.28	14.65	0.379	3.58	10.7
MW-216S	11/11/2008	---	---	---	---	---
MW-217D	11/11/2008	6.61	14.13	0.36	1.23	-72
MW-217S	11/11/2008	6.29	14.8	2.309	0.93	-82.1
MW-218D	11/11/2008	6.14	15.62	0.412	2.49	89
MW-218S	11/11/2008	6.22	14.88	0.471	2	-38

Notes:

C° = degrees Celsius

--- = not measured due to presence of an LNAPL sheen

mS/cm = millisiemens per centimeter

mg/l = milligrams per liter

mV = millivolts

N/A = Not available due to L NAPI in well

Table 2
Groundwater Elevations
November 2008

Former Gorham Manufacturing Facility
Providence, Rhode Island

Well ID	Date	Reference Elevation (Feet)	Depth to Water (Feet)	LNAPL Thickness (Feet)	Groundwater Elevation (Feet)
MW-101D	11/11/2008	98.91	25.03	--	73.88
MW-101S	11/11/2008	98.9	25.06	--	73.84
MW-112	11/11/2008	100.63	27.41	--	73.22
MW-116D	11/11/2008	98.92	25.50	--	73.42
MW-116S	11/11/2008	99.4	25.52	--	73.88
MW-201D	11/11/2008	98.8	24.83	--	73.97
MW-202D	11/11/2008	98.17	24.33	--	73.84
MW-202S	11/11/2008	98.06	24.21	--	73.85
MW-207D	11/11/2008	98.18	24.36	--	73.82
MW-207S	11/11/2008	98.28	24.45	--	73.83
MW-209D	11/11/2008	99.9	26.51	--	73.39
MW-216D	11/11/2008	98.69	26.00	--	72.69
MW-216S	11/11/2008	99.58	25.62	--	73.96
MW-217D	11/11/2008	98.65	24.97	--	73.68
MW-217S	11/11/2008	98.71	25.03	--	73.68
MW-218D	11/11/2008	99.67	25.82	--	73.85
MW-218S	11/11/2008	99.61	25.75	--	73.86

Notes:
 Groundwater elevations are based on an arbitrary reference datum established for the site.

Table 3
VOCs in Groundwater
Positive Detections Only

November 2008

Former Gorham Manufacturing Facility
 Providence, RI

CONSTITUENT (ug/l)	MW-101D 11/11/2008 Primary	MW-101S 11/11/2008 Primary	MW-101S 11/11/2008 Duplicate 1	MW-112 11/11/2008 Primary	MW-116D 11/11/2008 Primary	MW-116S 11/11/2008 Primary	MW-201D 11/11/2008 Primary	MW-202D 11/11/2008 Primary	MW-202S 11/11/2008 Primary	MW-207D 11/11/2008 Primary	MW-207S 11/11/2008 Primary
1,1-Dichloroethane	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
1,1-Dichloroethene	<100	<100	<100	<10	<1	<1	<100	<100	<100	<20	<10
1,2,4-Trimethylbenzene	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
1,3,5-Trimethylbenzene	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
4-Isopropyltoluene	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
Chloroform	<200	<200	<200	<20	5	<2	<200	<200	<200	<40	<20
cis-1,2-Dichloroethene	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
Ethylbenzene	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
m/p-xylene	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
Methyltert-butylether	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
Naphthalene	<500	<500	<500	<50	<5	<5	<500	<500	<500	<100	<50
o-Xylene	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
Tetrachloroethene	9000	12000	12000	910	<2	2.7	8000	16000	25000	4400	1800
Toluene	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
Trichloroethene	<200	<200	<200	<20	<2	<2	900	<200	<200	140	130
Vinyl chloride	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20
Xylene (total)	<200	<200	<200	<20	<2	<2	<200	<200	<200	<40	<20

Notes:

< = Less than the laboratory reporting limit

ug/l = Micro grams per liter, parts per billion

Table 3
VOCs in Groundwater
Positive Detections Only

November 2008

Former Gorham Manufacturing Facility
 Providence, RI

CONSTITUENT (ug/l)	MW-209D 11/11/2008 Primary	MW-216D 11/11/2008 Primary	MW-216S 11/11/2008 Primary	MW-217D 11/11/2008 Primary	MW-217S 11/11/2008 Primary	MW-218D 11/11/2008 Primary	MW-218S 11/11/2008 Primary
1,1-Dichloroethane	<20	<2	3.5	<2	<2	<20	<20
1,1-Dichloroethene	12	<1	<1	<1	<1	17	<10
1,2,4-Trimethylbenzene	<20	<2	15	<2	<2	<20	<20
1,3,5-Trimethylbenzene	<20	<2	10	<2	<2	<20	<20
4-Isopropyltoluene	<20	<2	2.5	<2	<2	<20	<20
Chloroform	<20	<2	<2	<2	<2	<20	<20
cis-1,2-Dichloroethene	<20	<2	100	31	110	<20	590
Ethylbenzene	<20	<2	3	<2	2.2	<20	<20
m/p-xylene	<20	<2	8	<2	2.7	<20	<20
Methyltert-butylether	<20	2.8	<2	<2	<2	<20	<20
Naphthalene	<50	<5	24	<5	9.1	<50	<50
o-Xylene	<20	<2	10	<2	<2	<20	<20
Tetrachloroethene	2900	<2	<2	4.1	6.1	1200	78
Toluene	<20	<2	3.5	<2	<2	<20	<20
Trichloroethene	200	2.9	<2	24	<2	420	<20
Vinyl chloride	<20	<2	<2	<2	10	<20	62
Xylene (total)	<20	<2	18	<2	2.7	<20	<20

Notes:

< = Less than the laboratory reporting limit

ug/l = Micro grams per liter, parts per billion



**111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com**

November 24, 2008

ANALYTICAL TEST RESULTS

Ed VanDoren
Shaw Environmental & Infrastructure, Inc.
11 Northeastern Boulevard
Salem, NH 030791953
TEL: (603) 870-4530
FAX: (603) 870-4501

Subject: 130274 Textron Gorham

Workorder No.: 0811031

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 19 samples on 11/12/2008 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s). upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 73 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0811031
Date Received: 11/12/2008

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0811031-01A	Trip Blank	11/11/2008	12:00 AM
0811031-02A	MW-207S	11/11/2008	8:30 AM
0811031-03A	MW-207D	11/11/2008	9:00 AM
0811031-04A	MW-202S	11/11/2008	9:30 AM
0811031-05A	MW-202D	11/11/2008	10:00 AM
0811031-06A	MW-201D	11/11/2008	10:30 AM
0811031-07A	MW-101D	11/11/2008	11:00 AM
0811031-08A	MW-101S	11/11/2008	8:45 AM
0811031-09A	MW-101S DUP	11/11/2008	8:45 AM
0811031-10A	MW-217D	11/11/2008	11:30 AM
0811031-11A	MW-217S	11/11/2008	12:00 PM
0811031-12A	MW-218D	11/11/2008	12:30 PM
0811031-13A	MW-218S	11/11/2008	1:00 PM
0811031-14A	MW-216S	11/11/2008	1:30 PM
0811031-15A	MW-216D	11/11/2008	2:00 PM
0811031-16A	MW-209D	11/11/2008	10:45 AM
0811031-17A	MW-112	11/11/2008	12:45 PM
0811031-18A	MW-116D	11/11/2008	2:30 PM
0811031-19A	MW-116S	11/11/2008	3:00 PM

AMRO Environmental Laboratories Corp.

19-Nov-08

DATES REPORT

Lab Order: 0811031
Client: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
0811031-01A	Trip Blank	11/11/2008	Trip Blank	EPA 8260B VOLATILES by GC/MS EPA 5030B	11/11/2008	R41302	11/14/2008	
0811031-02A	MW-207S	11/11/2008 8:30:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS	11/11/2008	R41296	11/13/2008	
0811031-03A	MW-207D	11/11/2008 9:00:00 AM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41296	11/13/2008	
0811031-04A	MW-202S	11/11/2008 9:30:00 AM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41296	11/13/2008	
0811031-05A	MW-202D	11/11/2008 10:00:00 AM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41302	11/14/2008	
0811031-06A	MW-201D	11/11/2008 10:30:00 AM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41302	11/14/2008	
0811031-07A	MW-101D	11/11/2008 11:00:00 AM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41302	11/14/2008	
0811031-08A	MW-101S	11/11/2008 8:45:00 AM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41302	11/14/2008	
0811031-09A	MW-101S DUP			EPA 8260B VOLATILES by GC/MS	11/11/2008	R41302	11/14/2008	
0811031-10A	MW-217D	11/11/2008 11:30:00 AM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41302	11/14/2008	
0811031-11A	MW-217S	11/11/2008 12:00:00 PM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41302	11/14/2008	
0811031-12A	MW-218D	11/11/2008 12:30:00 PM		EPA 8260B VOLATILES by GC/MS	11/11/2008	R41302	11/14/2008	

AMRO Environmental Laboratories Corp.

19-Nov-08

DATES REPORT

Lab Order: 0811031
Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
0811031-13A	MW-218S	11/11/2008 1:00:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS			11/17/2008	
				EPA 5030B	11/11/2008	R41308		
0811031-14A	MW-216S	11/11/2008 1:30:00 PM		EPA 8260B VOLATILES by GC/MS			11/14/2008	
					11/11/2008	R41302		
0811031-15A	MW-216D	11/11/2008 2:00:00 PM		EPA 8260B VOLATILES by GC/MS			11/14/2008	
					11/11/2008	R41302		
0811031-16A	MW-209D	11/11/2008 10:45:00 AM		EPA 8260B VOLATILES by GC/MS			11/17/2008	
					11/11/2008	R41308		
0811031-17A	MW-112	11/11/2008 12:45:00 PM		EPA 8260B VOLATILES by GC/MS			11/17/2008	
					11/11/2008	R41308		
0811031-18A	MW-116D	11/11/2008 2:30:00 PM		EPA 8260B VOLATILES by GC/MS			11/14/2008	
					11/11/2008	R41302		
0811031-19A	MW-116S	11/11/2008 3:00:00 PM		EPA 8260B VOLATILES by GC/MS			11/14/2008	
					11/11/2008	R41302		

AMRO Environmental Laboratories Corporation
111 Herrick Street
Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

57004

Office: (603) 424-2022
Fax: (603) 429-8496
web: www.amrolabs.com

Project No.:	130274	Project Name:	Textron Gorham	Project State:	RJ	Project Manager:	Ed Vandoren	AMRO Project No.:
P.O.#:	157431	Results Needed by:	Standard					OY 11031
QUOTE #:		Seal Intact?	TAT	Yes	No	N/A		Remarks
Sample ID.:		Date/Time Sampled	Matrix	Total # of Cont & Size	Comp.	Grab	Comments	REQUESTED ANALYSES
MW-BULK	04/07/03	GW	1	1				EPA 8260B (VOC)
MW-207S	11/11/03 0830		2	✓	2			
MW-207D	11/11/03 0900		2	✓	2			
MW-202S	11/11/03 0930		2	✓	2			
MW-202D	11/11/03 1000		2	✓	2			
MW-201D	11/11/03 1030		2	✓	2			
MW-101D	11/11/03 1100		2	✓	2			
MW-101S	11/11/03 0845		2	✓	2			
MW-101S DUp	11/11/03 0845		2	✓	2			
MW-217D	11/11/03 1130		2	✓	2			
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other								
Send Results To: Ed Vandoren								PRIORITY TURNAROUND TIME AUTHORIZATION
Shaw Environmental, Inc.								Before submitting samples for expedited TAT, you must
11 Northeastern Blvd.								have a coded AUTHORIZATION NUMBER
Salem, NH 03079-1953								AUTHORIZATION No.:
PHONE #: 603-870-4530								BY:
E-mail: Edward.Vandoren@Shawgrp.com								FAX #:
Published By:								Date/Time
<i>J. H. DeZarn</i>								<i>11/11/03 1300</i>
								<i>Received By</i>
								<i>J. H. DeZarn</i>
								<i>EDD required:</i>
								<i>EDD required:</i>
								<i>GisKey Format</i>
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.								Samples arriving after 10:00 AM will be tracked and billed as received on the following day.
White, Lab Copy								Yellow: Client Copy
SHEET 1 OF 2								AMROCOC2004 Rev.3 08/18/04

AMRO Environmental Laboratories Corporation
111 Herrick Street
Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

Office: (603) 424-2022
Fax: (603) 429-8496
web: www.amrolabs.com

57005

Project No.:	Project Name:	Project State:	RI	Project Manager:		AMRO Project No.:
				Ed Vandoren	<i>John Sampers</i>	
P.O.#:	Results Needed by:	Standard	TAT			Remarks
QUOTE #:	Seal Intact?	Yes	No	N/A		
Sample ID.:	Date/Time Sampled	Matrix	Comp.	Grab	Total # of Cont. & Size	REQUESTED ANALYSES
MW-2175	11/11/8 1200	GW	2	✓	2	
MW-218D	11/11/8 1230		2	✓	2	
MW-218S	11/11/8 1300		2	✓	2	
MW-2165	11/11/8 1330		2	✓	2	
MW-216D	11/11/8 1400		2	✓	2	
MW-209D	11/11/8 1645		2	✓	2	
MW-212	11/11/8 1245		2	✓	2	
MW-216D	11/11/8 1430		2	✓	2	
MW-216S	11/11/8 1300		2	✓	2	
Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na NaOH, O- Other						
Send Results To: Ed Vandoren						
Shaw Environmental, Inc.						
11 Northeastern Blvd.						
Salem, NH 03079-1953						
PHONE #:	603-870-4530	FAX #:	603-870-4501	PRIORITY TURNAROUND TIME AUTHORIZATION		
E-mail:	Edward.Vandoren@Shawgrp.com			Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER		
Reinforced By:	<i>John Sampers</i>	Date/Time	<i>11/12/08 1200</i>	AUTHORIZATION No. BY:		
<i>John Sampers</i>				MCP Presumptive Certainty Required?		
				YES <input type="checkbox"/>	NO <input type="checkbox"/>	Method: 6010 <input type="checkbox"/> 20.7 <input type="checkbox"/> Other Metals: <input type="checkbox"/>
				Dissolved Metals Field Filtered?		YES <input type="checkbox"/> NO <input type="checkbox"/>
				MCP Methods Needed:		Required Reporting Limits:
				YES <input type="checkbox"/>	NO <input type="checkbox"/>	S-1 <input type="checkbox"/> GW-1 <input type="checkbox"/> S-2 <input type="checkbox"/> GW-2 <input type="checkbox"/> S-3 <input type="checkbox"/> GW-3 <input type="checkbox"/> Other: <input type="checkbox"/>
				AMRO report package level needed:		AMRO report package level needed:
				EDD required:		EDD required:
				GIS Key Format		GIS Key Format
				Samples arriving after 12:00 noon will be tracked and filled as received on the following day.		AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.
				White: Lab Copy Yellow: Client Copy		KNOWN SITE CONTAMINATION:
				SHEET <u>2</u> OF <u>2</u>		AMROCOC2004, Rev.3 08/18/04

Login Account for multiple users

From: VanDoren, Edward [Edward.VanDoren@shawgrp.com]
Sent: Wednesday, November 12, 2008 2:45 PM
To: Login Account for multiple users
Subject: RE: Textron Samples (AMRO 0811031)

Hi Connie-

Just use the time on the chain. I'm assuming that is more accurate.

Thanks
Ed

Edward Van Doren
Client Program Manager
Shaw Environmental & Infrastructure Group
11 Northeastern Boulevard
Salem, NH 03079
603.870.4530 direct
603.870.4501 fax
978.697.9991 cell

Shaw™ a world of Solutions™
www.shawgrp.com

I labeled 218D vial w/ 1300
as backup only cc

11-12-08

From: Login Account for multiple users [mailto:login@amrolabs.com]
Sent: Wednesday, November 12, 2008 1:59 PM
To: VanDoren, Edward
Subject: Textron Samples (AMRO 0811031)

Hello Ed -

Our courier brought the samples in this morning and they are ready to be logged in. I just have a couple of sampling time differences that I need to clear up.

For sample ID **MW-202D** (page 1), the Chain gives a time of 1000, but the labels read 0930. Which is correct? Also, for **MW-218D** (page 2), the Chain has a time of 1230: 1 vial reads 1230 and the other reads 1300. Should both vials read 1230? I can ask the analyst to use only the one with the time that matches the Chain and keep the other as backup, too.

Thank you for your help.

Connie in Receiving

****Internet Email Confidentiality Footer**** Privileged/Confidential Information may be contained in this message. If you are not the addressee indicated in this message (or responsible for delivery of the message to such person), you may not copy or deliver this message to anyone. In such case, you should destroy this message and notify the sender by reply email. Please advise immediately if you or your employer do not consent to Internet email for messages of this kind. Opinions, conclusions and other information in this message that do not relate to the official business of The Shaw Group Inc. or its subsidiaries shall be understood as neither given nor endorsed by it.

The Shaw Group Inc. <http://www.shawgrp.com>

SAMPLE RECEIPT CHECKLIST

111 Herrick Street
Merrimack, NH 03054
(603) 424-2022

Client:	<u>SHAW ENVIRONMENTAL, INC</u>			AMRO ID:	<u>0811031</u>
Project Name:	<u>TEXTRON GORHAM</u>			Date Rec.:	<u>11-12-08</u>
Ship via: (circle one)	Fed Ex.	UPS	AMRO Courier	Date Due:	<u>11-19-08</u>
Hand Del., Other Courier, Other:					
Items to be Checked Upon Receipt					
1. Army Samples received in individual plastic bags?	<input type="checkbox"/>				
2. Custody Seals present?	<input type="checkbox"/>				
3. Custody Seals Intact?	<input type="checkbox"/>				
4. Air Bill included in folder if received?	<input type="checkbox"/>				
5. Is COC included with samples?	<input type="checkbox"/>				
6. Is COC signed and dated by client?	<input type="checkbox"/>				
7. Laboratory receipt temperature.	TEMP = <u>5.5°</u>				
Samples rec. with ice <input checked="" type="checkbox"/> ice packs <input type="checkbox"/> neither					
8. Were samples received the same day they were sampled?	<input type="checkbox"/>				
Is client temperature $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$?	<input type="checkbox"/>				
If no obtain authorization from the client for the analyses.					
Client authorization from: _____ Date: _____ Obtained by: _____					
9. Is the COC filled out correctly and completely?	<input type="checkbox"/>				
10. Does the info on the COC match the samples?	<input type="checkbox"/>				
11. Were samples rec. within holding time?	<input type="checkbox"/>				
12. Were all samples properly labeled?	<input type="checkbox"/>				
13. Were all samples properly preserved?	<input type="checkbox"/>				
14. Were proper sample containers used?	<input type="checkbox"/>				
15. Were all samples received intact? (none broken or leaking)	<input type="checkbox"/>				
16. Were VOA vials rec. with no air bubbles?	<input type="checkbox"/>				
17. Were the sample volumes sufficient for requested analysis?	<input type="checkbox"/>				
18. Were all samples received?	<input type="checkbox"/>				
19. VPH and VOA Soils only:	<input type="checkbox"/>				
Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)					
Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk					
If M or SB:					
Does preservative cover the soil?					
If NO then client must be faxed.					
Does preservation level come close to the fill line on the vial?					
If NO then client must be faxed.					
Were vials provided by AMRO?					
If NO then weights MUST be obtained from client					
Was dry weight aliquot provided?					
If NO then fax client and inform the VOA lab ASAP.					
20. Subcontracted Samples:					
What samples sent:	<input type="checkbox"/>				
Where sent:	<input type="checkbox"/>				
Date:	<input type="checkbox"/>				
Analysis:	<input type="checkbox"/>				
TAT:	<input type="checkbox"/>				
21. Information entered into:					
Internal Tracking Log?	<input type="checkbox"/>				
Dry Weight Log?	<input type="checkbox"/>				
Client Log?	<input type="checkbox"/>				
Composite Log?	<input type="checkbox"/>				
Filtration Log?	<input type="checkbox"/>				
Received By: <u>MG</u> Labeled By: <u>CC</u>	Date: <u>11-12-08</u> Date: <u>11-12-08</u>	Logged in By: <u>CC</u> Checked By: <u>MG</u>	Date: <u>11-12-08</u> Date: <u>11-13-08</u>		

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0811031

CASE NARRATIVE**GC/MS VOLATILES:**

1. The surrogate Toluene-d8 recovered below the laboratory control limits in samples MW-207S (0811031-02A), MW-207D (0811031-03A) and MW-202S (0811031-04A).
2. The surrogate Toluene-d8 recovered below the laboratory control limits in the method blank mb-11/13/08 (Batch ID: R41296).
3. A Laboratory Control Sample (LCS) was performed on 11/13/08 (Batch ID: R41296).
 - 3.1 The % Recovery for 16 analytes out of 67 analytes in the LCS was outside the laboratory control limits.
4. A Laboratory Control Sample (LCS) was performed on 11/14/08 (Batch ID: R41302).
 - 4.1 The % Recovery for 5 analytes out of 67 analytes in the LCS was outside the laboratory control limits.
5. A Laboratory Control Sample (LCS) was performed on 11/17/08 (Batch ID: R41308).
 - 5.1 The % Recovery for 1 analyte out of 67 analytes in the LCS was outside the laboratory control limits.
6. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-218D (0811031-12A) (Batch ID: R41302).
 - 6.1 The % Recovery for 2 analytes out of 67 analytes in the MS was outside the laboratory control limits.

DATA COMMENT PAGE

Organic Data Qualifiers

- ND Indicates compound was analyzed for, but not detected at or above the reporting limit.
- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
- H Method prescribed holding time exceeded.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- B This flag is used when the analyte is found in the associated blank as well as in the sample.
- R RPD outside accepted recovery limits
- RL Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
- S Spike Recovery outside accepted recovery limits.
- # See Case Narrative

Micro Data Qualifiers

- TNTC Too numerous to count

Inorganic Data Qualifiers

- ND or U Indicates element was analyzed for, but not detected at or above the reporting limit.
- J Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
- H Indicates analytical holding time exceedance.
- B Indicates that the analyte is found in the associated blank, as well as in the sample.
- MSA Indicates value determined by the Method of Standard Addition
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- R RPD outside accepted recovery limits
- RL Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
- S Spike Recovery outside accepted recovery limits.
- W Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
- *
- + Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
- # See Case Narrative

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-01A

Client Sample ID: Trip Blank
Collection Date: 11/11/2008
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
			SW8260B			Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	11/14/2008 4:01:00 PM
Chloromethane	ND	5.0		µg/L	1	11/14/2008 4:01:00 PM
Vinyl chloride	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Chloroethane	ND	5.0		µg/L	1	11/14/2008 4:01:00 PM
Bromomethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Diethyl ether	ND	5.0		µg/L	1	11/14/2008 4:01:00 PM
Acetone	ND	10		µg/L	1	11/14/2008 4:01:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	11/14/2008 4:01:00 PM
Carbon disulfide	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Methylene chloride	ND	5.0		µg/L	1	11/14/2008 4:01:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
2-Butanone	ND	10		µg/L	1	11/14/2008 4:01:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Chloroform	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Tetrahydrofuran	ND	10		µg/L	1	11/14/2008 4:01:00 PM
Bromochloromethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Benzene	ND	1.0		µg/L	1	11/14/2008 4:01:00 PM
Trichloroethene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Dibromomethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	11/14/2008 4:01:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 4:01:00 PM
Toluene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 4:01:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
2-Hexanone	ND	10		µg/L	1	11/14/2008 4:01:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-01A

Client Sample ID: Trip Blank
Collection Date: 11/11/2008
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Ethylbenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
m,p-Xylene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
o-Xylene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Styrene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Bromoform	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Bromobenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	11/14/2008 4:01:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Naphthalene	ND	5.0		µg/L	1	11/14/2008 4:01:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:01:00 PM
Surr: Dibromofluoromethane	116	85-119	%REC		1	11/14/2008 4:01:00 PM
Surr: 1,2-Dichloroethane-d4	112	79-131	%REC		1	11/14/2008 4:01:00 PM
Surr: Toluene-d8	98.2	90-110	%REC		1	11/14/2008 4:01:00 PM
Surr: 4-Bromofluorobenzene	111	76-117	%REC		1	11/14/2008 4:01:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-02A

Client Sample ID: MW-207S
Collection Date: 11/11/2008 8:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
	SW8260B					Analyst: AL
Dichlorodifluoromethane	ND	50		µg/L	10	11/13/2008 8:17:00 PM
Chloromethane	ND	50		µg/L	10	11/13/2008 8:17:00 PM
Vinyl chloride	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Chloroethane	ND	50		µg/L	10	11/13/2008 8:17:00 PM
Bromomethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Diethyl ether	ND	50		µg/L	10	11/13/2008 8:17:00 PM
Acetone	ND	100		µg/L	10	11/13/2008 8:17:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	11/13/2008 8:17:00 PM
Carbon disulfide	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Methylene chloride	ND	50		µg/L	10	11/13/2008 8:17:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	11/13/2008 8:17:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
2-Butanone	ND	100		µg/L	10	11/13/2008 8:17:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Chloroform	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Tetrahydrofuran	ND	100		µg/L	10	11/13/2008 8:17:00 PM
Bromochloromethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Carbon tetrachloride	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Benzene	ND	10		µg/L	10	11/13/2008 8:17:00 PM
Trichloroethene	130	20		µg/L	10	11/13/2008 8:17:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Bromodichloromethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Dibromomethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	11/13/2008 8:17:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	11/13/2008 8:17:00 PM
Toluene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	11/13/2008 8:17:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
2-Hexanone	ND	100		µg/L	10	11/13/2008 8:17:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Tetrachloroethene	1,800	20		µg/L	10	11/13/2008 8:17:00 PM
Dibromochloromethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-02A

Client Sample ID: MW-207S
Collection Date: 11/11/2008 8:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Ethylbenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
m,p-Xylene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
o-Xylene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Styrene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Bromoform	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Isopropylbenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Bromobenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
n-Propylbenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
2-Chlorotoluene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
4-Chlorotoluene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
tert-Butylbenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
sec-Butylbenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
n-Butylbenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	11/13/2008 8:17:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Naphthalene	ND	50		µg/L	10	11/13/2008 8:17:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	11/13/2008 8:17:00 PM
Surr: Dibromofluoromethane	96.3	85-119		%REC	10	11/13/2008 8:17:00 PM
Surr: 1,2-Dichloroethane-d4	103	79-131		%REC	10	11/13/2008 8:17:00 PM
Surr: Toluene-d8	72.5	90-110	S	%REC	10	11/13/2008 8:17:00 PM
Surr: 4-Bromofluorobenzene	109	76-117		%REC	10	11/13/2008 8:17:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-03A

Client Sample ID: MW-207D
Collection Date: 11/11/2008 9:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B-VOLATILES BY GC/MS	SW8260B					Analyst: AL
Dichlorodifluoromethane	ND	100		µg/L	20	11/13/2008 8:52:00 PM
Chloromethane	ND	100		µg/L	20	11/13/2008 8:52:00 PM
Vinyl chloride	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Chloroethane	ND	100		µg/L	20	11/13/2008 8:52:00 PM
Bromomethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Trichlorofluoromethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Diethyl ether	ND	100		µg/L	20	11/13/2008 8:52:00 PM
Acetone	ND	200		µg/L	20	11/13/2008 8:52:00 PM
1,1-Dichloroethene	ND	20		µg/L	20	11/13/2008 8:52:00 PM
Carbon disulfide	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Methylene chloride	ND	100		µg/L	20	11/13/2008 8:52:00 PM
Methyl tert-butyl ether	ND	40		µg/L	20	11/13/2008 8:52:00 PM
trans-1,2-Dichloroethene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,1-Dichloroethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
2-Butanone	ND	200		µg/L	20	11/13/2008 8:52:00 PM
2,2-Dichloropropane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
cis-1,2-Dichloroethene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Chloroform	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Tetrahydrofuran	ND	200		µg/L	20	11/13/2008 8:52:00 PM
Bromoform	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,1,1-Trichloroethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,1-Dichloropropene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Carbon tetrachloride	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,2-Dichloroethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Benzene	ND	20		µg/L	20	11/13/2008 8:52:00 PM
Trichloroethene	140	40		µg/L	20	11/13/2008 8:52:00 PM
1,2-Dichloropropane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Bromodichloromethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Dibromomethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
4-Methyl-2-pentanone	ND	200		µg/L	20	11/13/2008 8:52:00 PM
cis-1,3-Dichloropropene	ND	20		µg/L	20	11/13/2008 8:52:00 PM
Toluene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
trans-1,3-Dichloropropene	ND	20		µg/L	20	11/13/2008 8:52:00 PM
1,1,2-Trichloroethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,2-Dibromoethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
2-Hexanone	ND	200		µg/L	20	11/13/2008 8:52:00 PM
1,3-Dichloropropane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Tetrachloroethene	4,400	40		µg/L	20	11/13/2008 8:52:00 PM
Dibromochloromethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-03A

Client Sample ID: MW-207D
Collection Date: 11/11/2008 9:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,1,1,2-Tetrachloroethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Ethylbenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
m,p-Xylene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
o-Xylene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Styrene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Bromoform	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Isopropylbenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,1,2,2-Tetrachloroethane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,2,3-Trichloropropane	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Bromobenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
n-Propylbenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
2-Chlorotoluene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
4-Chlorotoluene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,3,5-Trimethylbenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
tert-Butylbenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,2,4-Trimethylbenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
sec-Butylbenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
4-Isopropyltoluene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,3-Dichlorobenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,4-Dichlorobenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
n-Butylbenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,2-Dichlorobenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	20	11/13/2008 8:52:00 PM
1,2,4-Trichlorobenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Hexachlorobutadiene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Naphthalene	ND	100		µg/L	20	11/13/2008 8:52:00 PM
1,2,3-Trichlorobenzene	ND	40		µg/L	20	11/13/2008 8:52:00 PM
Surr: Dibromofluoromethane	97.0	85-119		%REC	20	11/13/2008 8:52:00 PM
Surr: 1,2-Dichloroethane-d4	102	79-131		%REC	20	11/13/2008 8:52:00 PM
Surr: Toluene-d8	73.9	90-110	S	%REC	20	11/13/2008 8:52:00 PM
Surr: 4-Bromofluorobenzene	110	76-117		%REC	20	11/13/2008 8:52:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-04A

Client Sample ID: MW-202S
Collection Date: 11/11/2008 9:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				
Dichlorodifluoromethane	ND	500		µg/L	100	11/13/2008 9:26:00 PM
Chloromethane	ND	500		µg/L	100	11/13/2008 9:26:00 PM
Vinyl chloride	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Chloroethane	ND	500		µg/L	100	11/13/2008 9:26:00 PM
Bromomethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Diethyl ether	ND	500		µg/L	100	11/13/2008 9:26:00 PM
Acetone	ND	1,000		µg/L	100	11/13/2008 9:26:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	11/13/2008 9:26:00 PM
Carbon disulfide	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Methylene chloride	ND	500		µg/L	100	11/13/2008 9:26:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	11/13/2008 9:26:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
2-Butanone	ND	1,000		µg/L	100	11/13/2008 9:26:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Chloroform	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	11/13/2008 9:26:00 PM
Bromochloromethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Carbon tetrachloride	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Benzene	ND	100		µg/L	100	11/13/2008 9:26:00 PM
Trichloroethene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Bromodichloromethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Dibromomethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	11/13/2008 9:26:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	11/13/2008 9:26:00 PM
Toluene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	11/13/2008 9:26:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
2-Hexanone	ND	1,000		µg/L	100	11/13/2008 9:26:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Tetrachloroethene	25,000	200		µg/L	100	11/13/2008 9:26:00 PM
Dibromochloromethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-04A

Client Sample ID: MW-202S
Collection Date: 11/11/2008 9:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Ethylbenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
m,p-Xylene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
o-Xylene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Styrene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Bromoform	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Isopropylbenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Bromobenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
n-Propylbenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
2-Chlorotoluene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
4-Chlorotoluene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
tert-Butylbenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
sec-Butylbenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
n-Butylbenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	11/13/2008 9:26:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Naphthalene	ND	500		µg/L	100	11/13/2008 9:26:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	11/13/2008 9:26:00 PM
Surr: Dibromofluoromethane	96.9	85-119		%REC	100	11/13/2008 9:26:00 PM
Surr: 1,2-Dichloroethane-d4	101	79-131		%REC	100	11/13/2008 9:26:00 PM
Surr: Toluene-d8	76.3	90-110	S	%REC	100	11/13/2008 9:26:00 PM
Surr: 4-Bromofluorobenzene	108	76-117		%REC	100	11/13/2008 9:26:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-05A

Client Sample ID: MW-202D
Collection Date: 11/11/2008 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS					SW8260B	
Dichlorodifluoromethane	ND	500		µg/L	100	11/14/2008 8:00:00 PM
Chloromethane	ND	500		µg/L	100	11/14/2008 8:00:00 PM
Vinyl chloride	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Chloroethane	ND	500		µg/L	100	11/14/2008 8:00:00 PM
Bromomethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Diethyl ether	ND	500		µg/L	100	11/14/2008 8:00:00 PM
Acetone	ND	1,000		µg/L	100	11/14/2008 8:00:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	11/14/2008 8:00:00 PM
Carbon disulfide	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Methylene chloride	ND	500		µg/L	100	11/14/2008 8:00:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	11/14/2008 8:00:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
2-Butanone	ND	1,000		µg/L	100	11/14/2008 8:00:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Chloroform	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	11/14/2008 8:00:00 PM
Bromochloromethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Carbon tetrachloride	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Benzene	ND	100		µg/L	100	11/14/2008 8:00:00 PM
Trichloroethene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Bromodichloromethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Dibromomethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	11/14/2008 8:00:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 8:00:00 PM
Toluene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 8:00:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
2-Hexanone	ND	1,000		µg/L	100	11/14/2008 8:00:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Tetrachloroethene	16,000	200		µg/L	100	11/14/2008 8:00:00 PM
Dibromochloromethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-05A

Client Sample ID: MW-202D
Collection Date: 11/11/2008 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Ethylbenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
m,p-Xylene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
o-Xylene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Styrene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Bromoform	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Isopropylbenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Bromobenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
n-Propylbenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
2-Chlorotoluene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
4-Chlorotoluene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
tert-Butylbenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
sec-Butylbenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
n-Butylbenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	11/14/2008 8:00:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Naphthalene	ND	500		µg/L	100	11/14/2008 8:00:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	11/14/2008 8:00:00 PM
Surr: Dibromofluoromethane	96.6	85-119		%REC	100	11/14/2008 8:00:00 PM
Surr: 1,2-Dichloroethane-d4	92.2	79-131		%REC	100	11/14/2008 8:00:00 PM
Surr: Toluene-d8	95.7	90-110		%REC	100	11/14/2008 8:00:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	100	11/14/2008 8:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.**Client Sample ID:** MW-201D**Lab Order:** 0811031**Collection Date:** 11/11/2008 10:30:00 AM**Project:** 130274 Textron Gorham**Matrix:** GROUNDWATER**Lab ID:** 0811031-06A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: AL
Dichlorodifluoromethane	ND	500		µg/L	100	11/14/2008 8:34:00 PM
Chloromethane	ND	500		µg/L	100	11/14/2008 8:34:00 PM
Vinyl chloride	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Chloroethane	ND	500		µg/L	100	11/14/2008 8:34:00 PM
Bromomethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Diethyl ether	ND	500		µg/L	100	11/14/2008 8:34:00 PM
Acetone	ND	1,000		µg/L	100	11/14/2008 8:34:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	11/14/2008 8:34:00 PM
Carbon disulfide	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Methylene chloride	ND	500		µg/L	100	11/14/2008 8:34:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	11/14/2008 8:34:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 8:34:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
2-Butanone	ND	1,000		µg/L	100	11/14/2008 8:34:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Chloroform	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	11/14/2008 8:34:00 PM
Bromochloromethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Carbon tetrachloride	ND	200		µg/L	100	11/14/2008 8:34:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Benzene	ND	100		µg/L	100	11/14/2008 8:34:00 PM
Trichloroethene	900	200		µg/L	100	11/14/2008 8:34:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Bromodichloromethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Dibromomethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	11/14/2008 8:34:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 8:34:00 PM
Toluene	ND	200		µg/L	100	11/14/2008 8:34:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 8:34:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
2-Hexanone	ND	1,000		µg/L	100	11/14/2008 8:34:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	11/14/2008 8:34:00 PM
Tetrachloroethene	8,000	200		µg/L	100	11/14/2008 8:34:00 PM
Dibromochloromethane	ND	200		µg/L	100	11/14/2008 8:34:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.**Client Sample ID:** MW-201D**Lab Order:** 0811031**Collection Date:** 11/11/2008 10:30:00 AM**Project:** 130274 Textron Gorham**Matrix:** GROUNDWATER**Lab ID:** 0811031-06A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,1,1,2-Tetrachloroethane	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
Ethylbenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
m,p-Xylene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
o-Xylene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
Styrene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
Bromoform	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
Isopropylbenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,1,2,2-Tetrachloroethane	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,2,3-Trichloropropane	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
Bromobenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
n-Propylbenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
2-Chlorotoluene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
4-Chlorotoluene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,3,5-Trimethylbenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
tert-Butylbenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,2,4-Trimethylbenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
sec-Butylbenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
4-Isopropyltoluene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,3-Dichlorobenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,4-Dichlorobenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
n-Butylbenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,2-Dichlorobenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
1,2-Dibromo-3-chloropropane	ND	500	µg/L	100	11/14/2008 8:34:00 PM	
1,2,4-Trichlorobenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
Hexachlorobutadiene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
Naphthalene	ND	500	µg/L	100	11/14/2008 8:34:00 PM	
1,2,3-Trichlorobenzene	ND	200	µg/L	100	11/14/2008 8:34:00 PM	
Surr: Dibromofluoromethane	98.3	85-119	%REC	100	11/14/2008 8:34:00 PM	
Surr: 1,2-Dichloroethane-d4	92.8	79-131	%REC	100	11/14/2008 8:34:00 PM	
Surr: Toluene-d8	96.3	90-110	%REC	100	11/14/2008 8:34:00 PM	
Surr: 4-Bromofluorobenzene	101	76-117	%REC	100	11/14/2008 8:34:00 PM	

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-07A

Client Sample ID: MW-101D
Collection Date: 11/11/2008 11:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: AL
Dichlorodifluoromethane	ND	500		µg/L	100	11/14/2008 9:09:00 PM
Chloromethane	ND	500		µg/L	100	11/14/2008 9:09:00 PM
Vinyl chloride	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Chloroethane	ND	500		µg/L	100	11/14/2008 9:09:00 PM
Bromomethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Diethyl ether	ND	500		µg/L	100	11/14/2008 9:09:00 PM
Acetone	ND	1,000		µg/L	100	11/14/2008 9:09:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	11/14/2008 9:09:00 PM
Carbon disulfide	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Methylene chloride	ND	500		µg/L	100	11/14/2008 9:09:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	11/14/2008 9:09:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
2-Butanone	ND	1,000		µg/L	100	11/14/2008 9:09:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Chloroform	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	11/14/2008 9:09:00 PM
Bromochloromethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Carbon tetrachloride	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Benzene	ND	100		µg/L	100	11/14/2008 9:09:00 PM
Trichloroethene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Bromodichloromethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Dibromomethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	11/14/2008 9:09:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 9:09:00 PM
Toluene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 9:09:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
2-Hexanone	ND	1,000		µg/L	100	11/14/2008 9:09:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Tetrachloroethene	9,000	200		µg/L	100	11/14/2008 9:09:00 PM
Dibromochloromethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-07A

Client Sample ID: MW-101D
Collection Date: 11/11/2008 11:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Ethylbenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
m,p-Xylene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
o-Xylene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Styrene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Bromoform	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Isopropylbenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Bromobenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
n-Propylbenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
2-Chlorotoluene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
4-Chlorotoluene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
tert-Butylbenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
sec-Butylbenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
n-Butylbenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	11/14/2008 9:09:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Naphthalene	ND	500		µg/L	100	11/14/2008 9:09:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	11/14/2008 9:09:00 PM
Surr: Dibromofluoromethane	97.7	85-119		%REC	100	11/14/2008 9:09:00 PM
Surr: 1,2-Dichloroethane-d4	94.4	79-131		%REC	100	11/14/2008 9:09:00 PM
Surr: Toluene-d8	96.8	90-110		%REC	100	11/14/2008 9:09:00 PM
Surr: 4-Bromofluorobenzene	103	76-117		%REC	100	11/14/2008 9:09:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-08A

Client Sample ID: MW-101S
Collection Date: 11/11/2008 8:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS					SW8260B	Analyst: AL
Dichlorodifluoromethane	ND	500		µg/L	100	11/14/2008 9:43:00 PM
Chloromethane	ND	500		µg/L	100	11/14/2008 9:43:00 PM
Vinyl chloride	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Chloroethane	ND	500		µg/L	100	11/14/2008 9:43:00 PM
Bromomethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Diethyl ether	ND	500		µg/L	100	11/14/2008 9:43:00 PM
Acetone	ND	1,000		µg/L	100	11/14/2008 9:43:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	11/14/2008 9:43:00 PM
Carbon disulfide	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Methylene chloride	ND	500		µg/L	100	11/14/2008 9:43:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	11/14/2008 9:43:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
2-Butanone	ND	1,000		µg/L	100	11/14/2008 9:43:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Chloroform	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	11/14/2008 9:43:00 PM
Bromochloromethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Carbon tetrachloride	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Benzene	ND	100		µg/L	100	11/14/2008 9:43:00 PM
Trichloroethene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Bromodichloromethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Dibromomethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	11/14/2008 9:43:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 9:43:00 PM
Toluene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 9:43:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
2-Hexanone	ND	1,000		µg/L	100	11/14/2008 9:43:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Tetrachloroethene	12,000	200		µg/L	100	11/14/2008 9:43:00 PM
Dibromochloromethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-08A

Client Sample ID: MW-101S
Collection Date: 11/11/2008 8:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Ethylbenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
m,p-Xylene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
o-Xylene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Styrene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Bromoform	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Isopropylbenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Bromobenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
n-Propylbenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
2-Chlorotoluene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
4-Chlorotoluene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
tert-Butylbenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
sec-Butylbenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
n-Butylbenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	11/14/2008 9:43:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Naphthalene	ND	500		µg/L	100	11/14/2008 9:43:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	11/14/2008 9:43:00 PM
Surr: Dibromofluoromethane	98.4	85-119		%REC	100	11/14/2008 9:43:00 PM
Surr: 1,2-Dichloroethane-d4	92.0	79-131		%REC	100	11/14/2008 9:43:00 PM
Surr: Toluene-d8	94.6	90-110		%REC	100	11/14/2008 9:43:00 PM
Surr: 4-Bromofluorobenzene	100	76-117		%REC	100	11/14/2008 9:43:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-09A

Client Sample ID: MW-101S DUP
Collection Date: 11/11/2008 8:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS					SW8260B	
Dichlorodifluoromethane	ND	500		µg/L	100	11/14/2008 10:17:00 PM
Chloromethane	ND	500		µg/L	100	11/14/2008 10:17:00 PM
Vinyl chloride	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Chloroethane	ND	500		µg/L	100	11/14/2008 10:17:00 PM
Bromomethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Diethyl ether	ND	500		µg/L	100	11/14/2008 10:17:00 PM
Acetone	ND	1,000		µg/L	100	11/14/2008 10:17:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	11/14/2008 10:17:00 PM
Carbon disulfide	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Methylene chloride	ND	500		µg/L	100	11/14/2008 10:17:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	11/14/2008 10:17:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
2-Butanone	ND	1,000		µg/L	100	11/14/2008 10:17:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Chloroform	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	11/14/2008 10:17:00 PM
Bromochloromethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Carbon tetrachloride	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Benzene	ND	100		µg/L	100	11/14/2008 10:17:00 PM
Trichloroethene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Bromodichloromethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Dibromomethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	11/14/2008 10:17:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 10:17:00 PM
Toluene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	11/14/2008 10:17:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
2-Hexanone	ND	1,000		µg/L	100	11/14/2008 10:17:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Tetrachloroethene	12,000	200		µg/L	100	11/14/2008 10:17:00 PM
Dibromochloromethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-09A

Client Sample ID: MW-101S DUP
Collection Date: 11/11/2008 8:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Ethylbenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
m,p-Xylene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
o-Xylene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Styrene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Bromoform	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Isopropylbenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Bromobenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
n-Propylbenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
2-Chlorotoluene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
4-Chlorotoluene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
tert-Butylbenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
sec-Butylbenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
n-Butylbenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	11/14/2008 10:17:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Naphthalene	ND	500		µg/L	100	11/14/2008 10:17:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	11/14/2008 10:17:00 PM
Surr: Dibromofluoromethane	97.6	85-119		%REC	100	11/14/2008 10:17:00 PM
Surr: 1,2-Dichloroethane-d4	93.5	79-131		%REC	100	11/14/2008 10:17:00 PM
Surr: Toluene-d8	95.2	90-110		%REC	100	11/14/2008 10:17:00 PM
Surr: 4-Bromofluorobenzene	100	76-117		%REC	100	11/14/2008 10:17:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-10A

Client Sample ID: MW-217D
Collection Date: 11/11/2008 11:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS					SW8260B	
						Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	11/14/2008 4:35:00 PM
Chloromethane	ND	5.0		µg/L	1	11/14/2008 4:35:00 PM
Vinyl chloride	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Chloroethane	ND	5.0		µg/L	1	11/14/2008 4:35:00 PM
Bromomethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Diethyl ether	ND	5.0		µg/L	1	11/14/2008 4:35:00 PM
Acetone	ND	10		µg/L	1	11/14/2008 4:35:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	11/14/2008 4:35:00 PM
Carbon disulfide	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Methylene chloride	ND	5.0		µg/L	1	11/14/2008 4:35:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
2-Butanone	ND	10		µg/L	1	11/14/2008 4:35:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
cis-1,2-Dichloroethene	31	2.0		µg/L	1	11/14/2008 4:35:00 PM
Chloroform	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Tetrahydrofuran	ND	10		µg/L	1	11/14/2008 4:35:00 PM
Bromochloromethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Benzene	ND	1.0		µg/L	1	11/14/2008 4:35:00 PM
Trichloroethene	24	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Dibromomethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	11/14/2008 4:35:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 4:35:00 PM
Toluene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 4:35:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
2-Hexanone	ND	10		µg/L	1	11/14/2008 4:35:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Tetrachloroethene	4.1	2.0		µg/L	1	11/14/2008 4:35:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-10A

Client Sample ID: MW-217D
Collection Date: 11/11/2008 11:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Ethylbenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
m,p-Xylene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
o-Xylene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Styrene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Bromoform	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Bromobenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	11/14/2008 4:35:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Naphthalene	ND	5.0		µg/L	1	11/14/2008 4:35:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 4:35:00 PM
Surr: Dibromofluoromethane	117	85-119		%REC	1	11/14/2008 4:35:00 PM
Surr: 1,2-Dichloroethane-d4	112	79-131		%REC	1	11/14/2008 4:35:00 PM
Surr: Toluene-d8	97.9	90-110		%REC	1	11/14/2008 4:35:00 PM
Surr: 4-Bromofluorobenzene	107	76-117		%REC	1	11/14/2008 4:35:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-217S
Lab Order: 0811031 **Collection Date:** 11/11/2008 12:00:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0811031-11A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	11/14/2008 5:09:00 PM
Chloromethane	ND	5.0		µg/L	1	11/14/2008 5:09:00 PM
Vinyl chloride	10	2.0		µg/L	1	11/14/2008 5:09:00 PM
Chloroethane	ND	5.0		µg/L	1	11/14/2008 5:09:00 PM
Bromomethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Diethyl ether	ND	5.0		µg/L	1	11/14/2008 5:09:00 PM
Acetone	ND	10		µg/L	1	11/14/2008 5:09:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	11/14/2008 5:09:00 PM
Carbon disulfide	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Methylene chloride	ND	5.0		µg/L	1	11/14/2008 5:09:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
2-Butanone	ND	10		µg/L	1	11/14/2008 5:09:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
cis-1,2-Dichloroethene	110	2.0		µg/L	1	11/14/2008 5:09:00 PM
Chloroform	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Tetrahydrofuran	ND	10		µg/L	1	11/14/2008 5:09:00 PM
Bromochloromethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Benzene	ND	1.0		µg/L	1	11/14/2008 5:09:00 PM
Trichloroethene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,2-Dichloropropene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Dibromomethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	11/14/2008 5:09:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 5:09:00 PM
Toluene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 5:09:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
2-Hexanone	ND	10		µg/L	1	11/14/2008 5:09:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Tetrachloroethene	6.1	2.0		µg/L	1	11/14/2008 5:09:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-11A

Client Sample ID: MW-217S
Collection Date: 11/11/2008 12:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Ethylbenzene	2.2	2.0		µg/L	1	11/14/2008 5:09:00 PM
m,p-Xylene	2.7	2.0		µg/L	1	11/14/2008 5:09:00 PM
o-Xylene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Styrene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Bromoform	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Bromobenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	11/14/2008 5:09:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Naphthalene	9.1	5.0		µg/L	1	11/14/2008 5:09:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:09:00 PM
Surr: Dibromofluoromethane	117	85-119		%REC	1	11/14/2008 5:09:00 PM
Surr: 1,2-Dichloroethane-d4	112	79-131		%REC	1	11/14/2008 5:09:00 PM
Surr: Toluene-d8	98.0	90-110		%REC	1	11/14/2008 5:09:00 PM
Surr: 4-Bromofluorobenzene	110	76-117		%REC	1	11/14/2008 5:09:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-12A

Client Sample ID: MW-218D
Collection Date: 11/11/2008 12:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: AL
Dichlorodifluoromethane	ND	50		µg/L	10	11/14/2008 10:51:00 PM
Chloromethane	ND	50		µg/L	10	11/14/2008 10:51:00 PM
Vinyl chloride	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Chloroethane	ND	50		µg/L	10	11/14/2008 10:51:00 PM
Bromomethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Diethyl ether	ND	50		µg/L	10	11/14/2008 10:51:00 PM
Acetone	ND	100		µg/L	10	11/14/2008 10:51:00 PM
1,1-Dichloroethene	17	10		µg/L	10	11/14/2008 10:51:00 PM
Carbon disulfide	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Methylene chloride	ND	50		µg/L	10	11/14/2008 10:51:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	11/14/2008 10:51:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
2-Butanone	ND	100		µg/L	10	11/14/2008 10:51:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Chloroform	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Tetrahydrofuran	ND	100		µg/L	10	11/14/2008 10:51:00 PM
Bromochloromethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Carbon tetrachloride	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Benzene	ND	10		µg/L	10	11/14/2008 10:51:00 PM
Trichloroethene	420	20		µg/L	10	11/14/2008 10:51:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Bromodichloromethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Dibromomethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	11/14/2008 10:51:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	11/14/2008 10:51:00 PM
Toluene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	11/14/2008 10:51:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
2-Hexanone	ND	100		µg/L	10	11/14/2008 10:51:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Tetrachloroethene	1,200	20		µg/L	10	11/14/2008 10:51:00 PM
Dibromochloromethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-12A

Client Sample ID: MW-218D
Collection Date: 11/11/2008 12:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Ethylbenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
m,p-Xylene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
o-Xylene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Styrene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Bromoform	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Isopropylbenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Bromobenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
n-Propylbenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
2-Chlorotoluene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
4-Chlorotoluene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
tert-Butylbenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
sec-Butylbenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
n-Butylbenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	11/14/2008 10:51:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Naphthalene	ND	50		µg/L	10	11/14/2008 10:51:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	11/14/2008 10:51:00 PM
Surr: Dibromofluoromethane	96.0	85-119		%REC	10	11/14/2008 10:51:00 PM
Surr: 1,2-Dichloroethane-d4	92.4	79-131		%REC	10	11/14/2008 10:51:00 PM
Surr: Toluene-d8	94.1	90-110		%REC	10	11/14/2008 10:51:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	10	11/14/2008 10:51:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-13A

Client Sample ID: MW-218S
Collection Date: 11/11/2008 1:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	11/17/2008 4:11:00 PM
Chloromethane	ND	50		µg/L	10	11/17/2008 4:11:00 PM
Vinyl chloride	62	20		µg/L	10	11/17/2008 4:11:00 PM
Chloroethane	ND	50		µg/L	10	11/17/2008 4:11:00 PM
Bromomethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Diethyl ether	ND	50		µg/L	10	11/17/2008 4:11:00 PM
Acetone	ND	100		µg/L	10	11/17/2008 4:11:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	11/17/2008 4:11:00 PM
Carbon disulfide	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Methylene chloride	ND	50		µg/L	10	11/17/2008 4:11:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	11/17/2008 4:11:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
2-Butanone	ND	100		µg/L	10	11/17/2008 4:11:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
cis-1,2-Dichloroethene	590	20		µg/L	10	11/17/2008 4:11:00 PM
Chloroform	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Tetrahydrofuran	ND	100		µg/L	10	11/17/2008 4:11:00 PM
Bromochloromethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Carbon tetrachloride	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Benzene	ND	10		µg/L	10	11/17/2008 4:11:00 PM
Trichloroethene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Bromodichloromethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Dibromomethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	11/17/2008 4:11:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	11/17/2008 4:11:00 PM
Toluene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	11/17/2008 4:11:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
2-Hexanone	ND	100		µg/L	10	11/17/2008 4:11:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Tetrachloroethene	78	20		µg/L	10	11/17/2008 4:11:00 PM
Dibromochloromethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-13A

Client Sample ID: MW-218S
Collection Date: 11/11/2008 1:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Ethylbenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
m,p-Xylene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
o-Xylene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Styrene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Bromoform	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Isopropylbenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Bromobenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
n-Propylbenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
2-Chlorotoluene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
4-Chlorotoluene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
tert-Butylbenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
sec-Butylbenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
n-Butylbenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	11/17/2008 4:11:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Naphthalene	ND	50		µg/L	10	11/17/2008 4:11:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	11/17/2008 4:11:00 PM
Surr: Dibromofluoromethane	102	85-119		%REC	10	11/17/2008 4:11:00 PM
Surr: 1,2-Dichloroethane-d4	100	79-131		%REC	10	11/17/2008 4:11:00 PM
Surr: Toluene-d8	96.2	90-110		%REC	10	11/17/2008 4:11:00 PM
Surr: 4-Bromofluorobenzene	99.7	76-117		%REC	10	11/17/2008 4:11:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-14A

Client Sample ID: MW-216S
Collection Date: 11/11/2008 1:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	11/14/2008 5:43:00 PM
Chloromethane	ND	5.0		µg/L	1	11/14/2008 5:43:00 PM
Vinyl chloride	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Chloroethane	ND	5.0		µg/L	1	11/14/2008 5:43:00 PM
Bromomethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Diethyl ether	ND	5.0		µg/L	1	11/14/2008 5:43:00 PM
Acetone	ND	10		µg/L	1	11/14/2008 5:43:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	11/14/2008 5:43:00 PM
Carbon disulfide	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Methylene chloride	ND	5.0		µg/L	1	11/14/2008 5:43:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,1-Dichloroethane	3.5	2.0		µg/L	1	11/14/2008 5:43:00 PM
2-Butanone	ND	10		µg/L	1	11/14/2008 5:43:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
cis-1,2-Dichloroethene	100	2.0		µg/L	1	11/14/2008 5:43:00 PM
Chloroform	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Tetrahydrofuran	ND	10		µg/L	1	11/14/2008 5:43:00 PM
Bromochloromethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Benzene	ND	1.0		µg/L	1	11/14/2008 5:43:00 PM
Trichloroethene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Dibromomethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	11/14/2008 5:43:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 5:43:00 PM
Toluene	3.5	2.0		µg/L	1	11/14/2008 5:43:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 5:43:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
2-Hexanone	ND	10		µg/L	1	11/14/2008 5:43:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-14A

Client Sample ID: MW-216S
Collection Date: 11/11/2008 1:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Ethylbenzene	3.0	2.0		µg/L	1	11/14/2008 5:43:00 PM
m,p-Xylene	8.0	2.0		µg/L	1	11/14/2008 5:43:00 PM
o-Xylene	10	2.0		µg/L	1	11/14/2008 5:43:00 PM
Styrene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Bromoform	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Bromobenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,3,5-Trimethylbenzene	10	2.0		µg/L	1	11/14/2008 5:43:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,2,4-Trimethylbenzene	15	2.0		µg/L	1	11/14/2008 5:43:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
4-Isopropyltoluene	2.5	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	11/14/2008 5:43:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Naphthalene	24	5.0		µg/L	1	11/14/2008 5:43:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 5:43:00 PM
Surr: Dibromofluoromethane	115	85-119		%REC	1	11/14/2008 5:43:00 PM
Surr: 1,2-Dichloroethane-d4	108	79-131		%REC	1	11/14/2008 5:43:00 PM
Surr: Toluene-d8	100	90-110		%REC	1	11/14/2008 5:43:00 PM
Surr: 4-Bromofluorobenzene	108	76-117		%REC	1	11/14/2008 5:43:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-216D
Lab Order: 0811031 **Collection Date:** 11/11/2008 2:00:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0811031-15A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS	SW8260B					Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	11/14/2008 6:18:00 PM
Chloromethane	ND	5.0		µg/L	1	11/14/2008 6:18:00 PM
Vinyl chloride	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Chloroethane	ND	5.0		µg/L	1	11/14/2008 6:18:00 PM
Bromomethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Trichlorodifluoromethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Diethyl ether	ND	5.0		µg/L	1	11/14/2008 6:18:00 PM
Acetone	ND	10		µg/L	1	11/14/2008 6:18:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	11/14/2008 6:18:00 PM
Carbon disulfide	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Methylene chloride	ND	5.0		µg/L	1	11/14/2008 6:18:00 PM
Methyl tert-butyl ether	2.8	2.0		µg/L	1	11/14/2008 6:18:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
2-Butanone	ND	10		µg/L	1	11/14/2008 6:18:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Chloroform	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Tetrahydrofuran	ND	10		µg/L	1	11/14/2008 6:18:00 PM
Bromochloromethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Benzene	ND	1.0		µg/L	1	11/14/2008 6:18:00 PM
Trichloroethene	2.9	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Dibromomethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	11/14/2008 6:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 6:18:00 PM
Toluene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 6:18:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
2-Hexanone	ND	10		µg/L	1	11/14/2008 6:18:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.**Client Sample ID:** MW-216D**Lab Order:** 0811031**Collection Date:** 11/11/2008 2:00:00 PM**Project:** 130274 Textron Gorham**Matrix:** GROUNDWATER**Lab ID:** 0811031-15A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Ethylbenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
m,p-Xylene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
o-Xylene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Styrene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Bromoform	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Bromobenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	11/14/2008 6:18:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Naphthalene	ND	5.0		µg/L	1	11/14/2008 6:18:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:18:00 PM
Surr: Dibromofluoromethane	98.7	85-119		%REC	1	11/14/2008 6:18:00 PM
Surr: 1,2-Dichloroethane-d4	95.8	79-131		%REC	1	11/14/2008 6:18:00 PM
Surr: Toluene-d8	97.3	90-110		%REC	1	11/14/2008 6:18:00 PM
Surr: 4-Bromofluorobenzene	100	76-117		%REC	1	11/14/2008 6:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-16A

Client Sample ID: MW-209D
Collection Date: 11/11/2008 10:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				
Dichlorodifluoromethane	ND	50		µg/L	10	11/17/2008 4:46:00 PM
Chloromethane	ND	50		µg/L	10	11/17/2008 4:46:00 PM
Vinyl chloride	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Chloroethane	ND	50		µg/L	10	11/17/2008 4:46:00 PM
Bromomethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Diethyl ether	ND	50		µg/L	10	11/17/2008 4:46:00 PM
Acetone	ND	100		µg/L	10	11/17/2008 4:46:00 PM
1,1-Dichloroethene	12	10		µg/L	10	11/17/2008 4:46:00 PM
Carbon disulfide	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Methylene chloride	ND	50		µg/L	10	11/17/2008 4:46:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	11/17/2008 4:46:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
2-Butanone	ND	100		µg/L	10	11/17/2008 4:46:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Chloroform	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Tetrahydrofuran	ND	100		µg/L	10	11/17/2008 4:46:00 PM
Bromochloromethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Carbon tetrachloride	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Benzene	ND	10		µg/L	10	11/17/2008 4:46:00 PM
Trichloroethene	200	20		µg/L	10	11/17/2008 4:46:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Bromodichloromethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Dibromomethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	11/17/2008 4:46:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	11/17/2008 4:46:00 PM
Toluene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	11/17/2008 4:46:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
2-Hexanone	ND	100		µg/L	10	11/17/2008 4:46:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Tetrachloroethene	2,900	20		µg/L	10	11/17/2008 4:46:00 PM
Dibromochloromethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-16A

Client Sample ID: MW-209D
Collection Date: 11/11/2008 10:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Ethylbenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
m,p-Xylene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
o-Xylene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Styrene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Bromoform	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Isopropylbenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Bromobenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
n-Propylbenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
2-Chlorotoluene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
4-Chlorotoluene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
tert-Butylbenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
sec-Butylbenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
n-Butylbenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	11/17/2008 4:46:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Naphthalene	ND	50		µg/L	10	11/17/2008 4:46:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	11/17/2008 4:46:00 PM
Surr: Dibromofluoromethane	107	85-119		%REC	10	11/17/2008 4:46:00 PM
Surr: 1,2-Dichloroethane-d4	101	79-131		%REC	10	11/17/2008 4:46:00 PM
Surr: Toluene-d8	95.2	90-110		%REC	10	11/17/2008 4:46:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	10	11/17/2008 4:46:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-17A

Client Sample ID: MW-112
Collection Date: 11/11/2008 12:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS					SW8260B	
Dichlorodifluoromethane	ND	50	µg/L	10	11/17/2008 5:20:00 PM	
Chloromethane	ND	50	µg/L	10	11/17/2008 5:20:00 PM	
Vinyl chloride	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Chloroethane	ND	50	µg/L	10	11/17/2008 5:20:00 PM	
Bromomethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Trichlorofluoromethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Diethyl ether	ND	50	µg/L	10	11/17/2008 5:20:00 PM	
Acetone	ND	100	µg/L	10	11/17/2008 5:20:00 PM	
1,1-Dichloroethene	ND	10	µg/L	10	11/17/2008 5:20:00 PM	
Carbon disulfide	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Methylene chloride	ND	50	µg/L	10	11/17/2008 5:20:00 PM	
Methyl tert-butyl ether	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
trans-1,2-Dichloroethene	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
1,1-Dichloroethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
2-Butanone	ND	100	µg/L	10	11/17/2008 5:20:00 PM	
2,2-Dichloropropane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
cis-1,2-Dichloroethene	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Chloroform	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Tetrahydrofuran	ND	100	µg/L	10	11/17/2008 5:20:00 PM	
Bromochloromethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
1,1,1-Trichloroethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
1,1-Dichloropropene	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Carbon tetrachloride	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
1,2-Dichloroethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Benzene	ND	10	µg/L	10	11/17/2008 5:20:00 PM	
Trichloroethene	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
1,2-Dichloropropane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Bromodichloromethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Dibromomethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
4-Methyl-2-pentanone	ND	100	µg/L	10	11/17/2008 5:20:00 PM	
cis-1,3-Dichloropropene	ND	10	µg/L	10	11/17/2008 5:20:00 PM	
Toluene	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
trans-1,3-Dichloropropene	ND	10	µg/L	10	11/17/2008 5:20:00 PM	
1,1,2-Trichloroethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
1,2-Dibromoethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
2-Hexanone	ND	100	µg/L	10	11/17/2008 5:20:00 PM	
1,3-Dichloropropane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	
Tetrachloroethene	910	20	µg/L	10	11/17/2008 5:20:00 PM	
Dibromochloromethane	ND	20	µg/L	10	11/17/2008 5:20:00 PM	

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-17A

Client Sample ID: MW-112
Collection Date: 11/11/2008 12:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	11/17/2008 5:20:00 PM
Ethylbenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
m,p-Xylene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
o-Xylene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
Styrene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
Bromoform	ND	20		µg/L	10	11/17/2008 5:20:00 PM
Isopropylbenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	11/17/2008 5:20:00 PM
Bromobenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
n-Propylbenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
2-Chlorotoluene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
4-Chlorotoluene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
tert-Butylbenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
sec-Butylbenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
n-Butylbenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	11/17/2008 5:20:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
Naphthalene	ND	50		µg/L	10	11/17/2008 5:20:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	11/17/2008 5:20:00 PM
Surr: Dibromofluoromethane	108	85-119		%REC	10	11/17/2008 5:20:00 PM
Surr: 1,2-Dichloroethane-d4	101	79-131		%REC	10	11/17/2008 5:20:00 PM
Surr: Toluene-d8	96.0	90-110		%REC	10	11/17/2008 5:20:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	10	11/17/2008 5:20:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-116D
Lab Order:	0811031	Collection Date:	11/11/2008 2:30:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0811031-18A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						Analyst: AL
Dichlorodifluoromethane	ND	5.0		µg/L	1	11/14/2008 6:52:00 PM
Chloromethane	ND	5.0		µg/L	1	11/14/2008 6:52:00 PM
Vinyl chloride	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Chloroethane	ND	5.0		µg/L	1	11/14/2008 6:52:00 PM
Bromomethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Diethyl ether	ND	5.0		µg/L	1	11/14/2008 6:52:00 PM
Acetone	ND	10		µg/L	1	11/14/2008 6:52:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	11/14/2008 6:52:00 PM
Carbon disulfide	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Methylene chloride	ND	5.0		µg/L	1	11/14/2008 6:52:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
2-Butanone	ND	10		µg/L	1	11/14/2008 6:52:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Chloroform	5.0	2.0		µg/L	1	11/14/2008 6:52:00 PM
Tetrahydrofuran	ND	10		µg/L	1	11/14/2008 6:52:00 PM
Bromochloromethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Benzene	ND	1.0		µg/L	1	11/14/2008 6:52:00 PM
Trichloroethene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Dibromomethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	11/14/2008 6:52:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 6:52:00 PM
Toluene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 6:52:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
2-Hexanone	ND	10		µg/L	1	11/14/2008 6:52:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-18A

Client Sample ID: MW-116D
Collection Date: 11/11/2008 2:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Ethylbenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
m,p-Xylene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
o-Xylene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Styrene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Bromoform	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Bromobenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	11/14/2008 6:52:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Naphthalene	ND	5.0		µg/L	1	11/14/2008 6:52:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 6:52:00 PM
Surr: Dibromofluoromethane	97.0	85-119		%REC	1	11/14/2008 6:52:00 PM
Surr: 1,2-Dichloroethane-d4	92.1	79-131		%REC	1	11/14/2008 6:52:00 PM
Surr: Toluene-d8	94.2	90-110		%REC	1	11/14/2008 6:52:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	1	11/14/2008 6:52:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-19A

Client Sample ID: MW-116S
Collection Date: 11/11/2008 3:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS					SW8260B	
Dichlorodifluoromethane	ND	5.0		µg/L	1	11/14/2008 7:26:00 PM
Chloromethane	ND	5.0		µg/L	1	11/14/2008 7:26:00 PM
Vinyl chloride	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Chloroethane	ND	5.0		µg/L	1	11/14/2008 7:26:00 PM
Bromomethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Diethyl ether	ND	5.0		µg/L	1	11/14/2008 7:26:00 PM
Acetone	ND	10		µg/L	1	11/14/2008 7:26:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	11/14/2008 7:26:00 PM
Carbon disulfide	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Methylene chloride	ND	5.0		µg/L	1	11/14/2008 7:26:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
2-Butanone	ND	10		µg/L	1	11/14/2008 7:26:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Chloroform	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Tetrahydrofuran	ND	10		µg/L	1	11/14/2008 7:26:00 PM
Bromochloromethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Benzene	ND	1.0		µg/L	1	11/14/2008 7:26:00 PM
Trichloroethene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Dibromomethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	11/14/2008 7:26:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 7:26:00 PM
Toluene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	11/14/2008 7:26:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
2-Hexanone	ND	10		µg/L	1	11/14/2008 7:26:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Tetrachloroethene	2.7	2.0		µg/L	1	11/14/2008 7:26:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM

AMRO Environmental Laboratories Corp.

Date: 19-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0811031
Project: 130274 Textron Gorham
Lab ID: 0811031-19A

Client Sample ID: MW-116S
Collection Date: 11/11/2008 3:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Ethylbenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
m,p-Xylene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
o-Xylene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Styrene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Bromoform	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Bromobenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	11/14/2008 7:26:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Naphthalene	ND	5.0		µg/L	1	11/14/2008 7:26:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	11/14/2008 7:26:00 PM
Surr: Dibromofluoromethane	97.1	85-119		%REC	1	11/14/2008 7:26:00 PM
Surr: 1,2-Dichloroethane-d4	93.9	79-131		%REC	1	11/14/2008 7:26:00 PM
Surr: Toluene-d8	96.2	90-110		%REC	1	11/14/2008 7:26:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	1	11/14/2008 7:26:00 PM

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
Method Blank

Analyte	QC Sample Result	RL	Units	QC Spike		% REC	Low Limit	High Limit	Original Sample or MS Result	% RPD	RPD Limit	Qua
				Original Sample Amount	Result							
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
Method Blank

			S - Spike Recovery outside accepted recovery limits	B - Analyte detected in the associated Method Blank
			R - RPD outside accepted recovery limits	NA - Not applicable where J values or ND results occur
Trichloroethene	ND	2.0	ug/L	
1,2-Dichloropropane	ND	2.0	ug/L	
Bromodichloromethane	ND	2.0	ug/L	
Dibromomethane	ND	2.0	ug/L	
4-Methyl-2-pentanone	ND	10	ug/L	
cis-1,3-Dichloropropene	ND	1.0	ug/L	
Toluene	ND	2.0	ug/L	
trans-1,3-Dichloropropene	ND	1.0	ug/L	
1,1,2-Trichloroethane	ND	2.0	ug/L	
1,2-Dibromoethane	ND	2.0	ug/L	
2-Hexanone	ND	10	ug/L	
1,3-Dichloropropane	ND	2.0	ug/L	
Tetrachloroethene	ND	2.0	ug/L	
Dibromochloromethane	ND	2.0	ug/L	
Chlorobenzene	ND	2.0	ug/L	
1,1,1,2-Tetrachloroethane	ND	2.0	ug/L	
Ethylbenzene	ND	2.0	ug/L	
m,p-Xylene	ND	2.0	ug/L	
o-Xylene	ND	2.0	ug/L	
Styrene	ND	2.0	ug/L	
Bromoform	ND	2.0	ug/L	
Isopropylbenzene	ND	2.0	ug/L	
1,1,2,2-Tetrachloroethane	ND	2.0	ug/L	
1,2,3-Trichloropropane	ND	2.0	ug/L	
Bromobenzene	ND	2.0	ug/L	
n-Propylbenzene	ND	2.0	ug/L	
2-Chlorotoluene	ND	2.0	ug/L	
4-Chlorotoluene	ND	2.0	ug/L	
1,3,5-Trimethylbenzene	ND	2.0	ug/L	
tert-Butylbenzene	ND	2.0	ug/L	
1,2,4-Trimethylbenzene	ND	2.0	ug/L	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

		µg/L			
sec-Butylbenzene	ND	2.0			
4-Isopropyltoluene	ND	2.0			
1,3-Dichlorobenzene	ND	2.0			
1,4-Dichlorobenzene	ND	2.0			
n-Butylbenzene	ND	2.0			
1,2-Dichlorobenzene	ND	2.0			
1,2-Dibromo-3-chloropropane	ND	5.0			
1,2,4-Trichlorobenzene	ND	2.0			
Hexachlorobutadiene	ND	2.0			
Naphthalene	ND	5.0			
1,2,3-Trichlorobenzene	ND	2.0			
Surr. Dibromofluoromethane	24.13	2.0			
Surr. 1,2-Dichloroethane-d4	26.18	2.0			
Surr. Toluene-d8	19.97	2.0			
Surr. 4-Bromofluorobenzene	26.53	2.0			
			25	0	96.5
					85
			25	0	105
					79
			25	0	79.9
					90
			25	0	106
					76
					117
					0

S

- | | | |
|---|---|---|
| Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate. | S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits | B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur |
|---|---|---|

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Analyte	QC Sample Result	Run ID: V-1_08114A	Test Code: SW8260B	Units: µg/L	Analysis Date: 11/14/2008 3:27:00 PM			Prep Date: 11/14/2008		
					QC Spike Amount	Original Sample Result	%REC	Original Sample	High limit	Low limit
Dichlorodifluoromethane	ND	ND	5.0	µg/L						
Chloromethane	ND	ND	5.0	µg/L						
Vinyl chloride	ND	ND	2.0	µg/L						
Chloroethane	ND	ND	5.0	µg/L						
Bromomethane	ND	ND	2.0	µg/L						
Trichlorofluoromethane	ND	ND	2.0	µg/L						
Diethyl ether	ND	ND	5.0	µg/L						
Acetone	ND	ND	10	µg/L						
1,1-Dichloroethene	ND	ND	1.0	µg/L						
Carbon disulfide	ND	ND	2.0	µg/L						
Methylene chloride	ND	ND	5.0	µg/L						
Methyl tert-butyl ether	ND	ND	2.0	µg/L						
trans-1,2-Dichloroethene	ND	ND	2.0	µg/L						
1,1-Dichloroethane	ND	ND	2.0	µg/L						
2-Butanone	ND	ND	10	µg/L						
2,2-Dichloropropane	ND	ND	2.0	µg/L						
cis-1,2-Dichloroethene	ND	ND	2.0	µg/L						
Chloroform	ND	ND	2.0	µg/L						
Tetrahydrofuran	ND	ND	10	µg/L						
Bromochloromethane	ND	ND	2.0	µg/L						
1,1,1-Trichloroethane	ND	ND	2.0	µg/L						
1,1-Dichloropropene	ND	ND	2.0	µg/L						
Carbon tetrachloride	ND	ND	2.0	µg/L						
1,2-Dichloroethane	ND	ND	2.0	µg/L						
Benzene	ND	ND	1.0	µg/L						

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Trichloroethene	ND	2.0	µg/L	
1,2-Dichloropropane	ND	2.0	µg/L	
Bromodichloromethane	ND	2.0	µg/L	
Dibromomethane	ND	2.0	µg/L	
4-Methyl-2-pentanone	ND	10	µg/L	
cis-1,3-Dichloropropene	ND	1.0	µg/L	
Toluene	ND	2.0	µg/L	
trans-1,3-Dichloropropene	ND	1.0	µg/L	
1,1,2-Trichloroethane	ND	2.0	µg/L	
1,2-Dibromoethane	ND	2.0	µg/L	
2-Hexanone	ND	10	µg/L	
1,3-Dichloropropane	ND	2.0	µg/L	
Tetrachloroethene	ND	2.0	µg/L	
Dibromochloromethane	ND	2.0	µg/L	
Chlorobenzene	ND	2.0	µg/L	
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L	
Ethylbenzene	ND	2.0	µg/L	
m,p-Xylene	ND	2.0	µg/L	
o-Xylene	ND	2.0	µg/L	
Styrene	ND	2.0	µg/L	
Bromoform	ND	2.0	µg/L	
Isopropylbenzene	ND	2.0	µg/L	
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	
1,2,3-Trichloropropane	ND	2.0	µg/L	
Bromobenzene	ND	2.0	µg/L	
n-Propylbenzene	ND	2.0	µg/L	
2-Chlorotoluene	ND	2.0	µg/L	
4-Chlorotoluene	ND	2.0	µg/L	
1,3,5-Trimethylbenzene	ND	2.0	µg/L	
tert-Butylbenzene	ND	2.0	µg/L	
1,2,4-Trimethylbenzene	ND	2.0	µg/L	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

QC SUMMARY REPORT

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

Project: 130274 Textron Gorham

Method Blank

		ND	2.0	µg/L
sec-Butylbenzene		ND	2.0	µg/L
4-Isopropyltoluene		ND	2.0	µg/L
1,3-Dichlorobenzene		ND	2.0	µg/L
1,4-Dichlorobenzene		ND	2.0	µg/L
n-Butylbenzene		ND	2.0	µg/L
1,2-Dichlorobenzene		ND	2.0	µg/L
1,2-Dibromo-3-chloropropane		ND	5.0	µg/L
1,2,4-Trichlorobenzene		ND	2.0	µg/L
Hexachlorobutadiene		ND	2.0	µg/L
Naphthalene		ND	5.0	µg/L
1,2,3-Trichlorobenzene		ND	2.0	µg/L
Sur: Dibromofluoromethane	28.53	2.0	µg/L	
Sur: 1,2-Dichloroethane-d4	28.11	2.0	µg/L	
Sur: Toluene-d8	24.35	2.0	µg/L	
Sur: 4-Bromofluorobenzene	26.73	2.0	µg/L	
		25	0	114
			25	85
			0	119
			25	0
			0	79
			25	131
			0	0
			25	110
			0	0
			25	117
			0	0
			107	76
			0	0

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits	B - Analyte detected in the associated Method Blank
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits	NA - Not applicable where J values or ND results occur
	RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantify.		

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Analyte	QC Sample Result	RL	Units	QC Spike Original Sample		%REC	Low/limit	High/limit	Original Sample or MS Result	%RPO	RPOLimit	Qua
				Amount	Result							
Dichlorodifluoromethane	ND	5.0	µg/L									
Chlormethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromo-chloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

Project: 130274 Textron Gorham

QC SUMMARY REPORT
Method Blank

Trichloroethene	ND	2.0	µg/L	
1,2-Dichloropropane	ND	2.0	µg/L	
Bromodichloromethane	ND	2.0	µg/L	
Dibromomethane	ND	2.0	µg/L	
4-Methyl-2-pentanone	ND	10	µg/L	
cis-1,3-Dichloropropene	ND	1.0	µg/L	
Toluene	ND	2.0	µg/L	
trans-1,3-Dichloropropene	ND	1.0	µg/L	
1,1,2-Trichloroethane	ND	2.0	µg/L	
1,2-Dibromoethane	ND	2.0	µg/L	
2-Hexanone	ND	10	µg/L	
1,3-Dichloropropane	ND	2.0	µg/L	
Tetrachloroethene	ND	2.0	µg/L	
Dibromochloromethane	ND	2.0	µg/L	
Chlorobenzene	ND	2.0	µg/L	
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L	
Ethylbenzene	ND	2.0	µg/L	
m,p-Xylene	ND	2.0	µg/L	
o-Xylene	ND	2.0	µg/L	
Styrene	ND	2.0	µg/L	
Bromoform	ND	2.0	µg/L	
Isopropylbenzene	ND	2.0	µg/L	
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	
1,2,3-Trichloropropane	ND	2.0	µg/L	
Bromobenzene	ND	2.0	µg/L	
n-Propylbenzene	ND	2.0	µg/L	
2-Chlorotoluene	ND	2.0	µg/L	
4-Chlorotoluene	ND	2.0	µg/L	
1,3,5-Trimethylbenzene	ND	2.0	µg/L	
tert-Butylbenzene	ND	2.0	µg/L	
1,2,4-Trimethylbenzene	ND	2.0	µg/L	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
Method Blank

sec-Butylbenzene	ND	2.0				µg/L
4-Isopropyltoluene	ND	2.0				µg/L
1,3-Dichlorobenzene	ND	2.0				µg/L
1,4-Dichlorobenzene	ND	2.0				µg/L
n-Butylbenzene	ND	2.0				µg/L
1,2-Dichlorobenzene	ND	2.0				µg/L
1,2-Dibromo-3-chloropropane	ND	5.0				µg/L
1,2,4-Trichlorobenzene	ND	2.0				µg/L
Hexachlorobutadiene	ND	2.0				µg/L
Naphthalene	ND	5.0				µg/L
1,2,3-Trichlorobenzene	ND	2.0				µg/L
Surr: Dibromofluoromethane	26.97	2.0				µg/L
Surr: 1,2-Dichloroethane-d4	24.48	2.0				µg/L
Surr: Toluene-d8	23.89	2.0				µg/L
Surr: 4-Bromofluorobenzene	24.51	2.0				µg/L
			25	0	108	85
				25	0	97.9
					25	79
						119
						0
						131
						0
						0
						110
						0
						117
						76

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
I - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
Laboratory Control Spike

Analyte	QC Sample Result	RL	Units	Amount	QC Spike		%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
					Original Sample	Result							
Dichlorodifluoromethane	22.51	5.0	µg/L	20	0	113	10	150	150	0	0	0	S
Chloromethane	19.5	5.0	µg/L	20	0	97.5	37	150	150	0	0	0	
Vinyl chloride	20.16	2.0	µg/L	20	0	101	48	150	142	0	0	0	
Chloroethane	16.65	5.0	µg/L	20	0	83.3	54	142	137	0	0	0	
Bromomethane	12.8	2.0	µg/L	20	0	64	51	137	141	0	0	0	
Trichlorofluoromethane	18.64	2.0	µg/L	20	0	93.2	62	141	134	0	0	0	
Diethyl ether	14.79	5.0	µg/L	20	0	74	68	150	146	0	0	0	
Acetone	18.68	10	µg/L	20	0	93.4	9	150	139	0	0	0	
1,1-Dichloroethene	15.21	1.0	µg/L	20	0	76	68	131	126	0	0	0	
Carbon disulfide	15.25	2.0	µg/L	20	0	76.2	52	131	124	0	0	0	
Methylene chloride	10.5	5.0	µg/L	20	0	52.5	67	138	139	0	0	0	
Methyl tert-butyl ether	16.38	2.0	µg/L	20	0	81.9	63	150	146	0	0	0	
trans-1,2-Dichloroethene	17.96	2.0	µg/L	20	0	89.8	81	146	141	0	0	0	
1,1-Dichloroethane	18.13	2.0	µg/L	20	0	90.7	78	141	134	0	0	0	
2-Butanone	18.95	10	µg/L	20	0	94.8	41	150	146	0	0	0	
2,2-Dichloropropane	18.82	2.0	µg/L	20	0	94.1	71	150	146	0	0	0	
cis-1,2-Dichloroethene	18.06	2.0	µg/L	20	0	90.3	78	146	141	0	0	0	
Chloroform	19.19	2.0	µg/L	20	0	96	82	146	141	0	0	0	
Tetrahydrofuran	20.99	10	µg/L	20	0	105	51	150	146	0	0	0	
Bromoform	18.93	2.0	µg/L	20	0	94.6	77	146	141	0	0	0	
1,1,1-Trichloroethane	17.35	2.0	µg/L	20	0	86.8	81	146	141	0	0	0	
1,1-Dichloropropene	17.22	2.0	µg/L	20	0	86.1	76	146	141	0	0	0	
Carbon tetrachloride	16.52	2.0	µg/L	20	0	82.6	76	146	141	0	0	0	
1,2-Dichloroethane	19.51	2.0	µg/L	20	0	97.6	76	146	141	0	0	0	
Benzene	18.76	1.0	µg/L	20	0	93.8	81	146	141	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

QC SUMMARY REPORT

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

Project: 130274 Textron Gorham

	Laboratory Control Spike		
Trichloroethene	19.36	2.0	µg/L
1,2-Dichloropropane	17.96	2.0	µg/L
Bromodichloromethane	15.62	2.0	µg/L
Dibromomethane	18.8	2.0	µg/L
4-Methyl-2-pentanone	17.31	10	µg/L
cis-1,3-Dichloropropene	15.4	1.0	µg/L
Toluene	17.26	2.0	µg/L
trans-1,3-Dichloropropene	15.18	1.0	µg/L
1,1,2-Trichloroethane	17.36	2.0	µg/L
1,2-Dibromoethane	19.89	2.0	µg/L
2-Hexanone	15.56	10	µg/L
1,3-Dichloropropane	16.57	2.0	µg/L
Tetrachloroethene	17.07	2.0	µg/L
Dibromo-chloromethane	13.57	2.0	µg/L
Chlorobenzene	16.58	2.0	µg/L
1,1,1,2-Tetrachloroethane	13.94	2.0	µg/L
Ethylbenzene	15.91	2.0	µg/L
m,p-Xylene	29.31	2.0	µg/L
o-Xylene	15.14	2.0	µg/L
Styrene	15.09	2.0	µg/L
Bromoform	17.4	2.0	µg/L
Isopropylbenzene	16.29	2.0	µg/L
1,1,2,2-Tetrachloroethane	14.95	2.0	µg/L
1,2,3-Trichloropropane	15.63	2.0	µg/L
Bromobenzene	15.38	2.0	µg/L
n-Propylbenzene	15.48	2.0	µg/L
2-Chlorotoluene	15.75	2.0	µg/L
4-Chlorotoluene	14.8	2.0	µg/L
1,3,5-Trimethylbenzene	14.54	2.0	µg/L
tert-Butylbenzene	15.33	2.0	µg/L
1,2,4-Trimethylbenzene	16.01	2.0	µg/L

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.**Work Order:** 0811031**Project:** 130274 Textron Gorham**QC SUMMARY REPORT**

Laboratory Control Spike

sec-Butylbenzene	15.57	2.0	µg/L	20	0	77.8	82	123	0
4-Isopropyltoluene	15.1	2.0	µg/L	20	0	75.5	80	126	0
1,3-Dichlorobenzene	16.06	2.0	µg/L	20	0	80.3	84	115	0
1,4-Dichlorobenzene	16.16	2.0	µg/L	20	0	80.8	79	117	0
n-Butylbenzene	14.97	2.0	µg/L	20	0	74.8	76	128	0
1,2-Dichlorobenzene	15.71	2.0	µg/L	20	0	78.6	81	117	0
1,2-Dibromo-3-chloropropane	15.62	5.0	µg/L	20	0	78.1	47	136	0
1,2,4-Trichlorobenzene	16.85	2.0	µg/L	20	0	84.2	73	126	0
Hexachlorobutadiene	19.29	2.0	µg/L	20	0	96.5	77	134	0
Naphthalene	19.66	5.0	µg/L	20	0	98.3	58	138	0
1,2,3-Trichlorobenzene	21.95	2.0	µg/L	20	0	110	76	124	0
Surr: Dibromofluoromethane	24.6	2.0	µg/L	25	0	98.4	85	119	0
Surr: 1,2-Dichloroethane-d4	25.4	2.0	µg/L	25	0	102	79	131	0
Surr: Toluene-d8	23.84	2.0	µg/L	25	0	95.4	90	110	0
Surr: 4-Bromofluorobenzene	26.64	2.0	µg/L	25	0	107	76	117	0

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
Laboratory Control Spike

Analyte	QC Sample Result	RL	Units	QC Spike		%REC	Low Limit	High Limit	Original Sample or MS Result	%RPD	RPD Limit	Qua
				Original Sample Amount	Result							
Dichlorodifluoromethane	22.69	5.0	µg/L	20	0	113	10	150	0	0	0	
Chloromethane	23.38	5.0	µg/L	20	0	117	37	150	-	0	0	
Vinyl chloride	24.14	2.0	µg/L	20	0	121	48	150	-	0	0	
Chloroethane	10.73	5.0	µg/L	20	0	53.6	54	142	0	0	0	S
Bromomethane	8.74	2.0	µg/L	20	0	43.7	51	137	0	0	0	S
Trichlorofluoromethane	19.83	2.0	µg/L	20	0	99.2	62	141	0	0	0	
Diethyl ether	21.32	5.0	µg/L	20	0	107	68	134	0	0	0	
Acetone	23.57	10	µg/L	20	0	118	9	150	0	0	0	
1,1-Dichloroethene	19.18	1.0	µg/L	20	0	95.9	68	146	0	0	0	
Carbon disulfide	18.5	2.0	µg/L	20	0	92.5	52	131	0	0	0	
Methylene chloride	16.58	5.0	µg/L	20	0	82.9	67	138	0	0	0	
Methyl tert-butyl ether	24.41	2.0	µg/L	20	0	122	63	139	0	0	0	
trans-1,2-Dichloroethene	23.75	2.0	µg/L	20	0	119	81	126	0	0	0	
1,1-Dichloroethane	24.51	2.0	µg/L	20	0	123	78	124	0	0	0	
2-Butanone	25.8	10	µg/L	20	0	129	41	150	0	0	0	
2,2-Dichloropropane	23.58	2.0	µg/L	20	0	118	71	150	0	0	0	
cis-1,2-Dichloroethene	23.22	2.0	µg/L	20	0	116	78	121	0	0	0	
Chloroform	23.78	2.0	µg/L	20	0	119	82	123	0	0	0	
Tetrahydrofuran	29.4	10	µg/L	20	0	147	51	146	0	0	0	
Bromoform	21.74	2.0	µg/L	20	0	109	77	131	0	0	0	
1,1,1-Trichloroethane	20.5	2.0	µg/L	20	0	103	81	127	0	0	0	
1,1-Dichloropropene	19.5	2.0	µg/L	20	0	97.5	76	119	0	0	0	
Carbon tetrachloride	18.06	2.0	µg/L	20	0	90.3	76	129	0	0	0	
1,2-Dichloroethane	22.82	2.0	µg/L	20	0	114	76	127	0	0	0	
Benzene	20.69	1.0	µg/L	20	0	103	81	118	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
Laboratory Control Spike

Trichloroethene	21.5	2.0	$\mu\text{g/L}$	20	0	108	81	119	0	0	101	79	120	0	0	0	0	0	
1,2-Dichloropropane	20.19	2.0	$\mu\text{g/L}$	20	0	84.7	77	131	0	0	0	0	0	0	0	0	0	0	
Bromodichloromethane	16.94	2.0	$\mu\text{g/L}$	20	0	115	76	128	0	0	0	0	0	0	0	0	0	0	
Dibromomethane	23.08	2.0	$\mu\text{g/L}$	20	0	108	51	141	0	0	0	0	0	0	0	0	0	0	
4-Methyl-2-pentanone	21.55	10	$\mu\text{g/L}$	20	0	85.4	76	120	0	0	0	0	0	0	0	0	0	0	
dis-1,3-Dichloropropene	17.07	1.0	$\mu\text{g/L}$	20	0	98.2	83	119	0	0	0	0	0	0	0	0	0	0	
Toluene	19.64	2.0	$\mu\text{g/L}$	20	0	87.4	66	128	0	0	0	0	0	0	0	0	0	0	
trans-1,3-Dichloropropene	17.48	1.0	$\mu\text{g/L}$	20	0	111	74	123	0	0	0	0	0	0	0	0	0	0	
1,1,2-Trichloroethane	22.28	2.0	$\mu\text{g/L}$	20	0	125	72	128	0	0	0	0	0	0	0	0	0	0	
1,2-Dibromoethane	25	2.0	$\mu\text{g/L}$	20	0	105	31	148	0	0	0	0	0	0	0	0	0	0	
2-Hexanone	21.04	10	$\mu\text{g/L}$	20	0	105	76	122	0	0	0	0	0	0	0	0	0	0	
1,3-Dichloropropane	20.95	2.0	$\mu\text{g/L}$	20	0	99.7	81	124	0	0	0	0	0	0	0	0	0	0	
Tetrachloroethene	19.93	2.0	$\mu\text{g/L}$	20	0	78.8	63	126	0	0	0	0	0	0	0	0	0	0	
Dibromochloromethane	15.77	2.0	$\mu\text{g/L}$	20	0	99.9	84	113	0	0	0	0	0	0	0	0	0	0	
Chlorobenzene	19.98	2.0	$\mu\text{g/L}$	20	0	80.7	73	124	0	0	0	0	0	0	0	0	0	0	
1,1,1,2-Tetrachloroethane	16.14	2.0	$\mu\text{g/L}$	20	0	91.9	83	118	0	0	0	0	0	0	0	0	0	0	
Ethylbenzene	18.38	2.0	$\mu\text{g/L}$	20	0	87.2	85	116	0	0	0	0	0	0	0	0	0	0	
m,p-Xylene	34.89	2.0	$\mu\text{g/L}$	40	0	88.9	84	115	0	0	0	0	0	0	0	0	0	0	
o-Xylene	17.78	2.0	$\mu\text{g/L}$	20	0	95.3	77	125	0	0	0	0	0	0	0	0	0	0	
Styrene	17.66	2.0	$\mu\text{g/L}$	20	0	88.3	81	118	0	0	0	0	0	0	0	0	0	0	
Bromoform	19.06	2.0	$\mu\text{g/L}$	20	0	95.3	55	126	0	0	0	0	0	0	0	0	0	0	
Isopropylbenzene	19.06	2.0	$\mu\text{g/L}$	20	0	90.4	77	127	0	0	0	0	0	0	0	0	0	0	
1,1,2,2-Tetrachloroethane	19.8	2.0	$\mu\text{g/L}$	20	0	99	62	134	0	0	0	0	0	0	0	0	0	0	
1,2,3-Trichloropropane	21.33	2.0	$\mu\text{g/L}$	20	0	107	62	132	0	0	0	0	0	0	0	0	0	0	
Bromobenzene	19.96	2.0	$\mu\text{g/L}$	20	0	99.8	78	119	0	0	0	0	0	0	0	0	0	0	
n-Propylbenzene	18.07	2.0	$\mu\text{g/L}$	20	0	90.4	77	127	0	0	0	0	0	0	0	0	0	0	
2-Chlorotoluene	18.81	2.0	$\mu\text{g/L}$	20	0	94.1	78	118	0	0	0	0	0	0	0	0	0	0	
4-Chlorotoluene	17.93	2.0	$\mu\text{g/L}$	20	0	89.7	77	119	0	0	0	0	0	0	0	0	0	0	
1,3,5-Trimethylbenzene	17.39	2.0	$\mu\text{g/L}$	20	0	87	80	120	0	0	0	0	0	0	0	0	0	0	
tert-Butylbenzene	17.98	2.0	$\mu\text{g/L}$	20	0	89.9	81	120	0	0	0	0	0	0	0	0	0	0	
1,2,4-Trimethylbenzene	19.16	2.0	$\mu\text{g/L}$	20	0	95.8	80	118	0	0	0	0	0	0	0	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

Project: 130274 Textron Gorham

QC SUMMARY REPORT
Laboratory Control Spike

sec-Butylbenzene	17.84	2.0	µg/L	20	0	89.2	82	123
4-Isopropyltoluene	18.13	2.0	µg/L	20	0	90.7	80	126
1,3-Dichlorobenzene	19.65	2.0	µg/L	20	0	98.2	84	115
1,4-Dichlorobenzene	20.32	2.0	µg/L	20	0	102	79	117
n-Butylbenzene	17.22	2.0	µg/L	20	0	86.1	76	128
1,2-Dichlorobenzene	19.45	2.0	µg/L	20	0	97.3	81	117
1,2-Dibromo-3-chloropropane	21.02	5.0	µg/L	20	0	105	47	136
1,2,4-Trichlorobenzene	23.83	2.0	µg/L	20	0	119	73	126
Hexachlorobutadiene	23.96	2.0	µg/L	20	0	120	77	134
Naphthalene	33.96	5.0	µg/L	20	0	170	58	138
1,2,3-Trichlorobenzene	33.25	2.0	µg/L	20	0	166	76	124
Surr: Dibromofluoromethane	27.47	2.0	µg/L	25	0	110	85	119
Surr: 1,2-Dichloroethane-d4	26.94	2.0	µg/L	25	0	108	79	131
Surr: Toluene-d8	24.3	2.0	µg/L	25	0	97.2	90	110
Surr: 4-Bromofluorobenzene	26.69	2.0	µg/L	25	0	107	76	117

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
 NA - Not applicable where J values or ND results occur
 B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
Laboratory Control Spike

Analyte	QC Sample Result	RL	Units	QC Spike		%REC	Low Limit	High Limit	Original Sample or MS Result	%RPD	RPD Limit	Qua
				Original Sample Amount	Result							
Dichlorodifluoromethane	22.14	5.0	ug/L	20	0	111	10	150	0	0	0	0
Chloromethane	20.3	5.0	ug/L	20	0	102	37	150	0	0	0	0
Vinyl chloride	22.07	2.0	ug/L	20	0	110	48	150	0	0	0	0
Chloorethane	22.26	5.0	ug/L	20	0	111	54	142	0	0	0	0
Bromomethane	19.56	2.0	ug/L	20	0	97.8	51	137	0	0	0	0
Trichlorofluoromethane	22.51	2.0	ug/L	20	0	113	62	141	0	0	0	0
Diethyl ether	18.99	5.0	ug/L	20	0	95	68	134	0	0	0	0
Acetone	21.07	10	ug/L	20	0	105	9	150	0	0	0	0
1,1-Dichloroethene	19.5	1.0	ug/L	20	0	97.5	68	146	0	0	0	0
Carbon disulfide	19.28	2.0	ug/L	20	0	96.4	52	131	0	0	0	0
Methylene chloride	15.67	5.0	ug/L	20	0	78.4	67	138	0	0	0	0
Methyl tert-butyl ether	22.15	2.0	ug/L	20	0	111	63	139	0	0	0	0
trans-1,2-Dichloroethene	23.06	2.0	ug/L	20	0	115	81	126	0	0	0	0
1,1-Dichloroethane	23.16	2.0	ug/L	20	0	116	78	124	0	0	0	0
2-Butanone	23.47	10	ug/L	20	0	117	41	150	0	0	0	0
2,2-Dichloropropane	25.01	2.0	ug/L	20	0	125	71	150	0	0	0	0
cis-1,2-Dichloroethene	23.41	2.0	ug/L	20	0	117	78	121	0	0	0	0
Chloroform	23.82	2.0	ug/L	20	0	119	82	123	0	0	0	0
Tetrahydrofuran	24.76	10	ug/L	20	0	124	51	146	0	0	0	0
Bromo-chloromethane	24.13	2.0	ug/L	20	0	121	77	131	0	0	0	0
1,1,1-Trichloroethane	20.52	2.0	ug/L	20	0	103	81	127	0	0	0	0
1,1-Dichloropropene	19.84	2.0	ug/L	20	0	99.2	76	119	0	0	0	0
Carbon tetrachloride	18.77	2.0	ug/L	20	0	93.8	76	129	0	0	0	0
1,2-Dichloroethane	20.75	2.0	ug/L	20	0	104	76	127	0	0	0	0
Benzene	21.36	1.0	ug/L	20	0	107	81	118	0	0	0	0

Qualifiers: NND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

QC SUMMARY REPORT

Laboratory Control Spike

Project:	130274 Textron Gorham	µg/L	20	0	114	81	119	0
Trichloroethene	22.74	2.0	µg/L	20	0	102	79	120
1,2-Dichloropropane	20.4	2.0	µg/L	20	0	87.2	77	131
Bromodichloromethane	17.43	2.0	µg/L	20	0	111	76	128
Dibromomethane	22.22	2.0	µg/L	20	0	102	51	141
4-Methyl-2-pentanone	20.32	10	µg/L	20	0	90.7	76	120
cis-1,3-Dichloropropene	18.14	1.0	µg/L	20	0	110	83	119
Toluene	22.01	2.0	µg/L	20	0	86.8	66	128
trans-1,3-Dichloropropene	17.37	1.0	µg/L	20	0	105	74	123
1,1,2-Trichloroethane	21.04	2.0	µg/L	20	0	115	72	128
1,2-Dibromoethane	23.05	2.0	µg/L	20	0	85.8	31	148
2-Hexanone	17.16	10	µg/L	20	0	96.7	76	122
1,3-Dichloropropane	19.34	2.0	µg/L	20	0	101	81	124
Tetrachloroethene	20.13	2.0	µg/L	20	0	78.7	63	126
Dibromochloromethane	15.74	2.0	µg/L	20	0	104	84	113
Chlorobenzene	20.76	2.0	µg/L	20	0	86.6	73	124
1,1,1,2-Tetrachloroethane	17.32	2.0	µg/L	20	0	102	83	118
Ethylbenzene	20.3	2.0	µg/L	20	0	93.6	85	116
m,p-Xylene	37.44	2.0	µg/L	40	0	92.3	84	115
o-Xylene	18.46	2.0	µg/L	20	0	93	81	118
Styrene	18.6	2.0	µg/L	20	0	96	55	126
Bromoform	19.21	2.0	µg/L	20	0	105	77	125
Isopropylbenzene	21.08	2.0	µg/L	20	0	95.6	62	134
1,1,2,2-Tetrachloroethane	19.11	2.0	µg/L	20	0	102	78	132
1,2,3-Trichloropropane	19.44	2.0	µg/L	20	0	96.5	77	119
Bromobenzene	20.48	2.0	µg/L	20	0	92.2	80	120
n-Propylbenzene	20.73	2.0	µg/L	20	0	104	77	127
2-Chlorotoluene	20.38	2.0	µg/L	20	0	102	78	118
4-Chlorotoluene	19.29	2.0	µg/L	20	0	97.1	81	120
1,3,5-Trimethylbenzene	18.44	2.0	µg/L	20	0	103	80	118
tert-Butylbenzene	19.42	2.0	µg/L	20	0	119	0	0
1,2,4-Trimethylbenzene	20.62	2.0	µg/L	20	0	119	0	0

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

sec-Butylbenzene	19.93	2.0	µg/L	20	0	99.7	82	123	0	
4-Isopropyltoluene	19.46	2.0	µg/L	20	0	97.3	80	126	0	
1,3-Dichlorobenzene	20.1	2.0	µg/L	20	0	100	84	115	0	
1,4-Dichlorobenzene	21	2.0	µg/L	20	0	105	79	117	0	
n-Butylbenzene	19.55	2.0	µg/L	20	0	97.8	76	128	0	
1,2-Dichlorobenzene	19.83	2.0	µg/L	20	0	99.2	81	117	0	
1,2-Dibromo-3-chloropropane	19.58	5.0	µg/L	20	0	97.9	47	136	0	
1,2,4-Trichlorobenzene	20.78	2.0	µg/L	20	0	104	73	126	0	
Hexachlorobutadiene	23.28	2.0	µg/L	20	0	116	77	134	0	
Naphthalene	25.92	5.0	µg/L	20	0	130	58	138	0	
1,2,3-Trichlorobenzene	25.99	2.0	µg/L	20	0	130	76	124	0	
Surr: Dibromofluoromethane	24.86	2.0	µg/L	25	0	99.4	85	119	0	
Surr: 1,2-Dichloroethane-d4	23.53	2.0	µg/L	25	0	94.1	79	131	0	
Surr: Toluene-d8	25.53	2.0	µg/L	25	0	102	90	110	0	
Surr: 4-Bromofluorobenzene	25.05	2.0	µg/L	25	0	100	76	117	0	

S

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RJ - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Sample Matrix Spike

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	Low limit	High limit	Original Sample or MS Result	%RPD	RPD Limit	Qua
Dichlorodifluoromethane	242.1	50	µg/L	200	0	121	16	150	0	0	0	
Chloromethane	233	30	µg/L	200	0	116	35	150	0	0	0	
Vinyl chloride	244.2	20	µg/L	200	0	122	49	150	0	0	0	
Chloroethane	215.1	50	µg/L	200	0	108	58	147	0	0	0	
Bromomethane	193.8	20	µg/L	200	0	96.9	49	142	0	0	0	
Trichlorofluoromethane	247.6	20	µg/L	200	0	124	57	149	0	0	0	
Diethyl ether	232.7	50	µg/L	200	0	116	66	136	0	0	0	
Acetone	265.3	100	µg/L	200	0	133	16	150	0	0	0	
1,1-Dichloroethene	232.4	10	µg/L	200	17.3	108	70	150	0	0	0	
Carbon disulfide	207.5	20	µg/L	200	0	104	47	135	0	0	0	
Methylene chloride	175.9	50	µg/L	200	0	88	66	142	0	0	0	
Methyl tert-butyl ether	262.6	20	µg/L	200	9.3	127	63	138	0	0	0	
trans-1,2-Dichloroethene	271.5	20	µg/L	200	0	136	78	135	0	0	0	
1,1-Dichloroethane	264.8	20	µg/L	200	0	132	76	131	0	0	0	
2-Butanone	223.1	100	µg/L	200	0	112	51	142	0	0	0	
2,2-Dichloropropane	206.6	20	µg/L	200	0	103	60	149	0	0	0	
cis-1,2-Dichloroethene	252	20	µg/L	200	16.5	118	74	128	0	0	0	
Chloroform	235.7	20	µg/L	200	0	118	80	129	0	0	0	
Tetrahydrofuran	240.4	100	µg/L	200	0	120	53	145	0	0	0	
Bromoform	246.3	20	µg/L	200	0	123	78	130	0	0	0	
1,1,1-Trichloroethane	210.1	20	µg/L	200	0	105	77	139	0	0	0	
1,1-Dichloropropene	211.6	20	µg/L	200	0	106	74	127	0	0	0	
Carbon tetrachloride	194.7	20	µg/L	200	0	97.4	73	138	0	0	0	
1,2-Dichloroethane	222.4	20	µg/L	200	0	111	75	130	0	0	0	
Benzene	232.8	10	µg/L	200	0	116	79	123	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 R - RPD outside accepted recovery limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

QC SUMMARY REPORT

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

	Sample Matrix Spike					
Trichloroethene	651.8	20	µg/L	200	415	118
1,2-Dichloropropane	216.2	20	µg/L	200	0	108
Bromodichloromethane	180.6	20	µg/L	200	0	90.3
Dibromomethane	236.6	20	µg/L	200	0	118
4-Methyl-2-pentanone	228.8	100	µg/L	200	0	114
cis-1,3-Dichloropropene	177.1	10	µg/L	200	0	88.6
Toluene	232.4	20	µg/L	200	0	116
trans-1,3-Dichloropropene	170.2	10	µg/L	200	0	85.1
1,1,2-Trichloroethane	253.2	20	µg/L	200	14.1	120
1,2-Dibromoethane	253.2	20	µg/L	200	0	127
2-Hexanone	195.5	100	µg/L	200	0	97.8
1,3-Dichloropropane	216.1	20	µg/L	200	0	108
Tetrachloroethene	1368	20	µg/L	200	1182	93.2
Dibromochloromethane	166	20	µg/L	200	0	83
Chlorobenzene	229	20	µg/L	200	0	114
1,1,1,2-Tetrachloroethane	184	20	µg/L	200	0	92
Ethylbenzene	220.1	20	µg/L	200	0	110
m,p-Xylene	400.1	20	µg/L	400	0	100
o-Xylene	202	20	µg/L	200	0	101
Styrene	202.5	20	µg/L	200	0	101
Bromoform	204	20	µg/L	200	0	102
Isopropylbenzene	222.4	20	µg/L	200	0	111
1,1,2,2-Tetrachloroethane	224.3	20	µg/L	200	0	112
1,2,3-Trichloropropane	219.8	20	µg/L	200	0	110
Bromobenzene	221.1	20	µg/L	200	0	111
n-Propylbenzene	219.2	20	µg/L	200	0	110
2-Chlorotoluene	217.5	20	µg/L	200	0	109
4-Chlorotoluene	205.3	20	µg/L	200	0	103
1,3,5-Trimethylbenzene	197.2	20	µg/L	200	0	98.6
tert-Butylbenzene	207.9	20	µg/L	200	0	104
1,2,4-Trimethylbenzene	218.6	20	µg/L	200	0	109

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

QC SUMMARY REPORT

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

Project: 130274 Textron Gorham

	Sample Matrix Spike		
sec-Butylbenzene	209.1	20	µg/L
4-Isopropyltoluene	203.3	20	µg/L
1,3-Dichlorobenzene	221.7	20	µg/L
1,4-Dichlorobenzene	222.5	20	µg/L
n-Butylbenzene	197.6	20	µg/L
1,2-Dichlorobenzene	214.8	20	µg/L
1,2-Dibromo-3-chloropropane	188.1	50	µg/L
1,2,4-Trichlorobenzene	196.6	20	µg/L
Hexachlorobutadiene	188	20	µg/L
Naphthalene	202.3	50	µg/L
1,2,3-Trichlorobenzene	203.3	20	µg/L
Surr: Dibromofluoromethane	248.6	20	µg/L
Surr: 1,2-Dichloroethane-d4	231.1	20	µg/L
Surr: Toluene-d8	243.4	20	µg/L
Surr: 4-Bromofluorobenzene	253.3	20	µg/L
		200	
		0	
		105	
		82	
		128	
		0	
		102	
		77	
		128	
		0	
		111	
		80	
		122	
		0	
		111	
		78	
		123	
		0	
		98.8	
		74	
		130	
		0	
		107	
		78	
		121	
		0	
		94	
		50	
		127	
		0	
		98.3	
		67	
		128	
		0	
		94	
		74	
		134	
		0	
		101	
		57	
		131	
		0	
		102	
		64	
		131	
		0	
		99.4	
		85	
		119	
		0	
		92.4	
		79	
		131	
		0	
		97.4	
		90	
		110	
		0	
		101	
		76	
		117	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

QC SUMMARY REPORT
Sample Matrix Spike Duplicate

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	Low Limit	High Limit	Original Sample		%RPD	RPDLimit	Qua
									Analysis Date: 11/15/2008	SeqNo: 689601			
Dichlorodifluoromethane	213.9	50	µg/L	200	0	107	16	150	242.1	12.4	20		
Chloromethane	221.1	50	µg/L	200	0	111	35	150	233	5.24	20		
Vinyl chloride	230.8	20	µg/L	200	0	115	49	150	244.2	5.64	20		
Chloroethane	205.6	50	µg/L	200	0	103	58	147	215.1	4.52	20		
Bromomethane	181.5	20	µg/L	200	0	90.8	49	142	193.8	6.55	20		
Trichlorodifluoromethane	237.3	20	µg/L	200	0	119	57	149	247.6	4.25	20		
Diethyl ether	224.1	50	µg/L	200	0	112	66	136	232.7	3.77	20		
Acetone	284.5	100	µg/L	200	0	142	16	150	265.3	6.98	20		
1,1-Dichloroethene	227.1	10	µg/L	200	17.3	105	70	150	232.4	2.31	20		
Carbon disulfide	198.2	20	µg/L	200	0	99.1	47	135	207.5	4.58	20		
Methylene chloride	167.2	50	µg/L	200	0	83.6	66	142	175.9	5.07	20		
Methyl tert-butyl ether	251.9	20	µg/L	200	9.3	121	63	138	262.6	4.16	20		
trans-1,2-Dichloroethene	254.1	20	µg/L	200	0	127	78	135	271.5	6.62	20		
1,1-Dichloroethane	251.7	20	µg/L	200	0	126	76	131	264.8	5.07	20		
2-Butanone	241	100	µg/L	200	0	120	51	142	223.1	7.71	20		
2,2-Dichloropropane	190.3	20	µg/L	200	0	95.2	60	149	206.6	8.21	20		
cis-1,2-Dichloroethene	245.6	20	µg/L	200	16.5	115	74	128	252	2.57	20		
Chloroform	224.5	20	µg/L	200	0	112	80	129	235.7	4.87	20		
Tetrahydrofuran	244.1	100	µg/L	200	0	122	53	145	240.4	1.53	20		
Bromoform	233.8	20	µg/L	200	0	117	78	130	246.3	5.21	20		
1,1,1-Trichloroethane	203	20	µg/L	200	0	102	77	139	210.1	3.44	20		
1,1-Dichloropropene	201.1	20	µg/L	200	0	101	74	127	211.6	5.09	20		
Carbon tetrachloride	189	20	µg/L	200	0	94.5	73	138	194.7	2.97	20		
1,2-Dichloroethane	214.9	20	µg/L	200	0	107	75	130	222.4	3.43	20		
Benzene	222.4	10	µg/L	200	0	111	79	123	232.8	4.57	20		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

QC SUMMARY REPORT

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0811031
Project: 130274 Textron Gorham

		Sample Matrix Spike Duplicate									
Trichloroethene	635.4	20	µg/L	200	415	110	79	126	651.8	2.55	20
1,2-Dichloropropane	203.4	20	µg/L	200	0	102	76	125	216.2	6.1	20
Bromodichloromethane	174.6	20	µg/L	200	0	87.3	69	119	180.6	3.38	20
Dibromomethane	220.5	20	µg/L	200	0	110	76	127	236.6	7.04	20
4-Methyl-2-pentanone	234.3	100	µg/L	200	0	117	53	141	228.8	2.38	20
cis-1,3-Dichloropropene	166.2	10	µg/L	200	0	83.1	70	119	177.1	6.35	20
Toluene	220.8	20	µg/L	200	0	110	82	124	232.4	5.12	20
trans-1,3-Dichloropropene	168.3	10	µg/L	200	0	84.2	64	124	170.2	1.12	20
1,1,2-Trichloroethane	241.7	20	µg/L	200	14.1	114	73	127	253.2	4.65	20
1,2-Dibromoethane	242.3	20	µg/L	200	0	121	73	127	253.2	4.4	20
2-Hexanone	197.5	100	µg/L	200	0	98.8	37	145	195.5	1.02	20
1,3-Dichloropropane	212.1	20	µg/L	200	0	106	76	123	216.1	1.87	20
Tetrachloroethene	1365	20	µg/L	200	1182	91.4	*	82	1368	0.256	20
Dibromochloromethane	167.6	20	µg/L	200	0	83.8	59	125	166	0.959	20
Chlorobenzene	224.3	20	µg/L	200	0	112	80	120	229	2.07	20
1,1,1,2-Tetrachloroethane	177.9	20	µg/L	200	0	89	72	124	184	3.37	20
Ethylbenzene	209.8	20	µg/L	200	0	105	83	123	220.1	4.79	20
m,p-Xylene	393.2	20	µg/L	400	0	98.3	84	121	400.1	1.74	20
o-Xylene	197.3	20	µg/L	200	0	98.6	83	119	202	2.35	20
Styrene	194.1	20	µg/L	200	0	97	80	122	202.5	4.24	20
Bromoform	203	20	µg/L	200	0	102	54	119	204	0.491	20
Isopropylbenzene	214.9	20	µg/L	200	0	107	75	131	222.4	3.43	20
1,1,2,2-Tetrachloroethane	216.3	20	µg/L	200	0	108	61	139	224.3	3.63	20
1,2,3-Trichloropropane	221.9	20	µg/L	200	0	111	66	130	219.8	0.951	20
Bromobenzene	210.4	20	µg/L	200	0	105	77	124	221.1	4.96	20
n-Propylbenzene	207.8	20	µg/L	200	0	104	76	131	219.2	5.34	20
2-Chlorotoluene	209.5	20	µg/L	200	0	105	78	125	217.5	3.75	20
4-Chlorotoluene	196.9	20	µg/L	200	0	98.4	75	124	205.3	4.18	20
1,3,5-Trimethylbenzene	190.1	20	µg/L	200	0	95	79	124	197.2	3.67	20
tert-Butylbenzene	198.9	20	µg/L	200	0	99.4	79	126	207.9	4.42	20
1,2,4-Trimethylbenzene	209.6	20	µg/L	200	0	105	77	124	218.6	4.2	20

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits
 RI - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Nov-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0811031

Project: 130274 Textron Gorham

QC SUMMARY REPORT

	Sample Matrix Spike Duplicate					
	201.2	20	µg/L	200	0	101
sec-Butylbenzene	197.6	20	µg/L	200	0	98.8
4-Isopropyltoluene	212.2	20	µg/L	200	0	106
1,3-Dichlorobenzene	216.8	20	µg/L	200	0	108
1,4-Dichlorobenzene	192.6	20	µg/L	200	0	96.3
n-Butylbenzene	209.5	20	µg/L	200	0	105
1,2-Dichlorobenzene	190.1	50	µg/L	200	0	95
1,2-Dibromo-3-chloropropane	204.1	20	µg/L	200	0	102
1,2,4-Trichlorobenzene	199.3	20	µg/L	200	0	99.6
Hexachlorobutadiene	224.6	50	µg/L	200	0	112
Naphthalene	227.5	20	µg/L	200	0	114
1,2,3-Trichlorobenzene	247.6	20	µg/L	250	0	99
Surr: Dibromofluoromethane	232.6	20	µg/L	250	0	93
Surr: 1,2-Dichloroethane-d4	245.3	20	µg/L	250	0	98.1
Surr: Toluene-d8	255	20	µg/L	250	0	102
Surr: 4-Bromofluorobenzene						

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur