



EA Engineering, Science, and Technology, Inc.

Airport Professional Park  
2374 Post Road, Suite 102  
Warwick, Rhode Island 02886  
Telephone: 401-736-3440  
Fax: 401-736-3423  
[www.eaest.com](http://www.eaest.com)

20 April 2012

Mr. Joseph T. Martella II, Senior Engineer  
Site Remediation Program  
Office of Waste Management  
RI Department of Environmental Management  
235 Promenade Street  
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 18  
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island  
Case No. 2005-029  
EA Project No. 14687.01.0002*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc. (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from December 2011 through February 2012.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 203.

Sincerely,

EA ENGINEERING, SCIENCE,  
AND TECHNOLOGY, INC.

Frank B. Postma, LSP, LEP, PG  
Project Manager

cc: C. Jones, Prov. Dept. of Public Schools  
Director, Prov. Redevelopment Agency  
J. Padwa, City of Prov. Law Department  
R. Dorr, Neighborhood Resident  
Rep. Scott Slater  
Knight Memorial Library Repository

A. Sepe, Prov. Dept. of Public Property  
S. Fischbach, RI Legal Services  
J. Ryan, Partridge, Snow, & Hahn  
J. Pichardo, Senator  
Principal Torchon, Alvarez High School



# **Quarterly O&M Status Report No. 18**

## **Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities**

**Alvarez High School Site  
(Formerly Adelaide Avenue High School)  
Providence, Rhode Island**

*Prepared for*

City of Providence School Department  
797 Westminster Street  
Providence, Rhode Island 02903

*Prepared by*

EA Engineering, Science, and Technology, Inc.  
2374 Post Road, Suite 102  
Warwick, Rhode Island 02886  
(401) 736-3440

EA Project No. 14687.01.0002  
April 2012

## TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND .....	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE.....	2
2.1 SSD System .....	2
2.2 Indoor Methane Monitoring System.....	3
2.3 Ambient Outdoor and Indoor Air Sampling .....	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect .....	4
2.5 Summary of Rooftop VOC Emissions.....	4
2.6 Conclusions.....	5
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT .....	6

## FIGURES

FIGURE 1: SITE LOCATION MAP

FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM

FIGURE 3: AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

## APPENDICES

APPENDIX A: O&M FIELD FORMS

APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY  
AND LAB REPORTS

APPENDIX C: SUBSLAB VAPOR ANALYTICAL SUMMARY AND LAB REPORT

APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY

APPENDIX E: LABORATORY REPORTING LIMITS CORRESPONDENCE

## 1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc. (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 18 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as the Adelaide Avenue High School and now referred to as the Alvarez High School site (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the 3-month period from December 2011 through February 2012 (Quarterly Reporting Period No. 18) and also includes an overall evaluation of volatile organic compound (VOC) concentrations within soil gas as they pertain to a potential rebound effect at the Site. Please refer to Quarterly O&M Status Reports No. 1 through No. 17 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period between March and August 2007.

## 2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

### 2.1 SSD SYSTEM

The following SSD System performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA to evaluate system performance:

- Monthly subslab vacuum monitoring at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Monthly inspections and monitoring of rooftop fans (air velocity and vacuum) to verify proper operation.
- Continuous electronic monitoring (with automatic alarm notification via audible signal and phone notification) at each of three SSD System extraction fans to ensure continuous operation.

All vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations were between -0.01 and -0.20 in. of water column. These measurements confirm that continuous negative pressure has been maintained beneath the building slab.

Inspections and monitoring of all other system equipment revealed proper system operation, and no equipment shutdowns, failures, alarms, or interruptions of any type occurred during this reporting period. The continuous, verified zone of negative pressure beneath the school's concrete slab, along with the monthly inspections and continuous monitoring of both the indoor air monitoring system and the subslab depressurization system, confirms proper operation of the SSD System during this reporting period.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

### 2.2 INDOOR METHANE MONITORING SYSTEM

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system (equipped with automatic alarm notification via audible signal and phone notification) within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. In addition, the methane monitoring system was inspected and filters were replaced on a regular basis. The indoor methane monitoring system operated continuously throughout this reporting period with no equipment shutdowns, failures, alarms, or interruptions of any type, and no methane was detected during any of the supplemental monthly indoor methane monitoring events.

On 23 January 2012, filter discs at each of the eight continuous methane sensors were replaced in accordance with a quarterly frequency schedule. The next filter replacement is scheduled for April 2012.

No other maintenance or repairs to the methane monitoring system or components were performed or required during this reporting period.

### **2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING**

One outdoor ambient air sample and eight indoor air samples within the school at RIDEM-approved sampling locations were collected and analyzed for VOCs via Method TO-15 SIM (Selective Ion Monitoring) on 23 January 2012. The outdoor ambient sample was collected from the northeast side of the school (upwind) to ensure that system emission was not captured in the sample. Sampling locations are shown on the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2. The indoor air sampling results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) in accordance with the Amended OA. The laboratory reporting limits (RLs) for several VOCs reported via TO-15 analysis, even though analyzed via the SIM procedure, were greater than the respective CT RTACs. In accordance with the Amended OA, EA contacted the laboratory prior to sample analysis to verify that the RLs provided would be the lowest currently achievable limits. An RL verification letter from Con-Test Analytical Laboratory is provided in Appendix E. A data summary table and copies of the laboratory data reports associated with this sampling event are provided in Appendix B.

One compound, 4-methyl-2-pentanone, was detected in one indoor air sample at a concentration ( $270.0 \mu\text{g}/\text{m}^3$ ) exceeding the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTAC) ( $37.0 \mu\text{g}/\text{m}^3$ ) in accordance with the Amended OA for this Site. This compound is not a contaminant of concern at the site and has never been encountered at the Site previously at a concentration exceeding the utilized standard. Additionally, this compound was not detected at similar concentrations in other indoor air locations or in any subslab vapor samples. The maximum subslab vapor concentration identified during this sampling period was  $1.80 \mu\text{g}/\text{m}^3$  at IMP-2. Based on this data, subslab vapor intrusion is not occurring and further investigation into this detection is not warranted.

One compound, methylene chloride, was detected within one indoor air samples at a concentration that exceeds the CT RTAC ( $3.0 \mu\text{g}/\text{m}^3$ ). Methylene chloride was detected in Room 110 at a concentrations of  $6.3 \mu\text{g}/\text{m}^3$ . Methylene chloride is not a contaminant of concern at the site and is a laboratory contaminant that has been detected in indoor air samples sporadically. Methylene chloride was not detected in any subslab samples collected concurrently as the indoor samples. Based on this data, subslab vapor intrusion is not occurring and further investigation into this detection is not warranted.

Carbon tetrachloride, a documented background ambient compound present at the Site, has consistently been detected in ambient outdoor air and inside the school during every sampling

event completed at the Site at concentrations ranging between 0.19 and 0.77 ug/m<sup>3</sup>. Similarly, during this reporting period the ambient outdoor and indoor air concentrations of carbon tetrachloride ranged between 0.47 and 0.49 ug/m<sup>3</sup>. Discussions and guidance provided by the Rhode Island Department of Health, RIDEM Office of Waste Management, and RIDEM Office of Air Resources resulted in an understanding that these carbon tetrachloride results do not constitute Indoor Air Action Level exceedances for the Site since they are consistent with documented background concentrations.

All other compounds analyzed were below the applicable CT RTACs for all samples collected on 23 January 2012.

## **2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT**

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Six subslab vapor samples were collected in accordance with a RIDEM-approved (Amended OA) rotating sampling schedule and analyzed for VOCs via Method TO-15 SIM on 23 January 2012 in accordance with the Amended OA. The subslab data is summarized in Appendix C, along with copies of the laboratory data reports associated with these sampling events. Several contaminants of concern were detected at IMP-2 at maximum concentrations for the respective sampling location and compound, including two contaminants of concern. Tetrachloroethene and trichloroethene were detected at concentrations of 26.0 and 44.0 ug/m<sup>3</sup>, respectively. This is most likely due to the frozen soil surface preventing the natural release of volatilizing compounds from the subsurface. Based on the analytical results of subslab vapor monitoring, VOC rebound is not occurring.

## **2.5 SUMMARY OF ROOFTOP VOC EMISSIONS**

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. The latest rooftop VOC sampling event was completed on 26 July 2011 and is summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or yearly emissions were detected. The 2012 annual rooftop emission VOC sampling event is scheduled for July 2012 to accommodate the revised quarterly sampling schedule.

Previous rooftop emission sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, and July 2010 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. In general, the VOC concentrations in the rooftop emission associated with the July 2011 sampling round indicate continuance of the decreasing trend of VOC concentrations in subsurface soils and do not exceed the Air Pollution Control Permit Applicability Thresholds. Tabulation of the data and the rooftop sampling analytical report is provided as Appendix D.

## **2.6 CONCLUSIONS**

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into the Alvarez High School is not occurring.
- Subslab vapor rebound is not occurring at the school, based on analytical data from this sampling event.
- The continuous operation of the SSD System, with no equipment malfunctions or alarm conditions, and confirmation of continuous subslab vacuum beneath the school illustrates ongoing, effective operation of the SSD System. No soil vapor intrusion pathway exists at the school while the SSD System is operational.
- No SSD System modifications or other actions to address current site conditions are warranted or proposed at this time.


### **3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT**

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period ending 31 May 2012:

- Continuous monitoring of the operational status of the three rooftop fans
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity
- Collection of air samples from eight indoor locations, one ambient location, and six subslab monitoring points in April 2011.

These activities will be summarized in the next status report (Quarterly Status Report No. 19), expected to be submitted by the end of June 2012.


## ***FIGURES***



ALVAREZ HIGH SCHOOL  
333 ADELAIDE AVENUE  
PROVIDENCE, RHODE ISLAND

FIGURE 1  
SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



DESIGNED BY  
PMG

DRAWN BY  
PMG

DATE  
4-3-07

PROJECT NO.  
61965.01

FILE NAME  
Gorham Layout

CHECKED BY  
PMG

PROJECT MGR.  
PMG

SCALE  
NTS

DRAWING NO.  
—

FIGURE  
N/A


INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM - GORHAM HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 2



DESIGNED BY PM/G	DRAWN BY DMA	DATE AUG 27 2007	PROJECT NO. 14687.01	FILE NAME FIG 3
CHECKED BY PM/G	PROJECT MGR. PMG	SCALE NTS	DRAWING NO. N/A	FIGURE 3

**AS-BUILT**  
**SUB SLAB MONITORING AND SAMPLING LOCATIONS**  
**ALVAREZ HIGH SCHOOL**  
**PROVIDENCE, RHODE ISLAND**



## ***APPENDIX A***

### ***O&M Field Forms***

**Alvarez High School - SSD & Interior Methane Monitoring System O&M Form**

Date of O&M: 12/23/2011

Performed by: P. Theroux

PID/Methane Calibration? US Environmental (yes/no)

Date of last Methane Sensor Filter Replacement: 10/28/11

Replaced this O&M Visit? no (yes/no)

General Status of SSD System: online and operational

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: observed in good condition

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	--	
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	--	
Kitchen Storage Room	NA	NA	61	0	0	0	--	--	--	--	--	--	
Elevator Hallway	NA	NA	21	0	0	0	--	--	--	--	--	--	
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	--	
MP-1	-0.10	NA	183	NA	0	0	--	--	--	--	--	--	
MP-2	-0.11	NA	163	NA	0	0	--	--	--	--	--	--	
MP-3	-0.09	NA	226	NA	0	0	--	--	--	--	--	--	
MP-4	-0.07	NA	250	NA	0	0	--	--	--	--	--	--	
MP-5	-0.09	NA	282	NA	0	0	--	--	--	--	--	--	
MP-6	-0.07	NA	116	NA	0	0	--	--	--	--	--	--	
MP-7	-0.20	NA	218	NA	0	0	--	--	--	--	--	--	
MP-8	-0.11	NA	76	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.01	NA	1530	NA	0	0	--	--	--	--	--	--	
IMP-2	-0.02	NA	978	NA	0	0	--	--	--	--	--	--	
IMP-3	-0.02	NA	1416	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 1	-2.0	2621	112	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 2	-2.0	2077	201	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 3	-2.5	2078	575	NA	0	0	--	--	--	--	--	--	
Ambient Outdoor Air	NA	NA	0	NA	0	0	--	--	--	--	--	--	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

**Alvarez High School - SSD & Interior Methane Monitoring System O&M Form**

Date of O&M: 1/23/2012

Performed by: P. Theroux

PID/Methane Calibration? US Environmental (yes/no)

Date of last Methane Sensor Filter Replacement: 10/28/2011 - 1/23/2012

Replaced this O&M Visit? yes (yes/no)

General Status of SSD System: online and operational

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: observed in good condition

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	78	0	0	0	1699	4090	0749	-29	0824	-9	
Cafeteria	NA	NA	43	0	0	0	1249	4089	0750	-30	0820	-1	
Kitchen Storage Room	NA	NA	33	0	0	0	1472	4081	0756	-27	0821	-7	regulator leaked when first opened. Fixed at ~27 vac
Elevator Hallway	NA	NA	50	0	0	0	1028	4068	0757	-30	0824	-7	
Room 145	NA	NA	88	0	0	0	1114	4091	0829	-30+	0859	-6	
Room 152	NA	NA	62	0	0	0	1621	4102	0831	-28	0900	0	
Room 118	NA	NA	126	0	0	0	1868	4100	0847	-29	0917	-7	
Room 110	NA	NA	205	0	0	0	1841	4088	0850	-29	0920	-8	
MP-1	-0.02	NA	989	NA	0	0	1217	4093	1116	-30	1144	-7	
MP-2	-0.02	NA	380	NA	0	0	--	--	--	--	--	--	
MP-3	-0.05	NA	1100	NA	0	0	1507	4105	1125	-30	1154	-7	
MP-4	-0.05	NA	1775	NA	0	0	1471	4092	1149	-30	1219	-8	
MP-5	-0.07	NA	392	NA	0	0	--	--	--	--	--	--	
MP-6	-0.11	NA	723	NA	0	0	1489	4107	1132	-30	1202	-7	
MP-7	-0.11	NA	281	NA	0	0	--	--	--	--	--	--	
MP-8	-0.10	NA	332	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.02	NA	2182	NA	0	0	1158	4082	0913	-30	0943	-5	
IMP-2	-0.02	NA	0	NA	0	0	1652	4101	0838	-30	0906	-8	
IMP-3	-0.01	NA	2848	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 1	-2.0	3014	492	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 2	-2.0	1915	870	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 3	-2.6	1742	844	NA	0	0	--	--	--	--	--	--	
Ambient Outdoor Air	NA	NA	23	NA	0	0	1878	4106	1118	-30	1146	-8	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

**Alvarez High School - SSD & Interior Methane Monitoring System O&M Form**

Date of O&M: 2/29/2012

Performed by: P. Theroux

PID/Methane Calibration? US Environmental (yes/no)

Date of last Methane Sensor Filter Replacement: 1/23/12

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: online and operational

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: observed in good condition

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	--	
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	--	
Kitchen Storage Room	NA	NA	0	0	0	0	--	--	--	--	--	--	
Elevator Hallway	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	--	
MP-1	-0.01	NA	2156	NA	0	0	--	--	--	--	--	--	
MP-2	-0.06	NA	224	NA	0	0	--	--	--	--	--	--	
MP-3	-0.06	NA	1536	NA	0	0	--	--	--	--	--	--	
MP-4	-0.04	NA	218	NA	0	0	--	--	--	--	--	--	
MP-5	-0.04	NA	220	NA	0	0	--	--	--	--	--	--	
MP-6	-0.06	NA	945	NA	0	0	--	--	--	--	--	--	
MP-7	-0.08	NA	445	NA	0	0	--	--	--	--	--	--	
MP-8	-0.08	NA	545	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.01	NA	2966	NA	0	0	--	--	--	--	--	--	
IMP-2	-0.02	NA	2779	NA	0	0	--	--	--	--	--	--	
IMP-3	-0.01	NA	1652	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 1	-2.0	3014	330	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 2	-2.0	1915	732	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 3	-2.7	1742	476	NA	0	0	--	--	--	--	--	--	
Ambient Outdoor Air	NA	NA	0	NA	0	0	--	--	--	--	--	--	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

## ***APPENDIX B***

***Indoor and Ambient Outdoor  
Air Analytical Summary and Lab Report***

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Acetone	8-Feb-08		20.200	8.240	4.750	U	6.870	8.060	4.750	U	4.780		4.750
	27-Mar-08 <sup>2</sup>		576.000	186.000	108.000		89.900	24.700	38.300		76.700		5.870
	25-Apr-08		61.700	12.900	19.000		15.100	14.800	18.600		12.500		6.670
	29-May-08		19.500	16.000	12.800		16.200	10.900	17.200		13.200		7.480
	27-Jun-08		87.900	20.000	20.500		27.700	28.900	29.000		28.000		19.700
	31-Jul-08		32.200	17.200	20.800		16.800	23.800	20.000		18.600		20.000
	28-Aug-08		33.100	21.100	21.500		25.800	27.000	32.400		29.100		37.000
	30-Sep-08		39.400	10.400	7.600		11.200	44.800	29.900		19.600		6.800
	27-Oct-08		56.200	23.100	14.900		24.100	15.900	26.500		34.300		109.000
	25-Nov-08		21.300	8.200	5.300		14.000	15.600	9.700		6.500		7.000
	18-Dec-08		39.300	18.500	16.900		21.500	23.100	41.900		22.000		40.000
	21-Jan-09		5.300	2.400	2.400		5.600	5.000	3.300		4.000		2.400
	25-Feb-09		2.400	2.900	2.400		NS	9.600	5.000		3.800		2.400
	26-Mar-09		34.400	10.700	8.820		11.300	13.800	12.000		10.500		9.680
	29-Apr-09	180.0	4.750	5.700	7.230		8.240	19.200	9.420		7.570		7.700
	22-Jul-09		2.370	13.100	18.700		11.700	28.900	29.400		17.100		19.400
	9-Oct-09		19.500	10.100	9.220		11.000	15.500	12.000		10.600		11.000
	15-Jan-10		11.900	8.160	5.080		6.700	7.320	7.270		5.260		8.110
	21-Apr-10		26.700	22.000	23.200		19.300	19.900	21.800		20.500		4.960
	16-Jul-10		28.200	16.500	13.800		16.100	36.900	24.900		40.700		14.300
	15-Oct-10		32.700	8.180	4.750		11.500	7.360	6.010		5.530		7.630
	30-Nov-10		NS	13.200	13.000		NS	NS	6.460		NS		NS
	26-Jan-11		28.500	20.800	11.600		14.900	13.500	33.200		12.600		24.000
	26-Jan-11**		NS	17.000	15.000		NS	NS	12.000		12.000		NS
	27-Apr-11		6.820	12.800	11.300		14.700	14.600	7.550		12.300		5.930
	26-Jul-11		51.800	48.0	22.8		82.200	28.700	7.170		25.400		39.400
	28-Oct-11		17.000	12.0	7.4		9.900	11.000	9.700		13.000		15.000
	23-Jan-12		15.000	15.0	18.0		18.000	10.000	37.000		19.000		18.000
								25.000					13.000
Acrylonitrile	8-Feb-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	27-Mar-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	25-Apr-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	29-May-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	27-Jun-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	31-Jul-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	28-Aug-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	25-Feb-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	26-Mar-09		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	29-Apr-09	None	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	22-Jul-09		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	9-Oct-09		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	15-Jan-10		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	21-Apr-10		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	16-Jul-10		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	15-Oct-10		1.080	U	0.108	U	1.080	U	1.080	U	1.080	U	1.080
	30-Nov-10		NS	1.080	1.080	U	NS	NS	1.080	U	1.080	U	NS
	26-Jan-11		1.850	U	1.840	U	1.850	U	1.850	U	1.840	U	1.840
	26-Jan-11**		NS	1.840	1.840	U	NS	NS	1.840	U	1.850	U	NS
	27-Apr-11		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	26-Jul-11		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	28-Oct-11		0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.250
	23-Jan-12		0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440
Benzene	8-Feb-08		0.910	0.840	0.730		0.780	0.810	0.750		0.790		0.870
	27-Mar-08		1.420	1.350	1.600		1.420	0.218	0.810		1.730		0.372
	25-Apr-08		1.360	1.300	0.638		1.400	1.150	1.270		1.130		0.413

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromoform	8-Feb-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	27-Mar-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	25-Apr-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	29-May-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	27-Jun-08		0.206	U	0.210	U	0.206	U	0.210	U	0.210	U	0.206
	31-Jul-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	28-Aug-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	30-Sep-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	27-Oct-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	25-Nov-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	18-Dec-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	21-Jan-09		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	25-Feb-09		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	26-Mar-09		0.410	U	0.410	U	NS	U	0.410	U	0.410	U	0.410
	29-Apr-09	0.55	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	22-Jul-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	9-Oct-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	15-Jan-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	21-Apr-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	16-Jul-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	15-Oct-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	30-Nov-10		NS	U	0.206	U	0.206	U	NS	U	0.206	U	NS
	26-Jan-11		0.353	U	0.351	U	0.352	U	0.352	U	0.351	U	0.351
	26-Jan-11**		0.540	U	0.520	U	NS	U	NS	U	0.520	U	NS
	27-Apr-11		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	26-Jul-11		0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207
	28-Oct-11		0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310
	23-Jan-12		0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360
2-Butanone	8-Feb-08		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470
	27-Mar-08		8.560	U	6.540	U	5.650	U	5.140	U	3.950	U	1.470
	25-Apr-08		2.140	U	1.470	U	3.170	U	1.470	U	1.470	U	1.470
	29-May-08		1.470	U	1.470	U	2.840	U	2.240	U	1.470	U	1.470
	27-Jun-08		7.850	U	2.520	U	3.810	U	3.890	U	3.050	U	3.080
	31-Jul-08		2.080	U	1.720	U	3.080	U	1.650	U	2.080	U	1.470
	30-Sep-08		2.280	U	1.790	U	3.980	U	3.980	U	1.470	U	1.650
	30-Sep-08		1.500	U	1.500	U	1.500	U	1.500	U	2.200	U	1.500
	27-Oct-08		1.900	U	3.200	U	1.500	U	3.600	U	1.500	U	2.800
	25-Nov-08		2.600	U	1.500	U	1.500	U	1.900	U	1.500	U	1.600
	18-Dec-08		1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500
	21-Jan-09		1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500
	25-Feb-09		1.500	U	1.500	U	0.079	U	NS	U	1.500	U	1.500
	26-Mar-09		2.410	U	1.560	U	1.470	U	1.470	U	1.590	U	1.470
	29-Apr-09	500.0	1.470	U	1.470	U	1.470	U	1.460	U	1.470	U	1.470
	22-Jul-09		1.470	U	1.470	U	4.750	U	1.470	U	2.070	U	2.190
	9-Oct-09		1.470	U	1.470	U	1.540	U	1.640	U	1.470	U	1.470
	15-Jan-10		6.610	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470
	21-Apr-10		1.850	U	1.470	U	2.770	U	1.590	U	1.480	U	1.470
	16-Jul-10		2.520	U	1.900	U	2.100	U	2.210	U	3.180	U	1.630
	15-Oct-10		4.300	U	1.470	U	1.470	U	1.470	U	1.470	U	0.021
	30-Nov-10		NS	U	1.470	U	1.470	U	NS	U	1.470	U	NS
	26-Jan-11		2.720	U	3.190	U	2.510	U	2.510	U	2.500	U	2.710
	26-Jan-11**		NS	U	2.300	U	2.100	U	NS	U	1.600	U	NS
	27-Apr-11		1.470	U	1.470	U	2.220	U	1.470	U	1.470	U	1.470
	26-Jul-11		1.600	U	1.470	U	2.320	U	1.520	U	1.470	U	1.470
	28-Oct-11		3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.400
	23-Jan-12		4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100
n-Butylbenzene	8-Feb-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	27-Mar-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	25-Apr-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	29-May-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	27-Jun-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	31-Jul-08		2.740	U	2.740	U	2						

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Carbon tetrachloride	8-Feb-08		0.500	0.480	0.440	0.450	0.460	0.470	0.470	0.470			0.470
	27-Mar-08		0.540	0.541	0.547	0.537	0.580	0.577	0.552	0.586			0.565
	25-Apr-08		0.436	0.439	0.405	0.441	0.448	0.439	0.465	0.450			0.416
	29-May-08		0.470	0.470	0.450	0.470	0.480	0.490	0.520	0.460			0.460
	27-Jun-08		0.544	0.535	0.526	0.534	0.526	0.538	0.555	0.547			0.537
	31-Jul-08		0.526	0.532	0.528	0.554	0.554	0.554	0.542	0.551			0.557
	28-Aug-08		0.552	0.548	0.551	0.545	0.566	0.559	0.556	0.572			0.551
	30-Sep-08		0.489	0.446	0.404	0.497	0.461	0.250	0.491	0.531			0.547
	27-Oct-08		0.370	0.510	0.260	0.450	0.280	0.510	0.270	0.480			0.460
	25-Nov-08		0.400	0.400	0.400	0.440	0.420	0.350	0.370	0.470			0.470
	18-Dec-08		0.350	0.330	0.440	0.410	0.420	0.350	0.340	0.310			0.520
	21-Jan-09		0.490	0.460	0.570	0.460	0.500	0.490	0.570	0.540			0.620
	25-Feb-09		0.360	0.190	0.380	NS	4.000	0.400	0.410	0.400			0.440
	26-Mar-09		0.568	0.592	0.542	0.561	0.584	0.561	0.566	0.542			0.604
	29-Apr-09	0.5	0.534	0.522	0.597	0.534	0.528	0.622	0.578	0.559			0.515
	22-Jul-09		0.597	0.591	0.585	0.597	0.585	0.585	0.578	0.585			0.591
	9-Oct-09		0.503	0.566	0.471	0.497	0.471	0.497	0.478	0.484			0.478
	15-Jan-10		0.585	0.603	0.578	0.597	0.585	0.610	0.616	0.610			0.635
	21-Apr-10		0.490	0.547	0.559	0.484	0.126	0.459	0.530	0.490			0.484
	16-Jul-10		0.497	0.503	0.484	0.528	0.465	0.547	0.484	0.484			0.541
	15-Oct-10		0.459	0.427	0.509	0.434	0.440	0.408	0.453	0.446			0.503
	30-Nov-10		NS	0.478	0.559	NS	NS	0.484	NS	NS			NS
	26-Jan-11		0.568	0.502	0.504	0.567	0.472	0.566	0.481	0.558			0.481
	26-Jan-11**		NS	0.540	0.500	NS	NS	0.500	NS	NS			NS
	27-Apr-11		0.371	0.358	0.364	0.408	0.352	0.364	0.358	0.358			0.434
	26-Jul-11		0.409	0.442	0.409	0.428	0.402	0.421	0.402	0.421			0.459
	28-Oct-11		0.410	0.380	0.430	0.430	0.420	0.410	0.430	0.430			0.440
	23-Jan-12		0.490	0.490	0.480	0.480	0.470	0.460	0.490	0.460			0.480
Chlorobenzene	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	25-Apr-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.092	U	0.090	U	0.090	U	0.090	U	0.092	U	0.092
	31-Jul-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Aug-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Sep-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	27-Oct-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	25-Nov-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	18-Dec-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	21-Jan-09		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	25-Feb-09		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	26-Mar-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-Apr-09	37.0	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	22-Jul-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Oct-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Jan-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	21-Apr-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	16-Jul-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Oct-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Nov-10		NS	0.092	U	0.092	U	NS	NS	0.092	U	NS	NS
	26-Jan-11		0.157	U	0.156	U	0.157	U	0.157	U	0.156	U	0.156
	26-Jan-11**		NS	0.230	U	0.230	U	NS	NS	0.230	U	NS	NS
	27-Apr-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	26-Jul-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Oct-11		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.046
	23-Jan-12		0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160
Chloroethane	8-Feb-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050
	27-Mar-08		0.062	U	0.053								

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Chloromethane	8-Feb-08		2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U	
	27-Mar-08		2.830	3.070	2.680	2.440	2.440	U	2.830	U	2.480	U	2.440	U	
	25-Apr-08		2.820	2.440	U	2.440	U	2.440	U	3.000	2.440	U	2.440	U	
	29-May-08		2.790	3.000	7.100	11.000	2.940	6.280	6.420	2.770	2.440	U	2.440	U	
	27-Jun-08		2.650	2.440	U	2.440	U	2.830	3.260	2.620	2.440	U	2.500	2.440	
	31-Jul-08		3.580	3.880	3.330	4.370	3.440	3.150	3.740	2.440	U	2.540	2.540	2.440	
	28-Aug-08		2.440	3.140	5.310	6.880	3.150	2.440	U	2.540	U	2.540	2.440	U	
	30-Sep-08		1.400	1.300	1.100	1.400	1.000	1.000	1.700	1.600	1.000	U	1.200	U	
	27-Oct-08		1.000	U	1.000	U	1.000	U	1.000	U	1.200	U	1.000	U	
	25-Nov-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	
	18-Dec-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	
	21-Jan-09		1.000	U	1.000	U	1.500	1.000	1.000	U	1.400	U	1.100	U	
	25-Feb-09		1.000	U	1.000	U	1.000	NS	1.000	U	1.000	U	1.100	U	
	26-Mar-09		2.490	2.680	2.550	2.920	2.910	2.440	U	2.440	U	2.440	U	2.440	U
	29-Apr-09	14.0	2.710	2.910	3.600	3.730	3.130	2.660	3.390	2.960	U	2.510			
	22-Jul-09		2.670	2.520	2.660	2.540	2.440	U	2.780	3.390	3.320	U	2.440	U	
	9-Oct-09		3.450	2.740	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	
	15-Jan-10		3.850	3.690	2.820	3.180	3.240	3.630	3.120	3.750	2.600				
	21-Apr-10		2.550	2.440	2.440	U	2.440	U	2.400	U	2.520	2.440	2.460		
	16-Jul-10		1.510	1.660	1.050	1.090	1.680	1.110	1.300	1.100	1.100	U	1.510		
	15-Oct-10		1.080	1.080	1.030	1.050	1.030	1.030	1.030	1.030	1.030	U	1.030	U	
	30-Nov-10		NS	1.030	U	1.030	NS	NS	1.030	U	NS	U	NS	U	
	26-Jan-11		1.760	U	1.750	U	1.760	U	1.760	U	1.750	U	1.750	U	
	26-Jan-11**		NS	1.100	1.000	NS	NS	NS	1.000	NS	NS	U	NS	U	
	27-Apr-11		1.050	1.660	1.400	2.160	1.440	1.510	1.740	1.460	1.460	U	1.270		
	26-Jul-11		1.160	1.600	1.030	1.120	1.030	1.030	1.030	1.030	1.030	U	1.030	U	
	28-Oct-11		1.400	1.000	1.300	1.500	1.300	0.960	1.000	1.100	1.100	U	1.300		
	23-Jan-12		1.300	1.100	1.100	1.200	1.400	1.900	1.400	1.500	1.500	U	1.100		
Dibromochloromethane	8-Feb-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
	27-Mar-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	25-Apr-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	29-May-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
	27-Jun-08		0.100	U	0.100	U	0.100	U	0.096	U	0.308	U	0.096	U	
	31-Jul-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	28-Aug-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	30-Sep-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	
	25-Nov-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	
	18-Dec-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	
	21-Jan-09		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	
	25-Feb-09		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	
	26-Mar-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	29-Apr-09	None	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	22-Jul-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	9-Oct-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	15-Jan-10		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	21-Apr-10		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	
	16-Jul-10		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	
	15-Oct-10		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	
	30-Nov-10		NS	0.170	U	0.170	U	NS	NS	0.170	U	NS	U	NS	
	26-Jan-11		0.291	U	0.289	U	0.290	U	0.291	U	0.289	U	0.289	U	
	26-Jan-11**		NS	0.430	U	0.430	U	NS	NS	0.430	U	NS	U	NS	
	27-Apr-11		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	
	26-Jul-11		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	
	28-Oct-11		0.26												

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,3-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Nov-08		3.000	U	3.000	U	2.500	U	3.000	U	3.000	U	3.000
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Feb-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	26-Mar-09		3.000	U	3.000	U	NS	U	3.000	U	3.000	U	3.000
	29-Apr-09	73.0	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	22-Jul-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	9-Oct-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	15-Jan-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	21-Apr-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	16-Jul-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Nov-10		NS	U	0.120	U	NS	U	NS	U	NS	U	NS
	26-Jan-11		0.205	U	0.204	U	0.205	U	0.205	U	0.204	U	0.204
	27-Apr-11**		NS	U	0.300	U	0.300	U	NS	U	0.300	U	NS
	26-Jul-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	28-Oct-11		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	23-Jan-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
1,4-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Mar-08		0.292	U	0.272	U	0.206	U	0.596	U	0.728	U	0.228
	25-Apr-08		0.415	U	0.287	U	0.126	U	0.247	U	0.261	U	0.222
	29-May-08		0.230	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Jun-08		0.506	U	0.176	U	0.391	U	0.315	U	0.130	U	0.132
	31-Jul-08		0.309	U	0.524	U	0.254	U	0.323	U	0.458	U	0.272
	28-Aug-08		0.198	U	0.252	U	0.216	U	0.262	U	0.205	U	0.222
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Feb-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	26-Mar-09		0.149	U	0.120	U	0.120	U	0.193	U	0.146	U	0.120
	29-Apr-09	24.0	0.246	U	0.144	U	0.180	U	1.740	U	0.210	U	0.204
	22-Jul-09		0.198	U	0.120	U	0.553	U	0.120	U	0.174	U	0.204
	9-Oct-09		0.360	U	0.402	U	0.336	U	0.360	U	0.354	U	0.270
	15-Jan-10		0.156	U	0.186	U	0.120	U	0.432	U	0.150	U	0.144
	21-Apr-10		0.120	U	0.180	U	0.120	U	0.156	U	0.150	U	0.126
	16-Jul-10		1.580	U	0.493	U	0.637	U	0.306	U	0.499	U	0.553
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Nov-10		NS	U	0.282	U	0.318	U	NS	U	0.120	U	NS
	26-Jan-11		0.205	U	0.470	U	0.205	U	0.205	U	0.316	U	0.204
	26-Jan-11**		NS	U	0.740	U	0.300	U	NS	U	0.300	U	NS
	27-Apr-11		0.120	U	0.174	U	0.120	U	0.222	U	0.120	U	0.120
	26-Jul-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	28-Oct-11		0.190	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	23-Jan-12		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
Dichlorodifluoromethane	8-Feb-08		1.960		1.860		1.980		1.890		1.980		1.890
	27-Mar-08		2.420		2.380		2.280		2.110		2.600		2.070
	25-Apr-08		2.060		2.100		2.010		2.170		2.030		2.030
	29-May-08		1.700		1.630		1.540		1.760		1.630		1.600
	27-Jun-08		2.280		2.280								

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloroethane	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Mar-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	25-Apr-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Jun-08		0.080	U	0.081	U	0.080	U	0.080	U	0.080	U	0.081
	31-Jul-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	28-Aug-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	30-Sep-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Oct-08		0.080	U	0.150	U	0.080	U	0.080	U	0.080	U	0.080
	25-Nov-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	18-Dec-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	21-Jan-09		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	25-Feb-09		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	26-Mar-09		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	29-Apr-09	0.07/0.08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	22-Jul-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	9-Oct-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	15-Jan-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	21-Apr-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	16-Jul-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	15-Oct-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	30-Nov-10		NS		0.081	U	0.081	U	NS		NS		NS
	26-Jan-11		0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138
	26-Jan-11**		NS		0.200	U	0.200	U	NS		NS		NS
	27-Apr-11		0.081	U	0.081	U	0.081	U	0.093	U	0.081	U	0.081
	26-Jul-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	28-Oct-11		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.040
	23-Jan-12		0.071	U	0.071	U	0.071	U	0.091	U	0.071	U	0.071
1,1-Dichloroethylene	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Mar-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	25-Apr-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Jun-08		0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	28-Aug-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	26-Mar-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	29-Apr-09	10.0	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	22-Jul-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	9-Oct-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	15-Jan-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	21-Apr-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	16-Jul-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	15-Oct-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	30-Nov-10		NS		0.079	U	0.079	U	NS		NS		NS
	26-Jan-11		0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135
	26-Jan-11**		NS		0.200	U	0.200	U	NS		NS		NS
	27-Apr-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	26-Jul-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	28-Oct-11		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.040
	23-Jan-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
cis-1,2-Dichloroethene*	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Mar-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080		

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloropropane	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	25-Apr-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.092	U	0.092	U	0.090	U	0.090	U	0.092	U	0.092
	31-Jul-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Aug-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Sep-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Oct-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	25-Nov-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	18-Dec-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	21-Jan-09		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	25-Feb-09		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	26-Mar-09		0.090	U	0.090	U	NS	U	0.090	U	0.090	U	0.090
	29-Apr-09	0.13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	22-Jul-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Oct-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Jan-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	21-Apr-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	16-Jul-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Oct-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Nov-10		NS	U	0.092	U	0.092	U	NS	U	NS	U	NS
	26-Jan-11		0.158	U	0.157	U	0.157	U	0.158	U	0.157	U	0.157
	26-Jan-11**		NS	U	0.230	U	0.230	U	NS	U	NS	U	NS
	27-Apr-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	26-Jul-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Oct-11		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.046
	23-Jan-12		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
cis-1,3-Dichloropropene	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	25-Apr-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.090	U	0.090	U	0.090	U	0.090	U	0.091	U	0.091
	31-Jul-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	28-Aug-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	30-Sep-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	27-Oct-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	25-Nov-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	18-Dec-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	21-Jan-09		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	25-Feb-09		0.180	U	0.180	U	NS	U	0.180	U	0.180	U	0.180
	26-Mar-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	29-Apr-09	None	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	22-Jul-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	9-Oct-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	15-Jan-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	21-Apr-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	16-Jul-10		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	15-Oct-10		0.091	U	0.092	U	0.091	U	0.091	U	0.091	U	0.091
	30-Nov-10		NS	U	0.091	U	NS	U	NS	U	NS	U	NS
	26-Jan-11		0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.154
	26-Jan-11**		NS	U	0.230	U	0.230	U	NS	U	NS	U	NS
	27-Apr-11		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	26-Jul-11		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	28-Oct-11		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	23-Jan-12		0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160
trans-1,3-Dichloropropene	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	25-Apr-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	29-May-08		0.09										

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Isopropylbenzene	8-Feb-08	120.0	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	27-Mar-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	25-Apr-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	29-May-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	27-Jun-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	31-Jul-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	28-Aug-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	30-Sep-08		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900
	27-Oct-08		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900
	25-Nov-08		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900
	18-Dec-08		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900
	21-Jan-09		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900
	25-Feb-09		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900
	26-Mar-09		4.900	U	4.900	U	NS	4.900	U	4.900	U	4.900	U
	29-Apr-09		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	22-Jul-09		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	9-Oct-09		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	15-Jan-10		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	21-Apr-10		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	16-Jul-10		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	15-Oct-10		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	30-Nov-10		NS	2.460	U	2.460	U	NS	2.460	U	NS	2.460	U
	26-Jan-11		4.190	U	4.190	U	4.190	U	4.190	U	4.190	U	4.190
	26-Jan-11**		NS	4.190	U	4.190	U	NS	4.190	U	NS	4.190	U
	27-Apr-11		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	26-Jul-11		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460
	28-Oct-11		0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370
	23-Jan-12		0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440
o-Isopropyltoluene	8-Feb-08	67.0	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	27-Mar-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	25-Apr-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	29-May-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	27-Jun-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	31-Jul-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	28-Aug-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	30-Sep-08		5.500	U	5.500	U	5.5	U	5.500	U	6.400	U	5.500
	25-Nov-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500
	25-Nov-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500
	18-Dec-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500
	21-Jan-09		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500
	25-Feb-09		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500
	26-Mar-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	29-Apr-09		2.740	U	2.740	U	0.274	U	2.740	U	2.740	U	2.740
	22-Jul-09		2.740	U	2.740	U	3.890	U	2.740	U	2.740	U	2.740
	9-Oct-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	15-Jan-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	21-Apr-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	16-Jul-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	15-Oct-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740
	30-Nov-10		NS	2.740	U	2.740	U	NS	2.740	U	NS	2.740	U
	26-Jan-11		0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660
	26-Jan-11**		NS	0.468	U	4.660	U	NS	0.468	U	NS	0.468	U
	27-Apr-11		2.740	U	2.74	U	2.740	U	2.740	U	2.740	U	2.740
	26-Jul-11		2.740	U	2.74	U	2.740	U	2.740	U	2.740	U	2.740
	28-Oct-11		0.380	U	0.38	U	0.380	U	0.380	U	0.380	U	0.380
	23-Jan-12		0.080	U	0.44	U	0.440	U	0.440	U	0.440	U	0.440
Methyl tert butyl ether (MTBE)	8-Feb-08	160.0	0.070	U	0.070	U	0.070	U	0.070	U	0.0		

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
4-Methyl-2-pentanone	8-Feb-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	27-Mar-08		2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050
	25-Apr-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	29-May-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	27-Jun-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	31-Jul-08		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	28-Aug-08		2.050	U	2.050	U	2.050	U	2.540	U	2.050	U	2.050
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	26-Mar-09		2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000
	29-Apr-09	37.0	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	22-Jul-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	9-Oct-09		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	15-Jan-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	21-Apr-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	16-Jul-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	15-Oct-10		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	30-Nov-10		NS		2.050	U	NS		NS		NS		NS
	26-Jan-11		3.490	U	3.480	U	3.490	U	3.490	U	59.500	3.480	U
	26-Jan-11**		NS		0.200	U	0.200	U	NS		0.200	U	NS
	27-Apr-11		2.050	U	2.050	U	2.050	U	2.930	U	2.050	U	2.050
	26-Jul-11		11.700	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050
	28-Oct-11		2.100	U	0.490	U	0.840	U	0.560	U	0.800	U	1.200
	23-Jan-12		0.140	U	0.140	U	0.210	U	0.190	U	26.000	0.230	270.000
Styrene	8-Feb-08		0.710		0.130		0.090	U	0.090	U	0.090	U	0.090
Styrene	27-Mar-08		1.200		0.118		0.120	U	0.140	U	0.175	U	0.139
	25-Apr-08		0.856		0.156		0.180	U	0.184	U	0.137	U	0.124
	29-May-08		0.550		0.085	U	0.130	U	0.260	U	0.090	U	0.090
	27-Jun-08		1.830		0.085	U	0.112	U	0.186	U	0.191	U	0.085
	31-Jul-08		1.890		0.254		0.153	U	0.266	U	0.288	U	0.085
	28-Aug-08		0.654		0.368		0.262	U	0.392	U	0.203	U	0.108
	30-Sep-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	27-Oct-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	25-Nov-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	18-Dec-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	21-Jan-09		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	25-Feb-09		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	26-Mar-09		0.814		0.113		0.110	U	0.125	U	0.111	U	0.122
	29-Apr-09	52.0	0.515		0.085	U	0.136	U	0.085	U	0.085	U	0.085
	22-Jul-09		1.280		0.085	U	0.153	U	0.085	U	0.285	U	0.187
	9-Oct-09		0.838		0.153		0.149	U	0.174	U	0.566	U	0.140
	15-Jan-10		1.100		0.221		0.085	U	0.089	U	0.196	U	0.085
	21-Apr-10		0.281		0.204		0.289	U	0.187	U	0.328	U	0.140
	16-Jul-10		0.702		0.085	U	0.085	U	0.085	U	0.779	U	0.085
	15-Oct-10		0.549		0.085	U	0.085	U	0.098	U	0.805	U	0.085
	30-Nov-10		NS		0.149		0.119	U	NS		0.085	U	NS
	26-Jan-11		0.327		0.224		0.174	U	0.217	U	0.162	U	0.188
	26-Jan-11**		NS		0.510		0.370	U	NS		0.202	U	NS
	27-Apr-11		0.166		0.166		0.170	U	0.192	U	0.277	U	0.085
	26-Jul-11		0.677		2.460		0.132	U	11.700	U	0.315	U	0.250
	28-Oct-11		0.300		0.130	U	0.130	U	0.330	U	0.130	U	0.085
	23-Jan-12		0.820		0.250		0.480	U	0.270	U	0.510	U	0.150
1,1,1,2-Tetrachloroethane	8-Feb-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
1,1,1,2-Tetrachloroethane	27-Mar-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	25-Apr-08		0.137	U	0.137	U	0.137	U	0				

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Tetrachloroethene*	8-Feb-08		0.140	0.140	U	0.140	U	0.140	U	0.140	U	0.140	0.350
	27-Mar-08 <sup>2</sup>		12.500	6.680	13.300	16.100	26.000	7.730	23.300	4.310	0.153		
	25-Apr-08		0.180	0.254	0.179	0.282	0.231	0.276	0.228	0.298	0.136	U	
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	0.140	U
	27-Jun-08		0.249	0.449	0.397	0.459	0.424	0.243	0.460	0.246	0.216		
	31-Jul-08		1.030	1.000	0.877	0.880	0.795	0.872	0.252	0.287	0.154		
	28-Aug-08		0.321	0.367	0.283	0.323	0.274	0.434	0.294	0.282	0.445		
	30-Sep-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	4.200	U
	25-Nov-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	18-Dec-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	21-Jan-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	25-Feb-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	3.400	U
	26-Mar-09		3.400	U	3.400	U	NS	3.400	U	3.400	U	3.400	U
	29-Apr-09	5.0	0.136	U	0.136	U	0.697	0.136	U	0.136	U	0.136	U
	22-Jul-09		0.291	0.190	0.224	0.196	0.196	0.196	0.183	0.210	0.535		
	9-Oct-09		2.250	1.550	1.580	1.580	1.380	1.700	2.080	1.960	0.779		
	15-Jan-10		0.359	0.346	0.339	0.373	0.312	3.460	0.346	0.312	2.450		
	21-Apr-10		0.637	0.752	0.440	0.650	0.508	0.447	0.407	0.474	0.562		
	16-Jul-10		0.318	0.420	0.420	0.427	0.501	0.230	0.447	0.474	0.230		
	15-Oct-10		0.136	0.136	0.136	U	0.136	U	0.136	U	0.142	0.142	
	30-Nov-10		NS	0.461	0.291	NS	NS	0.169	NS	NS	NS		
	26-Jan-11		0.636	0.484	0.370	0.566	0.440	0.725	0.346	0.578	0.426		
	27-Apr-11**		NS	0.580	0.490	NS	NS	0.480	NS	NS	NS		
	26-Jul-11		0.142	0.176	0.176	0.352	0.176	0.136	0.149	0.136	0.285		
	28-Oct-11		0.529	0.563	0.522	0.631	0.549	0.325	0.739	0.461	0.224		
	23-Jan-12		0.100	0.140	0.100	U	0.100	0.100	U	0.100	0.100	0.068	
			0.240	U	0.240	U	0.590	0.320	0.510	0.260	0.260	U	
Toluene	8-Feb-08		1.240	1.140	1.120	1.150	1.240	0.990	0.910	1.030	1.480		
	27-Mar-08		6.470	4.040	4.520	4.150	5.920	5.570	4.210	4.040	1.560		
	25-Apr-08		4.800	4.000	2.810	3.900	3.790	4.070	4.010	3.660	0.465		
	29-May-08		0.930	0.790	1.630	1.330	0.870	1.060	1.020	0.670	0.320		
	27-Jun-08		3.870	3.060	3.200	3.850	4.110	3.840	4.520	3.020	2.410		
	31-Jul-08		2.760	2.020	2.690	1.990	2.720	2.200	1.680	1.440	1.850		
	28-Aug-08		5.230	5.960	7.800	7.530	5.920	5.640	5.680	5.240	6.050		
	30-Sep-08		1.900	U	1.900	U	2.500	1.900	5.000	1.900	1.900	1.900	U
	27-Oct-08		6.700	6.300	3.500	6.100	2.300	5.500	3.800	6.600	8.400		
	25-Nov-08		5.500	1.900	1.900	U	2.000	1.900	1.900	1.900	1.900	1.900	U
	18-Dec-08		1.900	U	1.900	U	1.900	U	1.900	U	1.900	1.900	U
	21-Jan-09		1.900	U	1.900	U	1.900	U	1.900	U	1.900	1.900	U
	25-Feb-09		1.900	U	1.900	U	1.900	U	1.900	U	1.900	1.900	U
	26-Mar-09		6.110	4.060	3.990	3.540	3.900	4.730	5.870	6.080	5.310		
	29-Apr-09	210.0	0.779	0.595	0.079	U	0.704	1.050	0.595	0.614	0.610	0.953	
	22-Jul-09		1.550	1.010	2.540	1.130	3.150	3.410	3.880	7.670	6.850		
	9-Oct-09		4.740	3.690	4.190	3.900	4.500	4.170	4.220	4.090	4.580		
	15-Jan-10		1.920	1.580	1.520	1.690	1.690	1.540	1.620	1.630	2.860		
	21-Apr-10		4.770	8.610	5.220	7.430	4.490	4.140	4.030	3.900	4.14		
	16-Jul-10		2.070	1.210	1.180	1.360	2.250	1.570	3.760	1.330	0.787		
	15-Oct-10		7.230	0.618	0.565	0.715	0.501	0.358	0.565	0.312	0.625		
	30-Nov-10		NS	1.280	1.200	NS	NS	0.825	NS	NS	NS		
	26-Jan-11		5.860	5.970	5.640	6.490	5.840	6.050	5.830	7.230	7.210		
	26-Jan-11**		NS	7.700	8.400	NS	NS	NS	NS	NS	NS		
	27-Apr-11		0.764	0.855	1.070	1.070	1.030	0.840	0.783	0.625	0.648		
	26-Jul-11		2.040	3.920	1.590	1.210	1.620	1.060	1.400	0.934	0.652		
	28-Oct-11		6.700	2.800	2.900	1.800	2.500	3.600	5.200	3.100	1.400		
	23-Jan-12		3.200	2.500	0.130	2.700	2.800	3.000	2.700	3.000	3.600		
1,1,1-Trichloroethane*	8-Feb-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	27-Mar-08		0.109	U	0.109	U	0.109	U	0.109	U	0.10		

**Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Trichloroethylene*	8-Feb-08		0.110	0.120	0.110	U	0.107	U	0.110	U	0.350	0.110	0.110
	27-Mar-08		0.239	0.233	0.218		0.226		0.325		0.217	0.170	0.107
	25-Apr-08		0.107	U	0.164	0.147		0.272		0.151	0.152	0.229	0.107
	29-May-08		0.110	U	0.110	U	0.107	U	0.110	U	0.110	0.110	0.110
	27-Jun-08		0.110	U	0.110	U	0.107	U	0.110	U	0.143	0.195	0.107
	31-Jul-08		0.113	0.107	U	0.107		0.107	U	0.107	U	0.107	0.107
	28-Aug-08		0.193	0.116	0.107	U	0.107	U	0.146		0.134	0.110	0.838
	30-Sep-08		0.800	U	0.800	U	0.800	U	0.800	U	0.800	0.800	U
	27-Oct-08		0.800	U	0.800	U	0.800	U	0.800	U	0.800	0.800	U
	25-Nov-08		0.540	U	0.540	U	0.540	U	0.540	U	0.540	0.540	U
	18-Dec-08		0.540	U	0.540	U	0.540	U	0.540	U	0.540	0.540	U
	21-Jan-09		0.540	U	0.540	U	0.540	U	0.540	U	0.540	0.540	U
	25-Feb-09		0.110	U	0.110	U	NS		0.110	U	0.110	0.110	U
	26-Mar-09		4.000	0.326	1.510		0.438		0.639		1.180	1.610	6.870
	29-Apr-09	1.0	0.107	U	1.340		0.107	U	0.107	U	0.107	0.107	U
	22-Jul-09		0.177	0.107	0.188		0.123		0.193		0.709	0.140	0.209
	9-Oct-09		0.231	0.215	0.182		0.193		0.242		0.156	0.156	0.107
	15-Jan-10		0.107	0.107	0.113		0.107	U	0.107	U	0.107	0.107	U
	21-Apr-10		0.247	0.580	0.279		0.505		0.376		0.360	0.419	0.107
	16-Jul-10		0.107	U	0.107	U	0.220		0.107	U	0.107	0.107	U
	15-Oct-10		0.107	U	0.107	U	0.107	U	0.107	U	0.107	0.107	U
	30-Nov-10		NS	0.107	U	NS		NS		NS	0.109	U	NS
	26-Jan-11		0.568	0.502	0.531		0.604		0.504		0.429	0.550	0.767
	26-Jan-11**		NS	0.570	0.600		NS		NS		0.600	NS	NS
	27-Apr-11		0.107	U	0.107	U	0.107	U	0.107	U	0.107	0.107	U
	26-Jul-11		0.107	U	0.107	U	0.118		0.107	U	0.107	0.107	U
	28-Oct-11		0.081	U	0.081	U	0.081	U	0.081	U	0.081	0.081	U
	23-Jan-12		0.190	U	0.190	U	0.290		0.190	U	0.190	0.190	U
Trichlorofluoromethane	8-Feb-08		1.140	1.020	1.110		1.010		0.990		1.050	1.040	1.020
	27-Mar-08		1.740	1.520	1.540		1.250		2.320		2.120	2.140	1.380
	25-Apr-08		1.740	1.660	1.240		1.640		1.480		1.520	1.660	1.030
	29-May-08		1.020	0.930	0.870		1.060		0.930		0.930	0.990	0.880
	27-Jun-08		1.240	1.220	1.290		1.300		1.160		1.150	1.170	1.180
	31-Jul-08		1.080	1.100	1.010		1.010		1.010		1.000	0.973	0.926
	28-Aug-08		2.740	3.360	3.470		3.260		3.660		3.420	3.380	2.310
	30-Sep-08		2.800	U	2.800	U	2.800	U	2.800	U	2.800	2.800	U
	27-Oct-08		2.800	U	2.800	U	2.800	U	2.800	U	2.800	2.800	U
	25-Nov-08		2.800	U	2.800	U	2.800	U	2.800	U	2.800	2.800	U
	18-Dec-08		2.800	U	2.800	U	2.800	U	2.800	U	2.800	2.800	U
	21-Jan-09		2.800	U	2.800	U	2.800	U	2.800	U	2.800	2.800	U
	25-Feb-09		2.800	U	2.800	U	2.800	U	2.800	U	2.800	2.800	U
	26-Mar-09		1.220	1.160	1.140		1.230		1.190		1.120	1.130	1.160
	29-Apr-09	370.0	1.490	1.170	0.051	U	1.270		1.180		1.190	1.270	1.190
	22-Jul-09		1.950	1.920	1.62		1.900		1.630		2.050	1.540	2.120
	9-Oct-09		1.520	1.830	1.510		0.019		1.620		1.310	1.410	1.180
	15-Jan-10		11.900	1.260	1.210		1.290		1.210		1.220	1.220	1.240
	21-Apr-10		4.170	3.780	2.540		3.200		3.500		3.400	2.500	1.260
	16-Jul-10		1.470	1.470	1.480		1.470		1.210		1.470	1.470	1.560
	15-Oct-10		1.410	1.360	1.380		1.350		1.360		1.320	1.340	1.490
	30-Nov-10		NS	1.520	1.490		NS		NS		1.340	NS	NS
	26-Jan-11		1.780	1.960	1.720		1.740		1.620		1.960	1.630	1.780
	26-Jan-11**		NS	2.300	2.100		NS		NS		2.100	NS	NS
	27-Apr-11		1.200	1.250	1.110		1.240		1.080		1.140	1.280	1.250
	26-Jul-11		1.210	1.210	1.300		1.250		1.220		1.290	1.180	1.210
	28-Oct-11		2.500	1.400	1.600		1.900		1.500		1.900	1.800	1.500
	23-Jan-12		1.500	1.500	1.500		1.500		1.400		1.500	1.500	1.400
1,2,4-Trimethylbenzene	8-Feb-08		0.900	0.970	2.520		1.890		0.210		0.210	0.310	0.210
	27-Mar-08		1.330	1.590	3.390		3.240		0.920		1.390	0.828	0.098
	25-Apr-08		0.998	1.760	11.700		1.640						

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds  
February 2008 - January 2012

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Vinyl chloride*	8-Feb-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050
	27-Mar-08		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	25-Apr-08		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	29-May-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050
	27-Jun-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050
	31-Jul-08		0.050	U	0.050	U	0.051	U	0.051	U	0.051	U	0.051
	28-Aug-08		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	30-Sep-08		0.100	U	0.100	U	0.130	U	0.100	U	0.100	U	0.100
	27-Oct-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	25-Nov-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	18-Dec-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	21-Jan-09		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	25-Feb-09		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	26-Mar-09		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	29-Apr-09	0.1	0.051	U	0.051	U	1.080	U	0.051	U	0.051	U	0.051
	22-Jul-09		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	9-Oct-09		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	15-Jan-10		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	21-Apr-10		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	16-Jul-10		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	15-Oct-10		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	30-Nov-10		NS		0.051	U	0.051	U	NS		NS		NS
	26-Jan-11		0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087
	27-Apr-11**		NS		0.130	U	0.130	U	NS		NS		NS
	26-Jul-11		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	28-Oct-11		0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051
	23-Jan-12		0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.026
			0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
p/m-Xylene	8-Feb-08		0.710		0.660		2.110		1.460		0.550		0.450
	27-Mar-08		2.460		2.080		3.510		2.960		2.620		2.890
	25-Apr-08		2.220		1.870		8.240		2.170		1.960		2.080
	29-May-08		0.350		0.290		5.110		2.260		0.290		0.410
	27-Jun-08		1.060		1.080		3.280		3.000		1.250		0.994
	31-Jul-08		1.360		1.160		3.330		1.140		1.140		1.370
	28-Aug-08		2.130		2.220		8.690		8.200		9.910		2.190
	30-Sep-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300
	27-Oct-08		4.300	U	4.300	U	4.300	U	5.000	U	4.300	U	4.300
	25-Nov-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300
	18-Dec-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300
	21-Jan-09		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300
	25-Feb-09		4.300	U	4.300	U	15.000	U	4.300	U	4.300	U	4.300
	26-Mar-09		3.080		2.850		4.530		4.340		1.580		1.990
	29-Apr-09	220.0	0.456		0.733		0.534		1.950		0.477		0.308
	22-Jul-09		0.920		0.577		2.680		0.824		1.560		2.070
	9-Oct-09		2.610		2.240		3.360		3.190		2.200		2.090
	15-Jan-10		1.080		0.915		1.040		0.946		0.724		0.603
	21-Apr-10		1.200		2.000		4.380		1.610		1.800		1.670
	16-Jul-10		0.868		0.568		1.290		1.120		1.290		0.729
	15-Oct-10		0.642		0.972		1.340		0.408		0.299		0.174
	30-Nov-10		NS		0.620		1.000		NS		NS		0.230
	26-Jan-11		2.810		2.600		2.910		3.320		2.590		2.790
	26-Jan-11**		NS		4.300		5.100		NS		NS		4.900
	27-Apr-11		0.295		0.412		2.030		0.642		3.020		0.260
	26-Jul-11		1.240		3.650		2.630		3.670		0.799		0.816
	28-Oct-11		2.400		1.100		1.400		0.750		1.300		1.700
	23-Jan-12		1.600		1.300		1.500		1.300		1.400		1.500
o-Xylene	8-Feb-08		0.280		0.270		0.870		0.610		0.210		0.170
	27-Mar-08		0.762		0.718		1.340		1.120		0.920		1.060
	25-Apr-08		0.824		0.724		3.480		0.821		0.750		0.770
	29-May-08		0.130		0.120		2.080		1.000		0.110		0.180
	27-Jun-08		0.463		0.393		1.030		1.030		0.485		0.358
	31-Jul-08		0.476		0.375		0.822		0.371		0.420	</td	


April 17, 2012

Ron Mack  
EA Engineering Science & Tech. - RI  
2374 Post Road, Suite 102  
Warwick, RI 02886

Project Location: Alvarez High School  
Client Job Number:  
Project Number: 14687.01  
Laboratory Work Order Number: 12A0727

Enclosed are results of analyses for samples received by the laboratory on January 24, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Holly L. Folsom  
Project Manager

EA Engineering Science & Tech. - RI  
2374 Post Road, Suite 102  
Warwick, RI 02886  
ATTN: Ron Mack

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 14687.01

---

**ANALYTICAL SUMMARY**


---

WORK ORDER NUMBER: 12A0727

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez High School

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	12A0727-01	Indoor air		EPA TO-15	
Cafeteria	12A0727-02	Indoor air		EPA TO-15	
Kitchen St. Rm	12A0727-03	Indoor air		EPA TO-15	
Elevator Hallway	12A0727-04	Indoor air		EPA TO-15	
Room 145	12A0727-05	Indoor air		EPA TO-15	
Room 152	12A0727-06	Indoor air		EPA TO-15	
Room 118	12A0727-07	Indoor air		EPA TO-15	
Room 110	12A0727-08	Indoor air		EPA TO-15	
Ambient	12A0727-09	Ambient Air		EPA TO-15	

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

REVISED REPORT - 4/17/2012 - Narrative adjusted to describe methylene chloride results in the diluted run for sample 12A0727-06.

#### EPA TO-15

##### **Qualifications:**

Elevated result due to high dilution factor, please refer to 0.7x dilution for more representative concentration for this compound.

##### **Analyte & Samples(s) Qualified:**

###### **Methylene Chloride**

12A0727-06RE1[Room 152]

Reported result is estimated. Value reported over verified calibration range.

##### **Analyte & Samples(s) Qualified:**

###### **4-Methyl-2-pentanone (MIBK)**

12A0727-06[Room 152]

Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

##### **Analyte & Samples(s) Qualified:**

###### **Acrylonitrile**

B045400-BS1, B045601-BS1

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

##### **Analyte & Samples(s) Qualified:**

###### **Acrylonitrile**

B045400-BS1

Suspected laboratory contaminant.

##### **Analyte & Samples(s) Qualified:**

###### **Methylene Chloride**

12A0727-06RE1[Room 152]

**EPA TO-15**

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Michael A. Erickson  
Laboratory Director

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Gymnasium  
**Sample ID:** 12A0727-01  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 08:24

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1699  
 Canister Size: 6 liter  
 Flow Controller ID: 4090  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -9  
 Receipt Vacuum(in Hg): -8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	7.7	1.4		18	3.3		0.702	1/27/12 0:22	WSD
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 0:22	WSD
Benzene	0.37	0.035		1.2	0.11		0.702	1/27/12 0:22	WSD
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 0:22	WSD
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 0:22	WSD
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 0:22	WSD
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 0:22	WSD
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 0:22	WSD
Carbon Tetrachloride	0.076	0.035		0.48	0.22		0.702	1/27/12 0:22	WSD
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 0:22	WSD
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 0:22	WSD
Chloroform	ND	0.035		ND	0.17		0.702	1/27/12 0:22	WSD
Chloromethane	0.55	0.035		1.1	0.072		0.702	1/27/12 0:22	WSD
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 0:22	WSD
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 0:22	WSD
1,2-Dichlorobenzene	0.066	0.035		0.40	0.21		0.702	1/27/12 0:22	WSD
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 0:22	WSD
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 0:22	WSD
Dichlorodifluoromethane (Freon 12)	0.33	0.035		1.6	0.17		0.702	1/27/12 0:22	WSD
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 0:22	WSD
1,2-Dichloroethane	ND	0.018		ND	0.071		0.702	1/27/12 0:22	WSD
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 0:22	WSD
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 0:22	WSD
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 0:22	WSD
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 0:22	WSD
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 0:22	WSD
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 0:22	WSD
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 0:22	WSD
Ethylbenzene	0.11	0.035		0.47	0.15		0.702	1/27/12 0:22	WSD
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 0:22	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 0:22	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 0:22	WSD
Methylene Chloride	0.67	0.35		2.3	1.2		0.702	1/27/12 0:22	WSD
4-Methyl-2-pentanone (MIBK)	0.051	0.035		0.21	0.14		0.702	1/27/12 0:22	WSD
Styrene	0.096	0.035		0.41	0.15		0.702	1/27/12 0:22	WSD
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 0:22	WSD
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 0:22	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School

Date Received: 1/24/2012

**Field Sample #:** Gymnasium

**Sample ID:** 12A0727-01

Sample Matrix: Indoor air

Sampled: 1/23/2012 08:24

Sample Description/Location:

Sub Description/Location:

Canister ID: 1699

Canister Size: 6 liter

Flow Controller ID: 4090

Sample Type: 30 min

**Work Order:** 12A0727

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -9

Receipt Vacuum(in Hg): -8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.035		ND	0.24		0.702	1/27/12 0:22	WSD
Toluene	0.64	0.035		2.4	0.13		0.702	1/27/12 0:22	WSD
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 0:22	WSD
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 0:22	WSD
Trichloroethylene	ND	0.035		ND	0.19		0.702	1/27/12 0:22	WSD
Trichlorofluoromethane (Freon 11)	0.26	0.035		1.5	0.20		0.702	1/27/12 0:22	WSD
1,2,4-Trimethylbenzene	0.12	0.035		0.58	0.17		0.702	1/27/12 0:22	WSD
1,3,5-Trimethylbenzene	0.040	0.035		0.20	0.17		0.702	1/27/12 0:22	WSD
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 0:22	WSD
m&p-Xylene	0.31	0.070		1.3	0.30		0.702	1/27/12 0:22	WSD
o-Xylene	0.12	0.035		0.53	0.15		0.702	1/27/12 0:22	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	110	70-130	1/27/12 0:22
4-Bromofluorobenzene (2)	109	70-130	1/27/12 0:22

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Cafeteria  
**Sample ID:** 12A0727-02  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 08:20

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1249  
 Canister Size: 6 liter  
 Flow Controller ID: 4089  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -1  
 Receipt Vacuum(in Hg): 0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	6.2	1.4		15	3.3		0.702	1/27/12 1:06	WSD
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 1:06	WSD
Benzene	0.37	0.035		1.2	0.11		0.702	1/27/12 1:06	WSD
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 1:06	WSD
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 1:06	WSD
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 1:06	WSD
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 1:06	WSD
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 1:06	WSD
Carbon Tetrachloride	0.077	0.035		0.49	0.22		0.702	1/27/12 1:06	WSD
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 1:06	WSD
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 1:06	WSD
Chloroform	0.050	0.035		0.24	0.17		0.702	1/27/12 1:06	WSD
Chloromethane	0.53	0.035		1.1	0.072		0.702	1/27/12 1:06	WSD
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 1:06	WSD
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 1:06	WSD
1,2-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 1:06	WSD
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 1:06	WSD
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 1:06	WSD
Dichlorodifluoromethane (Freon 12)	0.36	0.035		1.8	0.17		0.702	1/27/12 1:06	WSD
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 1:06	WSD
1,2-Dichloroethane	ND	0.018		ND	0.071		0.702	1/27/12 1:06	WSD
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 1:06	WSD
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 1:06	WSD
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 1:06	WSD
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 1:06	WSD
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 1:06	WSD
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 1:06	WSD
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 1:06	WSD
Ethylbenzene	0.11	0.035		0.48	0.15		0.702	1/27/12 1:06	WSD
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 1:06	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 1:06	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 1:06	WSD
Methylene Chloride	ND	0.35		ND	1.2		0.702	1/27/12 1:06	WSD
4-Methyl-2-pentanone (MIBK)	ND	0.035		ND	0.14		0.702	1/27/12 1:06	WSD
Styrene	0.058	0.035		0.25	0.15		0.702	1/27/12 1:06	WSD
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 1:06	WSD
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 1:06	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School

Date Received: 1/24/2012

**Field Sample #:** Cafeteria

**Sample ID:** 12A0727-02

Sample Matrix: Indoor air

Sampled: 1/23/2012 08:20

Sample Description/Location:

Sub Description/Location:

Canister ID: 1249

Canister Size: 6 liter

Flow Controller ID: 4089

Sample Type: 30 min

**Work Order:** 12A0727

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -1

Receipt Vacuum(in Hg): 0

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.035		ND	0.24		0.702	1/27/12 1:06	WSD
Toluene	0.66	0.035		2.5	0.13		0.702	1/27/12 1:06	WSD
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 1:06	WSD
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 1:06	WSD
Trichloroethylene	ND	0.035		ND	0.19		0.702	1/27/12 1:06	WSD
Trichlorofluoromethane (Freon 11)	0.26	0.035		1.5	0.20		0.702	1/27/12 1:06	WSD
1,2,4-Trimethylbenzene	0.12	0.035		0.58	0.17		0.702	1/27/12 1:06	WSD
1,3,5-Trimethylbenzene	ND	0.035		ND	0.17		0.702	1/27/12 1:06	WSD
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 1:06	WSD
m&p-Xylene	0.30	0.070		1.3	0.30		0.702	1/27/12 1:06	WSD
o-Xylene	0.12	0.035		0.52	0.15		0.702	1/27/12 1:06	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	109	70-130	1/27/12 1:06
4-Bromofluorobenzene (2)	108	70-130	1/27/12 1:06

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Kitchen St. Rm  
**Sample ID:** 12A0727-03  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 08:21

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1472  
 Canister Size: 6 liter  
 Flow Controller ID: 4081  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -27  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	6.1	1.4		15	3.3		0.702	1/27/12 1:51	WSD
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 1:51	WSD
Benzene	0.41	0.035		1.3	0.11		0.702	1/27/12 1:51	WSD
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 1:51	WSD
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 1:51	WSD
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 1:51	WSD
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 1:51	WSD
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 1:51	WSD
Carbon Tetrachloride	0.079	0.035		0.49	0.22		0.702	1/27/12 1:51	WSD
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 1:51	WSD
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 1:51	WSD
Chloroform	ND	0.035		ND	0.17		0.702	1/27/12 1:51	WSD
Chloromethane	0.61	0.035		1.3	0.072		0.702	1/27/12 1:51	WSD
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 1:51	WSD
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 1:51	WSD
1,2-Dichlorobenzene	0.036	0.035		0.22	0.21		0.702	1/27/12 1:51	WSD
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 1:51	WSD
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 1:51	WSD
Dichlorodifluoromethane (Freon 12)	0.35	0.035		1.7	0.17		0.702	1/27/12 1:51	WSD
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 1:51	WSD
1,2-Dichloroethane	ND	0.018		ND	0.071		0.702	1/27/12 1:51	WSD
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 1:51	WSD
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 1:51	WSD
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 1:51	WSD
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 1:51	WSD
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 1:51	WSD
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 1:51	WSD
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 1:51	WSD
Ethylbenzene	0.14	0.035		0.61	0.15		0.702	1/27/12 1:51	WSD
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 1:51	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 1:51	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 1:51	WSD
Methylene Chloride	0.72	0.35		2.5	1.2		0.702	1/27/12 1:51	WSD
4-Methyl-2-pentanone (MIBK)	ND	0.035		ND	0.14		0.702	1/27/12 1:51	WSD
Styrene	0.19	0.035		0.82	0.15		0.702	1/27/12 1:51	WSD
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 1:51	WSD
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 1:51	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Kitchen St. Rm  
**Sample ID:** 12A0727-03  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 08:21

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1472  
 Canister Size: 6 liter  
 Flow Controller ID: 4081  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -27  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.035		ND	0.24		0.702	1/27/12 1:51	WSD
Toluene	0.84	0.035		3.2	0.13		0.702	1/27/12 1:51	WSD
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 1:51	WSD
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 1:51	WSD
Trichloroethylene	ND	0.035		ND	0.19		0.702	1/27/12 1:51	WSD
Trichlorofluoromethane (Freon 11)	0.27	0.035		1.5	0.20		0.702	1/27/12 1:51	WSD
1,2,4-Trimethylbenzene	0.13	0.035		0.66	0.17		0.702	1/27/12 1:51	WSD
1,3,5-Trimethylbenzene	0.044	0.035		0.22	0.17		0.702	1/27/12 1:51	WSD
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 1:51	WSD
m&p-Xylene	0.37	0.070		1.6	0.30		0.702	1/27/12 1:51	WSD
o-Xylene	0.15	0.035		0.63	0.15		0.702	1/27/12 1:51	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	111	70-130	1/27/12 1:51
4-Bromofluorobenzene (2)	109	70-130	1/27/12 1:51

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Elevator Hallway  
**Sample ID:** 12A0727-04  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 08:24

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1028  
 Canister Size: 6 liter  
 Flow Controller ID: 4068  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	7.5	1.4		18	3.3		0.702	1/27/12 2:36	WSD
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 2:36	WSD
Benzene	0.38	0.035		1.2	0.11		0.702	1/27/12 2:36	WSD
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 2:36	WSD
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 2:36	WSD
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 2:36	WSD
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 2:36	WSD
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 2:36	WSD
Carbon Tetrachloride	0.076	0.035		0.48	0.22		0.702	1/27/12 2:36	WSD
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 2:36	WSD
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 2:36	WSD
Chloroform	ND	0.035		ND	0.17		0.702	1/27/12 2:36	WSD
Chloromethane	0.56	0.035		1.2	0.072		0.702	1/27/12 2:36	WSD
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 2:36	WSD
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 2:36	WSD
1,2-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 2:36	WSD
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 2:36	WSD
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 2:36	WSD
Dichlorodifluoromethane (Freon 12)	0.31	0.035		1.5	0.17		0.702	1/27/12 2:36	WSD
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 2:36	WSD
1,2-Dichloroethane	ND	0.018		ND	0.071		0.702	1/27/12 2:36	WSD
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 2:36	WSD
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 2:36	WSD
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 2:36	WSD
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 2:36	WSD
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 2:36	WSD
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 2:36	WSD
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 2:36	WSD
Ethylbenzene	0.15	0.035		0.66	0.15		0.702	1/27/12 2:36	WSD
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 2:36	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 2:36	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 2:36	WSD
Methylene Chloride	0.63	0.35		2.2	1.2		0.702	1/27/12 2:36	WSD
4-Methyl-2-pentanone (MIBK)	0.046	0.035		0.19	0.14		0.702	1/27/12 2:36	WSD
Styrene	0.11	0.035		0.48	0.15		0.702	1/27/12 2:36	WSD
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 2:36	WSD
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 2:36	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Elevator Hallway  
**Sample ID:** 12A0727-04  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 08:24

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1028  
 Canister Size: 6 liter  
 Flow Controller ID: 4068  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.088	0.035		0.59	0.24		0.702	1/27/12 2:36	WSD
Toluene	0.72	0.035		2.7	0.13		0.702	1/27/12 2:36	WSD
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 2:36	WSD
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 2:36	WSD
Trichloroethylene	0.055	0.035		0.29	0.19		0.702	1/27/12 2:36	WSD
Trichlorofluoromethane (Freon 11)	0.27	0.035		1.5	0.20		0.702	1/27/12 2:36	WSD
1,2,4-Trimethylbenzene	0.14	0.035		0.71	0.17		0.702	1/27/12 2:36	WSD
1,3,5-Trimethylbenzene	0.046	0.035		0.23	0.17		0.702	1/27/12 2:36	WSD
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 2:36	WSD
m&p-Xylene	0.35	0.070		1.5	0.30		0.702	1/27/12 2:36	WSD
o-Xylene	0.14	0.035		0.62	0.15		0.702	1/27/12 2:36	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	112	70-130	1/27/12 2:36
4-Bromofluorobenzene (2)	113	70-130	1/27/12 2:36

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 145  
**Sample ID:** 12A0727-05  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 08:59

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1114  
 Canister Size: 6 liter  
 Flow Controller ID: 4091  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -6  
 Receipt Vacuum(in Hg): -5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	7.9	1.4		19	3.3		0.702	1/27/12 3:22	WSD
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 3:22	WSD
Benzene	0.38	0.035		1.2	0.11		0.702	1/27/12 3:22	WSD
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 3:22	WSD
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 3:22	WSD
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 3:22	WSD
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 3:22	WSD
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 3:22	WSD
Carbon Tetrachloride	0.079	0.035		0.49	0.22		0.702	1/27/12 3:22	WSD
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 3:22	WSD
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 3:22	WSD
Chloroform	ND	0.035		ND	0.17		0.702	1/27/12 3:22	WSD
Chloromethane	0.66	0.035		1.4	0.072		0.702	1/27/12 3:22	WSD
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 3:22	WSD
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 3:22	WSD
1,2-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 3:22	WSD
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 3:22	WSD
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 3:22	WSD
Dichlorodifluoromethane (Freon 12)	0.37	0.035		1.8	0.17		0.702	1/27/12 3:22	WSD
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 3:22	WSD
1,2-Dichloroethane	ND	0.018		ND	0.071		0.702	1/27/12 3:22	WSD
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 3:22	WSD
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 3:22	WSD
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 3:22	WSD
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 3:22	WSD
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 3:22	WSD
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 3:22	WSD
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 3:22	WSD
Ethylbenzene	0.13	0.035		0.56	0.15		0.702	1/27/12 3:22	WSD
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 3:22	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 3:22	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 3:22	WSD
Methylene Chloride	0.56	0.35		1.9	1.2		0.702	1/27/12 3:22	WSD
4-Methyl-2-pentanone (MIBK)	0.057	0.035		0.23	0.14		0.702	1/27/12 3:22	WSD
Styrene	0.035	0.035		0.15	0.15		0.702	1/27/12 3:22	WSD
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 3:22	WSD
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 3:22	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 145  
**Sample ID:** 12A0727-05  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 08:59

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1114  
 Canister Size: 6 liter  
 Flow Controller ID: 4091  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -6  
 Receipt Vacuum(in Hg): -5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.039	0.035		0.26	0.24		0.702	1/27/12 3:22	WSD
Toluene	0.72	0.035		2.7	0.13		0.702	1/27/12 3:22	WSD
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 3:22	WSD
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 3:22	WSD
Trichloroethylene	ND	0.035		ND	0.19		0.702	1/27/12 3:22	WSD
Trichlorofluoromethane (Freon 11)	0.26	0.035		1.5	0.20		0.702	1/27/12 3:22	WSD
1,2,4-Trimethylbenzene	0.11	0.035		0.52	0.17		0.702	1/27/12 3:22	WSD
1,3,5-Trimethylbenzene	0.036	0.035		0.18	0.17		0.702	1/27/12 3:22	WSD
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 3:22	WSD
m&p-Xylene	0.32	0.070		1.4	0.30		0.702	1/27/12 3:22	WSD
o-Xylene	0.13	0.035		0.58	0.15		0.702	1/27/12 3:22	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	114	70-130	1/27/12 3:22
4-Bromofluorobenzene (2)	114	70-130	1/27/12 3:22

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 152  
**Sample ID:** 12A0727-06  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 09:00

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1621  
 Canister Size: 6 liter  
 Flow Controller ID: 4102  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): 0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	8.2	4.0		19	9.5		2	2/2/12 23:44	TPH
Acetone	7.5	1.4		18	3.3		0.702	1/27/12 4:04	WSD
Acrylonitrile	ND	0.58		ND	1.2		2	2/2/12 23:44	TPH
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 4:04	WSD
Benzene	0.46	0.10		1.5	0.32		2	2/2/12 23:44	TPH
Benzene	0.41	0.035		1.3	0.11		0.702	1/27/12 4:04	WSD
Bromodichloromethane	ND	0.10		ND	0.67		2	2/2/12 23:44	TPH
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 4:04	WSD
Bromoform	ND	0.10		ND	1.0		2	2/2/12 23:44	TPH
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 4:04	WSD
2-Butanone (MEK)	ND	4.0		ND	12		2	2/2/12 23:44	TPH
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 4:04	WSD
n-Butylbenzene	ND	0.29		ND	1.6		2	2/2/12 23:44	TPH
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 4:04	WSD
sec-Butylbenzene	ND	0.23		ND	1.3		2	2/2/12 23:44	TPH
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 4:04	WSD
Carbon Tetrachloride	0.11	0.10		0.67	0.63		2	2/2/12 23:44	TPH
Carbon Tetrachloride	0.074	0.035		0.46	0.22		0.702	1/27/12 4:04	WSD
Chlorobenzene	ND	0.10		ND	0.46		2	2/2/12 23:44	TPH
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 4:04	WSD
Chloroethane	ND	0.10		ND	0.26		2	2/2/12 23:44	TPH
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 4:04	WSD
Chloroform	ND	0.10		ND	0.49		2	2/2/12 23:44	TPH
Chloroform	ND	0.035		ND	0.17		0.702	1/27/12 4:04	WSD
Chloromethane	0.90	0.10		1.9	0.21		2	2/2/12 23:44	TPH
Chloromethane	0.71	0.035		1.5	0.072		0.702	1/27/12 4:04	WSD
Dibromochloromethane	ND	0.10		ND	0.85		2	2/2/12 23:44	TPH
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 4:04	WSD
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77		2	2/2/12 23:44	TPH
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 4:04	WSD
1,2-Dichlorobenzene	ND	0.10		ND	0.60		2	2/2/12 23:44	TPH
1,2-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 4:04	WSD
1,3-Dichlorobenzene	ND	0.10		ND	0.60		2	2/2/12 23:44	TPH
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 4:04	WSD
1,4-Dichlorobenzene	ND	0.10		ND	0.60		2	2/2/12 23:44	TPH
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 4:04	WSD
Dichlorodifluoromethane (Freon 12)	0.78	0.10		3.9	0.49		2	2/2/12 23:44	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 152  
**Sample ID:** 12A0727-06  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 09:00

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1621  
 Canister Size: 6 liter  
 Flow Controller ID: 4102  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): 0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Dichlorodifluoromethane (Freon 12)	0.38	0.035		1.9	0.17		0.702	1/27/12 4:04	WSD
1,1-Dichloroethane	ND	0.10		ND	0.40		2	2/2/12 23:44	TPH
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 4:04	WSD
1,2-Dichloroethane	ND	0.10		ND	0.40		2	2/2/12 23:44	TPH
1,2-Dichloroethane	ND	0.018		ND	0.071		0.702	1/27/12 4:04	WSD
1,1-Dichloroethylene	ND	0.10		ND	0.40		2	2/2/12 23:44	TPH
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 4:04	WSD
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	2/2/12 23:44	TPH
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 4:04	WSD
trans-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	2/2/12 23:44	TPH
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 4:04	WSD
1,2-Dichloropropane	ND	0.10		ND	0.46		2	2/2/12 23:44	TPH
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 4:04	WSD
1,3-Dichloropropane	ND	0.27		ND	1.2		2	2/2/12 23:44	TPH
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 4:04	WSD
cis-1,3-Dichloropropene	ND	0.10		ND	0.45		2	2/2/12 23:44	TPH
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 4:04	WSD
trans-1,3-Dichloropropene	ND	0.10		ND	0.45		2	2/2/12 23:44	TPH
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 4:04	WSD
Ethylbenzene	ND	0.10		ND	0.43		2	2/2/12 23:44	TPH
Ethylbenzene	0.13	0.035		0.56	0.15		0.702	1/27/12 4:04	WSD
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2		2	2/2/12 23:44	TPH
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 4:04	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3		2	2/2/12 23:44	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 4:04	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36		2	2/2/12 23:44	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 4:04	WSD
Methylene Chloride	5.2	1.0	DL-11, Z-01	18	3.5		2	2/2/12 23:44	TPH
Methylene Chloride	ND	0.35		ND	1.2		0.702	1/27/12 4:04	WSD
4-Methyl-2-pentanone (MIBK)	66	0.10		270	0.41		2	2/2/12 23:44	TPH
4-Methyl-2-pentanone (MIBK)	38	0.035	E	160	0.14		0.702	1/27/12 4:04	WSD
Styrene	ND	0.10		ND	0.43		2	2/2/12 23:44	TPH
Styrene	ND	0.035		ND	0.15		0.702	1/27/12 4:04	WSD
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2		2	2/2/12 23:44	TPH
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 4:04	WSD
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69		2	2/2/12 23:44	TPH
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 4:04	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 152  
**Sample ID:** 12A0727-06  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 09:00

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1621  
 Canister Size: 6 liter  
 Flow Controller ID: 4102  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): 0  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.10		ND	0.68		2	2/2/12 23:44	TPH
Tetrachloroethylene	0.061	0.035		0.41	0.24		0.702	1/27/12 4:04	WSD
Toluene	0.66	0.10		2.5	0.38		2	2/2/12 23:44	TPH
Toluene	0.80	0.035		3.0	0.13		0.702	1/27/12 4:04	WSD
1,1,1-Trichloroethane	ND	0.10		ND	0.55		2	2/2/12 23:44	TPH
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 4:04	WSD
1,1,2-Trichloroethane	ND	0.10		ND	0.55		2	2/2/12 23:44	TPH
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 4:04	WSD
Trichloroethylene	ND	0.10		ND	0.54		2	2/2/12 23:44	TPH
Trichloroethylene	ND	0.035		ND	0.19		0.702	1/27/12 4:04	WSD
Trichlorofluoromethane (Freon 11)	0.35	0.10		2.0	0.56		2	2/2/12 23:44	TPH
Trichlorofluoromethane (Freon 11)	0.26	0.035		1.5	0.20		0.702	1/27/12 4:04	WSD
1,2,4-Trimethylbenzene	0.17	0.10		0.82	0.49		2	2/2/12 23:44	TPH
1,2,4-Trimethylbenzene	0.13	0.035		0.65	0.17		0.702	1/27/12 4:04	WSD
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49		2	2/2/12 23:44	TPH
1,3,5-Trimethylbenzene	0.036	0.035		0.18	0.17		0.702	1/27/12 4:04	WSD
Vinyl Chloride	ND	0.10		ND	0.26		2	2/2/12 23:44	TPH
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 4:04	WSD
m&p-Xylene	0.23	0.20		0.98	0.87		2	2/2/12 23:44	TPH
m&p-Xylene	0.35	0.070		1.5	0.30		0.702	1/27/12 4:04	WSD
o-Xylene	ND	0.10		ND	0.43		2	2/2/12 23:44	TPH
o-Xylene	0.14	0.035		0.60	0.15		0.702	1/27/12 4:04	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.2	70-130	2/2/12 23:44
4-Bromofluorobenzene (1)	111	70-130	1/27/12 4:04
4-Bromofluorobenzene (2)	117	70-130	2/2/12 23:44
4-Bromofluorobenzene (2)	112	70-130	1/27/12 4:04

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 118  
**Sample ID:** 12A0727-07  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 09:17

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1868  
 Canister Size: 6 liter  
 Flow Controller ID: 4100  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	10	1.4		25	3.3		0.702	1/27/12 4:49	WSD
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 4:49	WSD
Benzene	0.37	0.035		1.2	0.11		0.702	1/27/12 4:49	WSD
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 4:49	WSD
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 4:49	WSD
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 4:49	WSD
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 4:49	WSD
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 4:49	WSD
Carbon Tetrachloride	0.075	0.035		0.47	0.22		0.702	1/27/12 4:49	WSD
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 4:49	WSD
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 4:49	WSD
Chloroform	ND	0.035		ND	0.17		0.702	1/27/12 4:49	WSD
Chloromethane	0.69	0.035		1.4	0.072		0.702	1/27/12 4:49	WSD
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 4:49	WSD
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 4:49	WSD
1,2-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 4:49	WSD
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 4:49	WSD
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 4:49	WSD
Dichlorodifluoromethane (Freon 12)	0.41	0.035		2.0	0.17		0.702	1/27/12 4:49	WSD
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 4:49	WSD
1,2-Dichloroethane	ND	0.018		ND	0.071		0.702	1/27/12 4:49	WSD
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 4:49	WSD
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 4:49	WSD
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 4:49	WSD
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 4:49	WSD
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 4:49	WSD
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 4:49	WSD
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 4:49	WSD
Ethylbenzene	0.13	0.035		0.58	0.15		0.702	1/27/12 4:49	WSD
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 4:49	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 4:49	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 4:49	WSD
Methylene Chloride	0.73	0.35		2.5	1.2		0.702	1/27/12 4:49	WSD
4-Methyl-2-pentanone (MIBK)	6.2	0.035		26	0.14		0.702	1/27/12 4:49	WSD
Styrene	0.065	0.035		0.27	0.15		0.702	1/27/12 4:49	WSD
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 4:49	WSD
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 4:49	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 118  
**Sample ID:** 12A0727-07  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 09:17

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1868  
 Canister Size: 6 liter  
 Flow Controller ID: 4100  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.047	0.035		0.32	0.24		0.702	1/27/12 4:49	WSD
Toluene	0.73	0.035		2.8	0.13		0.702	1/27/12 4:49	WSD
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 4:49	WSD
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 4:49	WSD
Trichloroethylene	ND	0.035		ND	0.19		0.702	1/27/12 4:49	WSD
Trichlorofluoromethane (Freon 11)	0.26	0.035		1.5	0.20		0.702	1/27/12 4:49	WSD
1,2,4-Trimethylbenzene	0.078	0.035		0.38	0.17		0.702	1/27/12 4:49	WSD
1,3,5-Trimethylbenzene	ND	0.035		ND	0.17		0.702	1/27/12 4:49	WSD
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 4:49	WSD
m&p-Xylene	0.31	0.070		1.3	0.30		0.702	1/27/12 4:49	WSD
o-Xylene	0.12	0.035		0.53	0.15		0.702	1/27/12 4:49	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	1/27/12 4:49
4-Bromofluorobenzene (2)	108	70-130	1/27/12 4:49

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 110  
**Sample ID:** 12A0727-08  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 09:20

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1841  
 Canister Size: 6 liter  
 Flow Controller ID: 4088  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -8  
 Receipt Vacuum(in Hg): -8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	15	1.4		37	3.3		0.702	1/27/12 5:35	WSD
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 5:35	WSD
Benzene	0.37	0.035		1.2	0.11		0.702	1/27/12 5:35	WSD
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 5:35	WSD
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 5:35	WSD
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 5:35	WSD
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 5:35	WSD
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 5:35	WSD
Carbon Tetrachloride	0.074	0.035		0.46	0.22		0.702	1/27/12 5:35	WSD
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 5:35	WSD
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 5:35	WSD
Chloroform	ND	0.035		ND	0.17		0.702	1/27/12 5:35	WSD
Chloromethane	0.91	0.035		1.9	0.072		0.702	1/27/12 5:35	WSD
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 5:35	WSD
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 5:35	WSD
1,2-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 5:35	WSD
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 5:35	WSD
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 5:35	WSD
Dichlorodifluoromethane (Freon 12)	0.41	0.035		2.0	0.17		0.702	1/27/12 5:35	WSD
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 5:35	WSD
1,2-Dichloroethane	0.022	0.018		0.091	0.071		0.702	1/27/12 5:35	WSD
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 5:35	WSD
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 5:35	WSD
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 5:35	WSD
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 5:35	WSD
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 5:35	WSD
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 5:35	WSD
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 5:35	WSD
Ethylbenzene	0.12	0.035		0.50	0.15		0.702	1/27/12 5:35	WSD
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 5:35	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 5:35	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 5:35	WSD
Methylene Chloride	1.8	0.35		6.3	1.2		0.702	1/27/12 5:35	WSD
4-Methyl-2-pentanone (MIBK)	0.70	0.035		2.9	0.14		0.702	1/27/12 5:35	WSD
Styrene	0.12	0.035		0.51	0.15		0.702	1/27/12 5:35	WSD
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 5:35	WSD
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 5:35	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Room 110  
**Sample ID:** 12A0727-08  
 Sample Matrix: Indoor air  
 Sampled: 1/23/2012 09:20

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1841  
 Canister Size: 6 liter  
 Flow Controller ID: 4088  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -8  
 Receipt Vacuum(in Hg): -8  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.075	0.035		0.51	0.24		0.702	1/27/12 5:35	WSD
Toluene	0.80	0.035		3.0	0.13		0.702	1/27/12 5:35	WSD
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 5:35	WSD
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 5:35	WSD
Trichloroethylene	ND	0.035		ND	0.19		0.702	1/27/12 5:35	WSD
Trichlorofluoromethane (Freon 11)	0.25	0.035		1.4	0.20		0.702	1/27/12 5:35	WSD
1,2,4-Trimethylbenzene	0.20	0.035		1.0	0.17		0.702	1/27/12 5:35	WSD
1,3,5-Trimethylbenzene	0.044	0.035		0.22	0.17		0.702	1/27/12 5:35	WSD
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 5:35	WSD
m&p-Xylene	0.33	0.070		1.4	0.30		0.702	1/27/12 5:35	WSD
o-Xylene	0.13	0.035		0.58	0.15		0.702	1/27/12 5:35	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	1/27/12 5:35
4-Bromofluorobenzene (2)	107	70-130	1/27/12 5:35

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** Ambient  
**Sample ID:** 12A0727-09  
 Sample Matrix: Ambient Air  
 Sampled: 1/23/2012 11:46

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1878  
 Canister Size: 6 liter  
 Flow Controller ID: 4106  
 Sample Type: 30 min

**Work Order:** 12A0727  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -8  
 Receipt Vacuum(in Hg): -7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	5.3	1.4		13	3.3		0.702	1/27/12 6:20	WSD
Acrylonitrile	ND	0.20		ND	0.44		0.702	1/27/12 6:20	WSD
Benzene	0.36	0.035		1.2	0.11		0.702	1/27/12 6:20	WSD
Bromodichloromethane	ND	0.035		ND	0.24		0.702	1/27/12 6:20	WSD
Bromoform	ND	0.035		ND	0.36		0.702	1/27/12 6:20	WSD
2-Butanone (MEK)	ND	1.4		ND	4.1		0.702	1/27/12 6:20	WSD
n-Butylbenzene	ND	0.10		ND	0.55		0.702	1/27/12 6:20	WSD
sec-Butylbenzene	ND	0.080		ND	0.44		0.702	1/27/12 6:20	WSD
Carbon Tetrachloride	0.076	0.035		0.48	0.22		0.702	1/27/12 6:20	WSD
Chlorobenzene	ND	0.035		ND	0.16		0.702	1/27/12 6:20	WSD
Chloroethane	ND	0.035		ND	0.093		0.702	1/27/12 6:20	WSD
Chloroform	ND	0.035		ND	0.17		0.702	1/27/12 6:20	WSD
Chloromethane	0.54	0.035		1.1	0.072		0.702	1/27/12 6:20	WSD
Dibromochloromethane	ND	0.035		ND	0.30		0.702	1/27/12 6:20	WSD
1,2-Dibromoethane (EDB)	ND	0.035		ND	0.27		0.702	1/27/12 6:20	WSD
1,2-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 6:20	WSD
1,3-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 6:20	WSD
1,4-Dichlorobenzene	ND	0.035		ND	0.21		0.702	1/27/12 6:20	WSD
Dichlorodifluoromethane (Freon 12)	0.41	0.035		2.0	0.17		0.702	1/27/12 6:20	WSD
1,1-Dichloroethane	ND	0.035		ND	0.14		0.702	1/27/12 6:20	WSD
1,2-Dichloroethane	ND	0.018		ND	0.071		0.702	1/27/12 6:20	WSD
1,1-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 6:20	WSD
cis-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 6:20	WSD
trans-1,2-Dichloroethylene	ND	0.035		ND	0.14		0.702	1/27/12 6:20	WSD
1,2-Dichloropropane	ND	0.018		ND	0.081		0.702	1/27/12 6:20	WSD
1,3-Dichloropropane	ND	0.095		ND	0.44		0.702	1/27/12 6:20	WSD
cis-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 6:20	WSD
trans-1,3-Dichloropropene	ND	0.035		ND	0.16		0.702	1/27/12 6:20	WSD
Ethylbenzene	0.12	0.035		0.54	0.15		0.702	1/27/12 6:20	WSD
Isopropylbenzene (Cumene)	ND	0.089		ND	0.44		0.702	1/27/12 6:20	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.080		ND	0.44		0.702	1/27/12 6:20	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.035		ND	0.13		0.702	1/27/12 6:20	WSD
Methylene Chloride	0.54	0.35		1.9	1.2		0.702	1/27/12 6:20	WSD
4-Methyl-2-pentanone (MIBK)	0.13	0.035		0.54	0.14		0.702	1/27/12 6:20	WSD
Styrene	ND	0.035		ND	0.15		0.702	1/27/12 6:20	WSD
1,1,1,2-Tetrachloroethane	ND	0.064		ND	0.44		0.702	1/27/12 6:20	WSD
1,1,2,2-Tetrachloroethane	ND	0.035		ND	0.24		0.702	1/27/12 6:20	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School

Date Received: 1/24/2012

**Field Sample #:** Ambient

**Sample ID:** 12A0727-09

Sample Matrix: Ambient Air

Sampled: 1/23/2012 11:46

Sample Description/Location:

Sub Description/Location:

Canister ID: 1878

Canister Size: 6 liter

Flow Controller ID: 4106

Sample Type: 30 min

**Work Order:** 12A0727

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.039	0.035		0.26	0.24		0.702	1/27/12 6:20	WSD
Toluene	0.96	0.035		3.6	0.13		0.702	1/27/12 6:20	WSD
1,1,1-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 6:20	WSD
1,1,2-Trichloroethane	ND	0.035		ND	0.19		0.702	1/27/12 6:20	WSD
Trichloroethylene	ND	0.035		ND	0.19		0.702	1/27/12 6:20	WSD
Trichlorofluoromethane (Freon 11)	0.26	0.035		1.4	0.20		0.702	1/27/12 6:20	WSD
1,2,4-Trimethylbenzene	0.095	0.035		0.47	0.17		0.702	1/27/12 6:20	WSD
1,3,5-Trimethylbenzene	ND	0.035		ND	0.17		0.702	1/27/12 6:20	WSD
Vinyl Chloride	ND	0.035		ND	0.090		0.702	1/27/12 6:20	WSD
m&p-Xylene	0.36	0.070		1.5	0.30		0.702	1/27/12 6:20	WSD
o-Xylene	0.14	0.035		0.59	0.15		0.702	1/27/12 6:20	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	1/27/12 6:20
4-Bromofluorobenzene (2)	107	70-130	1/27/12 6:20

**Sample Extraction Data**
**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
12A0727-01 [Gymnasium]	B045400	1.5	1	N/A	1000	400	855	01/26/12
12A0727-02 [Cafeteria]	B045400	1	1	N/A	1000	400	570	01/26/12
12A0727-03 [Kitchen St. Rm]	B045400	1.5	1	N/A	1000	400	855	01/26/12
12A0727-04 [Elevator Hallway]	B045400	1.5	1	N/A	1000	400	855	01/26/12
12A0727-05 [Room 145]	B045400	1.5	1	N/A	1000	400	855	01/26/12
12A0727-06 [Room 152]	B045400	1	1	N/A	1000	400	570	01/26/12
12A0727-07 [Room 118]	B045400	1.5	1	N/A	1000	400	855	01/26/12
12A0727-08 [Room 110]	B045400	1.5	1	N/A	1000	400	855	01/26/12
12A0727-09 [Ambient]	B045400	1.5	1	N/A	1000	400	855	01/26/12

**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
12A0727-06RE1 [Room 152]	B045601	1.5	1	N/A	1000	400	300	02/02/12

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	------

**Batch B045400 - TO-15 Prep**

<b>Blank (B045400-BLK1)</b>	Prepared & Analyzed: 01/26/12										
Acetone	ND	0.80									
Acrylonitrile	ND	0.12									
Benzene	ND	0.020									
Bromodichloromethane	ND	0.020									
Bromoform	ND	0.020									
2-Butanone (MEK)	ND	0.80									
n-Butylbenzene	ND	0.058									
sec-Butylbenzene	ND	0.046									
Carbon Tetrachloride	ND	0.020									
Chlorobenzene	ND	0.020									
Chloroethane	ND	0.020									
Chloroform	ND	0.020									
Chloromethane	ND	0.020									
Dibromochloromethane	ND	0.020									
1,2-Dibromoethane (EDB)	ND	0.020									
1,2-Dichlorobenzene	ND	0.020									
1,3-Dichlorobenzene	ND	0.020									
1,4-Dichlorobenzene	ND	0.020									
Dichlorodifluoromethane (Freon 12)	ND	0.020									
1,1-Dichloroethane	ND	0.020									
1,2-Dichloroethane	ND	0.010									
1,1-Dichloroethylene	ND	0.020									
cis-1,2-Dichloroethylene	ND	0.020									
trans-1,2-Dichloroethylene	ND	0.020									
1,2-Dichloropropane	ND	0.010									
1,3-Dichloropropane	ND	0.054									
cis-1,3-Dichloropropene	ND	0.020									
trans-1,3-Dichloropropene	ND	0.020									
Ethylbenzene	ND	0.020									
Isopropylbenzene (Cumene)	ND	0.051									
p-Isopropyltoluene (p-Cymene)	ND	0.046									
Methyl tert-Butyl Ether (MTBE)	ND	0.020									
Methylene Chloride	ND	0.20									
4-Methyl-2-pentanone (MIBK)	ND	0.020									
Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.036									
1,1,2,2-Tetrachloroethane	ND	0.020									
Tetrachloroethylene	ND	0.020									
Toluene	ND	0.020									
1,1,1-Trichloroethane	ND	0.020									
1,1,2-Trichloroethane	ND	0.020									
Trichloroethylene	ND	0.020									
Trichlorofluoromethane (Freon 11)	ND	0.020									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.020									

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

**Batch B045400 - TO-15 Prep**

<b>Blank (B045400-BLK1)</b>	Prepared & Analyzed: 01/26/12										
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
Surrogate: 4-Bromofluorobenzene (1)	8.62		8.00		108	70-130					
Surrogate: 4-Bromofluorobenzene (2)	8.66		8.00		108	70-130					

<b>LCS (B045400-BS1)</b>	Prepared & Analyzed: 01/26/12						
Acetone	6.65		5.00		133	50-150	
Acrylonitrile	5.38		2.88		187 *	70-130	L-01, V-06
Benzene	4.36		5.00		87.2	70-130	
Bromodichloromethane	4.90		5.00		97.9	70-130	
Bromoform	4.91		5.00		98.2	70-130	
2-Butanone (MEK)	4.45		5.00		89.0	70-130	
n-Butylbenzene	1.27		1.14		112	50-150	
sec-Butylbenzene	1.22		1.14		107	50-150	
Carbon Tetrachloride	4.62		5.00		92.4	70-130	
Chlorobenzene	5.01		5.00		100	70-130	
Chloroethane	4.78		5.00		95.6	70-130	
Chloroform	5.27		5.00		105	70-130	
Chloromethane	4.94		5.00		98.7	70-130	
Dibromochloromethane	4.55		5.00		91.0	70-130	
1,2-Dibromoethane (EDB)	4.70		5.00		94.1	70-130	
1,2-Dichlorobenzene	5.53		5.00		111	70-130	
1,3-Dichlorobenzene	5.37		5.00		107	70-130	
1,4-Dichlorobenzene	5.23		5.00		105	70-130	
Dichlorodifluoromethane (Freon 12)	5.18		5.00		104	70-130	
1,1-Dichloroethane	4.98		5.00		99.6	70-130	
1,2-Dichloroethane	4.72		5.00		94.4	70-130	
1,1-Dichloroethylene	4.89		5.00		97.8	70-130	
cis-1,2-Dichloroethylene	5.01		5.00		100	70-130	
trans-1,2-Dichloroethylene	5.09		5.00		102	70-130	
1,2-Dichloropropane	4.53		5.00		90.6	70-130	
1,3-Dichloropropane	1.23		1.35		91.4	70-130	
cis-1,3-Dichloropropene	4.92		5.00		98.5	70-130	
trans-1,3-Dichloropropene	4.34		5.00		86.7	70-130	
Ethylbenzene	5.09		5.00		102	70-130	
Isopropylbenzene (Cumene)	1.28		1.27		100	70-130	
p-Isopropyltoluene (p-Cymene)	1.24		1.14		108	50-150	
Methyl tert-Butyl Ether (MTBE)	5.16		5.00		103	70-130	
Methylene Chloride	4.78		5.00		95.6	70-130	
4-Methyl-2-pentanone (MIBK)	4.25		5.00		85.0	70-130	
Styrene	5.31		5.00		106	70-130	
1,1,1,2-Tetrachloroethane	0.796		0.910		87.5	50-150	
1,1,2,2-Tetrachloroethane	4.96		5.00		99.2	70-130	
Tetrachloroethylene	5.15		5.00		103	70-130	
Toluene	5.04		5.00		101	70-130	
1,1,1-Trichloroethane	4.65		5.00		93.0	70-130	
1,1,2-Trichloroethane	5.08		5.00		102	70-130	

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	--------	------------	--------------	------

**Batch B045400 - TO-15 Prep**

<b>LCS (B045400-BS1)</b>	Prepared & Analyzed: 01/26/12					
Trichloroethylene	4.82		5.00		96.4	70-130
Trichlorofluoromethane (Freon 11)	5.24		5.00		105	70-130
1,2,4-Trimethylbenzene	5.38		5.00		108	70-130
1,3,5-Trimethylbenzene	5.22		5.00		104	70-130
Vinyl Chloride	4.74		5.00		94.7	70-130
m&p-Xylene	10.1		10.0		101	70-130
o-Xylene	5.10		5.00		102	70-130
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.42		8.00		105	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.84		8.00		110	70-130

**Batch B045601 - TO-15 Prep**

<b>Blank (B045601-BLK1)</b>	Prepared & Analyzed: 02/02/12					
Acetone	ND	0.80				
Acrylonitrile	ND	0.12				
Benzene	ND	0.020				
Bromodichloromethane	ND	0.020				
Bromoform	ND	0.020				
2-Butanone (MEK)	ND	0.80				
n-Butylbenzene	ND	0.058				
sec-Butylbenzene	ND	0.046				
Carbon Tetrachloride	ND	0.020				
Chlorobenzene	ND	0.020				
Chloroethane	ND	0.020				
Chloroform	ND	0.020				
Chloromethane	ND	0.020				
Dibromochloromethane	ND	0.020				
1,2-Dibromoethane (EDB)	ND	0.020				
1,2-Dichlorobenzene	ND	0.020				
1,3-Dichlorobenzene	ND	0.020				
1,4-Dichlorobenzene	ND	0.020				
Dichlorodifluoromethane (Freon 12)	ND	0.020				
1,1-Dichloroethane	ND	0.020				
1,2-Dichloroethane	ND	0.020				
1,1-Dichloroethylene	ND	0.020				
cis-1,2-Dichloroethylene	ND	0.020				
trans-1,2-Dichloroethylene	ND	0.020				
1,2-Dichloropropane	ND	0.020				
1,3-Dichloropropane	ND	0.054				
cis-1,3-Dichloropropene	ND	0.020				
trans-1,3-Dichloropropene	ND	0.020				
Ethylbenzene	ND	0.020				
Isopropylbenzene (Cumene)	ND	0.051				
p-Isopropyltoluene (p-Cymene)	ND	0.046				
Methyl tert-Butyl Ether (MTBE)	ND	0.020				
Methylene Chloride	ND	0.20				
4-Methyl-2-pentanone (MIBK)	ND	0.020				

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

**Batch B045601 - TO-15 Prep**

<b>Blank (B045601-BLK1)</b>	Prepared & Analyzed: 02/02/12						
Styrene	ND	0.020					
1,1,1,2-Tetrachloroethane	ND	0.036					
1,1,2,2-Tetrachloroethane	ND	0.020					
Tetrachloroethylene	ND	0.020					
Toluene	ND	0.020					
1,1,1-Trichloroethane	ND	0.020					
1,1,2-Trichloroethane	ND	0.020					
Trichloroethylene	ND	0.020					
Trichlorofluoromethane (Freon 11)	ND	0.020					
1,2,4-Trimethylbenzene	ND	0.020					
1,3,5-Trimethylbenzene	ND	0.020					
Vinyl Chloride	ND	0.020					
m&p-Xylene	ND	0.040					
o-Xylene	ND	0.020					
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.08		8.00		101	70-130	
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	9.62		8.00		120	70-130	

<b>LCS (B045601-BS1)</b>	Prepared & Analyzed: 02/02/12						
Acetone	4.56		5.00		91.3	50-150	
Acrylonitrile	1.82		2.88		63.2 *	70-130	L-01
Benzene	3.93		5.00		78.6	70-130	
Bromodichloromethane	4.07		5.00		81.4	70-130	
Bromoform	5.22		5.00		104	70-130	
2-Butanone (MEK)	4.32		5.00		86.5	70-130	
n-Butylbenzene	1.37		1.14		120	50-150	
sec-Butylbenzene	1.26		1.14		111	50-150	
Carbon Tetrachloride	4.84		5.00		96.8	70-130	
Chlorobenzene	4.42		5.00		88.5	70-130	
Chloroethane	5.20		5.00		104	70-130	
Chloroform	4.86		5.00		97.2	70-130	
Chloromethane	4.98		5.00		99.6	70-130	
Dibromochloromethane	4.82		5.00		96.3	70-130	
1,2-Dibromoethane (EDB)	4.23		5.00		84.7	70-130	
1,2-Dichlorobenzene	4.87		5.00		97.4	70-130	
1,3-Dichlorobenzene	5.04		5.00		101	70-130	
1,4-Dichlorobenzene	4.90		5.00		97.9	70-130	
Dichlorodifluoromethane (Freon 12)	5.34		5.00		107	70-130	
1,1-Dichloroethane	4.61		5.00		92.3	70-130	
1,2-Dichloroethane	4.38		5.00		87.7	70-130	
1,1-Dichloroethylene	4.50		5.00		90.0	70-130	
cis-1,2-Dichloroethylene	4.43		5.00		88.6	70-130	
trans-1,2-Dichloroethylene	4.47		5.00		89.4	70-130	
1,2-Dichloropropane	3.87		5.00		77.4	70-130	
1,3-Dichloropropane	1.31		1.35		96.9	70-130	
cis-1,3-Dichloropropene	4.28		5.00		85.5	70-130	
trans-1,3-Dichloropropene	3.80		5.00		76.0	70-130	
Ethylbenzene	4.45		5.00		89.0	70-130	

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	Limit	Flag
<b>Batch B045601 - TO-15 Prep</b>											
<b>LCS (B045601-BS1)</b>											
Prepared & Analyzed: 02/02/12											
Isopropylbenzene (Cumene)	1.32				1.27		104	70-130			
p-Isopropyltoluene (p-Cymene)	1.28				1.14		112	50-150			
Methyl tert-Butyl Ether (MTBE)	4.69				5.00		93.7	70-130			
Methylene Chloride	4.66				5.00		93.2	70-130			
4-Methyl-2-pentanone (MIBK)	3.64				5.00		72.8	70-130			
Styrene	4.63				5.00		92.7	70-130			
1,1,1,2-Tetrachloroethane	1.02				0.910		112	50-150			
1,1,2,2-Tetrachloroethane	4.39				5.00		87.8	70-130			
Tetrachloroethylene	4.40				5.00		88.1	70-130			
Toluene	4.42				5.00		88.3	70-130			
1,1,1-Trichloroethane	4.15				5.00		83.0	70-130			
1,1,2-Trichloroethane	4.37				5.00		87.4	70-130			
Trichloroethylene	4.08				5.00		81.5	70-130			
Trichlorofluoromethane (Freon 11)	4.99				5.00		99.8	70-130			
1,2,4-Trimethylbenzene	4.79				5.00		95.8	70-130			
1,3,5-Trimethylbenzene	4.86				5.00		97.1	70-130			
Vinyl Chloride	5.07				5.00		101	70-130			
m&p-Xylene	9.33				10.0		93.3	70-130			
o-Xylene	4.62				5.00		92.5	70-130			
Surrogate: 4-Bromofluorobenzene (1)	8.43				8.00		105	70-130			
Surrogate: 4-Bromofluorobenzene (2)	9.87				8.00		123	70-130			

**FLAG/QUALIFIER SUMMARY**

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
DL-11	Elevated result due to high dilution factor, please refer to 0.7x dilution for more representative concentration for this compound.
E	Reported result is estimated. Value reported over verified calibration range.
L-01	Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.
V-06	Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.
Z-01	Suspected laboratory contamination.

**CERTIFICATIONS**
**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA TO-15 in Air</b>	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ
Benzene	AIHA,FL,NJ,NY
Bromodichloromethane	AIHA,NJ,NY
Bromoform	AIHA,NJ,NY
2-Butanone (MEK)	AIHA,FL,NJ,NY
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY
Chlorobenzene	AIHA,FL,NJ,NY
Chloroethane	AIHA,FL,NJ,NY
Chloroform	AIHA,FL,NJ,NY
Chloromethane	AIHA,FL,NJ,NY
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY
1,2-Dichloroethane	AIHA,FL,NJ,NY
1,1-Dichloroethylene	AIHA,FL,NJ,NY
cis-1,2-Dichloroethylene	AIHA,FL,NY
trans-1,2-Dichloroethylene	AIHA,NJ,NY
1,2-Dichloropropane	AIHA,FL,NJ,NY
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY
Methylene Chloride	AIHA,FL,NJ,NY
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY
Tetrachloroethylene	AIHA,FL,NJ,NY
Toluene	AIHA,FL,NJ,NY
1,1,1-Trichloroethane	AIHA,FL,NJ,NY
1,1,2-Trichloroethane	AIHA,FL,NJ,NY
Trichloroethylene	AIHA,FL,NJ,NY
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY
m&p-Xylene	AIHA,FL,NJ,NY

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

##### EPA TO-15 in Air

o-Xylene AIHA,FL,NJ,NY

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2012
CT	Connecticut Department of Public Health	PH-0567	09/30/2013
NY	New York State Department of Health	10899 NELAP	04/1/2013
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2013
RI	Rhode Island Department of Health	LAO00112	12/30/2012
NC	North Carolina Div. of Water Quality	652	12/31/2012
NJ	New Jersey DEP	MA007 NELAP	06/30/2012
FL	Florida Department of Health	E871027 NELAP	06/30/2012
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
WA	State of Washington Department of Ecology	C2065	02/23/2013
ME	State of Maine	2011028	06/9/2013
VA	Commonwealth of Virginia	1381	12/14/2012



**Phone: 413-525-2332 AIR SAMPLE CHAIN OF CUSTODY  
Fax: 413-525-6405 RECORD**

39 SPRUCE ST

Page 1 of 2

www.GyanGangotri.com

12A0727

三

e 33 of 35

Company Name: FA Engineering  
Address: 7374 Post Rd

Telephone: ( ) \_\_\_\_\_  
Project # 146237.01

Attention.

Project Location: Alwarer H.S.  
Sampled By: D.T. & D.A.

Proposal Provided? (For Billing purposes)

ALVAREZ H.S.  
PRI : DA

**DATA DELIVERY** (check one):  
 FAX    EMAIL    WEBSITE CLIENT  
Fax #: \_\_\_\_\_  
Email: Mack@rest.com  
Format:  EXCEL    PDF    GIS KEY

Field ID	Sample Description	Media	Lab #	Date Time	Date Time	Minutes Sampled	M³/Min. or L / Min.	Liters or M³	Matrix Code*	r e	r e	Canister ID	Controller ID	
01	GYMNASIUM	AT		1/23/12 0749	1/23/12 0824				1A X		29	9-8	1699	4090
02	CAFETERIA	AT		1/23/12 0750	1/23/12 0820					30	1	0	1249	4089
03	KITCHEN S. RM	AT		1/23/12 0756	1/23/12 0821					21	7	-7	1472	4081
04	ELEV. HALLWAY	AT		1/23/12 0757	1/23/12 0824					30	7	-8	1028	4063
05	Room 145	AT		1/23/12 0829	1/23/12 0839					34	6	-5	1114	4091
06	Room 152	AT		1/23/12 0833	1/23/12 0900					28	0	0	1621	402
07	Room 118	AT		1/23/12 0847	1/23/12 0917					29	7	-7	1840	4100
08	Room 110	AT		1/23/12 0850	1/23/12 0920					29	8	-8	1841	4088

#### Laboratory Comments:

CLIENT COMMEN

Retiring by: (signature)		Date/Time:	Turnaround **	Special Requirements		*Matrix Code:	**Media Codes:
<i>John Doe</i>		1/24/15 10:00	X <input type="checkbox"/> 7-Day <input type="checkbox"/> 10-Day <input type="checkbox"/> Other _____	Regulations: Data Enhancement/RCP? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Enhanced Data Package <input checked="" type="checkbox"/> Y <input type="checkbox"/> N		SG = SOIL GAS IA = INDOOR AIR AMB = AMBIENT SS = SUB SLAB D = DUP BL = BLANK	S = summa can TB = tedlar bag P = PUF T = tube F = filter C = cassette O = Other _____
Received by: (signature) <i>Paul Baker</i>		Date/Time: 1/24/15 12:25	<input type="checkbox"/> RUSH * <input type="checkbox"/> *24-Hr <input type="checkbox"/> *48-Hr <input type="checkbox"/> *72-Hr <input type="checkbox"/> *4-Day	Required Detection Limits: <i>Per Contract</i>		Other: _____	Other: _____
Received by: (signature) <i>John Doe</i>		Date/Time: 1/24/15 17:30	<input type="checkbox"/> Approval Required				



**Phone: 413-525-2332**      **AIR SAMPLE CHAIN OF CUSTODY**  
**Fax: 413-525-6405**      **RECORD**

**39 SPRUCE ST  
EAST LONGMEADOW, MA 01022**

Page 2 of 2

[www.contestlabs.com](http://www.contestlabs.com)

121041

" Hg Please fill ou

Company Name: **EE ENGINEERING**  
Address: \_\_\_\_\_  
Telephone: (\_\_\_\_\_) \_\_\_\_\_  
Project # **14687.01**

Attention:  
Don Mack  
DATA DELIVERY (check one):  
 FAX  EMAIL  OVERNIGHT  CLIENT ID:

Project Location: ALWarez H.S.  
Sampled By: P.T. : DA  
Fax #: \_\_\_\_\_  
Email: rmack@erest.ca

Proposal Provided? (For Billing purposes)			
<input checked="" type="checkbox"/> yes		proposal date	
Date Sampled	ONLY USE WHEN UNIT TESTED		
Start Date	Stop Date	Total	Flow Rate

**INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT**

AIHA: NEHAC & WBE/DBE Certified



[www.contestlabs.com](http://www.contestlabs.com)



## AIR Only Receipt Checklist

39 Spruce St.  
East Longmeadow, MA.  
01028  
P: 413-525-2332  
F: 413-525-6405

CLIENT NAME: EAE Engineering

RECEIVED BY: SD

DATE: 1/24/12

1) Was the chain(s) of custody relinquished and signed?

Yes      No

2) Does the chain agree with the samples?

Yes      No

If not, explain:

3) Are all the samples in good condition?

Yes      No

If not, explain:

4) Are there any samples "On Hold"?

Yes       No      Stored where:  

5) Are there any RUSH or SHORT HOLDING TIME samples?

Yes       No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Location where samples are stored:

Air-Lab

Permission to subcontract samples? Yes No

(Walk-in clients only) if not already approved

Client Signature: \_\_\_\_\_

## Air Media received at Con-Test

		# of Containers	Types (Size, Duration)
Air Sampling Media	Summa Cans	9	6L
	Tedlar Bags		
	Tubes		
Flow Controllers	Regulators	9	30min 6L
	Restrictors		
Extras	Tubing		
	Other		

Unused Summas:

Unused Regulators:

1) Was all media (used & unused checked into the WASP?)

2) Were all returned summa cans, Restrictors, & Regulators documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:

1699 1028 1868  
1249 1114 1841  
1472 1621 1878

4093 4068 4100  
4089 4091 4088  
4081 4102 4106

## ***APPENDIX C***

### ***Subslab Vapor Analytical Summary and Lab Report***

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Acetone	8-Feb-08	17.200	NS	NS	NS	4.750	U	NS	NS	5.620	11.400	NS	
	27-Mar-08	NS	28.700	NS	NS	NS	NS	NS	NS	217.000	12.400		
	25-Apr-08	NS	NS	188.000	NS	NS	NS	513.000	NS	34.000	NS	33.900	
	29-May-08	NS	NS	NS	40.900	NS	NS	NS	92.000	9.820	16.400	NS	
	27-Jun-08	107.000	NS	NS	NS	145.000	NS	NS	NS	NS	20.400	9.730	
	31-Jul-08	NS	101.000	NS	NS	NS	NS	NS	NS	14.400	NS	18.100	
	28-Aug-08	NS	NS	1130.000	NS	NS	NS	30.900	NS	46.000	47.800	NS	
	30-Sep-08	NS	NS	NS	32.800	NS	NS	NS	44.100	NS	9.400	12.800	
	27-Oct-08	19.600	NS	NS	NS	15.000	NS	NS	NS	17.900	NS	33.300	
	25-Nov-08	NS	148.000	NS	NS	NS	NS	183.000	NS	NS	13.000	24.700	NS
	18-Dec-08	NS	NS	856.000	NS	NS	NS	NS	10.400	NS	NS	37.200	22.000
	21-Jan-09	NS	NS	NS	19.100	NS	NS	NS	6.100	2.400	U	NS	4.800
	25-Feb-09	28.600	NS	NS	NS	60.900	NS	NS	NS	9.500	8.300	NS	
	26-Mar-09	NS	102.000	NS	NS	47.500	U	NS	NS	NS	50.600	64.800	
	29-Apr-09	NS	NS	1980.000	NS	NS	NS	23.300	NS	5.150	NS	22.100	
	22-Jul-09	58.500	NS	58.5	148.000	NS	87.800	NS	NS	96.000	88.100	NS	
	9-Oct-09	NS	25.700	NS	NS	49.700	NS	9.200	11100.000	6.510	NS	16.800	
	15-Jan-10	33.600	NS	90.900	22.800	NS	26.300	NS	NS	12.500	11.200	NS	
	21-Apr-10	NS	21.900	NS	NS	206.000	NS	263.000	2870.000	72.800	NS	73.400	
	16-Jul-10	654.000	NS	4800.000	202.000	NS	11400.000	NS	NS	8.340	21.100	NS	
	15-Oct-10	NS	11.300	NS	NS	26.000	NS	10.200	18.300	7.030	NS	21.200	
	26-Jan-11	114.000	26.800	NS	54.400	NS	34.400	NS	35.400	25.300	33.300	NS	
	28-Feb-11	NS	NS	80.800	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	106.000	NS	255.000	NS	220.000	227.000	17.800	NS	58.200		
	26-Jul-11	76.200	NS	120.000	154.000	E	2730	NS	NS	12.800	23.800	NS	
	28-Oct-11	NS	48.000	NS	48.000	U	NS	48.000	48.000	U	51.000	48.000	U
	23-Jan-12	37.000	NS	36.000	19.000		28	NS	NS	38.000	29.000	NS	
Acrylonitrile	8-Feb-08	1.080	U	NS	NS	1.080	U	NS	NS	1.080	U	1.080	U
	27-Mar-08	NS	1.080	U	NS	NS	U	NS	NS	1.080	U	1.080	U
	25-Apr-08	NS	NS	1.080	U	NS	U	NS	1.080	U	1.080	U	U
	29-May-08	NS	NS	NS	1.080	U	NS	NS	1.080	U	1.080	U	NS
	27-Jun-08	1.690	U	NS	NS	NS	U	NS	NS	1.080	U	1.080	U
	31-Jul-08	NS	1.080	U	NS	NS	U	NS	NS	1.080	U	1.080	U
	28-Aug-08	NS	NS	1.080	U	NS	2.200	U	NS	1.080	U	1.080	U
	30-Sep-08	NS	NS	NS	2.200	U	NS	NS	2.200	U	2.200	2.200	U
	27-Oct-08	2.200	U	NS	NS	2.200	U	NS	NS	2.200	U	2.200	U
	25-Nov-08	NS	2.200	U	NS	NS	U	NS	NS	2.200	U	2.200	NS
	18-Dec-08	NS	NS	2.200	U	NS	NS	2.200	U	NS	2.200	U	2.200
	21-Jan-09	NS	NS	NS	2.200	U	NS	NS	2.200	U	2.200	U	U
	25-Feb-09	2.200	U	NS	NS	2.200	U	NS	NS	2.200	U	2.200	NS
	26-Mar-09	NS	5.420	U	NS	NS	U	NS	NS	NS	1.080	1.080	U
	29-Apr-09	NS	NS	1.080	U	NS	NS	1.080	U	NS	1.080	1.080	U
	22-Jul-09	5.420	U	NS	5.420	U	10.800	U	NS	1.080	U	1.080	NS
	9-Oct-09	NS	0.051	U	NS	NS	U	NS	5.420	U	1.080	U	1.080
	15-Jan-10	1.080	U	NS	1.080	U	1.080	U	NS	1.080	U	1.080	NS
	21-Apr-10	NS	1.080	U	NS	NS	U	NS	5.420	U	1.080	U	1.080
	16-Jul-10	1.080	U	NS	1.080	U	1.080	U	NS	1.080	U	1.080	NS
	15-Oct-10	NS	0.108	U	NS	NS	U	NS	1.080	U	1.080	U	1.080
	26-Jan-11	10.800	U	1.080	U	1.080	U	NS	5.420	U	5.420	U	NS
	28-Feb-11	NS	NS	10.800	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	1.080	U	NS	1.080	U	NS	1.080	U	1.080	U	1.080
	26-Jul-11	3.620	U	NS	3.620	U	1.080	U	5.420	U	1.080	U	1.080
	28-Oct-11	NS	6.200	U	1.200	U	6.200	U	NS	6.200	U	6.200	U
	23-Jan-12	1.200	U	NS	1.200	U	1.200	U	NS	1.200	U	1.200	NS
Benzene	8-Feb-08	0.920	NS	NS	NS	0.980	U	NS	NS	0.540	0.850	NS	
	27-Mar-08	NS	0.540	NS	NS	NS	U	NS	NS	0.788	0.635		
	25-Apr-08	NS	NS	0.584	NS	NS	NS	0.745	NS	0.428	NS	0.536	
	29-May-08	NS	NS	NS	0.730	NS	NS	NS	1.030	1.120	0.610	NS	
	27-Jun-08	0.626	NS	NS	NS	0.468	NS	NS	NS	0.499	0.399		
	31-Jul-08	NS	0.418	NS	NS	NS	NS	NS	NS	0.358	NS	0.265	
	28-Aug-08	NS	NS	1.020	NS	NS	NS	0.537	NS	0.815	0.692	NS	
	30-Sep-08	NS	NS	NS	1.600	U	NS	NS	1.600				

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromodichloromethane	8-Feb-08	0.130	U	NS	NS	NS	0.130	U	NS	NS	0.130	U	0.130
	27-Mar-08	NS		0.134	U	NS	NS	U	NS	NS	0.134	U	0.134
	25-Apr-08	NS		NS	U	0.134	NS	U	NS	0.134	U	0.134	U
	29-May-08	NS		NS	U	NS	0.130	U	NS	0.130	U	0.130	U
	27-Jun-08	0.209	U	NS	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	31-Jul-08	NS		0.134	U	NS	NS	U	NS	0.134	U	0.134	U
	28-Aug-08	NS		NS	U	0.134	U	NS	NS	0.134	U	0.134	U
	30-Sep-08	NS		NS	U	0.520	NS	U	NS	0.130	U	0.230	U
	27-Oct-08	0.130	U	NS	NS	NS	1.070	U	NS	NS	0.130	U	0.130
	25-Nov-08	NS		0.130	U	NS	NS	U	NS	NS	0.130	U	3.000
	18-Dec-08	NS		NS	U	0.130	NS	U	NS	0.130	U	0.130	U
	21-Jan-09	NS		NS	U	0.130	NS	U	NS	0.130	U	0.130	U
	25-Feb-09	0.130	U	NS	NS	NS	0.130	U	NS	NS	0.130	U	NS
	26-Mar-09	NS		0.670	U	NS	NS	U	1.340	U	NS	0.134	U
	29-Apr-09	NS		NS	U	0.134	NS	U	NS	0.134	U	0.134	U
	22-Jul-09	0.670	U	NS	27.300	U	1.340	U	NS	0.670	U	0.134	U
	9-Oct-09	NS		0.134	U	NS	NS	U	0.134	U	28.000	U	0.134
	15-Jan-10	0.134	U	NS	0.134	U	0.670	U	NS	0.134	U	0.134	U
	21-Apr-10	NS		0.134	U	NS	0.670	U	NS	0.670	U	0.134	U
	16-Jul-10	0.134	U	NS	0.134	U	1.010	U	NS	0.134	U	0.134	U
	15-Oct-10	NS		0.134	U	NS	0.134	U	NS	0.134	U	0.134	U
	26-Jan-11	1.340	U	0.134	U	NS	0.670	U	NS	0.670	U	0.670	U
	28-Feb-11	NS		NS	U	1.340	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.134	U	NS	0.134	U	NS	0.134	U	0.134	U
	26-Jul-11	0.447	U	NS	0.447	U	0.134	U	NS	0.134	U	0.670	U
	28-Oct-11	NS		3.400	U	NS	3.400	U	NS	3.400	U	NS	3.400
	23-Jan-12	0.670	U	NS	0.670	U	0.670	U	NS	0.670	U	0.670	U
Bromoform	8-Feb-08	0.210	U	NS	NS	NS	0.210	U	NS	NS	0.210	U	NS
	27-Mar-08	NS		0.206	U	NS	NS	U	0.206	U	NS	0.206	U
	25-Apr-08	NS		NS	U	0.206	NS	U	NS	0.210	U	0.210	U
	29-May-08	NS		NS	U	0.210	NS	U	NS	0.210	U	0.206	U
	27-Jun-08	0.322	U	NS	NS	NS	0.206	U	NS	NS	0.206	U	0.206
	31-Jul-08	NS		0.206	U	NS	NS	U	NS	NS	0.206	U	0.206
	28-Aug-08	NS		NS	U	0.206	NS	U	NS	0.206	U	0.206	U
	30-Sep-08	NS		NS	U	0.410	NS	U	NS	0.410	U	0.410	U
	27-Oct-08	0.410	U	NS	NS	NS	0.410	U	NS	NS	0.410	U	0.410
	25-Nov-08	NS		0.140	U	NS	NS	U	0.410	U	NS	0.410	U
	18-Dec-08	NS		NS	U	0.410	NS	U	NS	0.410	U	0.410	U
	21-Jan-09	NS		NS	U	0.410	NS	U	NS	0.410	U	0.410	U
	25-Feb-09	0.410	U	NS	NS	NS	0.140	U	NS	NS	0.410	U	NS
	26-Mar-09	NS		1.030	U	NS	NS	U	2.060	U	NS	0.206	U
	29-Apr-09	NS		NS	U	0.206	NS	U	NS	0.206	U	0.206	U
	22-Jul-09	1.030	U	NS	42.000	U	2.060	U	NS	1.030	U	0.206	U
	9-Oct-09	NS		0.206	U	NS	0.206	U	NS	0.206	U	43.100	U
	15-Jan-10	0.206	U	NS	0.206	U	0.206	U	NS	0.206	U	0.206	U
	21-Apr-10	NS		0.206	U	NS	0.1030	U	NS	1.030	U	0.206	U
	16-Jul-10	0.206	U	NS	0.206	U	0.206	U	1.560	U	NS	0.206	U
	15-Oct-10	NS		0.206	U	NS	0.206	U	NS	0.206	U	0.206	U
	26-Jan-11	2.060	U	0.206	U	NS	0.206	U	1.030	U	1.030	U	NS
	28-Feb-11	NS		NS	U	2.060	NS	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.206	U	NS	0.206	U	NS	0.206	U	0.206	U
	26-Jul-11	0.690	U	NS	0.690	U	0.207	U	1.030	U	0.207	U	1.030
	28-Oct-11	NS		5.200	U	NS	5.200	U	NS	5.200	U	NS	5.200
	23-Jan-12	1.000	U	NS	1.000	U	1.000	U	NS	1.000	U	1.000	U
2-Butanone	8-Feb-08	126.000		NS	226.000		NS	1.470	U	NS	NS	3.080	
	27-Mar-08	NS		NS	477.000		NS	NS	U	1680.000		10.600	
	25-Apr-08	NS		NS	NS	527.000	NS	NS	NS	591.000		11.900	
	29-May-08	NS		NS	NS	NS	596.000	NS	NS	NS	2.240		3.900
	27-Jun-08	1080.000		NS	1350.000		NS	NS	NS	NS	2.270		1.470
	31-Jul-08	NS		NS	8380.000		NS	NS	NS	NS	3.040		NS
	30-Sep-08	NS		NS	NS	101.000	NS	NS	NS	12.000		6.920	
	27-Oct-08	53.500		NS	NS	NS	30.500	NS	NS	NS	5.290		3.640
	25-Nov-08	NS		802.000	NS	NS	259.000	NS	NS	NS	19.180		2.560
	18-Dec-08	NS		NS	5630.000		NS	NS	NS	NS	24.000		1.500
	21-Jan-09	NS		NS	NS								

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
n-Butylbenzene	8-Feb-08	2.740	U	NS	NS	NS	2.740	U	NS	NS	2.740	U	NS
	27-Mar-08	NS	2.740	U	NS	NS	NS	NS	NS	NS	2.740	U	2.740
	25-Apr-08	NS	NS	2.740	U	NS	NS	NS	2.740	U	2.740	U	2.740
	29-May-08	NS	NS	NS	U	2.740	U	NS	NS	2.740	U	2.740	U
	27-Jun-08	4.270	U	NS	NS	NS	2.740	U	NS	NS	2.740	U	2.740
	31-Jul-08	NS	2.740	U	NS	NS	NS	NS	NS	2.740	U	2.740	U
	28-Aug-08	NS	NS	2.740	U	NS	NS	NS	2.740	U	2.740	U	NS
	30-Sep-08	NS	NS	NS	U	5.500	U	NS	NS	5.500	U	5.500	U
	27-Oct-08	22.100	NS	NS	NS	NS	5.500	U	NS	NS	12.800	U	5.500
	25-Nov-08	NS	5.500	U	NS	NS	NS	5.500	U	NS	5.500	U	NS
	18-Dec-08	NS	NS	5.500	U	NS	NS	NS	5.500	U	NS	5.500	U
	21-Jan-09	NS	NS	NS	U	5.500	U	NS	NS	5.500	U	5.500	U
	25-Feb-09	5.500	U	NS	NS	NS	5.500	U	NS	NS	5.500	U	NS
	26-Mar-09	NS	13.700	U	NS	NS	NS	27.400	U	NS	NS	2.740	U
	29-Apr-09	NS	NS	2.740	U	NS	NS	NS	2.740	U	2.740	U	2.740
	22-Jul-09	13.700	U	NS	13.700	U	27.400	U	NS	NS	2.740	U	2.740
	9-Oct-09	NS	1.080	U	NS	NS	2.740	U	NS	2.740	U	2.740	U
	15-Jan-10	2.740	U	NS	2.740	U	2.740	U	NS	573.000	U	2.740	U
	21-Apr-10	NS	2.740	U	NS	NS	13.700	U	13.700	U	13.700	U	2.740
	16-Jul-10	2.740	U	NS	2.740	U	2.740	U	NS	2.740	U	2.740	U
	15-Oct-10	NS	2.740	U	NS	NS	2.740	U	NS	2.740	U	2.740	U
	26-Jan-11	27.400	U	2.740	U	NS	2.740	U	13.700	U	13.700	U	NS
	28-Feb-11	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.745	U	NS	NS	2.740	U	NS	2.740	U	2.740	U
	26-Jul-11	9.170	U	NS	9.170	U	2.740	U	13.700	U	13.700	U	NS
	28-Oct-11	NS	7.900	U	NS	NS	7.900	U	7.900	U	7.900	U	7.900
	23-Jan-12	1.600	U	NS	1.600	U	1.600	U	NS	1.600	U	1.600	U
sec-Butylbenzene	8-Feb-08	2.740	U	NS	NS	NS	2.740	U	NS	NS	2.740	U	NS
	27-Mar-08	NS	2.740	U	NS	NS	NS	NS	2.740	U	2.740	U	2.740
	25-Apr-08	NS	NS	2.740	U	NS	NS	NS	2.740	U	2.740	U	2.740
	29-May-08	NS	NS	NS	U	2.740	U	NS	NS	2.740	U	2.740	U
	27-Jun-08	4.270	U	NS	NS	NS	2.740	U	NS	NS	2.740	U	2.740
	31-Jul-08	NS	2.740	U	NS	NS	NS	NS	NS	2.740	U	2.740	U
	28-Aug-08	NS	NS	2.740	U	NS	NS	NS	2.740	U	2.740	U	NS
	27-Oct-08	NS	NS	NS	U	5.500	U	NS	NS	5.500	U	5.500	U
	27-Oct-08	5.500	U	NS	NS	NS	5.500	U	NS	NS	5.500	U	5.500
	25-Nov-08	NS	5.500	U	NS	NS	5.500	U	NS	NS	5.500	U	NS
	18-Dec-08	NS	NS	5.500	U	NS	NS	NS	5.500	U	NS	5.500	U
	21-Jan-09	NS	NS	NS	U	5.500	U	NS	NS	5.500	U	5.500	U
	25-Feb-09	5.500	U	NS	NS	NS	5.500	U	NS	NS	5.500	U	NS
	26-Mar-09	NS	13.700	U	NS	NS	27.400	U	NS	NS	2.740	U	2.740
	29-Apr-09	NS	NS	2.740	U	NS	NS	NS	2.740	U	2.740	U	2.740
	22-Jul-09	13.700	U	NS	13.700	U	27.400	U	13.700	U	2.740	U	NS
	9-Oct-09	NS	2.740	U	NS	NS	2.740	U	2.740	U	573.000	U	2.740
	15-Jan-10	2.740	U	NS	2.740	U	2.740	U	NS	2.740	U	2.740	U
	21-Apr-10	NS	2.740	U	NS	NS	13.700	U	13.700	U	13.700	U	2.740
	16-Jul-10	2.740	U	NS	2.74	U	2.740	U	20.700	U	2.740	U	2.740
	15-Oct-10	NS	2.740	U	NS	NS	2.740	U	NS	2.740	U	2.740	U
	26-Jan-11	27.400	U	2.740	U	NS	2.740	U	13.700	U	13.700	U	NS
	28-Feb-11	NS	NS	27.400	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.740	U	NS	NS	2.740	U	NS	2.740	U	2.740	U
	26-Jul-11	9.170	U	NS	9.170	U	2.740	U	13.700	U	13.700	U	2.470
	28-Oct-11	NS	6.300	U	NS	1.300	U	6.300	U	6.300	U	6.300	U
	23-Jan-12	1.300	U	NS	1.300	U	1.300	U	NS	1.300	U	1.300	U
Carbon tetrachloride	8-Feb-08	0.440		NS	NS	NS	0.460		NS	NS	0.530		0.450
	27-Mar-08	NS		0.539		NS	NS	0.477		NS	NS	0.576	
	25-Apr-08	NS		NS		0.417	NS	NS	0.448		0.459		0.574
	29-May-08	NS		NS		0.460	NS	NS	0.460		0.470		0.448
	27-Jun-08	0.478		NS		NS	0.506	NS	NS	NS	0.460		0.448
	31-Jul-08	NS		0.576		NS	NS	NS	NS	NS	0.533		0.553
	28-Aug-08	NS		NS		0.515	NS	NS	0.549		0.548		0.495
	30-Sep-08	NS		NS		0.511	NS	NS	NS	0.577		0.567	
	27-Oct-08	0.480		NS		NS	0.360	NS	NS	NS	0.410		0.469
	25-Nov-08	NS		0.500									

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chlorobenzene	8-Feb-08	0.090	U	NS	NS	NS	0.090	U	NS	NS	0.090	U	0.090
	27-Mar-08	NS		0.052	U	NS	NS	U	NS	0.092	U	NS	0.092
	25-Apr-08	NS		NS	U	0.092	NS	U	NS	0.092	U	NS	0.092
	29-May-08	NS		NS	U	NS	0.090	U	NS	0.092	U	NS	0.092
	27-Jun-08	0.207		NS	U	NS	0.092	U	NS	0.090	U	0.092	U
	31-Jul-08	NS		0.092	U	NS	NS	U	NS	0.092	U	NS	0.092
	28-Aug-08	NS		NS	U	0.092	U	NS	NS	0.092	U	NS	NS
	30-Sep-08	NS		NS	U	2.300	U	NS	NS	2.300	U	2.300	U
	27-Oct-08	2.300	U	NS	U	NS	2.300	U	NS	NS	2.300	U	2.300
	25-Nov-08	NS		2.300	U	NS	NS	U	2.300	U	NS	2.300	U
	18-Dec-08	NS		NS	U	2.300	U	NS	NS	2.300	U	2.300	U
	21-Jan-09	NS		NS	U	2.300	U	NS	NS	2.300	U	2.300	U
	25-Feb-09	2.300	U	NS	U	NS	2.300	U	NS	NS	2.300	U	NS
	26-Mar-09	NS		0.460	U	NS	NS	U	0.920	U	NS	0.092	U
	29-Apr-09	NS		NS	U	0.092	U	NS	NS	0.092	U	NS	0.092
	22-Jul-09	0.460	U	NS	U	18.800	U	0.920	U	0.460	U	NS	0.092
	9-Oct-09	NS		0.092	U	NS	NS	U	0.092	U	0.092	U	0.092
	15-Jan-10	0.092	U	NS	U	0.092	U	NS	0.092	U	19.200	U	0.092
	21-Apr-10	NS		0.092	U	NS	0.460	U	NS	0.460	U	0.092	U
	16-Jul-10	0.092	U	NS	U	0.092	U	0.212	NS	0.695	U	NS	0.092
	15-Oct-10	NS		0.092	U	NS	0.129	U	NS	0.106	U	0.092	U
	26-Jan-11	0.920	U	0.092	U	NS	0.092	U	0.460	U	0.460	U	0.101
	28-Feb-11	NS		NS	U	0.920	U	NS	NS	NS	U	NS	NS
	27-Apr-11	NS		NS	U	NS	0.092	U	NS	0.092	U	0.092	U
	26-Jul-11	0.307	U	NS	U	0.092	U	0.460	U	NS	0.460	U	0.092
	28-Oct-11	NS		2.300	U	NS	2.300	U	NS	2.300	U	NS	2.300
	23-Jan-12	0.460	U	NS	U	0.460	U	NS	0.460	U	NS	12.000	NS
Chloroethane	8-Feb-08	0.050	U	NS	U	NS	0.050	U	NS	NS	0.050	U	0.050
	27-Mar-08	NS		0.053	U	NS	NS	U	0.053	NS	NS	U	0.053
	25-Apr-08	NS		NS	U	0.053	U	0.110	NS	0.139	U	0.053	U
	29-May-08	NS		NS	U	NS	0.132	NS	NS	0.100	U	0.050	U
	27-Jun-08	0.082	U	NS	U	NS	NS	NS	NS	NS	U	0.053	U
	31-Jul-08	NS		0.053	U	NS	NS	NS	NS	NS	U	0.053	U
	28-Aug-08	NS		NS	U	0.053	U	1.300	NS	0.153	U	0.075	NS
	30-Sep-08	NS		NS	U	NS	1.300	U	NS	1.300	U	1.300	U
	27-Oct-08	1.300	U	NS	U	NS	1.300	U	NS	NS	U	1.600	U
	25-Nov-08	NS		1.300	U	NS	1.300	U	1.300	NS	U	1.300	U
	18-Dec-08	NS		NS	U	1.300	U	NS	1.300	U	NS	1.300	U
	21-Jan-09	NS		NS	U	1.300	U	NS	NS	1.300	U	NS	1.300
	25-Feb-09	1.300	U	NS	U	NS	1.300	U	NS	NS	U	NS	NS
	26-Mar-09	NS		0.264	U	NS	NS	U	0.527	NS	NS	0.121	0.063
	29-Apr-09	NS		NS	U	0.137	NS	U	NS	0.063	U	NS	0.053
	22-Jul-09	0.264	U	NS	U	10.800	U	0.527	NS	0.277	NS	0.061	NS
	9-Oct-09	NS		0.053	U	NS	NS	U	0.058	NS	0.406	11.000	0.053
	15-Jan-10	0.053	U	NS	U	0.074	NS	0.066	NS	0.053	NS	0.053	NS
	21-Apr-10	NS		0.074	U	NS	NS	U	0.264	NS	0.303	0.303	0.116
	16-Jul-10	0.100		NS	U	2.550	U	0.166	NS	0.398	U	0.053	NS
	15-Oct-10	NS		0.053	U	NS	NS	U	0.082	NS	0.071	0.053	0.053
	26-Jan-11	0.527	U	0.053	U	NS	0.077	U	0.264	U	0.264	U	0.264
	28-Feb-11	NS		NS	U	,527	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.053	U	NS	NS	U	0.079	NS	0.082	0.053	0.053
	26-Jul-11	0.176	U	NS	U	0.176	U	0.116	NS	0.264	U	0.053	NS
	28-Oct-11	NS		1.300	U	NS	1.300	U	NS	1.300	U	0.264	1.300
	23-Jan-12	0.260	U	NS	U	0.260	U	0.260	NS	0.260	U	0.260	NS
Chloroform	8-Feb-08	0.100	U	NS	U	NS	NS	U	NS	NS	0.120	0.120	NS
	27-Mar-08	NS		0.098	U	NS	NS	U	0.125	NS	NS	0.453	0.847
	25-Apr-08	NS		NS	U	0.231	NS	NS	0.203	NS	0.134	NS	0.265
	29-May-08	NS		NS	U	0.140	NS	NS	NS	0.100	U	0.110	NS
	27-Jun-08	0.263		NS	U	NS	0.623	NS	NS	NS	U	0.140	0.395
	31-Jul-08	NS		0.145	U	NS	NS	NS	NS	NS	U	0.130	0.124
	28-Aug-08	NS		NS	U	0.098	U	0.490	NS	1.200	U	0.331	NS
	30-Sep-08	NS		NS	U	NS	0.490	U	NS	NS	U	0.490	0.490
	27-Oct-08	0.490	U	NS	U	NS	NS	U	0.490	NS	U	0.490	U
	25-Nov-08	NS		0.240	U	NS	NS	U	0.240	NS	U	0.240	NS
	18-Dec-08	NS		NS	U	0.240	U	NS	NS	0.240	U	0.240	0.240
	21-Jan-09	NS		NS	U	0.240	U	NS	NS	0.240	U	0.240	0.240
	25-Feb-09	0.240	U	NS	U	NS	0.240	U	NS	NS	U	0.240	NS

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloromethane	8-Feb-08	2.440	U	NS	NS	NS	2.440	U	NS	NS	2.440	U	NS
	27-Mar-08	NS		2.670		NS	NS		3.240	NS	NS	2.440	U
	25-Apr-08	NS		NS	2.440	U	NS		2.440	U	2.440	U	U
	29-May-08	NS		NS	NS	U	2.440	U	NS	NS	2.440	U	NS
	27-Jun-08	3.800	U	NS	NS	NS	2.440	U	NS	NS	2.440	U	U
	31-Jul-08	NS		4.640		NS	NS		NS	NS	2.440	U	2.440
	28-Aug-08	NS		NS	2.440	U	NS		NS	NS	2.440	U	NS
	30-Sep-08	NS		NS	1.000	U	NS	1.000	U	NS	1.000	U	1.000
	27-Oct-08	1.000	U	NS	NS	U	NS	1.000	U	NS	1.100	U	3.500
	25-Nov-08	NS		1.000	U	NS	NS		1.000	U	1.000	U	NS
	18-Dec-08	NS		NS	U	NS	NS		1.000	U	NS	1.400	U
	21-Jan-09	NS		NS	U	1.000	U	NS	NS	3.100	U	1.000	U
	25-Feb-09	1.000		NS		NS	1.000	U	NS	NS	1.000	U	NS
	26-Mar-09	NS		12.200	U	NS	NS		24.400	U	NS	4.580	U
	29-Apr-09	NS		NS	22.400	U	NS		19.400	NS	2.440	U	2.440
	22-Jul-09	18.500		NS	497.000	U	32.000		41.900	NS	2.440	U	6.290
	9-Oct-09	NS		2.440	U	NS	NS		2.440	U	2.440	U	2.440
	15-Jan-10	2.440	U	NS	2.780	U	2.440	U	2.440	U	509.000	U	NS
	21-Apr-10	NS		3.250		NS	12.200	U	NS	12.200	U	2.440	U
	16-Jul-10	1.320		NS	62.800	U	1.480	U	7.790	U	NS	1.030	U
	15-Oct-10	NS		1.030	U	NS	1.030	U	NS	1.030	U	1.030	U
	26-Jan-11	10.300	U	1.030		NS	5.160	U	NS	5.160	U	5.160	U
	28-Feb-11	NS		NS	10.300	U	NS		NS	NS	NS	NS	NS
	27-Apr-11	NS		1.230		NS	1.030	U	NS	1.030	U	1.030	U
	26-Jul-11	3.450	U	NS	3.450	U	1.030	U	5.160	U	1.030	U	5.160
	28-Oct-11	NS		1.000	U	NS	1.000	U	NS	1.000	U	1.000	U
	23-Jan-12	0.210	U	NS	0.210	U	0.210	U	NS	0.210	U	0.210	U
Dibromochloromethane	8-Feb-08	0.100	U	NS	NS	NS	0.100	U	NS	NS	0.100	U	NS
	27-Mar-08	NS	0.096	U	NS	NS	0.096	U	NS	NS	0.096	U	0.096
	25-Apr-08	NS	NS	0.096	U	NS	0.100	U	NS	NS	0.100	U	0.096
	29-May-08	NS	NS	NS	U	NS	0.096	U	NS	NS	0.100	U	NS
	27-Jun-08	0.150	U	NS	NS	NS	0.096	U	NS	NS	0.096	U	0.096
	31-Jul-08	NS	0.096	U	NS	NS	NS	U	NS	NS	0.096	U	0.096
	28-Aug-08	NS	NS	0.096	U	NS	4.200	U	NS	NS	0.096	U	NS
	30-Sep-08	NS	NS	NS	U	NS	4.200	U	NS	NS	4.200	U	4.200
	27-Oct-08	4.200	U	NS	NS	NS	4.200	U	NS	NS	4.200	U	4.200
	25-Nov-08	NS	4.200	U	NS	NS	4.200	U	NS	NS	4.200	U	NS
	18-Dec-08	NS	NS	4.200	U	NS	4.200	U	NS	NS	4.200	U	4.200
	21-Jan-09	NS	NS	NS	U	NS	4.200	U	NS	NS	4.200	U	4.200
	25-Feb-09	4.200	U	NS	NS	NS	4.200	U	NS	NS	4.200	U	NS
	26-Mar-09	NS	0.480	U	NS	NS	0.960	U	NS	NS	0.960	U	0.096
	29-Apr-09	NS	NS	0.096	U	NS	NS	U	NS	NS	0.096	U	0.096
	22-Jul-09	0.480	U	NS	19.600	U	0.960	U	NS	NS	0.096	U	0.096
	9-Oct-09	NS	0.096	U	NS	NS	U	NS	NS	NS	0.096	U	0.096
	15-Jan-10	0.096	U	NS	0.096	U	0.096	U	NS	NS	0.096	U	NS
	21-Apr-10	NS	0.096	U	NS	NS	0.480	U	NS	NS	0.096	U	0.096
	16-Jul-10	0.170	U	NS	0.170	U	0.170	U	1.280	U	NS	0.170	U
	15-Oct-10	NS	0.170	U	NS	NS	0.170	U	NS	NS	0.170	U	0.170
	26-Jan-11	1.700	U	0.170	U	NS	0.170	U	0.851	U	0.851	U	0.851
	28-Feb-11	NS	NS	1.700	U	NS	NS	U	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.170	U	NS	NS	0.170	U	NS	NS	0.170	U	0.170
	26-Jul-11	0.568	U	NS	0.568	U	0.170	U	0.852	U	0.170	U	0.852
	28-Oct-11	NS	4.300	U	NS	NS	4.300	U	NS	4.300	U	4.300	U
	23-Jan-12	0.850	U	NS	0.850	U	0.850	U	NS	0.850	U	0.850	U
1,2-Dibromoethane	8-Feb-08	0.150	U	NS	NS	NS	0.150	U	NS	NS	0.150	U	NS
	27-Mar-08	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154
	25-Apr-08	NS	NS	0.154	U	NS	0.150	U	NS	NS	0.150	U	0.154
	29-May-08	NS	NS	NS	U	NS	0.154	U	NS	NS	0.150	U	NS
	27-Jun-08	0.239	U	NS	NS	NS	0.154	U	NS	NS	0.154	U	0.154
	31-Jul-08	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154
	28-Aug-08	NS	NS	0.154	U	NS	0.150	U	NS	NS	0.154	U	NS
	30-Sep-08	NS	NS	NS	U	NS	0.150	U	NS	NS	0.150	U	0.150
	27-Oct-08	0.150	U	NS	NS	NS	0.150	U	NS	NS	0.150	U	0.150
	25-Nov-08	NS	0.150	U	NS	NS	0.150	U	NS	NS	0.150	U	NS

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichlorobenzene	8-Feb-08	0.120	U	NS	NS	NS	0.120	U	NS	NS	0.120	U	0.550
	27-Mar-08	NS		0.120	U	NS	NS	U	NS	NS	0.120	U	0.120
	25-Apr-08	NS		NS	U	0.120	NS	U	NS	0.120	U	0.120	U
	29-May-08	NS		NS	U	NS	0.120	U	NS	0.120	U	0.120	U
	27-Jun-08	0.187	U	NS	U	NS	0.120	U	NS	NS	0.120	U	0.120
	31-Jul-08	NS		0.120	U	NS	NS	U	NS	NS	0.120	U	0.120
	28-Aug-08	NS		NS	U	0.120	U	NS	NS	0.120	U	0.120	U
	30-Sep-08	NS		NS	U	3.000	U	NS	NS	3.000	U	3.000	U
	27-Oct-08	3.000	U	NS	U	NS	3.000	U	NS	NS	3.000	U	3.000
	25-Nov-08	NS		3.000	U	NS	NS	U	NS	3.000	U	3.000	U
	18-Dec-08	NS		NS	U	3.000	U	NS	NS	3.000	U	3.000	U
	21-Jan-09	NS		NS	U	3.000	U	NS	NS	3.000	U	3.000	U
	25-Feb-09	3.000	U	NS	U	NS	3.000	U	NS	NS	3.000	U	NS
	26-Mar-09	NS		0.601	U	NS	NS	U	NS	NS	0.120	U	0.120
	29-Apr-09	NS		NS	U	0.120	U	NS	NS	0.120	U	0.120	U
	22-Jul-09	0.601	U	NS	U	24.000	U	1.200	U	NS	0.120	U	0.120
	9-Oct-09	NS		0.120	U	NS	NS	U	0.120	U	0.120	U	0.120
	15-Jan-10	0.120	U	NS	U	0.120	U	NS	NS	0.120	U	0.120	U
	21-Apr-10	NS		0.120	U	NS	0.601	U	NS	0.601	U	0.120	U
	16-Jul-10	0.120	U	NS	U	0.120	U	NS	0.907	U	0.120	U	1.200
	15-Oct-10	NS		0.120	U	NS	0.120	U	NS	0.120	U	0.120	U
	26-Jan-11	1.200	U	0.120	U	NS	0.120	U	NS	0.601	U	0.601	U
	28-Feb-11	NS		NS	U	1.200	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.120	U	NS	0.120	U	NS	0.120	U	0.120	U
	26-Jul-11	0.401	U	NS	U	0.401	U	NS	0.601	U	0.120	U	0.601
	28-Oct-11	NS		3.000	U	NS	3.000	U	NS	3.000	U	3.000	U
	23-Jan-12	0.600	U	NS	U	0.600	U	NS	0.600	U	NS	7.500	NS
1,3-Dichlorobenzene	8-Feb-08	0.120	U	NS	U	NS	0.120	U	NS	NS	0.120	U	0.120
	27-Mar-08	NS		0.120	U	NS	0.600	U	NS	0.120	U	0.120	U
	25-Apr-08	NS		NS	U	0.120	U	NS	NS	0.120	U	0.120	U
	29-May-08	NS		NS	U	1.180	U	NS	NS	3.470	U	0.620	NS
	27-Jun-08	0.187	U	NS	U	NS	0.257	U	NS	NS	0.120	U	0.120
	31-Jul-08	NS		0.822	U	NS	NS	U	NS	NS	0.136	U	0.120
	28-Aug-08	NS		NS	U	0.120	U	NS	NS	0.120	U	0.120	U
	30-Sep-08	NS		NS	U	3.000	U	NS	NS	3.000	U	3.000	U
	27-Oct-08	3.000	U	NS	U	NS	3.000	U	NS	NS	3.000	U	3.000
	25-Nov-08	NS		3.000	U	NS	3.000	U	NS	NS	3.000	U	NS
	18-Dec-08	NS		NS	U	3.000	U	NS	NS	3.000	U	3.000	U
	21-Jan-09	NS		NS	U	3.000	U	NS	NS	3.000	U	3.000	U
	25-Feb-09	3.000	U	NS	U	NS	3.000	U	NS	NS	3.000	U	NS
	26-Mar-09	NS		0.601	U	NS	NS	U	NS	NS	0.120	U	0.120
	29-Apr-09	NS		NS	U	0.120	U	NS	NS	0.120	U	0.120	U
	22-Jul-09	0.601	U	NS	U	24.500	U	1.200	U	NS	0.120	U	0.360
	9-Oct-09	NS		0.120	U	NS	0.120	U	NS	0.120	U	0.120	U
	15-Jan-10	0.120	U	NS	U	0.120	U	NS	0.120	U	0.120	U	NS
	21-Apr-10	NS		0.120	U	NS	0.601	U	NS	0.601	U	0.120	U
	16-Jul-10	0.595		NS		0.685		1.990		NS	0.132		0.162
	15-Oct-10	NS		0.120	U	NS	0.120	U	NS	0.120	U	0.120	U
	26-Jan-11	1.200	U	0.120	U	NS	0.120	U	NS	0.601	U	0.601	U
	28-Feb-11	NS		NS	U	1.200	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.120	U	NS	0.420	U	NS	0.156	U	0.120	U
	26-Jul-11	0.401	U	NS	U	0.401	U	NS	0.601	U	0.120	U	0.601
	28-Oct-11	NS		3.000	U	NS	3.000	U	NS	3.000	U	3.000	U
	23-Jan-12	1.600	U	NS	U	1.800	U	2.300	NS	1.900	U	2.700	NS
1,4-Dichlorobenzene	8-Feb-08	1.560		NS		NS	0.260		NS		9.500		7.910
	27-Mar-08	NS		4.330		NS	NS		8.480		NS		6.280
	25-Apr-08	NS		NS		0.347	NS		NS		17.900		15.100
	29-May-08	NS		NS		5.500	NS		NS		9.410		16.300
	27-Jun-08	47.300		NS		NS	38.100		NS		4.180		NS
	31-Jul-08	NS		2.460		NS	NS		NS		40.800		57.900
	28-Aug-08	NS		NS		234.000	NS		NS		1.840		2.040
	30-Sep-08	NS		NS		7.200	NS		NS		239.000		NS
	27-Oct-08	3.000	U	NS		NS	3.000	U	NS		3.000		5.600
	25-Nov-08	NS		3.000	U	NS	NS	U	3.000		3.000		NS
	18-Dec-08	NS		NS	U	3.000	U	NS	4.700		NS		17.100
	21-Jan-09	NS											

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	8-Feb-08	2.000	NS	NS	NS	2.030	NS	NS	NS	1.920	2.000	NS	
	27-Mar-08	NS	2.290	NS	NS	NS	2.150	NS	NS	NS	2.720	4.140	
	25-Apr-08	NS	NS	2.010	NS	NS	NS	2.110	NS	2.040	NS	2.160	
	29-May-08	NS	NS	NS	1.630	NS	NS	NS	1.620	1.680	1.660	NS	
	27-Jun-08	2.030	NS	NS	NS	2.520	NS	NS	NS	NS	2.270	2.480	
	31-Jul-08	NS	1.900	NS	NS	NS	NS	NS	NS	1.810	NS	1.870	
	28-Aug-08	NS	NS	3.130	NS	NS	NS	2.800	NS	2.750	2.880	NS	
	30-Sep-08	NS	NS	NS	2.500	U	NS	NS	2.500	U	2.500	2.700	
	27-Oct-08	2.500	U	NS	NS	2.500	U	NS	NS	2.500	U	2.500	U
	25-Nov-08	NS	215.000	NS	NS	NS	11.700	NS	NS	2.500	U	5.100	NS
	18-Dec-08	NS	NS	25.000	NS	NS	NS	2.500	U	NS	2.500	2.500	U
	21-Jan-09	NS	NS	2.500	U	NS	NS	5.800	U	2.500	U	2.500	U
	25-Feb-09	2.500	U	NS	NS	19.400	NS	NS	NS	2.500	U	3.400	NS
	26-Mar-09	NS	2.550	NS	NS	2.480	NS	NS	NS	NS	2.460	2.410	
	29-Apr-09	NS	NS	2.410	NS	NS	NS	3.780	NS	2.260	NS	2.400	
	22-Jul-09	2.420	NS	2.420	2.720	NS	2.500	NS	NS	2.370	2.480	NS	
	9-Oct-09	NS	2.730	NS	NS	2.770	NS	3.670	51.600	U	2.640	NS	2.790
	15-Jan-10	2.500	NS	3.570	2.520	NS	2.610	NS	NS	2.290	2.250	NS	
	21-Apr-10	NS	0.568	NS	NS	2.200	NS	2.590	2.200	2.640	NS	2.430	
	16-Jul-10	3.360	NS	2.610	2.550	NS	2.980	NS	NS	3.150	3.290	NS	
	15-Oct-10	NS	3.130	NS	NS	2.670	NS	2.430	2.410	2.460	NS	2.430	
	26-Jan-11	2.470	U	2.200	NS	2.640	NS	1.980	NS	2.570	3.310	3.240	NS
	28-Feb-11	NS	NS	2.470	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	2.180	NS	NS	2.270	NS	2.260	2.500	2.320	NS	2.310	
	26-Jul-11	2.410	NS	2.290	NS	2.280	2.080	NS	NS	2.440	2.300	NS	
	28-Oct-11	NS	2.700	NS	NS	2.700	NS	2.700	2.700	2.900	NS	3.100	
	23-Jan-12	2.500	NS	2.600	NS	2.600	NS	2.700	NS	2.600	2.600	NS	
1,1-Dichloroethane	8-Feb-08	0.080	U	NS	NS	0.080	U	NS	NS	0.080	U	0.080	U
	27-Mar-08	NS	0.081	U	NS	NS	0.081	U	NS	NS	0.081	U	0.081
	25-Apr-08	NS	NS	0.081	U	NS	NS	0.081	U	0.080	U	0.080	U
	29-May-08	NS	NS	NS	U	0.080	U	NS	U	0.080	U	0.080	NS
	27-Jun-08	0.126	U	NS	NS	NS	0.081	U	NS	NS	0.081	U	0.081
	31-Jul-08	NS	0.081	U	NS	NS	NS	NS	NS	0.081	U	0.081	U
	28-Aug-08	NS	NS	0.081	U	NS	NS	0.081	U	0.081	U	0.081	NS
	27-Oct-08	NS	NS	NS	U	2.000	U	NS	NS	2.000	U	2.000	U
	27-Oct-08	2.000	U	NS	NS	NS	2.000	U	NS	NS	2.000	U	2.000
	25-Nov-08	NS	2.000	U	NS	NS	2.000	U	NS	NS	2.000	U	NS
	18-Dec-08	NS	NS	2.000	U	NS	NS	2.000	U	NS	NS	2.000	U
	21-Jan-09	NS	NS	NS	U	2.000	U	NS	U	2.000	U	2.000	U
	25-Feb-09	2.000	U	NS	NS	NS	2.000	U	NS	NS	2.000	U	NS
	26-Mar-09	NS	0.404	U	NS	NS	0.809	U	NS	NS	0.081	U	0.081
	29-Apr-09	NS	NS	0.190	U	NS	NS	0.081	U	NS	0.121	NS	0.081
	22-Jul-09	0.404	U	NS	16.500	U	0.801	U	NS	NS	0.081	U	0.081
	9-Oct-09	NS	0.081	U	NS	NS	0.081	U	NS	NS	0.081	U	0.081
	15-Jan-10	0.137	U	NS	0.081	U	0.801	U	NS	NS	0.081	U	NS
	21-Apr-10	NS	0.081	U	NS	NS	0.404	U	NS	NS	0.081	U	0.081
	16-Jul-10	0.081	U	NS	2.480	U	0.081	U	0.611	U	0.081	U	0.081
	15-Oct-10	NS	0.081	U	NS	NS	0.081	U	NS	NS	0.081	U	0.081
	26-Jan-11	0.809	U	0.081	U	NS	0.081	U	7.370	U	0.404	U	0.404
	28-Feb-11	NS	NS	0.809	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081	U
	26-Jul-11	0.270	U	NS	0.270	U	0.081	U	0.405	U	0.081	U	0.081
	28-Oct-11	NS	2.000	U	NS	2.000	U	NS	2.000	U	2.000	U	2.000
	23-Jan-12	0.400	U	NS	0.400	U	NS	0.400	U	NS	0.400	U	NS
1,2-Dichloroethane	8-Feb-08	0.080	U	NS	NS	NS	0.080	U	NS	NS	0.090	U	NS
	27-Mar-08	NS	0.081	U	NS	NS	0.143	U	NS	NS	0.081	U	0.100
	25-Apr-08	NS	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.089
	29-May-08	NS	NS	0.090	U	NS	NS	0.110	U	0.080	U	0.080	U
	27-Jun-08	0.126	U	NS	NS	0.153	NS	NS	NS	NS	0.110	U	0.081
	31-Jul-08	NS	0.081	U	NS	NS	NS	NS	NS	0.081	U	NS	0.081
	28-Aug-08	NS	NS	0.171	U	NS	NS	NS	NS	0.081	U	0.081	NS
	27-Oct-08	NS	NS	NS	U	0.080	U	NS	NS	0.080	U	0.080	U
	27-Oct-08	0.080	U	NS	NS	0.0							

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1-Dichloroethene	8-Feb-08	0.080	U	NS	NS	NS	0.080	U	NS	NS	0.080	U	0.080
	27-Mar-08	NS	0.079	U	NS	NS	NS	0.079	U	NS	NS	0.079	U
	25-Apr-08	NS	NS	0.079	U	NS	NS	NS	0.079	U	0.079	U	0.079
	29-May-08	NS	NS	NS	U	NS	0.080	U	NS	NS	0.080	U	NS
	27-Jun-08	0.123	U	NS	NS	NS	0.079	U	NS	NS	0.079	U	0.079
	31-Jul-08	NS	0.079	U	NS	NS	NS	NS	0.079	U	NS	NS	0.079
	28-Aug-08	NS	NS	0.079	U	NS	NS	NS	0.079	U	0.079	U	NS
	30-Sep-08	NS	NS	NS	U	2.000	U	NS	NS	2.000	U	2.000	U
	27-Oct-08	2.000	U	NS	NS	NS	2.000	U	NS	NS	2.000	U	2.000
	25-Nov-08	NS	2.000	U	NS	NS	NS	2.000	U	NS	2.000	U	NS
	18-Dec-08	NS	NS	2.000	U	NS	NS	NS	2.000	U	NS	2.000	U
	21-Jan-09	NS	NS	NS	U	2.000	U	NS	NS	2.000	U	2.000	U
	25-Feb-09	2.000	U	NS	NS	NS	2.000	U	NS	NS	2.000	U	NS
	26-Mar-09	NS	0.396	U	NS	NS	0.792	U	NS	NS	0.792	U	0.079
	29-Apr-09	NS	NS	0.079	U	16.200	U	0.792	U	NS	NS	0.079	U
	22-Jul-09	0.396	U	NS	16.200	U	0.792	U	0.396	U	NS	0.079	U
	9-Oct-09	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	NS	0.079
	15-Jan-10	0.137	U	NS	0.079	U	0.079	U	NS	0.079	U	0.079	U
	21-Apr-10	NS	0.079	U	NS	NS	0.396	U	NS	0.396	U	0.079	U
	16-Jul-10	0.079	U	NS	0.206	U	0.079	U	0.598	U	NS	0.079	U
	15-Oct-10	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079	U
	26-Jan-11	0.792	U	0.079	U	NS	0.079	U	0.396	U	3.960	U	0.396
	28-Feb-11	NS	NS	0.792	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079	U
	26-Jul-11	0.264	U	NS	0.264	U	0.079	U	0.396	U	NS	0.396	U
	28-Oct-11	NS	2.000	U	NS	2.000	U	NS	2.000	U	2.000	U	2.000
	23-Jan-12	0.400	U	NS	0.400	U	0.400	U	NS	0.400	U	0.400	U
cis-1,2-Dichloroethene*	8-Feb-08	0.080	U	NS	NS	NS	0.080	U	NS	NS	0.080	U	0.080
	27-Mar-08	NS	0.079	U	NS	NS	0.079	U	NS	NS	0.079	U	0.079
	25-Apr-08	NS	NS	0.079	U	NS	NS	0.080	U	NS	0.080	U	0.079
	29-May-08	NS	NS	NS	U	NS	NS	NS	0.080	U	0.080	U	NS
	27-Jun-08	0.123	U	NS	NS	NS	0.079	U	NS	NS	0.079	U	0.079
	31-Jul-08	NS	0.079	U	NS	NS	0.079	U	NS	NS	0.079	U	0.079
	28-Aug-08	NS	NS	0.079	U	5.900	U	NS	NS	0.079	U	0.079	U
	27-Oct-08	2.000	U	NS	NS	NS	2.000	U	NS	NS	2.000	U	5.900
	25-Nov-08	NS	2.000	U	NS	NS	2.000	U	2.000	U	2.000	U	2.000
	18-Dec-08	NS	NS	2.000	U	NS	NS	NS	2.000	U	NS	2.000	U
	21-Jan-09	NS	NS	NS	U	2.000	U	NS	NS	2.000	U	NS	2.000
	25-Feb-09	2.000	U	NS	NS	NS	2.000	U	NS	NS	2.000	U	NS
	26-Mar-09	NS	0.396	U	NS	NS	0.792	U	NS	NS	0.079	U	0.079
	29-Apr-09	NS	NS	0.079	U	NS	NS	0.396	U	NS	0.079	U	0.079
	22-Jul-09	0.396	U	NS	595.000	U	0.792	U	NS	NS	0.079	U	0.079
	9-Oct-09	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	NS	0.079
	15-Jan-10	0.079	U	NS	0.079	U	0.079	U	NS	0.079	U	0.079	U
	21-Apr-10	NS	0.079	U	NS	NS	0.396	U	NS	0.396	U	0.079	U
	16-Jul-10	0.079	U	NS	0.079	U	0.079	U	0.598	U	NS	0.079	U
	15-Oct-10	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079	U
	26-Jan-11	0.792	U	0.079	U	NS	0.079	U	0.396	U	3.960	U	0.396
	28-Feb-11	NS	NS	0.792	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079	U
	26-Jul-11	0.264	U	NS	0.264	U	0.079	U	0.396	U	NS	0.396	U
	28-Oct-11	NS	2.000	U	NS	2.000	U	NS	2.000	U	2.000	U	2.000
	23-Jan-12	0.400	U	NS	0.400	U	0.400	U	NS	0.400	U	0.530	U
trans-1,2-Dichloroethene*	8-Feb-08	0.080	U	NS	NS	NS	0.080	U	NS	NS	0.080	U	NS
	27-Mar-08	NS	0.079	U	NS	NS	0.079	U	NS	NS	0.079	U	0.079
	25-Apr-08	NS	NS	0.079	U	NS	NS	0.080	U	NS	0.080	U	0.079
	29-May-08	NS	NS	NS	U	NS	NS	NS	0.080	U	0.080	U	NS
	27-Jun-08	0.123	U	NS	NS	NS	0.079	U	NS	NS	0.079	U	0.079
	31-Jul-08	NS	0.079	U	NS	NS	0.079	U	NS	NS	0.079	U	0.079
	28-Aug-08	NS	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	NS
	30-Sep-08	NS	NS	NS	U	2.000	U	NS	NS	2.000	U	2.000	U
	27-Oct-08	2.000	U	NS	NS	NS	2.000	U	NS	NS	2.000	U	2.000
	25-Nov-08	NS	2.000	U	NS	NS	2.000	U	NS	NS	2.000	U	NS</

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,2-Dichloropropane	8-Feb-08	0.090	U	NS	NS	0.090	U	NS	NS	0.090	U	0.090	NS	
	27-Mar-08	NS	0.092	U	NS	NS	U	NS	NS	0.092	U	0.092	U	
	25-Apr-08	NS	NS	0.092	U	NS	U	NS	NS	0.092	U	0.092	U	
	29-May-08	NS	NS	NS	U	0.090	U	NS	NS	0.090	U	0.090	U	
	27-Jun-08	0.144	U	NS	NS	0.092	U	NS	NS	0.090	U	0.092	U	
	31-Jul-08	NS	0.092	U	NS	NS	U	NS	NS	0.092	U	0.092	U	
	28-Aug-08	NS	NS	0.092	U	NS	U	NS	NS	0.092	U	0.092	U	
	30-Sep-08	NS	NS	NS	U	0.090	U	NS	NS	0.090	U	0.090	U	
	27-Oct-08	0.090	U	NS	NS	0.090	U	NS	NS	0.090	U	0.090	U	
	25-Nov-08	NS	0.090	U	NS	NS	U	0.090	U	NS	U	0.090	U	
	18-Dec-08	NS	NS	0.090	U	NS	U	NS	NS	0.090	U	0.090	U	
	21-Jan-09	NS	NS	NS	U	0.090	U	NS	NS	0.090	U	0.090	U	
	25-Feb-09	0.090	U	NS	NS	0.090	U	NS	NS	0.090	U	0.090	U	
	26-Mar-09	NS	0.462	U	NS	NS	U	0.924	U	NS	U	0.092	U	
	29-Apr-09	NS	NS	0.092	U	NS	U	NS	NS	0.092	U	0.092	U	
	22-Jul-09	0.462	U	NS	18.800	U	0.924	U	NS	NS	0.092	U	0.092	U
	9-Oct-09	NS	0.092	U	NS	NS	U	0.092	U	NS	U	0.092	U	
	15-Jan-10	0.092	U	NS	0.092	U	NS	0.092	U	NS	U	0.092	U	
	21-Apr-10	NS	0.092	U	NS	NS	U	0.462	U	NS	U	0.092	U	
	16-Jul-10	0.092	U	NS	0.092	U	NS	0.698	U	NS	U	0.092	U	
	15-Oct-10	NS	0.092	U	NS	NS	U	0.092	U	NS	U	0.092	U	
	26-Jan-11	0.924	U	0.092	U	NS	U	0.462	U	NS	U	0.462	U	
	28-Feb-11	NS	NS	0.924	U	NS	U	NS	NS	NS	U	NS	U	
	27-Apr-11	NS	0.092	U	NS	NS	U	0.092	U	NS	U	0.092	U	
	26-Jul-11	0.308	U	NS	0.092	U	NS	0.462	U	NS	U	0.462	U	
	28-Oct-11	NS	2.300	U	NS	2.300	U	NS	2.300	U	2.300	U	2.300	U
	23-Jan-12	0.230	U	NS	0.230	U	NS	0.230	U	NS	U	0.230	U	
cis-1,3-Dichloropropene	8-Feb-08	0.090	U	NS	NS	0.090	U	NS	NS	0.090	U	0.090	NS	
	27-Mar-08	NS	0.091	U	NS	NS	U	0.091	U	NS	U	0.091	U	
	25-Apr-08	NS	NS	0.091	U	NS	U	NS	NS	0.091	U	0.091	U	
	29-May-08	NS	NS	NS	U	0.090	U	NS	NS	0.090	U	0.090	U	
	27-Jun-08	0.141	U	NS	NS	NS	U	0.091	U	NS	U	0.091	U	
	31-Jul-08	NS	0.091	U	NS	NS	U	NS	NS	0.091	U	0.091	U	
	28-Aug-08	NS	NS	0.091	U	NS	U	NS	NS	0.091	U	0.091	U	
	27-Oct-08	NS	NS	NS	U	0.180	U	NS	NS	0.180	U	0.180	U	
	27-Oct-08	0.180	U	NS	NS	NS	U	0.180	U	NS	U	0.180	U	
	25-Nov-08	NS	0.180	U	NS	NS	U	0.180	U	NS	U	0.180	U	
	18-Dec-08	NS	NS	0.180	U	NS	U	NS	NS	0.180	U	0.180	U	
	21-Jan-09	NS	NS	NS	U	0.180	U	NS	NS	0.180	U	0.180	U	
	25-Feb-09	0.180	U	NS	NS	NS	U	0.180	U	NS	U	0.180	U	
	26-Mar-09	NS	0.453	U	NS	NS	U	0.907	U	NS	U	0.910	U	
	29-Apr-09	NS	NS	0.091	U	NS	U	NS	0.091	U	NS	0.091	U	
	22-Jul-09	0.453	U	NS	18.500	U	0.907	U	NS	0.453	U	0.091	U	
	9-Oct-09	NS	0.091	U	NS	NS	U	0.091	U	NS	U	0.091	U	
	15-Jan-10	0.091	U	NS	0.091	U	NS	0.091	U	NS	U	0.091	U	
	21-Apr-10	NS	0.091	U	NS	NS	U	0.453	U	NS	U	0.091	U	
	16-Jul-10	0.091	U	NS	0.091	U	NS	0.685	U	NS	U	0.091	U	
	15-Oct-10	NS	0.091	U	NS	NS	U	0.091	U	NS	U	0.091	U	
	26-Jan-11	0.907	U	0.091	U	NS	U	0.453	U	NS	U	0.453	U	
	28-Feb-11	NS	NS	0.907	U	NS	U	NS	NS	NS	U	NS	U	
	27-Apr-11	NS	0.091	U	NS	NS	U	0.091	U	NS	U	0.091	U	
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	NS	0.454	U	0.454	U	
	28-Oct-11	NS	2.300	U	NS	2.300	U	NS	2.300	U	2.300	U	2.300	U
	23-Jan-12	0.450	U	NS	0.450	U	NS	0.450	U	NS	U	0.450	U	
trans-1,3-Dichloropropene	8-Feb-08	0.090	U	NS	NS	0.090	U	NS	NS	0.090	U	0.090	NS	
	27-Mar-08	NS	0.091	U	NS	NS	U	0.091	U	NS	U	0.091	U	
	25-Apr-08	NS	NS	0.091	U	NS	U	NS	NS	0.091	U	0.091	U	
	29-May-08	NS	NS	NS	U	0.090	U	NS	NS	0.090	U	0.090	U	
	27-Jun-08	0.141	U	NS	NS	NS	U	0.091	U	NS	U	0.091	U	
	31-Jul-08	NS	0.091	U	NS	NS	U	NS	NS	0.091	U	0.091	U	
	28-Aug-08	NS	NS	0.091	U	NS	U	NS	NS	0.091	U	0.091	U	
	30-Sep-08	NS	NS	NS	U	0.180	U	NS	NS	0.180	U	0.180	U	
	27-Oct-08	0.180	U	NS	NS	NS	U	0.180	U	NS	U	0.180	U	
	25-Nov-08	NS	0.180	U	NS	NS	U	0.180	U	NS	U	0.180	U	

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Ethylbenzene	8-Feb-08	0.210	NS	NS	NS	0.230	NS	NS	NS	0.330	4.890	NS	
	27-Mar-08	NS	0.295	NS	NS	0.157	NS	NS	NS	0.645	0.372		
	25-Apr-08	NS	NS	0.291	NS	0.320	NS	NS	NS	NS	0.565		
	29-May-08	NS	NS	NS	1.490	NS	NS	NS	2.200	2.820	1.010	NS	
	27-Jun-08	4.340	NS	NS	NS	0.472	NS	NS	NS	NS	0.606	0.699	
	31-Jul-08	NS	*	NS	NS	NS	NS	NS	NS	0.758	NS	0.577	
	28-Aug-08	NS	NS	0.830	NS	NS	NS	0.482	NS	0.711	0.666	NS	
	30-Sep-08	NS	NS	NS	2.200	U	NS	NS	2.200	U	NS	2.200	
	27-Oct-08	18.400	NS	NS	NS	2.200	U	NS	NS	U	NS	2.200	U
	25-Nov-08	NS	2.200	U	NS	NS	2.200	U	NS	U	2.300	2.200	U
	18-Dec-08	NS	NS	NS	NS	NS	NS	2.200	U	NS	NS	2.200	U
	21-Jan-09	NS	NS	NS	2.200	U	NS	NS	2.200	U	NS	2.200	U
	25-Feb-09	10.800	NS	NS	NS	2.200	U	NS	NS	U	2.200	2.200	U
	26-Mar-09	NS	0.516	NS	NS	0.868	U	NS	NS	U	NS	0.845	1.180
	29-Apr-09	NS	0.190	NS	NS	0.191	U	NS	NS	U	0.304	0.325	
	22-Jul-09	11.700	NS	11.700	0.868	U	NS	1.150	NS	U	38.200	1.040	NS
	9-Oct-09	NS	0.564	NS	NS	0.560	U	NS	0.291	U	0.542	NS	0.542
	15-Jan-10	6.950	NS	0.568	0.542	NS	0.659	NS	NS	U	0.712	NS	
	21-Apr-10	NS	0.304	NS	NS	1.340	NS	1.800	NS	U	2.120	NS	1.560
	16-Jul-10	8.230	NS	2.400	1.800	NS	1.440	NS	NS	U	1.510	1.420	NS
	15-Oct-10	NS	0.534	NS	NS	0.625	NS	0.521	NS	U	1.070	0.833	
	26-Jan-11	1.260	NS	1.620	NS	1.660	NS	1.260	NS	U	4.140	4.680	NS
	28-Feb-11	NS	NS	0.868	U	NS	NS	NS	NS	U	NS	NS	
	27-Apr-11	NS	0.243	NS	NS	0.239	U	NS	0.286	U	3.860	0.364	0.508
	26-Jul-11	3.910	NS	0.942	0.339	NS	0.434	U	NS	U	NS	0.434	U
	28-Oct-11	NS	2.200	U	NS	2.200	U	NS	2.200	U	3.800	NS	2.200
	23-Jan-12	3.000	NS	0.790	0.560	NS	0.820	NS	NS	U	1.700	12.000	NS
Isopropylbenzene	8-Feb-08	2.460	U	NS	NS	NS	2.460	U	NS	NS	2.460	U	2.460
	27-Mar-08	NS	2.460	U	NS	NS	NS	NS	NS	U	2.460	U	2.460
	25-Apr-08	NS	NS	2.460	U	NS	2.460	U	NS	U	2.460	U	2.460
	29-May-08	NS	NS	NS	2.460	U	NS	NS	NS	U	2.460	U	NS
	27-Jun-08	3.830	U	NS	NS	NS	2.460	U	NS	U	2.460	U	2.460
	31-Jul-08	NS	2.460	U	NS	NS	NS	NS	NS	U	2.460	U	2.460
	28-Aug-08	NS	NS	2.460	U	NS	4.900	U	NS	U	2.460	U	NS
	30-Sep-08	NS	NS	NS	4.900	U	NS	NS	NS	U	4.900	U	4.900
	27-Oct-08	5.200	NS	NS	NS	4.900	U	NS	NS	U	4.900	U	4.900
	25-Nov-08	NS	4.900	U	NS	NS	4.900	U	NS	U	5.900	U	NS
	18-Dec-08	NS	NS	4.900	U	NS	NS	4.900	U	U	4.900	U	4.900
	21-Jan-09	NS	NS	NS	4.900	U	NS	NS	NS	U	4.900	U	4.900
	25-Feb-09	4.900	U	NS	NS	NS	4.900	U	NS	U	4.900	U	NS
	26-Mar-09	NS	12.300	U	NS	NS	24.600	U	NS	U	2.460	U	2.460
	29-Apr-09	NS	NS	2.460	U	NS	NS	2.460	U	U	2.460	U	2.460
	22-Jul-09	12.300	U	NS	12.300	U	24.600	U	NS	U	3.780	2.460	NS
	9-Oct-09	NS	2.740	U	NS	NS	2.460	U	NS	U	2.460	U	2.460
	15-Jan-10	2.460	U	NS	2.460	U	2.460	U	NS	U	2.460	U	NS
	21-Apr-10	NS	2.460	U	NS	NS	12.300	U	NS	U	2.460	U	2.460
	16-Jul-10	2.460	U	NS	2.660	U	2.460	U	18.500	U	2.460	U	2.460
	15-Oct-10	NS	2.460	U	NS	NS	2.460	U	NS	U	2.460	U	2.460
	26-Jan-11	24.600	U	2.460	U	NS	2.460	U	12.300	U	12.300	U	12.300
	28-Feb-11	NS	NS	24.600	U	NS	NS	NS	NS	U	NS	NS	
	27-Apr-11	NS	2.460	U	NS	NS	2.460	U	NS	U	2.460	U	2.460
	26-Jul-11	8.210	U	NS	8.210	U	2.460	U	12.300	U	2.460	U	12.300
	28-Oct-11	NS	6.200	U	NS	6.200	U	NS	6.200	U	6.200	U	6.200
	23-Jan-12	1.200	U	NS	1.200	U	0.250	U	NS	U	1.200	U	1.400
p-Isopropyltoluene	8-Feb-08	2.740	U	NS	NS	NS	2.740	U	NS	NS	2.740	U	NS
	27-Mar-08	NS	2.740	U	NS	1.200	NS	NS	NS	U	2.740	U	2.740
	25-Apr-08	NS	NS	2.740	U	NS	NS	NS	2.740	U	2.740	U	2.740
	29-May-08	NS	NS	NS	2.740	U	NS	NS	2.740	U	2.740	U	NS
	27-Jun-08	4.270	U	NS	NS	NS	2.740	U	NS	U	2.740	U	2.740
	31-Jul-08	NS	2.740	U	NS	NS	2.740	U	NS	U	2.740	U	2.740
	28-Aug-08	NS	NS	2.740	U	NS	NS	2.740	U	U	2.740	U	NS
	30-Sep-08	NS	NS	NS	5.500	U	NS	NS	5.500	U	NS	5.500	U
	27-Oct-08	12.500	NS	NS	NS	5.500	U	NS	NS	U	18.500	NS	

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Methyl tert butyl ether (MTBE)	8-Feb-08	0.070	U	NS	NS	NS	0.070	U	NS	NS	0.140	0.070	U	NS
	27-Mar-08	NS	0.072	U	NS	NS	0.072	U	NS	NS	0.165	0.126		
	25-Apr-08	NS	NS	0.072	U	NS	NS	NS	0.072	U	0.072	0.079		
	29-May-08	NS	NS	NS	U	0.070	U	NS	0.070	U	0.070	U	NS	
	27-Jun-08	0.436	NS	NS	NS	NS	0.072	U	NS	NS	0.072	U	0.072	U
	31-Jul-08	NS	0.072	U	NS	NS	NS	NS	NS	0.072	U	NS	0.072	U
	28-Aug-08	NS	NS	0.106	U	NS	NS	NS	0.072	U	0.172	0.140	NS	
	30-Sep-08	NS	NS	1.800	U	NS	2.600	U	NS	1.800	U	1.800	U	1.800
	27-Oct-08	1.800	U	NS	NS	NS	NS	U	NS	NS	3.200	NS	5.800	
	25-Nov-08	NS	1.800	U	NS	NS	1.800	U	NS	NS	1.800	U	1.800	NS
	18-Dec-08	NS	NS	1.800	U	NS	NS	U	1.800	U	NS	1.800	U	1.800
	21-Jan-09	NS	NS	1.800	U	NS	NS	U	1.800	U	1.800	U	1.800	U
	25-Feb-09	5.800	NS	NS	NS	NS	1.800	U	NS	NS	1.800	U	1.800	NS
	26-Mar-09	NS	0.360	U	NS	NS	0.720	U	NS	NS	0.072	U	0.072	U
	29-Apr-09	NS	NS	0.072	U	NS	NS	U	0.072	U	0.072	U	0.072	U
	22-Jul-09	0.360	U	NS	0.360	U	0.720	U	NS	NS	0.072	U	0.072	U
	9-Oct-09	NS	0.072	U	NS	NS	0.072	U	NS	0.072	U	0.086	NS	0.083
	15-Jan-10	0.079	NS	0.072	U	0.072	U	NS	0.072	U	0.072	U	0.072	U
	21-Apr-10	NS	0.072	U	NS	NS	0.360	U	NS	3.600	U	0.360	U	0.072
	16-Jul-10	0.072	U	NS	0.072	U	NS	U	0.544	U	0.072	U	0.072	U
	15-Oct-10	NS	0.072	U	NS	NS	0.072	U	NS	0.072	U	0.072	U	0.072
	26-Jan-11	0.720	U	0.072	U	NS	0.396	U	NS	0.360	U	0.360	U	NS
	28-Feb-11	NS	NS	0.720	U	NS	NS	U	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.072	U	NS	NS	0.072	U	NS	0.072	U	0.072	U	0.072
	26-Jul-11	0.240	U	NS	0.240	U	0.072	U	NS	0.360	U	0.072	U	NS
	28-Oct-11	NS	1.800	U	NS	1.800	U	NS	1.800	U	1.800	U	1.800	U
	23-Jan-12	0.360	U	NS	0.360	U	0.360	U	NS	0.360	U	0.360	U	NS
Methylene chloride	8-Feb-08	2.340	NS	NS	NS	NS	1.740	U	NS	NS	1.740	U	1.740	U
	27-Mar-08	NS	1.740	U	NS	NS	2.870	U	NS	NS	1.740	U	1.740	U
	25-Apr-08	NS	NS	1.740	U	NS	1.740	U	NS	1.740	U	2.910	1.740	U
	29-May-08	NS	NS	NS	U	3.690	NS	NS	NS	NS	NS	2.780	2.780	U
	27-Jun-08	4.330	U	NS	NS	NS	NS	NS	NS	NS	1.740	U	1.740	U
	31-Jul-08	NS	1.740	U	NS	NS	1.740	U	NS	NS	1.740	U	1.740	U
	28-Aug-08	NS	NS	1.740	U	NS	1.700	U	NS	1.740	U	1.740	U	NS
	30-Sep-08	NS	NS	NS	U	1.700	NS	U	NS	1.700	U	1.700	U	1.700
	27-Oct-08	1.700	U	NS	NS	NS	1.700	U	NS	NS	1.700	U	1.700	U
	25-Nov-08	NS	1.700	U	NS	NS	1.700	U	NS	1.700	U	1.700	U	NS
	18-Dec-08	NS	NS	1.700	U	NS	1.700	U	NS	1.700	U	1.700	U	1.700
	21-Jan-09	NS	NS	NS	U	1.700	NS	U	NS	1.700	U	1.700	U	1.700
	25-Feb-09	1.700	U	NS	NS	NS	1.700	U	NS	NS	1.700	U	1.700	NS
	26-Mar-09	NS	16.100	NS	NS	NS	17.400	U	NS	NS	1.740	U	1.740	1.800
	29-Apr-09	NS	NS	1.740	U	NS	1.740	U	NS	1.740	U	1.740	U	1.740
	22-Jul-09	86.800	U	NS	8.680	U	17.400	U	8.680	U	1.740	U	1.740	NS
	9-Oct-09	NS	1.740	U	NS	NS	1.740	U	NS	1.740	U	1.740	U	1.740
	15-Jan-10	1.740	U	NS	1.740	U	1.740	U	NS	1.740	U	1.740	U	NS
	21-Apr-10	NS	1.740	U	NS	NS	0.868	U	NS	8.680	U	1.740	NS	1.740
	16-Jul-10	24.000	NS	21.500	U	19.500	NS	26.200	U	NS	27.1	26.500	NS	
	15-Oct-10	NS	3.470	U	NS	NS	3.470	U	NS	3.470	U	3.470	NS	3.470
	26-Jan-11	34.700	U	3.470	U	NS	3.470	U	0.404	U	17.400	U	17.400	U
	28-Feb-11	NS	NS	34.700	U	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	3.470	U	NS	NS	3.470	U	NS	3.470	U	3.470	U	3.470
	26-Jul-11	11.600	U	11.600	U	3.470	U	17.400	U	17.000	U	5.700	17.400	U
	28-Oct-11	NS	17.000	U	NS	NS	17.000	U	NS	17.000	U	140.000	NS	17.000
	23-Jan-12	3.500	U	NS	3.500	U	3.500	U	NS	3.500	U	3.500	U	NS
4-Methyl-2-pentanone	8-Feb-08	2.050	U	NS	NS	NS	2.050	U	NS	NS	2.050	U	8.700	2.050
	27-Mar-08	NS	2.050	U	NS	NS	2.050	U	NS	NS	2.050	U	15.200	U
	25-Apr-08	NS	NS	2.050	U	NS	2.050	U	NS	2.050	U	2.050	2.050	U
	29-May-08	NS	NS	2.050	U	NS	2.050	U	NS	2.050	U	2.050	NS	
	27-Jun-08	3.190	U	NS	NS	NS	2.050	U	NS					

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Styrene	8-Feb-08	0.090	U	NS	NS	NS	0.090	U	NS	NS	0.300	3.150	NS
	27-Mar-08	NS		0.100	NS	NS	NS	0.177	NS	NS	0.206	0.404	
	25-Apr-08	NS		NS	0.244	NS	NS	1.070	NS	0.559	NS	0.351	
	29-May-08	NS		NS	NS	0.170	NS	NS	NS	0.300	0.360	0.270	NS
	27-Jun-08	0.732		NS	NS	NS	0.354	NS	NS	NS	0.598	0.590	
	31-Jul-08	NS		0.276	NS	NS	NS	NS	NS	0.255	NS	0.170	
	28-Aug-08	NS		NS	1.220	NS	NS	0.754	NS	1.020	1.010	NS	
	30-Sep-08	NS		NS	NS	2.100	U	NS	NS	2.100	2.100	U	2.100
	27-Oct-08	2.100	U	NS	NS	NS	2.100	U	NS	NS	2.100	U	2.100
	25-Nov-08	NS		2.100	U	NS	NS	2.100	U	NS	2.100	U	NS
	18-Dec-08	NS		NS	2.100	U	NS	NS	2.100	U	NS	2.100	U
	21-Jan-09	NS		NS	NS	2.100	U	NS	NS	2.100	2.100	U	2.100
	25-Feb-09	2.100	U	NS	NS	2.100	U	NS	NS	2.100	2.100	U	NS
	26-Mar-09	NS		0.851	U	NS	NS	1.700	U	NS	NS	0.292	0.361
	29-Apr-09	NS		NS	0.174	U	NS	NS	U	NS	0.098	NS	0.243
	22-Jul-09	0.426	U	NS	0.426	U	0.851	U	NS	NS	0.600	0.149	NS
	9-Oct-09	NS		0.085	U	NS	NS	0.098	NS	0.085	17.800	0.153	0.204
	15-Jan-10	0.106		NS	0.119	0.089	NS	0.098	NS	NS	0.128	0.221	NS
	21-Apr-10	NS		0.085	U	NS	NS	0.426	U	0.426	0.481	NS	0.579
	16-Jul-10	0.570		NS	0.911	0.660	NS	0.643	U	NS	0.340	0.864	NS
	15-Oct-10	NS		0.698	NS	NS	1.120	NS	0.779	0.919	0.877	NS	1.520
	26-Jan-11	0.851	U	0.162	NS	0.179	NS	0.426	U	NS	0.426	0.617	NS
	28-Feb-11	NS		NS	0.851	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.311	NS	NS	0.302	NS	0.366	0.400	0.753	NS	0.749
	26-Jul-11	0.724		NS	0.779	0.868	NS	0.788	U	NS	1.230	0.681	NS
	28-Oct-11	NS		2.100	U	NS	2.100	U	2.100	U	2.100	NS	2.100
	23-Jan-12	0.840		NS	0.430	U	0.430	U	NS	0.460	16.000	NS	U
1,1,1,2-Tetrachloroethane	8-Feb-08	0.140	U	NS	NS	NS	0.140	U	NS	NS	0.140	U	0.140
	27-Mar-08	NS		0.137	U	NS	NS	0.137	U	NS	NS	0.137	U
	25-Apr-08	NS		NS	0.137	U	NS	NS	0.137	U	0.140	U	0.137
	29-May-08	NS		NS	0.140	U	NS	NS	0.140	U	NS	U	NS
	27-Jun-08	0.214	U	NS	NS	NS	0.137	U	NS	NS	0.137	U	0.137
	31-Jul-08	NS		0.137	U	NS	NS	NS	U	NS	0.137	U	0.137
	28-Aug-08	NS		NS	0.137	U	NS	NS	0.137	U	0.137	U	NS
	30-Sep-08	NS		NS	0.140	U	NS	NS	0.140	U	0.140	U	0.140
	27-Oct-08	0.140	U	NS	NS	NS	0.140	U	NS	NS	0.140	U	0.140
	25-Nov-08	NS		0.140	U	NS	NS	0.140	U	NS	0.140	U	NS
	18-Dec-08	NS		NS	0.140	U	NS	NS	0.140	U	NS	U	0.140
	21-Jan-09	NS		NS	0.190	NS	NS	NS	0.140	U	0.140	U	0.140
	25-Feb-09	0.140	U	NS	NS	NS	0.140	U	NS	NS	0.140	U	NS
	26-Mar-09	NS		0.686	U	NS	NS	1.370	U	NS	NS	0.137	U
	29-Apr-09	NS		NS	0.137	U	NS	NS	0.137	U	NS	0.137	U
	22-Jul-09	0.686	U	NS	28.000	U	1.370	U	NS	NS	0.137	U	NS
	9-Oct-09	NS		0.137	U	NS	NS	0.137	U	NS	0.137	U	0.137
	15-Jan-10	0.109	U	NS	0.137	U	1.370	U	NS	NS	0.137	U	NS
	21-Apr-10	NS		0.137	U	NS	NS	0.686	U	NS	0.137	U	0.137
	16-Jul-10	0.137	U	NS	0.137	U	0.137	U	1.040	U	NS	0.137	U
	15-Oct-10	NS		0.137	U	NS	NS	0.137	U	0.137	U	0.137	U
	26-Jan-11	1.370	U	0.137	U	NS	0.137	U	0.686	U	0.686	U	0.686
	28-Feb-11	NS		NS	1.370	U	NS	NS	NS	U	NS	NS	NS
	27-Apr-11	NS		0.137	U	NS	NS	0.137	U	0.137	U	0.137	U
	26-Jul-11	0.458	U	NS	0.458	U	0.137	U	0.687	U	0.137	U	0.137
	28-Oct-11	NS		3.400	U	NS	3.400	U	NS	3.400	U	NS	3.400
	23-Jan-12	0.690	U	NS	0.690	U	0.690	U	0.690	U	0.690	U	NS
1,1,2,2-Tetrachloroethane	8-Feb-08	0.140	U	NS	NS	NS	0.140	U	NS	NS	0.140	U	NS
	27-Mar-08	NS		0.137	U	NS	NS	0.137	U	NS	NS	0.137	U
	25-Apr-08	NS		NS	0.137	U	NS	NS	0.137	U	0.140	U	0.137
	29-May-08	NS		NS	0.140	U	NS	NS	0.140	U	0.140	U	NS
	27-Jun-08	0.214	U	NS	NS	NS	0.137	U	NS	NS	0.137	U	0.137
	31-Jul-08	NS		0.137	U	NS	NS	0.137	U	NS	NS	0.137	U
	28-Aug-08	NS		NS	0.137	U	NS	NS	0.137	U	0.137	U	NS
	30-Sep-08	NS		NS	0.140	U	NS	NS	0.140	U	0.140	U	0.140
	27-Oct-08	0.140	U	NS	NS	NS	0.140	U	NS	NS	0.140	U	0.140
	25-Nov-08	NS		0.140	U	NS	NS						

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Tetrachloroethene*	8-Feb-08	0.350	NS	NS	NS	0.140	U	NS	NS	0.530	5.050	NS		
	27-Mar-08	NS	0.888	NS	NS	0.875		NS	NS	6.990	5.250			
	25-Apr-08	NS	NS	0.322	NS	0.990		NS	0.830	NS	0.867			
	29-May-08	NS	NS	NS	1.360	NS		NS	0.240	0.300	3.210	NS		
	27-Jun-08	1.320	NS	NS	NS	29.600		NS	NS	5.080	1.800			
	31-Jul-08	NS	0.667	NS	NS	NS		NS	0.618	NS	0.572			
	28-Aug-08	NS	NS	1.550	NS	NS		NS	1.370	6.260	NS			
	30-Sep-08	NS	NS	NS	3.400	NS		NS	3.400	6.100	3.400	U	U	
	27-Oct-08	4.200	U	NS	NS	10.000		NS	NS	4.200	NS	4.200		
	25-Nov-08	NS	21.300	NS	NS	4.600		NS	NS	3.400	8.900	NS		
	18-Dec-08	NS	NS	3.400	U	NS		NS	NS	NS	3.400	3.400	U	U
	21-Jan-09	NS	NS	3.400	U	NS		NS	NS	3.400	3.400	3.400	U	U
	25-Feb-09	3.400	U	NS	NS	8.300		NS	NS	3.400	3.700	NS		
	26-Mar-09	NS	1.280	NS	NS	1.360	U	NS	NS	NS	7.110	2.080		
	29-Apr-09	NS	NS	0.271	NS	0.305		NS	NS	0.237	NS	0.691		
	22-Jul-09	1.630	NS	1.630	2.100	NS		NS	NS	11.800	3.250	NS		
	9-Oct-09	NS	0.556	NS	NS	2.070		NS	0.678	28.300	1.170	NS	1.460	
	15-Jan-10	1.310	NS	0.644	1.350	NS		0.691	NS	0.447	0.501	NS		
	21-Apr-10	NS	7.200	NS	NS	31.400		NS	35.500	36.800	62.100	NS	36.100	
	16-Jul-10	12.400	NS	12.700	10.900	NS		10.000	NS	NS	15.400	19.200	NS	
	15-Oct-10	NS	21.900	NS	NS	37.600		NS	21.300	21.800	22.100	NS	31.600	
	26-Jan-11	1.360	U	0.691	1.270	NS		0.678	U	NS	0.813	2.130	NS	
	28-Feb-11	NS	NS	1.360	U	NS		NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	1.440	NS	NS	7.220		NS	1.530	1.560	1.460	NS	1.980	
	26-Jul-11	3.340	NS	0.834	2.590	NS		9.290	NS	NS	0.976	6.780	NS	
	28-Oct-11	NS	3.400	NS	NS	8.500		NS	3.400	U	3.400	NS	3.400	U
	23-Jan-12	1.000	NS	0.680	U	1.700		5.300	NS	NS	0.760	26.000	NS	
Toluene	8-Feb-08	1.630	NS	NS	NS	1.800		NS	NS	2.720	455.000	NS		
	27-Mar-08	NS	2.240	NS	NS	1.450		NS	NS	NS	11.300	16.100		
	25-Apr-08	NS	NS	1.390	NS	1.340		NS	NS	11.200	NS	21.800		
	29-May-08	NS	NS	NS	7.740	NS		NS	11.600	21.000	13.000	NS		
	27-Jun-08	14.700	NS	NS	2.330	NS		NS	NS	NS	10.600	22.200		
	31-Jul-08	NS	4.150	NS	NS	3.440		NS	NS	10.200	NS	6.110		
	28-Aug-08	NS	6.480	NS	1.900	U	NS	NS	NS	10.000	11.200	NS		
	30-Sep-08	NS	NS	NS	3.200	U	NS	NS	6.100	NS	7.500	8.600		
	27-Oct-08	56.300	NS	NS	7.800	NS		7.800	U	NS	6.600	NS	8.200	
	25-Nov-08	NS	2.000	NS	NS	1.900	U	NS	1.900	U	29.900	18.600	NS	
	18-Dec-08	NS	NS	2.220	NS	4.710		NS	NS	NS	4.800	4.900		
	21-Jan-09	NS	NS	NS	3.060	NS		1.070	23.600	3.120	NS	3.670		
	25-Feb-09	7.000	NS	NS	4.330	NS		5.810	NS	NS	4.810	4.850	NS	
	26-Mar-09	NS	3.530	NS	NS	3.920		NS	NS	NS	5.200	5.080		
	29-Apr-09	NS	1.990	NS	NS	0.651		NS	NS	NS	0.149	NS	4.56	
	22-Jul-09	38.700	NS	38.700	2.220	NS		4.710	NS	NS	80.100	5.320	NS	
	9-Oct-09	NS	3.530	NS	NS	3.060		NS	1.070	23.600	3.120	NS	3.670	
	15-Jan-10	12.800	NS	4.170	4.330	NS		5.810	NS	NS	4.810	4.850	NS	
	21-Apr-10	NS	0.900	NS	NS	2.970		NS	3.750	5.200	2.840	NS		
	16-Jul-10	22.200	NS	17.900	5.980	NS		5.540	NS	NS	5.770	5.850	NS	
	15-Oct-10	NS	1.670	NS	NS	2.100		NS	1.720	3.370	2.230	NS	3.260	
	26-Jan-11	6.060	6.820	NS	NS	4.740		NS	5.950	12.100	11.900	NS		
	28-Feb-11	NS	1.880	NS	NS	NS		NS	NS	NS	NS	NS		
	27-Apr-11	NS	0.836	NS	NS	0.682		NS	1.250	3.620	2.080	NS	1.620	
	26-Jul-11	8.290	NS	3.960	1.150	NS		1.620	NS	NS	2.310	1.680	NS	
	28-Oct-11	NS	1.900	NS	NS	1.900	U	NS	1.900	U	3.300	4.700	NS	
	23-Jan-12	7.900	NS	3.800	1.900	NS		3.400	NS	NS	5.200	15.000	NS	
1,1,1-Trichloroethane*	8-Feb-08	0.110	U	NS	NS	0.110	U	NS	NS	0.110	U	0.560	NS	
	27-Mar-08	NS	0.109	U	NS	NS	U	NS	0.109	U	0.522	0.266		
	25-Apr-08	NS	NS	0.109	U	NS	NS	NS	0.110	U	0.540	0.119		
	29-May-08	NS	NS	0.120	U	NS	NS	NS	0.110	U	0.377	0.138		
	27-Jun-08	0.170	U	NS	NS	0.458	U	NS	NS	U	0.109	0.109		
	31-Jul-08	NS	0.109	U	NS	NS	U	NS	0.109	U	0.492	NS		
	28-Aug-08	NS	NS	0.109	U	NS	NS	NS	0.153					

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,2-Trichloroethane	8-Feb-08	0.110	U	NS	NS	NS	0.110	U	NS	NS	0.110	U	0.110
	27-Mar-08	NS		0.109	U	NS	NS	0.109	U	NS	NS	0.109	U
	25-Apr-08	NS		NS	U	0.109	NS	NS	0.109	U	0.109	U	0.109
	29-May-08	NS		NS	U	NS	0.110	U	NS	0.110	U	0.110	U
	27-Jun-08	0.170	U	NS	U	NS	0.109	U	NS	NS	0.109	U	0.109
	31-Jul-08	NS		0.109	U	NS	NS	NS	NS	0.109	U	NS	0.109
	28-Aug-08	NS		NS	U	0.109	U	NS	NS	0.109	U	NS	NS
	30-Sep-08	NS		NS	U	0.110	U	NS	NS	0.110	U	0.110	U
	27-Oct-08	0.110	U	NS	U	NS	0.110	U	NS	NS	0.110	U	0.110
	25-Nov-08	NS		0.110	U	NS	NS	0.110	U	NS	0.110	U	NS
	18-Dec-08	NS		NS	U	0.110	U	NS	NS	0.110	U	0.110	U
	21-Jan-09	NS		NS	U	0.110	U	NS	NS	0.110	U	0.110	U
	25-Feb-09	0.110	U	NS	U	NS	0.110	U	NS	NS	0.110	U	NS
	26-Mar-09	NS		0.545	U	NS	NS	1.090	U	NS	NS	0.109	U
	29-Apr-09	NS		NS	U	0.109	U	NS	NS	0.109	U	0.109	U
	22-Jul-09	0.545	U	NS	22.200	U	1.090	U	0.545	U	NS	0.109	U
	9-Oct-09	NS		0.109	U	NS	NS	0.109	U	NS	0.109	U	0.109
	15-Jan-10	0.109	U	NS	U	0.109	U	0.081	U	NS	NS	0.109	U
	21-Apr-10	NS		0.109	U	NS	0.545	U	NS	0.545	U	0.109	U
	16-Jul-10	0.109	U	NS	U	0.109	U	NS	0.824	U	NS	1.090	U
	15-Oct-10	NS		0.109	U	NS	0.109	U	NS	0.109	U	0.109	U
	26-Jan-11	1.090	U	0.109	U	NS	0.109	U	0.545	U	NS	0.545	U
	28-Feb-11	NS		NS	U	1.090	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		NS	U	NS	0.109	U	NS	0.109	U	0.109	U
	26-Jul-11	0.364	U	NS	U	0.109	U	NS	0.546	U	NS	0.546	U
	28-Oct-11	NS		2.700	U	NS	2.700	U	NS	2.700	U	2.700	U
	23-Jan-12	0.550	U	NS	U	0.550	U	NS	0.550	U	NS	4.200	NS
Trichloroethene*	8-Feb-08	0.120		NS	NS	NS	0.110	U	NS	NS	0.200	19.600	NS
	27-Mar-08	NS		0.107	U	NS	NS	0.152	U	NS	NS	13.400	5.340
	25-Apr-08	NS		NS	U	0.199	NS	NS	1.350	U	0.668	NS	3.390
	29-May-08	NS		NS	U	NS	26.500	NS	NS	0.150	0.370	13.600	NS
	27-Jun-08	0.408		NS	NS	NS	NS	258.000	NS	NS	NS	13.600	6.560
	31-Jul-08	NS		1.240	U	NS	NS	NS	NS	NS	0.126	NS	3.260
	28-Aug-08	NS		NS	U	0.558	NS	NS	3.560	U	0.432	18.400	NS
	30-Sep-08	NS		NS	U	NS	56.200	NS	NS	0.800	U	22.700	3.950
	27-Oct-08	0.800	U	NS	U	NS	NS	117.000	NS	NS	2.990	NS	0.800
	25-Nov-08	NS		2.920	U	NS	NS	1.890	U	NS	0.540	39.800	U
	18-Dec-08	NS		NS	U	0.540	NS	NS	0.540	U	NS	4.560	2.480
	21-Jan-09	NS		NS	U	NS	19.600	NS	NS	0.540	U	NS	4.990
	25-Feb-09	0.440		NS	U	NS	NS	99.500	NS	NS	0.560	10.700	NS
	26-Mar-09	NS		9.200	U	NS	NS	3.880	NS	NS	NS	25.100	5.490
	29-Apr-09	NS		NS	U	0.220	NS	NS	1.200	U	0.392	NS	2.960
	22-Jul-09	0.537	U	NS	U	0.537	U	12.700	NS	NS	0.354	10.300	NS
	9-Oct-09	NS		0.091	U	NS	NS	26.000	NS	1.240	22.400	0.182	3.260
	15-Jan-10	0.591		NS	U	0.242	NS	17.700	NS	0.172	NS	0.107	NS
	21-Apr-10	NS		0.107	U	NS	NS	34.000	NS	0.940	0.537	NS	2.010
	16-Jul-10	0.333		NS	U	0.333	8.140	NS	0.811	U	NS	0.107	27.800
	15-Oct-10	NS		2.260	U	NS	NS	129.000	NS	1.920	0.177	0.317	NS
	26-Jan-11	1.070	U	1.630	U	NS	9.940	NS	0.537	U	0.617	1.230	27.100
	28-Feb-11	NS		NS	U	1.070	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.231	U	NS	NS	78.100	NS	0.891	U	0.107	1.560
	26-Jul-11	1.180		NS	U	0.358	29.600	NS	10.500	U	NS	0.247	20.500
	28-Oct-11	NS		2.700	U	NS	NS	110.000	NS	2.700	U	2.700	2.700
	23-Jan-12	0.880		NS	U	0.540	6.800	NS	7.800	NS	0.540	44.000	NS
Trichlorofluoromethane	8-Feb-08	1.220		NS	NS	NS	1.220		NS	NS	1.060	15.900	NS
	27-Mar-08	NS		1.270	U	NS	NS	1.180	U	NS	NS	12.000	9.020
	25-Apr-08	NS		NS	U	1.180	NS	NS	5.200	U	1.660	NS	3.830
	29-May-08	NS		NS	U	NS	33.500	NS	NS	0.980	1.050	10.600	NS
	27-Jun-08	1.290		NS	NS	NS	NS	75.200	NS	NS	NS	8.850	8.890
	31-Jul-08	NS		1.010	U	NS	NS	NS	NS	NS	0.958	NS	5.100
	28-Aug-08	NS		NS	U	2.530	NS	NS	18.000	U	1.790	15.600	NS
	30-Sep-08	NS		NS	U	NS	53.800	NS	NS	2.800	U	14.500	10.400
	27-Oct-08	2.800	U	NS	U	NS	NS	44.400	NS	NS	6.100	NS	2.800
	25-Nov-08	NS											

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2,4-Trimethylbenzene	8-Feb-08	0.210	NS	NS	NS	0.230	NS	NS	NS	0.690	1.930	NS	
	27-Mar-08	NS	0.304	NS	NS	0.152	NS	NS	NS	0.958	0.681		
	25-Apr-08	NS	NS	1.720	NS	0.644	NS	NS	NS	0.517	NS	0.338	
	29-May-08	NS	NS	NS	0.600	NS	NS	NS	1.000	1.260	0.480	NS	
	27-Jun-08	7.460	NS	NS	NS	1.150	NS	NS	NS	NS	0.638	0.736	
	31-Jul-08	NS	1.860	NS	NS	NS	NS	NS	NS	0.885	NS	0.685	
	28-Aug-08	NS	NS	0.838	NS	NS	NS	NS	NS	0.669	0.653	NS	
	30-Sep-08	NS	NS	NS	2.500	U	NS	NS	2.500	U	NS	2.500	
	27-Oct-08	11.400	NS	NS	NS	2.500	U	NS	NS	2.500	U	2.900	U
	25-Nov-08	NS	2.500	U	NS	NS	2.500	U	NS	6.400	5.200	NS	
	18-Dec-08	NS	NS	2.500	U	NS	NS	NS	2.500	U	NS	2.500	U
	21-Jan-09	NS	NS	NS	2.500	U	NS	NS	2.500	U	NS	2.500	U
	25-Feb-09	17.500	NS	NS	NS	4.000	NS	NS	NS	6.200	2.900	NS	
	26-Mar-09	NS	0.491	U	NS	NS	0.982	U	NS	NS	1.090	1.550	
	29-Apr-09	NS	NS	0.265	NS	NS	NS	NS	NS	0.707	NS	0.801	
	22-Jul-09	3.490	NS	20.000	U	0.982	U	NS	0.378	NS	56.400	0.860	NS
	9-Oct-09	NS	0.707	NS	NS	0.781	NS	NS	0.648	20.500	1.360	NS	0.584
	15-Jan-10	2.870	NS	0.354	0.290	NS	0.314	NS	NS	1.060	1.170	NS	
	21-Apr-10	NS	0.211	NS	NS	0.933	NS	1.420	NS	0.653	NS	0.702	
	16-Jul-10	8.300	NS	8.230	NS	8.090	NS	6.270	NS	4.280	5.050	NS	
	15-Oct-10	NS	1.290	NS	NS	1.610	NS	1.100	1.380	1.860	NS	2.350	
	26-Jan-11	1.230	1.400	NS	1.600	NS	0.491	U	NS	1.350	6.930	10.400	NS
	28-Feb-11	NS	NS	0.982	U	NS	NS	NS	1.240	NS	2.060	NS	NS
	27-Apr-11	NS	0.845	NS	NS	0.855	NS	1.240	NS	1.060	NS	1.090	
	26-Jul-11	1.290	NS	2.670	NS	0.610	NS	0.541	NS	2.480	0.541	NS	
	28-Oct-11	NS	2.500	U	NS	2.500	U	NS	2.500	U	3.700	NS	3.100
	23-Jan-12	3.000	NS	0.760	0.490	U	NS	0.710	NS	2.700	2.800	NS	
1,3,5-Trimethylbenzene	8-Feb-08	0.100	U	NS	NS	0.100	U	NS	NS	0.470	0.660	NS	
	27-Mar-08	NS	0.140	NS	NS	0.098	U	NS	NS	NS	0.349	0.275	
	25-Apr-08	NS	NS	1.600	NS	NS	NS	0.228	NS	0.192	NS	0.134	
	29-May-08	NS	NS	NS	0.180	NS	NS	NS	0.320	0.430	0.150	NS	
	27-Jun-08	5.160	NS	NS	NS	0.463	NS	NS	NS	NS	0.236	0.250	
	31-Jul-08	NS	0.713	NS	NS	NS	NS	NS	NS	0.276	NS	0.224	
	28-Aug-08	NS	NS	0.497	NS	NS	NS	0.215	NS	0.248	0.233	NS	
	30-Sep-08	NS	NS	NS	2.500	U	NS	NS	2.500	U	NS	2.500	U
	27-Oct-08	7.800	NS	NS	NS	2.500	U	NS	NS	2.500	U	2.500	U
	25-Nov-08	NS	2.500	U	NS	NS	2.500	U	NS	2.500	U	2.500	U
	18-Dec-08	NS	NS	2.500	U	NS	NS	2.500	U	NS	NS	2.500	U
	21-Jan-09	NS	NS	NS	2.500	U	NS	NS	2.500	U	NS	2.500	U
	25-Feb-09	9.100	NS	NS	NS	2.500	U	NS	NS	2.500	U	2.500	U
	26-Mar-09	NS	0.491	U	NS	NS	0.982	U	NS	NS	0.337	0.425	
	29-Apr-09	NS	NS	0.147	NS	NS	NS	0.128	NS	NS	0.211	0.241	
	22-Jul-09	3.000	NS	20.000	U	0.982	U	NS	NS	22.700	0.275	NS	
	9-Oct-09	NS	0.216	NS	NS	0.241	NS	0.187	20.500	U	0.388	0.226	
	15-Jan-10	2.150	NS	0.118	0.098	U	NS	0.108	NS	0.290	0.334	NS	
	21-Apr-10	NS	0.098	U	NS	0.491	U	NS	0.491	U	0.177	0.206	
	16-Jul-10	2.760	NS	1.880	1.810	NS	1.670	NS	NS	1.080	1.250	NS	
	15-Oct-10	NS	0.418	NS	NS	0.383	NS	0.275	0.324	0.545	NS	0.540	
	26-Jan-11	0.982	U	0.437	NS	0.472	NS	0.491	NS	0.491	1.990	2.870	NS
	28-Feb-11	NS	NS	0.982	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.255	NS	NS	0.270	NS	0.368	0.329	0.599	NS	0.354	
	26-Jul-11	0.688	NS	0.885	0.182	NS	0.492	U	NS	0.664	0.492	U	
	28-Oct-11	NS	2.500	U	NS	2.500	U	0.490	U	2.500	U	2.500	U
	23-Jan-12	0.990	NS	0.490	U	NS	0.490	U	NS	0.710	0.830	NS	
Vinyl chloride*	8-Feb-08	0.050	U	NS	NS	0.050	U	NS	NS	0.050	0.050	U	
	27-Mar-08	NS	0.051	U	NS	NS	0.051	U	NS	NS	0.051	U	
	25-Apr-08	NS	NS	0.051	U	NS	NS	0.750	NS	0.051	NS	0.051	U
	29-May-08	NS	NS	0.050	U	NS	NS	0.050	U	0.050	0.050	U	
	27-Jun-08	0.080	U	NS	NS	0.051	U	NS	NS	0.051	0.051	U	
	31-Jul-08	NS	0.051	U	NS	NS	NS	NS	NS	0.051	NS	0.051	U
	28-Aug-08	NS	NS	0.051	U	NS	NS	0.051	U	0.051	0.051	U	
	30-Sep-08	NS	NS	0.100	U	NS	NS	NS	U	0.100	0.100	U	
	27-Oct-08	0.100	U	NS	NS	0.100	U	NS</td					

**Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - January 2012**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	IMP-4
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p/m-Xylene	8-Feb-08	0.550	NS	NS	NS	0.630	NS	NS	NS	1.040	18.300	NS	
	27-Mar-08	NS	0.893	NS	NS	0.389	NS	NS	NS	2.170	1.330		
	25-Apr-08	NS	NS	0.815	NS	0.970	NS	NS	2.540	NS	1.810		
	29-May-08	NS	NS	NS	5.000	NS	NS	NS	7.580	10.100	3.340	NS	
	27-Jun-08	12.600	NS	NS	NS	1.500	NS	NS	NS	1.910	2.330		
	31-Jul-08	NS	2.400	NS	NS	NS	NS	NS	NS	2.080	NS	1.550	
	28-Aug-08	NS	NS	2.330	NS	NS	NS	1.440	NS	2.130	1.940	NS	
	30-Sep-08	NS	NS	NS	4.300	U	NS	NS	4.300	U	4.300	4.300	U
	27-Oct-08	41.600	NS	NS	NS	4.300	U	NS	NS	4.300	NS	4.300	U
	25-Nov-08	NS	4.700	NS	NS	4.300	U	NS	NS	8.500	8.900	NS	
	18-Dec-08	NS	NS	4.300	U	NS	NS	4.300	U	NS	4.300	4.300	U
	21-Jan-09	NS	NS	4.300	U	NS	NS	4.300	U	4.300	NS	4.300	U
	25-Feb-09	37.600	NS	NS	4.300	U	NS	NS	8.000	9.300	NS		
	26-Mar-09	NS	1.350	NS	NS	1.740	U	NS	NS	2.590	3.560		
	29-Apr-09	NS	NS	0.468	NS	NS	NS	0.516	NS	0.933	1.060		
	22-Jul-09	25.600	NS	25.600	1.740	U	NS	3.880	NS	165.000	3.520	NS	
	9-Oct-09	NS	1.620	NS	NS	1.630	NS	0.915	36.200	1.740	NS	1.700	
	15-Jan-10	18.400	NS	1.520	1.480	NS	1.760	NS	NS	2.350	2.650	NS	
	21-Apr-10	NS	0.703	NS	NS	3.280	NS	4.580	4.340	6.220	NS	4.770	
	16-Jul-10	21.800	NS	7.010	6.360	NS	4.820	NS	NS	4.950	4.910	NS	
	15-Oct-10	NS	1.810	NS	NS	2.180	NS	1.700	1.880	3.400	NS	2.880	
	26-Jan-11	3.080	4.240	NS	4.370	NS	3.060	NS	3.170	11.500	13.600	NS	
	28-Feb-11	NS	NS	1.740	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.694	NS	NS	0.707	U	0.889	1.150	1.090	NS	1.440	
	26-Jul-11	9.990	NS	3.960	1.020	NS	0.999	NS	NS	0.956	1.260	NS	
	28-Oct-11	NS	4.300	U	NS	4.300	U	4.300	U	9.800	NS	4.300	U
	23-Jan-12	7.900	NS	2.000	1.300	NS	2.000	NS	NS	4.400	14.000	NS	
o-Xylene	8-Feb-08	0.200	NS	NS	NS	0.230	NS	NS	NS	0.480	7.730	NS	
	27-Mar-08	NS	0.273	NS	NS	0.142	NS	NS	NS	0.735	0.844	0.478	
	25-Apr-08	NS	NS	0.370	NS	0.406	NS	NS	2.260	2.840	1.020	0.620	
	29-May-08	NS	NS	NS	1.480	NS	NS	NS	NS	0.672	0.794		
	27-Jun-08	4.120	NS	NS	NS	0.550	NS	NS	NS	0.748	0.564		
	31-Jul-08	NS	0.835	NS	NS	NS	NS	0.511	NS	0.797	0.725	NS	
	28-Aug-08	NS	NS	0.804	NS	NS	NS	NS	2.200	2.200	2.200	2.200	U
	30-Sep-08	NS	NS	NS	2.200	U	NS	NS	NS	NS	2.200	2.200	U
	27-Oct-08	9.800	NS	NS	NS	2.200	U	NS	NS	2.200	NS	4.000	
	25-Nov-08	NS	2.200	U	NS	2.200	U	NS	NS	3.100	2.200	U	
	18-Dec-08	NS	NS	2.200	U	NS	NS	2.200	U	NS	2.200	2.200	U
	21-Jan-09	NS	NS	NS	2.200	U	NS	NS	2.200	U	NS	2.200	U
	25-Feb-09	8.900	NS	NS	NS	2.200	U	NS	NS	NS	3.200	NS	
	26-Mar-09	NS	0.486	NS	NS	0.868	U	NS	NS	NS	0.922	1.280	
	29-Apr-09	NS	NS	0.174	NS	0.208	U	NS	NS	0.369	NS	0.499	
	22-Jul-09	5.340	NS	5.340	0.868	U	NS	NS	72.700	1.270	NS		
	9-Oct-09	NS	0.542	NS	NS	0.586	NS	0.343	18.100	0.629	NS	0.616	
	15-Jan-10	4.510	NS	0.490	NS	0.560	NS	NS	NS	0.833	0.846	NS	
	21-Apr-10	NS	0.256	NS	NS	1.170	NS	1.560	1.410	1.240	NS	1.140	
	16-Jul-10	5.070	NS	2.840	2.630	NS	2.100	NS	NS	1.880	2.050	NS	
	15-Oct-10	NS	0.672	NS	NS	0.837	NS	0.659	0.729	1.220	NS	1.140	
	26-Jan-11	1.080	1.500	NS	1.540	NS	1.110	NS	1.150	4.320	5.160	NS	
	28-Feb-11	NS	NS	0.868	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.286	NS	NS	0.286	NS	0.369	0.456	0.451	NS	0.551	
	26-Jul-11	1.870	NS	1.450	0.334	NS	0.434	U	NS	0.365	0.434	NS	
	28-Oct-11	NS	2.200	U	NS	2.200	U	2.200	U	3.300	NS	2.200	U
	23-Jan-12	2.300	NS	0.760	0.540	NS	0.790	NS	NS	1.700	4.600	NS	

Notes:  
All data presented in micrograms per cubic meter (ug/m3).  
U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.  
NS: not sampled.  
\* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.

February 2, 2012

Ron Mack  
EA Engineering Science & Tech. - RI  
2374 Post Road, Suite 102  
Warwick, RI 02886

Project Location: Alvarez High School


Client Job Number:

Project Number: 14687.01

Laboratory Work Order Number: 12A0726

Enclosed are results of analyses for samples received by the laboratory on January 24, 2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Holly L. Folsom  
Project Manager

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
2374 Post Road, Suite 102  
Warwick, RI 02886  
ATTN: Ron Mack

REPORT DATE: 2/2/2012

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 14687.01

#### ANALYTICAL SUMMARY

WORK ORDER NUMBER: 12A0726

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez High School

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
MP-1	12A0726-01	Sub Slab		EPA TO-15	
MP-3	12A0726-02	Sub Slab		EPA TO-15	
MP-4	12A0726-03	Sub Slab		EPA TO-15	
MP-6	12A0726-04	Sub Slab		EPA TO-15	
IMP-1	12A0726-05	Sub Slab		EPA TO-15	
IMP-2	12A0726-06	Sub Slab		EPA TO-15	

**CASE NARRATIVE SUMMARY**

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

**EPA TO-15**

**Qualifications:**

Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

**Analyte & Samples(s) Qualified:**

**Acrylonitrile**

B045400-BS1

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

**Analyte & Samples(s) Qualified:**

**Acrylonitrile**

B045400-BS1

**EPA TO-15**

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Michael A. Erickson  
Laboratory Director

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** MP-1  
**Sample ID:** 12A0726-01  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 11:44

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1217  
 Canister Size: 6 liter  
 Flow Controller ID: 4093  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag	Results	RL			
Acetone	16	4.0		37	9.5	2	1/27/12 7:37	WSD
Acrylonitrile	ND	0.58		ND	1.2	2	1/27/12 7:37	WSD
Benzene	0.26	0.10		0.84	0.32	2	1/27/12 7:37	WSD
Bromodichloromethane	ND	0.10		ND	0.67	2	1/27/12 7:37	WSD
Bromoform	ND	0.10		ND	1.0	2	1/27/12 7:37	WSD
2-Butanone (MEK)	37	4.0		110	12	2	1/27/12 7:37	WSD
n-Butylbenzene	ND	0.29		ND	1.6	2	1/27/12 7:37	WSD
sec-Butylbenzene	ND	0.23		ND	1.3	2	1/27/12 7:37	WSD
Carbon Tetrachloride	ND	0.10		ND	0.63	2	1/27/12 7:37	WSD
Chlorobenzene	ND	0.10		ND	0.46	2	1/27/12 7:37	WSD
Chloroethane	ND	0.10		ND	0.26	2	1/27/12 7:37	WSD
Chloroform	ND	0.10		ND	0.49	2	1/27/12 7:37	WSD
Chloromethane	ND	0.10		ND	0.21	2	1/27/12 7:37	WSD
Dibromochloromethane	ND	0.10		ND	0.85	2	1/27/12 7:37	WSD
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77	2	1/27/12 7:37	WSD
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	1/27/12 7:37	WSD
1,3-Dichlorobenzene	0.27	0.10		1.6	0.60	2	1/27/12 7:37	WSD
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	1/27/12 7:37	WSD
Dichlorodifluoromethane (Freon 12)	0.50	0.10		2.5	0.49	2	1/27/12 7:37	WSD
1,1-Dichloroethane	ND	0.10		ND	0.40	2	1/27/12 7:37	WSD
1,2-Dichloroethane	ND	0.050		ND	0.20	2	1/27/12 7:37	WSD
1,1-Dichloroethylene	ND	0.10		ND	0.40	2	1/27/12 7:37	WSD
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	1/27/12 7:37	WSD
trans-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	1/27/12 7:37	WSD
1,2-Dichloropropane	ND	0.050		ND	0.23	2	1/27/12 7:37	WSD
1,3-Dichloropropane	ND	0.27		ND	1.2	2	1/27/12 7:37	WSD
cis-1,3-Dichloropropene	ND	0.10		ND	0.45	2	1/27/12 7:37	WSD
trans-1,3-Dichloropropene	ND	0.10		ND	0.45	2	1/27/12 7:37	WSD
Ethylbenzene	0.69	0.10		3.0	0.43	2	1/27/12 7:37	WSD
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	1/27/12 7:37	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	1/27/12 7:37	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	1/27/12 7:37	WSD
Methylene Chloride	ND	1.0		ND	3.5	2	1/27/12 7:37	WSD
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	1/27/12 7:37	WSD
Styrene	0.20	0.10		0.84	0.43	2	1/27/12 7:37	WSD
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	1/27/12 7:37	WSD
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69	2	1/27/12 7:37	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** MP-1  
**Sample ID:** 12A0726-01  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 11:44

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1217  
 Canister Size: 6 liter  
 Flow Controller ID: 4093  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.15	0.10		1.0	0.68		2	1/27/12 7:37	WSD
Toluene	2.1	0.10		7.9	0.38		2	1/27/12 7:37	WSD
1,1,1-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 7:37	WSD
1,1,2-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 7:37	WSD
Trichloroethylene	0.16	0.10		0.88	0.54		2	1/27/12 7:37	WSD
Trichlorofluoromethane (Freon 11)	0.37	0.10		2.1	0.56		2	1/27/12 7:37	WSD
1,2,4-Trimethylbenzene	0.60	0.10		3.0	0.49		2	1/27/12 7:37	WSD
1,3,5-Trimethylbenzene	0.20	0.10		0.99	0.49		2	1/27/12 7:37	WSD
Vinyl Chloride	ND	0.10		ND	0.26		2	1/27/12 7:37	WSD
m&p-Xylene	1.8	0.20		7.9	0.87		2	1/27/12 7:37	WSD
o-Xylene	0.54	0.10		2.3	0.43		2	1/27/12 7:37	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	1/27/12 7:37
4-Bromofluorobenzene (2)	106	70-130	1/27/12 7:37

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** MP-3  
**Sample ID:** 12A0726-02  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 11:54

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1507  
 Canister Size: 6 liter  
 Flow Controller ID: 4105  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag	Results	RL	Analyzed		Analyst	
Acetone	15	4.0		36	9.5		2	1/27/12 8:17	WSD
Acrylonitrile	ND	0.58		ND	1.2		2	1/27/12 8:17	WSD
Benzene	0.38	0.10		1.2	0.32		2	1/27/12 8:17	WSD
Bromodichloromethane	ND	0.10		ND	0.67		2	1/27/12 8:17	WSD
Bromoform	ND	0.10		ND	1.0		2	1/27/12 8:17	WSD
2-Butanone (MEK)	24	4.0		70	12		2	1/27/12 8:17	WSD
n-Butylbenzene	ND	0.29		ND	1.6		2	1/27/12 8:17	WSD
sec-Butylbenzene	ND	0.23		ND	1.3		2	1/27/12 8:17	WSD
Carbon Tetrachloride	ND	0.10		ND	0.63		2	1/27/12 8:17	WSD
Chlorobenzene	ND	0.10		ND	0.46		2	1/27/12 8:17	WSD
Chloroethane	ND	0.10		ND	0.26		2	1/27/12 8:17	WSD
Chloroform	0.17	0.10		0.84	0.49		2	1/27/12 8:17	WSD
Chloromethane	ND	0.10		ND	0.21		2	1/27/12 8:17	WSD
Dibromochloromethane	ND	0.10		ND	0.85		2	1/27/12 8:17	WSD
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77		2	1/27/12 8:17	WSD
1,2-Dichlorobenzene	ND	0.10		ND	0.60		2	1/27/12 8:17	WSD
1,3-Dichlorobenzene	0.31	0.10		1.8	0.60		2	1/27/12 8:17	WSD
1,4-Dichlorobenzene	ND	0.10		ND	0.60		2	1/27/12 8:17	WSD
Dichlorodifluoromethane (Freon 12)	0.52	0.10		2.6	0.49		2	1/27/12 8:17	WSD
1,1-Dichloroethane	ND	0.10		ND	0.40		2	1/27/12 8:17	WSD
1,2-Dichloroethane	ND	0.050		ND	0.20		2	1/27/12 8:17	WSD
1,1-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 8:17	WSD
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 8:17	WSD
trans-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 8:17	WSD
1,2-Dichloropropane	ND	0.050		ND	0.23		2	1/27/12 8:17	WSD
1,3-Dichloropropane	ND	0.27		ND	1.2		2	1/27/12 8:17	WSD
cis-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 8:17	WSD
trans-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 8:17	WSD
Ethylbenzene	0.18	0.10		0.79	0.43		2	1/27/12 8:17	WSD
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2		2	1/27/12 8:17	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3		2	1/27/12 8:17	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36		2	1/27/12 8:17	WSD
Methylene Chloride	ND	1.0		ND	3.5		2	1/27/12 8:17	WSD
4-Methyl-2-pentanone (MIBK)	0.11	0.10		0.44	0.41		2	1/27/12 8:17	WSD
Styrene	ND	0.10		ND	0.43		2	1/27/12 8:17	WSD
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2		2	1/27/12 8:17	WSD
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69		2	1/27/12 8:17	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** MP-3  
**Sample ID:** 12A0726-02  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 11:54

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1507  
 Canister Size: 6 liter  
 Flow Controller ID: 4105  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.10		ND	0.68		2	1/27/12 8:17	WSD
Toluene	1.0	0.10		3.8	0.38		2	1/27/12 8:17	WSD
1,1,1-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 8:17	WSD
1,1,2-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 8:17	WSD
Trichloroethylene	ND	0.10		ND	0.54		2	1/27/12 8:17	WSD
Trichlorofluoromethane (Freon 11)	0.26	0.10		1.5	0.56		2	1/27/12 8:17	WSD
1,2,4-Trimethylbenzene	0.15	0.10		0.76	0.49		2	1/27/12 8:17	WSD
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49		2	1/27/12 8:17	WSD
Vinyl Chloride	ND	0.10		ND	0.26		2	1/27/12 8:17	WSD
m&p-Xylene	0.46	0.20		2.0	0.87		2	1/27/12 8:17	WSD
o-Xylene	0.17	0.10		0.76	0.43		2	1/27/12 8:17	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	1/27/12 8:17
4-Bromofluorobenzene (2)	107	70-130	1/27/12 8:17

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** MP-4  
**Sample ID:** 12A0726-03  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 12:19

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1471  
 Canister Size: 6 liter  
 Flow Controller ID: 4092  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -8  
 Receipt Vacuum(in Hg): -6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag	Results	RL	Analyzed		Analyst	
Acetone	8.1	4.0		19	9.5		2	1/27/12 8:56	WSD
Acrylonitrile	ND	0.58		ND	1.2		2	1/27/12 8:56	WSD
Benzene	0.31	0.10		0.98	0.32		2	1/27/12 8:56	WSD
Bromodichloromethane	ND	0.10		ND	0.67		2	1/27/12 8:56	WSD
Bromoform	ND	0.10		ND	1.0		2	1/27/12 8:56	WSD
2-Butanone (MEK)	ND	4.0		ND	12		2	1/27/12 8:56	WSD
n-Butylbenzene	ND	0.29		ND	1.6		2	1/27/12 8:56	WSD
sec-Butylbenzene	ND	0.23		ND	1.3		2	1/27/12 8:56	WSD
Carbon Tetrachloride	ND	0.10		ND	0.63		2	1/27/12 8:56	WSD
Chlorobenzene	ND	0.10		ND	0.46		2	1/27/12 8:56	WSD
Chloroethane	ND	0.10		ND	0.26		2	1/27/12 8:56	WSD
Chloroform	ND	0.10		ND	0.49		2	1/27/12 8:56	WSD
Chloromethane	ND	0.10		ND	0.21		2	1/27/12 8:56	WSD
Dibromochloromethane	ND	0.10		ND	0.85		2	1/27/12 8:56	WSD
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77		2	1/27/12 8:56	WSD
1,2-Dichlorobenzene	ND	0.10		ND	0.60		2	1/27/12 8:56	WSD
1,3-Dichlorobenzene	0.38	0.10		2.3	0.60		2	1/27/12 8:56	WSD
1,4-Dichlorobenzene	ND	0.10		ND	0.60		2	1/27/12 8:56	WSD
Dichlorodifluoromethane (Freon 12)	0.53	0.10		2.6	0.49		2	1/27/12 8:56	WSD
1,1-Dichloroethane	ND	0.10		ND	0.40		2	1/27/12 8:56	WSD
1,2-Dichloroethane	ND	0.050		ND	0.20		2	1/27/12 8:56	WSD
1,1-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 8:56	WSD
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 8:56	WSD
trans-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 8:56	WSD
1,2-Dichloropropane	ND	0.050		ND	0.23		2	1/27/12 8:56	WSD
1,3-Dichloropropane	ND	0.27		ND	1.2		2	1/27/12 8:56	WSD
cis-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 8:56	WSD
trans-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 8:56	WSD
Ethylbenzene	0.13	0.10		0.56	0.43		2	1/27/12 8:56	WSD
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2		2	1/27/12 8:56	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3		2	1/27/12 8:56	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36		2	1/27/12 8:56	WSD
Methylene Chloride	ND	1.0		ND	3.5		2	1/27/12 8:56	WSD
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41		2	1/27/12 8:56	WSD
Styrene	ND	0.10		ND	0.43		2	1/27/12 8:56	WSD
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2		2	1/27/12 8:56	WSD
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69		2	1/27/12 8:56	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** MP-4  
**Sample ID:** 12A0726-03  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 12:19

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1471  
 Canister Size: 6 liter  
 Flow Controller ID: 4092  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -8  
 Receipt Vacuum(in Hg): -6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.26	0.10		1.7	0.68		2	1/27/12 8:56	WSD
Toluene	0.50	0.10		1.9	0.38		2	1/27/12 8:56	WSD
1,1,1-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 8:56	WSD
1,1,2-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 8:56	WSD
Trichloroethylene	6.8	0.10		37	0.54		2	1/27/12 8:56	WSD
Trichlorofluoromethane (Freon 11)	5.0	0.10		28	0.56		2	1/27/12 8:56	WSD
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49		2	1/27/12 8:56	WSD
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49		2	1/27/12 8:56	WSD
Vinyl Chloride	ND	0.10		ND	0.26		2	1/27/12 8:56	WSD
m&p-Xylene	0.30	0.20		1.3	0.87		2	1/27/12 8:56	WSD
o-Xylene	0.12	0.10		0.54	0.43		2	1/27/12 8:56	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	1/27/12 8:56
4-Bromofluorobenzene (2)	107	70-130	1/27/12 8:56

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** MP-6  
**Sample ID:** 12A0726-04  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 12:02

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1489  
 Canister Size: 6 liter  
 Flow Controller ID: 4107  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -7  
 Receipt Vacuum(in Hg): -6  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	12	4.0		28	9.5		2	1/27/12 9:35	WSD
Acrylonitrile	ND	0.58		ND	1.2		2	1/27/12 9:35	WSD
Benzene	0.25	0.10		0.81	0.32		2	1/27/12 9:35	WSD
Bromodichloromethane	ND	0.10		ND	0.67		2	1/27/12 9:35	WSD
Bromoform	ND	0.10		ND	1.0		2	1/27/12 9:35	WSD
2-Butanone (MEK)	6.7	4.0		20	12		2	1/27/12 9:35	WSD
n-Butylbenzene	ND	0.29		ND	1.6		2	1/27/12 9:35	WSD
sec-Butylbenzene	ND	0.23		ND	1.3		2	1/27/12 9:35	WSD
Carbon Tetrachloride	ND	0.10		ND	0.63		2	1/27/12 9:35	WSD
Chlorobenzene	ND	0.10		ND	0.46		2	1/27/12 9:35	WSD
Chloroethane	ND	0.10		ND	0.26		2	1/27/12 9:35	WSD
Chloroform	ND	0.10		ND	0.49		2	1/27/12 9:35	WSD
Chloromethane	ND	0.10		ND	0.21		2	1/27/12 9:35	WSD
Dibromochloromethane	ND	0.10		ND	0.85		2	1/27/12 9:35	WSD
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77		2	1/27/12 9:35	WSD
1,2-Dichlorobenzene	ND	0.10		ND	0.60		2	1/27/12 9:35	WSD
1,3-Dichlorobenzene	0.27	0.10		1.6	0.60		2	1/27/12 9:35	WSD
1,4-Dichlorobenzene	ND	0.10		ND	0.60		2	1/27/12 9:35	WSD
Dichlorodifluoromethane (Freon 12)	0.55	0.10		2.7	0.49		2	1/27/12 9:35	WSD
1,1-Dichloroethane	ND	0.10		ND	0.40		2	1/27/12 9:35	WSD
1,2-Dichloroethane	ND	0.050		ND	0.20		2	1/27/12 9:35	WSD
1,1-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 9:35	WSD
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 9:35	WSD
trans-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 9:35	WSD
1,2-Dichloropropane	ND	0.050		ND	0.23		2	1/27/12 9:35	WSD
1,3-Dichloropropane	ND	0.27		ND	1.2		2	1/27/12 9:35	WSD
cis-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 9:35	WSD
trans-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 9:35	WSD
Ethylbenzene	0.19	0.10		0.82	0.43		2	1/27/12 9:35	WSD
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2		2	1/27/12 9:35	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3		2	1/27/12 9:35	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36		2	1/27/12 9:35	WSD
Methylene Chloride	ND	1.0		ND	3.5		2	1/27/12 9:35	WSD
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41		2	1/27/12 9:35	WSD
Styrene	ND	0.10		ND	0.43		2	1/27/12 9:35	WSD
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2		2	1/27/12 9:35	WSD
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69		2	1/27/12 9:35	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School

Date Received: 1/24/2012

**Field Sample #:** MP-6

**Sample ID:** 12A0726-04

Sample Matrix: Sub Slab

Sampled: 1/23/2012 12:02

Sample Description/Location:

Sub Description/Location:

Canister ID: 1489

Canister Size: 6 liter

Flow Controller ID: 4107

Sample Type: 30 min

**Work Order:** 12A0726

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -7

Receipt Vacuum(in Hg): -6

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.79	0.10		5.3	0.68		2	1/27/12 9:35	WSD
Toluene	0.90	0.10		3.4	0.38		2	1/27/12 9:35	WSD
1,1,1-Trichloroethane	0.28	0.10		1.5	0.55		2	1/27/12 9:35	WSD
1,1,2-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 9:35	WSD
Trichloroethylene	1.5	0.10		7.8	0.54		2	1/27/12 9:35	WSD
Trichlorofluoromethane (Freon 11)	5.1	0.10		29	0.56		2	1/27/12 9:35	WSD
1,2,4-Trimethylbenzene	0.14	0.10		0.71	0.49		2	1/27/12 9:35	WSD
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49		2	1/27/12 9:35	WSD
Vinyl Chloride	ND	0.10		ND	0.26		2	1/27/12 9:35	WSD
m&p-Xylene	0.47	0.20		2.0	0.87		2	1/27/12 9:35	WSD
o-Xylene	0.18	0.10		0.79	0.43		2	1/27/12 9:35	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	1/27/12 9:35
4-Bromofluorobenzene (2)	107	70-130	1/27/12 9:35

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** IMP-1  
**Sample ID:** 12A0726-05  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 09:43

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1158  
 Canister Size: 6 liter  
 Flow Controller ID: 4082  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	16	4.0		38	9.5		2	1/27/12 10:14	WSD
Acrylonitrile	ND	0.58		ND	1.2		2	1/27/12 10:14	WSD
Benzene	0.43	0.10		1.4	0.32		2	1/27/12 10:14	WSD
Bromodichloromethane	ND	0.10		ND	0.67		2	1/27/12 10:14	WSD
Bromoform	ND	0.10		ND	1.0		2	1/27/12 10:14	WSD
2-Butanone (MEK)	ND	4.0		ND	12		2	1/27/12 10:14	WSD
n-Butylbenzene	ND	0.29		ND	1.6		2	1/27/12 10:14	WSD
sec-Butylbenzene	ND	0.23		ND	1.3		2	1/27/12 10:14	WSD
Carbon Tetrachloride	ND	0.10		ND	0.63		2	1/27/12 10:14	WSD
Chlorobenzene	ND	0.10		ND	0.46		2	1/27/12 10:14	WSD
Chloroethane	ND	0.10		ND	0.26		2	1/27/12 10:14	WSD
Chloroform	ND	0.10		ND	0.49		2	1/27/12 10:14	WSD
Chloromethane	0.58	0.10		1.2	0.21		2	1/27/12 10:14	WSD
Dibromochloromethane	ND	0.10		ND	0.85		2	1/27/12 10:14	WSD
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77		2	1/27/12 10:14	WSD
1,2-Dichlorobenzene	ND	0.10		ND	0.60		2	1/27/12 10:14	WSD
1,3-Dichlorobenzene	0.32	0.10		1.9	0.60		2	1/27/12 10:14	WSD
1,4-Dichlorobenzene	ND	0.10		ND	0.60		2	1/27/12 10:14	WSD
Dichlorodifluoromethane (Freon 12)	0.52	0.10		2.6	0.49		2	1/27/12 10:14	WSD
1,1-Dichloroethane	ND	0.10		ND	0.40		2	1/27/12 10:14	WSD
1,2-Dichloroethane	ND	0.050		ND	0.20		2	1/27/12 10:14	WSD
1,1-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 10:14	WSD
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 10:14	WSD
trans-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 10:14	WSD
1,2-Dichloropropane	ND	0.050		ND	0.23		2	1/27/12 10:14	WSD
1,3-Dichloropropane	ND	0.27		ND	1.2		2	1/27/12 10:14	WSD
cis-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 10:14	WSD
trans-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 10:14	WSD
Ethylbenzene	0.40	0.10		1.7	0.43		2	1/27/12 10:14	WSD
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2		2	1/27/12 10:14	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3		2	1/27/12 10:14	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36		2	1/27/12 10:14	WSD
Methylene Chloride	ND	1.0		ND	3.5		2	1/27/12 10:14	WSD
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41		2	1/27/12 10:14	WSD
Styrene	0.11	0.10		0.46	0.43		2	1/27/12 10:14	WSD
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2		2	1/27/12 10:14	WSD
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69		2	1/27/12 10:14	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** IMP-1  
**Sample ID:** 12A0726-05  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 09:43

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1158  
 Canister Size: 6 liter  
 Flow Controller ID: 4082  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.11	0.10		0.76	0.68		2	1/27/12 10:14	WSD
Toluene	1.4	0.10		5.2	0.38		2	1/27/12 10:14	WSD
1,1,1-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 10:14	WSD
1,1,2-Trichloroethane	ND	0.10		ND	0.55		2	1/27/12 10:14	WSD
Trichloroethylene	ND	0.10		ND	0.54		2	1/27/12 10:14	WSD
Trichlorofluoromethane (Freon 11)	0.24	0.10		1.4	0.56		2	1/27/12 10:14	WSD
1,2,4-Trimethylbenzene	0.55	0.10		2.7	0.49		2	1/27/12 10:14	WSD
1,3,5-Trimethylbenzene	0.14	0.10		0.71	0.49		2	1/27/12 10:14	WSD
Vinyl Chloride	ND	0.10		ND	0.26		2	1/27/12 10:14	WSD
m&p-Xylene	1.0	0.20		4.4	0.87		2	1/27/12 10:14	WSD
o-Xylene	0.39	0.10		1.7	0.43		2	1/27/12 10:14	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	1/27/12 10:14
4-Bromofluorobenzene (2)	107	70-130	1/27/12 10:14

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** IMP-2  
**Sample ID:** 12A0726-06  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 09:06

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1652  
 Canister Size: 6 liter  
 Flow Controller ID: 4101  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -8  
 Receipt Vacuum(in Hg): -7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	12	4.0		29	9.5		2	1/27/12 10:53	WSD
Acrylonitrile	ND	0.58		ND	1.2		2	1/27/12 10:53	WSD
Benzene	0.47	0.10		1.5	0.32		2	1/27/12 10:53	WSD
Bromodichloromethane	ND	0.10		ND	0.67		2	1/27/12 10:53	WSD
Bromoform	ND	0.10		ND	1.0		2	1/27/12 10:53	WSD
2-Butanone (MEK)	ND	4.0		ND	12		2	1/27/12 10:53	WSD
n-Butylbenzene	ND	0.29		ND	1.6		2	1/27/12 10:53	WSD
sec-Butylbenzene	ND	0.23		ND	1.3		2	1/27/12 10:53	WSD
Carbon Tetrachloride	ND	0.10		ND	0.63		2	1/27/12 10:53	WSD
Chlorobenzene	2.5	0.10		12	0.46		2	1/27/12 10:53	WSD
Chloroethane	ND	0.10		ND	0.26		2	1/27/12 10:53	WSD
Chloroform	0.17	0.10		0.84	0.49		2	1/27/12 10:53	WSD
Chloromethane	ND	0.10		ND	0.21		2	1/27/12 10:53	WSD
Dibromochloromethane	ND	0.10		ND	0.85		2	1/27/12 10:53	WSD
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77		2	1/27/12 10:53	WSD
1,2-Dichlorobenzene	1.2	0.10		7.5	0.60		2	1/27/12 10:53	WSD
1,3-Dichlorobenzene	0.45	0.10		2.7	0.60		2	1/27/12 10:53	WSD
1,4-Dichlorobenzene	0.11	0.10		0.66	0.60		2	1/27/12 10:53	WSD
Dichlorodifluoromethane (Freon 12)	0.53	0.10		2.6	0.49		2	1/27/12 10:53	WSD
1,1-Dichloroethane	ND	0.10		ND	0.40		2	1/27/12 10:53	WSD
1,2-Dichloroethane	0.24	0.050		0.97	0.20		2	1/27/12 10:53	WSD
1,1-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 10:53	WSD
cis-1,2-Dichloroethylene	0.13	0.10		0.53	0.40		2	1/27/12 10:53	WSD
trans-1,2-Dichloroethylene	ND	0.10		ND	0.40		2	1/27/12 10:53	WSD
1,2-Dichloropropane	ND	0.050		ND	0.23		2	1/27/12 10:53	WSD
1,3-Dichloropropane	ND	0.27		ND	1.2		2	1/27/12 10:53	WSD
cis-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 10:53	WSD
trans-1,3-Dichloropropene	ND	0.10		ND	0.45		2	1/27/12 10:53	WSD
Ethylbenzene	2.8	0.10		12	0.43		2	1/27/12 10:53	WSD
Isopropylbenzene (Cumene)	0.28	0.25		1.4	1.2		2	1/27/12 10:53	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3		2	1/27/12 10:53	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36		2	1/27/12 10:53	WSD
Methylene Chloride	ND	1.0		ND	3.5		2	1/27/12 10:53	WSD
4-Methyl-2-pentanone (MIBK)	0.45	0.10		1.8	0.41		2	1/27/12 10:53	WSD
Styrene	3.7	0.10		16	0.43		2	1/27/12 10:53	WSD
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2		2	1/27/12 10:53	WSD
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69		2	1/27/12 10:53	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez High School  
 Date Received: 1/24/2012  
**Field Sample #:** IMP-2  
**Sample ID:** 12A0726-06  
 Sample Matrix: Sub Slab  
 Sampled: 1/23/2012 09:06

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1652  
 Canister Size: 6 liter  
 Flow Controller ID: 4101  
 Sample Type: 30 min

**Work Order:** 12A0726  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -8  
 Receipt Vacuum(in Hg): -7  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	3.9	0.10		26	0.68		2	1/27/12 10:53	WSD
Toluene	4.0	0.10		15	0.38		2	1/27/12 10:53	WSD
1,1,1-Trichloroethane	0.24	0.10		1.3	0.55		2	1/27/12 10:53	WSD
1,1,2-Trichloroethane	0.76	0.10		4.2	0.55		2	1/27/12 10:53	WSD
Trichloroethylene	8.2	0.10		44	0.54		2	1/27/12 10:53	WSD
Trichlorofluoromethane (Freon 11)	2.8	0.10		16	0.56		2	1/27/12 10:53	WSD
1,2,4-Trimethylbenzene	0.58	0.10		2.8	0.49		2	1/27/12 10:53	WSD
1,3,5-Trimethylbenzene	0.17	0.10		0.83	0.49		2	1/27/12 10:53	WSD
Vinyl Chloride	ND	0.10		ND	0.26		2	1/27/12 10:53	WSD
m&p-Xylene	3.1	0.20		14	0.87		2	1/27/12 10:53	WSD
o-Xylene	1.1	0.10		4.6	0.43		2	1/27/12 10:53	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	1/27/12 10:53
4-Bromofluorobenzene (2)	105	70-130	1/27/12 10:53

**Sample Extraction Data**
**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
12A0726-01 [MP-1]	B045400	1	1	N/A	1000	400	200	01/26/12
12A0726-02 [MP-3]	B045400	1	1	N/A	1000	400	200	01/26/12
12A0726-03 [MP-4]	B045400	1	1	N/A	1000	400	200	01/26/12
12A0726-04 [MP-6]	B045400	1	1	N/A	1000	400	200	01/26/12
12A0726-05 [IMP-1]	B045400	1	1	N/A	1000	400	200	01/26/12
12A0726-06 [IMP-2]	B045400	1	1	N/A	1000	400	200	01/26/12

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	------

**Batch B045400 - TO-15 Prep**

<b>Blank (B045400-BLK1)</b>	Prepared & Analyzed: 01/26/12										
Acetone	ND	0.80									
Acrylonitrile	ND	0.12									
Benzene	ND	0.020									
Bromodichloromethane	ND	0.020									
Bromoform	ND	0.020									
2-Butanone (MEK)	ND	0.80									
n-Butylbenzene	ND	0.058									
sec-Butylbenzene	ND	0.046									
Carbon Tetrachloride	ND	0.020									
Chlorobenzene	ND	0.020									
Chloroethane	ND	0.020									
Chloroform	ND	0.020									
Chloromethane	ND	0.020									
Dibromochloromethane	ND	0.020									
1,2-Dibromoethane (EDB)	ND	0.020									
1,2-Dichlorobenzene	ND	0.020									
1,3-Dichlorobenzene	ND	0.020									
1,4-Dichlorobenzene	ND	0.020									
Dichlorodifluoromethane (Freon 12)	ND	0.020									
1,1-Dichloroethane	ND	0.020									
1,2-Dichloroethane	ND	0.010									
1,1-Dichloroethylene	ND	0.020									
cis-1,2-Dichloroethylene	ND	0.020									
trans-1,2-Dichloroethylene	ND	0.020									
1,2-Dichloropropane	ND	0.010									
1,3-Dichloropropane	ND	0.054									
cis-1,3-Dichloropropene	ND	0.020									
trans-1,3-Dichloropropene	ND	0.020									
Ethylbenzene	ND	0.020									
Isopropylbenzene (Cumene)	ND	0.051									
p-Isopropyltoluene (p-Cymene)	ND	0.046									
Methyl tert-Butyl Ether (MTBE)	ND	0.020									
Methylene Chloride	ND	0.20									
4-Methyl-2-pentanone (MIBK)	ND	0.020									
Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.036									
1,1,2,2-Tetrachloroethane	ND	0.020									
Tetrachloroethylene	ND	0.020									
Toluene	ND	0.020									
1,1,1-Trichloroethane	ND	0.020									
1,1,2-Trichloroethane	ND	0.020									
Trichloroethylene	ND	0.020									
Trichlorofluoromethane (Freon 11)	ND	0.020									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.020									

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

**Batch B045400 - TO-15 Prep**

<b>Blank (B045400-BLK1)</b>	Prepared & Analyzed: 01/26/12										
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
Surrogate: 4-Bromofluorobenzene (1)	8.62		8.00		108	70-130					
Surrogate: 4-Bromofluorobenzene (2)	8.66		8.00		108	70-130					

<b>LCS (B045400-BS1)</b>	Prepared & Analyzed: 01/26/12						
Acetone	6.65		5.00		133	50-150	
Acrylonitrile	5.38		2.88		187 *	70-130	L-01, V-06
Benzene	4.36		5.00		87.2	70-130	
Bromodichloromethane	4.90		5.00		97.9	70-130	
Bromoform	4.91		5.00		98.2	70-130	
2-Butanone (MEK)	4.45		5.00		89.0	70-130	
n-Butylbenzene	1.27		1.14		112	50-150	
sec-Butylbenzene	1.22		1.14		107	50-150	
Carbon Tetrachloride	4.62		5.00		92.4	70-130	
Chlorobenzene	5.01		5.00		100	70-130	
Chloroethane	4.78		5.00		95.6	70-130	
Chloroform	5.27		5.00		105	70-130	
Chloromethane	4.94		5.00		98.7	70-130	
Dibromochloromethane	4.55		5.00		91.0	70-130	
1,2-Dibromoethane (EDB)	4.70		5.00		94.1	70-130	
1,2-Dichlorobenzene	5.53		5.00		111	70-130	
1,3-Dichlorobenzene	5.37		5.00		107	70-130	
1,4-Dichlorobenzene	5.23		5.00		105	70-130	
Dichlorodifluoromethane (Freon 12)	5.18		5.00		104	70-130	
1,1-Dichloroethane	4.98		5.00		99.6	70-130	
1,2-Dichloroethane	4.72		5.00		94.4	70-130	
1,1-Dichloroethylene	4.89		5.00		97.8	70-130	
cis-1,2-Dichloroethylene	5.01		5.00		100	70-130	
trans-1,2-Dichloroethylene	5.09		5.00		102	70-130	
1,2-Dichloropropane	4.53		5.00		90.6	70-130	
1,3-Dichloropropane	1.23		1.35		91.4	70-130	
cis-1,3-Dichloropropene	4.92		5.00		98.5	70-130	
trans-1,3-Dichloropropene	4.34		5.00		86.7	70-130	
Ethylbenzene	5.09		5.00		102	70-130	
Isopropylbenzene (Cumene)	1.28		1.27		100	70-130	
p-Isopropyltoluene (p-Cymene)	1.24		1.14		108	50-150	
Methyl tert-Butyl Ether (MTBE)	5.16		5.00		103	70-130	
Methylene Chloride	4.78		5.00		95.6	70-130	
4-Methyl-2-pentanone (MIBK)	4.25		5.00		85.0	70-130	
Styrene	5.31		5.00		106	70-130	
1,1,1,2-Tetrachloroethane	0.796		0.910		87.5	50-150	
1,1,2,2-Tetrachloroethane	4.96		5.00		99.2	70-130	
Tetrachloroethylene	5.15		5.00		103	70-130	
Toluene	5.04		5.00		101	70-130	
1,1,1-Trichloroethane	4.65		5.00		93.0	70-130	
1,1,2-Trichloroethane	5.08		5.00		102	70-130	

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

**Batch B045400 - TO-15 Prep**

<b>LCS (B045400-BS1)</b>	Prepared & Analyzed: 01/26/12						
Trichloroethylene	4.82			5.00		96.4	70-130
Trichlorofluoromethane (Freon 11)	5.24			5.00		105	70-130
1,2,4-Trimethylbenzene	5.38			5.00		108	70-130
1,3,5-Trimethylbenzene	5.22			5.00		104	70-130
Vinyl Chloride	4.74			5.00		94.7	70-130
m&p-Xylene	10.1			10.0		101	70-130
o-Xylene	5.10			5.00		102	70-130
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.42			8.00		105	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.84			8.00		110	70-130

<b>Duplicate (B045400-DUP1)</b>	<b>Source: 12A0726-06</b>					Prepared: 01/26/12 Analyzed: 01/27/12				
Acetone	12	4.0	28	9.5		12		0.952	25	
Acrylonitrile	ND	0.58	ND	1.2		ND			25	
Benzene	0.45	0.10	1.4	0.32		0.47		3.94	25	
Bromodichloromethane	ND	0.10	ND	0.67		ND			25	
Bromoform	ND	0.10	ND	1.0		ND			25	
2-Butanone (MEK)	0.57	4.0	1.7	12		0.58		2.44	25	
n-Butylbenzene	0.11	0.29	0.63	1.6		0.12		5.13	25	
sec-Butylbenzene	ND	0.23	ND	1.3		ND			25	
Carbon Tetrachloride	ND	0.10	ND	0.63		ND			25	
Chlorobenzene	2.6	0.10	12	0.46		2.5		1.71	25	
Chloroethane	ND	0.10	ND	0.26		ND			25	
Chloroform	0.17	0.10	0.81	0.49		0.17		3.55	25	
Chloromethane	0.69	0.10	1.4	0.21		ND			25	
Dibromochloromethane	ND	0.10	ND	0.85		ND			25	
1,2-Dibromoethane (EDB)	ND	0.10	ND	0.77		ND			25	
1,2-Dichlorobenzene	1.3	0.10	7.6	0.60		1.2		1.12	25	
1,3-Dichlorobenzene	0.45	0.10	2.7	0.60		0.45		0.00	25	
1,4-Dichlorobenzene	0.10	0.10	0.61	0.60		0.11		7.55	25	
Dichlorodifluoromethane (Freon 12)	0.56	0.10	2.8	0.49		0.53		5.15	25	
1,1-Dichloroethane	ND	0.10	ND	0.40		ND			25	
1,2-Dichloroethane	0.23	0.050	0.94	0.20		0.24		3.39	25	
1,1-Dichloroethylene	ND	0.10	ND	0.40		ND			25	
cis-1,2-Dichloroethylene	0.13	0.10	0.52	0.40		0.13		1.50	25	
trans-1,2-Dichloroethylene	ND	0.10	ND	0.40		ND			25	
1,2-Dichloropropane	ND	0.050	ND	0.23		ND			25	
1,3-Dichloropropane	ND	0.27	ND	1.2		ND			25	
cis-1,3-Dichloropropene	ND	0.10	ND	0.45		ND			25	
trans-1,3-Dichloropropene	ND	0.10	ND	0.45		ND			25	
Ethylbenzene	2.9	0.10	12	0.43		2.8		1.77	25	
Isopropylbenzene (Cumene)	0.29	0.25	1.4	1.2		0.28		1.41	25	
p-Isopropyltoluene (p-Cymene)	0.10	0.23	0.57	1.3		0.11		9.17	25	
Methyl tert-Butyl Ether (MTBE)	ND	0.10	ND	0.36		ND			25	
Methylene Chloride	0.80	1.0	2.8	3.5		0.85		6.53	25	
4-Methyl-2-pentanone (MIBK)	0.44	0.10	1.8	0.41		0.45		1.35	25	
Styrene	3.8	0.10	16	0.43		3.7		1.85	25	
1,1,1,2-Tetrachloroethane	ND	0.18	ND	1.2		ND			25	

**QUALITY CONTROL**
**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch B045400 - TO-15 Prep</b>											
<b>Duplicate (B045400-DUP1)</b>											
Source: 12A0726-06      Prepared: 01/26/12 Analyzed: 01/27/12											
1,1,2,2-Tetrachloroethane	ND	0.10	ND	0.69		ND				25	
Tetrachloroethylene	4.0	0.10	27	0.68		3.9			2.19	25	
Toluene	4.1	0.10	15	0.38		4.0			0.148	25	
1,1,1-Trichloroethane	0.24	0.10	1.3	0.55		0.24			0.830	25	
1,1,2-Trichloroethane	0.77	0.10	4.2	0.55		0.76			1.30	25	
Trichloroethylene	8.1	0.10	43	0.54		8.2			1.40	25	
Trichlorofluoromethane (Freon 11)	2.9	0.10	16	0.56		2.8			0.702	25	
1,2,4-Trimethylbenzene	0.60	0.10	2.9	0.49		0.58			3.74	25	
1,3,5-Trimethylbenzene	0.16	0.10	0.79	0.49		0.17			4.88	25	
Vinyl Chloride	ND	0.10	ND	0.26		ND				25	
m&p-Xylene	3.2	0.20	14	0.87		3.1			0.382	25	
o-Xylene	1.1	0.10	4.6	0.43		1.1			0.188	25	
Surrogate: 4-Bromofluorobenzene (1)	8.35			8.00		104	70-130				
Surrogate: 4-Bromofluorobenzene (2)	8.60			8.00		108	70-130				

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

- L-01 Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.
- V-06 Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

**CERTIFICATIONS**
**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA TO-15 in Air</b>	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ
Benzene	AIHA,FL,NJ,NY
Bromodichloromethane	AIHA,NJ,NY
Bromoform	AIHA,NJ,NY
2-Butanone (MEK)	AIHA,FL,NJ,NY
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY
Chlorobenzene	AIHA,FL,NJ,NY
Chloroethane	AIHA,FL,NJ,NY
Chloroform	AIHA,FL,NJ,NY
Chloromethane	AIHA,FL,NJ,NY
Dibromochloromethane	AIHA
1,2-Dibromoethane (EDB)	AIHA,NJ
1,2-Dichlorobenzene	AIHA,FL,NJ,NY
1,3-Dichlorobenzene	AIHA,NJ
1,4-Dichlorobenzene	AIHA,FL,NJ,NY
Dichlorodifluoromethane (Freon 12)	AIHA
1,1-Dichloroethane	AIHA,FL,NJ,NY
1,2-Dichloroethane	AIHA,FL,NJ,NY
1,1-Dichloroethylene	AIHA,FL,NJ,NY
cis-1,2-Dichloroethylene	AIHA,FL,NY
trans-1,2-Dichloroethylene	AIHA,NJ,NY
1,2-Dichloropropane	AIHA,FL,NJ,NY
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY
trans-1,3-Dichloropropene	AIHA
Ethylbenzene	AIHA,FL,NJ,NY
Isopropylbenzene (Cumene)	AIHA,NJ
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY
Methylene Chloride	AIHA,FL,NJ,NY
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY
Tetrachloroethylene	AIHA,FL,NJ,NY
Toluene	AIHA,FL,NJ,NY
1,1,1-Trichloroethane	AIHA,FL,NJ,NY
1,1,2-Trichloroethane	AIHA,FL,NJ,NY
Trichloroethylene	AIHA,FL,NJ,NY
Trichlorofluoromethane (Freon 11)	AIHA
1,2,4-Trimethylbenzene	AIHA,NJ
1,3,5-Trimethylbenzene	AIHA,NJ
Vinyl Chloride	AIHA,FL,NJ,NY
m&p-Xylene	AIHA,FL,NJ,NY



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

## CERTIFICATIONS

### **Certified Analyses included in this Report**

## Analyte Certifications

EPA TO-15 in Air

AIHA,FL,NJ,NY

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2012
MA	Massachusetts DEP	M-MA100	06/30/2012
CT	Connecticut Department of Public Health	PH-0567	09/30/2013
NY	New York State Department of Health	10899 NELAP	04/1/2012
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2012
RI	Rhode Island Department of Health	LAO00112	12/30/2012
NC	North Carolina Div. of Water Quality	652	12/31/2012
NJ	New Jersey DEP	MA007 NELAP	06/30/2012
FL	Florida Department of Health	E871027 NELAP	06/30/2012
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2012
WA	State of Washington Department of Ecology	C2065	02/23/2012
ME	State of Maine	2011028	06/9/2013
VA	Commonwealth of Virginia	1381	12/14/2012



 **con-test**<sup>®</sup>  
ANALYTICAL LABORATORY

Phone: 413-525-2332 AIR SAMPLE CHAIN OF CUSTODY  
RECEIVED

RECORD

**39 SPRUCE ST  
EAST LONGMEADOW, MA 01022**

Page 1 of 1

[www.contestlabs.com](http://www.contestlabs.com)

Company Name: EA Engineering  
Address: 2374 Post Rd  
Telephone: (401) 736-3440  
Project #: 14687.01

Attention:  
Ron Hack

Project Location: AUARREZ H.S.  
Sampled By: P.T. = DA

### ❑ **Proposal Provided? (For Billing purposes)**

<b>EA Engineering</b> <b>2374 Post Rd</b> <b>Warwick RI 02886</b> <b>Ron Mack</b> <b>AUPEZ H.S.</b> <b>PT: DA</b>	<a href="http://www.contestlabs.com">www.contestlabs.com</a>  Telephone (401) 733-6344 Project # <u>14687.01</u> Client PO # _____ DATA DELIVERY (check one): <input checked="" type="checkbox"/> FAX <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> WEBSITE CLIENT Fax #: _____ Email: <u>Mack@east.com</u>
--	---

Relinquished By: (signature) <i>John L. Koenig</i>		Date/Time: 1/24/12 10:46	<u>Turnaround **</u>	<u>Special Requirements</u>	*Matrix Code:
Received by: (signature) <i>John L. Koenig</i>		Date/Time: 1/24/12 10:46	<input checked="" type="checkbox"/> 7-Day <input type="checkbox"/> 10-Day <input type="checkbox"/> Other _____	Regulations: Data Enhancement/RCP? <input type="checkbox"/> Y <input type="checkbox"/> N Enhanced Data Package <input type="checkbox"/> Y <input type="checkbox"/> N (Surcharge Applies)	SG = SOIL GAS IA = INDOOR AIR AMB = AMBIENT SS = SUB SLAB D = DUP BL = BLANK O = other
Relinquished by: (signature) <i>John L. Koenig</i>		Date/Time: 1/24/12 10:25	<input type="checkbox"/> *24-Hr <input type="checkbox"/> *48-Hr <input type="checkbox"/> *72-Hr <input type="checkbox"/> *4-Day	Required Detection Limits: <u>Per Contract</u> Other: _____	**Media Codes: S = summa can TB = tedlar bag P = PUF T = tube F = filter C = cassette O = Other
** TIME STAMPS ON THIS FORM INDICATE THE DAY AFTER SAMPLE REQUEST WAS MADE FOR TURNAROUND. NO TIME STAMPS MEAN SAMPLE IS NOT REQUESTED.					

**INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.**



www.contestlabs.com

**AIR Only Receipt Checklist**

39 Spruce St.  
East Longmeadow, MA.  
01028  
P: 413-525-2332  
F: 413-525-6405

CLIENT NAME: E A EngineeringRECEIVED BY: SD DATE: 1/24/12

1) Was the chain(s) of custody relinquished and signed?

 Yes  No

2) Does the chain agree with the samples?

 Yes  No

If not, explain:

3) Are all the samples in good condition?

 Yes  No

If not, explain:

4) Are there any samples "On Hold"?

Yes  No Stored where:  

5) Are there any RUSH or SHORT HOLDING TIME samples?

Yes  No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Location where samples are stored:

Air - LabPermission to subcontract samples? Yes  No(Walk-in clients only) if not already approved  
Client Signature: \_\_\_\_\_**Air Media received at Con-Test**

		# of Containers	Types (Size, Duration)
Air Sampling Media	Summa Cans	6	6L
	Tedlar Bags		
	Tubes		
Flow Controllers	Regulators	6	30min 6L
	Restrictors		
Extras	Tubing		
	Other		

Unused Summas:

Unused Regulators:

1) Was all media (used &amp; unused checked into the WASP?)

2) Were all returned summa cans, Restrictors, &amp; Regulators documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:

1217 1489  
1507 1158  
1471 1652

4093 4107  
4105 4082  
4092 4101

## ***APPENDIX D***

### ***Rooftop Emission Analytical Summary***

**Alvarez School - Sub Slab Depressurization System Emissions Calculations**  
 Sample Date - 16 July 2010

Volatile Organic Compounds	ROOFTOP FAN 1 (Measured air flow = 108 cubic feet per minute)				ROOFTOP FAN 2 (Measured air flow = 190 cubic feet per minute)				ROOFTOP FAN 3 (Measured air flow = 124 cubic feet per minute)				CUMULATIVE EMISSIONS (3 fans combined)					
	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)			
Dichlorodifluoromethane	2.400	1.70E-06	4.08E-05	1.49E-02	2.43	1.17E-06	2.81E-05	1.03E-02	2.39	1.03E-06	2.47E-05	9.02E-03	3.90E-06	9.37E-05	3.42E-02			
Chloromethane	1.030	U	7.30E-07	1.75E-05	6.40E-03	1.03	U	4.97E-07	1.19E-05	4.35E-03	1.03	U	4.44E-07	1.07E-05	3.89E-03	1.67E-06	4.01E-05	1.46E-02
Vinyl chloride	0.051	U	3.61E-08	8.68E-07	3.17E-04	0.051	U	2.46E-08	5.91E-07	2.16E-04	0.051	U	2.20E-08	5.28E-07	1.93E-04	8.27E-08	1.99E-06	7.25E-04
Chloroethane	0.053	U	3.76E-08	9.02E-07	3.29E-04	0.106		5.12E-08	1.23E-06	4.48E-04	0.053	U	2.28E-08	5.48E-07	2.00E-04	1.12E-07	2.68E-06	9.77E-04
Acetone	11.100		7.87E-06	1.89E-04	6.89E-02	8.29		4.00E-06	9.60E-05	3.50E-02	4.75	U	2.05E-06	4.91E-05	1.79E-02	1.39E-05	3.34E-04	1.22E-01
Trichlorofluoromethane	53.300		3.78E-05	9.07E-04	3.31E-01	111		5.36E-05	1.29E-03	4.69E-01	17.5		7.54E-06	1.81E-04	6.61E-02	9.89E-05	2.37E-03	8.66E-01
Acrylonitrile	1.080	U	7.65E-07	1.84E-05	6.71E-03	1.08	U	5.21E-07	1.25E-05	4.57E-03	1.08	U	4.66E-07	1.12E-05	4.08E-03	1.75E-06	4.21E-05	1.53E-02
1,1-Dichloroethene	0.079	U	5.60E-08	1.34E-06	4.90E-04	0.079	U	3.81E-08	9.15E-07	3.34E-04	0.079	U	3.41E-08	8.17E-07	2.98E-04	1.28E-07	3.08E-06	1.12E-03
Methylene chloride	7.990		5.66E-06	1.36E-04	4.96E-02	3.47		1.67E-06	4.02E-05	1.47E-02	3.47	U	1.50E-06	3.59E-05	1.31E-02	8.83E-06	2.12E-04	7.74E-02
trans-1,2-Dichloroethene	0.079	U	5.60E-08	1.34E-06	4.90E-04	0.079	U	3.81E-08	9.15E-07	3.34E-04	0.079	U	3.41E-08	8.17E-07	2.98E-04	1.28E-07	3.08E-06	1.12E-03
1,1-Dichloroethane	0.081	U	5.74E-08	1.38E-06	5.03E-04	0.081	U	3.91E-08	9.38E-07	3.42E-04	0.081	U	3.49E-08	8.38E-07	3.06E-04	1.31E-07	3.15E-06	1.15E-03
Methyl tert butyl ether	0.072	U	5.10E-08	1.22E-06	4.47E-04	0.072	U	3.47E-08	8.34E-07	3.04E-04	0.072	U	3.10E-08	7.45E-07	2.72E-04	1.17E-07	2.80E-06	1.02E-03
2-Butanone	1.470	U	1.04E-06	2.50E-05	9.13E-03	1.47	U	7.09E-07	1.70E-05	6.21E-03	1.47	U	6.34E-07	1.52E-05	5.55E-03	2.38E-06	5.72E-05	2.09E-02
cis-1,2-Dichloroethene	0.079	U	5.60E-08	1.34E-06	4.90E-04	0.079	U	3.81E-08	9.15E-07	3.34E-04	0.079	U	3.41E-08	8.17E-07	2.98E-04	1.28E-07	3.08E-06	1.12E-03
Chloroform	0.317		2.25E-07	5.39E-06	1.97E-03	0.84		4.05E-07	9.73E-06	3.55E-03	0.327		1.41E-07	3.38E-06	1.23E-03	7.71E-07	1.85E-05	6.75E-03
1,2-Dichloroethane	0.081	U	5.74E-08	1.38E-06	5.03E-04	0.081	U	3.91E-08	9.38E-07	3.42E-04	0.081	U	3.49E-08	8.38E-07	3.06E-04	1.31E-07	3.15E-06	1.15E-03
1,1,1-Trichloroethane	2.060		1.46E-06	3.50E-05	1.28E-02	1.35		6.52E-07	1.56E-05	5.71E-03	1.11		4.78E-07	1.15E-05	4.19E-03	2.59E-06	6.22E-05	2.27E-02
Benzene	0.543		3.85E-07	9.24E-06	3.37E-03	0.319		1.54E-07	3.69E-06	1.35E-03	0.319		1.37E-07	3.30E-06	1.20E-03	6.76E-07	1.62E-05	5.92E-03
Carbon tetrachloride	0.428		3.03E-07	7.28E-06	2.66E-03	0.402		1.94E-07	4.66E-06	1.70E-03	0.409		1.76E-07	4.23E-06	1.54E-03	6.74E-07	1.62E-05	5.90E-03
1,2-Dichloropropane	0.092	U	6.52E-08	1.56E-06	5.71E-04	0.092	U	4.44E-08	1.07E-06	3.89E-04	0.092	U	3.97E-08	9.52E-07	3.47E-04	1.49E-07	3.58E-06	1.31E-03
Bromodichloromethane	0.134	U	9.50E-08	2.28E-06	8.32E-04	0.134	U	6.47E-08	1.55E-06	5.67E-04	0.134	U	5.78E-08	1.39E-06	5.06E-04	2.17E-07	5.22E-06	1.90E-03
Trichloroethene	83.800		5.94E-05	1.43E-03	5.20E-01	75.8		3.66E-05	8.78E-04	3.20E-01	28.7		1.24E-05	2.97E-04	1.08E-01	1.08E-04	2.60E-03	9.49E-01
cis-1,3-Dichloropropene	0.091	U	6.45E-08	1.55E-06	5.65E-04	0.091	U	4.39E-08	1.05E-06	3.85E-04	0.091	U	3.92E-08	9.41E-07	3.44E-04	1.48E-07	3.54E-06	1.29E-03
4-Methyl-2-pentanone	2.050	U	1.45E-06	3.49E-05	1.27E-02	2.05	U	9.89E-07	2.37E-05	8.67E-03	2.05	U	8.84E-07	2.12E-05	7.74E-03	3.33E-06	7.98E-05	2.91E-02
trans-1,3-Dichloropropene	0.091	U	6.45E-08	1.55E-06	5.65E-04	0.091	U	4.39E-08	1.05E-06	3.85E-04	0.091	U	3.92E-08	9.41E-07	3.44E-04	1.48E-07	3.54E-06	1.29E-03
1,1,2-Trichloroethane	0.109	U	7.73E-08	1.85E-06	6.77E-04	0.109	U	5.26E-08	1.26E-06	4.61E-04	0.109	U	4.70E-08	1.13E-06	4.12E-04	1.77E-07	4.24E-06	1.55E-03
Toluene	1.550		1.10E-06	2.64E-05	9.62E-03	0.712		3.44E-07	8.25E-06	3.01E-03	1.12		4.83E-07	1.16E-05	4.23E-03	1.92E-06	4.62E-05	1.69E-02
Dibromochloromethane	0.170	U	1.20E-07	2.89E-06	1.06E-03	0.17	U	8.20E-08	1.97E-06	7.19E-04	0.17	U	7.33E-08	1.76E-06	6.42E-04	2.76E-07	6.62E-06	2.42E-03
1,2-Dibromoethane	0.154	U	1.09E-07	2.62E-06	9.56E-04	0.154	U	7.43E-08	1.78E-06	6.51E-04	0.154	U	6.64E-08	1.59E-06	5.81E-04	2.50E-07	6.00E-06	2.19E-03
Tetrachloroethene	26.800		1.90E-05	4.56E-04	1.66E-01	12.3		5.94E-06	1.42E-04	5.20E-02	65.6		2.83E-05	6.79E-04	2.48E-01	5.32E-05	1.28E-03	4.66E-01
1,1,1,2-Tetrachloroethane	0.137	U	9.71E-08	2.33E-06	8.51E-04	0.137	U	6.61E-08	1.59E-06	5.79E-04	0.137	U	5.90E-08	1.42E-06	5.17E-04	2.22E-07	5.3	

## ***APPENDIX E***

***Laboratory Reporting  
Limits Correspondence***



39 Spruce Street  
East Longmeadow, MA 01089

April 30, 2012

Mr. Ron Mack  
EA Engineering Science & Technology  
2350 Post Road  
Warwick, RI 02886  
RE: CT Remediation Standard Regulations – Volatilization Criteria

Dear Mr. Mack:

This letter is in response to the Residential Target Indoor Air numbers published in the Remediation Standard Regulations. Several of the TAC's, which are calculated based on risk, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Laboratories have issues meeting the limits are listed below:

Bromodichloromethane  
1,1,2,2-Tetrachloroethane  
1,1,1,2-Tetrachloroethane  
1,3-Dichloropropane  
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is cursive and fluid, with "Tod" on the first line and "Kopyscinski" on the second line.

Tod Kopyscinski  
Air Laboratory Manager