



EA Engineering, Science, and Technology, Inc.

Airport Professional Park
2374 Post Road, Suite 102
Warwick, Rhode Island 02886
Telephone: 401-736-3440
Fax: 401-736-3423
www.eaest.com

30 September 2013

Mr. Joseph T. Martella II, Senior Engineer
Site Remediation Program
Office of Waste Management
RI Department of Environmental Management
235 Promenade Street
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 24
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island
Case No. 2005-029
EA Project No. 15066.01.0002*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc. (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from June 2013 through August 2013.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 203.

Sincerely,

EA ENGINEERING, SCIENCE,
AND TECHNOLOGY, INC.

Frank B. Postma, LSP, LEP, PG
Project Manager

cc: C. Jones, Prov. Dept. of Public Schools
Director, Prov. Redevelopment Agency
J. Padwa, City of Prov. Law Department
R. Dorr, Neighborhood Resident
Rep. Scott Slater
Knight Memorial Library Repository

A. Sepe, Prov. Dept. of Public Property
S. Fischbach, RI Legal Services
J. Ryan, Partridge, Snow, & Hahn
J. Pichardo, Senator
Principal Rivers, Alvarez High School



Quarterly O&M Status Report No. 24

Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities

**Alvarez High School Site
(Formerly Adelaide Avenue High School)
Providence, Rhode Island**

Prepared for

City of Providence School Department
797 Westminster Street
Providence, Rhode Island 02903

Prepared by

EA Engineering, Science, and Technology, Inc.
2374 Post Road, Suite 102
Warwick, Rhode Island 02886
(401) 736-3440

EA Project No. 15066.01.0002
September 2013

TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE.....	2
2.1 SSD System	2
2.2 Indoor Methane Monitoring System.....	2
2.3 Ambient Outdoor and Indoor Air Sampling	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect	4
2.5 Summary of Rooftop VOC Emissions.....	5
2.6 Conclusions.....	5
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT	7

FIGURES

- FIGURE 1: SITE LOCATION MAP
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM
FIGURE 3: AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

APPENDICES

- APPENDIX A: O&M FIELD FORMS
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
AND LAB REPORTS
APPENDIX C: SUBSLAB VAPOR ANALYTICAL SUMMARY AND LAB REPORT
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E: LABORATORY REPORTING LIMITS CORRESPONDENCE

1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc. (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 24 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the 3-month period from June 2013 through August 2013 (Quarterly Reporting Period No. 24) and also includes an overall evaluation of volatile organic compound (VOC) concentrations within soil gas as they pertain to a potential rebound effect at the Site. Please refer to Quarterly O&M Status Reports No. 1 through No. 23 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period between March and August 2007.

2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

2.1 SSD SYSTEM

The following SSD System performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA to evaluate system performance:

- Monthly subslab vacuum monitoring at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Monthly inspections and monitoring of 3 rooftop fans (air velocity and vacuum) to verify proper operation.
- Continuous electronic monitoring (with automatic alarm notification via audible signal and phone notification) at each of three SSD system extraction fans to ensure continuous operation.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations were between -0.01 and -3.00 in. of water column. In July 2013, monitoring locations MP-1 and MP-3 had a positive vacuum reading or no vacuum reading which may indicate water in the SSD system lines. In August 2013, monitoring location MP-7 had a positive vacuum reading which may indicate water trapped in the SSD system lines. Negative measurements confirm that a continuous negative pressure has been maintained beneath the building slab.

Inspections and monitoring of all other system equipment revealed proper system operation, and no equipment shutdowns, failures, alarms, or interruptions of any type occurred during this reporting period. The continuous, verified zone of negative pressure beneath the school's concrete slab, along with the monthly inspections and continuous monitoring of both the indoor air monitoring system and the subslab depressurization system, confirms proper operation of the SSD System during this reporting period. During the previous quarter EA determined that the uninterrupted power supply (UPS) will need to be replaced. The UPS replacement will occur in the fall of 2013.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

2.2 INDOOR METHANE MONITORING SYSTEM

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system (equipped with automatic alarm notification via audible signal and phone notification) within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. In addition, the methane monitoring system was inspected on 9 July 2013.

The indoor methane monitoring system operated continuously throughout this reporting period with no equipment shutdowns, failures, alarms, or interruptions of any type, and no methane was detected during any of the supplemental monthly indoor methane monitoring events. On 9 July 2013, filter discs at each of the eight continuous methane sensors were replaced in accordance with a quarterly frequency schedule. The next filter replacement is scheduled for October 2013.

No other maintenance or repairs to the methane monitoring system or components were performed or required during this reporting period. During the previous quarter EA determined that the uninterrupted power supply (UPS) will need to be replaced. The details of events leading to the replacement of the UPS are included in Quarterly Status Report No. 23. The UPS replacement will occur in the fall of 2013.

2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING

Three outdoor ambient air sample and seven indoor air samples within the school at RIDEM-approved sampling locations were collected and analyzed for VOCs via Method TO-15 SIM (Selective Ion Monitoring) on 9 July 2013. One of the indoor air samples (Room 11) was collocated with a samples collected by the RIDEM. The outdoor ambient samples were collected from locations around the school and two of the air samples (AOA-1 and AOA-3) were collocated with RIDEM samples. Sampling locations are shown on the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2. The indoor air sampling results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) in accordance with the Amended OA. The laboratory method reporting limits (MRLs) for several VOCs reported via TO-15 analysis, even though analyzed via the SIM procedure, were greater than the respective CT RTACs. In accordance with the Amended OA, EA contacted the laboratory prior to sample analysis to verify that the RLs provided would be the lowest currently achievable limits. An MRL verification letter from Con-Test Analytical Laboratory (Con-Test) is provided in Appendix E. A data summary table and copies of the laboratory data reports associated with this sampling event are provided in Appendix C.

All seven ambient indoor air samples collected during the July 2013 sampling event contained 1,2-Dichloroethane (1,2-DCA) at concentrations ranging between 0.058 and 0.081 ug/m³. One sample, Room 118, exceeded the CT RTAC of 0.07 ug/m³ and the RIDEM 1,2-DCA Action Level of 0.08 ug/m³ with a concentration of 0.081 ug/m³. The compound 1,2-DCA was detected in the ambient outdoor sample at a concentrations of 0.047 ug/m³ to 0.062 ug/m³ which is not in excess of the CT RTAC and the RIDEM Action Levels. EA believes the exceedances result from an external source and not from a soil vapor pathway because 1,2-DCA was also detected in the ambient outdoor air at a concentration in excess of the applicable standards during the previous quarter sampling events discussed in Quarterly Status Reports No. 22 and 23. EA along with the RIDEM completed collocated sampling during the July 2013 sampling event to ensure that previous sampling procedures produced consistent results. The 1,2-DCA concentration of 0.081 ug/m³ was comparable to the RIDEM sample concentration in Room 118 of 0.084 ug/m³.

All other compounds analyzed were below the applicable CT RTACs for all samples collected on 9 July 2013.

2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Six subslab vapor samples were collected in accordance with a RIDEM-approved (Amended OA) rotating sampling schedule and analyzed for VOCs via Method TO-15 SIM on 9 July 2013 in accordance with the Amended OA. The subslab data is summarized in Appendix D, along with copies of the laboratory data reports associated with these sampling events.

1,2-DCA was detected in six of the subslab samples at concentrations ranging from 0.081 ug/m³ to 0.12 ug/m³. Additional investigation into the occurrence of 1,2-DCA will be conducted during the next quarterly reporting period.

The subslab data has been evaluated and there is no evidence of increasing VOCs (i.e., VOC rebound) beneath the school in accordance with the Amended OA.

2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. The latest rooftop VOC sampling event was completed on 9 July 2013 and is summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or yearly emissions were observed. However, a number of compounds, including 1,2-DCA were detected. The 2014 annual rooftop effluent VOC sampling event is scheduled for July 2014 to accommodate the quarterly sampling schedule.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, and July 2012 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. In general, the VOC concentrations in the rooftop effluent associated with the July 2013 sampling round indicate continuance of the decreasing trend of VOC concentrations and do not exceed the Air Pollution Control Permit Applicability Thresholds. Tabulation of the data and the rooftop sampling analytical report is provided as Appendix D.

2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into the Alvarez High School is not occurring.

- Subslab vapor rebound is not occurring at the school, based on analytical data from this sampling event.
- The continuous operation of the SSD System, with no equipment malfunctions or alarm conditions, and confirmation of continuous subslab vacuum beneath the school illustrates ongoing, effective operation of the SSD System. No soil vapor intrusion pathway exists at the school while the SSD System is operational.
- EA will replace the UPS in the fall of 2013.
- The compound 1,2-DCA has been detected in exceedance of the CT RTAC and RIDEM Action Levels in one room (Room 118) and one roof air sample during this sampling period. EA along with the RIDEM completed collocated sampling during the July 2013 sampling event to ensure that previous sampling procedures produced consistent results. The 1,2-DCA concentration of 0.081 ug/m³ was comparable to the RIDEM sample concentration in Room 118 of 0.084 ug/m³. The collocated AOA samples had comparable concentrations. The analytical data for the AOA samples did not indicate a new 1,2-DCA source. Additionally, all sampling points showed a marked decrease in concentration of 1,2-DCA.
- EA believes the exceedances resulted from an external source and not from a soil vapor pathway because 1,2-DCA was also detected in the ambient outdoor air at a concentration in excess of the applicable standards during the previous quarter sampling events discussed in Quarterly Status Reports No. 22 and 23. Additionally, the concentration of 1,2-DCA in the subsurface is too low to be responsible for the concentrations found in the air.


FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period ending 9 July 2013:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity; and
- Collection of air samples from eight indoor locations, one ambient location, and six subslab monitoring points in October 2013.
- Further investigation into the presence of 1,2-DCA in ambient air.
- Installation of a new UPS in the fall of 2013.

These activities will be summarized in the next status report (Quarterly Status Report No. 25), expected to be submitted by the end of December 2013.


FIGURES



ALVAREZ HIGH SCHOOL
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND

FIGURE 1
SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



	DESIGNED BY PMG
	CHECKED BY EAL

DRAWN BY	DATE
PMG	
PROJECT MGR.	SCAL

4-3-07	PROJECT NO. 61965.0
NTC	DRAWING NO.

FILE NAME
Alvarez Layout
FIGURE
N/A

INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM - ALVAREZ HIGH SCHOOL

PROVIDENCE, RHODE ISLAND



**QUARTERLY STATUS REPORT
FIGURE 2**

LEGEND :**MP-1** SUB-SLAB MONITORING POINT**IMP-1** INTERIOR SUB-SLAB MONITORING POINT

+---+ SLOTTED 1 INCH PVC PIPING

SP-1 SSD SYSTEM SUCTION PIT

----- SOLID 4 INCH PVC PIPING

DESIGNED BY
PMGCHECKED BY
PMGDRAWN BY
DMAPROJECT MGR.
PMGDATE
AUG 27 2007SCALE
NTSPROJECT NO.
14687.01DRAWING NO.
N/AFILE NAME
FIG 3FIGURE
3

AS-BUILT
SUB SLAB MONITORING AND SAMPLING LOCATIONS
ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT
FIGURE 3

APPENDIX A

O&M Field Forms

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 8/16/2013

Performed by: M. Russo

PID/Methane Calibration? Pine Environmental

(yes/no)

Date of last Methane Sensor Filter Replacement: 7/9/2013

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: No vacuum observed in MP-7; suspect there is water in the line.

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: observed in good condition

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	--	
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	--	
Kitchen Storage Room	NA	NA	0	0	0	0	--	--	--	--	--	--	
Elevator Hallway	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	--	
MP-1	-0.06	NA	1622	NA	0	0	--	--	--	--	--	--	
MP-2	-0.05	NA	1633	NA	0	0	--	--	--	--	--	--	
MP-3	-0.03	NA	1147	NA	0	0	--	--	--	--	--	--	
MP-4	-0.04	NA	1957	NA	0	0	--	--	--	--	--	--	
MP-5	-0.05	NA	3302	NA	0	0	--	--	--	--	--	--	
MP-6	-0.01	NA	3278	NA	--	--	--	--	--	--	--	--	
MP-7	0.05	NA	2865	NA	0	0	--	--	--	--	--	--	
MP-8	-0.07	NA	1743	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.01	NA	1796	NA	0	0	--	--	--	--	--	--	
IMP-2	-0.03	NA	1146	NA	0	0	--	--	--	--	--	--	
IMP-3	-0.02	NA	2190	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 1	-2.10	2641	1942	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 2	-2.60	2329	2216	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 3	-2.00	1528	2627	NA	0	0	--	--	--	--	--	--	
AOA-1	NA	NA	0	NA	0	0	--	--	--	--	--	--	
AOA-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
AOA-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

AOA: Ambient Outdoor Air

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 7/9/2013

Performed by: P. Theroux and D. Allen

PID/Methane Calibration? US Environmental

(yes/no)

Date of last Methane Sensor Filter Replacement: 7/9/2013

Replaced this O&M Visit? Yes (yes/no)

General Status of SSD System: No vacuum observed in MP-1 and MP-3; suspect there is water in the line.

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: Crack in gym closet floor

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	1876	4176	10:20	-30	10:48	-4	
Cafeteria	NA	NA	0	0	0	0	1641	4177	10:16	-30	10:45	-1	
Kitchen Storage Room	NA	NA	0	0	0	0	1121	4192	10:17	-29	10:46	-4	
Elevator Hallway	NA	NA	0	0	0	0	1174	4193	10:21	-30	10:50	-3	
Room 145	NA	NA	0	0	0	0	1851	4188	10:31	-28	11:00	-4	
Room 152	NA	NA	0	0	0	0	1881	4189	10:32	-30	11:01	-4	
Room 118	NA	NA	0	0	0	0	1481	4190	10:27	-30	10:57	0	Collocated with DOH sample 13347
Room 110	NA	NA	0	0	0	0	1865	4191	10:24	-30	10:59	-1	
MP-1	0.05	NA	1043	NA	0	0	1870	4187	14:08	-30	14:38	-4	
MP-2	-0.02	NA	888	NA	0	0	--	--	--	--	--	--	
MP-3	0.00	NA	1004	NA	0	0	1059	4195	13:57	-30	14:27	-3	
MP-4	-0.07	NA	2604	NA	0	0	1504	4186	14:13	-29	14:43	-3	
MP-5	-0.09	NA	932	NA	0	0	--	--	--	--	--	--	
MP-6	-0.04	NA	1178	NA	--	--	1469	4196	14:20	-30	14:50	-2	
MP-7	-0.45	NA	927	NA	0	0	--	--	--	--	--	--	
MP-8	-0.11	NA	1083	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.04	NA	952	NA	0	0	1098	4066	11:17	-24	11:45	-3	
IMP-2	-0.03	NA	650	NA	0	0	1314	4067	11:07	-30	11:37	-5	
IMP-3	-0.02	NA	833	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 1	-1.60	3000	1103	NA	0	0	1863	4005	12:23	-26	--	-4	
Roof-Top Fan 2	-1.60	2207	1003	NA	0	0	1231	5017	12:18	-29	--	-4	
Roof-Top Fan 3	-2.20	2418	871	NA	0	0	1123	5016	11:56	-28	--	-4	
AOA-1	NA	NA	0	NA	0	0	1837	4198	13:29	-30	13:59	-2	Collocated with DOH sample 13339
AOA-2	NA	NA	0	NA	0	0	1824	4197	13:31	-29	14:01	-3	
AOA-3	NA	NA	0	NA	0	0	1124	4042	13:34	-30	14:02	-7	Collocated with DOH sample 13344

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

AOA: Ambient Outdoor Air

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 6/28/2013

Performed by: M. Russo

PID/Methane Calibration? US Environmental

(yes/no)

Date of last Methane Sensor Filter Replacement: Apr-13

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: online and operational

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: observed in good condition

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	
Kitchen Storage Room	NA	NA	0	0	0	0	--	--	--	--	--	
Elevator Hallway	NA	NA	0	0	0	0	--	--	--	--	--	
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	
MP-1	-0.08	NA	589	NA	0	0	--	--	--	--	--	
MP-2	-0.10	NA	174	NA	0	0	--	--	--	--	--	
MP-3	-0.08	NA	224	NA	0	0	--	--	--	--	--	
MP-4	-0.08	NA	6440	NA	0	0	--	--	--	--	--	
MP-5	-0.10	NA	919	NA	0	0	--	--	--	--	--	
MP-6	-0.06	NA	413	NA	--	--	--	--	--	--	--	
MP-7	-0.08	NA	472	NA	0	0	--	--	--	--	--	
MP-8	-0.09	NA	286	NA	0	0	--	--	--	--	--	
IMP-1	-0.04	NA	619	NA	0	0	--	--	--	--	--	
IMP-2	-0.06	NA	578	NA	0	0	--	--	--	--	--	
IMP-3	-0.05	NA	486	NA	0	0	--	--	--	--	--	
Roof-Top Fan 1	-2.80	3159	820	NA	0	0	--	--	--	--	--	
Roof-Top Fan 2	-2.30	2347	541	NA	0	0	--	--	--	--	--	
Roof-Top Fan 3	-3.00	2467	309	NA	0	0	--	--	--	--	--	
Ambient Outdoor Air	NA	NA	0	NA	0	0	--	--	--	--	--	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

APPENDIX B

Indoor and Ambient Outdoor Air Analytical Summary and Lab Report

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Acetone	8-Feb-08	180.0	20.200	8.240	4.750	U	6.870	8.060	4.750	U	4.780			4.750	U	
	27-Mar-08 ²		576.000	186.000	108.000	89.900	24.700	38.300	76.700	47.400				5.870		
	25-Apr-08		61.700	12.900	19.000	15.100	14.800	18.600	12.500	17.100				6.670		
	29-May-08		19.500	16.000	12.800	16.200	10.900	17.200	13.200	11.600				7.480		
	27-Jun-08		87.900	20.000	20.500	27.700	28.900	29.000	26.000	29.800				19.700		
	31-Jul-08		32.200	17.200	20.800	16.800	23.800	20.000	18.600	23.500				20.000		
	28-Aug-08		33.100	21.100	21.500	25.800	27.000	32.400	29.100	23.800				37.000		
	30-Sep-08		39.400	10.400	7.600	11.200	44.800	29.900	19.600	55.600				6.800		
	27-Oct-08		56.200	23.100	14.900	24.100	15.900	26.500	34.300	25.100				109.000		
	25-Nov-08		21.300	8.200	5.300	14.000	15.600	9.700	6.500	10.000				7.000		
	18-Dec-08		39.300	18.500	16.900	21.500	23.100	41.900	22.000	28.800				40.000		
	21-Jan-09		5.300	2.400	2.400	U	3.600	5.600	5.000	3.300	4.000			2.400	U	
	25-Feb-09		2.400	2.900	2.400	NS	9.600	5.000	3.800	4.100				2.400	U	
	26-Mar-09		34.400	10.700	8.820	U	11.300	13.800	12.000	10.500	12.000			9.680		
	29-Apr-09		4.750	U	5.700	7.230	8.240	19.200	9.420	7.570			7.700			
	22-Jul-09		2.370	U	13.100	18.700	11.700	28.900	29.400	17.100	19.400			11.000		
	9-Oct-09		19.500	10.100	9.220	11.000	15.500	12.000	10.600	11.600				8.570		
	15-Jan-10		11.900	8.160	5.080	6.700	7.320	7.270	5.260	8.110				6.190		
	21-Apr-10		26.700	22.000	23.200	23.200	19.300	19.900	21.800	20.500				4.960		
	16-Jul-10		28.200	16.500	13.800	16.100	36.900	24.900	40.700	16.000				14.300		
	15-Oct-10		32.700	8.180	4.750	U	11.500	7.360	6.010	5.530	6.690			7.630		
	30-Nov-10		NS	13.200	13.000	NS	NS	NS	6.460	NS				NS		
	26-Jan-11		28.500	20.800	11.600	14.900	13.500	33.200	12.600	24.000				9.850		
	26-Jan-11**		NS	17.000	15.000	NS	NS	NS	12.000	NS				NS		
	27-Apr-11		6.820	12.800	11.300	14.700	14.600	7.550	12.300	5.930				5.600		
	26-Jul-11		51.800	48.000	22.800	82.200	28.700	7.170	25.400	39.400				8.840		
	28-Oct-11		17.000	12.000	7.400	9.900	11.000	9.700	13.000	15.000				8.000		
	23-Jan-12		15.000	15.000	18.000	18.000	10.000	37.000	19.000	18.000				13.000		
	13-Apr-12		11.000	16.000	11.000	11.000	11.000	21.000	9.100	19.000				24.000		
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS				9.100		
	20-Jun-12		19.000	22.000	17.000	21.000	20.000	15.000	15.000	22.000				11.000		
	1-Nov-12		12.000	11.000	9.500	16.000	8.300	12.000	13.000	11.000				9.000		
	1-Feb-13		16.000	15.000	12.000	14.000	9.100	39.000	16.000	18.000				8.200		
	29-Apr-13		26.000	23.000	22.000	21.000	28.000	32.000	27.000	35.000				18.000		
	9-Jul-13		25.000	26.000	22.000	24.000	28.000	35.000	32.000	NS				24.000		
	9-Jul-13 RIDEM		NS	NS	NS	NS	18.827	NS	NS	NS				11.710	50 NS	35 13.038
Acrylonitrile	8-Feb-08	None	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
	27-Mar-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
	25-Apr-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
	29-May-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
	27-Jun-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
	31-Jul-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
	28-Aug-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
	21-Jan-09															

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromodichloromethane	8-Feb-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	27-Mar-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	25-Apr-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	29-May-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	27-Jun-08		0.134	U	0.134	U	0.130	U	0.134	U	0.130	U	0.134	U	0.134
	31-Jul-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	28-Aug-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	30-Sep-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	27-Oct-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	25-Nov-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	18-Dec-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	21-Jan-09		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	25-Feb-09		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	26-Mar-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	29-Apr-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	22-Jul-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	9-Oct-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	15-Jan-10	0.034/0.13	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	21-Apr-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	16-Jul-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	15-Oct-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	30-Nov-10		NS		0.134	U	0.134	U	NS		NS		NS		NS
	26-Jan-11		0.228	U	0.228	U	0.228	U	0.228	U	0.227	U	0.228	U	0.228
	26-Jan-11**		NS		0.340	U	0.340	U	NS		NS		NS		NS
	27-Apr-11		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	26-Jul-11		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	28-Oct-11		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.067
	23-Jan-12		0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240
	13-Apr-12		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS
	20-Jun-12		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	1-Nov-12		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067
	1-Feb-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067
	29-Apr-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067
	9-Jul-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067
Bromoform	8-Feb-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	27-Mar-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	25-Apr-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	29-May-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	27-Jun-08		0.206	U	0.210	U	0.206	U	0.210	U	0.210	U	0.210	U	0.210
	31-Jul-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	28-Aug-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	30-Sep-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	27-Oct-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	25-Nov-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	18-Dec-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	21-Jan-09		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	25-Feb-09		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	26-Mar-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	29-Apr-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	22-Jul-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	9-Oct-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	15-Jan-10	0.55	0.353	U	0.351	U	0.352	U	0.353	U	0.351	U	0.351	U	0.351
	21-Apr-10		0.206	U	0.206	U	0.206	U	0.206</td						

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2		AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
n-Butylbenzene	8-Feb-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	27-Mar-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	25-Apr-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	29-May-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	27-Jun-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	31-Jul-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	28-Aug-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	30-Sep-08		5.500	U	5.500	U	5.500	U	5.500	U	23.300		5.500	U	5.500	U	73.000		5.500	U				5.500	U			
	27-Oct-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U				5.500	U			
	25-Nov-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U				5.500	U			
	18-Dec-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U				5.500	U			
	21-Jan-09		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U				5.500	U			
	25-Feb-09		5.500	U	5.500	U	6.300		NS		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U				5.500	U			
	26-Mar-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	29-Apr-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	22-Jul-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	9-Oct-09		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	15-Jan-10	73.0	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	21-Apr-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	16-Jul-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	15-Oct-10		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	30-Nov-10		NS		2.740	U	2.740	U	2.740	U	NS		NS		NS		2.740	U	2.740	U				NS				
	26-Jan-11		0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.660	U	4.660	U	4.680	U	4.660	U	4.680	U	4.660	U	4.680	U
	26-Jan-11**		NS		2.740	U	2.740	U	2.740	U	NS		NS		NS		NS		NS									
	27-Apr-11		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	26-Jul-11		0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U				0.320	U			
	28-Oct-11		0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U				0.550	U			
	23-Jan-12		0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U				0.630	U			
	13-Apr-12		NS		NS		NS		NS		NS		NS		NS		NS		NS									
	2-Jul-12 resample		20-Jun-12		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U				0.320	U			
	1-Nov-12		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U				0.320	U			
	1-Feb-13		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U				0.320	U			
	29-Apr-13		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U				0.320	U			
	9-Jul-13		0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U				0.320	U			
sec-Butylbenzene	8-Feb-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	27-Mar-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	25-Apr-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	29-May-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	27-Jun-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	31-Jul-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	28-Aug-08		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U				2.740	U			
	30-Sep-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U				5.500	U			
	27-Oct-08		5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U				5.500	U			

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chlorobenzene	8-Feb-08	37.0	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	25-Apr-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.092	U	0.090	U	0.090	U	0.090	U	0.092	U	0.092	U	0.092
	31-Jul-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Aug-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Sep-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	27-Oct-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	25-Nov-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	18-Dec-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	21-Jan-09		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	25-Feb-09		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300
	26-Mar-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-Apr-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	22-Jul-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Oct-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Jan-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	21-Apr-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	16-Jul-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Oct-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Nov-10		NS		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	26-Jan-11		0.157	U	0.156	U	0.157	U	0.157	U	0.156	U	0.156	U	0.156
	26-Jan-11**		NS		0.230	U	0.230	U	NS		NS		NS		NS
	27-Apr-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	26-Jul-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Oct-11		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069
	23-Jan-12		0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160
	13-Apr-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS
	20-Jun-12		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	1-Nov-12		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	1-Feb-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-Apr-13		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046
	9-Jul-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Jul-13 RIDEM		NS		NS		NS		NS		J		NS		NS
Chloroethane	8-Feb-08	500.0	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050
	27-Mar-08		0.062	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053
	25-Apr-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053
	29-May-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050
	27-Jun-08		0.053	U	0.050	U	0.053	U	0.050	U	0.050	U	0.053	U	0.053
	31-Jul-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053
	28-Aug-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053
	30-Sep-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300
	27-Oct-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300
	25-Nov-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300
	18-Dec-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300
	21-Jan-09		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300
	25-Feb-09		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300
	26-Mar-09		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053
	29-Apr-09		0.053	U	0.053										

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloromethane	8-Feb-08		2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440
	27-Mar-08		2.830		3.070		2.680		2.440		2.440		2.440		2.440
	25-Apr-08		2.820		2.440		2.440		2.440		3.000		2.440		2.440
	29-May-08		2.790		3.000		7.100		11.000		2.940		6.280		2.770
	27-Jun-08		2.650		2.440		2.440		2.830		3.260		2.620		2.440
	31-Jul-08		3.580		3.880		3.300		4.370		3.440		3.740		2.440
	28-Aug-08		2.440		3.140		5.310		6.880		3.150		2.440		2.540
	30-Sep-08		1.400		1.300		1.100		1.400		1.000		1.700		1.600
	27-Oct-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000
	25-Nov-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000
	18-Dec-08		1.000	U	1.000	U	1.000	U	1.400	U	1.000	U	1.000	U	1.000
	21-Jan-09		1.000	U	1.000	U	1.000	U	1.500	U	1.000	U	1.000	U	1.000
	25-Feb-09		1.000	U	1.000	U	1.000	U	NS	U	1.000	U	1.000	U	1.000
	26-Mar-09		2.490		2.680		2.550		2.920		2.910		2.440		2.440
	29-Apr-09		2.710		3.600		3.730		3.130		2.660		3.390		2.960
	22-Jul-09		2.670		2.520		2.660		2.540		2.440		2.780		3.320
	9-Oct-09		3.450		2.740		2.440		2.440		2.440		2.440		2.440
	15-Jan-10		3.850		3.690		2.820		3.180		3.240		3.630		3.120
	21-Apr-10	14.0	2.550		2.440		2.440		2.440		2.400		2.520		2.440
	16-Jul-10		1.510		1.660		1.050		1.680		1.110		1.300		1.100
	15-Oct-10		1.080		1.080		1.030		1.050		1.030		1.030		1.030
	30-Nov-10		NS		1.030		1.030		NS		NS		1.030		NS
	26-Jan-11		1.760	U	1.750	U	1.760	U	1.760	U	1.750	U	1.760	U	1.750
	26-Jan-11**		NS		1.100		1.000		NS		NS		1.000		NS
	27-Apr-11		1.050		1.660		1.400		2.160		1.440		1.510		1.460
	26-Jul-11		1.160		1.600		1.030		1.120		1.030		1.030		1.030
	28-Oct-11		1.400		1.000		1.300		1.500		1.300		0.960		1.300
	23-Jan-12		1.300		1.100		1.200		1.400		1.900		1.400		1.100
	13-Apr-12		1.300		1.400		1.400		1.500		1.100		1.000		0.840
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS
	20-Jun-12		1.700		0.041		U		0.041		U		1.500		1.100
	1-Nov-12		1.100		1.100		0.910		1.200		1.000		1.200		0.990
	1-Feb-13		1.200		1.300		1.200		1.200		1.400		1.300		1.100
	29-Apr-13		1.300		1.300		1.200		1.800		1.100		1.300		1.100
	9-Jul-13		1.100		1.000		0.900		1.100		1.000		0.980		1.000
	9-Jul-13 RIDEM		NS		NS		NS		NS		1.142		NS		1.164
														1.2	1.1
															1.167
Dibromochloromethane	8-Feb-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	27-Mar-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	25-Apr-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	29-May-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	27-Jun-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	31-Jul-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	28-Aug-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	30-Sep-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	25-Nov-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	18-Dec-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	21-Jan-09		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	25-Feb-09		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	26-Mar-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	29-Apr-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	22-Jul-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	9-Oct-09		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	15-Jan-10		0.096	U											

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	8-Feb-08		1.960	1.860	1.980	1.890	1.830	1.940	1.980	1.890			2.020		
	27-Mar-08		2.420	2.380	2.280	2.110	2.600	2.560	2.700	2.070			2.210		
	25-Apr-08		2.060	2.100	2.010	2.170	2.030	1.990	2.080	2.030			1.860		
	29-May-08		1.700	1.630	1.540	1.760	1.630	1.610	1.780	1.600			1.560		
	27-Jun-08		2.280	2.280	2.370	2.330	2.240	2.220	2.250	2.250			2.220		
	31-Jul-08		2.030	2.020	1.970	1.970	1.910	1.920	1.920	1.900			1.850		
	28-Aug-08		3.600	2.870	2.920	2.870	2.920	2.800	2.800	2.980			2.770		
	30-Sep-08		2.500	2.700	2.500	U	2.500	U	2.900	2.800	2.500		2.500		
	27-Oct-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		
	25-Nov-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		
	18-Dec-08		2.700	2.500	2.500	U	2.500	U	2.500	U	2.500		2.500		
	21-Jan-09		2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		
	25-Feb-09		2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		
	26-Mar-09		2.220	2.190	2.120	2.090	2.220	2.180	2.080	2.120			2.130		
	29-Apr-09		2.500	2.260	2.460	2.320	2.260	2.320	2.380	2.360			2.160		
	22-Jul-09		3.140	3.120	2.920	3.090	2.780	3.170	2.690	2.960			3.130		
	9-Oct-09		2.290	2.560	2.300	2.320	2.300	2.280	2.300	2.290			2.210		
	15-Jan-10		27.800	2.550	2.480	2.590	2.410	2.540	2.450	2.410			2.430		
	21-Apr-10	91.0	2.340	2.320	2.520	2.330	2.260	2.320	2.330	2.330			2.240		
	16-Jul-10		2.480	2.560	2.430	2.520	3.690	2.480	2.550	2.480			2.740		
	15-Oct-10		2.460	2.410	2.560	2.400	2.470	2.410	2.450	2.450			2.630		
	30-Nov-10		NS	2.480	2.550	NS	NS	NS	2.390	NS			NS		
	26-Jan-11		2.680	2.640	2.340	2.660	2.150	2.580	2.370	2.560			2.440		
	26-Jan-11**		NS	2.800	2.700	NS	NS	NS	2.600	NS			NS		
	27-Apr-11		2.070	2.820	2.200	2.450	2.160	2.210	2.220	2.210			2.460		
	26-Jul-11		2.290	2.270	2.270	2.360	2.260	2.340	2.250	2.260			2.350		
	28-Oct-11		2.700	2.400	2.800	2.600	2.800	2.500	2.600	2.600			2.500		
	23-Jan-12		1.700	1.800	1.600	1.500	2.000	2.000	1.800	1.900			2.000		
	13-Apr-12		2.100	2.100	2.000	2.000	1.800	1.900	1.700	1.700			1.300		
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS			2.500		
	20-Jun-12		2.500	2.600	2.500	2.400	2.700	2.300	2.500	2.500			2.300		
	1-Nov-12		2.000	2.200	2.100	2.200	2.000	2.100	2.100	2.000			2.100		
	1-Feb-13		1.600	1.600	1.600	1.600	1.600	1.600	1.600	1.700			1.600		
	29-Apr-13		2.400	2.600	2.600	2.400	2.400	2.300	2.400	2.400			2.400		
	9-Jul-13		0.950	0.980	0.930	0.960	0.990	1.000	0.980	0.970			1.000	1	1.1
1,1-Dichloroethane	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	U
	27-Mar-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	25-Apr-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	U
	27-Jun-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	U
	31-Jul-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	28-Aug-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	U
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	U
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	U
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	U
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	U
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	U
	26-Mar-09		0.061	U	0.081	U	0.061	U	0.081	U	0.081	U	0.081	U	U
	29-Apr-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	22-Jul-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	9-Oct-09		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	15-Jan-10		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	21-Apr-10	77.0	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	U
	16-Jul-10		0.081	U	0.081										

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1-Dichloroethylene	8-Feb-08	10.0	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Mar-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	25-Apr-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Jun-08		0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	28-Aug-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	26-Mar-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	29-Apr-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	22-Jul-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	9-Oct-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	15-Jan-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	21-Apr-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	16-Jul-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	15-Oct-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	30-Nov-10		NS	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	26-Jan-11		0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135
	26-Jan-11**		NS	U	0.200	U	0.200	U	0.200	U	NS	U	NS	U	NS
	27-Apr-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	26-Jul-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	28-Oct-11		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059
	23-Jan-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	13-Apr-12		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS
	20-Jun-12		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	1-Nov-12		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	1-Feb-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	29-Apr-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040
	9-Jul-13		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS
	9-Jul-13 RIDEM		0.040	U	0.040	U	0.040	U	0.029	U	NS	U	NS	U	NS
cis-1,2-Dichloroethene*	8-Feb-08	18.0	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Mar-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	25-Apr-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	27-Jun-08		0.080	U	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	28-Aug-08		5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000
	26-Mar-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079
	29-Apr-09														

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloropropane	8-Feb-08	0.13	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	25-Apr-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.092	U	0.092	U	0.090	U	0.090	U	0.092	U	0.092	U	0.092
	31-Jul-08		0.092	U	0.092	U	0.090	U	0.090	U	0.092	U	0.092	U	0.092
	28-Aug-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Sep-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Oct-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	25-Nov-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	18-Dec-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	21-Jan-09		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	25-Feb-09		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	26-Mar-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-Apr-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	22-Jul-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Oct-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Jan-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	21-Apr-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	16-Jul-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Oct-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Nov-10		NS	U	0.092	U	0.092	U	NS	U	0.092	U	NS	U	NS
	26-Jan-11		0.158	U	0.157	U	0.157	U	0.158	U	0.157	U	0.158	U	0.157
	26-Jan-11**		NS	U	0.230	U	0.230	U	NS	U	0.230	U	NS	U	NS
	27-Apr-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	26-Jul-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Oct-11		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069
	23-Jan-12		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	13-Apr-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS
	20-Jun-12		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	1-Nov-12		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046
	1-Feb-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-Apr-13		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046
	9-Jul-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS
cis-1,3-Dichloropropene	8-Feb-08	None	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	25-Apr-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	31-Jul-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	28-Aug-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	30-Sep-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	27-Oct-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	25-Nov-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	18-Dec-08		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	21-Jan-09		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	25-Feb-09		0.180	U	0.180	U	0.180	U	NS	U	0.180	U	0.180	U	0.180
	26-Mar-09		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	29-Apr-09														

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Ethylbenzene	8-Feb-08	53.0	0.260	0.230	0.620	0.450	0.250	0.170	0.160	0.180				0.220		
	27-Mar-08		0.841	0.669	1.020	0.869	0.894	1.000	0.628	0.619				0.096		
	25-Apr-08		0.770	0.637	2.200	0.711	0.678	0.712	0.705	0.650				0.087	U	
	29-May-08		0.140	0.120	1.310	0.620	0.120	0.160	0.150	0.110				0.090		
	27-Jun-08		0.555	0.412	1.080	0.987	0.478	0.400	0.802	0.360				0.369		
	31-Jul-08		0.553	0.449	1.140	0.424	0.426	0.491	0.262	0.216				0.255		
	28-Aug-08		0.868	1.150	3.010	2.820	0.761	0.854	0.870	0.783				0.944		
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	15.500			2.200		
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200		
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200		
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200		
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200		
	25-Feb-09		2.200	U	2.200	U	3.600	NS	2.200	U	2.200			2.200		
	26-Mar-09		0.932	0.803	1.120	1.060	0.511	0.648	0.738	0.589				0.727		
	29-Apr-09		0.195	0.234	0.633	0.538	0.195	0.139	0.139	0.152				0.178		
	22-Jul-09		0.442	0.212	1.090	0.291	0.551	0.625	0.807	0.542				1.180		
	9-Oct-09		0.859	0.759	1.090	1.030	0.794	0.681	0.668	0.633				0.746		
	15-Jan-10		0.447	0.334	0.386	0.351	0.321	0.256	0.273	0.252				0.286		
	21-Apr-10		0.468	0.716	1.280	0.612	0.681	0.603	0.542	0.538				0.087		
	16-Jul-10		0.334	0.226	0.416	0.408	0.573	0.286	0.872	0.260				0.143		
	15-Oct-10		0.252	0.308	0.412	0.152	0.126	0.087	U	0.200				0.121		
	30-Nov-10		NS	0.217	0.338	NS	NS	NS	0.108	NS				NS		
	26-Jan-11		1.040	1.000	1.100	1.220	1.000	1.100	0.951	1.320				1.300		
	26-Jan-11**		NS	1.600	1.800	NS	NS	NS	1.800	NS				NS		
	27-Apr-11		0.108	0.139	0.625	0.221	0.837	0.087	0.200	0.087				0.091		
	26-Jul-11		0.473	1.020	0.873	0.417	0.300	0.191	0.356	0.178				0.161		
	28-Oct-11		0.600	0.320	0.400	0.230	0.480	0.490	0.490	0.420				0.130		
	23-Jan-12		0.610	0.480	0.470	0.660	0.580	0.500	0.560	0.560				0.540		
	13-Apr-12		0.300	0.250	0.300	0.240	0.250	0.280	0.240	0.200				0.170		
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS				U		
	20-Jun-12		0.490	0.500	0.490	0.560	0.550	0.460	0.530	0.530				0.470		
	1-Nov-12		0.760	0.440	0.330	0.530	0.450	0.730	0.810	0.630				0.130		
	1-Feb-13		0.130	0.087	0.087	0.110	0.089	0.100	0.087	0.087				0.130		
	29-Apr-13		0.760	0.540	0.540	0.670	0.430	1.600	0.530	0.320				0.150		
	9-Jul-13		0.340	0.320	0.310	0.330	0.310	0.350	0.320	0.320				0.310		
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS				0.330	0.35	0.45
Isopropylbenzene	8-Feb-08	120.0	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	2.460	U	
	27-Mar-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	2.460	U	
	25-Apr-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	2.460	U	
	29-May-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	2.460	U	
	27-Jun-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	2.460	U	
	31-Jul-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	2.460	U	
	28-Aug-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	2.460	U	
	30-Sep-08		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	4.900	U	
	27-Oct-08		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	4.900	U	
	25-Nov-08		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	4.900	U	
	18-Dec-08		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	4.900	U	
	21-Jan-09		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	4.900	U	
	25-Feb-09		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	4.900	U	
	26-Mar-09		2.460	U	2											

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Methyl tert butyl ether (MTBE)	8-Feb-08	160.0	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070
	27-Mar-08		0.440	U	0.102	U	0.091	U	0.098	U	0.102	U	0.090	U	0.072
	25-Apr-08		0.116	U	0.116	U	0.107	U	0.126	U	0.121	U	0.131	U	0.072
	29-May-08		0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070
	27-Jun-08		0.072	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.072
	31-Jul-08		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	28-Aug-08		0.095	U	0.130	U	0.123	U	0.123	U	0.106	U	0.115	U	0.094
	30-Sep-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	27-Oct-08		1.800	U	1.800	U	1.800	U	2.600	U	2.300	U	1.800	U	1.800
	25-Nov-08		2.100	U	1.800	U	1.800	U	2.800	U	1.800	U	1.800	U	1.800
	18-Dec-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	21-Jan-09		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	25-Feb-09		1.800	U	2.700	U	1.800	NS	1.800	U	2.700	U	1.800	U	1.800
	26-Mar-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	29-Apr-09		0.072	U	0.072	U	2.350	U	0.072	U	0.072	U	0.072	U	0.072
	22-Jul-09		0.072	U	0.072	U	0.223	U	0.072	U	0.072	U	0.072	U	0.169
	9-Oct-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	15-Jan-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	21-Apr-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	16-Jul-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	15-Oct-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	30-Nov-10		NS	U	0.072	U	0.072	U	NS	U	0.072	U	NS	U	NS
	26-Jan-11		0.123	U	0.122	U	0.123	U	0.123	U	0.122	U	0.123	U	0.122
	26-Jan-11**		NS	U	0.180	U	0.180	U	NS	U	0.180	U	NS	U	NS
	27-Apr-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	26-Jul-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	28-Oct-11		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	23-Jan-12		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	13-Apr-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.140
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.110
	20-Jun-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	1-Nov-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	1-Feb-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	29-Apr-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	9-Jul-13		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.2
	9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	U
Methylene chloride	8-Feb-08	3.0	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	27-Mar-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	25-Apr-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	29-May-08		1.740	U	1.740	U	1.740	U	3.210	U	1.740	U	1.740	U	19.000
	27-Jun-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	31-Jul-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	28-Aug-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	30-Sep-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	27-Oct-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	25-Nov-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	18-Dec-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	21-Jan-09		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	25-Feb-09		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	26-Mar-09		7.540	U	4.870	U	4.010	U	2.100	U	1.850	U	3.230	U	11.600
	29-Apr-09		1.740	U	1.										

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Styrene	8-Feb-08		0.710	0.130	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		1.200	0.118	0.120	0.165	0.140	0.175	0.114	0.139				0.085	U
	25-Apr-08		0.856	0.156	0.180	0.184	0.137	0.137	0.158	0.124				0.085	U
	29-May-08		0.550	0.085	U	0.130	0.260	0.090	U	0.090	U	0.090	U	0.090	U
	27-Jun-08		1.830	0.085	U	0.112	0.186	0.191	0.085	U	0.481	0.090		0.085	U
	31-Jul-08		1.890	0.254	0.153	0.266	0.285	0.288	0.109	U	0.090	U	0.085	U	0.085
	28-Aug-08		0.654	0.368	0.262	0.392	0.203	0.165	0.169	U	0.140			0.108	
	30-Sep-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	27-Oct-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	25-Nov-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	18-Dec-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	21-Jan-09		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	25-Feb-09		2.100	U	2.100	U	2.100	NS	2.100	U	2.100	U	2.100	U	2.100
	26-Mar-09		0.814	0.113	0.110	0.110	0.125	0.111	0.128	U	0.138			0.122	
	29-Apr-09		0.515	0.085	U	0.136	0.085	U	0.136	0.085	U	0.085	U	0.085	U
	22-Jul-09		1.280	0.085	U	0.153	0.085	0.285	0.272	0.213	U	0.217		0.187	
	9-Oct-09		0.838	0.153	0.149	0.174	0.566	0.179	0.140	U	0.149			0.140	
	15-Jan-10		1.100	0.221	0.085	U	0.089	0.196	0.098	U	0.085	U	0.085	U	0.085
	21-Apr-10	52.0	0.281	0.204	0.289	0.187	0.328	0.174	0.145	U	0.140			0.085	
	16-Jul-10		0.702	0.085	U	0.085	0.085	U	0.779	0.085	U	0.085	U	0.085	U
	15-Oct-10		0.549	0.085	U	0.085	0.085	U	0.098	0.805	U	0.085	U	0.085	U
	30-Nov-10		NS	0.149	0.119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	26-Jan-11		0.327	0.224	0.174	0.217	0.182	0.202	0.145	U	0.182			0.188	
	26-Jan-11**		NS	0.510	0.370	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11		0.166	0.166	0.170	0.192	0.277	0.085	U	0.145	U	0.085	U	0.085	U
	26-Jul-11		0.677	2.460	0.132	11.700	0.315	1.320	0.200	U	0.130	U	0.130	U	0.130
	28-Oct-11		0.300	0.130	U	0.130	U	0.330	0.130	U	0.130	U	0.130	U	0.130
	23-Jan-12		0.820	0.250	0.410	0.480	0.270	0.510	0.150	U	0.150	U	0.150	U	0.150
	13-Apr-12		0.560	0.140	0.130	U	0.130	0.550	0.280	U	0.130	U	0.130	U	0.130
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-12		0.720	0.300	0.240	1.200	0.430	0.150	0.150	U	0.180	U	0.200	U	0.200
	1-Nov-12		0.280	0.140	0.085	U	0.130	0.150	0.160	U	0.160	U	0.160	U	0.160
	1-Feb-13		0.870	0.085	U	0.085	U	0.095	0.085	U	0.085	U	0.085	U	0.085
	29-Apr-13		1.600	0.230	0.230	0.200	0.740	0.150	0.520	U	0.210			0.085	
	9-Jul-13		0.410	0.120	0.085	U	0.140	0.410	0.085	U	0.110	U	0.085	U	0.085
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	J	0.085
1,1,1,2-Tetrachloroethane	8-Feb-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	27-Mar-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	25-Apr-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.140
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	27-Jun-08		0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	31-Jul-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	28-Aug-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	30-Sep-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	27-Oct-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	25-Nov-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	16-Dec-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	21-Jan-09		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	25-Feb-09		0.140	U	0.140	U	0.140	NS	0.140	U	0.140	U	0.140	U	0.140
	26-Mar-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	29-Apr-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	22-Jul-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	9-Oct-09		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	15-Jan-10	0.082/0.14	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	21-Apr-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	16-Jul-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	15-Oct-10		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	30-Nov-10		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	26-Jan-11		0.234	U	0.233	U	0.234	U	0.233	U	0.233	U	0.234	U	0.234
	26-Jan-11**		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	26-Jul-11		0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370
	28-Oct-11		0.440	0.440	0.440	0.440	0.440	0.440	0.440	0.440	0.440	0.440	0.440	0.440	0.440
	23-Jan-12		0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370	0.370
	13-Apr-12		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2-Jul-12 resample		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	20-Jun-12		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	1-Nov-12		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	1-Feb-13		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250
	29-Apr-13		0.250	U	0.250	U	0.250	U							

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Tetrachloroethene*	8-Feb-08		0.140	0.140	U	0.150	U	0.140	U	0.140	U	0.140	U	0.350		
	27-Mar-08 ²		12.500	6.680	13.300	16.100	26.000	7.730	23.300	4.310				0.153		
	25-Apr-08		0.180	0.254	0.179	0.282	0.231	0.276	0.228	0.298				0.136	U	
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U		
	27-Jun-08		0.249	0.449	0.397	0.459	0.424	0.243	0.243	0.246				0.216		
	31-Jul-08		1.030	1.000	0.877	0.880	0.795	0.872	0.252	0.287				0.154		
	28-Aug-08		0.321	0.367	0.283	0.323	0.274	0.434	0.294	0.282				0.445		
	30-Sep-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	
	25-Nov-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	
	18-Dec-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	
	21-Jan-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	
	25-Feb-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	
	26-Mar-09		1.530	1.210	1.170	0.980	1.080	1.320	1.420	1.890				1.380		
	29-Apr-09		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	
	22-Jul-09		0.291	0.190	0.224	0.196	0.196	0.196	0.183	0.210				0.535		
	9-Oct-09		2.250	1.550	1.580	1.580	1.380	1.700	2.060	1.960				0.779		
	15-Jan-10		0.359	0.346	0.339	0.373	0.312	0.346	0.346	0.312				2.450		
	21-Apr-10	5.0	0.637	0.752	0.440	0.650	0.508	0.447	0.407	0.474				0.562		
	16-Jul-10		0.318	0.420	0.420	0.427	0.501	0.230	0.447	0.474				0.230		
	15-Oct-10		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.142	
	30-Nov-10		NS	0.461	0.291	NS	NS	NS	0.169	NS				NS		
	26-Jan-11		0.636	0.484	0.370	0.566	0.440	0.725	0.346	0.578				0.426		
	26-Jan-11**		NS	0.580	0.490	NS	NS	NS	0.480	NS				NS		
	27-Apr-11		0.142	0.176	0.352	0.176	0.176	0.136	0.149	0.136				0.285		
	26-Jul-11		0.529	0.563	0.522	0.631	0.549	0.325	0.739	0.461				0.224		
	28-Oct-11		0.100	U	0.140	0.100	0.100	0.110	0.100	0.100				0.068	U	
	23-Jan-12		0.240	0.240	0.240	0.240	0.250	0.150	0.160	0.190				0.260		
	13-Apr-12		0.150	0.110	0.120	0.120	0.150	0.390	0.400	0.410				0.140	U	
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS				0.130	U	
	20-Jun-12		0.390	0.600	0.310	0.370	0.390	0.400	0.410	0.440				0.240		
	1-Nov-12		0.360	0.460	0.400	0.730	0.470	0.770	0.600	0.560				0.120		
	1-Feb-13		0.130	0.095	0.073	0.120	0.090	0.210	0.440	0.092				0.140		
	29-Apr-13		0.610	0.560	0.560	0.630	0.880	0.046	0.650	0.580				0.320		
	9-Jul-13		0.270	0.240	0.230	0.260	0.250	0.320	0.440	0.280				0.280	U	
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS				0.281	0.28	0.35
														0.335		
Toluene	8-Feb-08		1.240	1.140	1.120	1.150	1.240	0.990	0.910	1.030				1.480		
	27-Mar-08		6.470	4.040	4.520	4.150	5.920	5.570	4.210	4.040				1.560		
	25-Apr-08		4.800	4.000	2.810	3.900	3.790	4.070	4.010	3.660				0.465		
	29-May-08		0.930	0.790	1.630	1.330	0.870	1.060	1.020	0.670				0.320		
	27-Jun-08		3.870	3.060	3.200	3.850	4.110	3.840	4.520	3.020				2.410		
	31-Jul-08		2.760	2.020	2.690	1.990	2.720	2.200	1.680	1.440				1.850		
	28-Aug-08		5.230	5.960	7.800	7.530	5.920	5.640	5.680	5.240				6.050		
	30-Sep-08		1.900	1.900	2.500	1.900	5.000	1.900	1.900	2.300				1.900		
	27-Oct-08		6.700	6.300	3.500	6.100	2.300	5.500	1.900	6.600				8.400		
	25-Nov-08		5.500	1.900	1.900	2.000	1.900	1.900	1.900	1.900				1.900	U	
	18-Dec-08		1.900	U	1.900	U	1.900	U	1.900	U				1.900	U	
	21-Jan-09		1.900	U	1.900	U	1.900	U	1.900	U				1.900	U	
	25-Feb-09		1.900	U	1.900	U	1.900	U	1.900	U				1.900	U	
	26-Mar-09		6.110	4.060	3.990	3.540	3.900	4.730	5.870	6.080				5.310	U	

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,2-Trichloroethane	8-Feb-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	27-Mar-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	25-Apr-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	29-May-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	27-Jun-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.110	U	0.110
	31-Jul-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	28-Aug-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	30-Sep-08		0.110	U	0.110	U	0.300	U	0.110	U	0.110	U	0.110	U	0.110
	27-Oct-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	25-Nov-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	18-Dec-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	21-Jan-09		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	25-Feb-09		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	26-Mar-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	29-Apr-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	22-Jul-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	9-Oct-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	15-Jan-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	21-Apr-10	2.2	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	16-Jul-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	15-Oct-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	30-Nov-10		NS		0.109	U	0.109	U	NS		0.109	U	NS		NS
	26-Jan-11		0.186	U	0.185	U	0.186	U	0.186	U	0.185	U	0.185	U	0.185
	26-Jan-11**		NS		0.270	U	0.270	U	NS		0.270	U	NS		NS
	27-Apr-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	26-Jul-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	28-Oct-11		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.055
	23-Jan-12		0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190
	13-Apr-12		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS
	20-Jun-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	1-Nov-12		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	1-Feb-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	29-Apr-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	9-Jul-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	9-Jul-13 RIDEM		NS		NS		NS		NS		NS		NS		NS
Trichloroethene*	8-Feb-08		0.110		0.120		0.110		0.350		0.110		0.110		0.110
	27-Mar-08		0.239	U	0.233		0.226		0.217		0.170		0.170		0.170
	25-Apr-08		0.107	U	0.164		0.147		0.152		0.158		0.229		0.107
	29-May-08		0.110	U	0.110		0.110		0.110		0.110		0.110		0.110
	27-Jun-08		0.110	U	0.110		0.107		0.107		0.143		0.195		0.107
	31-Jul-08		0.113	U	0.107		0.107		0.107		0.107		0.107		0.107
	28-Aug-08		0.193	U	0.116		0.107		0.134		0.110		0.107		0.838
	30-Sep-08		0.800	U	0.800		0.800		0.800		0.800		0.800		0.800
	27-Oct-08		0.800	U	0.800		0.800		0.800		0.800		0.800		0.800
	25-Nov-08		0.540	U	0.540		0.540		0.540		0.540		0.540		0.540
	18-Dec-08		0.540	U	0.540		0.540		0.540		0.540		0.540		0.540
	21-Jan-09		0.540	U	0.540		0.540		0.540		0.540		0.540		0.540
	25-Feb-09		0.110	U	0.110		0.110		0.110		0.110		0.110		0.130
	26-Mar-09		4.000		0.326		1.510		0.639		1.160		1.610		6.870
	29-Apr-09		0.107	U	0.107		1.340		0.107		0.107		0.107		0.107
	22-Jul-09		0.177		0.107		0.188		0.123		0.193		0.140		0.209
	9-Oct-09		0.231		0.215		0.182		0.242		0.156		0.156		0.107
	15-Jan-10		0.107		0.107		0.113								

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - April 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p/m-Xylene	8-Feb-08	220.0	0.710	0.660	2.110	1.460	0.550	0.450	0.390	0.420			0.580		
	27-Mar-08		2.460	2.080	3.510	2.960	2.620	2.890	1.810	1.910			0.269		
	25-Apr-08		2.220	1.870	8.240	2.170	1.960	2.080	2.150	1.850			0.205		
	29-May-08		0.350	0.290	5.110	2.260	0.290	0.410	0.340	0.250			0.170	U	
	27-Jun-08		1.060	1.080	3.280	3.000	1.250	0.994	2.160	0.926			0.795		
	31-Jul-08		1.360	1.160	3.330	1.140	1.140	1.370	0.656	0.488			0.656		
	28-Aug-08		2.130	3.220	8.690	8.200	1.910	2.190	2.280	1.960			2.240		
	30-Sep-08		4.300	U	4.300	U	4.300	U	4.300	U	22.000			4.300	
	27-Oct-08		4.300	U	4.300	U	5.000	4.300	4.300	U	4.300			4.700	
	25-Nov-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300			4.300	
	18-Dec-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300			4.300	
	21-Jan-09		4.300	U	4.300	U	4.300	U	4.300	U	4.300			4.300	
	25-Feb-09		4.300	U	4.300	U	15.000	4.300	4.300	U	4.300			4.300	
	26-Mar-09		3.080	2.850	4.530	4.340	1.580	1.990	2.340	1.870				2.310	
	29-Apr-09		0.456	0.733	0.534	1.950	0.477	0.308	0.312	0.347				0.442	
	22-Jul-09		0.920	0.577	2.680	0.824	1.560	2.070	2.510	1.720				3.510	
	9-Oct-09		2.610	2.240	3.360	3.190	2.200	2.090	1.960	1.910				2.290	
	15-Jan-10		1.080	0.915	1.040	0.946	0.724	0.603	0.672	0.607				0.672	
	21-Apr-10		1.200	2.000	4.380	1.610	1.800	1.670	1.430	1.350				0.174	
	16-Jul-10		0.868	0.568	1.290	1.120	1.290	0.729	1.890	0.694				0.330	
	15-Oct-10		0.642	0.972	1.340	0.408	0.299	0.174	0.468	0.174				0.317	
	30-Nov-10		NS	0.620	1.000	NS	NS	NS	0.230	NS				NS	
	26-Jan-11		2.810	2.600	2.910	3.320	2.590	2.790	2.540	3.450				3.480	
	26-Jan-11**		NS	4.300	5.100	NS	NS	NS	4.900	NS				NS	
	27-Apr-11		0.295	0.412	2.030	0.642	3.020	0.260	0.412	0.191				0.256	
	26-Jul-11		1.240	3.650	2.630	3.670	0.799	0.816	0.864	0.486				0.404	
	28-Oct-11		2.400	1.100	1.400	0.750	1.300	1.700	1.900	1.500				0.480	
	23-Jan-12		1.600	1.300	1.300	1.500	1.300	1.400	1.400	1.500				1.500	
	13-Apr-12		0.810	0.690	0.810	0.660	0.670	0.740	0.640	0.520				0.350	
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	0.260				0.260	
	20-Jun-12		1.200	1.300	1.200	1.400	1.300	1.200	1.400	1.400				0.770	
	1-Nov-12		2.300	1.300	0.960	1.400	1.300	2.100	2.500	1.800				0.340	
	1-Feb-13		0.270	0.210	0.220	0.230	0.220	0.210	0.510	0.210				0.400	
	29-Apr-13		1.700	1.300	1.300	1.300	1.200	0.920	2.400	1.200				0.320	
	9-Jul-13		0.910	0.850	0.810	0.890	0.830	0.770	0.860	0.820				0.650	
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS				0.669	0.75
														1	1.092
o-Xylene	8-Feb-08	220.0	0.280	0.270	0.870	0.610	0.210	0.170	0.150	0.160			0.200		
	27-Mar-08		0.762	0.718	1.340	1.120	0.920	1.060	0.640	0.668			0.087	U	
	25-Apr-08		0.824	0.724	3.480	0.821	0.750	0.770	0.786	0.680			0.087	U	
	29-May-08		0.130	0.120	2.080	1.000	0.110	0.180	0.150	0.090			0.090	U	
	27-Jun-08		0.463	0.393	1.030	1.030	0.485	0.358	0.833	0.339			0.332	U	
	31-Jul-08		0.476	0.375	0.822	0.371	0.420	0.583	0.240	0.207			0.246		
	28-Aug-08		0.779	1.020	2.210	2.160	0.683	0.787	0.812	0.702			0.832		
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U			2.200		
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U			2.200		
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U			2.200		
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U			2.200		
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U			2.200		
	25-Feb-09		2.200	U	2.200	U	2.200	U	2.200	U			2.200		
	26-Mar-09		1.080	0.798	1.090	1.020	0.551	0.718	0.824	0.651			0.826		
	29-Apr-09		0.143	0.186	0.085	0.442	0.165	0.100	0.104	0.108					

July 19, 2013

Ron Mack
EA Engineering Science & Tech. - RI
2374 Post Road, Suite 102
Warwick, RI 02886

Project Location: Alvarez High School
Client Job Number:
Project Number: 14687.01
Laboratory Work Order Number: 13G0407

Enclosed are results of analyses for samples received by the laboratory on July 10, 2013. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa A. Worthington
Project Manager

EA Engineering Science & Tech. - RI
 2374 Post Road, Suite 102
 Warwick, RI 02886
 ATTN: Ron Mack

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 14687.01

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 13G0407

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez High School

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gym	13G0407-01	Indoor air		EPA TO-15	
Cafeteria	13G0407-02	Indoor air		EPA TO-15	
Kitchen Storage Room	13G0407-03	Indoor air		EPA TO-15	
Elevator Hallway	13G0407-04	Indoor air		EPA TO-15	
Room 145	13G0407-05	Indoor air		EPA TO-15	
Room 152	13G0407-06	Indoor air		EPA TO-15	
Room 118	13G0407-07	Indoor air		EPA TO-15	
Room 110	13G0407-08	Indoor air		EPA TO-15	
AOA-1	13G0407-09	Ambient Air		EPA TO-15	
AOA-2	13G0407-10	Ambient Air		EPA TO-15	
AOA-3	13G0407-11	Ambient Air		EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA TO-15

Qualifications:

Reported result is estimated. Value reported over verified calibration range.

Analyte & Samples(s) Qualified:

Acetone

13G0407-10[AOA-2]

Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

Analyte & Samples(s) Qualified:

Acrylonitrile

B076930-BS1, B076931-BS1

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:

Acrylonitrile

B076930-BS1, B076931-BS1

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Daren J. Damboragian
Laboratory Manager

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Gym
Sample ID: 13G0407-01
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:48

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1876
 Canister Size: 6 liter
 Flow Controller ID: 4176
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	9.4	0.80		22	1.9		0.4	7/15/13 19:42	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/15/13 19:42	TPH
Benzene	0.13	0.020		0.40	0.064		0.4	7/15/13 19:42	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/15/13 19:42	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/15/13 19:42	TPH
2-Butanone (MEK)	0.95	0.80		2.8	2.4		0.4	7/15/13 19:42	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/15/13 19:42	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/15/13 19:42	TPH
Carbon Tetrachloride	0.068	0.010		0.43	0.063		0.4	7/15/13 19:42	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/15/13 19:42	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/15/13 19:42	TPH
Chloroform	0.034	0.010		0.17	0.049		0.4	7/15/13 19:42	TPH
Chloromethane	0.44	0.040		0.90	0.083		0.4	7/15/13 19:42	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/15/13 19:42	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/15/13 19:42	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 19:42	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 19:42	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 19:42	TPH
Dichlorodifluoromethane (Freon 12)	0.19	0.020		0.93	0.099		0.4	7/15/13 19:42	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/15/13 19:42	TPH
1,2-Dichloroethane	0.012	0.010		0.047	0.040		0.4	7/15/13 19:42	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 19:42	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 19:42	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 19:42	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/15/13 19:42	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/15/13 19:42	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 19:42	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 19:42	TPH
Ethylbenzene	0.070	0.020		0.31	0.087		0.4	7/15/13 19:42	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/15/13 19:42	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/15/13 19:42	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/15/13 19:42	TPH
Methylene Chloride	0.28	0.20		0.99	0.69		0.4	7/15/13 19:42	TPH
4-Methyl-2-pentanone (MIBK)	0.073	0.020		0.30	0.082		0.4	7/15/13 19:42	TPH
Styrene	ND	0.020		ND	0.085		0.4	7/15/13 19:42	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/15/13 19:42	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/15/13 19:42	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Gym
Sample ID: 13G0407-01
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:48

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1876
 Canister Size: 6 liter
 Flow Controller ID: 4176
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.034	0.010		0.23	0.068		0.4	7/15/13 19:42	TPH
Toluene	0.51	0.020		1.9	0.075		0.4	7/15/13 19:42	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 19:42	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 19:42	TPH
Trichloroethylene	0.025	0.010		0.14	0.054		0.4	7/15/13 19:42	TPH
Trichlorofluoromethane (Freon 11)	0.21	0.020		1.2	0.11		0.4	7/15/13 19:42	TPH
1,2,4-Trimethylbenzene	0.057	0.020		0.28	0.098		0.4	7/15/13 19:42	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	7/15/13 19:42	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/15/13 19:42	TPH
m&p-Xylene	0.19	0.040		0.81	0.17		0.4	7/15/13 19:42	TPH
o-Xylene	0.068	0.020		0.30	0.087		0.4	7/15/13 19:42	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	7/15/13 19:42
4-Bromofluorobenzene (2)	101	70-130	7/15/13 19:42

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Cafeteria
Sample ID: 13G0407-02
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1641
 Canister Size: 6 liter
 Flow Controller ID: 4177
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -1
 Receipt Vacuum(in Hg): -0.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	11	0.80		26	1.9		0.4	7/15/13 20:30	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/15/13 20:30	TPH
Benzene	0.13	0.020		0.42	0.064		0.4	7/15/13 20:30	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/15/13 20:30	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/15/13 20:30	TPH
2-Butanone (MEK)	1.0	0.80		3.0	2.4		0.4	7/15/13 20:30	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/15/13 20:30	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/15/13 20:30	TPH
Carbon Tetrachloride	0.070	0.010		0.44	0.063		0.4	7/15/13 20:30	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/15/13 20:30	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/15/13 20:30	TPH
Chloroform	0.050	0.010		0.24	0.049		0.4	7/15/13 20:30	TPH
Chloromethane	0.51	0.040		1.1	0.083		0.4	7/15/13 20:30	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/15/13 20:30	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/15/13 20:30	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 20:30	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 20:30	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 20:30	TPH
Dichlorodifluoromethane (Freon 12)	0.20	0.020		0.98	0.099		0.4	7/15/13 20:30	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/15/13 20:30	TPH
1,2-Dichloroethane	0.015	0.010		0.060	0.040		0.4	7/15/13 20:30	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 20:30	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 20:30	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 20:30	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/15/13 20:30	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/15/13 20:30	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 20:30	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 20:30	TPH
Ethylbenzene	0.075	0.020		0.32	0.087		0.4	7/15/13 20:30	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/15/13 20:30	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/15/13 20:30	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/15/13 20:30	TPH
Methylene Chloride	0.21	0.20		0.73	0.69		0.4	7/15/13 20:30	TPH
4-Methyl-2-pentanone (MIBK)	0.078	0.020		0.32	0.082		0.4	7/15/13 20:30	TPH
Styrene	0.029	0.020		0.12	0.085		0.4	7/15/13 20:30	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/15/13 20:30	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/15/13 20:30	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Cafeteria
Sample ID: 13G0407-02
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1641
 Canister Size: 6 liter
 Flow Controller ID: 4177
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -1
 Receipt Vacuum(in Hg): -0.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.036	0.010		0.24	0.068		0.4	7/15/13 20:30	TPH
Toluene	0.56	0.020		2.1	0.075		0.4	7/15/13 20:30	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 20:30	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 20:30	TPH
Trichloroethylene	0.027	0.010		0.14	0.054		0.4	7/15/13 20:30	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.2	0.11		0.4	7/15/13 20:30	TPH
1,2,4-Trimethylbenzene	0.084	0.020		0.41	0.098		0.4	7/15/13 20:30	TPH
1,3,5-Trimethylbenzene	0.030	0.020		0.15	0.098		0.4	7/15/13 20:30	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/15/13 20:30	TPH
m&p-Xylene	0.20	0.040		0.85	0.17		0.4	7/15/13 20:30	TPH
o-Xylene	0.074	0.020		0.32	0.087		0.4	7/15/13 20:30	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	107	70-130	7/15/13 20:30
4-Bromofluorobenzene (2)	102	70-130	7/15/13 20:30

ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 7/10/2013

Field Sample #: Kitchen Storage Room

Sample ID: 13G0407-03

Sample Matrix: Indoor air

Sampled: 7/9/2013 10:48

Sample Description/Location:

Sub Description/Location:

Canister ID: 1121

Canister Size: 6 liter

Flow Controller ID: 4192

Sample Type: 30 min

Work Order: 13G0407

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -3.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	11	0.80		25	1.9		0.4	7/15/13 21:23	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/15/13 21:23	TPH
Benzene	0.14	0.020		0.44	0.064		0.4	7/15/13 21:23	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/15/13 21:23	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/15/13 21:23	TPH
2-Butanone (MEK)	0.94	0.80		2.8	2.4		0.4	7/15/13 21:23	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/15/13 21:23	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/15/13 21:23	TPH
Carbon Tetrachloride	0.069	0.010		0.43	0.063		0.4	7/15/13 21:23	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/15/13 21:23	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/15/13 21:23	TPH
Chloroform	0.053	0.010		0.26	0.049		0.4	7/15/13 21:23	TPH
Chloromethane	0.54	0.040		1.1	0.083		0.4	7/15/13 21:23	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/15/13 21:23	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/15/13 21:23	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 21:23	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 21:23	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 21:23	TPH
Dichlorodifluoromethane (Freon 12)	0.19	0.020		0.95	0.099		0.4	7/15/13 21:23	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/15/13 21:23	TPH
1,2-Dichloroethane	0.014	0.010		0.058	0.040		0.4	7/15/13 21:23	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 21:23	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 21:23	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 21:23	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/15/13 21:23	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/15/13 21:23	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 21:23	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 21:23	TPH
Ethylbenzene	0.079	0.020		0.34	0.087		0.4	7/15/13 21:23	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/15/13 21:23	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/15/13 21:23	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/15/13 21:23	TPH
Methylene Chloride	0.30	0.20		1.1	0.69		0.4	7/15/13 21:23	TPH
4-Methyl-2-pentanone (MIBK)	0.061	0.020		0.25	0.082		0.4	7/15/13 21:23	TPH
Styrene	0.097	0.020		0.41	0.085		0.4	7/15/13 21:23	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/15/13 21:23	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/15/13 21:23	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 7/10/2013

Field Sample #: Kitchen Storage Room

Sample ID: 13G0407-03

Sample Matrix: Indoor air

Sampled: 7/9/2013 10:48

Sample Description/Location:

Sub Description/Location:

Canister ID: 1121

Canister Size: 6 liter

Flow Controller ID: 4192

Sample Type: 30 min

Work Order: 13G0407

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -3.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.040	0.010		0.27	0.068		0.4	7/15/13 21:23	TPH
Toluene	0.61	0.020		2.3	0.075		0.4	7/15/13 21:23	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 21:23	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 21:23	TPH
Trichloroethylene	0.029	0.010		0.16	0.054		0.4	7/15/13 21:23	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.2	0.11		0.4	7/15/13 21:23	TPH
1,2,4-Trimethylbenzene	0.098	0.020		0.48	0.098		0.4	7/15/13 21:23	TPH
1,3,5-Trimethylbenzene	0.038	0.020		0.18	0.098		0.4	7/15/13 21:23	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/15/13 21:23	TPH
m&p-Xylene	0.21	0.040		0.91	0.17		0.4	7/15/13 21:23	TPH
o-Xylene	0.080	0.020		0.35	0.087		0.4	7/15/13 21:23	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	109	70-130	7/15/13 21:23
4-Bromofluorobenzene (2)	106	70-130	7/15/13 21:23

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Elevator Hallway
Sample ID: 13G0407-04
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:50

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1174
 Canister Size: 6 liter
 Flow Controller ID: 4193
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	10	0.80		24	1.9		0.4	7/15/13 22:15	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/15/13 22:15	TPH
Benzene	0.14	0.020		0.45	0.064		0.4	7/15/13 22:15	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/15/13 22:15	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/15/13 22:15	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	7/15/13 22:15	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/15/13 22:15	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/15/13 22:15	TPH
Carbon Tetrachloride	0.059	0.010		0.37	0.063		0.4	7/15/13 22:15	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/15/13 22:15	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/15/13 22:15	TPH
Chloroform	0.062	0.010		0.30	0.049		0.4	7/15/13 22:15	TPH
Chloromethane	0.54	0.040		1.1	0.083		0.4	7/15/13 22:15	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/15/13 22:15	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/15/13 22:15	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 22:15	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 22:15	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 22:15	TPH
Dichlorodifluoromethane (Freon 12)	0.19	0.020		0.96	0.099		0.4	7/15/13 22:15	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/15/13 22:15	TPH
1,2-Dichloroethane	0.013	0.010		0.052	0.040		0.4	7/15/13 22:15	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 22:15	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 22:15	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 22:15	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/15/13 22:15	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/15/13 22:15	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 22:15	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 22:15	TPH
Ethylbenzene	0.076	0.020		0.33	0.087		0.4	7/15/13 22:15	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/15/13 22:15	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/15/13 22:15	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/15/13 22:15	TPH
Methylene Chloride	0.53	0.20		1.8	0.69		0.4	7/15/13 22:15	TPH
4-Methyl-2-pentanone (MIBK)	0.077	0.020		0.32	0.082		0.4	7/15/13 22:15	TPH
Styrene	0.032	0.020		0.14	0.085		0.4	7/15/13 22:15	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/15/13 22:15	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/15/13 22:15	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Elevator Hallway
Sample ID: 13G0407-04
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:50

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1174
 Canister Size: 6 liter
 Flow Controller ID: 4193
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.038	0.010		0.26	0.068		0.4	7/15/13 22:15	TPH
Toluene	0.60	0.020		2.3	0.075		0.4	7/15/13 22:15	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 22:15	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 22:15	TPH
Trichloroethylene	0.028	0.010		0.15	0.054		0.4	7/15/13 22:15	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.3	0.11		0.4	7/15/13 22:15	TPH
1,2,4-Trimethylbenzene	0.069	0.020		0.34	0.098		0.4	7/15/13 22:15	TPH
1,3,5-Trimethylbenzene	0.023	0.020		0.11	0.098		0.4	7/15/13 22:15	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/15/13 22:15	TPH
m&p-Xylene	0.21	0.040		0.89	0.17		0.4	7/15/13 22:15	TPH
o-Xylene	0.080	0.020		0.35	0.087		0.4	7/15/13 22:15	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	107	70-130	7/15/13 22:15
4-Bromofluorobenzene (2)	103	70-130	7/15/13 22:15

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Room 145
Sample ID: 13G0407-05
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 11:00

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1851
 Canister Size: 6 liter
 Flow Controller ID: 4188
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	15	0.80		35	1.9		0.4	7/15/13 23:08	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/15/13 23:08	TPH
Benzene	0.14	0.020		0.45	0.064		0.4	7/15/13 23:08	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/15/13 23:08	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/15/13 23:08	TPH
2-Butanone (MEK)	1.8	0.80		5.4	2.4		0.4	7/15/13 23:08	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/15/13 23:08	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/15/13 23:08	TPH
Carbon Tetrachloride	0.069	0.010		0.44	0.063		0.4	7/15/13 23:08	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/15/13 23:08	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/15/13 23:08	TPH
Chloroform	0.041	0.010		0.20	0.049		0.4	7/15/13 23:08	TPH
Chloromethane	0.47	0.040		0.98	0.083		0.4	7/15/13 23:08	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/15/13 23:08	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/15/13 23:08	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 23:08	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 23:08	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/15/13 23:08	TPH
Dichlorodifluoromethane (Freon 12)	0.20	0.020		0.98	0.099		0.4	7/15/13 23:08	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/15/13 23:08	TPH
1,2-Dichloroethane	0.013	0.010		0.053	0.040		0.4	7/15/13 23:08	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 23:08	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 23:08	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/15/13 23:08	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/15/13 23:08	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/15/13 23:08	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 23:08	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/15/13 23:08	TPH
Ethylbenzene	0.080	0.020		0.35	0.087		0.4	7/15/13 23:08	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/15/13 23:08	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/15/13 23:08	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/15/13 23:08	TPH
Methylene Chloride	0.51	0.20		1.8	0.69		0.4	7/15/13 23:08	TPH
4-Methyl-2-pentanone (MIBK)	0.066	0.020		0.27	0.082		0.4	7/15/13 23:08	TPH
Styrene	0.025	0.020		0.11	0.085		0.4	7/15/13 23:08	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/15/13 23:08	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/15/13 23:08	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Room 145
Sample ID: 13G0407-05
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 11:00

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1851
 Canister Size: 6 liter
 Flow Controller ID: 4188
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.065	0.010		0.44	0.068		0.4	7/15/13 23:08	TPH
Toluene	0.65	0.020		2.5	0.075		0.4	7/15/13 23:08	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 23:08	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/15/13 23:08	TPH
Trichloroethylene	0.052	0.010		0.28	0.054		0.4	7/15/13 23:08	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.2	0.11		0.4	7/15/13 23:08	TPH
1,2,4-Trimethylbenzene	0.060	0.020		0.30	0.098		0.4	7/15/13 23:08	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	7/15/13 23:08	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/15/13 23:08	TPH
m&p-Xylene	0.20	0.040		0.86	0.17		0.4	7/15/13 23:08	TPH
o-Xylene	0.076	0.020		0.33	0.087		0.4	7/15/13 23:08	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	7/15/13 23:08
4-Bromofluorobenzene (2)	104	70-130	7/15/13 23:08

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Room 152
Sample ID: 13G0407-06
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 11:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1881
 Canister Size: 6 liter
 Flow Controller ID: 4189
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -3.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	13	0.80		32	1.9		0.4	7/16/13 0:00	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 0:00	TPH
Benzene	0.14	0.020		0.44	0.064		0.4	7/16/13 0:00	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 0:00	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 0:00	TPH
2-Butanone (MEK)	0.98	0.80		2.9	2.4		0.4	7/16/13 0:00	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 0:00	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 0:00	TPH
Carbon Tetrachloride	0.068	0.010		0.43	0.063		0.4	7/16/13 0:00	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/16/13 0:00	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/16/13 0:00	TPH
Chloroform	0.040	0.010		0.20	0.049		0.4	7/16/13 0:00	TPH
Chloromethane	0.53	0.040		1.1	0.083		0.4	7/16/13 0:00	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 0:00	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 0:00	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 0:00	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 0:00	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 0:00	TPH
Dichlorodifluoromethane (Freon 12)	0.20	0.020		0.97	0.099		0.4	7/16/13 0:00	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 0:00	TPH
1,2-Dichloroethane	0.012	0.010		0.047	0.040		0.4	7/16/13 0:00	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 0:00	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 0:00	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 0:00	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 0:00	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 0:00	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 0:00	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 0:00	TPH
Ethylbenzene	0.073	0.020		0.32	0.087		0.4	7/16/13 0:00	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 0:00	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/16/13 0:00	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 0:00	TPH
Methylene Chloride	0.24	0.20		0.85	0.69		0.4	7/16/13 0:00	TPH
4-Methyl-2-pentanone (MIBK)	0.068	0.020		0.28	0.082		0.4	7/16/13 0:00	TPH
Styrene	ND	0.020		ND	0.085		0.4	7/16/13 0:00	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 0:00	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/16/13 0:00	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Room 152
Sample ID: 13G0407-06
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 11:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1881
 Canister Size: 6 liter
 Flow Controller ID: 4189
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -3.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.042	0.010		0.28	0.068		0.4	7/16/13 0:00	TPH
Toluene	0.59	0.020		2.2	0.075		0.4	7/16/13 0:00	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 0:00	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 0:00	TPH
Trichloroethylene	0.058	0.010		0.31	0.054		0.4	7/16/13 0:00	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.2	0.11		0.4	7/16/13 0:00	TPH
1,2,4-Trimethylbenzene	0.049	0.020		0.24	0.098		0.4	7/16/13 0:00	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	7/16/13 0:00	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13 0:00	TPH
m&p-Xylene	0.19	0.040		0.82	0.17		0.4	7/16/13 0:00	TPH
o-Xylene	0.072	0.020		0.31	0.087		0.4	7/16/13 0:00	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	7/16/13 0:00
4-Bromofluorobenzene (2)	106	70-130	7/16/13 0:00

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Room 118
Sample ID: 13G0407-07
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:57

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1481
 Canister Size: 6 liter
 Flow Controller ID: 4190
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): +0.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	17	0.80		41	1.9		0.4	7/16/13 0:48	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 0:48	TPH
Benzene	0.14	0.020		0.45	0.064		0.4	7/16/13 0:48	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 0:48	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 0:48	TPH
2-Butanone (MEK)	1.2	0.80		3.6	2.4		0.4	7/16/13 0:48	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 0:48	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 0:48	TPH
Carbon Tetrachloride	0.070	0.010		0.44	0.063		0.4	7/16/13 0:48	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/16/13 0:48	TPH
Chloroethane	0.035	0.020		0.092	0.053		0.4	7/16/13 0:48	TPH
Chloroform	0.063	0.010		0.31	0.049		0.4	7/16/13 0:48	TPH
Chloromethane	1.0	0.040		2.2	0.083		0.4	7/16/13 0:48	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 0:48	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 0:48	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 0:48	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 0:48	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 0:48	TPH
Dichlorodifluoromethane (Freon 12)	0.20	0.020		0.99	0.099		0.4	7/16/13 0:48	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 0:48	TPH
1,2-Dichloroethane	0.020	0.010		0.081	0.040		0.4	7/16/13 0:48	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 0:48	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 0:48	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 0:48	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 0:48	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 0:48	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 0:48	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 0:48	TPH
Ethylbenzene	0.090	0.020		0.39	0.087		0.4	7/16/13 0:48	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 0:48	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/16/13 0:48	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 0:48	TPH
Methylene Chloride	0.26	0.20		0.89	0.69		0.4	7/16/13 0:48	TPH
4-Methyl-2-pentanone (MIBK)	0.085	0.020		0.35	0.082		0.4	7/16/13 0:48	TPH
Styrene	0.097	0.020		0.41	0.085		0.4	7/16/13 0:48	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 0:48	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/16/13 0:48	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 7/10/2013

Field Sample #: Room 118

Sample ID: 13G0407-07

Sample Matrix: Indoor air

Sampled: 7/9/2013 10:57

Sample Description/Location:

Sub Description/Location:

Canister ID: 1481

Canister Size: 6 liter

Flow Controller ID: 4190

Sample Type: 30 min

Work Order: 13G0407

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): +0.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.037	0.010		0.25	0.068		0.4	7/16/13 0:48	TPH
Toluene	0.61	0.020		2.3	0.075		0.4	7/16/13 0:48	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 0:48	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 0:48	TPH
Trichloroethylene	0.022	0.010		0.12	0.054		0.4	7/16/13 0:48	TPH
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11		0.4	7/16/13 0:48	TPH
1,2,4-Trimethylbenzene	0.089	0.020		0.44	0.098		0.4	7/16/13 0:48	TPH
1,3,5-Trimethylbenzene	0.032	0.020		0.16	0.098		0.4	7/16/13 0:48	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13 0:48	TPH
m&p-Xylene	0.19	0.040		0.83	0.17		0.4	7/16/13 0:48	TPH
o-Xylene	0.079	0.020		0.34	0.087		0.4	7/16/13 0:48	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	106	70-130	7/16/13 0:48
4-Bromofluorobenzene (2)	103	70-130	7/16/13 0:48

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Room 110
Sample ID: 13G0407-08
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:59

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1865
 Canister Size: 6 liter
 Flow Controller ID: 4191
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -1
 Receipt Vacuum(in Hg): -0.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	12	0.80		28	1.9		0.4	7/16/13 2:32	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 2:32	TPH
Benzene	0.13	0.020		0.42	0.064		0.4	7/16/13 2:32	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 2:32	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 2:32	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	7/16/13 2:32	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 2:32	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 2:32	TPH
Carbon Tetrachloride	0.072	0.010		0.45	0.063		0.4	7/16/13 2:32	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/16/13 2:32	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/16/13 2:32	TPH
Chloroform	0.041	0.010		0.20	0.049		0.4	7/16/13 2:32	TPH
Chloromethane	0.50	0.040		1.0	0.083		0.4	7/16/13 2:32	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 2:32	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 2:32	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 2:32	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 2:32	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 2:32	TPH
Dichlorodifluoromethane (Freon 12)	0.20	0.020		1.0	0.099		0.4	7/16/13 2:32	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 2:32	TPH
1,2-Dichloroethane	0.012	0.010		0.049	0.040		0.4	7/16/13 2:32	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 2:32	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 2:32	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 2:32	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 2:32	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 2:32	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 2:32	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 2:32	TPH
Ethylbenzene	0.070	0.020		0.31	0.087		0.4	7/16/13 2:32	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 2:32	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/16/13 2:32	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 2:32	TPH
Methylene Chloride	0.37	0.20		1.3	0.69		0.4	7/16/13 2:32	TPH
4-Methyl-2-pentanone (MIBK)	0.098	0.020		0.40	0.082		0.4	7/16/13 2:32	TPH
Styrene	ND	0.020		ND	0.085		0.4	7/16/13 2:32	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 2:32	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/16/13 2:32	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: Room 110
Sample ID: 13G0407-08
 Sample Matrix: Indoor air
 Sampled: 7/9/2013 10:59

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1865
 Canister Size: 6 liter
 Flow Controller ID: 4191
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -1
 Receipt Vacuum(in Hg): -0.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.047	0.010		0.32	0.068		0.4	7/16/13 2:32	TPH
Toluene	0.57	0.020		2.2	0.075		0.4	7/16/13 2:32	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 2:32	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 2:32	TPH
Trichloroethylene	0.074	0.010		0.40	0.054		0.4	7/16/13 2:32	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.2	0.11		0.4	7/16/13 2:32	TPH
1,2,4-Trimethylbenzene	0.047	0.020		0.23	0.098		0.4	7/16/13 2:32	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	7/16/13 2:32	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13 2:32	TPH
m&p-Xylene	0.18	0.040		0.77	0.17		0.4	7/16/13 2:32	TPH
o-Xylene	0.068	0.020		0.30	0.087		0.4	7/16/13 2:32	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	7/16/13 2:32
4-Bromofluorobenzene (2)	106	70-130	7/16/13 2:32

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: AOA-1
Sample ID: 13G0407-09
 Sample Matrix: Ambient Air
 Sampled: 7/9/2013 13:59

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1837
 Canister Size: 6 liter
 Flow Controller ID: 4198
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -3.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	10	0.80		24	1.9		0.4	7/16/13 3:23	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 3:23	TPH
Benzene	0.16	0.020		0.52	0.064		0.4	7/16/13 3:23	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 3:23	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 3:23	TPH
2-Butanone (MEK)	1.1	0.80		3.2	2.4		0.4	7/16/13 3:23	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 3:23	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 3:23	TPH
Carbon Tetrachloride	0.070	0.010		0.44	0.063		0.4	7/16/13 3:23	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/16/13 3:23	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/16/13 3:23	TPH
Chloroform	0.040	0.010		0.20	0.049		0.4	7/16/13 3:23	TPH
Chloromethane	0.50	0.040		1.0	0.083		0.4	7/16/13 3:23	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 3:23	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 3:23	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 3:23	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 3:23	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 3:23	TPH
Dichlorodifluoromethane (Freon 12)	0.21	0.020		1.0	0.099		0.4	7/16/13 3:23	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 3:23	TPH
1,2-Dichloroethane	0.012	0.010		0.047	0.040		0.4	7/16/13 3:23	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 3:23	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 3:23	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 3:23	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 3:23	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 3:23	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 3:23	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 3:23	TPH
Ethylbenzene	0.071	0.020		0.31	0.087		0.4	7/16/13 3:23	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 3:23	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/16/13 3:23	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 3:23	TPH
Methylene Chloride	0.36	0.20		1.2	0.69		0.4	7/16/13 3:23	TPH
4-Methyl-2-pentanone (MIBK)	0.054	0.020		0.22	0.082		0.4	7/16/13 3:23	TPH
Styrene	ND	0.020		ND	0.085		0.4	7/16/13 3:23	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 3:23	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/16/13 3:23	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School

Date Received: 7/10/2013

Field Sample #: AOA-1

Sample ID: 13G0407-09

Sample Matrix: Ambient Air

Sampled: 7/9/2013 13:59

Sample Description/Location:

Sub Description/Location:

Canister ID: 1837

Canister Size: 6 liter

Flow Controller ID: 4198

Sample Type: 30 min

Work Order: 13G0407

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -3.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.042	0.010		0.28	0.068		0.4	7/16/13 3:23	TPH
Toluene	0.66	0.020		2.5	0.075		0.4	7/16/13 3:23	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 3:23	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 3:23	TPH
Trichloroethylene	0.015	0.010		0.080	0.054		0.4	7/16/13 3:23	TPH
Trichlorofluoromethane (Freon 11)	0.27	0.020		1.5	0.11		0.4	7/16/13 3:23	TPH
1,2,4-Trimethylbenzene	0.040	0.020		0.19	0.098		0.4	7/16/13 3:23	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	7/16/13 3:23	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13 3:23	TPH
m&p-Xylene	0.15	0.040		0.65	0.17		0.4	7/16/13 3:23	TPH
o-Xylene	0.067	0.020		0.29	0.087		0.4	7/16/13 3:23	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	7/16/13 3:23
4-Bromofluorobenzene (2)	105	70-130	7/16/13 3:23

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: AOA-2
Sample ID: 13G0407-10
 Sample Matrix: Ambient Air
 Sampled: 7/9/2013 14:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1824
 Canister Size: 6 liter
 Flow Controller ID: 4197
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag	Results	RL	Analyzed		Analyst	
Acetone	20	20		48	48		20	7/17/13 4:10	TPH
Acetone	21	0.80	E	50	1.9		0.4	7/16/13 4:16	TPH
Acrylonitrile	ND	5.8		ND	12		20	7/17/13 4:10	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 4:16	TPH
Benzene	ND	1.0		ND	3.2		20	7/17/13 4:10	TPH
Benzene	0.18	0.020		0.56	0.064		0.4	7/16/13 4:16	TPH
Bromodichloromethane	ND	0.50		ND	3.4		20	7/17/13 4:10	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 4:16	TPH
Bromoform	ND	1.0		ND	10		20	7/17/13 4:10	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 4:16	TPH
2-Butanone (MEK)	ND	40		ND	120		20	7/17/13 4:10	TPH
2-Butanone (MEK)	1.4	0.80		4.1	2.4		0.4	7/16/13 4:16	TPH
n-Butylbenzene	ND	2.9		ND	16		20	7/17/13 4:10	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 4:16	TPH
sec-Butylbenzene	ND	2.3		ND	13		20	7/17/13 4:10	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 4:16	TPH
Carbon Tetrachloride	ND	0.50		ND	3.1		20	7/17/13 4:10	TPH
Carbon Tetrachloride	0.075	0.010		0.47	0.063		0.4	7/16/13 4:16	TPH
Chlorobenzene	ND	1.0		ND	4.6		20	7/17/13 4:10	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/16/13 4:16	TPH
Chloroethane	ND	1.0		ND	2.6		20	7/17/13 4:10	TPH
Chloroethane	0.030	0.020		0.080	0.053		0.4	7/16/13 4:16	TPH
Chloroform	ND	0.50		ND	2.4		20	7/17/13 4:10	TPH
Chloroform	0.042	0.010		0.21	0.049		0.4	7/16/13 4:16	TPH
Chloromethane	ND	2.0		ND	4.1		20	7/17/13 4:10	TPH
Chloromethane	0.57	0.040		1.2	0.083		0.4	7/16/13 4:16	TPH
Dibromochloromethane	ND	1.0		ND	8.5		20	7/17/13 4:10	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 4:16	TPH
1,2-Dibromoethane (EDB)	ND	0.50		ND	3.8		20	7/17/13 4:10	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 4:16	TPH
1,2-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 4:10	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 4:16	TPH
1,3-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 4:10	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 4:16	TPH
1,4-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 4:10	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 4:16	TPH
Dichlorodifluoromethane (Freon 12)	ND	1.0		ND	4.9		20	7/17/13 4:10	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: AOA-2
Sample ID: 13G0407-10
 Sample Matrix: Ambient Air
 Sampled: 7/9/2013 14:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1824
 Canister Size: 6 liter
 Flow Controller ID: 4197
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag	Results	RL	Analyzed		Analyst	
Dichlorodifluoromethane (Freon 12)	0.21	0.020		1.0	0.099		0.4	7/16/13 4:16	TPH
1,1-Dichloroethane	ND	0.50		ND	2.0		20	7/17/13 4:10	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 4:16	TPH
1,2-Dichloroethane	ND	0.50		ND	2.0		20	7/17/13 4:10	TPH
1,2-Dichloroethane	0.015	0.010		0.062	0.040		0.4	7/16/13 4:16	TPH
1,1-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 4:10	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 4:16	TPH
cis-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 4:10	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 4:16	TPH
trans-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 4:10	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 4:16	TPH
1,2-Dichloropropane	ND	1.0		ND	4.6		20	7/17/13 4:10	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 4:16	TPH
1,3-Dichloropropane	ND	2.7		ND	12		20	7/17/13 4:10	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 4:16	TPH
cis-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/17/13 4:10	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 4:16	TPH
trans-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/17/13 4:10	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 4:16	TPH
Ethylbenzene	ND	1.0		ND	4.3		20	7/17/13 4:10	TPH
Ethylbenzene	0.081	0.020		0.35	0.087		0.4	7/16/13 4:16	TPH
Isopropylbenzene (Cumene)	ND	2.5		ND	12		20	7/17/13 4:10	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 4:16	TPH
p-Isopropyltoluene (p-Cymene)	ND	2.3		ND	13		20	7/17/13 4:10	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/16/13 4:16	TPH
Methyl tert-Butyl Ether (MTBE)	ND	1.0		ND	3.6		20	7/17/13 4:10	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 4:16	TPH
Methylene Chloride	ND	10		ND	35		20	7/17/13 4:10	TPH
Methylene Chloride	0.54	0.20		1.9	0.69		0.4	7/16/13 4:16	TPH
4-Methyl-2-pentanone (MIBK)	ND	1.0		ND	4.1		20	7/17/13 4:10	TPH
4-Methyl-2-pentanone (MIBK)	0.068	0.020		0.28	0.082		0.4	7/16/13 4:16	TPH
Styrene	ND	1.0		ND	4.3		20	7/17/13 4:10	TPH
Styrene	ND	0.020		ND	0.085		0.4	7/16/13 4:16	TPH
1,1,1,2-Tetrachloroethane	ND	1.8		ND	12		20	7/17/13 4:10	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 4:16	TPH
1,1,2,2-Tetrachloroethane	ND	1.0		ND	6.9		20	7/17/13 4:10	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/16/13 4:16	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: AOA-2
Sample ID: 13G0407-10
 Sample Matrix: Ambient Air
 Sampled: 7/9/2013 14:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1824
 Canister Size: 6 liter
 Flow Controller ID: 4197
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.50		ND	3.4		20	7/17/13 4:10	TPH
Tetrachloroethylene	0.041	0.010		0.28	0.068		0.4	7/16/13 4:16	TPH
Toluene	ND	1.0		ND	3.8		20	7/17/13 4:10	TPH
Toluene	0.73	0.020		2.7	0.075		0.4	7/16/13 4:16	TPH
1,1,1-Trichloroethane	ND	0.50		ND	2.7		20	7/17/13 4:10	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 4:16	TPH
1,1,2-Trichloroethane	ND	0.50		ND	2.7		20	7/17/13 4:10	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 4:16	TPH
Trichloroethylene	ND	0.50		ND	2.7		20	7/17/13 4:10	TPH
Trichloroethylene	0.017	0.010		0.090	0.054		0.4	7/16/13 4:16	TPH
Trichlorofluoromethane (Freon 11)	ND	1.0		ND	5.6		20	7/17/13 4:10	TPH
Trichlorofluoromethane (Freon 11)	0.28	0.020		1.6	0.11		0.4	7/16/13 4:16	TPH
1,2,4-Trimethylbenzene	ND	1.0		ND	4.9		20	7/17/13 4:10	TPH
1,2,4-Trimethylbenzene	0.050	0.020		0.25	0.098		0.4	7/16/13 4:16	TPH
1,3,5-Trimethylbenzene	ND	1.0		ND	4.9		20	7/17/13 4:10	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	7/16/13 4:16	TPH
Vinyl Chloride	ND	0.50		ND	1.3		20	7/17/13 4:10	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13 4:16	TPH
m&p-Xylene	ND	2.0		ND	8.7		20	7/17/13 4:10	TPH
m&p-Xylene	0.17	0.040		0.75	0.17		0.4	7/16/13 4:16	TPH
o-Xylene	ND	1.0		ND	4.3		20	7/17/13 4:10	TPH
o-Xylene	0.076	0.020		0.33	0.087		0.4	7/16/13 4:16	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	107	70-130	7/17/13 4:10
4-Bromofluorobenzene (1)	109	70-130	7/16/13 4:16
4-Bromofluorobenzene (2)	103	70-130	7/17/13 4:10
4-Bromofluorobenzene (2)	107	70-130	7/16/13 4:16

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: AOA-3
Sample ID: 13G0407-11
 Sample Matrix: Ambient Air
 Sampled: 7/9/2013 14:02

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1129
 Canister Size: 6 liter
 Flow Controller ID: 4042
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -7
 Receipt Vacuum(in Hg): -6.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	15	0.80		35	1.9		0.4	7/16/13 5:12	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 5:12	TPH
Benzene	0.25	0.020		0.81	0.064		0.4	7/16/13 5:12	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 5:12	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 5:12	TPH
2-Butanone (MEK)	1.3	0.80		3.8	2.4		0.4	7/16/13 5:12	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 5:12	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 5:12	TPH
Carbon Tetrachloride	0.076	0.010		0.48	0.063		0.4	7/16/13 5:12	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/16/13 5:12	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/16/13 5:12	TPH
Chloroform	0.041	0.010		0.20	0.049		0.4	7/16/13 5:12	TPH
Chloromethane	0.51	0.040		1.1	0.083		0.4	7/16/13 5:12	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 5:12	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 5:12	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 5:12	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 5:12	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 5:12	TPH
Dichlorodifluoromethane (Freon 12)	0.22	0.020		1.1	0.099		0.4	7/16/13 5:12	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 5:12	TPH
1,2-Dichloroethane	0.013	0.010		0.053	0.040		0.4	7/16/13 5:12	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 5:12	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 5:12	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 5:12	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 5:12	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 5:12	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 5:12	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 5:12	TPH
Ethylbenzene	0.10	0.020		0.45	0.087		0.4	7/16/13 5:12	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 5:12	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	7/16/13 5:12	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 5:12	TPH
Methylene Chloride	0.62	0.20		2.2	0.69		0.4	7/16/13 5:12	TPH
4-Methyl-2-pentanone (MIBK)	0.064	0.020		0.26	0.082		0.4	7/16/13 5:12	TPH
Styrene	ND	0.020		ND	0.085		0.4	7/16/13 5:12	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 5:12	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	7/16/13 5:12	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: AOA-3
Sample ID: 13G0407-11
 Sample Matrix: Ambient Air
 Sampled: 7/9/2013 14:02

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1129
 Canister Size: 6 liter
 Flow Controller ID: 4042
 Sample Type: 30 min

Work Order: 13G0407
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -7
 Receipt Vacuum(in Hg): -6.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag	Results	RL	Analyzed		Analyst	
Tetrachloroethylene	0.052	0.010		0.35	0.068		0.4	7/16/13	5:12 TPH
Toluene	0.91	0.020		3.4	0.075		0.4	7/16/13	5:12 TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13	5:12 TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13	5:12 TPH
Trichloroethylene	0.018	0.010		0.097	0.054		0.4	7/16/13	5:12 TPH
Trichlorofluoromethane (Freon 11)	0.27	0.020		1.5	0.11		0.4	7/16/13	5:12 TPH
1,2,4-Trimethylbenzene	0.071	0.020		0.35	0.098		0.4	7/16/13	5:12 TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	7/16/13	5:12 TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13	5:12 TPH
m&p-Xylene	0.23	0.040		1.0	0.17		0.4	7/16/13	5:12 TPH
o-Xylene	0.10	0.020		0.44	0.087		0.4	7/16/13	5:12 TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	107	70-130	7/16/13 5:12
4-Bromofluorobenzene (2)	105	70-130	7/16/13 5:12

Sample Extraction Data
Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
13G0407-01 [Gym]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-02 [Cafeteria]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-03 [Kitchen Storage Room]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-04 [Elevator Hallway]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-05 [Room 145]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-06 [Room 152]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-07 [Room 118]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-08 [Room 110]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-09 [AOA-1]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-10 [AOA-2]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0407-11 [AOA-3]	B076930	1	1	N/A	1000	400	1000	07/15/13

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
13G0407-10RE1 [AOA-2]	B076931	1	1	N/A	1000	400	20	07/16/13

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	------

Batch B076930 - TO-15 Prep

Blank (B076930-BLK1)	Prepared & Analyzed: 07/15/13										
Acetone	ND	0.80									
Acrylonitrile	ND	0.12									
Benzene	ND	0.020									
Bromodichloromethane	ND	0.010									
Bromoform	ND	0.020									
2-Butanone (MEK)	ND	0.80									
n-Butylbenzene	ND	0.058									
sec-Butylbenzene	ND	0.046									
Carbon Tetrachloride	ND	0.010									
Chlorobenzene	ND	0.020									
Chloroethane	ND	0.020									
Chloroform	ND	0.010									
Chloromethane	ND	0.040									
Dibromochloromethane	ND	0.020									
1,2-Dibromoethane (EDB)	ND	0.010									
1,2-Dichlorobenzene	ND	0.020									
1,3-Dichlorobenzene	ND	0.020									
1,4-Dichlorobenzene	ND	0.020									
Dichlorodifluoromethane (Freon 12)	ND	0.020									
1,1-Dichloroethane	ND	0.010									
1,2-Dichloroethane	ND	0.010									
1,1-Dichloroethylene	ND	0.010									
cis-1,2-Dichloroethylene	ND	0.010									
trans-1,2-Dichloroethylene	ND	0.010									
1,2-Dichloropropane	ND	0.020									
1,3-Dichloropropane	ND	0.054									
cis-1,3-Dichloropropene	ND	0.010									
trans-1,3-Dichloropropene	ND	0.010									
Ethylbenzene	ND	0.020									
Isopropylbenzene (Cumene)	ND	0.051									
p-Isopropyltoluene (p-Cymene)	ND	0.046									
Methyl tert-Butyl Ether (MTBE)	ND	0.020									
Methylene Chloride	ND	0.20									
4-Methyl-2-pentanone (MIBK)	ND	0.020									
Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.036									
1,1,2,2-Tetrachloroethane	ND	0.010									
Tetrachloroethylene	ND	0.010									
Toluene	ND	0.020									
1,1,1-Trichloroethane	ND	0.010									
1,1,2-Trichloroethane	ND	0.010									
Trichloroethylene	ND	0.010									
Trichlorofluoromethane (Freon 11)	ND	0.020									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.010									

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

Batch B076930 - TO-15 Prep

Blank (B076930-BLK1)	Prepared & Analyzed: 07/15/13										
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
Surrogate: 4-Bromofluorobenzene (1)	8.53		8.00		107	70-130					
Surrogate: 4-Bromofluorobenzene (2)	8.15		8.00		102	70-130					

LCS (B076930-BS1)	Prepared & Analyzed: 07/15/13						
Acetone	6.18		5.00		124	70-130	
Acrylonitrile	6.04		2.88		210 *	70-130	L-01, V-06
Benzene	4.43		5.00		88.6	70-130	
Bromodichloromethane	5.05		5.00		101	70-130	
Bromoform	5.28		5.00		106	70-130	
2-Butanone (MEK)	4.44		5.00		88.8	70-130	
n-Butylbenzene	1.01		1.14		88.9	70-130	
sec-Butylbenzene	0.960		1.14		84.2	70-130	
Carbon Tetrachloride	4.36		5.00		87.2	70-130	
Chlorobenzene	4.94		5.00		98.8	70-130	
Chloroethane	3.95		5.00		79.0	70-130	
Chloroform	4.95		5.00		98.9	70-130	
Chloromethane	3.90		5.00		77.9	70-130	
Dibromochloromethane	4.77		5.00		95.5	70-130	
1,2-Dibromoethane (EDB)	4.83		5.00		96.6	70-130	
1,2-Dichlorobenzene	5.79		5.00		116	70-130	
1,3-Dichlorobenzene	5.72		5.00		114	70-130	
1,4-Dichlorobenzene	5.63		5.00		113	70-130	
Dichlorodifluoromethane (Freon 12)	4.39		5.00		87.8	70-130	
1,1-Dichloroethane	4.82		5.00		96.3	70-130	
1,2-Dichloroethane	4.57		5.00		91.5	70-130	
1,1-Dichloroethylene	4.43		5.00		88.6	70-130	
cis-1,2-Dichloroethylene	5.04		5.00		101	70-130	
trans-1,2-Dichloroethylene	4.84		5.00		96.8	70-130	
1,2-Dichloropropane	4.97		5.00		99.5	70-130	
1,3-Dichloropropane	1.17		1.35		86.5	70-130	
cis-1,3-Dichloropropene	4.97		5.00		99.3	70-130	
trans-1,3-Dichloropropene	5.07		5.00		101	70-130	
Ethylbenzene	4.94		5.00		98.8	70-130	
Isopropylbenzene (Cumene)	1.03		1.27		81.3	70-130	
p-Isopropyltoluene (p-Cymene)	0.958		1.14		84.0	70-130	
Methyl tert-Butyl Ether (MTBE)	4.59		5.00		91.8	70-130	
Methylene Chloride	4.44		5.00		88.8	70-130	
4-Methyl-2-pentanone (MIBK)	4.49		5.00		89.7	70-130	
Styrene	5.40		5.00		108	70-130	
1,1,1,2-Tetrachloroethane	0.713		0.910		78.4	70-130	
1,1,2,2-Tetrachloroethane	5.51		5.00		110	70-130	
Tetrachloroethylene	5.52		5.00		110	70-130	
Toluene	5.02		5.00		100	70-130	
1,1,1-Trichloroethane	4.53		5.00		90.6	70-130	
1,1,2-Trichloroethane	5.17		5.00		103	70-130	

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

Batch B076930 - TO-15 Prep

LCS (B076930-BS1)	Prepared & Analyzed: 07/15/13						
Trichlorethylene	4.96			5.00		99.3	70-130
Trichlorofluoromethane (Freon 11)	4.57			5.00		91.5	70-130
1,2,4-Trimethylbenzene	5.37			5.00		107	70-130
1,3,5-Trimethylbenzene	5.21			5.00		104	70-130
Vinyl Chloride	4.00			5.00		80.0	70-130
m&p-Xylene	10.1			10.0		101	70-130
o-Xylene	5.06			5.00		101	70-130
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.88			8.00		111	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.27			8.00		103	70-130

Duplicate (B076930-DUP1)	Source: 13G0407-07				Prepared: 07/15/13 Analyzed: 07/16/13			
Acetone	17	0.80	41	1.9		17		0.836 25
Acrylonitrile	ND	0.12	ND	0.25		ND		25
Benzene	0.14	0.020	0.46	0.064		0.14		1.97 25
Bromodichloromethane	ND	0.010	ND	0.067		ND		25
Bromoform	ND	0.020	ND	0.21		ND		25
2-Butanone (MEK)	1.2	0.80	3.6	2.4		1.2		0.949 25
n-Butylbenzene	ND	0.058	ND	0.32		ND		25
sec-Butylbenzene	ND	0.046	ND	0.25		ND		25
Carbon Tetrachloride	0.072	0.010	0.45	0.063		0.070		2.83 25
Chlorobenzene	ND	0.020	ND	0.092		ND		25
Chloroethane	0.034	0.020	0.090	0.053		0.035		2.33 25
Chloroform	0.062	0.010	0.30	0.049		0.063		1.93 25
Chloromethane	1.0	0.040	2.1	0.083		1.0		2.04 25
Dibromochloromethane	ND	0.020	ND	0.17		ND		25
1,2-Dibromoethane (EDB)	ND	0.010	ND	0.077		ND		25
1,2-Dichlorobenzene	ND	0.020	ND	0.12		ND		25
1,3-Dichlorobenzene	ND	0.020	ND	0.12		ND		25
1,4-Dichlorobenzene	ND	0.020	ND	0.12		ND		25
Dichlorodifluoromethane (Freon 12)	0.20	0.020	1.00	0.099		0.20		0.597 25
1,1-Dichloroethane	ND	0.010	ND	0.040		ND		25
1,2-Dichloroethane	0.019	0.010	0.078	0.040		0.020		4.08 25
1,1-Dichloroethylene	ND	0.010	ND	0.040		ND		25
cis-1,2-Dichloroethylene	ND	0.010	ND	0.040		ND		25
trans-1,2-Dichloroethylene	ND	0.010	ND	0.040		ND		25
1,2-Dichloropropane	ND	0.020	ND	0.092		ND		25
1,3-Dichloropropane	ND	0.054	ND	0.25		ND		25
cis-1,3-Dichloropropene	ND	0.010	ND	0.045		ND		25
trans-1,3-Dichloropropene	ND	0.010	ND	0.045		ND		25
Ethylbenzene	0.093	0.020	0.40	0.087		0.090		3.05 25
Isopropylbenzene (Cumene)	ND	0.051	ND	0.25		ND		25
p-Isopropyltoluene (p-Cymene)	0.019	0.046	0.10	0.25		0.018		2.15 25
Methyl tert-Butyl Ether (MTBE)	ND	0.020	ND	0.072		ND		25
Methylene Chloride	0.26	0.20	0.91	0.69		0.26		2.15 25
4-Methyl-2-pentanone (MIBK)	0.077	0.020	0.31	0.082		0.085		9.90 25
Styrene	0.10	0.020	0.43	0.085		0.097		4.82 25
1,1,1,2-Tetrachloroethane	ND	0.036	ND	0.25		ND		25

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

Batch B076930 - TO-15 Prep

Duplicate (B076930-DUP1)	Source: 13G0407-07				Prepared: 07/15/13 Analyzed: 07/16/13					
1,1,2,2-Tetrachloroethane	ND	0.010	ND	0.069		ND				25
Tetrachloroethylene	0.037	0.010	0.25	0.068		0.037			0.00	25
Toluene	0.62	0.020	2.3	0.075		0.61			2.80	25
1,1,1-Trichloroethane	ND	0.010	ND	0.055		ND				25
1,1,2-Trichloroethane	ND	0.010	ND	0.055		ND				25
Trichloroethylene	0.020	0.010	0.11	0.054		0.022			5.71	25
Trichlorofluoromethane (Freon 11)	0.23	0.020	1.3	0.11		0.23			1.75	25
1,2,4-Trimethylbenzene	0.093	0.020	0.46	0.098		0.089			4.84	25
1,3,5-Trimethylbenzene	0.032	0.020	0.16	0.098		0.032			1.24	25
Vinyl Chloride	ND	0.010	ND	0.026		ND				25
m&p-Xylene	0.20	0.040	0.85	0.17		0.19			2.27	25
o-Xylene	0.080	0.020	0.35	0.087		0.079			1.50	25
Surrogate: 4-Bromofluorobenzene (1)	8.66			8.00		108		70-130		
Surrogate: 4-Bromofluorobenzene (2)	8.47			8.00		106		70-130		

Batch B076931 - TO-15 Prep

Blank (B076931-BLK1)	Prepared & Analyzed: 07/16/13					
Acetone	ND	0.80				
Acrylonitrile	ND	0.12				
Benzene	ND	0.020				
Bromodichloromethane	ND	0.010				
Bromoform	ND	0.020				
2-Butanone (MEK)	ND	0.80				
n-Butylbenzene	ND	0.058				
sec-Butylbenzene	ND	0.046				
Carbon Tetrachloride	ND	0.010				
Chlorobenzene	ND	0.020				
Chloroethane	ND	0.020				
Chloroform	ND	0.010				
Chloromethane	ND	0.040				
Dibromochloromethane	ND	0.020				
1,2-Dibromoethane (EDB)	ND	0.010				
1,2-Dichlorobenzene	ND	0.020				
1,3-Dichlorobenzene	ND	0.020				
1,4-Dichlorobenzene	ND	0.020				
Dichlorodifluoromethane (Freon 12)	ND	0.020				
1,1-Dichloroethane	ND	0.010				
1,2-Dichloroethane	ND	0.010				
1,1-Dichloroethylene	ND	0.010				
cis-1,2-Dichloroethylene	ND	0.010				
trans-1,2-Dichloroethylene	ND	0.010				
1,2-Dichloropropane	ND	0.020				
1,3-Dichloropropane	ND	0.054				
cis-1,3-Dichloropropene	ND	0.010				
trans-1,3-Dichloropropene	ND	0.010				
Ethylbenzene	ND	0.020				

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

Batch B076931 - TO-15 Prep

Blank (B076931-BLK1)	Prepared & Analyzed: 07/16/13						
Isopropylbenzene (Cumene)	ND	0.051					
p-Isopropyltoluene (p-Cymene)	ND	0.046					
Methyl tert-Butyl Ether (MTBE)	ND	0.020					
Methylene Chloride	ND	0.20					
4-Methyl-2-pentanone (MIBK)	ND	0.020					
Styrene	ND	0.020					
1,1,1,2-Tetrachloroethane	ND	0.036					
1,1,2,2-Tetrachloroethane	ND	0.020					
Tetrachloroethylene	ND	0.010					
Toluene	ND	0.020					
1,1,1-Trichloroethane	ND	0.010					
1,1,2-Trichloroethane	ND	0.010					
Trichloroethylene	ND	0.010					
Trichlorofluoromethane (Freon 11)	ND	0.020					
1,2,4-Trimethylbenzene	ND	0.020					
1,3,5-Trimethylbenzene	ND	0.020					
Vinyl Chloride	ND	0.010					
m&p-Xylene	ND	0.040					
o-Xylene	ND	0.020					
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.72		8.00		109	70-130	
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.59		8.00		107	70-130	

LCS (B076931-BS1)	Prepared & Analyzed: 07/16/13						
Acetone	6.24		5.00		125	70-130	
Acrylonitrile	6.03		2.88		209 *	70-130	L-01, V-06
Benzene	4.62		5.00		92.3	70-130	
Bromodichloromethane	5.24		5.00		105	70-130	
Bromoform	5.29		5.00		106	70-130	
2-Butanone (MEK)	4.37		5.00		87.4	70-130	
n-Butylbenzene	1.03		1.14		90.3	70-130	
sec-Butylbenzene	0.991		1.14		86.9	70-130	
Carbon Tetrachloride	4.69		5.00		93.9	70-130	
Chlorobenzene	4.96		5.00		99.1	70-130	
Chloroethane	4.12		5.00		82.4	70-130	
Chloroform	5.16		5.00		103	70-130	
Chloromethane	3.91		5.00		78.2	70-130	
Dibromochloromethane	4.84		5.00		96.7	70-130	
1,2-Dibromoethane (EDB)	4.88		5.00		97.6	70-130	
1,2-Dichlorobenzene	5.67		5.00		113	70-130	
1,3-Dichlorobenzene	5.69		5.00		114	70-130	
1,4-Dichlorobenzene	5.53		5.00		111	70-130	
Dichlorodifluoromethane (Freon 12)	4.37		5.00		87.3	70-130	
1,1-Dichloroethane	4.92		5.00		98.4	70-130	
1,2-Dichloroethane	4.71		5.00		94.2	70-130	
1,1-Dichloroethylene	4.61		5.00		92.2	70-130	
cis-1,2-Dichloroethylene	5.22		5.00		104	70-130	
trans-1,2-Dichloroethylene	5.02		5.00		100	70-130	

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	Limit	Flag
Batch B076931 - TO-15 Prep											
LCS (B076931-BS1)											
Prepared & Analyzed: 07/16/13											
1,2-Dichloropropane	5.03		5.00		101	70-130					
1,3-Dichloropropane	1.23		1.35		91.0	70-130					
cis-1,3-Dichloropropene	4.73		5.00		94.6	70-130					
trans-1,3-Dichloropropene	5.29		5.00		106	70-130					
Ethylbenzene	5.01		5.00		100	70-130					
Isopropylbenzene (Cumene)	1.09		1.27		85.8	70-130					
p-Isopropyltoluene (p-Cymene)	0.992		1.14		87.0	70-130					
Methyl tert-Butyl Ether (MTBE)	4.73		5.00		94.5	70-130					
Methylene Chloride	4.59		5.00		91.8	70-130					
4-Methyl-2-pentanone (MIBK)	4.39		5.00		87.8	70-130					
Styrene	5.28		5.00		106	70-130					
1,1,1,2-Tetrachloroethane	0.750		0.910		82.4	70-130					
1,1,2,2-Tetrachloroethane	5.41		5.00		108	70-130					
Tetrachloroethylene	5.61		5.00		112	70-130					
Toluene	5.07		5.00		101	70-130					
1,1,1-Trichloroethane	4.68		5.00		93.6	70-130					
1,1,2-Trichloroethane	5.21		5.00		104	70-130					
Trichloroethylene	5.13		5.00		103	70-130					
Trichlorofluoromethane (Freon 11)	4.71		5.00		94.2	70-130					
1,2,4-Trimethylbenzene	5.34		5.00		107	70-130					
1,3,5-Trimethylbenzene	5.11		5.00		102	70-130					
Vinyl Chloride	4.21		5.00		84.3	70-130					
m&p-Xylene	10.1		10.0		101	70-130					
o-Xylene	5.01		5.00		100	70-130					
Surrogate: 4-Bromofluorobenzene (1)	8.69		8.00		109	70-130					
Surrogate: 4-Bromofluorobenzene (2)	8.63		8.00		108	70-130					

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
 - † Wide recovery limits established for difficult compound.
 - ‡ Wide RPD limits established for difficult compound.
 - # Data exceeded client recommended or regulatory level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
- E Reported result is estimated. Value reported over verified calibration range.
- L-01 Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.
- V-06 Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

CERTIFICATIONS
Certified Analyses included in this Report

Analyte	Certifications
EPA TO-15 in Air	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

EPA TO-15 in Air

o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2014
CT	Connecticut Department of Public Health	PH-0567	09/30/2013
NY	New York State Department of Health	10899 NELAP	04/1/2014
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2014
RI	Rhode Island Department of Health	LAO00112	12/30/2013
NC	North Carolina Div. of Water Quality	652	12/31/2013
NJ	New Jersey DEP	MA007 NELAP	06/30/2014
FL	Florida Department of Health	E871027 NELAP	06/30/2014
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2014
WA	State of Washington Department of Ecology	C2065	02/23/2014
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2013
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2012



Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com

AIR SAMPLE CHAIN OF CUSTODY RECORD

39 SPRUCE ST
EAST LONGMEADOW, MA 01028

Page 1 of 2

13G0407

Company Name: <u>EA Engineering</u>		Telephone: (401) <u>736-3440</u>
Address: <u>2374 Post Rd. Sack 102</u>		Project #: <u>14687.01</u>
Attention: <u>Ron Mack</u>		Client PO # _____
Project Location: <u>Alvarez High School</u>		Fax #: _____
Sampled By: <u>P.Theisen & D. Allen</u>		Email: <u>Rmack@east.com</u>
Proposal Provided? (For Billing purposes)		
<input type="checkbox"/> yes _____ proposal date _____		
DATA DELIVERY (check one): <input checked="" type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> WEBSITE CLIENT Fax #: _____		
Email: <u>Rmack@east.com</u> Format: <input type="checkbox"/> EXCEL <input checked="" type="checkbox"/> PDF <input type="checkbox"/> GIS KEY <input type="checkbox"/> OTHER _____		


Proposal Provided? (For Billing purposes)

yes _____
 proposal date _____

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Fax #: _____

Email: Rmack@east.com
 Format: EXCEL PDF GIS KEY OTHER _____

ANALYSIS REQUESTED		"Hg		Please fill out completely, sign, date and retain the yellow copy for your records.	
		I	-	L	and retain the yellow copy for your records.
		N	-	B	Summa canisters are returned within 14 days of receipt or rental will apply.
		F	-	P	Summa canisters will be retained for a minimum of 14 days after sampling date prior to cleaning.
		T	-	R	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	
		I	-	E	
		N	-	E	
		F	-	E	
		T	-	E	</



www.contestlabs.com



AIR Only Receipt Checklist

39 Spruce St.
East Longmeadow, MA.
01028
P: 413-525-2332
F: 413-525-6405

CLIENT NAME: SEA Engineering

RECEIVED BY: SD

DATE: 7/10/13

1) Was the chain(s) of custody relinquished and signed?

Yes No

2) Does the chain agree with the samples?

Yes No

If not, explain:

3) Are all the samples in good condition?

Yes No

If not, explain:

4) Are there any samples "On Hold"?

Yes No Stored where: _____

5) Are there any RUSH or SHORT HOLDING TIME samples?

Yes No

Who was notified _____ Date _____ Time _____

6) Location where samples are stored:

Air Lab

Permission to subcontract samples? Yes No
(Walk-in clients only) if not already approved
Client Signature:

Containers received at Con-Test

	# of Containers	Types (Size, Duration)
Summa Cans	11	16 Liter
Tedlar Bags		
Tubes		
Regulators	11	30 min.
Restrictors		
Tubing		
Other		

Unused Summas:

N/A

Unused Regulators:

N/A

1) Was all media (used & unused checked into the WASP? yes SD

2) Were all returned summa cans, Restrictors, & Regulators documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet? yes SD

Laboratory Comments:

1876 1851 1837
1641 1881 1824
1121 1481 1129
1174 1865

4176 4188 4198
4177 4189 4197
4192 4190 4042
4193 4191

APPENDIX C

Subslab Vapor Analytical Summary and Lab Report

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Acetone	8-Feb-08	17.2	NS	NS	NS	4.75	U	NS	NS	5.62	11.4	NS	
	27-Mar-08	NS	28.7	NS	NS	NS	NS	NS	NS	NS	217	12.4	
	25-Apr-08	NS	NS	188	NS	NS	NS	NS	NS	34	NS	33.9	
	29-May-08	NS	NS	NS	40.9	NS	NS	NS	92	9.82	16.4	NS	
	27-Jun-08	107	NS	NS	NS	145	NS	NS	NS	NS	20.4	9.73	
	31-Jul-08	NS	101	NS	NS	NS	NS	NS	NS	14.4	NS	18.1	
	28-Aug-08	NS	NS	1130	NS	NS	NS	NS	NS	46	47.8	NS	
	30-Sep-08	NS	NS	NS	32.8	NS	NS	NS	44.1	NS	9.4	12.8	
	27-Oct-08	19.6	NS	NS	NS	15	NS	NS	NS	17.9	NS	33.3	
	25-Nov-08	NS	148	NS	NS	NS	183	NS	NS	13	24.7	NS	
	18-Dec-08	NS	NS	856	NS	NS	NS	10.4	NS	NS	37.2	22	
	21-Jan-09	NS	NS	NS	19.1	NS	NS	NS	6.1	2.4	U	NS	4.8
	25-Feb-09	28.6	NS	NS	NS	60.9	NS	NS	NS	9.5	8.3	NS	
	26-Mar-09	NS	102	NS	NS	NS	47.5	U	NS	NS	50.6	64.8	
	29-Apr-09	NS	NS	1980	NS	NS	NS	23.3	NS	5.15	NS	22.1	
	22-Jul-09	58.5	NS	58.5	148	NS	87.8	NS	NS	96	88.1	NS	
	9-Oct-09	NS	25.7	NS	NS	49.7	NS	9.2	11100	6.51	NS	16.8	
	15-Jan-10	33.6	NS	90.9	22.8	NS	26.3	NS	NS	12.5	11.2	NS	
	21-Apr-10	NS	21.9	NS	NS	206	NS	263	2870	72.8	NS	73.4	
	16-Jul-10	654	NS	4800	202	NS	11400	NS	NS	8.34	21.1	NS	
	15-Oct-10	NS	11.3	NS	NS	26	NS	10.2	18.3	7.03	NS	21.2	
	26-Jan-11	114	26.8	NS	54.4	NS	34.4	NS	35.4	25.3	33.3	NS	
	28-Feb-11	NS	NS	80.8	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	106	NS	NS	255	NS	220	227	17.8	NS	58.2	
	26-Jul-11	76.2	NS	120	154	E	NS	2730	NS	NS	12.8	23.8	NS
	28-Oct-11	NS	48	NS	NS	48	U	48	U	51	NS	48	U
	23-Jan-12	37	NS	36	19	NS	28	NS	NS	38	29	NS	
	13-Apr-12	NS	32	NS	NS	70	NS	32	83	54	NS	43	
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	48	NS	
	23-Jun-12	21	NS	30	370	NS	1600	NS	NS	43	21	NS	
	1-Nov-12	NS	41	NS	NS	52	NS	75	44	35	NS	43	
	1-Feb-13	17	NS	12	25	NS	36	NS	NS	16	12	NS	
	29-Apr-13	NS	45	NS	NS	100	NS	68	62	33	NS	43	
	9-Jul-13	100	NS	170	130	NS	260	NS	NS	80	15	NS	
Acrylonitrile	8-Feb-08	1.08	U	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U
	27-Mar-08	NS	1.08	U	NS	NS	NS	NS	NS	1.08	U	1.08	U
	25-Apr-08	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	1.08	U
	29-May-08	NS	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	
	27-Jun-08	1.69	U	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U
	31-Jul-08	NS	1.08	U	NS	NS	NS	NS	NS	1.08	U	1.08	U
	28-Aug-08	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	1.08	U
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U
	27-Oct-08	2.2	U	NS	NS	NS	U	NS	NS	2.2	U	2.2	U
	25-Nov-08	NS	2.2	U	NS	NS	NS	NS	NS	2.2	U	2.2	U
	18-Dec-08	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U	
	21-Jan-09	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U
	25-Feb-09	2.2	U	NS	NS	NS	U	NS	NS	2.2	U	2.2	U
	26-Mar-09	NS	5.42	U	NS	NS	NS	NS	NS	NS	1.08	U	1.08
	29-Apr-09	NS	NS	1.08	U	NS	NS	1.08	U	NS	1.08	U	1.08
	22-Jul-09	5.42	U	NS	5.42	U	10.8	U	NS	1.08	U	1.08	U
	9-Oct-09	NS	0.051	U	NS	NS	1.08	U	1.08	U	226	U	1.08
	15-Jan-10	1.08	U	NS	1.08	U	1.08	U	NS	1.08	U	1.08	U
	21-Apr-10	NS	1.08	U	NS	NS	5.42	U	NS	1.08	U	1.08	U
	16-Jul-10	1.08	U	NS	1.08	U	NS	8.19	U	5.42	U	1.08	U
	15-Oct-10	NS	0.108	U	NS	NS	1.08	U	NS	1.08	U	1.08	U
	26-Jan-11	10.8	U	1.08	U	NS	1.08	U	NS	5.42	U	5.42	U
	28-Feb-11	NS	NS	10.8	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	1.08	U	NS	NS	1.08	U	NS	1.08	U	1.08	U
	26-Jul-11	3.62	U	NS	3.62	U	1.08	U	NS	6.2	U	6.2	U
	28-Oct-11	NS	6.2	U	NS	NS	6.2	U	NS	6.2	U	6.2	U
	23-Jan-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	1.2	U
	13-Apr-12	NS	NS	1.2	U	NS	1.2	U	NS	NS	NS	6.2	U
	2-Jul-12 (resample)	NS	U	NS	1.2	U	1.2	U	NS	1.2	U	1.2	U
	23-Jun-12	1.2	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25
	1-Nov-12	NS	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U
	29-Apr-13	NS											

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual											
Benzene	8-Feb-08	0.92	NS	NS	NS	0.98	NS	NS	0.54	0.85	NS	0.635	
	27-Mar-08	NS	0.54	NS	NS	NS	0.462	NS	NS	0.788	NS	0.536	
	25-Apr-08	NS	0.584	NS	NS	NS	0.745	NS	0.428	NS	NS	NS	
	29-May-08	NS	NS	NS	0.73	NS	NS	1.03	1.12	0.61	NS	NS	
	27-Jun-08	0.626	NS	NS	NS	0.468	NS	NS	NS	0.499	0.399	0.265	
	31-Jul-08	NS	0.418	NS	NS	NS	NS	NS	0.358	NS	NS	NS	
	28-Aug-08	NS	NS	1.02	NS	NS	NS	NS	0.815	0.692	NS	NS	
	30-Sep-08	NS	U	NS	1.6	U	NS	NS	1.6	U	1.6	U	U
	27-Oct-08	1.6	NS	NS	NS	1.6	U	NS	1.6	U	1.6	U	U
	25-Nov-08	NS	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	NS
	18-Dec-08	NS	NS	1.6	U	NS	NS	1.6	U	NS	1.6	U	U
	21-Jan-09	NS	NS	NS	1.6	U	NS	NS	1.6	U	1.6	NS	U
	25-Feb-09	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	NS	
	26-Mar-09	NS	2.1	NS	NS	NS	2.23	U	NS	NS	0.945	1.48	
	29-Apr-09	NS	NS	0.603	NS	NS	NS	0.246	NS	0.223	NS	0.367	
	22-Jul-09	1.12	U	NS	56	2.23	U	NS	1.45	NS	4.27	0.629	
	9-Oct-09	NS	1.15	NS	NS	0.974	NS	0.431	46.6	U	0.619	0.824	
	15-Jan-10	0.763	NS	0.887	0.98	NS	1.26	NS	NS	0.964	NS	NS	
	21-Apr-10	NS	0.373	NS	NS	0.16	U	NS	1.6	U	0.635	1.26	
	16-Jul-10	0.332	NS	1.53	0.689	NS	2.41	U	NS	NS	0.319	0.319	U
	15-Oct-10	NS	0.319	U	NS	0.319	U	NS	0.319	U	0.319	0.319	U
	26-Jan-11	3.19	U	2.49	NS	2.46	NS	1.6	U	1.85	1.8	1.9	NS
	28-Feb-11	NS	NS	3.19	U	NS							
	27-Apr-11	NS	0.319	U	NS	NS	0.319	U	NS	0.354	0.319	0.319	U
	26-Jul-11	1.06	U	NS	1.06	U	0.434	NS	1.6	U	0.319	1.6	NS
	28-Oct-11	NS	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	U
	23-Jan-12	0.84	NS	1.2	0.98	NS	0.81	NS	NS	1.4	NS	1.5	NS
	13-Apr-12	NS	0.32	U	NS	NS	0.32	U	NS	0.32	U	0.32	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	NS	U
	23-Jun-12	0.45	NS	0.61	0.88	NS	0.43	NS	NS	0.42	0.4	NS	
	1-Nov-12	NS	0.45	NS	NS	0.43	NS	0.49	0.56	0.61	NS	1	
	1-Feb-13	0.33	NS	0.45	0.47	NS	0.35	NS	NS	0.45	0.46	NS	
	29-Apr-13	NS	0.41	NS	NS	0.38	NS	0.41	0.47	0.63	NS	0.67	
	9-Jul-13	0.64	NS	0.93	0.76	NS	0.70	NS	NS	0.65	0.42	NS	
	8-Feb-08	0.13	U	NS	NS	0.13	U	NS	NS	0.13	U	0.13	NS
	27-Mar-08	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	25-Apr-08	NS	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U
	29-May-08	NS	NS	NS	0.13	U	NS	NS	0.13	U	0.13	NS	
Bromodichloromethane	27-Jun-08	0.209	U	NS	NS	0.134	U	NS	NS	0.13	U	0.134	U
	31-Jul-08	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	28-Aug-08	NS	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134
	30-Sep-08	NS	NS	NS	0.52	NS	NS	NS	0.13	U	NS	0.23	U
	27-Oct-08	0.13	U	NS	NS	1.07	NS	NS	0.13	U	0.13	NS	U
	25-Nov-08	NS	0.13	U	NS	NS	0.13	U	NS	0.13	U	0.13	NS
	18-Dec-08	NS	NS	0.13	U	NS	NS	0.13	U	NS	0.13	U	U
	21-Jan-09	NS	NS	NS	0.13	U	NS	NS	0.13	U	0.13	NS	
	25-Feb-09	0.13	U	NS	NS	0.13	U	NS	NS	0.13	U	0.13	NS
	26-Mar-09	NS	0.67	U	NS	NS	1.34	U	NS	NS	0.134	U	0.134
	29-Apr-09	NS	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134
	22-Jul-09	0.67	U	NS	27.3	U	1.34	U	0.67	U	0.134	U	0.134
	9-Oct-09	NS	0.134	U	NS	NS	0.134	U	NS	28	U	0.134	U
	15-Jan-10	0.134	U	NS	0.134	U	0.134	U	NS	0.134	U	0.134	U
	21-Apr-10	NS	0.134	U	NS	NS	0.67	U	0.67	U	0.134	U	0.134
	16-Jul-10	0.134	U	NS	0.134	U	0.134	U	NS	0.134	U	0.134	U
	15-Oct-10	NS	0.134	U	NS	NS	0.134	U	0.134	U	0.134	U	0.134
	26-Jan-11	1.34	U	0.134	U	NS	0.134	U	0.67	U	0.67	U	NS
	28-Feb-11	NS	NS	1.34	U	NS	NS	0.134	U	NS	NS	NS	NS
	27-Apr-11	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134	U
	26-Jul-11	0.447	U	NS	0.447	U	0.134	U	NS	0.134	U	0.134	U
	28-Oct-11	NS	3.4	U	NS	NS	3.4	U	NS	3.4	U	3.4	U
	23-Jan-12	0.67	U	NS	0.67	U	0.67	U	0.67	U	0.67	U	NS
	13-Apr-12	NS	0.34	U	NS	NS	0.34	U	NS	0.34	U	0.34	U
	23-Jun-12	0.67	U	NS	0.67	U	0.67	U	NS	NS	0.67	U	0.67
	1-Nov-12	NS	0.067	U	NS	0.067	U	NS	0.067	U	0.067	U	0.067

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromoform	8-Feb-08	0.21	U	NS	NS	0.21	U	NS	NS	0.21	U	0.21	U
	27-Mar-08	NS	0.206	U	NS	NS	U	NS	NS	NS	U	0.206	U
	25-Apr-08	NS	NS	0.206	U	NS	U	NS	0.206	U	NS	0.206	U
	29-May-08	NS	NS	NS	0.21	U	NS	NS	NS	0.21	U	0.21	U
	27-Jun-08	0.322	U	NS	NS	0.206	U	NS	NS	NS	U	0.206	U
	31-Jul-08	NS	0.206	U	NS	NS	U	NS	NS	NS	U	0.206	U
	28-Aug-08	NS	NS	0.206	U	NS	U	NS	0.206	U	NS	0.206	U
	30-Sep-08	NS	NS	NS	0.41	U	NS	NS	NS	0.41	U	0.41	U
	27-Oct-08	0.41	U	NS	NS	0.41	U	NS	NS	0.41	U	0.41	U
	25-Nov-08	NS	0.14	U	NS	NS	U	NS	0.41	U	NS	0.41	U
	18-Dec-08	NS	NS	0.41	U	NS	U	NS	0.41	U	NS	0.41	U
	21-Jan-09	NS	NS	NS	0.41	U	NS	NS	0.41	U	NS	0.41	U
	25-Feb-09	0.41	U	NS	NS	0.14	U	NS	NS	0.41	U	0.41	U
	26-Mar-09	NS	1.03	U	NS	NS	U	NS	2.06	U	NS	0.206	U
	29-Apr-09	NS	NS	0.206	U	NS	U	NS	0.206	U	NS	0.206	U
	22-Jul-09	1.03	U	NS	42	U	2.06	U	NS	1.03	U	NS	0.206
	9-Oct-09	NS	0.206	U	NS	NS	U	NS	0.206	U	43.1	U	0.206
	15-Jan-10	0.206	U	NS	0.206	U	0.206	U	NS	NS	0.206	U	0.206
	21-Apr-10	NS	0.206	U	NS	NS	U	NS	1.03	U	0.206	U	0.206
	16-Jul-10	0.206	U	NS	0.206	U	0.206	U	1.56	U	NS	0.206	U
	15-Oct-10	NS	0.206	U	NS	NS	U	NS	0.206	U	0.206	U	0.206
	26-Jan-11	2.06	U	0.206	U	NS	0.206	U	1.03	U	NS	1.03	U
	28-Feb-11	NS	NS	2.06	U	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.206	U	NS	NS	U	NS	0.206	U	0.206	U	0.206
	26-Jul-11	0.69	U	NS	0.69	U	0.207	U	NS	1.03	U	0.207	U
	28-Oct-11	NS	5.2	U	NS	NS	U	NS	5.2	U	5.2	U	5.2
	23-Jan-12	1	U	NS	1	U	1	U	NS	1	U	1	U
	13-Apr-12	NS	1	U	NS	NS	U	NS	1	U	NS	1	U
2-Jul-12 (resample)	NS	NS	NS	1	U	1	U	NS	1	U	NS	5.2	U
	23-Jun-12	1	U	NS	1	U	NS	1	U	NS	1	U	NS
	1-Nov-12	NS	0.21	U	NS	NS	U	NS	0.21	U	0.21	U	0.21
	1-Feb-13	0.21	U	NS	0.21	U	NS	0.21	U	NS	0.21	U	0.21
	29-Apr-13	NS	0.52	U	NS	NS	U	NS	0.21	U	0.21	U	0.21
	9-Jul-13	0.31	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21	U
2-Butanone	8-Feb-08	126	NS	NS	NS	1.47	U	NS	NS	NS	NS	3.08	10.6
	27-Mar-08	NS	226	NS	NS	NS	U	NS	NS	NS	NS	11.9	3.9
	25-Apr-08	NS	NS	477	NS	NS	U	NS	1680	NS	2.24	NS	1.47
	29-May-08	NS	NS	NS	527	NS	U	NS	591	NS	2.27	3.04	NS
	27-Jun-08	1080	NS	NS	NS	596	U	NS	NS	NS	NS	6.92	3.64
	31-Jul-08	NS	1350	NS	NS	NS	U	NS	NS	NS	12	NS	2.56
	28-Aug-08	NS	NS	8380	NS	NS	U	NS	102	NS	5.29	9.18	NS
	30-Sep-08	NS	NS	NS	101	NS	U	NS	194	NS	2	1.5	U
	27-Oct-08	53.5	NS	NS	NS	30.5	U	NS	NS	NS	2.4	NS	5.7
	25-Nov-08	NS	802	NS	NS	NS	U	NS	259	NS	1.8	2.4	NS
	18-Dec-08	NS	NS	5630	NS	NS	U	NS	8.3	NS	NS	2.6	3.3
	21-Jan-09	NS	NS	NS	209	NS	U	NS	NS	NS	1.5	NS	1.5
	25-Feb-09	30	NS	NS	NS	198	U	NS	NS	NS	1.5	NS	U
	26-Mar-09	NS	926	NS	NS	NS	U	NS	29.1	NS	NS	2.66	3.02
	29-Apr-09	NS	NS	12400	NS	NS	U	NS	38.1	NS	1.47	NS	3.06
	22-Jul-09	433	NS	433	410	NS	U	NS	151	NS	NS	21.6	NS
	9-Oct-09	NS	289	NS	NS	1.47	U	NS	19.1	22700	2.75	NS	12.6
	15-Jan-10	29.8	NS	826	64.1	NS	U	NS	38.4	NS	2.64	1.6	NS
	21-Apr-10	NS	6.44	NS	NS	7.37	U	NS	34.6	1840	16.8	NS	14.5
	16-Jul-10	5320	NS	21000	441	NS	U	NS	10400	NS	1.54	2.8	NS
	15-Oct-10	NS	117	NS	NS	44.9	U	NS	2.85	18.2	1.47	NS	1.92
	26-Jan-11	940	22.3	NS	16.5	NS	U	NS	7.37	50.4	7.37	7.37	U
	28-Feb-11	NS	NS	625	NS	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	6.87	NS	NS	171	U	NS	11.3	15.3	5.38	NS	10.4
	26-Jul-11	690	E	NS	82.9	93.2	U	NS	11000	NS	2.07	7.37	U
	28-Oct-11	NS	59	U	70	12	U	NS	59	U	59	12	NS
	23-Jan-12	110	NS	16	NS	74	U	NS	20	NS	12	12	U
	13-Apr-12	NS	NS	92	3700	NS	U	NS	1900	NS	NS	59	NS
	23-Jun-12	75	NS	24									

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
n-Butylbenzene	8-Feb-08	2.74	U	NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	NS	NS	2.74	U		
	27-Mar-08	NS	U	2.74	U	NS	NS	NS	U	NS	2.74	U	2.74	U	2.74	U	2.74	U							
	25-Apr-08	NS	U	NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U		
	29-May-08	NS	U	NS	NS	NS	NS	5.5	U	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	NS	U		
	27-Jun-08	4.27	U	NS	NS	NS	NS	2.74	U	NS	NS	2.74	U	2.74	U										
	31-Jul-08	NS	U	2.74	U	NS	NS	NS	U	NS	2.74	U	2.74	U	2.74	U	2.74	U							
	28-Aug-08	NS	U	NS	NS	NS	NS	5.5	U	NS	2.74	U	2.74	U	2.74	U	NS	U							
	30-Sep-08	NS	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U	5.5	U	5.5	U							
	27-Oct-08	22.1	U	NS	NS	NS	NS	5.5	U	NS	12.8	U	NS	U	5.5	U	5.5	U							
	25-Nov-08	NS	U	5.5	U	NS	NS	NS	U	NS	5.5	U	11.5	U	NS	U	NS	U							
	18-Dec-08	NS	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U	5.5	U	5.5	U							
	21-Jan-09	NS	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U	5.5	U	5.5	U							
	25-Feb-09	5.5	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U	NS	U	NS	U							
	26-Mar-09	NS	U	13.7	U	NS	NS	2.74	U	NS	NS	2.74	U	2.74	U	2.74	U								
	29-Apr-09	NS	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	U	2.74	U							
	22-Jul-09	13.7	U	NS	NS	NS	NS	27.4	U	NS	2.74	U	2.74	U	2.74	U	2.74	U							
	9-Oct-09	NS	U	1.08	U	NS	NS	2.74	U	NS	57.3	U	2.74	U	NS	U	2.74	U							
	15-Jan-10	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U							
	21-Apr-10	NS	U	2.74	U	NS	NS	2.74	U	NS	13.7	U	2.74	U	NS	U	2.74	U							
	16-Jul-10	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U							
	15-Oct-10	NS	U	2.74	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U							
	26-Jan-11	27.4	U	NS	NS	NS	NS	2.74	U	NS	13.7	U	13.7	U	13.7	U	13.7	U							
	28-Feb-11	NS	U	NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	NS	NS	U									
	27-Apr-11	NS	U	2.745	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	U	2.74	U							
	26-Jul-11	9.17	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	13.7	U	NS	U							
	28-Oct-11	NS	U	7.9	U	NS	NS	2.74	U	NS	7.9	U	7.9	U	7.9	U	7.9	U							
	23-Jan-12	1.6	U	NS	NS	NS	NS	1.6	U	NS	1.6	U	1.6	U	1.6	U	1.6	U							
	13-Apr-12	NS	U	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	U	1.6	U	1.6	U							
2-Jul-12 (resample)	NS	U	NS	NS	NS	NS	NS	0.32	U	NS	0.32	U	0.32	U	NS	U	0.32	U							
	23-Jun-12	1.6	U	NS	NS	NS	NS	1.6	U	NS	1.6	U	1.6	U	1.6	U	1.6	U							
	1-Nov-12	NS	U	0.32	U	NS	NS	0.32	U	NS	0.35	U	0.38	U	NS	U	0.32	U							
	1-Feb-13	0.32	U	NS	NS	NS	NS	0.32	U	NS	0.32	U	0.32	U	NS	U	0.32	U							
	29-Apr-13	NS	U	0.79	U	NS	NS	0.32	U	NS	0.32	U	0.32	U	NS	U	0.32	U							
	9-Jul-13	0.47	U	NS	NS	NS	NS	0.32	U	NS	0.32	U	0.32	U	NS	U	0.32	U							
	8-Feb-08	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	U	NS	U							
	27-Mar-08	NS	U	2.74	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	U	2.74	U							
	25-Apr-08	NS	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	U	2.74	U							
	29-May-08	NS	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	U	2.74	U							
	27-Jun-08	4.27	U	NS	NS	NS																			

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual												
Carbon tetrachloride	8-Feb-08	0.44	NS	NS	NS	0.46	NS	NS	NS	0.53	0.45	NS		
	27-Mar-08	NS	0.539	NS	NS	NS	0.477	NS	NS	NS	0.576	0.574		
	25-Apr-08	NS	0.417	NS	NS	NS	0.448	NS	NS	0.459	NS	0.448		
	29-May-08	NS	NS	NS	0.46	NS	NS	NS	0.46	0.47	0.46	NS		
	27-Jun-08	0.478	NS	NS	NS	0.506	NS	NS	NS	NS	0.533	0.553		
	31-Jul-08	NS	0.576	NS	NS	NS	NS	NS	NS	0.548	NS	0.495		
	28-Aug-08	NS	NS	0.515	NS	NS	NS	NS	NS	0.567	0.563	NS		
	30-Sep-08	NS	NS	NS	0.511	NS	NS	NS	0.577	NS	0.451	0.469		
	27-Oct-08	0.48	NS	NS	NS	0.36	NS	NS	NS	0.41	NS	0.56		
	25-Nov-08	NS	0.5	NS	NS	NS	0.42	NS	NS	0.3	0.44	NS		
	18-Dec-08	NS	NS	0.23	NS	NS	NS	0.28	NS	NS	0.48	0.46		
	21-Jan-09	NS	NS	0.36	NS	NS	NS	NS	0.47	0.27	NS	0.67		
	25-Feb-09	0.39	NS	NS	NS	0.36	NS	NS	NS	0.37	0.36	NS		
	26-Mar-09	NS	0.629	U	NS	NS	1.26	U	NS	NS	0.601	0.565		
	29-Apr-09	NS	NS	0.484	NS	NS	NS	0.528	NS	0.522	NS	0.654		
	22-Jul-09	0.629	U	NS	25.6	U	1.26	U	NS	0.515	0.503	NS		
	9-Oct-09	NS	0.691	NS	NS	0.666	NS	0.465	26.2	U	0.71	0.691		
	15-Jan-10	0.427	NS	0.647	0.509	NS	0.541	NS	NS	0.541	0.528	NS		
	21-Apr-10	NS	0.126	NS	NS	0.629	U	0.629	U	0.629	U	0.503		
	16-Jul-10	0.459	NS	0.478	0.515	NS	0.95	U	NS	0.559	0.509	NS		
	15-Oct-10	NS	0.509	NS	NS	0.434	NS	0.383	0.402	0.421	NS	0.44		
	26-Jan-11	1.26	U	0.415	NS	0.415	NS	0.629	U	0.629	U	0.629	NS	
	28-Feb-11	NS	NS	1.26	U	NS								
	27-Apr-11	NS	0.339	NS	NS	0.339	NS	0.33	0.364	0.339	NS	0.327		
	26-Jul-11	0.44	NS	0.42	U	0.409	NS	0.629	U	NS	0.402	0.629	U	
	28-Oct-11	NS	3.1	U	NS	NS	3.1	U	3.1	U	3.1	U	3.1	U
	23-Jan-12	0.63	U	NS	0.63	U	0.63	U	NS	NS	0.63	U	NS	
	13-Apr-12	NS	0.31	U	NS	NS	0.31	U	NS	0.31	U	NS	0.31	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	NS		
	23-Jun-12	0.63	U	NS	0.63	U	0.63	U	NS	NS	0.63	U	NS	
	1-Nov-12	NS	0.48	NS	NS	0.46	NS	0.46	0.45	0.47	NS	0.43		
	1-Feb-13	0.44	NS	0.43	0.39	NS	0.42	NS	NS	0.49	0.5	NS		
	29-Apr-13	NS	0.42	NS	NS	0.44	NS	0.42	0.48	0.48	NS	0.46		
	9-Jul-13	0.52	NS	0.52	0.46	NS	0.48	NS	NS	0.45	0.47	NS		
	8-Feb-08	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09	NS	
	27-Mar-08	NS	0.052	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U
	25-Apr-08	NS	NS	0.092	U	NS	NS	NS	0.092	U	NS	0.092	NS	
	29-May-08	NS	NS	0.09	U	NS	NS	NS	0.09	U	0.09	U	0.092	U
Chlorobenzene	27-Jun-08	0.207	NS	NS	0.092	U	NS	0.092	U	NS	NS	0.092	NS	
	31-Jul-08	NS	0.092	U	NS	NS	NS	NS	NS	0.092	U	0.092	U	
	28-Aug-08	NS	NS	0.092	U	NS	NS	NS	0.092	U	NS	0.092	NS	
	30-Sep-08	NS	NS	NS	2.3	U	NS	NS	NS	2.3	U	NS	2.3	U
	27-Oct-08	2.3	U	NS	NS	NS	2.3	U	NS	NS	2.3	U	2.3	U
	25-Nov-08	NS	2.3	U	NS	NS	2.3	U	NS	NS	2.3	U	NS	
	18-Dec-08	NS	NS	2.3	U	NS	NS	NS	2.3	U	NS	2.3	U	
	21-Jan-09	NS	NS	NS	2.3	U	NS	NS	NS	2.3	U	NS	2.3	U
	25-Feb-09	2.3	U	NS	NS	NS	2.3	U	NS	NS	2.3	U	NS	
	26-Mar-09	NS	0.46	U	NS	NS	0.92	U	NS	NS	0.092	U	0.092	U
	29-Apr-09	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	
	22-Jul-09	0.46	U	NS	18.8	U	0.92	U	NS	NS	0.092	U	0.092	U
	9-Oct-09	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	NS	0.092	U
	15-Jan-10	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.092	U	NS	
	21-Apr-10	NS	0.092	U	NS	NS	0.46	U	NS	0.46	U	0.092	U	
	16-Jul-10	0.092	U	NS	0.092	U	0.212	NS	0.695	U	NS	0.092	U	
	15-Oct-10	NS	0.092	U	NS	NS	0.129	NS	0.106	0.101	0.092	NS	0.101	
	26-Jan-11	0.92	U	0.092	U	NS	0.092	U	0.46	U	0.46	U	0.46	
	28-Feb-11	NS	NS	0.92	U	NS								
	27-Apr-11	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	NS	0.092	U
	26-Jul-11	0.307	U	NS	0.307	U	0.092	U	NS	0.46	U	0.092	U	
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U	2.3	U	
	23-Jan-12	0.46	U	NS	0.46	U	0.46	U	NS	0.46	U	0.46	U	
	13-Apr-12	NS	0.46	U	NS	NS	0.46	U	NS	0.46	U	NS	0.46	

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3					
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual				
Chloroethane	8-Feb-08	0.05	U	NS	NS	NS	NS	0.05	U	NS	NS	NS	NS	NS	NS	0.05	U	0.05	U	NS	NS	U	0.053	U	0.053		
	27-Mar-08	NS		0.053	U	NS	NS	NS		NS	0.053	U	NS	NS	NS	NS	0.053	U	NS	NS	U	0.053	U	0.053	U		
	25-Apr-08	NS		NS		0.053	U	NS		NS	0.11		NS	NS	NS	0.1		0.07		0.05	U	NS	NS	U	0.053		
	29-May-08	NS		NS		NS		NS		NS	0.132		NS	NS	NS	NS	NS	0.053	U	NS	NS	U	0.053	U	0.053		
	27-Jun-08	0.082	U	NS	NS	NS	NS	NS		NS	0.132		NS	NS	NS	NS	NS	0.053	U	NS	NS	U	0.053	U	0.053		
	31-Jul-08	NS		0.053	U	NS	NS	NS		NS	NS		NS	NS	NS	NS	0.053	U	NS	NS	U	0.053	U	0.053	U		
	28-Aug-08	NS		NS		0.053	U	NS		NS	1.3		U	NS	NS	NS	0.053	U	0.075		NS		U	0.053	U	0.053	
	30-Sep-08	NS		NS		NS		1.3		U	NS		NS	NS	NS	NS	1.3		U	1.3		U	1.3		U	1.3	
	27-Oct-08	1.3	U	NS		NS		NS		U	1.3		NS	NS	NS	NS	1.3		U	NS		U	1.6		NS		
	25-Nov-08	NS		1.3	U	NS		NS		U	NS		1.3		U	NS	NS	1.3		U	1.3		U	1.3		NS	
	18-Dec-08	NS		NS		1.3	U	NS		U	NS		NS	NS	NS	NS	1.3		U	1.3		U	1.3		U	1.3	
	21-Jan-09	NS		NS		NS		1.3		U	NS		NS	NS	NS	NS	1.3		U	1.3		U	1.3		U	1.3	
	25-Feb-09	1.3	U	NS		NS		NS		U	1.3		NS	NS	NS	NS	1.3		U	1.3		U	1.3		NS		
	26-Mar-09	NS		0.264	U	NS		NS		U	NS		0.527		U	NS	NS	0.1212		0.063		U	0.053		U	0.063	
	29-Apr-09	NS		NS		0.137	U	NS		U	NS		NS	0.063		NS	0.053	U	NS	0.053		U	0.053		U	0.053	
	22-Jul-09	0.264	U	NS		10.8	U	0.527		U	NS		0.277		U	NS	NS	0.053	U	0.061		U	0.053		NS		
	9-Oct-09	NS		0.053	U	NS		NS		U	0.058		NS	0.406		11	U	0.053	U	NS		U	0.053		U	0.053	
	15-Jan-10	0.053	U	NS		0.074		0.066		U	NS		0.053		NS	NS	0.053	U	0.053	U	0.053		NS		NS		
	21-Apr-10	NS		0.074		NS		NS		U	0.264		NS	0.303		0.303		0.053	U	NS		U	0.116		NS		
	16-Jul-10	0.1		NS		2.55		0.166		NS	NS		0.398		U	NS	NS	0.053	U	0.087		U	NS		NS		
	15-Oct-10	NS		0.053	U	NS		NS		U	0.082		NS	0.071		0.053	U	0.053	U	NS		U	0.053		U		
	26-Jan-11	0.527	U	0.053	U	NS		0.077		U	NS		0.264		U	NS	0.264	U	0.264	U	0.264		U	NS		NS	
	28-Feb-11	NS		NS		,527	U	NS		U	NS		NS		U	NS	NS	NS	U	NS		U	NS		NS		
	27-Apr-11	NS		0.053	U	NS		NS		U	0.079		NS	0.082		0.053	U	0.053	U	NS		U	0.053		U	0.053	
	26-Jul-11	0.176	U	NS		0.176	U	0.116		U	NS		0.264		U	NS	NS	0.053	U	0.264		U	NS		NS		
	28-Oct-11	NS		1.3	U	NS		NS		U	1.3		U	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3		U	1.3	
	23-Jan-12	0.26	U	NS		0.26	U	0.26		U	NS		0.26		U	NS	0.26	U	0.26	U	0.26	U	0.26		NS		
	13-Apr-12	NS		0.26	U	NS		NS		U	NS		0.26		U	NS	NS	NS	U	0.26		U	0.26		U	0.26	
2-Jul-12 (resample)	NS		NS		NS		0.26		U	0.26		U	0.26		U	NS	0.26	U	0.26		U	0.26		U	0.26		
	23-Jun-12	0.26	U	NS		0.26	U	0.26		U	NS		0.26		U	NS	NS	NS	U	0.26		U	0.26		NS		
1-Nov-12	NS		0.053	U	NS		NS		U	0.085		U	0.08		U	NS	0.08	U	0.053	U	0.053		U	0.087		NS	
	1-Feb-13	0.082		NS		0.053	U	0.11		U	NS		0.053		U	NS	0.11	U	0.053	U	0.053		U	0.11		U	
29-Apr-13	NS		0.4		NS		NS		U	0.11		U	0.11		U	NS	0.11	U	0.11	U	0.11		U	0.11		NS	
	9-Jul-13	0.11		NS		0.12		0.31		U	NS		0.091		U	NS	NS	NS	U	0.053	U	0.053		U	NS		NS
Chloroform	8-Feb-08	0.1	U	NS		NS		NS		U	NS		0.125		U	NS	NS	0.12		0.12		U	NS		NS		
	27-Mar-08	NS		0.098	U	NS		NS		U	NS		0.203		U	NS	0.453	U	0.453		U	0.847		NS			
	25-Apr-08	NS		NS		0.231		NS		U	NS		0.14		U	NS	0.134	U	NS		U	0.265		NS			
	29-May-08	NS		NS		NS		NS		U	NS		0.6														

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3					
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual				
Chloromethane	8-Feb-08	2.44	U	NS	NS	NS	2.44	U	NS	NS	2.44	U	2.44	U			
	27-Mar-08	NS		2.67	NS	NS	NS	3.24	NS	NS	NS	2.44	U	2.44	U		
	25-Apr-08	NS		NS	2.44	U	NS	2.44	U	NS	2.44	U	2.44	U	2.44	U	
	29-May-08	NS		NS	NS	2.44	U	NS	NS	NS	2.44	U	2.44	U	NS	U	
	27-Jun-08	3.8	U	NS	NS	NS	2.44	U	NS	NS	NS	2.44	U	2.44	U	2.44	U
	31-Jul-08	NS		4.64	NS	2.44	U	2.44	U	2.44	U						
	28-Aug-08	NS		NS	2.44	U	NS	NS	NS	NS	2.44	U	2.44	U	NS	U	
	30-Sep-08	NS		NS	1	U	NS	1	U	NS	1	U	1	U	1	U	
	27-Oct-08	1	U	NS	NS	NS	1	U	NS	NS	1.1	U	NS	3.5			
	25-Nov-08	NS		1	U	NS	NS	1	U	NS	1	U	1	U	NS	U	
	18-Dec-08	NS		NS	1	U	NS	NS	NS	NS	NS	1.4	U	1	U	U	
	21-Jan-09	NS		NS	1	U	NS	NS	NS	NS	3.1	U	1	U	1	U	
	25-Feb-09	1		NS	NS	NS	1	U	NS	NS	1	U	1.2		NS		
	26-Mar-09	NS		12.2	U	NS	NS	24.4	U	NS	NS	NS	4.58	U	2.44	U	
	29-Apr-09	NS		NS	22.4	U	NS	NS	19.4	NS	2.44	U	NS	2.44	U		
	22-Jul-09	18.5		NS	497	U	32	NS	41.9	NS	2.44	U	6.29		NS		
	9-Oct-09	NS		2.44	U	NS	NS	2.44	U	509	U	2.44	U	2.44	U		
	15-Jan-10	2.44	U	NS	2.78	2.44	U	NS	2.44	NS	NS	2.44	U	2.44	NS		
	21-Apr-10	NS		3.25	NS	NS	12.2	U	NS	12.2	U	12.2	U	2.44	U	2.44	U
	16-Jul-10	1.32		NS	62.8	1.48	NS	7.79	U	NS	NS	1.03	U	1.03	U	NS	
	15-Oct-10	NS		1.03	U	NS	NS	1.03	U	NS	1.03	U	1.03	U	1.03	U	
	26-Jan-11	10.3	U	1.03	U	NS	1.03	U	5.16	U	NS	5.16	U	5.16	U	NS	
	28-Feb-11	NS		NS	10.3	U	NS										
	27-Apr-11	NS		1.23	NS	NS	1.03	U	NS	1.03	U	1.18	U	1.03	U	1.29	
	26-Jul-11	3.45	U	NS	3.45	U	1.03	U	5.16	U	NS	NS	1.03	U	5.16	U	
	28-Oct-11	NS		1	U	NS	NS	1	U	NS	1	U	1	U	1.2		
	23-Jan-12	0.21		NS	0.21	U	0.21	U	NS	0.21	U	NS	1.2	U	0.21	NS	
	13-Apr-12	NS		0.21	U	NS	NS	0.21	U	NS	0.21	U	1.2	U	0.97		
	2-Jul-12 (resample)	NS		NS	1.1	U	NS										
	23-Jun-12	0.21	U	NS	0.21	U	0.21	U	NS	2.1	NS	NS	0.21	U	0.21	NS	
	1-Nov-12	NS		0.041	U	NS	NS	0.041	U	NS	0.041	U	0.37	U	NS	1.1	
	1-Feb-13	0.5		NS	1.8		2.1		NS	0.19	NS	0.71		0.72		NS	
	29-Apr-13	NS		0.21	U	NS	NS	0.083	U	NS	0.083	U	0.083	U	NS	1.2	
	9-Jul-13	0.12	U	NS	0.083	U	0.083	U	NS	0.083	U	NS	1.0	U	0.083	U	
Dibromochloromethane	8-Feb-08	0.1	U	NS	NS	NS	0.1	U	NS	NS	0.1	U	0.1	U	NS	U	
	27-Mar-08	NS		0.096	U	NS	NS	0.096	U	NS	0.096	U	0.096	U	0.096	U	
	25-Apr-08	NS		NS	0.096	U	NS	0.1	U	NS	0.1	U	0.1	U	0.096	U	
	29-May-08	NS		NS	NS	0.096	U	NS	NS	NS	0.096	U	0.096	U	0.096	U	
	27-Jun-08	0.15	U	NS	NS	NS	0.096	U	NS	NS	0.096	U	0.096	U	0.096	U	
	31-Jul-08	NS		0.096	U	NS	NS	0.096	U	NS	NS	0.096	U	0.096	U	0.096	U
	28-Aug-08	NS		NS	0.096	U	NS	NS	NS	NS	0.096	U	0.096	U	0.096	NS	
	30-Sep-08	NS		NS	NS	0.096	U	4.2	U	NS	4.2	U	NS	4.2	U	4.2	U
	27-Oct-08	4.2	U	NS	NS	NS	NS	4.2	U	NS	NS	4.2	U	4.2	U	4.2	U
	25-Nov-08	NS		4.2	U	NS	NS	NS	U	4.2	U	NS	4.2	U	4.2	U	NS
	18-Dec-08	NS		NS	4.2	U	NS	NS	NS	4.2	U	NS	4.2	U	4.2	U	NS
	21-Jan-09	NS		NS	NS	4.2	U	NS	NS	NS	4.2	U	NS	4.2	U	4.2	U
	25-Feb-09	4.2	U	NS	NS	NS	NS	NS	U	NS	NS	4.2	U	4.2	U	4.2	U
	26-Mar-09	NS		0.48	U	NS	NS	NS	U	0.96	U	NS	0.96	U	0.96	U	0.96
	29-Apr-09	NS		NS	0.096	U	NS	NS	U	0.96	U	NS	0.96	U	0.96	U	0.96
	22-Jul-09	0.48	U	NS	19.6	U	0.96	U	0.48	U	NS	0.96	U	0.96	U	0.96	U
	9-Oct-09	NS		0.096	U	NS	NS	0.096	U	0.096	U	20	U	0.096	U	0.096	U
	15-Jan-10	0.096	U	NS	0.096	U	0.096	U	0.096	U	NS	0.096	U	0.096	U	0.096	U
	21-Apr-10	NS		0.096	U	NS	NS	0.48	U	NS	0.48	U	0.096	U	0.096	U	0.096
	16-Jul-10	0.17	U	NS	0.17	U	0.17	U	1.28	U	NS	0.17	U	0.17	U	0.17	U
	15-Oct-10	NS		0.17	U	NS	NS	0.17	U	NS	0.17	U	0.17	U	0.17	U	0.17
	26-Jan-11	1.7	U	0.17	U												

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
1,2-Dibromoethane	8-Feb-08	0.15	U	NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	NS	NS	0.154	U		
	27-Mar-08	NS		0.154	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS		0.154	U	0.154	U	0.154	U		
	25-Apr-08	NS		0.154	U	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.154	U	0.15	U	0.15	U	0.154	U		
	29-May-08	NS		NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.154	U	0.15	U	0.15	U	NS	NS		
	27-Jun-08	0.239	U	NS	NS	NS	NS	0.154	U	NS	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	
	31-Jul-08	NS		0.154	U	NS	NS	0.154	U	NS	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	
	28-Aug-08	NS		NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	
	30-Sep-08	NS		NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	
	27-Oct-08	0.15	U	NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	
	25-Nov-08	NS		0.15	U	NS	NS	NS	U	NS	NS	0.15	U	NS	NS	NS	0.154	U	0.15	U	0.15	U	0.15	U	
	18-Dec-08	NS		NS	NS	0.15	U	NS	NS	NS	NS	NS	0.15	U	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	
	21-Jan-09	NS		NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	
	25-Feb-09	0.15	U	NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	
	26-Mar-09	NS		0.768	U	NS	NS	NS		NS	NS	1.54	U	NS	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	
	29-Apr-09	NS		NS	NS	0.154	U	NS	NS	NS	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	
	22-Jul-09	0.768	U	NS	NS	31.3	U	1.54	U	NS	NS	0.768	U	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U
	9-Oct-09	NS		0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	32	U	0.154	U	0.154	U	0.154	U
	15-Jan-10	0.154	U	NS	NS	0.154	U	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U
	21-Apr-10	NS		0.154	U	NS	NS	0.154	U	NS	NS	0.768	U	NS	NS	0.768	U	0.768	U	0.154	U	0.154	U	0.154	U
	16-Jul-10	0.154	U	NS	NS	0.154	U	0.154	U	NS	NS	1.16	U	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U
	15-Oct-10	NS		0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U
	26-Jan-11	1.54	U	0.154	U	NS	NS	0.154	U	NS	NS	0.768	U	NS	NS	0.768	U	0.768	U	0.768	U	0.768	U	0.768	U
	28-Feb-11	NS		NS	NS	1.54	U	NS	NS	NS	NS	NS	0.154	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U
	26-Jul-11	0.512	U	NS	NS	0.512	U	0.154	U	NS	NS	0.768	U	NS	NS	0.768	U	0.768	U	0.154	U	0.154	U	0.154	U
	28-Oct-11	NS		3.8	U	NS	NS	NS		NS	NS	3.8	U	NS	NS	3.8	U	3.8	U	3.8	U	3.8	U	3.8	U
	23-Jan-12	0.77	U	NS	NS	0.77	U	0.77	U	NS	NS	0.77	U	NS	NS	0.77	U	0.77	U	0.77	U	0.77	U	0.77	U
	13-Apr-12	NS		0.38	U	NS	NS	NS		NS	NS	0.38	U	NS	NS	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.77	U	NS	NS	0.77	U	0.77	U	NS	NS	0.77	U	NS	NS	0.77	U	0.77	U	0.77	U	0.77	U	0.77	U
	1-Nov-12	NS		0.077	U	NS	NS	NS		NS	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U
	1-Feb-13	0.077	U	NS	NS	0.077	U	0.077	U	NS	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U
	29-Apr-13	NS		0.19	U	NS	NS	NS		NS	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U
	9-Jul-13	0.12	U	NS	NS	0.077	U	0.077	U	NS	NS	0.077	U	NS	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U
1,2-Dichlorobenzene	8-Feb-08	0.12	U	NS	NS	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.55	U	NS	NS	0.12	U
	27-Mar-08	NS		0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12</	

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3			
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
1,3-Dichlorobenzene	8-Feb-08	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U		
	27-Mar-08	NS	0.12	U	NS	0.6	NS	0.12	U	NS	0.12	U	0.12	U	
	25-Apr-08	NS	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12	U	
	29-May-08	NS	NS	NS	1.18	NS	NS	NS	U	3.47	0.62	U	NS	U	
	27-Jun-08	0.187	U	NS	NS	NS	0.257	NS	NS	NS	0.12	U	0.12	U	
	31-Jul-08	NS	0.822	NS	NS	NS	NS	NS	U	0.136	NS	NS	0.12	U	
	28-Aug-08	NS	NS	0.12	U	NS	NS	NS	U	0.12	U	0.12	U	U	
	30-Sep-08	NS	NS	NS	3	U	NS	NS	U	3	U	3	U	U	
	27-Oct-08	3	U	NS	NS	NS	3	U	NS	3	U	3	U	U	
	25-Nov-08	NS	3	U	NS	NS	NS	3	U	NS	3	U	3	U	
	18-Dec-08	NS	NS	3	U	NS	NS	NS	U	3	U	3	U	U	
	21-Jan-09	NS	NS	NS	3	U	NS	NS	U	3	U	3	U	U	
	25-Feb-09	3	U	NS	NS	NS	3	U	NS	3	U	3	U	NS	
	26-Mar-09	NS	0.601	U	NS	NS	NS	1.2	U	NS	NS	0.12	U	0.12	U
	29-Apr-09	NS	NS	0.12	U	NS	NS	NS	U	0.12	U	0.12	U	0.12	U
	22-Jul-09	0.601	U	NS	24.5	U	1.2	U	NS	0.601	U	0.12	U	0.36	NS
	9-Oct-09	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	25.1	U	0.12	U
	15-Jan-10	0.12	NS	0.12	U	NS	0.12	U	NS	NS	0.12	U	0.12	U	NS
	21-Apr-10	NS	0.12	U	NS	NS	0.601	U	NS	0.601	U	0.12	U	0.12	U
	16-Jul-10	0.595	NS	NS	0.685	NS	1.99	NS	NS	0.907	U	NS	0.132	NS	NS
	15-Oct-10	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	26-Jan-11	1.2	U	0.12	U	NS	0.12	U	NS	0.601	U	0.601	U	0.601	U
	28-Feb-11	NS	NS	1.2	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.12	U	NS	NS	0.42	NS	NS	0.156	U	0.12	U	0.12	U
	26-Jul-11	0.401	U	NS	0.401	U	0.12	U	NS	0.601	U	0.12	U	0.601	U
	28-Oct-11	3	U	NS	NS	NS	3	U	NS	3	U	3	U	3	U
	23-Jan-12	1.6	NS	1.8	NS	2.3	NS	1.6	NS	NS	NS	1.9	NS	2.7	NS
	13-Apr-12	NS	0.6	U	NS	NS	0.6	U	NS	0.6	U	0.6	U	0.6	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.6	U	NS	0.6	U	0.6	U	NS	0.6	U	0.6	U	0.6	U
	1-Nov-12	NS	1.2	NS	NS	2.6	NS	6	NS	2.2	NS	0.18	NS	0.12	U
	1-Feb-13	0.18	NS	NS	0.34	NS	0.56	NS	0.44	NS	NS	0.17	U	0.12	U
	29-Apr-13	NS	1.3	NS	NS	4.5	NS	6.5	NS	6	U	0.12	NS	0.14	U
	9-Jul-13	1.3	NS	NS	2.0	NS	3.9	NS	3.8	NS	NS	0.12	U	0.12	NS

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual											
Dichlorodifluoromethane	8-Feb-08	2	NS	NS	NS	2.03	NS	NS	1.92	2	NS	4.14	
	27-Mar-08	NS	2.29	NS	NS	2.15	NS	NS	NS	2.72	NS	2.16	
	25-Apr-08	NS	NS	2.01	NS	NS	2.11	NS	2.04	NS	1.66	NS	
	29-May-08	NS	NS	NS	1.63	NS	NS	1.62	1.68	1.66	NS	2.48	
	27-Jun-08	2.03	NS	NS	NS	2.52	NS	NS	NS	NS	2.27	NS	
	31-Jul-08	NS	1.9	NS	NS	NS	NS	NS	1.81	NS	1.87	NS	
	28-Aug-08	NS	NS	3.13	NS	NS	NS	NS	2.75	2.88	NS	NS	
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	NS	2.5	U	2.7
	27-Oct-08	2.5	U	NS	NS	2.5	U	NS	2.5	U	NS	2.5	U
	25-Nov-08	NS	215	NS	NS	NS	11.7	NS	NS	U	NS	5.1	NS
	18-Dec-08	NS	NS	25	NS	NS	NS	2.5	NS	NS	2.5	U	2.5
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	5.8	2.5	NS	2.5	U
	25-Feb-09	2.5	U	NS	NS	19.4	NS	NS	NS	2.5	U	3.4	NS
	26-Mar-09	NS	2.55	NS	NS	NS	2.48	NS	NS	NS	2.46	2.41	
	29-Apr-09	NS	NS	2.41	NS	NS	NS	3.78	NS	2.26	NS	2.4	
	22-Jul-09	2.42	NS	2.42	2.72	NS	2.5	NS	NS	2.37	2.48	NS	
	9-Oct-09	NS	2.73	NS	NS	2.77	NS	3.67	51.6	2.64	NS	2.79	
	15-Jan-10	2.5	NS	3.57	2.52	NS	2.61	NS	NS	2.29	2.25	NS	
	21-Apr-10	NS	0.568	NS	NS	2.2	NS	2.59	2.2	2.64	NS	2.43	
	16-Jul-10	3.36	NS	2.61	2.55	NS	2.98	NS	NS	3.15	3.29	NS	
	15-Oct-10	NS	3.13	NS	NS	2.67	NS	2.43	2.41	2.46	NS	2.43	
	26-Jan-11	2.47	U	2.2	NS	2.64	NS	1.98	NS	2.57	3.31	3.24	NS
	28-Feb-11	NS	NS	2.47	U	NS							
	27-Apr-11	NS	2.18	NS	NS	2.27	NS	2.26	2.5	2.32	NS	2.31	
	26-Jul-11	2.41	NS	2.29	2.28	NS	2.08	NS	NS	2.44	2.3	NS	
	28-Oct-11	NS	2.7	NS	NS	2.7	NS	2.7	2.7	2.9	NS	3.1	
	23-Jan-12	2.5	NS	2.6	2.6	NS	2.7	NS	NS	2.6	2.6	NS	
	13-Apr-12	NS	2.5	NS	NS	2.9	NS	2.4	3.2	2.5	NS	2.8	
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.8	NS	
	23-Jun-12	2.6	NS	2.3	2.5	NS	2.3	NS	NS	2.3	2.3	NS	
	1-Nov-12	NS	1.8	NS	NS	1.8	NS	2	1.9	2	NS	1.9	
	1-Feb-13	1.4	NS	1.4	1.5	NS	1.6	NS	NS	1.6	1.6	NS	
	29-Apr-13	NS	2.6	NS	NS	2.3	NS	2.2	2.2	2.3	NS	2.3	
	9-Jul-13	1	NS	1.1	0.99	NS	1.1	NS	NS	1.0	1.1	NS	
1,1-Dichloroethane	8-Feb-08	0.08	U	NS	NS	0.08	U	NS	0.08	U	0.08	U	NS
	27-Mar-08	NS	0.081	U	NS	NS	U	NS	0.081	U	0.081	U	0.081
	25-Apr-08	NS	NS	0.081	U	NS	NS	NS	0.081	U	0.081	U	0.081
	29-May-08	NS	NS	0.08	U	NS	NS	NS	0.08	U	0.08	U	0.081
	27-Jun-08	0.126	U	NS	NS	0.081	U	NS	0.08	U	0.081	U	0.081
	31-Jul-08	NS	0.081	U	NS	NS	NS	NS	0.081	U	0.081	U	0.081
	28-Aug-08	NS	NS	0.081	U	NS	NS	NS	0.081	U	0.081	U	0.081
	27-Oct-08	NS	NS	NS	2	U	NS	NS	2	U	NS	2	U
	27-Oct-08	2	U	NS	NS	2	U	NS	NS	2	U	2	U
	25-Nov-08	NS	2	U	NS	NS	2	U	NS	2	U	2	U
	18-Dec-08	NS	2	U	NS	NS	2	U	NS	2	U	2	U
	21-Jan-09	NS	NS	NS	2	U	NS	NS	2	U	NS	2	U
	25-Feb-09	2	U	NS	NS	2	U	NS	NS	2	U	2	U
	26-Mar-09	NS	0.404	U	NS	NS	0.809	U	NS	NS	0.081	U	0.081
	29-Apr-09	NS	NS	0.19	U	NS	NS	0.081	U	NS	0.121	U	0.081
	22-Jul-09	0.404	U	NS	16.5	U	0.801	U	NS	0.081	U	0.081	U
	9-Oct-09	NS	0.081	U	NS	NS	0.081	U	0.081	U	16.9	U	0.081
	15-Jan-10	0.137	U	NS	0.081	U	0.801	U	NS	0.081	U	0.081	U
	21-Apr-10	NS	0.081	U	NS	NS	0.404	U	NS	0.081	U	0.081	U
	16-Jul-10	0.081	U	NS	2.48	U	0.081	U	NS	0.081	U	0.081	U
	15-Oct-10	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081	U
	26-Jan-11	0.809	U	0.081	U	NS	0.081	U	NS	0.404	U	0.404	U
	28-Feb-11	NS	NS	0.809	U	NS	NS	7.37	U	NS	NS	NS	NS
	27-Apr-11	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081	U
	26-Jul-11	0.27	U	NS	0.27	U	0.081	U	NS	0.405	U	0.405	U
	28-Oct-11	NS	2	U	NS	NS	2	U	NS	2	U	2	U
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.2	U	0.4	U
	13-Apr-12	NS	0.2	U	NS	NS	0.2	U	NS	0.2	U		

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual												
1,2-Dichloroethane	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	0.09	0.08	U	NS
	27-Mar-08	NS	0.081	U	NS	NS	NS	0.143	NS	NS	NS	0.081	U	0.1
	25-Apr-08	NS	0.081	U	NS	NS	0.09	U	NS	0.081	U	NS	0.089	U
	29-May-08	NS	NS	NS	NS	NS	0.153	U	NS	0.11	0.08	U	0.08	U
	27-Jun-08	0.126	U	NS	NS	NS	NS	U	NS	NS	NS	0.11	0.11	0.081
	31-Jul-08	NS	0.081	U	NS	NS	NS	U	NS	NS	NS	0.081	U	0.081
	28-Aug-08	NS	NS	0.171	U	NS	NS	U	NS	NS	NS	0.081	U	NS
	27-Oct-08	NS	NS	NS	0.08	U	NS	U	NS	0.08	U	0.08	U	0.08
	27-Oct-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	NS	0.08	U	0.095
	25-Nov-08	NS	0.08	U	NS	NS	NS	U	NS	NS	NS	0.08	U	NS
	18-Dec-08	NS	NS	0.08	U	NS	NS	U	NS	0.08	U	NS	0.08	U
	21-Jan-09	NS	NS	NS	0.08	U	NS	U	NS	0.08	U	0.08	U	0.08
	25-Feb-09	0.08	U	NS	NS	NS	0.08	U	NS	NS	NS	0.08	U	NS
	26-Mar-09	NS	0.404	U	NS	NS	NS	U	0.809	U	NS	NS	0.098	U
	29-Apr-09	NS	NS	0.319	U	NS	NS	U	NS	0.081	U	0.081	U	0.089
	22-Jul-09	0.404	U	NS	16.5	U	0.809	U	0.404	U	NS	0.081	U	NS
	9-Oct-09	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	16.9	U	0.081
	15-Jan-10	0.081	U	NS	0.081	U	0.081	U	NS	NS	NS	0.081	U	NS
	21-Apr-10	NS	0.081	U	NS	NS	0.404	U	NS	0.404	U	0.404	U	0.081
	16-Jul-10	0.101	NS	1.44	U	0.081	U	NS	0.611	U	NS	0.081	U	NS
	15-Oct-10	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081	U	0.081
	26-Jan-11	0.809	U	0.081	U	NS	0.081	U	0.404	U	NS	0.404	U	NS
	28-Feb-11	NS	NS	0.809	U	NS	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081	U	0.081
	26-Jul-11	0.27	U	NS	0.27	U	0.101	U	0.405	U	NS	0.081	U	0.405
	28-Oct-11	NS	2	U	NS	NS	2	U	NS	2	U	2	U	2
	23-Jan-12	0.2	U	NS	0.2	U	0.2	U	NS	0.2	U	0.2	U	0.97
	13-Apr-12	NS	0.2	U	NS	NS	0.2	U	NS	0.2	U	NS	0.2	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	1	U	NS
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	NS	NS	0.4	U	NS
	1-Nov-12	NS	0.04	U	NS	NS	0.04	U	NS	0.04	U	0.04	U	0.057
	1-Feb-13	0.053	NS	NS	0.062	U	0.062	NS	0.05	NS	NS	0.066	U	0.049
	29-Apr-13	NS	0.19	NS	NS	NS	0.06	U	NS	0.04	U	0.079	U	0.094
	9-Jul-13	0.12	U	NS	0.081	U	0.081	NS	0.081	U	NS	0.092	U	NS
	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	NS	0.08	U	NS
	27-Mar-08	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079	U	0.079
	25-Apr-08	NS	NS	0.079	U	NS	NS	U	NS	0.08	U	0.079	U	0.079
	29-May-08	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	0.08	U	NS
1,1-Dichloroethene	27-Jun-08	0.123	U	NS	NS	NS	0.079	U	NS	NS	NS	0.079	U	0.079
	31-Jul-08	NS	0.079	U	NS	NS	0.079	U	NS	NS	NS	0.079	U	0.079
	28-Aug-08	NS	NS	0.079	U	NS	NS	U	NS	NS	NS	0.079	U	NS
	30-Sep-08	NS	NS	NS	2	U	NS	NS	NS	NS	2	U	2	U
	27-Oct-08	2	U	NS	NS	NS	NS	U	NS	NS	NS	2	U	2
	25-Nov-08	NS	2	U	NS	NS	NS	U	NS	NS	NS	2	U	NS
	18-Dec-08	NS	2	U	NS	NS	NS	U	NS	NS	NS	2	U	2
	21-Jan-09	NS	NS	NS	2	U	NS	NS	NS	NS	2	U	NS	2
	25-Feb-09	2	U	NS	NS	NS	NS	U	NS	NS	2	U	2	U
	26-Mar-09	NS	0.396	U	NS	NS	NS	U	0.792	U	NS	NS	0.079	U
	29-Apr-09	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	0.079	U
	22-Jul-09	0.396	U	NS	16.2	U	0.792	U	NS	0.396	U	0.079	U	NS
	9-Oct-09	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	16.5	U	0.079
	15-Jan-10	0.137	U	NS	0.079	U	0.079	U	NS	0.079	U	0.079	U	0.079
	21-Apr-10	NS	0.079	U	NS	NS	0.396	U	NS	0.396	U	0.079	U	NS
	16-Jul-10	0.079	U	NS	0.206	U	0.079	U	0.598	U	NS	0.079	U	0.079
	15-Oct-10	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079	U	0.079
	26-Jan-11	0.792	U	0.079	U	NS	0.079	U	0.396	U	NS	3.96	U	0.396
	28-Feb-11	NS	NS	0.792	U	NS	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079	U	0.079
	26-Jul-11	0.264	U	NS	0.264	U	0.079	U	NS	0.396	U	NS	0.396	U
	28-Oct-11	NS	2	U	NS	NS	2	U	NS	2	U	2	U	2
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	0.4	U	0.4
	13-Apr-12	NS												

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
cis-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	U	NS	U	NS	U	0.08	U	NS	U	NS	U	NS	U	0.08	U	0.08	U	NS	U
	27-Mar-08	NS	0.079	U	NS	0.079	U	NS	U	NS	0.079	U	NS	U	NS	U	NS	0.079	U	0.079	U	0.079	U
	25-Apr-08	NS	NS	U	NS	NS	U	NS	U	0.08	U	NS	U	0.079	U	NS	U	0.08	U	0.08	U	NS	U
	29-May-08	NS	NS	U	NS	NS	U	NS	U	NS	U	NS	U	NS	U	0.08	U	0.08	U	0.08	U	NS	U
	27-Jun-08	0.123	U	NS	U	NS	U	NS	U	0.079	U	NS	U	NS	U	NS	U	NS	U	0.079	U	0.079	U
	31-Jul-08	NS	0.079	U	NS	0.079	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.079	U	0.079	U	0.079	U
	28-Aug-08	NS	NS	U	NS	NS	U	NS	U	5.9	U	NS	U	NS	U	NS	U	0.079	U	0.079	U	NS	U
	30-Sep-08	NS	NS	U	NS	NS	U	NS	U	2	U	NS	U	2	U	NS	U	5.9	U	5.9	U	5.9	U
	27-Oct-08	2	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	2	U	NS	U	2	U
	25-Nov-08	NS	2	U	NS	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	2	U	NS	U	2	U
	18-Dec-08	NS	NS	U	NS	2	U	NS	U	NS	U	NS	U	2	U	NS	U	NS	U	2	U	2	U
	21-Jan-09	NS	NS	U	NS	NS	U	NS	U	2	U	NS	U	NS	U	2	U	2	U	NS	U	2	U
	25-Feb-09	2	U	NS	NS	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	2	U	NS	U	NS	U
	26-Mar-09	NS	0.396	U	NS	NS	U	NS	U	NS	U	0.792	U	NS	U	NS	U	NS	U	0.079	U	0.079	U
	29-Apr-09	NS	NS	U	NS	0.079	U	NS	U	NS	U	NS	U	0.079	U	NS	U	0.079	U	NS	U	0.079	U
	22-Jul-09	0.396	U	NS	NS	0.792	U	NS	U	NS	U	0.396	U	NS	U	NS	U	0.079	U	0.079	U	0.079	U
	9-Oct-09	NS	0.079	U	NS	0.079	U	NS	U	NS	U	0.079	U	NS	U	0.079	U	16.5	U	0.079	U	0.079	U
	15-Jan-10	0.079	U	NS	0.079	U	NS	U	NS	U	0.396	U	NS	U	0.396	U	0.079	U	0.079	U	0.079	U	
	21-Apr-10	NS	NS	U	NS	NS	U	NS	U	NS	U	0.598	U	NS	U	NS	U	0.079	U	0.079	U	0.079	U
	16-Jul-10	0.079	U	NS	NS	0.079	U	NS	U	NS	U	0.079	U	NS	U	0.079	U	NS	U	0.079	U	0.079	U
	15-Oct-10	NS	NS	U	NS	NS	U	NS	U	NS	U	0.396	U	NS	U	0.396	U	0.079	U	0.079	U	0.079	U
	26-Jan-11	0.792	U	0.079	U	NS	U	0.792	U	NS	U	NS	U	NS	U	NS	U	0.396	U	0.396	U	NS	U
	28-Feb-11	NS	NS	U	NS	0.792	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
	27-Apr-11	NS	NS	U	NS	NS	U	NS	U	NS	U	0.079	U	NS	U	0.079	U	NS	U	0.079	U	0.079	U
	26-Jul-11	0.264	U	NS	NS	0.264	U	NS	U	0.079	U	NS	U	0.396	U	NS	U	NS	U	0.396	U	NS	U
	28-Oct-11	NS	2	U	NS	NS	U	NS	U	NS	U	2	U	NS	U	2	U	2	U	NS	U	2	U
	23-Jan-12	0.4	U	NS	0.2	U	NS	0.4	U	NS	U	0.2	U	NS	U	0.2	U	0.2	U	NS	U	0.2	U
	13-Apr-12	NS	NS	U	NS	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
	2-Jul-12 (resample)	NS	NS	U	NS	0.4	U	NS	U	NS	U	0.04	U	NS	U	0.04	U	NS	U	0.04	U	NS	U
	23-Jun-12	0.4	U	NS	0.04	U	NS	0.04	U	NS	U	0.04	U	NS	U	0.04	U	NS	U	0.04	U	NS	U
	1-Nov-12	NS	NS	U	NS	0.04	U	NS	U	NS	U	0.04	U	NS	U	0.04	U	NS	U	0.04	U	NS	U
	1-Feb-13	0.04	U	NS	NS	0.04	U	NS	U	0.04	U	NS	U	0.04	U	NS	U	0.04	U	0.04	U	NS	U
	29-Apr-13	NS	NS	U	0.099	U	NS	NS	U	NS	U	0.04	U	NS	U	0.04	U	NS	U	0.04	U	NS	U
	9-Jul-13	0.059	U	NS	NS	0.040	U	NS	U	0.040	U	NS	U	0.054	U	NS	U	0.040	U	0.040	U	NS	U
trans-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	U	NS	U	NS	U	0.08	U	NS	U	NS	U	NS	U	0.08	U	0.08	U	NS	U
	27-Mar-08	NS	0.079	U	NS	0.079	U	NS	U	NS	U	0.079	U	NS	U	0.079	U	NS	U	0.079	U	0.079	U
	25-Apr-08	NS	NS	U	NS	0.079	U	NS	U	NS	U	0.08	U	NS	U	0.08	U	NS	U	0.08	U	NS	U
	29-May-08	NS	NS	U	NS	NS	U	NS	U	0.08	U	NS	U	NS	U	0.08	U	NS	U	0.08	U	NS	U
	27-Jun-08	0.123	U	NS	U	NS	U	NS	U	0.079	U	NS	U	NS	U	0.08	U	NS	U	0.08	U	NS	U
	31-Jul-08	NS	0.079	U	NS	0.079	U	NS	U	NS													

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual								
1,2-Dichloropropane	8-Feb-08	0.09	U	NS	NS	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	U		
	27-Mar-08	NS	0.092	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	25-Apr-08	NS	NS	0.092	U	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.092	U	0.09	U	0.09	U	NS	U		
	29-May-08	NS	NS	NS	U	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	U		
	27-Jun-08	0.144	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	31-Jul-08	NS	0.092	U	NS	0.092	U	NS	NS	U	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	28-Aug-08	NS	NS	NS	U	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	NS	U	
	30-Sep-08	NS	NS	NS	U	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	27-Oct-08	0.09	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	25-Nov-08	NS	0.09	U	NS	NS	NS	NS	U	NS	0.09	U	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	18-Dec-08	NS	NS	NS	U	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	21-Jan-09	NS	NS	NS	U	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	25-Feb-09	0.09	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	U	
	26-Mar-09	NS	0.462	U	NS	NS	NS	NS	U	NS	0.924	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-09	NS	NS	0.092	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	22-Jul-09	0.462	U	NS	18.8	U	0.924	U	NS	U	NS	0.462	U	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Oct-09	NS	0.092	U	NS	NS	NS	NS	U	NS	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	15-Jan-10	0.092	U	NS	0.092	U	0.092	U	NS	U	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	21-Apr-10	NS	0.092	U	NS	NS	NS	NS	U	NS	0.462	U	NS	NS	NS	NS	0.462	U	0.462	U	0.462	U	0.462	U	
	16-Jul-10	0.092	U	NS	0.092	U	0.092	U	NS	U	0.698	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	15-Oct-10	NS	0.092	U	NS	NS	NS	NS	U	NS	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	26-Jan-11	0.924	U	0.092	U	NS	NS	0.092	U	NS	0.462	U	NS	NS	NS	NS	0.462	U	0.462	U	0.462	U	0.462	U	
	28-Feb-11	NS	NS	0.924	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U
	27-Apr-11	NS	0.092	U	NS	NS	NS	NS	U	NS	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	26-Jul-11	0.308	U	NS	0.308	U	0.092	U	NS	U	0.462	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	28-Oct-11	NS	2.3	U	NS	NS	NS	NS	U	NS	2.3	U	NS	NS	NS	NS	2.3	U	2.3	U	2.3	U	2.3	U	
	23-Jan-12	0.23	U	NS	0.23	U	0.23	U	NS	U	0.23	U	NS	NS	NS	NS	0.23	U	0.23	U	0.23	U	0.23	U	
	13-Apr-12	NS	0.46	U	NS	NS	NS	NS	U	NS	0.46	U	NS	NS	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.2	U		
	23-Jun-12	0.46	U	NS	0.46	U	0.46	U	NS	U	0.46	U	NS	NS	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	1-Nov-12	NS	0.046	U	NS	NS	NS	NS	U	NS	0.046	U	NS	NS	NS	NS	0.046	U	0.046	U	0.046	U	0.046	U	
	1-Feb-13	0.092	U	NS	0.092	U	0.092	U	NS	U	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-13	NS	0.12	U	NS	NS	NS	NS	U	NS	0.046	U	NS	NS	NS	NS	0.046	U	0.046	U	0.046	U	0.046	U	
	9-Jul-13	0.14	U	NS	NS	0.092	U	0.092	U	NS	NS	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U
cis-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	NS	NS	0.09	U	NS	0.091	U	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	U	
	27-Mar-08	NS	0.091	U	NS	NS	NS	NS	U	NS	NS	0.091	U	NS	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	25-Apr-08	NS	NS	0.091	U	NS	NS	0.09	U	NS	NS	0													

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual												
trans-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	0.09	U
	27-Mar-08	NS	0.091	U	NS	NS	NS	U	NS	NS	0.091	U	0.091	U
	25-Apr-08	NS	NS	0.091	U	NS	0.09	U	NS	0.091	U	NS	0.091	U
	29-May-08	NS	NS	NS	U	NS	0.09	U	NS	0.09	U	0.09	U	NS
	27-Jun-08	0.141	U	NS	NS	NS	0.091	U	NS	NS	0.091	U	0.091	U
	31-Jul-08	NS	0.091	U	NS	NS	NS	U	NS	NS	0.091	U	0.091	U
	28-Aug-08	NS	NS	0.091	U	NS	0.18	U	NS	0.091	U	0.091	U	NS
	30-Sep-08	NS	NS	NS	U	NS	0.18	U	NS	0.18	U	0.18	U	0.18
	27-Oct-08	0.18	U	NS	NS	NS	0.18	U	NS	0.18	U	0.18	U	0.18
	25-Nov-08	NS	0.18	U	NS	NS	NS	U	NS	0.18	U	0.18	U	NS
	18-Dec-08	NS	NS	0.18	U	NS	NS	U	NS	0.18	U	0.18	U	0.18
	21-Jan-09	NS	NS	NS	U	NS	0.18	U	NS	0.18	U	0.18	U	0.18
	25-Feb-09	0.18	U	NS	NS	NS	0.18	U	NS	NS	0.18	U	0.18	U
	26-Mar-09	NS	0.453	U	NS	NS	NS	U	0.907	U	NS	NS	0.091	U
	29-Apr-09	NS	NS	0.091	U	NS	NS	U	NS	0.091	U	0.091	U	0.091
	22-Jul-09	0.453	U	NS	0.453	U	0.907	U	NS	0.453	U	NS	0.091	U
	9-Oct-09	NS	0.079	U	NS	NS	0.091	U	NS	0.091	U	18.9	U	0.091
	15-Jan-10	0.091	NS	0.091	U	0.091	NS	U	0.091	NS	0.091	U	0.091	U
	21-Apr-10	NS	0.091	U	NS	NS	0.453	U	NS	0.453	U	0.453	U	0.091
	16-Jul-10	0.091	U	NS	0.091	U	0.091	U	NS	0.685	U	NS	0.091	U
	15-Oct-10	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	0.091	U	0.091
	26-Jan-11	0.907	U	0.091	U	NS	0.091	U	NS	0.453	U	0.453	U	0.453
	28-Feb-11	NS	NS	0.907	U	NS	NS	U	NS	NS	U	NS	NS	NS
	27-Apr-11	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	0.091	U	0.091
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	NS	0.454	U	NS	0.091	U
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U	2.3	U	2.3
	23-Jan-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U	NS	0.45	U
	13-Apr-12	NS	1.2	U	NS	NS	0.23	U	NS	0.23	U	0.23	U	0.23
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	U	NS	1.1	U
	23-Jun-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U	0.45	U	NS
	1-Nov-12	NS	0.045	U	NS	NS	0.045	U	NS	0.045	U	0.045	U	0.045
	1-Feb-13	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U	0.045	U	0.045
	29-Apr-13	NS	0.11	U	NS	NS	0.045	U	NS	0.045	U	0.045	U	0.045
	9-Jul-13	0.068	U	NS	0.045	U	0.045	U	NS	0.045	U	0.045	U	NS
	8-Feb-08	0.21	NS	NS	NS	NS	0.23	NS	NS	NS	NS	0.33	4.89	NS
	27-Mar-08	NS	0.295	NS	NS	NS	0.157	NS	NS	NS	NS	0.645	0.372	
	25-Apr-08	NS	NS	0.291	NS	NS	0.32	NS	NS	NS	NS	NS	0.565	
	29-May-08	NS	NS	NS	1.49	NS	NS	NS	NS	NS	NS	2.82	1.01	
Ethylbenzene	27-Jun-08	4.34	NS	NS	NS	0.472	NS	NS	NS	NS	NS	NS	0.606	0.699
	31-Jul-08	NS	*	NS	0.758	NS	0.577							
	28-Aug-08	NS	NS	0.83	NS	NS	0.482	NS	NS	NS	NS	0.711	0.666	NS
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	NS	NS	NS	2.2	U	2.2
	27-Oct-08	18.4	NS	NS	NS	2.2	U	NS	NS	NS	NS	2.2	U	2.2
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	NS	NS	2.3	U	NS
	18-Dec-08	NS	NS	2.2	U	NS	NS	U	NS	NS	NS	2.2	U	2.2
	21-Jan-09	NS	NS	NS	2.2	U	NS	NS	NS	NS	NS	2.2	U	2.2
	25-Feb-09	10.8	NS	NS	NS	2.2	U	NS	NS	NS	NS	2.2	U	NS
	26-Mar-09	NS	0.516	NS	NS	NS	0.868	U	NS	NS	NS	NS	0.845	1.18
	29-Apr-09	NS	NS	0.19	NS	NS	0.191	NS	NS	NS	NS	0.304	NS	0.325
	22-Jul-09	11.7	NS	11.7	0.868	U	1.15	NS	NS	NS	NS	38.2	1.04	NS
	9-Oct-09	NS	0.564	NS	NS	0.56	NS	0.291	18.1	U	0.542	NS	0.542	
	15-Jan-10	6.95	NS	0.568	0.542	NS	0.659	NS	NS	NS	0.712	0.72	NS	
	21-Apr-10	NS	0.304	NS	NS	1.34	NS	1.8	1.76	NS	NS	2.12	NS	1.56
	16-Jul-10	8.23	NS	2.4	1.8	NS	1.44	NS	NS	NS	1.51	1.42	NS	
	15-Oct-10	NS	0.534	NS	NS	0.625	NS	0.521	0.573	0.573	1.07	NS	0.833	
	26-Jan-11	1.26	1.62	NS	1.66	NS	1.26	NS	1.21	4.14	4.14	4.68	NS	
	28-Feb-11	NS	NS	0.868	U	NS								
	27-Apr-11	NS	0.243	NS	NS	0.239	NS	0.286	3.86	0.364	NS	NS	0.508	
	26-Jul-11	3.91	NS	0.942	0.339	NS	0.434	U	NS	NS	0.304	0.434	U	
	28-Oct-11	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U	3.8	NS	2.2
	23-Jan-12	3	NS	0.79										

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual	Qual	Qual	Qual									
Isopropylbenzene	8-Feb-08	2.46	U	NS	NS	NS	2.46	U	NS	NS	2.46	U	2.46	U
	27-Mar-08	NS	2.46	U	NS	NS	NS	U	NS	NS	NS	2.46	U	2.46
	25-Apr-08	NS	NS	2.46	U	NS	NS	U	NS	2.46	U	NS	2.46	U
	29-May-08	NS	NS	NS	2.46	U	NS	U	NS	2.46	U	2.46	U	NS
	27-Jun-08	3.83	U	NS	NS	NS	2.46	U	NS	NS	NS	NS	2.46	U
	31-Jul-08	NS	2.46	U	NS	NS	NS	U	NS	NS	NS	2.46	U	2.46
	28-Aug-08	NS	NS	2.46	U	NS	NS	U	NS	2.46	U	2.46	U	NS
	30-Sep-08	NS	NS	NS	4.9	U	NS	U	NS	4.9	U	4.9	U	4.9
	27-Oct-08	5.2	U	NS	NS	NS	4.9	U	NS	NS	4.9	U	4.9	U
	25-Nov-08	NS	4.9	U	NS	NS	NS	U	NS	NS	5.9	U	4.9	U
	18-Dec-08	NS	NS	4.9	U	NS	NS	U	NS	4.9	U	NS	4.9	U
	21-Jan-09	NS	NS	NS	4.9	U	NS	U	NS	4.9	U	NS	4.9	U
	25-Feb-09	4.9	U	NS	NS	NS	4.9	U	NS	NS	4.9	U	4.9	U
	26-Mar-09	NS	12.3	U	NS	NS	NS	U	24.6	U	NS	2.46	U	2.46
	29-Apr-09	NS	NS	2.46	U	NS	NS	U	NS	2.46	U	NS	2.46	U
	22-Jul-09	12.3	U	NS	12.3	U	24.6	U	NS	12.3	U	3.78	U	NS
	9-Oct-09	NS	2.74	U	NS	NS	2.46	U	NS	2.46	U	513	U	2.46
	15-Jan-10	2.46	U	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	NS
	21-Apr-10	NS	2.46	U	NS	NS	12.3	U	NS	12.3	U	2.46	U	2.46
	16-Jul-10	2.46	U	NS	2.66	U	2.46	U	NS	18.5	U	2.46	U	NS
	15-Oct-10	NS	2.46	U	NS	NS	2.46	U	NS	2.46	U	2.46	U	2.46
	26-Jan-11	24.6	U	2.46	U	NS	2.46	U	NS	12.3	U	12.3	U	NS
	28-Feb-11	NS	NS	24.6	U	NS	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.46	U	NS	NS	2.46	U	NS	2.46	U	2.46	U	2.46
	26-Jul-11	8.21	U	NS	8.21	U	2.46	U	NS	12.3	U	2.46	U	12.3
	28-Oct-11	NS	6.2	U	NS	NS	6.2	U	NS	6.2	U	6.2	U	6.2
	23-Jan-12	1.2	U	NS	1.2	U	0.25	U	NS	1.2	U	NS	1.2	NS
	13-Apr-12	NS	1.2	U	NS	NS	1.2	U	NS	1.2	U	1.2	U	1.2
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	6.2	U	NS
	23-Jun-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	1.2	U	NS
	1-Nov-12	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U	0.25
	29-Apr-13	NS	0.62	U	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25
	9-Jul-13	0.37	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U	NS
p-Isopropyltoluene	8-Feb-08	2.74	U	NS	NS	NS	2.74	U	NS	NS	2.74	U	2.74	U
	27-Mar-08	NS	2.74	U	NS	1.2	NS	U	NS	2.74	U	2.74	U	2.74
	25-Apr-08	NS	NS	2.74	U	NS	NS	U	NS	2.74	U	NS	2.74	U
	29-May-08	NS	NS	NS	2.74	U	NS	U	NS	2.74	U	2.74	U	NS
	27-Jun-08	4.27	U	NS	NS	NS	2.74	U	NS	NS	NS	2.74	U	2.74
	31-Jul-08	NS	2.74	U	NS	NS	2.74	U	NS	NS	NS	2.74	U	2.74
	28-Aug-08	NS	NS	2.74	U	NS	NS	U	NS	2.74	U	2.74	U	NS
	30-Sep-08	NS	NS	NS	5.5	U	NS	U	NS	5.5	U	NS	5.5	U
	27-Oct-08	12.5	U	NS	NS	NS	5.5	U	NS	NS	NS	18.5	U	5.5
	25-Nov-08	NS	5.5	U	NS	NS	NS	U	NS	5.5	U	5.5	U	NS
	18-Dec-08	NS	NS	5.5	U	NS	NS	U	NS	5.5	U	5.5	U	5.5
	21-Jan-09	NS	NS	NS	5.5	U	NS	U	NS	5.5	U	5.5	U	5.5
	25-Feb-09	5.5	U	NS	NS	NS	5.5	U	NS	NS	NS	5.5	U	NS
	26-Mar-09	NS	13.7	U	NS	NS	NS	U	27.4	U	NS	2.74	U	2.74
	29-Apr-09	NS	NS	2.74	U	NS	NS	U	NS	2.74	U	2.74	U	2.74
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	NS	13.7	U	2.74	U	2.74
	9-Oct-09	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	573	U	2.74
	15-Jan-10	2.72	U	NS	2.74	U	2.74	U	NS	2.74	U	2.74	U	2.74
	21-Apr-10	NS	2.74	U	NS	NS	13.7	U	NS	13.7	U	2.74	U	2.74
	16-Jul-10	2.74	U	NS	2.74	U	2.74	U	NS	20.7	U	2.74	U	2.74
	15-Oct-10	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	NS	13.7	U	13.7	U	NS
	28-Feb-11	NS	NS	27.4	U	NS	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	NS	13.7	U	2.74	U	13.7
	28-Oct-11	NS	6.3	U	NS	NS	6.3	U	NS	6.3	U	6.3	U	6.3
	23-Jan-12	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U	1.3	U	1.3
	13-Apr-12	NS	NS	1.3	U	NS	NS	U	NS	1.3	U	NS	1.3	U
	2-Jul-													

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Methyl tert butyl ether (MTBE)	8-Feb-08	0.07	U	NS	NS	NS	NS	0.07	U	NS	NS	NS	NS	NS	NS	0.14	0.07	U	NS	0.126	U	0.079	U	
	27-Mar-08	NS		0.072	U	NS	NS	NS		NS	0.072	U	NS	NS	NS	NS	0.165	U	NS	0.079	U	0.072	U	
	25-Apr-08	NS		NS		NS	0.072	U	NS	NS	0.072	U	NS	NS	0.072	U	0.07	U	0.07	U	NS	0.072	U	
	29-May-08	NS		NS		NS	NS	0.07	U	NS	NS	NS	NS	NS	NS	0.07	U	0.07	U	0.07	U	NS	U	
	27-Jun-08	0.436		NS		NS	NS	NS		NS	0.072	U	NS	NS	NS	NS	NS	NS	NS	0.072	U	0.072	U	
	31-Jul-08	NS		0.072	U	NS	0.106	NS		NS	NS		NS	NS	NS	NS	0.072	U	0.172	U	0.14	U	NS	U
	28-Aug-08	NS		NS		NS	NS	1.8	U	NS	NS		NS	NS	NS	NS	1.8	U	NS	1.8	U	1.8	U	U
	30-Sep-08	NS		NS		NS	NS	NS	U	NS	2.6		NS	NS	NS	NS	3.2	U	NS	NS	5.8	U	NS	U
	27-Oct-08	1.8	U	NS		NS	NS	NS		NS	NS	1.8	U	NS	NS	NS	1.8	U	NS	1.8	U	1.8	U	U
	25-Nov-08	NS		1.8	U	NS	NS	NS		NS	NS	0.544	U	NS	NS	NS	0.072	U	NS	NS	0.072	U	0.072	U
	18-Dec-08	NS		NS		1.8	U	NS		NS	NS	0.396	U	NS	NS	NS	0.36	U	NS	0.36	U	0.36	U	U
	21-Jan-09	NS		NS		NS	NS	1.8	U	NS	NS	NS	NS	NS	NS	NS	1.8	U	NS	NS	1.8	U	1.8	U
	25-Feb-09	5.8		NS		NS	NS	NS		NS	1.8	U	NS	NS	NS	NS	1.8	U	NS	NS	1.8	U	NS	U
	26-Mar-09	NS		0.36	U	NS	NS	0.072	U	NS	NS	0.72	U	NS	NS	NS	NS	NS	NS	0.072	U	0.072	U	U
	29-Apr-09	NS		NS		NS	0.36	U	0.72	U	NS	NS	0.36	U	NS	NS	0.072	U	NS	NS	0.072	U	0.072	U
	22-Jul-09	0.36	U	NS		NS	0.36	U	0.72	U	NS	NS	0.36	U	NS	NS	0.072	U	NS	NS	0.072	U	NS	U
	9-Oct-09	NS		0.072	U	NS	NS	0.072	U	NS	NS	0.072	U	NS	NS	NS	15	U	0.086	NS	0.083	U	NS	U
	15-Jan-10	0.079		NS		0.072	U	0.072	U	NS	NS	0.072	U	NS	NS	NS	0.072	U	0.072	U	0.072	U	0.072	U
	21-Apr-10	NS		0.072	U	NS	NS	NS		NS	0.36	U	NS	NS	NS	NS	3.6	U	0.36	U	0.072	U	0.072	U
	16-Jul-10	0.072	U	NS		0.072	U	0.072	U	NS	NS	0.544	U	NS	NS	NS	0.072	U	0.072	U	0.072	U	0.072	U
	15-Oct-10	NS		0.072	U	NS	NS	0.072	U	NS	NS	0.072	U	NS	NS	NS	0.072	U	0.072	U	0.072	U	0.072	U
	26-Jan-11	0.72	U	0.072	U	NS	0.072	U	NS	NS	0.396	U	NS	NS	NS	0.36	U	0.36	U	0.36	U	0.36	U	
	28-Feb-11	NS		NS		0.72	U	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	U
	27-Apr-11	NS		0.072	U	NS	NS	NS		NS	0.072	U	NS	NS	NS	NS	0.072	U	0.072	U	0.072	U	0.072	U
	26-Jul-11	0.24	U	NS		0.24	U	0.072	U	NS	NS	0.36	U	NS	NS	NS	0.072	U	0.072	U	0.36	U	NS	U
	28-Oct-11	NS		1.8	U	NS	NS	NS		NS	1.8	U	NS	NS	NS	NS	1.8	U	1.8	U	1.8	U	1.8	U
	23-Jan-12	0.36	U	NS		0.36	U	0.36	U	NS	NS	0.36	U	NS	NS	NS	0.36	U	0.36	U	0.36	U	0.36	U
	13-Apr-12	NS		0.36	U	NS	NS	NS		NS	0.36	U	NS	NS	NS	NS	0.36	U	NS	NS	0.36	U	0.36	U
	2-Jul-12 (resample)	NS		NS		NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.8	U	NS	U
	23-Jun-12	0.36	U	NS		0.36	U	0.36	U	NS	NS	0.36	U	NS	NS	NS	0.36	U	0.36	U	0.36	U	0.36	U
	1-Nov-12	NS		0.072	U	NS	NS	0.072	U	NS	NS	0.072	U	NS	NS	NS	0.072	U	0.072	U	0.072	U	0.072	U
	1-Feb-13	0.072	U	NS		0.072	U	0.072	U	NS	NS	0.072	U	NS	NS	NS	0.072	U	0.072	U	0.072	U	0.072	U
	29-Apr-13	NS		0.18	U	NS	NS	0.072	U	NS	NS	0.072	U	NS	NS	NS	0.072	U	0.072	U	0.072	U	0.072	U
	9-Jul-13	0.17		NS		0.072	U	0.072	U	NS	NS	0.072	U	NS	NS	NS	0.072	U	0.072	U	0.072	U	NS	U
Methylene chloride	8-Feb-08	2.34		NS		NS	NS	1.74	U	NS	NS	2.87		NS	NS	NS	1.74	U	1.74	U	1.74	U	NS	U
	27-Mar-08	NS		1.74	U	NS	NS	1.74	U	NS	NS	1.74		NS	NS	NS	1.74	U	1.74	U	1.74	U	1.74	U
	25-Apr-08	NS		NS		NS	NS	1.74	U	NS	NS	1.74		NS	NS	NS	1.74	U	1.74	U	1.74	U	1.74	U
	29-May-08	NS		NS		NS	NS	1.74	U	NS	NS	3.69		NS	NS	NS	1.74	U	1.74	U	1.74	U	1.74	U

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
4-Methyl-2-pentanone	8-Feb-08	2.05	U	NS	NS	NS	2.05	U	NS	NS	2.05	U	8.7	NS
	27-Mar-08	NS		2.05	U	NS	NS	U	NS	NS	2.05	U	2.05	U
	25-Apr-08	NS		NS	2.05	U	NS	U	NS	2.05	U	2.05	U	U
	29-May-08	NS		NS	2.05	U	NS	U	NS	2.05	U	2.05	U	U
	27-Jun-08	3.19	U	NS	NS	NS	2.05	U	NS	NS	2.05	U	2.05	U
	31-Jul-08	NS		2.05	U	NS	NS	U	NS	NS	2.05	U	2.05	U
	28-Aug-08	NS		2.05	U	NS	NS	U	NS	NS	2.05	U	2.05	U
	30-Sep-08	NS		NS	2	U	NS	U	NS	2	U	2	U	U
	27-Oct-08	2	U	NS	NS	NS	2	U	NS	2	U	2	U	U
	25-Nov-08	NS		3.5	NS	NS	NS	U	NS	2	U	2	U	U
	18-Dec-08	NS		NS	2	U	NS	NS	NS	2	U	2	U	U
	21-Jan-09	NS		NS	NS	2	U	NS	NS	2	U	2	U	U
	25-Feb-09	2	U	NS	NS	NS	2	U	NS	NS	2	U	2	NS
	26-Mar-09	NS		10.2	U	NS	NS	U	20.5	U	NS	NS	2.05	U
	29-Apr-09	NS		NS	2.05	U	NS	U	NS	2.05	U	2.05	U	U
	22-Jul-09	10.2	U	NS	10.2	U	20.5	U	NS	10.2	U	2.05	U	NS
	9-Oct-09	NS		2.05	U	NS	NS	U	2.05	U	427	U	2.05	U
	15-Jan-10	2.05	U	NS	2.05	U	2.05	U	NS	2.05	U	2.05	U	U
	21-Apr-10	NS		2.05	U	NS	NS	U	10.2	U	10.2	U	2.05	U
	16-Jul-10	2.05	U	NS	2.05	U	2.05	U	NS	2.05	U	2.05	U	NS
	15-Oct-10	NS		2.05	U	NS	NS	U	2.05	U	2.05	U	2.05	U
	26-Jan-11	20.5	U	NS	2.05	U	NS	U	10.2	U	10.2	U	10.2	U
	28-Feb-11	NS		NS	20.5	U	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		2.05	U	NS	NS	U	2.05	U	2.05	U	NS	3.35
	26-Jul-11	6.84	U	NS	0.684	U	2.05	U	NS	2.05	U	2.05	U	NS
	28-Oct-11	NS		2	U	NS	NS	U	2	U	2	U	2	U
	23-Jan-12	0.41	U	NS	0.44	U	0.41	U	NS	0.41	U	NS	0.41	U
	13-Apr-12	NS		0.41	U	NS	NS	U	0.41	U	0.41	U	NS	0.41
2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2	NS
	23-Jun-12	0.41	U	NS	0.41	U	0.41	U	NS	0.41	U	0.41	U	NS
	1-Nov-12	NS		0.89	NS	NS	0.65	NS	0.9	NS	0.84	1.1	NS	1.1
	1-Feb-13	0.12	NS	NS	0.082	U	0.082	U	NS	0.095	NS	0.082	0.29	NS
	29-Apr-13	NS		0.2	U	NS	NS	U	0.21	NS	0.21	U	0.86	0.78
	9-Jul-13	0.66	NS	NS	0.55	U	0.47	NS	0.51	NS	0.92	NS	0.39	NS
	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.3	3.15	NS	
	27-Mar-08	NS		0.1	NS	NS	0.177	U	NS	NS	NS	0.206	0.404	
	25-Apr-08	NS		NS	0.244	NS	NS	U	NS	1.07	NS	0.559	0.351	
	29-May-08	NS		NS	NS	0.17	NS	U	NS	0.3	NS	0.36	0.27	
Styrene	27-Jun-08	0.732	U	0.276	NS	NS	0.354	U	NS	NS	NS	NS	0.598	0.59
	31-Jul-08	NS		1.22	NS	NS	NS	U	NS	0.754	NS	0.255	NS	0.17
	28-Aug-08	NS		NS	NS	2.1	NS	U	NS	2.1	U	1.02	1.01	NS
	30-Sep-08	NS		NS	NS	NS	2.1	U	NS	NS	NS	2.1	2.1	U
	27-Oct-08	2.1	U	NS	NS	NS	2.1	U	NS	NS	NS	2.1	2.1	U
	25-Nov-08	NS		2.1	U	NS	NS	U	2.1	NS	NS	2.1	2.1	NS
	18-Dec-08	NS		2.1	U	NS	NS	U	2.1	NS	NS	2.1	2.1	U
	21-Jan-09	NS		NS	NS	2.1	U	NS	NS	2.1	U	2.1	2.1	U
	25-Feb-09	2.1	U	NS	NS	NS	2.1	U	NS	NS	NS	2.1	2.1	NS
	26-Mar-09	NS		0.851	U	NS	NS	U	1.7	U	NS	NS	0.292	0.361
	29-Apr-09	NS		NS	0.174	U	NS	U	NS	0.085	U	0.098	NS	0.243
	22-Jul-09	0.426	U	NS	0.426	U	0.851	U	NS	0.426	U	0.6	0.149	NS
	9-Oct-09	NS		0.085	U	NS	NS	U	0.098	NS	0.085	17.8	0.153	0.204
	15-Jan-10	0.106	NS	NS	0.119	U	0.089	U	NS	0.098	NS	NS	0.128	NS
	21-Apr-10	NS		0.085	U	NS	NS	U	0.426	NS	0.426	U	0.481	0.579
	16-Jul-10	0.57	NS	NS	0.911	U	0.66	U	NS	0.643	U	0.34	0.864	NS
	15-Oct-10	NS		0.698	NS	NS	1.12	NS	NS	0.779	NS	0.877	NS	1.52
	26-Jan-11	0.851	U	0.162	NS	0.179	NS	U	0.426	U	NS	0.426	0.617	NS
	28-Feb-11	NS		NS	0.851	U	NS	U	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.311	NS	NS	0.302	U	NS	0.366	U	0.753	NS	0.749
	26-Jul-11	0.724	NS	NS	0.779	U	0.868	NS	0.788	U	NS	1.23	0.681	NS
	28-Oct-11	NS		2.1	U	NS	NS	U	2.1	U	2.1	U	2.1	U
	23-Jan-12	0.84	NS	0.43	U	NS	0.43	U	0.43	U	NS	0.46	16	NS
	13-Apr-12	NS		0.43	U	NS	NS	U	0.43	U	0.43	U	NS	0.43
	2-Jul-12 (resample)	NS		NS	1.4	NS	1.9	NS						

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
1,1,1,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	NS	NS	NS	0.14	U	NS	NS	NS	NS	NS	NS	0.14	U	0.14	U	NS	NS	NS	U		
	27-Mar-08	NS		0.137	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	0.137	U	0.137	U	0.137	U	0.137	U	
	25-Apr-08	NS		NS		0.137	U	NS		NS	NS	NS	NS	NS	NS	0.137	U	NS	NS	NS	NS	NS	NS	U	
	29-May-08	NS		NS		NS		0.14	U	NS	NS	NS	NS	NS	NS	0.14	U	0.14	U	0.14	U	NS	NS	U	
	27-Jun-08	0.214	U	NS	NS	NS	NS	NS	0.137	U	NS	NS	NS	NS	NS	NS	0.137	U	0.137	U	0.137	U	0.137	U	
	31-Jul-08	NS		0.137	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	0.137	U	NS	NS	NS	NS	NS	U	
	28-Aug-08	NS		NS		0.137	U	NS		NS	NS	NS	NS	NS	NS	NS	0.137	U	0.137	U	0.137	U	NS	NS	U
	30-Sep-08	NS		NS		NS		0.14	U	NS	NS	NS	NS	NS	NS	NS	0.14	U	0.14	U	0.14	U	0.14	U	
	27-Oct-08	0.14	U	NS	NS	NS	NS	NS	0.14	U	NS	NS	NS	NS	NS	NS	0.14	U	0.14	U	0.14	U	0.14	U	
	25-Nov-08	NS		0.14	U	NS	NS	NS		0.14	U	NS	NS	NS	NS	NS	0.14	U	0.14	U	0.14	U	0.14	U	
	18-Dec-08	NS		NS		0.14	U	NS		NS	NS	NS	NS	NS	NS	NS	0.14	U	NS	NS	NS	NS	NS	U	
	21-Jan-09	NS		NS		NS		0.19		NS		NS		NS		NS	0.14	U	0.14	U	0.14	U	0.14	U	
	25-Feb-09	0.14	U	NS	NS	NS	NS	NS	0.14	U	NS	NS	NS	NS	NS	NS	0.14	U	0.14	U	0.14	U	0.14	U	
	26-Mar-09	NS		0.686	U	NS	NS	NS		NS		NS		NS		NS	U								
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		NS		NS	0.137	U	NS	NS	NS	NS	NS	U	
	22-Jul-09	0.686	U	NS	28	U	1.37		U	NS	0.686	U	NS	NS	NS	0.137	U	0.137	U	0.137	U	0.137	U	U	
	9-Oct-09	NS		0.137	U	NS	NS	NS		0.137	U	NS	NS	NS	NS	NS	0.137	U	28.6	U	0.137	U	0.137	U	
	15-Jan-10	0.109	U	NS	0.137	U	NS	NS	1.37	U	NS	0.137	U	NS	NS	NS	0.137	U	0.137	U	0.137	U	0.137	U	
	21-Apr-10	NS		0.137	U	NS	NS	NS		0.686	U	NS	NS	NS	NS	NS	0.686	U	0.686	U	0.686	U	0.686	U	
	16-Jul-10	0.137	U	NS	0.137	U	NS	NS	0.137	U	NS	NS	NS	NS	NS	NS	0.137	U	0.137	U	0.137	U	0.137	U	
	15-Oct-10	NS		0.137	U	NS	NS	NS		0.137	U	NS	NS	NS	NS	NS	0.137	U	0.137	U	0.137	U	0.137	U	
	26-Jan-11	1.37	U	0.137	U	NS	NS	0.137	U	NS	NS	NS	NS	NS	NS	NS	0.137	U	0.686	U	0.686	U	0.686	U	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS	0.137	U	NS	NS	NS	NS	NS	U	
	27-Apr-11	NS		0.137	U	NS	NS	NS		0.137	U	NS	NS	NS	NS	NS	0.137	U	0.137	U	0.137	U	0.137	U	
	26-Jul-11	0.458	U	NS	3.4	U	0.458	U	0.137	U	NS	3.4	U	NS	NS	0.687	U	NS	NS	0.137	U	0.687	U	NS	
	28-Oct-11	NS		3.4	U	NS	NS	NS		0.687	U	NS	NS	NS	NS	NS	3.4	U	NS	NS	3.4	U	3.4	U	
	23-Jan-12	0.69	U	NS	0.34	U	NS	NS	0.69	U	NS	0.34	U	NS	NS	0.69	U	NS	NS	0.34	U	0.34	U	U	
	13-Apr-12	NS		NS		NS	NS	NS		NS		NS		NS		NS	NS	NS	NS	NS	NS	1.7	U	NS	
	2-Jul-12 (resample)	NS		NS		0.34	U	NS		NS		NS		NS		NS	NS	NS	NS	NS	NS	0.69	U	0.69	
	23-Jun-12	0.69	U	NS	0.69	U	NS	NS	0.69	U	NS	0.69	U	NS	NS	0.69	U	0.069	U	0.069	U	0.069	U	0.069	
	1-Nov-12	NS		0.069	U	NS	0.069	U	0.069	U	NS	0.069	U	NS	NS	0.069	U	0.069	U	0.069	U	0.069	U	0.069	
	1-Feb-13	0.069	U	NS	0.069	U	NS	NS	0.069	U	NS	0.069	U	NS	NS	0.069	U	0.12	U	0.069	U	0.069	U	0.069	
	29-Apr-13	NS		0.17	U	NS	0.069	U	0.069	U	NS	0.069	U	NS	NS	0.069	U	0.69	U	0.069	U	0.069	U	0.069	
	9-Jul-13	0.10	U	NS	0.069	U	NS	NS	0.069	U	NS	NS	U	NS	NS	0.069	U	0.036	U	0.25	U	0.069	U	NS	

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Tetrachloroethene*	8-Feb-08	0.35	NS	NS	NS	0.14	U	NS	NS	0.53	5.05	NS	
	27-Mar-08	NS	0.888	NS	NS	0.875		NS	NS	6.99	5.25		
	25-Apr-08	NS	0.322	NS	NS	0.99		NS	0.83	NS	0.867		
	29-May-08	NS	NS	NS	1.36	NS		NS	0.24	0.3	3.21	NS	
	27-Jun-08	1.32	NS	NS	NS	29.6		NS	NS	5.08	1.8		
	31-Jul-08	NS	0.667	NS	NS	NS		NS	0.618	NS	0.572		
	28-Aug-08	NS	NS	1.55	NS	NS		NS	1.37	6.26	NS		
	30-Sep-08	NS	NS	NS	3.4	NS		NS	3.4	U	6.1	3.4	U
	27-Oct-08	4.2	U	NS	NS	10		NS	4.2	U	NS	4.2	U
	25-Nov-08	NS	21.3	NS	NS	4.6		NS	3.4	U	8.9	NS	
	18-Dec-08	NS	NS	3.4	U	NS		NS	3.4	U	3.4	U	U
	21-Jan-09	NS	NS	NS	3.4	NS		NS	3.4	U	NS	3.4	U
	25-Feb-09	3.4	U	NS	NS	8.3		NS	3.4	U	3.7	NS	
	26-Mar-09	NS	1.28	NS	NS	1.36		NS	NS	NS	7.11	2.08	
	29-Apr-09	NS	NS	0.271	NS	NS		NS	0.305	NS	0.237	0.691	
	22-Jul-09	1.63	NS	1.63	2.1	NS		NS	NS	NS	11.8	3.25	NS
	9-Oct-09	NS	0.556	NS	NS	2.07		NS	0.678	28.3	1.17	NS	1.46
	15-Jan-10	1.31	NS	0.644	1.35	NS		0.691	NS	NS	0.447	0.501	NS
	21-Apr-10	NS	7.2	NS	NS	31.4		NS	35.5	36.8	62.1	NS	36.1
	16-Jul-10	12.4	NS	12.7	10.9	NS		NS	10	NS	15.4	19.2	NS
	15-Oct-10	NS	21.9	NS	NS	37.6		NS	21.3	21.8	22.1	NS	31.6
	26-Jan-11	1.36	U	0.691	NS	1.27		0.678	U	0.813	2.13	8.3	NS
	28-Feb-11	NS	NS	1.36	U	NS		NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.44	NS	NS	7.22		NS	1.53	U	1.56	NS	1.98
	26-Jul-11	3.34	NS	0.834	2.59	NS		9.29	NS	NS	0.976	6.78	NS
	28-Oct-11	NS	3.4	NS	NS	8.5		NS	3.4	U	3.4	NS	3.4
	23-Jan-12	1	NS	0.68	U	1.7		NS	5.3	NS	0.76	26	NS
	13-Apr-12	NS	19	NS	NS	18		NS	12	18	18	NS	15
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS		NS	NS	NS	NS	9.6	NS
	23-Jun-12	1.5	NS	0.68	U	3.5		0.8	NS	NS	0.68	8.9	NS
	1-Nov-12	NS	7.4	NS	NS	11		NS	0.78	0.57	1.3	NS	1.6
	1-Feb-13	1.8	NS	0.76	0.99	NS		4.5	NS	NS	1.8	7.7	NS
	29-Apr-13	NS	8.1	NS	NS	4.7		NS	1.1	1	1.3	NS	1.8
	9-Jul-13	2.0	NS	2.1	3.1	NS		2.9	NS	NS	2.6	8.8	NS
Toluene	8-Feb-08	1.63	NS	NS	NS	1.8		NS	NS	2.72	455	NS	
	27-Mar-08	NS	2.24	NS	NS	1.45		NS	NS	NS	11.3	16.1	
	25-Apr-08	NS	NS	1.39	NS	NS		1.34	NS	11.2	NS	21.8	
	29-May-08	NS	NS	NS	7.74	NS		NS	11.6	21	13	NS	
	27-Jun-08	14.7	NS	NS	NS	2.33		NS	NS	NS	10.6	22.2	
	31-Jul-08	NS	4.15	NS	NS	NS		NS	NS	10.2	NS	6.11	
	28-Aug-08	NS	NS	6.48	NS	NS		3.44	NS	10	11.2	NS	
	30-Sep-08	NS	NS	NS	1.9	U		NS	6.1	NS	7.5	8.6	
	27-Oct-08	56.3	NS	NS	NS	3.2		NS	NS	6.6	NS	8.2	
	25-Nov-08	NS	7.8	NS	NS	7.8		NS	NS	29.9	18.6	NS	
	18-Dec-08	NS	2	NS	NS	NS		1.9	U	NS	4.8	4.9	
	21-Jan-09	NS	NS	NS	1.9	U		NS	1.9	U	1.9	NS	1.9
	25-Feb-09	7	NS	NS	1.9	NS		NS	NS	NS	13.8	NS	
	26-Mar-09	NS	3.53	NS	NS	3.92		0.651	NS	NS	7.23	9.75	
	29-Apr-09	NS	1.99	NS	NS	NS		NS	NS	0.149	NS	4.56	
	22-Jul-09	38.7	NS	38.7	2.22	NS		4.71	NS	NS	80.1	5.32	NS
	9-Oct-09	NS	3.53	NS	NS	3.06		NS	1.07	23.6	3.12	NS	3.67
	15-Jan-10	12.8	NS	4.17	4.33	NS		5.81	NS	NS	4.81	4.85	NS
	21-Apr-10	NS	0.9	NS	NS	2.97		NS	3.75	5.2	2.84	NS	5.08
	16-Jul-10	22.2	NS	17.9	5.98	NS		5.54	NS	NS	5.77	5.85	NS
	15-Oct-10	NS	1.67	NS	NS	2.1		NS	1.72	3.37	2.23	NS	3.26
	26-Jan-11	6.06	6.82	NS	6.82	NS		4.74	NS	5.95	12.1	11.9	NS
	28-Feb-11	NS	1.88	NS	NS	NS		NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.836	NS	NS	0.682		NS	1.25	3.62	2.08	NS	1.62
	26-Jul-11	8.29	NS	3.96	1.15	NS		1.62	NS	NS	2.31	1.68	NS
	28-Oct-11	NS	1.9	NS	NS	1.9		U	1.9	3.3	4.7	NS	3.8
	23-Jan-12	7.9	NS	3.8	1.9	NS		3.4	NS	NS	5.2	15	NS
	13-Apr-12	NS	0.75	NS	NS	0.38		U	0.38	U	1.3	2.4	NS
	2-Jul-12 (resample)	NS	NS	NS	NS	NS		NS	NS	NS	NS	1.9	NS
	23-Jun-12	8.5	NS	3.5	1.5	NS		2.5	NS	NS	2.4	1.8	NS
	1-Nov-12	NS	2	NS	0.69	0.69		0.71	NS	NS	2.8	2.8	NS
	1-Feb-13	2.4	NS	1.7	NS	NS		1.3	NS</				

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1,1-Trichloroethane*	8-Feb-08	0.11	U	NS	NS	NS	NS	0.11	U	NS	NS	NS	NS	NS	NS	0.11	U	0.56	U	0.266	U	0.119	U	
	27-Mar-08	NS	0.109	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.109	U	0.522	U	0.119	U	0.119	U	
	25-Apr-08	NS	NS	0.109	U	NS	NS	0.12	U	NS	NS	NS	NS	NS	NS	0.111	U	0.54	U	NS	U	0.377	U	
	29-May-08	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.111	U	0.54	U	NS	U	0.138	U	
	27-Jun-08	0.17	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.109	U	0.377	U	0.138	U	0.109	U
	31-Jul-08	0.17	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.109	U	0.492	U	NS	U	0.109	U
	28-Aug-08	NS	NS	NS	NS	0.109	U	NS	U	NS	NS	NS	NS	NS	NS	0.109	U	2.7	U	2.7	U	3.4	U	
	30-Sep-08	NS	NS	NS	NS	NS	NS	2.7	U	NS	NS	NS	NS	NS	NS	2.7	U	3.4	U	NS	U	3.4	U	
	27-Oct-08	3.4	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	2.7	U	2.7	U	NS	U	2.7	U	
	25-Nov-08	NS	2.7	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	2.7	U	2.7	U	NS	U	2.7	U	
	18-Dec-08	NS	NS	NS	NS	2.7	U	NS	U	NS	NS	NS	NS	NS	NS	2.7	U	2.7	U	NS	U	2.7	U	
	21-Jan-09	NS	NS	NS	NS	NS	NS	2.7	U	NS	NS	NS	NS	NS	NS	2.7	U	2.7	U	NS	U	2.7	U	
	25-Feb-09	2.7	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	2.7	U	2.7	U	NS	U	2.7	U	
	26-Mar-09	NS	1.59	NS	NS	0.174	U	NS	U	NS	NS	NS	NS	NS	NS	0.147	NS	0.158	NS	NS	U	0.682	0.213	
	29-Apr-09	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.147	NS	0.158	NS	NS	U	0.191	0.191	
	22-Jul-09	0.545	U	NS	NS	22.2	U	1.09	U	NS	NS	0.545	U	NS	NS	0.109	U	0.278	U	NS	U	NS	U	
	9-Oct-09	NS	0.109	U	NS	NS	NS	0.158	U	NS	NS	0.191	NS	NS	NS	22.8	U	0.109	U	NS	U	0.136	U	
	15-Jan-10	0.109	U	NS	NS	0.109	U	1.09	U	NS	NS	0.109	U	NS	NS	0.109	U	0.692	U	NS	U	1.09	U	
	21-Apr-10	NS	0.109	U	NS	NS	NS	NS	U	NS	NS	0.545	U	NS	NS	0.545	U	0.109	U	NS	U	0.562	U	
	16-Jul-10	0.109	U	NS	NS	0.109	U	0.109	U	NS	NS	0.824	U	NS	NS	0.109	U	0.109	U	NS	U	0.109	U	
	15-Oct-10	NS	0.272	NS	NS	NS	NS	NS	U	NS	NS	0.349	NS	NS	NS	0.109	U	0.109	U	NS	U	0.109	U	
	26-Jan-11	1.09	U	0.109	U	NS	NS	0.109	U	NS	NS	0.545	U	NS	NS	0.545	U	0.845	U	NS	U	NS	U	
	28-Feb-11	NS	NS	1.09	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	U	NS	U	NS	U	
	27-Apr-11	NS	0.109	U	NS	NS	NS	0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	0.109	U	NS	U	0.109	U	
	26-Jul-11	0.364	U	NS	NS	0.364	U	0.109	U	NS	NS	0.873	NS	NS	NS	2.7	U	2.7	U	NS	U	0.546	U	
	28-Oct-11	NS	2.7	U	NS	NS	NS	NS	U	NS	NS	2.7	U	NS	NS	2.7	U	2.7	U	NS	U	2.7	U	
	23-Jan-12	0.55	U	NS	NS	0.55	U	0.55	U	NS	NS	1.5	U	NS	NS	0.55	U	1.3	U	NS	U	0.27	U	
	13-Apr-12	NS	0.27	U	NS	NS	NS	0.27	U	NS	NS	0.27	U	NS	NS	0.27	U	0.27	U	NS	U	0.27	U	
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	U	1.4	U	NS	
	23-Jun-12	0.55	U	NS	NS	0.55	U	0.55	U	NS	NS	0.55	U	NS	NS	0.55	U	0.7	U	NS	U	0.14	U	
	1-Nov-12	NS	0.25	NS	NS	NS	NS	0.27	NS	NS	NS	0.055	U	NS	NS	0.055	U	0.055	U	NS	U	0.14	U	
	1-Feb-13	0.055	U	NS	NS	0.055	U	0.055	U	NS	NS	0.83	U	NS	NS	0.055	U	0.23	U	NS	U	0.055	U	
	29-Apr-13	NS	0.15	NS	NS	NS	NS	0.076	NS	NS	NS	0.055	U	NS	NS	0.055	U	0.055	U	NS	U	0.055	U	
	9-Jul-13	0.082	U	NS	NS	0.055	U	0.061	U	NS	NS	0.33	U	NS	NS	0.055	U	0.26	U	NS	U	0.055	U	
	8-Feb-08	0.11	U	NS	NS	NS	NS	0.11	U	NS	NS	0.109	U	NS	NS	0.11	U	0.11	U	NS	U	0.109	U	
	27-Mar-08	NS	0.109	U	NS	NS	NS	0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	0.109	U	NS	U	0.109	U	
	25-Apr-08	NS	NS	0.109	U	NS	NS	0.11	U	NS	NS	0.109	U	NS	NS	0.11	U	0.11	U	NS	U	0.109	U	
	29-May-08	NS	NS	NS	NS	NS	NS	0.11	U	NS	NS	0.109	U	NS	NS	0.11	U	0.109	U	NS	U	0.109	U	
	27-Jun-08	0.17	U	NS	NS	NS	NS	0.11	U	NS	NS													

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Trichloroethene*	8-Feb-08	0.12	NS	NS	NS	0.11	U	NS	NS	0.2	19.6	NS		
	27-Mar-08	NS	0.107	U	NS	NS	0.152	NS	NS	NS	13.4	5.34		
	25-Apr-08	NS	0.199	NS	NS	26.5	NS	NS	0.668	NS	3.39	NS		
	29-May-08	NS	NS	NS	NS	258	NS	NS	0.15	0.37	13.6	NS		
	27-Jun-08	0.408	NS	NS	NS	NS	NS	NS	NS	NS	13.6	6.56		
	31-Jul-08	NS	1.24	NS	NS	NS	NS	NS	0.126	NS	3.26	NS		
	28-Aug-08	NS	0.558	NS	NS	NS	NS	NS	0.432	18.4	NS		U	
	30-Sep-08	NS	NS	NS	56.2	NS	NS	NS	0.8	NS	22.7	3.95		
	27-Oct-08	0.8	U	NS	NS	117	NS	NS	2.99	NS	0.8	NS		
	25-Nov-08	NS	2.92	NS	NS	1.89	NS	NS	0.54	NS	39.8	NS		
	18-Dec-08	NS	0.54	U	NS	NS	NS	0.54	U	NS	4.56	2.48		
	21-Jan-09	NS	NS	NS	19.6	NS	NS	NS	U	NS	0.54	4.99		
	25-Feb-09	0.44	NS	NS	NS	99.5	NS	NS	NS	NS	0.56	10.7	NS	
	26-Mar-09	NS	9.2	NS	NS	NS	3.88	NS	NS	NS	NS	25.1	5.49	
	29-Apr-09	NS	NS	0.22	NS	NS	NS	1.2	NS	NS	0.392	NS	2.96	
	22-Jul-09	0.537	U	NS	0.537	U	12.7	NS	NS	NS	0.354	10.3	NS	
	9-Oct-09	NS	0.091	U	NS	26	NS	1.24	22.4	U	0.182	NS	3.26	
	15-Jan-10	0.591	NS	0.242	17.7	NS	0.172	NS	NS	NS	0.107	U	18.5	NS
	21-Apr-10	NS	0.107	U	NS	34	NS	0.94	0.537	U	0.891	NS	2.01	
	16-Jul-10	0.333	NS	0.333	8.14	NS	0.811	U	NS	NS	0.107	27.8	NS	
	15-Oct-10	NS	2.26	NS	NS	129	NS	1.92	0.177	NS	0.317	NS	1.3	
	26-Jan-11	1.07	U	1.63	NS	9.94	NS	0.537	U	NS	0.617	1.23	27.1	NS
	28-Feb-11	NS	NS	1.07	U	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.231	NS	NS	78.1	NS	0.891	U	0.107	U	NS	1.56	
	26-Jul-11	1.18	NS	0.358	U	29.6	NS	10.5	NS	NS	0.247	20.5	NS	
	28-Oct-11	NS	2.7	U	NS	110	NS	2.7	U	2.7	U	NS	2.7	U
	23-Jan-12	0.88	NS	0.54	U	6.8	NS	7.8	NS	NS	0.54	44	NS	
	13-Apr-12	NS	0.27	U	NS	83	NS	1.5	0.27	U	0.27	NS	4.1	
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	32	NS	
	23-Jun-12	1.1	NS	0.54	U	92	NS	0.75	NS	NS	0.54	35	NS	
	1-Nov-12	NS	2.4	NS	NS	92	NS	1.9	0.32	0.28	NS	6.9	NS	
	1-Feb-13	0.85	NS	0.064	21	NS	5.6	NS	NS	0.077	20	NS	NS	
	29-Apr-13	NS	1.7	NS	NS	46	NS	0.84	0.12	0.44	NS	1.9	NS	
	9-Jul-13	0.60	NS	0.22	27	NS	2.6	NS	NS	0.14	22	U	NS	
Trichlorofluoromethane	8-Feb-08	1.22	NS	NS	NS	1.22	NS	NS	NS	1.06	15.9	NS		
	27-Mar-08	NS	1.27	NS	NS	1.18	NS	5.2	NS	NS	12	9.02		
	25-Apr-08	NS	NS	1.18	NS	NS	NS	0.98	1.66	NS	NS	3.83		
	29-May-08	NS	NS	NS	33.5	NS	NS	NS	1.05	10.6	NS			
	27-Jun-08	1.29	NS	NS	NS	75.2	NS	NS	NS	8.85	8.89	NS		
	31-Jul-08	1.01	NS	NS	NS	NS	NS	NS	0.958	NS	5.1	NS		
	28-Aug-08	NS	NS	2.53	NS	NS	NS	18	1.79	15.6	NS			
	30-Sep-08	NS	NS	NS	53.8	NS	NS	NS	2.8	NS	14.5	10.4		
	27-Oct-08	2.8	U	NS	NS	44.4	NS	NS	NS	6.1	NS	2.8	U	
	25-Nov-08	NS	10	NS	NS	NS	12.2	NS	NS	2.8	34	NS		
	18-Dec-08	NS	NS	2.8	U	NS	NS	4.9	NS	NS	4.8	7.1		
	21-Jan-09	NS	NS	NS	26.9	NS	NS	NS	7.2	2.8	U	NS	10.4	
	25-Feb-09	2.8	U	NS	NS	14.8	NS	NS	NS	2.8	U	7.1	NS	
	26-Mar-09	NS	1.43	NS	NS	NS	2.81	U	NS	NS	NS	19.6	10.3	
	29-Apr-09	NS	NS	1.45	NS	NS	4.23	NS	NS	1.27	NS	3.17		
	22-Jul-09	1.46	NS	1.46	19.9	NS	3.42	NS	NS	1.28	6.46	NS		
	9-Oct-09	NS	0.156	NS	NS	20	NS	11	58.6	U	1.65	NS	9.32	
	15-Jan-10	1.39	NS	2.1	16.6	NS	1.78	NS	NS	1.34	15.4	NS		
	21-Apr-10	NS	0.466	NS	NS	10.1	NS	4.83	1.4	U	4.95	NS	5.47	
	16-Jul-10	2.6	NS	1.84	16.4	NS	2.12	U	NS	2.23	19.8	NS		
	15-Oct-10	NS	9.63	NS	NS	72.2	NS	13.7	5.65	9.85	NS	10		
	26-Jan-11	2.81	U	1.16	NS	13.8	NS	1.4	U	1.71	26	NS		
	28-Feb-11	NS	NS	2.81	U	NS	NS	NS	NS	NS	NS	NS		
	27-Apr-11	NS	1.12	NS	NS	12.8	NS	3.24	1.27	1.17	NS	2.53		
	26-Jul-11	4.27	NS	1.31	41.2	U	15.3	NS	NS	1.62	10	NS		
	28-Oct-11	NS	2.8	U	NS	30	NS	5.1	2.8	U	2.9	4.2		
	23-Jan-12	2.1	NS	1.5	28	NS	29	NS	NS	1.4	16	NS		
	13-Apr-12	NS	1.9	NS	NS	15	NS	6.4	2.1	NS	2	8.8		
	2-Jul-12 (resample)	NS	NS	1.1	85	NS	2.2	NS	NS	NS	NS	21	NS	
	23-Jun-12	2.4	NS	1.										

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual											
1,2,4-Trimethylbenzene	8-Feb-08	0.21	NS	NS	NS	0.23	NS	NS	NS	0.69	1.93	NS	
	27-Mar-08	NS	0.304	NS	NS	0.152	NS	NS	NS	0.958	0.681	0.681	
	25-Apr-08	NS	NS	1.72	NS	NS	NS	0.644	NS	0.517	NS	0.338	
	29-May-08	NS	NS	NS	0.6	NS	NS	NS	1	1.26	0.48	NS	
	27-Jun-08	7.46	NS	NS	NS	1.15	NS	NS	NS	NS	0.638	0.736	
	31-Jul-08	NS	1.86	NS	NS	NS	NS	NS	NS	0.885	NS	0.685	
	28-Aug-08	NS	NS	0.838	NS	NS	NS	NS	NS	0.669	0.653	NS	
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	27-Oct-08	11.4	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.9	U
	25-Nov-08	NS	2.5	U	NS	NS	2.5	U	NS	6.4	5.2	NS	
	18-Dec-08	NS	NS	2.5	U	NS	NS	NS	NS	NS	2.5	U	2.5
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	25-Feb-09	17.5	NS	NS	NS	4	NS	NS	NS	6.2	2.9	NS	
	26-Mar-09	NS	0.491	U	NS	NS	0.982	NS	NS	NS	1.09	1.55	
	29-Apr-09	NS	NS	0.265	NS	NS	NS	0.378	NS	0.707	NS	0.801	
	22-Jul-09	3.49	NS	20	U	0.982	U	0.737	NS	NS	56.4	0.86	NS
	9-Oct-09	NS	0.707	NS	NS	0.781	NS	0.648	20.5	U	1.36	0.584	
	15-Jan-10	2.87	NS	0.354	0.29	NS	0.314	NS	NS	1.06	1.17	NS	
	21-Apr-10	NS	0.211	NS	NS	0.933	NS	1.42	1.13	0.653	NS	0.702	
	16-Jul-10	8.3	NS	8.23	8.09	NS	6.27	NS	NS	4.28	5.05	NS	
	15-Oct-10	NS	1.29	NS	NS	1.61	NS	1.1	1.38	1.86	NS	2.35	
	26-Jan-11	1.23	1.4	NS	1.6	NS	0.491	NS	1.35	6.93	10.4	NS	
	28-Feb-11	NS	NS	0.982	U	NS							
	27-Apr-11	NS	0.845	NS	NS	0.855	NS	1.24	1.06	2.06	NS	1.09	
	26-Jul-11	1.29	NS	2.67	0.61	NS	0.541	NS	NS	2.48	0.541	NS	
	28-Oct-11	NS	2.5	U	NS	2.5	U	NS	2.5	U	3.7	NS	3.1
	23-Jan-12	3	NS	0.76	0.49	U	NS	0.71	NS	NS	2.7	2.8	NS
	13-Apr-12	NS	0.49	U	NS	NS	0.49	U	0.49	U	3.9	NS	1.3
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5	U	
	23-Jun-12	4.1	NS	1.3	1.2	NS	1.1	NS	NS	2.1	1.1	NS	
	1-Nov-12	NS	1.7	NS	NS	2.5	NS	3.1	3	3.2	NS	3.3	
	1-Feb-13	1.2	NS	0.23	0.21	NS	0.3	NS	NS	1	0.86	NS	
	29-Apr-13	NS	0.54	NS	NS	0.74	NS	0.66	0.83	1	NS	0.84	
	9-Jul-13	4.2	NS	1.6	1.8	NS	1.8	NS	NS	2	2.0	NS	
1,3,5-Trimethylbenzene	8-Feb-08	0.1	U	NS	NS	0.1	U	NS	NS	0.47	0.66	NS	
	27-Mar-08	NS	0.14	NS	NS	0.098	U	NS	NS	NS	0.349	0.275	
	25-Apr-08	NS	NS	1.6	NS	NS	NS	0.228	NS	0.192	NS	0.134	
	29-May-08	NS	NS	NS	0.18	NS	NS	NS	0.32	0.43	0.15	NS	
	27-Jun-08	5.16	NS	NS	NS	0.463	NS	NS	NS	NS	0.236	0.25	
	31-Jul-08	NS	0.713	NS	NS	NS	NS	NS	NS	0.276	NS	0.224	
	28-Aug-08	NS	NS	0.497	NS	NS	NS	0.215	NS	0.248	0.233	NS	
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	
	27-Oct-08	7.8	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.5	U
	25-Nov-08	NS	2.5	U	NS	NS	NS	NS	NS	2.5	U	NS	
	18-Dec-08	NS	NS	2.5	U	NS	NS	NS	NS	2.5	U	2.5	U
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	25-Feb-09	9.1	NS	2.5	U	NS							
	26-Mar-09	NS	0.491	U	NS	NS	0.982	U	NS	NS	0.337	0.425	
	29-Apr-09	NS	NS	0.147	NS	NS	NS	0.128	NS	0.211	NS	0.241	
	22-Jul-09	3	NS	20	U	0.982	U	0.491	U	NS	22.7	0.275	
	9-Oct-09	NS	0.216	NS	NS	0.241	NS	0.187	20.5	U	0.388	0.226	
	15-Jan-10	2.15	NS	0.118	0.098	U	NS	0.108	NS	NS	0.29	0.334	
	21-Apr-10	NS	0.098	U	NS	NS	0.491	U	0.491	U	0.177	NS	0.206
	16-Jul-10	2.76	NS	1.88	1.81	NS	0.383	NS	0.275	0.324	0.545	NS	0.54
	15-Oct-10	NS	0.418	NS	NS	0.472	NS	0.491	U	0.491	1.99	2.87	
	26-Jan-11	0.982	U	0.437	NS								
	28-Feb-11	NS	NS	0.982	U	NS							
	27-Apr-11	NS	0.255	NS	NS	0.27	NS	0.368	0.329	0.599	NS	0.354	
	26-Jul-11	0.688	NS	0.885	0.182	NS	0.492	U	NS	0.664	0.492	U	
	28-Oct-11	NS	2.5	U	NS	2.5	U	NS	2.5	U	2.5	U	
	23-Jan-12	0.99	NS	0.49	U	0.49	U	0.49	U	0.71	0.83		

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual											
Vinyl chloride*	8-Feb-08	0.05	U	NS	NS	NS	0.05	U	NS	NS	0.05	U	0.05
	27-Mar-08	NS	0.051	U	NS	NS	NS	U	0.051	NS	NS	U	0.051
	25-Apr-08	NS	NS	0.051	U	NS	0.05	U	NS	0.75	NS	U	0.051
	29-May-08	NS	NS	NS	U	NS	0.051	U	NS	0.05	U	0.05	U
	27-Jun-08	0.08	U	NS	NS	NS	0.051	U	NS	NS	NS	U	0.051
	31-Jul-08	NS	0.051	U	NS	NS	NS	U	NS	NS	0.051	U	0.051
	28-Aug-08	NS	NS	0.051	U	NS	NS	U	NS	0.051	U	0.051	U
	30-Sep-08	NS	NS	NS	U	0.1	U	NS	NS	0.1	U	0.1	U
	27-Oct-08	0.1	U	NS	NS	NS	0.1	U	NS	NS	0.1	U	0.1
	25-Nov-08	NS	0.1	U	NS	NS	NS	U	0.1	NS	0.1	U	NS
	18-Dec-08	NS	NS	0.1	U	NS	NS	U	NS	0.1	NS	0.1	U
	21-Jan-09	NS	NS	NS	U	0.1	U	NS	NS	0.1	U	0.1	U
	25-Feb-09	0.1	U	NS	NS	NS	0.1	U	NS	NS	0.1	U	NS
	26-Mar-09	NS	0.255	U	NS	NS	NS	U	0.511	NS	NS	0.051	U
	29-Apr-09	NS	NS	0.061	U	NS	NS	U	NS	0.051	NS	0.051	U
	22-Jul-09	0.255	U	NS	0.255	U	0.511	U	NS	0.255	U	0.051	U
	9-Oct-09	NS	1.72	NS	NS	NS	0.051	U	NS	0.102	10.7	U	0.051
	15-Jan-10	0.051	U	NS	0.061	0.051	U	NS	0.051	NS	0.051	U	0.051
	21-Apr-10	NS	0.051	U	NS	NS	0.255	U	NS	0.256	U	0.051	U
	16-Jul-10	0.051	U	NS	1.98	0.051	U	NS	0.386	U	NS	0.051	U
	15-Oct-10	NS	0.051	U	NS	NS	0.051	U	NS	0.051	U	0.051	U
	26-Jan-11	0.511	U	0.051	U	NS	0.051	U	NS	0.255	U	0.255	U
	28-Feb-11	NS	NS	0.511	U	NS	NS	U	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.051	U	NS	NS	0.051	U	NS	0.051	U	0.051	U
	26-Jul-11	0.17	U	NS	0.17	U	0.051	U	NS	0.256	U	0.051	NS
	28-Oct-11	NS	1.3	U	NS	NS	1.3	U	NS	1.3	U	1.3	U
	23-Jan-12	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U	0.26	U
	13-Apr-12	NS	0.13	U	NS	NS	0.13	U	NS	0.13	U	0.13	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	0.64	NS
	23-Jun-12	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U	0.26	NS
	1-Nov-12	NS	0.026	U	NS	NS	0.026	U	NS	0.026	U	0.026	U
	1-Feb-13	0.065	NS	0.026	U	0.026	U	NS	0.026	U	0.026	U	0.026
	29-Apr-13	NS	0.41	NS	NS	0.045	NS	U	NS	0.026	U	0.026	U
	9-Jul-13	0.038	U	NS	0.026	U	0.085	NS	0.026	U	NS	0.026	U
	8-Feb-08	0.55	NS	NS	NS	NS	0.63	NS	NS	NS	1.04	18.3	NS
	27-Mar-08	NS	0.893	NS	NS	NS	0.389	NS	NS	NS	NS	2.17	1.33
	25-Apr-08	NS	NS	0.815	NS	NS	5	NS	NS	0.97	NS	2.54	1.81
	29-May-08	NS	NS	NS	NS	5	NS	NS	NS	7.58	10.1	3.34	NS
p/m-Xylene	27-Jun-08	12.6	NS	NS	NS	NS	1.5	NS	NS	NS	NS	1.91	2.33
	31-Jul-08	NS	2.4	NS	2.08	NS	1.55						
	28-Aug-08	NS	NS	2.33	NS	NS	NS	NS	NS	1.44	NS	2.13	NS
	30-Sep-08	NS	NS	NS	NS	4.3	U	NS	NS	4.3	U	4.3	4.3
	27-Oct-08	41.6	NS	NS	NS	NS	4.3	U	NS	NS	NS	4.3	U
	25-Nov-08	NS	4.7	NS	NS	NS	NS	U	4.3	NS	8.5	8.9	NS
	18-Dec-08	NS	NS	4.3	U	NS	NS	U	4.3	NS	NS	4.3	U
	21-Jan-09	NS	NS	NS	U	4.3	U	NS	NS	4.3	U	4.3	U
	25-Feb-09	37.6	NS	NS	NS	NS	4.3	U	NS	NS	8	9.3	NS
	26-Mar-09	NS	1.35	NS	NS	NS	NS	U	1.74	NS	NS	NS	2.59
	29-Apr-09	NS	NS	0.468	NS	NS	NS	U	0.516	NS	0.933	NS	1.06
	22-Jul-09	25.6	NS	25.6	1.74	U	NS	3.88	NS	NS	165	3.52	NS
	9-Oct-09	NS	1.62	NS	NS	NS	1.63	NS	0.915	36.2	U	1.74	1.7
	15-Jan-10	18.4	NS	1.52	1.48	NS	NS	1.76	NS	NS	2.35	2.65	NS
	21-Apr-10	NS	0.703	NS	NS	NS	3.28	NS	4.58	4.34	6.22	NS	4.77
	16-Jul-10	21.8	NS	7.01	6.36	NS	NS	4.82	NS	NS	4.95	4.91	NS
	15-Oct-10	NS	1.81	NS	NS	2.18	NS	1.7	1.88	3.4	NS	2.88	NS
	26-Jan-11	3.08	4.24	NS	4.37	NS	3.06	NS	3.17	3.17	11.5	13.6	NS
	28-Feb-11	NS	NS	1.74	U	NS							
	27-Apr-11	NS	0.694	NS	NS	0.707	NS	0.889	1.15	1.09	NS	1.44	1.44
	26-Jul-11	9.99	NS	3.96	1.02	NS	0.999	NS	NS	0.956	1.26	NS	NS
	28-Oct-11	NS	4.3	U	NS	NS	4.3	U	4.3	U	9.8	4.3	U
	23-Jan-12	7.9	NS	2	1.3	NS	2	NS	NS	NS	4.4	14	NS
	13-Apr-12	NS	0.87	U	NS	NS	0.87	U	0.87	U	3.6	NS	1.1
	2-Jul-12 (resample)	NS	NS	1.1	0.87	U	NS	0.94	NS	NS	1.7	1.1	NS
	23-Jun-12	12	NS	2.1	NS	NS	2.4	NS	3.3	2.9	3.6	5.3	NS
	1-Nov-12	NS	2.1	NS	0.44	0.38	NS	0.59					

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - February 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
o-Xylene	8-Feb-08	0.2	NS	NS	NS	0.23	NS	NS	0.48	7.73	NS	0.478		
	27-Mar-08	NS	0.273	NS	NS	0.142	NS	NS	NS	0.844	NS	0.62		
	25-Apr-08	NS	NS	0.37	NS	0.406	NS	NS	0.735	NS	1.02	NS		
	29-May-08	NS	NS	NS	1.48	NS	NS	NS	2.26	2.84	0.672	0.794		
	27-Jun-08	4.12	NS	NS	NS	0.55	NS	NS	NS	NS	0.672	0.564		
	31-Jul-08	NS	0.835	NS	NS	NS	NS	NS	0.748	NS	NS	0.794		
	28-Aug-08	NS	NS	0.804	NS	NS	NS	NS	0.797	0.725	NS	NS		
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	2.2	NS	2.2	U	2.2	U
	27-Oct-08	9.8	NS	NS	NS	2.2	U	NS	NS	2.2	U	N	4	
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	NS	2.2	U	NS	
	18-Dec-08	NS	NS	2.2	U	NS	NS	NS	2.2	NS	2.2	U	2.2	U
	21-Jan-09	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U	2.2	U
	25-Feb-09	8.9	NS	NS	NS	2.2	U	NS	NS	NS	2.2	U	3.2	NS
	26-Mar-09	NS	0.486	NS	NS	0.868	U	NS	NS	NS	NS	NS	0.922	1.28
	29-Apr-09	NS	NS	0.174	NS	NS	NS	NS	0.208	NS	0.369	NS	0.499	
	22-Jul-09	5.34	NS	5.34	0.868	U	NS	1.39	NS	NS	72.7	1.27	NS	
	9-Oct-09	NS	0.542	NS	NS	0.586	NS	NS	0.343	18.1	0.629	NS	0.616	
	15-Jan-10	4.51	NS	0.49	0.49	NS	0.56	NS	NS	NS	0.833	0.846	NS	
	21-Apr-10	NS	0.256	NS	NS	1.17	NS	1.56	1.41	1.24	NS	1.14		
	16-Jul-10	5.07	NS	2.84	2.63	NS	2.1	NS	NS	1.88	2.05	NS		
	15-Oct-10	NS	0.672	NS	NS	0.837	NS	0.659	0.729	1.22	NS	1.14		
	26-Jan-11	1.08	1.5	NS	1.54	NS	1.11	NS	1.15	4.32	5.16	NS		
	28-Feb-11	NS	NS	0.868	U	NS								
	27-Apr-11	NS	0.286	NS	NS	0.286	NS	NS	0.369	0.456	0.451	NS	0.551	
	26-Jul-11	1.87	NS	1.45	0.334	NS	0.434	U	NS	NS	0.365	0.434	NS	
	28-Oct-11	NS	2.2	U	NS	NS	2.2	U	2.2	U	3.3	NS	2.2	U
	23-Jan-12	2.3	NS	0.76	0.54	NS	0.79	NS	NS	NS	1.7	4.6	NS	
	13-Apr-12	NS	0.43	U	NS	NS	0.43	U	0.43	U	1.4	NS	0.43	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	NS	
	23-Jun-12	3	NS	0.43	U	0.43	U	0.43	U	NS	0.59	0.44	NS	
	1-Nov-12	NS	0.72	NS	NS	0.85	NS	NS	1.1	1.1	1.3	NS	1.8	
	1-Feb-13	1	NS	0.19	0.17	NS	0.24	NS	NS	0.64	0.52	NS		
	29-Apr-13	NS	0.43	NS	NS	0.46	NS	0.41	0.52	0.065	NS	0.86	NS	
	9-Jul-13	3.2	NS	0.86	0.90	NS	0.84	NS	NS	1.3	0.28	NS	NS	

Notes:

All data presented in micrograms per cubic meter (ug/m³).

U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.

NS: not sampled.

* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.

July 19, 2013

Ron Mack
EA Engineering Science & Tech. - RI
2374 Post Road, Suite 102
Warwick, RI 02886

Project Location: Alvarez High School
Client Job Number:
Project Number: 14687.01
Laboratory Work Order Number: 13G0412

Enclosed are results of analyses for samples received by the laboratory on July 10, 2013. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa A. Worthington
Project Manager

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

REPORT DATE: 7/19/2013

EA Engineering Science & Tech. - RI
2374 Post Road, Suite 102
Warwick, RI 02886
ATTN: Ron Mack

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 14687.01

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 13G0412

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez High School

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
MP-1	13G0412-01	Sub Slab		EPA TO-15	
MP-3	13G0412-02	Sub Slab		EPA TO-15	
MP-4	13G0412-03	Sub Slab		EPA TO-15	
MP-6	13G0412-04	Sub Slab		EPA TO-15	
IMP-1	13G0412-05	Sub Slab		EPA TO-15	
IMP-2	13G0412-06	Sub Slab		EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA TO-15

Qualifications:

Reported result is estimated. Value reported over verified calibration range.

Analyte & Samples(s) Qualified:

2-Butanone (MEK), Acetone

13G0412-01[MP-1], 13G0412-02[MP-3], 13G0412-03[MP-4], 13G0412-04[MP-6], 13G0412-05[IMP-1]

Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

Analyte & Samples(s) Qualified:

Acrylonitrile

B076930-BS1, B076931-BS1

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:

Acrylonitrile

B076930-BS1, B076931-BS1

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Daren J. Damboragian
Laboratory Manager

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-1
Sample ID: 13G0412-01
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1870
 Canister Size: 6 liter
 Flow Controller ID: 4187
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -5.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	42	40		100	95		20	7/16/13 22:07	TPH
Acetone	39	1.2	E	93	2.9		0.6	7/16/13 21:22	TPH
Acrylonitrile	ND	5.8		ND	12		20	7/16/13 22:07	TPH
Acrylonitrile	ND	0.17		ND	0.37		0.6	7/16/13 21:22	TPH
Benzene	ND	1.0		ND	3.2		20	7/16/13 22:07	TPH
Benzene	0.20	0.030		0.64	0.096		0.6	7/16/13 21:22	TPH
Bromodichloromethane	ND	0.50		ND	3.4		20	7/16/13 22:07	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	7/16/13 21:22	TPH
Bromoform	ND	1.0		ND	10		20	7/16/13 22:07	TPH
Bromoform	ND	0.030		ND	0.31		0.6	7/16/13 21:22	TPH
2-Butanone (MEK)	33	20		98	59		20	7/16/13 22:07	TPH
2-Butanone (MEK)	33	1.2	E	98	3.5		0.6	7/16/13 21:22	TPH
n-Butylbenzene	ND	2.9		ND	16		20	7/16/13 22:07	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	7/16/13 21:22	TPH
sec-Butylbenzene	ND	2.3		ND	13		20	7/16/13 22:07	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	7/16/13 21:22	TPH
Carbon Tetrachloride	ND	0.50		ND	3.1		20	7/16/13 22:07	TPH
Carbon Tetrachloride	0.082	0.015		0.52	0.094		0.6	7/16/13 21:22	TPH
Chlorobenzene	ND	1.0		ND	4.6		20	7/16/13 22:07	TPH
Chlorobenzene	0.040	0.030		0.18	0.14		0.6	7/16/13 21:22	TPH
Chloroethane	ND	1.0		ND	2.6		20	7/16/13 22:07	TPH
Chloroethane	0.043	0.030		0.11	0.079		0.6	7/16/13 21:22	TPH
Chloroform	ND	0.50		ND	2.4		20	7/16/13 22:07	TPH
Chloroform	0.070	0.015		0.34	0.073		0.6	7/16/13 21:22	TPH
Chloromethane	ND	2.0		ND	4.1		20	7/16/13 22:07	TPH
Chloromethane	ND	0.060		ND	0.12		0.6	7/16/13 21:22	TPH
Dibromochloromethane	ND	1.0		ND	8.5		20	7/16/13 22:07	TPH
Dibromochloromethane	ND	0.030		ND	0.26		0.6	7/16/13 21:22	TPH
1,2-Dibromoethane (EDB)	ND	0.50		ND	3.8		20	7/16/13 22:07	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	7/16/13 21:22	TPH
1,2-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 22:07	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	7/16/13 21:22	TPH
1,3-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 22:07	TPH
1,3-Dichlorobenzene	0.21	0.030		1.3	0.18		0.6	7/16/13 21:22	TPH
1,4-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 22:07	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	7/16/13 21:22	TPH
Dichlorodifluoromethane (Freon 12)	ND	1.0		ND	4.9		20	7/16/13 22:07	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-1
Sample ID: 13G0412-01
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1870
 Canister Size: 6 liter
 Flow Controller ID: 4187
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -5.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3		Dilution	Date/Time	
	Results	RL	Flag	Results	RL		Analyzed	Analyst
Dichlorodifluoromethane (Freon 12)	0.21	0.030		1.0	0.15	0.6	7/16/13 21:22	TPH
1,1-Dichloroethane	ND	0.50		ND	2.0	20	7/16/13 22:07	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061	0.6	7/16/13 21:22	TPH
1,2-Dichloroethane	ND	1.0		ND	4.0	20	7/16/13 22:07	TPH
1,2-Dichloroethane	ND	0.030		ND	0.12	0.6	7/16/13 21:22	TPH
1,1-Dichloroethylene	ND	0.50		ND	2.0	20	7/16/13 22:07	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059	0.6	7/16/13 21:22	TPH
cis-1,2-Dichloroethylene	ND	0.50		ND	2.0	20	7/16/13 22:07	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	7/16/13 21:22	TPH
trans-1,2-Dichloroethylene	ND	0.50		ND	2.0	20	7/16/13 22:07	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	7/16/13 21:22	TPH
1,2-Dichloropropane	ND	1.0		ND	4.6	20	7/16/13 22:07	TPH
1,2-Dichloropropane	ND	0.030		ND	0.14	0.6	7/16/13 21:22	TPH
1,3-Dichloropropane	ND	2.7		ND	12	20	7/16/13 22:07	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37	0.6	7/16/13 21:22	TPH
cis-1,3-Dichloropropene	ND	0.50		ND	2.3	20	7/16/13 22:07	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	7/16/13 21:22	TPH
trans-1,3-Dichloropropene	ND	0.50		ND	2.3	20	7/16/13 22:07	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	7/16/13 21:22	TPH
Ethylbenzene	1.0	1.0		4.4	4.3	20	7/16/13 22:07	TPH
Ethylbenzene	1.2	0.030		5.1	0.13	0.6	7/16/13 21:22	TPH
Isopropylbenzene (Cumene)	ND	2.5		ND	12	20	7/16/13 22:07	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37	0.6	7/16/13 21:22	TPH
p-Isopropyltoluene (p-Cymene)	ND	2.3		ND	13	20	7/16/13 22:07	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068		ND	0.38	0.6	7/16/13 21:22	TPH
Methyl tert-Butyl Ether (MTBE)	ND	1.0		ND	3.6	20	7/16/13 22:07	TPH
Methyl tert-Butyl Ether (MTBE)	0.046	0.030		0.17	0.11	0.6	7/16/13 21:22	TPH
Methylene Chloride	ND	10		ND	35	20	7/16/13 22:07	TPH
Methylene Chloride	0.53	0.30		1.8	1.0	0.6	7/16/13 21:22	TPH
4-Methyl-2-pentanone (MIBK)	ND	1.0		ND	4.1	20	7/16/13 22:07	TPH
4-Methyl-2-pentanone (MIBK)	0.16	0.030		0.66	0.12	0.6	7/16/13 21:22	TPH
Styrene	ND	1.0		ND	4.3	20	7/16/13 22:07	TPH
Styrene	0.10	0.030		0.43	0.13	0.6	7/16/13 21:22	TPH
1,1,1,2-Tetrachloroethane	ND	1.8		ND	12	20	7/16/13 22:07	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37	0.6	7/16/13 21:22	TPH
1,1,2,2-Tetrachloroethane	ND	0.50		ND	3.4	20	7/16/13 22:07	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10	0.6	7/16/13 21:22	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-1
Sample ID: 13G0412-01
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1870
 Canister Size: 6 liter
 Flow Controller ID: 4187
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -5.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.50		ND	3.4		20	7/16/13 22:07	TPH
Tetrachloroethylene	0.30	0.015		2.0	0.10		0.6	7/16/13 21:22	TPH
Toluene	2.5	1.0		9.3	3.8		20	7/16/13 22:07	TPH
Toluene	3.0	0.030		11	0.11		0.6	7/16/13 21:22	TPH
1,1,1-Trichloroethane	ND	0.50		ND	2.7		20	7/16/13 22:07	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	7/16/13 21:22	TPH
1,1,2-Trichloroethane	ND	0.50		ND	2.7		20	7/16/13 22:07	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	7/16/13 21:22	TPH
Trichloroethylene	ND	0.50		ND	2.7		20	7/16/13 22:07	TPH
Trichloroethylene	0.11	0.015		0.60	0.081		0.6	7/16/13 21:22	TPH
Trichlorofluoromethane (Freon 11)	ND	1.0		ND	5.6		20	7/16/13 22:07	TPH
Trichlorofluoromethane (Freon 11)	0.26	0.030		1.4	0.17		0.6	7/16/13 21:22	TPH
1,2,4-Trimethylbenzene	ND	1.0		ND	4.9		20	7/16/13 22:07	TPH
1,2,4-Trimethylbenzene	0.85	0.030		4.2	0.15		0.6	7/16/13 21:22	TPH
1,3,5-Trimethylbenzene	ND	1.0		ND	4.9		20	7/16/13 22:07	TPH
1,3,5-Trimethylbenzene	0.30	0.030		1.5	0.15		0.6	7/16/13 21:22	TPH
Vinyl Chloride	ND	0.50		ND	1.3		20	7/16/13 22:07	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	7/16/13 21:22	TPH
m&p-Xylene	2.4	2.0		10	8.7		20	7/16/13 22:07	TPH
m&p-Xylene	2.9	0.060		12	0.26		0.6	7/16/13 21:22	TPH
o-Xylene	ND	1.0		ND	4.3		20	7/16/13 22:07	TPH
o-Xylene	0.74	0.030		3.2	0.13		0.6	7/16/13 21:22	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	7/16/13 22:07
4-Bromofluorobenzene (1)	110	70-130	7/16/13 21:22
4-Bromofluorobenzene (2)	107	70-130	7/16/13 22:07
4-Bromofluorobenzene (2)	106	70-130	7/16/13 21:22

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-3
Sample ID: 13G0412-02
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:27

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1059
 Canister Size: 6 liter
 Flow Controller ID: 4195
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	72	40		170	95		20	7/16/13 11:05	TPH
Acetone	57	0.80	E	140	1.9		0.4	7/16/13 10:19	TPH
Acrylonitrile	ND	5.8		ND	12		20	7/16/13 11:05	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 10:19	TPH
Benzene	ND	1.0		ND	3.2		20	7/16/13 11:05	TPH
Benzene	0.29	0.020		0.93	0.064		0.4	7/16/13 10:19	TPH
Bromodichloromethane	ND	0.50		ND	3.4		20	7/16/13 11:05	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 10:19	TPH
Bromoform	ND	1.0		ND	10		20	7/16/13 11:05	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 10:19	TPH
2-Butanone (MEK)	43	40		130	120		20	7/16/13 11:05	TPH
2-Butanone (MEK)	37	0.80	E	110	2.4		0.4	7/16/13 10:19	TPH
n-Butylbenzene	ND	2.9		ND	16		20	7/16/13 11:05	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 10:19	TPH
sec-Butylbenzene	ND	2.3		ND	13		20	7/16/13 11:05	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 10:19	TPH
Carbon Tetrachloride	ND	0.50		ND	3.1		20	7/16/13 11:05	TPH
Carbon Tetrachloride	0.082	0.010		0.52	0.063		0.4	7/16/13 10:19	TPH
Chlorobenzene	ND	1.0		ND	4.6		20	7/16/13 11:05	TPH
Chlorobenzene	0.030	0.020		0.14	0.092		0.4	7/16/13 10:19	TPH
Chloroethane	ND	1.0		ND	2.6		20	7/16/13 11:05	TPH
Chloroethane	0.046	0.020		0.12	0.053		0.4	7/16/13 10:19	TPH
Chloroform	ND	0.50		ND	2.4		20	7/16/13 11:05	TPH
Chloroform	0.13	0.010		0.63	0.049		0.4	7/16/13 10:19	TPH
Chloromethane	ND	2.0		ND	4.1		20	7/16/13 11:05	TPH
Chloromethane	ND	0.040		ND	0.083		0.4	7/16/13 10:19	TPH
Dibromochloromethane	ND	1.0		ND	8.5		20	7/16/13 11:05	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 10:19	TPH
1,2-Dibromoethane (EDB)	ND	0.50		ND	3.8		20	7/16/13 11:05	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 10:19	TPH
1,2-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 11:05	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 10:19	TPH
1,3-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 11:05	TPH
1,3-Dichlorobenzene	0.34	0.020		2.0	0.12		0.4	7/16/13 10:19	TPH
1,4-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 11:05	TPH
1,4-Dichlorobenzene	0.024	0.020		0.14	0.12		0.4	7/16/13 10:19	TPH
Dichlorodifluoromethane (Freon 12)	ND	1.0		ND	4.9		20	7/16/13 11:05	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-3
Sample ID: 13G0412-02
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:27

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1059
 Canister Size: 6 liter
 Flow Controller ID: 4195
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Dichlorodifluoromethane (Freon 12)	0.22	0.020		1.1	0.099		0.4	7/16/13 10:19	TPH
1,1-Dichloroethane	ND	0.50		ND	2.0		20	7/16/13 11:05	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 10:19	TPH
1,2-Dichloroethane	ND	1.0		ND	4.0		20	7/16/13 11:05	TPH
1,2-Dichloroethane	ND	0.020		ND	0.081		0.4	7/16/13 10:19	TPH
1,1-Dichloroethylene	ND	0.50		ND	2.0		20	7/16/13 11:05	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 10:19	TPH
cis-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/16/13 11:05	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 10:19	TPH
trans-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/16/13 11:05	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 10:19	TPH
1,2-Dichloropropane	ND	1.0		ND	4.6		20	7/16/13 11:05	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 10:19	TPH
1,3-Dichloropropane	ND	2.7		ND	12		20	7/16/13 11:05	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 10:19	TPH
cis-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/16/13 11:05	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 10:19	TPH
trans-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/16/13 11:05	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 10:19	TPH
Ethylbenzene	ND	1.0		ND	4.3		20	7/16/13 11:05	TPH
Ethylbenzene	0.16	0.020		0.67	0.087		0.4	7/16/13 10:19	TPH
Isopropylbenzene (Cumene)	ND	2.5		ND	12		20	7/16/13 11:05	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 10:19	TPH
p-Isopropyltoluene (p-Cymene)	ND	2.3		ND	13		20	7/16/13 11:05	TPH
p-Isopropyltoluene (p-Cymene)	0.051	0.046		0.28	0.25		0.4	7/16/13 10:19	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 10:19	TPH
Methyl tert-Butyl Ether (MTBE)	ND	1.0		ND	3.6		20	7/16/13 11:05	TPH
Methylene Chloride	ND	10		ND	35		20	7/16/13 11:05	TPH
Methylene Chloride	7.2	0.20		25	0.69		0.4	7/16/13 10:19	TPH
4-Methyl-2-pentanone (MIBK)	ND	1.0		ND	4.1		20	7/16/13 11:05	TPH
4-Methyl-2-pentanone (MIBK)	0.13	0.020		0.55	0.082		0.4	7/16/13 10:19	TPH
Styrene	ND	1.0		ND	4.3		20	7/16/13 11:05	TPH
Styrene	0.14	0.020		0.60	0.085		0.4	7/16/13 10:19	TPH
1,1,1,2-Tetrachloroethane	ND	1.8		ND	12		20	7/16/13 11:05	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 10:19	TPH
1,1,2,2-Tetrachloroethane	ND	0.50		ND	3.4		20	7/16/13 11:05	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	7/16/13 10:19	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-3
Sample ID: 13G0412-02
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:27

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1059
 Canister Size: 6 liter
 Flow Controller ID: 4195
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.50		ND	3.4		20	7/16/13 11:05	TPH
Tetrachloroethylene	0.30	0.010		2.1	0.068		0.4	7/16/13 10:19	TPH
Toluene	ND	1.0		ND	3.8		20	7/16/13 11:05	TPH
Toluene	0.81	0.020		3.0	0.075		0.4	7/16/13 10:19	TPH
1,1,1-Trichloroethane	ND	0.50		ND	2.7		20	7/16/13 11:05	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 10:19	TPH
1,1,2-Trichloroethane	ND	0.50		ND	2.7		20	7/16/13 11:05	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 10:19	TPH
Trichloroethylene	ND	0.50		ND	2.7		20	7/16/13 11:05	TPH
Trichloroethylene	0.041	0.010		0.22	0.054		0.4	7/16/13 10:19	TPH
Trichlorofluoromethane (Freon 11)	ND	1.0		ND	5.6		20	7/16/13 11:05	TPH
Trichlorofluoromethane (Freon 11)	0.39	0.020		2.2	0.11		0.4	7/16/13 10:19	TPH
1,2,4-Trimethylbenzene	ND	1.0		ND	4.9		20	7/16/13 11:05	TPH
1,2,4-Trimethylbenzene	0.33	0.020		1.6	0.098		0.4	7/16/13 10:19	TPH
1,3,5-Trimethylbenzene	ND	1.0		ND	4.9		20	7/16/13 11:05	TPH
1,3,5-Trimethylbenzene	0.079	0.020		0.39	0.098		0.4	7/16/13 10:19	TPH
Vinyl Chloride	ND	0.50		ND	1.3		20	7/16/13 11:05	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13 10:19	TPH
m&p-Xylene	ND	2.0		ND	8.7		20	7/16/13 11:05	TPH
m&p-Xylene	0.43	0.040		1.9	0.17		0.4	7/16/13 10:19	TPH
o-Xylene	ND	1.0		ND	4.3		20	7/16/13 11:05	TPH
o-Xylene	0.20	0.020		0.86	0.087		0.4	7/16/13 10:19	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	107	70-130	7/16/13 11:05
4-Bromofluorobenzene (1)	110	70-130	7/16/13 10:19
4-Bromofluorobenzene (2)	106	70-130	7/16/13 11:05
4-Bromofluorobenzene (2)	108	70-130	7/16/13 10:19

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-4
Sample ID: 13G0412-03
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:43

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1504
 Canister Size: 6 liter
 Flow Controller ID: 4186
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	42	40		99	95		20	7/17/13 2:44	TPH
Acetone	53	0.80	E	130	1.9		0.4	7/16/13 11:57	TPH
Acrylonitrile	ND	5.8		ND	12		20	7/17/13 2:44	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 11:57	TPH
Benzene	ND	1.0		ND	3.2		20	7/17/13 2:44	TPH
Benzene	0.24	0.020		0.76	0.064		0.4	7/16/13 11:57	TPH
Bromodichloromethane	ND	0.50		ND	3.4		20	7/17/13 2:44	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 11:57	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 11:57	TPH
Bromoform	ND	1.0		ND	10		20	7/17/13 2:44	TPH
2-Butanone (MEK)	18	10		52	29		20	7/17/13 2:44	TPH
2-Butanone (MEK)	27	0.80	E	79	2.4		0.4	7/16/13 11:57	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 11:57	TPH
n-Butylbenzene	ND	2.9		ND	16		20	7/17/13 2:44	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 11:57	TPH
sec-Butylbenzene	ND	2.3		ND	13		20	7/17/13 2:44	TPH
Carbon Tetrachloride	ND	0.50		ND	3.1		20	7/17/13 2:44	TPH
Carbon Tetrachloride	0.072	0.010		0.46	0.063		0.4	7/16/13 11:57	TPH
Chlorobenzene	ND	1.0		ND	4.6		20	7/17/13 2:44	TPH
Chlorobenzene	0.033	0.020		0.15	0.092		0.4	7/16/13 11:57	TPH
Chloroethane	0.12	0.020		0.31	0.053		0.4	7/16/13 11:57	TPH
Chloroethane	ND	1.0		ND	2.6		20	7/17/13 2:44	TPH
Chloroform	0.067	0.010		0.33	0.049		0.4	7/16/13 11:57	TPH
Chloroform	ND	0.50		ND	2.4		20	7/17/13 2:44	TPH
Chloromethane	ND	0.040		ND	0.083		0.4	7/16/13 11:57	TPH
Chloromethane	ND	2.0		ND	4.1		20	7/17/13 2:44	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 11:57	TPH
Dibromochloromethane	ND	1.0		ND	8.5		20	7/17/13 2:44	TPH
1,2-Dibromoethane (EDB)	ND	0.50		ND	3.8		20	7/17/13 2:44	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 11:57	TPH
1,2-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 2:44	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 11:57	TPH
1,3-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 2:44	TPH
1,3-Dichlorobenzene	0.66	0.020		3.9	0.12		0.4	7/16/13 11:57	TPH
1,4-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 2:44	TPH
1,4-Dichlorobenzene	0.027	0.020		0.16	0.12		0.4	7/16/13 11:57	TPH
Dichlorodifluoromethane (Freon 12)	0.20	0.020		0.99	0.099		0.4	7/16/13 11:57	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-4
Sample ID: 13G0412-03
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:43

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1504
 Canister Size: 6 liter
 Flow Controller ID: 4186
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag	Results	RL	Analyzed		Analyst	
Dichlorodifluoromethane (Freon 12)	ND	1.0		ND	4.9		20	7/17/13 2:44	TPH
1,1-Dichloroethane	ND	0.50		ND	2.0		20	7/17/13 2:44	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 11:57	TPH
1,2-Dichloroethane	ND	1.0		ND	4.0		20	7/17/13 2:44	TPH
1,2-Dichloroethane	0.020	0.020		0.081	0.081		0.4	7/16/13 11:57	TPH
1,1-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 2:44	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 11:57	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 11:57	TPH
cis-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 2:44	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 11:57	TPH
trans-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 2:44	TPH
1,2-Dichloropropane	ND	1.0		ND	4.6		20	7/17/13 2:44	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 11:57	TPH
1,3-Dichloropropane	ND	2.7		ND	12		20	7/17/13 2:44	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 11:57	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 11:57	TPH
cis-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/17/13 2:44	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 11:57	TPH
trans-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/17/13 2:44	TPH
Ethylbenzene	0.16	0.020		0.68	0.087		0.4	7/16/13 11:57	TPH
Ethylbenzene	ND	1.0		ND	4.3		20	7/17/13 2:44	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 11:57	TPH
Isopropylbenzene (Cumene)	ND	2.5		ND	12		20	7/17/13 2:44	TPH
p-Isopropyltoluene (p-Cymene)	0.053	0.046		0.29	0.25		0.4	7/16/13 11:57	TPH
p-Isopropyltoluene (p-Cymene)	ND	2.3		ND	13		20	7/17/13 2:44	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 11:57	TPH
Methyl tert-Butyl Ether (MTBE)	ND	1.0		ND	3.6		20	7/17/13 2:44	TPH
Methylene Chloride	0.35	0.20		1.2	0.69		0.4	7/16/13 11:57	TPH
Methylene Chloride	ND	10		ND	35		20	7/17/13 2:44	TPH
4-Methyl-2-pentanone (MIBK)	ND	1.0		ND	4.1		20	7/17/13 2:44	TPH
4-Methyl-2-pentanone (MIBK)	0.12	0.020		0.47	0.082		0.4	7/16/13 11:57	TPH
Styrene	0.092	0.020		0.39	0.085		0.4	7/16/13 11:57	TPH
Styrene	ND	1.0		ND	4.3		20	7/17/13 2:44	TPH
1,1,1,2-Tetrachloroethane	ND	1.8		ND	12		20	7/17/13 2:44	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 11:57	TPH
1,1,2,2-Tetrachloroethane	ND	0.50		ND	3.4		20	7/17/13 2:44	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	7/16/13 11:57	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-4
Sample ID: 13G0412-03
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:43

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1504
 Canister Size: 6 liter
 Flow Controller ID: 4186
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	0.45	0.010		3.1	0.068		0.4	7/16/13 11:57	TPH
Tetrachloroethylene	ND	0.50		ND	3.4		20	7/17/13 2:44	TPH
Toluene	0.52	0.020		2.0	0.075		0.4	7/16/13 11:57	TPH
Toluene	ND	1.0		ND	3.8		20	7/17/13 2:44	TPH
1,1,1-Trichloroethane	ND	0.50		ND	2.7		20	7/17/13 2:44	TPH
1,1,1-Trichloroethane	0.011	0.010		0.061	0.055		0.4	7/16/13 11:57	TPH
1,1,2-Trichloroethane	ND	0.50		ND	2.7		20	7/17/13 2:44	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 11:57	TPH
Trichloroethylene	5.0	0.010		27	0.054		0.4	7/16/13 11:57	TPH
Trichloroethylene	2.8	0.50		15	2.7		20	7/17/13 2:44	TPH
Trichlorofluoromethane (Freon 11)	5.9	0.020		33	0.11		0.4	7/16/13 11:57	TPH
Trichlorofluoromethane (Freon 11)	3.3	1.0		18	5.6		20	7/17/13 2:44	TPH
1,2,4-Trimethylbenzene	ND	1.0		ND	4.9		20	7/17/13 2:44	TPH
1,2,4-Trimethylbenzene	0.36	0.020		1.8	0.098		0.4	7/16/13 11:57	TPH
1,3,5-Trimethylbenzene	0.076	0.020		0.37	0.098		0.4	7/16/13 11:57	TPH
1,3,5-Trimethylbenzene	ND	1.0		ND	4.9		20	7/17/13 2:44	TPH
Vinyl Chloride	0.033	0.010		0.085	0.026		0.4	7/16/13 11:57	TPH
Vinyl Chloride	ND	0.50		ND	1.3		20	7/17/13 2:44	TPH
m&p-Xylene	0.41	0.040		1.8	0.17		0.4	7/16/13 11:57	TPH
m&p-Xylene	ND	2.0		ND	8.7		20	7/17/13 2:44	TPH
o-Xylene	0.21	0.020		0.90	0.087		0.4	7/16/13 11:57	TPH
o-Xylene	ND	1.0		ND	4.3		20	7/17/13 2:44	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	7/17/13 2:44
4-Bromofluorobenzene (1)	109	70-130	7/16/13 11:57
4-Bromofluorobenzene (2)	106	70-130	7/17/13 2:44
4-Bromofluorobenzene (2)	107	70-130	7/16/13 11:57

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-6
Sample ID: 13G0412-04
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:50

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1469
 Canister Size: 6 liter
 Flow Controller ID: 4196
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	81	40		190	95		20	7/17/13 3:27	TPH
Acetone	110	0.80	E	260	1.9		0.4	7/16/13 12:47	TPH
Acrylonitrile	ND	5.8		ND	12		20	7/17/13 3:27	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 12:47	TPH
Benzene	ND	1.0		ND	3.2		20	7/17/13 3:27	TPH
Benzene	0.22	0.020		0.70	0.064		0.4	7/16/13 12:47	TPH
Bromodichloromethane	ND	0.50		ND	3.4		20	7/17/13 3:27	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 12:47	TPH
Bromoform	ND	1.0		ND	10		20	7/17/13 3:27	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 12:47	TPH
2-Butanone (MEK)	120	40		370	120		20	7/17/13 3:27	TPH
2-Butanone (MEK)	110	0.80	E	320	2.4		0.4	7/16/13 12:47	TPH
n-Butylbenzene	ND	2.9		ND	16		20	7/17/13 3:27	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 12:47	TPH
sec-Butylbenzene	ND	2.3		ND	13		20	7/17/13 3:27	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 12:47	TPH
Carbon Tetrachloride	ND	0.50		ND	3.1		20	7/17/13 3:27	TPH
Carbon Tetrachloride	0.076	0.010		0.48	0.063		0.4	7/16/13 12:47	TPH
Chlorobenzene	ND	1.0		ND	4.6		20	7/17/13 3:27	TPH
Chlorobenzene	0.033	0.020		0.15	0.092		0.4	7/16/13 12:47	TPH
Chloroethane	ND	1.0		ND	2.6		20	7/17/13 3:27	TPH
Chloroethane	0.034	0.020		0.091	0.053		0.4	7/16/13 12:47	TPH
Chloroform	ND	0.50		ND	2.4		20	7/17/13 3:27	TPH
Chloroform	0.054	0.010		0.27	0.049		0.4	7/16/13 12:47	TPH
Chloromethane	ND	2.0		ND	4.1		20	7/17/13 3:27	TPH
Chloromethane	ND	0.040		ND	0.083		0.4	7/16/13 12:47	TPH
Dibromochloromethane	ND	1.0		ND	8.5		20	7/17/13 3:27	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 12:47	TPH
1,2-Dibromoethane (EDB)	ND	0.50		ND	3.8		20	7/17/13 3:27	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 12:47	TPH
1,2-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 3:27	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 12:47	TPH
1,3-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 3:27	TPH
1,3-Dichlorobenzene	0.63	0.020		3.8	0.12		0.4	7/16/13 12:47	TPH
1,4-Dichlorobenzene	ND	1.0		ND	6.0		20	7/17/13 3:27	TPH
1,4-Dichlorobenzene	0.030	0.020		0.18	0.12		0.4	7/16/13 12:47	TPH
Dichlorodifluoromethane (Freon 12)	ND	1.0		ND	4.9		20	7/17/13 3:27	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-6
Sample ID: 13G0412-04
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:50

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1469
 Canister Size: 6 liter
 Flow Controller ID: 4196
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Dichlorodifluoromethane (Freon 12)	0.22	0.020		1.1	0.099		0.4	7/16/13 12:47	TPH
1,1-Dichloroethane	ND	0.50		ND	2.0		20	7/17/13 3:27	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 12:47	TPH
1,2-Dichloroethane	ND	1.0		ND	4.0		20	7/17/13 3:27	TPH
1,2-Dichloroethane	ND	0.020		ND	0.081		0.4	7/16/13 12:47	TPH
1,1-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 3:27	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 12:47	TPH
cis-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 3:27	TPH
cis-1,2-Dichloroethylene	0.014	0.010		0.054	0.040		0.4	7/16/13 12:47	TPH
trans-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/17/13 3:27	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 12:47	TPH
1,2-Dichloropropane	ND	1.0		ND	4.6		20	7/17/13 3:27	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 12:47	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 12:47	TPH
1,3-Dichloropropane	ND	2.7		ND	12		20	7/17/13 3:27	TPH
cis-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/17/13 3:27	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 12:47	TPH
trans-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/17/13 3:27	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 12:47	TPH
Ethylbenzene	ND	1.0		ND	4.3		20	7/17/13 3:27	TPH
Ethylbenzene	0.13	0.020		0.59	0.087		0.4	7/16/13 12:47	TPH
Isopropylbenzene (Cumene)	ND	2.5		ND	12		20	7/17/13 3:27	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 12:47	TPH
p-Isopropyltoluene (p-Cymene)	ND	2.3		ND	13		20	7/17/13 3:27	TPH
p-Isopropyltoluene (p-Cymene)	0.053	0.046		0.29	0.25		0.4	7/16/13 12:47	TPH
Methyl tert-Butyl Ether (MTBE)	ND	1.0		ND	3.6		20	7/17/13 3:27	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 12:47	TPH
Methylene Chloride	ND	10		ND	35		20	7/17/13 3:27	TPH
Methylene Chloride	0.32	0.20		1.1	0.69		0.4	7/16/13 12:47	TPH
4-Methyl-2-pentanone (MIBK)	ND	1.0		ND	4.1		20	7/17/13 3:27	TPH
4-Methyl-2-pentanone (MIBK)	0.12	0.020		0.51	0.082		0.4	7/16/13 12:47	TPH
Styrene	ND	1.0		ND	4.3		20	7/17/13 3:27	TPH
Styrene	0.10	0.020		0.43	0.085		0.4	7/16/13 12:47	TPH
1,1,1,2-Tetrachloroethane	ND	1.8		ND	12		20	7/17/13 3:27	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 12:47	TPH
1,1,2,2-Tetrachloroethane	ND	0.50		ND	3.4		20	7/17/13 3:27	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	7/16/13 12:47	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: MP-6
Sample ID: 13G0412-04
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 14:50

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1469
 Canister Size: 6 liter
 Flow Controller ID: 4196
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.50		ND	3.4		20	7/17/13 3:27	TPH
Tetrachloroethylene	0.43	0.010		2.9	0.068		0.4	7/16/13 12:47	TPH
Toluene	ND	1.0		ND	3.8		20	7/17/13 3:27	TPH
Toluene	0.65	0.020		2.5	0.075		0.4	7/16/13 12:47	TPH
1,1,1-Trichloroethane	ND	0.50		ND	2.7		20	7/17/13 3:27	TPH
1,1,1-Trichloroethane	0.060	0.010		0.33	0.055		0.4	7/16/13 12:47	TPH
1,1,2-Trichloroethane	ND	0.50		ND	2.7		20	7/17/13 3:27	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 12:47	TPH
Trichloroethylene	ND	0.50		ND	2.7		20	7/17/13 3:27	TPH
Trichloroethylene	0.48	0.010		2.6	0.054		0.4	7/16/13 12:47	TPH
Trichlorofluoromethane (Freon 11)	ND	1.0		ND	5.6		20	7/17/13 3:27	TPH
Trichlorofluoromethane (Freon 11)	0.58	0.020		3.3	0.11		0.4	7/16/13 12:47	TPH
1,2,4-Trimethylbenzene	ND	1.0		ND	4.9		20	7/17/13 3:27	TPH
1,2,4-Trimethylbenzene	0.37	0.020		1.8	0.098		0.4	7/16/13 12:47	TPH
1,3,5-Trimethylbenzene	ND	1.0		ND	4.9		20	7/17/13 3:27	TPH
1,3,5-Trimethylbenzene	0.077	0.020		0.38	0.098		0.4	7/16/13 12:47	TPH
Vinyl Chloride	ND	0.50		ND	1.3		20	7/17/13 3:27	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13 12:47	TPH
m&p-Xylene	ND	2.0		ND	8.7		20	7/17/13 3:27	TPH
m&p-Xylene	0.38	0.040		1.7	0.17		0.4	7/16/13 12:47	TPH
o-Xylene	ND	1.0		ND	4.3		20	7/17/13 3:27	TPH
o-Xylene	0.19	0.020		0.84	0.087		0.4	7/16/13 12:47	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	7/17/13 3:27
4-Bromofluorobenzene (1)	111	70-130	7/16/13 12:47
4-Bromofluorobenzene (2)	105	70-130	7/17/13 3:27
4-Bromofluorobenzene (2)	111	70-130	7/16/13 12:47

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: IMP-1
Sample ID: 13G0412-05
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 11:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1098
 Canister Size: 6 liter
 Flow Controller ID: 4066
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -24
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	34	20		80	48		20	7/16/13 23:42	TPH
Acetone	29	0.80	E	68	1.9		0.4	7/16/13 22:58	TPH
Acrylonitrile	ND	5.8		ND	12		20	7/16/13 23:42	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/16/13 22:58	TPH
Benzene	ND	1.0		ND	3.2		20	7/16/13 23:42	TPH
Benzene	0.20	0.020		0.65	0.064		0.4	7/16/13 22:58	TPH
Bromodichloromethane	ND	0.50		ND	3.4		20	7/16/13 23:42	TPH
Bromodichloromethane	ND	0.010		ND	0.067		0.4	7/16/13 22:58	TPH
Bromoform	ND	1.0		ND	10		20	7/16/13 23:42	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/16/13 22:58	TPH
2-Butanone (MEK)	ND	40		ND	120		20	7/16/13 23:42	TPH
2-Butanone (MEK)	2.3	0.80		6.8	2.4		0.4	7/16/13 22:58	TPH
n-Butylbenzene	ND	2.9		ND	16		20	7/16/13 23:42	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/16/13 22:58	TPH
sec-Butylbenzene	ND	2.3		ND	13		20	7/16/13 23:42	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/16/13 22:58	TPH
Carbon Tetrachloride	ND	0.50		ND	3.1		20	7/16/13 23:42	TPH
Carbon Tetrachloride	0.071	0.010		0.45	0.063		0.4	7/16/13 22:58	TPH
Chlorobenzene	ND	1.0		ND	4.6		20	7/16/13 23:42	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/16/13 22:58	TPH
Chloroethane	ND	1.0		ND	2.6		20	7/16/13 23:42	TPH
Chloroethane	0.043	0.020		0.11	0.053		0.4	7/16/13 22:58	TPH
Chloroform	ND	0.50		ND	2.4		20	7/16/13 23:42	TPH
Chloroform	0.049	0.010		0.24	0.049		0.4	7/16/13 22:58	TPH
Chloromethane	ND	2.0		ND	4.1		20	7/16/13 23:42	TPH
Chloromethane	0.50	0.040		1.0	0.083		0.4	7/16/13 22:58	TPH
Dibromochloromethane	ND	1.0		ND	8.5		20	7/16/13 23:42	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/16/13 22:58	TPH
1,2-Dibromoethane (EDB)	ND	0.50		ND	3.8		20	7/16/13 23:42	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/16/13 22:58	TPH
1,2-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 23:42	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 22:58	TPH
1,3-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 23:42	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/16/13 22:58	TPH
1,4-Dichlorobenzene	ND	1.0		ND	6.0		20	7/16/13 23:42	TPH
1,4-Dichlorobenzene	0.030	0.020		0.18	0.12		0.4	7/16/13 22:58	TPH
Dichlorodifluoromethane (Freon 12)	ND	1.0		ND	4.9		20	7/16/13 23:42	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: IMP-1
Sample ID: 13G0412-05
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 11:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1098
 Canister Size: 6 liter
 Flow Controller ID: 4066
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -24
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Dichlorodifluoromethane (Freon 12)	0.21	0.020		1.0	0.099		0.4	7/16/13 22:58	TPH
1,1-Dichloroethane	ND	0.50		ND	2.0		20	7/16/13 23:42	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/16/13 22:58	TPH
1,2-Dichloroethane	ND	1.0		ND	4.0		20	7/16/13 23:42	TPH
1,2-Dichloroethane	0.023	0.020		0.092	0.081		0.4	7/16/13 22:58	TPH
1,1-Dichloroethylene	ND	0.50		ND	2.0		20	7/16/13 23:42	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 22:58	TPH
cis-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/16/13 23:42	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 22:58	TPH
trans-1,2-Dichloroethylene	ND	0.50		ND	2.0		20	7/16/13 23:42	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/16/13 22:58	TPH
1,2-Dichloropropane	ND	1.0		ND	4.6		20	7/16/13 23:42	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/16/13 22:58	TPH
1,3-Dichloropropane	ND	2.7		ND	12		20	7/16/13 23:42	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/16/13 22:58	TPH
cis-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/16/13 23:42	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 22:58	TPH
trans-1,3-Dichloropropene	ND	0.50		ND	2.3		20	7/16/13 23:42	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/16/13 22:58	TPH
Ethylbenzene	ND	1.0		ND	4.3		20	7/16/13 23:42	TPH
Ethylbenzene	0.25	0.020		1.1	0.087		0.4	7/16/13 22:58	TPH
Isopropylbenzene (Cumene)	ND	2.5		ND	12		20	7/16/13 23:42	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/16/13 22:58	TPH
p-Isopropyltoluene (p-Cymene)	ND	2.3		ND	13		20	7/16/13 23:42	TPH
p-Isopropyltoluene (p-Cymene)	0.065	0.046		0.36	0.25		0.4	7/16/13 22:58	TPH
Methyl tert-Butyl Ether (MTBE)	ND	1.0		ND	3.6		20	7/16/13 23:42	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/16/13 22:58	TPH
Methylene Chloride	ND	10		ND	35		20	7/16/13 23:42	TPH
Methylene Chloride	9.0	0.20		31	0.69		0.4	7/16/13 22:58	TPH
4-Methyl-2-pentanone (MIBK)	ND	1.0		ND	4.1		20	7/16/13 23:42	TPH
4-Methyl-2-pentanone (MIBK)	0.23	0.020		0.92	0.082		0.4	7/16/13 22:58	TPH
Styrene	ND	1.0		ND	4.3		20	7/16/13 23:42	TPH
Styrene	0.12	0.020		0.49	0.085		0.4	7/16/13 22:58	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/16/13 22:58	TPH
1,1,1,2-Tetrachloroethane	ND	1.8		ND	12		20	7/16/13 23:42	TPH
1,1,2,2-Tetrachloroethane	ND	0.50		ND	3.4		20	7/16/13 23:42	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	7/16/13 22:58	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: IMP-1
Sample ID: 13G0412-05
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 11:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1098
 Canister Size: 6 liter
 Flow Controller ID: 4066
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -24
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	ND	0.50		ND	3.4		20	7/16/13 23:42	TPH
Tetrachloroethylene	0.38	0.010		2.6	0.068		0.4	7/16/13 22:58	TPH
Toluene	1.5	1.0		5.5	3.8		20	7/16/13 23:42	TPH
Toluene	1.8	0.020		6.8	0.075		0.4	7/16/13 22:58	TPH
1,1,1-Trichloroethane	ND	0.50		ND	2.7		20	7/16/13 23:42	TPH
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 22:58	TPH
1,1,2-Trichloroethane	ND	0.50		ND	2.7		20	7/16/13 23:42	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/16/13 22:58	TPH
Trichloroethylene	ND	0.50		ND	2.7		20	7/16/13 23:42	TPH
Trichloroethylene	0.025	0.010		0.14	0.054		0.4	7/16/13 22:58	TPH
Trichlorofluoromethane (Freon 11)	ND	1.0		ND	5.6		20	7/16/13 23:42	TPH
Trichlorofluoromethane (Freon 11)	0.64	0.020		3.6	0.11		0.4	7/16/13 22:58	TPH
1,2,4-Trimethylbenzene	ND	1.0		ND	4.9		20	7/16/13 23:42	TPH
1,2,4-Trimethylbenzene	0.41	0.020		2.0	0.098		0.4	7/16/13 22:58	TPH
1,3,5-Trimethylbenzene	ND	1.0		ND	4.9		20	7/16/13 23:42	TPH
1,3,5-Trimethylbenzene	0.088	0.020		0.43	0.098		0.4	7/16/13 22:58	TPH
Vinyl Chloride	ND	0.50		ND	1.3		20	7/16/13 23:42	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/16/13 22:58	TPH
m&p-Xylene	ND	2.0		ND	8.7		20	7/16/13 23:42	TPH
m&p-Xylene	0.73	0.040		3.2	0.17		0.4	7/16/13 22:58	TPH
o-Xylene	ND	1.0		ND	4.3		20	7/16/13 23:42	TPH
o-Xylene	0.31	0.020		1.3	0.087		0.4	7/16/13 22:58	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	107	70-130	7/16/13 23:42
4-Bromofluorobenzene (1)	110	70-130	7/16/13 22:58
4-Bromofluorobenzene (2)	107	70-130	7/16/13 23:42
4-Bromofluorobenzene (2)	108	70-130	7/16/13 22:58

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: IMP-2
Sample ID: 13G0412-06
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 11:37

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1314
 Canister Size: 6 liter
 Flow Controller ID: 4067
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Acetone	6.4	0.80		15	1.9		0.4	7/17/13 0:33	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	7/17/13 0:33	TPH
Benzene	0.13	0.020		0.42	0.064		0.4	7/17/13 0:33	TPH
Bromodichloromethane	0.034	0.010		0.23	0.067		0.4	7/17/13 0:33	TPH
Bromoform	ND	0.020		ND	0.21		0.4	7/17/13 0:33	TPH
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	7/17/13 0:33	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	7/17/13 0:33	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	7/17/13 0:33	TPH
Carbon Tetrachloride	0.074	0.010		0.47	0.063		0.4	7/17/13 0:33	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	7/17/13 0:33	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	7/17/13 0:33	TPH
Chloroform	0.054	0.010		0.27	0.049		0.4	7/17/13 0:33	TPH
Chloromethane	ND	0.040		ND	0.083		0.4	7/17/13 0:33	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	7/17/13 0:33	TPH
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	7/17/13 0:33	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/17/13 0:33	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	7/17/13 0:33	TPH
1,4-Dichlorobenzene	0.036	0.020		0.22	0.12		0.4	7/17/13 0:33	TPH
Dichlorodifluoromethane (Freon 12)	0.21	0.020		1.1	0.099		0.4	7/17/13 0:33	TPH
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	7/17/13 0:33	TPH
1,2-Dichloroethane	ND	0.020		ND	0.081		0.4	7/17/13 0:33	TPH
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/17/13 0:33	TPH
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/17/13 0:33	TPH
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	7/17/13 0:33	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	7/17/13 0:33	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	7/17/13 0:33	TPH
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/17/13 0:33	TPH
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	7/17/13 0:33	TPH
Ethylbenzene	0.23	0.020		1.0	0.087		0.4	7/17/13 0:33	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	7/17/13 0:33	TPH
p-Isopropyltoluene (p-Cymene)	0.096	0.046		0.53	0.25		0.4	7/17/13 0:33	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	7/17/13 0:33	TPH
Methylene Chloride	1.0	0.20		3.6	0.69		0.4	7/17/13 0:33	TPH
4-Methyl-2-pentanone (MIBK)	0.096	0.020		0.39	0.082		0.4	7/17/13 0:33	TPH
Styrene	0.11	0.020		0.48	0.085		0.4	7/17/13 0:33	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	7/17/13 0:33	TPH
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	7/17/13 0:33	TPH

ANALYTICAL RESULTS

Project Location: Alvarez High School
 Date Received: 7/10/2013
Field Sample #: IMP-2
Sample ID: 13G0412-06
 Sample Matrix: Sub Slab
 Sampled: 7/9/2013 11:37

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1314
 Canister Size: 6 liter
 Flow Controller ID: 4067
 Sample Type: 30 min

Work Order: 13G0412
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -4.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag	Results	RL				
Tetrachloroethylene	1.3	0.010		8.8	0.068		0.4	7/17/13 0:33	TPH
Toluene	0.91	0.020		3.4	0.075		0.4	7/17/13 0:33	TPH
1,1,1-Trichloroethane	0.047	0.010		0.26	0.055		0.4	7/17/13 0:33	TPH
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	7/17/13 0:33	TPH
Trichloroethylene	4.0	0.010		22	0.054		0.4	7/17/13 0:33	TPH
Trichlorofluoromethane (Freon 11)	0.98	0.020		5.5	0.11		0.4	7/17/13 0:33	TPH
1,2,4-Trimethylbenzene	0.42	0.020		2.0	0.098		0.4	7/17/13 0:33	TPH
1,3,5-Trimethylbenzene	0.089	0.020		0.44	0.098		0.4	7/17/13 0:33	TPH
Vinyl Chloride	ND	0.010		ND	0.026		0.4	7/17/13 0:33	TPH
m&p-Xylene	0.70	0.040		3.0	0.17		0.4	7/17/13 0:33	TPH
o-Xylene	0.28	0.020		1.2	0.087		0.4	7/17/13 0:33	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	110	70-130	7/17/13 0:33
4-Bromofluorobenzene (2)	108	70-130	7/17/13 0:33

Sample Extraction Data
Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
13G0412-02 [MP-3]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0412-02RE1 [MP-3]	B076930	1	1	N/A	1000	400	20	07/15/13
13G0412-03 [MP-4]	B076930	1	1	N/A	1000	400	1000	07/15/13
13G0412-04 [MP-6]	B076930	1	1	N/A	1000	400	1000	07/15/13

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
13G0412-01 [MP-1]	B076931	1.5	1	N/A	1000	400	1000	07/16/13
13G0412-01RE1 [MP-1]	B076931	1.5	1	N/A	1000	400	30	07/16/13
13G0412-03RE1 [MP-4]	B076931	1	1	N/A	1000	400	20	07/16/13
13G0412-04RE1 [MP-6]	B076931	1	1	N/A	1000	400	20	07/16/13
13G0412-05 [IMP-1]	B076931	1	1	N/A	1000	400	1000	07/16/13
13G0412-05RE1 [IMP-1]	B076931	1	1	N/A	1000	400	20	07/16/13
13G0412-06 [IMP-2]	B076931	1	1	N/A	1000	400	1000	07/16/13

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	------

Batch B076930 - TO-15 Prep

Blank (B076930-BLK1)	Prepared & Analyzed: 07/15/13										
Acetone	ND	0.80									
Acrylonitrile	ND	0.12									
Benzene	ND	0.020									
Bromodichloromethane	ND	0.010									
Bromoform	ND	0.020									
2-Butanone (MEK)	ND	0.80									
n-Butylbenzene	ND	0.058									
sec-Butylbenzene	ND	0.046									
Carbon Tetrachloride	ND	0.010									
Chlorobenzene	ND	0.020									
Chloroethane	ND	0.020									
Chloroform	ND	0.010									
Chloromethane	ND	0.040									
Dibromochloromethane	ND	0.020									
1,2-Dibromoethane (EDB)	ND	0.010									
1,2-Dichlorobenzene	ND	0.020									
1,3-Dichlorobenzene	ND	0.020									
1,4-Dichlorobenzene	ND	0.020									
Dichlorodifluoromethane (Freon 12)	ND	0.020									
1,1-Dichloroethane	ND	0.010									
1,2-Dichloroethane	ND	0.010									
1,1-Dichloroethylene	ND	0.010									
cis-1,2-Dichloroethylene	ND	0.010									
trans-1,2-Dichloroethylene	ND	0.010									
1,2-Dichloropropane	ND	0.020									
1,3-Dichloropropane	ND	0.054									
cis-1,3-Dichloropropene	ND	0.010									
trans-1,3-Dichloropropene	ND	0.010									
Ethylbenzene	ND	0.020									
Isopropylbenzene (Cumene)	ND	0.051									
p-Isopropyltoluene (p-Cymene)	ND	0.046									
Methyl tert-Butyl Ether (MTBE)	ND	0.020									
Methylene Chloride	ND	0.20									
4-Methyl-2-pentanone (MIBK)	ND	0.020									
Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.036									
1,1,2,2-Tetrachloroethane	ND	0.010									
Tetrachloroethylene	ND	0.010									
Toluene	ND	0.020									
1,1,1-Trichloroethane	ND	0.010									
1,1,2-Trichloroethane	ND	0.010									
Trichloroethylene	ND	0.010									
Trichlorofluoromethane (Freon 11)	ND	0.020									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.010									

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

Batch B076930 - TO-15 Prep

Blank (B076930-BLK1)	Prepared & Analyzed: 07/15/13										
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
Surrogate: 4-Bromofluorobenzene (1)	8.53		8.00		107	70-130					
Surrogate: 4-Bromofluorobenzene (2)	8.15		8.00		102	70-130					

LCS (B076930-BS1)	Prepared & Analyzed: 07/15/13						
Acetone	6.18		5.00		124	70-130	
Acrylonitrile	6.04		2.88		210 *	70-130	V-06, L-01
Benzene	4.43		5.00		88.6	70-130	
Bromodichloromethane	5.05		5.00		101	70-130	
Bromoform	5.28		5.00		106	70-130	
2-Butanone (MEK)	4.44		5.00		88.8	70-130	
n-Butylbenzene	1.01		1.14		88.9	70-130	
sec-Butylbenzene	0.960		1.14		84.2	70-130	
Carbon Tetrachloride	4.36		5.00		87.2	70-130	
Chlorobenzene	4.94		5.00		98.8	70-130	
Chloroethane	3.95		5.00		79.0	70-130	
Chloroform	4.95		5.00		98.9	70-130	
Chloromethane	3.90		5.00		77.9	70-130	
Dibromochloromethane	4.77		5.00		95.5	70-130	
1,2-Dibromoethane (EDB)	4.83		5.00		96.6	70-130	
1,2-Dichlorobenzene	5.79		5.00		116	70-130	
1,3-Dichlorobenzene	5.72		5.00		114	70-130	
1,4-Dichlorobenzene	5.63		5.00		113	70-130	
Dichlorodifluoromethane (Freon 12)	4.39		5.00		87.8	70-130	
1,1-Dichloroethane	4.82		5.00		96.3	70-130	
1,2-Dichloroethane	4.57		5.00		91.5	70-130	
1,1-Dichloroethylene	4.43		5.00		88.6	70-130	
cis-1,2-Dichloroethylene	5.04		5.00		101	70-130	
trans-1,2-Dichloroethylene	4.84		5.00		96.8	70-130	
1,2-Dichloropropane	4.97		5.00		99.5	70-130	
1,3-Dichloropropane	1.17		1.35		86.5	70-130	
cis-1,3-Dichloropropene	4.97		5.00		99.3	70-130	
trans-1,3-Dichloropropene	5.07		5.00		101	70-130	
Ethylbenzene	4.94		5.00		98.8	70-130	
Isopropylbenzene (Cumene)	1.03		1.27		81.3	70-130	
p-Isopropyltoluene (p-Cymene)	0.958		1.14		84.0	70-130	
Methyl tert-Butyl Ether (MTBE)	4.59		5.00		91.8	70-130	
Methylene Chloride	4.44		5.00		88.8	70-130	
4-Methyl-2-pentanone (MIBK)	4.49		5.00		89.7	70-130	
Styrene	5.40		5.00		108	70-130	
1,1,1,2-Tetrachloroethane	0.713		0.910		78.4	70-130	
1,1,2,2-Tetrachloroethane	5.51		5.00		110	70-130	
Tetrachloroethylene	5.52		5.00		110	70-130	
Toluene	5.02		5.00		100	70-130	
1,1,1-Trichloroethane	4.53		5.00		90.6	70-130	
1,1,2-Trichloroethane	5.17		5.00		103	70-130	

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	--------	------------	--------------	------

Batch B076930 - TO-15 Prep

LCS (B076930-BS1)	Prepared & Analyzed: 07/15/13					
Trichlorethylene	4.96		5.00		99.3	70-130
Trichlorofluoromethane (Freon 11)	4.57		5.00		91.5	70-130
1,2,4-Trimethylbenzene	5.37		5.00		107	70-130
1,3,5-Trimethylbenzene	5.21		5.00		104	70-130
Vinyl Chloride	4.00		5.00		80.0	70-130
m&p-Xylene	10.1		10.0		101	70-130
o-Xylene	5.06		5.00		101	70-130
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.88		8.00		111	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.27		8.00		103	70-130

Batch B076931 - TO-15 Prep

Blank (B076931-BLK1)	Prepared & Analyzed: 07/16/13					
Acetone	ND	0.80				
Acrylonitrile	ND	0.12				
Benzene	ND	0.020				
Bromodichloromethane	ND	0.010				
Bromoform	ND	0.020				
2-Butanone (MEK)	ND	0.80				
n-Butylbenzene	ND	0.058				
sec-Butylbenzene	ND	0.046				
Carbon Tetrachloride	ND	0.010				
Chlorobenzene	ND	0.020				
Chloroethane	ND	0.020				
Chloroform	ND	0.010				
Chloromethane	ND	0.040				
Dibromochloromethane	ND	0.020				
1,2-Dibromoethane (EDB)	ND	0.010				
1,2-Dichlorobenzene	ND	0.020				
1,3-Dichlorobenzene	ND	0.020				
1,4-Dichlorobenzene	ND	0.020				
Dichlorodifluoromethane (Freon 12)	ND	0.020				
1,1-Dichloroethane	ND	0.010				
1,2-Dichloroethane	ND	0.010				
1,1-Dichloroethylene	ND	0.010				
cis-1,2-Dichloroethylene	ND	0.010				
trans-1,2-Dichloroethylene	ND	0.010				
1,2-Dichloropropane	ND	0.020				
1,3-Dichloropropane	ND	0.054				
cis-1,3-Dichloropropene	ND	0.010				
trans-1,3-Dichloropropene	ND	0.010				
Ethylbenzene	ND	0.020				
Isopropylbenzene (Cumene)	ND	0.051				
p-Isopropyltoluene (p-Cymene)	ND	0.046				
Methyl tert-Butyl Ether (MTBE)	ND	0.020				
Methylene Chloride	ND	0.20				
4-Methyl-2-pentanone (MIBK)	ND	0.020				

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	------

Batch B076931 - TO-15 Prep

Blank (B076931-BLK1)	Prepared & Analyzed: 07/16/13					
Styrene	ND	0.020				
1,1,1,2-Tetrachloroethane	ND	0.036				
1,1,2,2-Tetrachloroethane	ND	0.020				
Tetrachloroethylene	ND	0.010				
Toluene	ND	0.020				
1,1,1-Trichloroethane	ND	0.010				
1,1,2-Trichloroethane	ND	0.010				
Trichloroethylene	ND	0.010				
Trichlorofluoromethane (Freon 11)	ND	0.020				
1,2,4-Trimethylbenzene	ND	0.020				
1,3,5-Trimethylbenzene	ND	0.020				
Vinyl Chloride	ND	0.010				
m&p-Xylene	ND	0.040				
o-Xylene	ND	0.020				
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.72		8.00		109	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.59		8.00		107	70-130

LCS (B076931-BS1)	Prepared & Analyzed: 07/16/13					
Acetone	6.24		5.00		125	70-130
Acrylonitrile	6.03		2.88		209 *	70-130
Benzene	4.62		5.00		92.3	70-130
Bromodichloromethane	5.24		5.00		105	70-130
Bromoform	5.29		5.00		106	70-130
2-Butanone (MEK)	4.37		5.00		87.4	70-130
n-Butylbenzene	1.03		1.14		90.3	70-130
sec-Butylbenzene	0.991		1.14		86.9	70-130
Carbon Tetrachloride	4.69		5.00		93.9	70-130
Chlorobenzene	4.96		5.00		99.1	70-130
Chloroethane	4.12		5.00		82.4	70-130
Chloroform	5.16		5.00		103	70-130
Chloromethane	3.91		5.00		78.2	70-130
Dibromochloromethane	4.84		5.00		96.7	70-130
1,2-Dibromoethane (EDB)	4.88		5.00		97.6	70-130
1,2-Dichlorobenzene	5.67		5.00		113	70-130
1,3-Dichlorobenzene	5.69		5.00		114	70-130
1,4-Dichlorobenzene	5.53		5.00		111	70-130
Dichlorodifluoromethane (Freon 12)	4.37		5.00		87.3	70-130
1,1-Dichloroethane	4.92		5.00		98.4	70-130
1,2-Dichloroethane	4.71		5.00		94.2	70-130
1,1-Dichloroethylene	4.61		5.00		92.2	70-130
cis-1,2-Dichloroethylene	5.22		5.00		104	70-130
trans-1,2-Dichloroethylene	5.02		5.00		100	70-130
1,2-Dichloropropane	5.03		5.00		101	70-130
1,3-Dichloropropane	1.23		1.35		91.0	70-130
cis-1,3-Dichloropropene	4.73		5.00		94.6	70-130
trans-1,3-Dichloropropene	5.29		5.00		106	70-130
Ethylbenzene	5.01		5.00		100	70-130

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	RPD Limit	Flag
Batch B076931 - TO-15 Prep											
LCS (B076931-BS1)											
Prepared & Analyzed: 07/16/13											
Isopropylbenzene (Cumene)	1.09				1.27		85.8	70-130			
p-Isopropyltoluene (p-Cymene)	0.992				1.14		87.0	70-130			
Methyl tert-Butyl Ether (MTBE)	4.73				5.00		94.5	70-130			
Methylene Chloride	4.59				5.00		91.8	70-130			
4-Methyl-2-pentanone (MIBK)	4.39				5.00		87.8	70-130			
Styrene	5.28				5.00		106	70-130			
1,1,1,2-Tetrachloroethane	0.750				0.910		82.4	70-130			
1,1,2,2-Tetrachloroethane	5.41				5.00		108	70-130			
Tetrachloroethylene	5.61				5.00		112	70-130			
Toluene	5.07				5.00		101	70-130			
1,1,1-Trichloroethane	4.68				5.00		93.6	70-130			
1,1,2-Trichloroethane	5.21				5.00		104	70-130			
Trichloroethylene	5.13				5.00		103	70-130			
Trichlorofluoromethane (Freon 11)	4.71				5.00		94.2	70-130			
1,2,4-Trimethylbenzene	5.34				5.00		107	70-130			
1,3,5-Trimethylbenzene	5.11				5.00		102	70-130			
Vinyl Chloride	4.21				5.00		84.3	70-130			
m&p-Xylene	10.1				10.0		101	70-130			
o-Xylene	5.01				5.00		100	70-130			
Surrogate: 4-Bromo- <i>fluorobenzene (1)</i>	8.69				8.00		109	70-130			
Surrogate: 4-Bromo- <i>fluorobenzene (2)</i>	8.63				8.00		108	70-130			

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
 - † Wide recovery limits established for difficult compound.
 - ‡ Wide RPD limits established for difficult compound.
 - # Data exceeded client recommended or regulatory level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
- E Reported result is estimated. Value reported over verified calibration range.
- L-01 Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.
- V-06 Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

CERTIFICATIONS
Certified Analyses included in this Report

Analyte	Certifications
EPA TO-15 in Air	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

EPA TO-15 in Air

o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2014
CT	Connecticut Department of Public Health	PH-0567	09/30/2013
NY	New York State Department of Health	10899 NELAP	04/1/2014
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2014
RI	Rhode Island Department of Health	LAO00112	12/30/2013
NC	North Carolina Div. of Water Quality	652	12/31/2013
NJ	New Jersey DEP	MA007 NELAP	06/30/2014
FL	Florida Department of Health	E871027 NELAP	06/30/2014
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2014
WA	State of Washington Department of Ecology	C2065	02/23/2014
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2013
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2012



Phone: 413-525-2332 **Fax:** 413-525-6405
Email: info@contestlabs.com

AIR SAMPLE CHAIN OF CUSTODY RECORD

39 SPRUCE ST

Page 1 of 1

**** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.**



39 Spruce St.
East Longmeadow, MA.
01028
P: 413-525-2332
F: 413-525-6405

AIR Only Receipt Checklist

CLIENT NAME: EA Engineering RECEIVED BY: SD DATE: 7/10/13

- 1) Was the chain(s) of custody relinquished and signed? Yes No
- 2) Does the chain agree with the samples?
If not, explain:
 Yes No
- 3) Are all the samples in good condition?
If not, explain:
 Yes No
- 4) Are there any samples "On Hold"? Yes No Stored where: _____
- 5) Are there any RUSH or SHORT HOLDING TIME samples?
Who was notified _____ Date _____ Time _____

6) Location where samples are stored: Air Lab
Permission to subcontract samples? Yes No
(Walk-in clients only) if not already approved
Client Signature:

Containers received at Con-Test

		# of Containers	Types (Size, Duration)
Summa Cans		6	6 Liter
Tedlar Bags			
Tubes			
Regulators			
Restrictors			
Tubing		6	6' 30 min
Other			

Unused Summas:

N/A

Unused Regulators:

N/A

1) Was all media (used & unused checked into the WASP? Yes No)

2) Were all returned summa cans, Restrictors, & Regulators documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet? Yes No

Laboratory Comments:	1870 1469 1059 1698 1504 1314	4187 4196 4195 4066 4186 4067
----------------------	-------------------------------------	-------------------------------------

Doc # 278 Rev. 1 February 2011

APPENDIX D

Rooftop Emission Analytical Summary

Alvarez School - Sub Slab Depressurization System Emissions Calculations
 Sample Date: 9 July 2013

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm): 3000		Measured Flow Rate (cfm): 147.3		Measured Flow Speed (fpm): 2207		Measured Flow Rate (cfm): 108.3		Measured Flow Speed (fpm): 2418		Measured Flow Rate (cfm): 118.7		Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)			
	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)						
Acetone	22.00	1.21E-05	2.91E-04	1.06E-01	33	1.34E-05	3.21E-04	1.17E-01	17	7.54E-06	1.81E-04	6.61E-02	3.30E-05	7.92E-04	2.89E-01			
Acrylonitrile	0.25	U	1.38E-07	3.30E-06	1.21E-03	0.25	U	1.01E-07	2.43E-06	8.87E-04	0.25	U	1.11E-07	2.66E-06	9.72E-04	3.50E-07	8.40E-06	3.06E-03
Benzene	0.42		2.31E-07	5.55E-06	2.03E-03	0.55		2.23E-07	5.35E-06	1.95E-03	0.34		1.51E-07	3.62E-06	1.32E-03	6.05E-07	1.45E-05	5.30E-03
Bromodichloromethane	0.13	U	7.16E-08	1.72E-06	6.27E-04	0.13	U	5.26E-08	1.26E-06	4.61E-04	0.34	U	1.51E-07	3.62E-06	1.32E-03	2.75E-07	6.60E-06	2.41E-03
Bromoform	0.21	U	1.16E-07	2.77E-06	1.01E-03	0.21	U	8.50E-08	2.04E-06	7.45E-04	0.48	U	2.13E-07	5.11E-06	1.87E-03	4.14E-07	9.93E-06	3.62E-03
2-Butanone	2.40		1.32E-06	3.17E-05	1.16E-02	2.8		1.13E-06	2.72E-05	9.93E-03	2.8		1.24E-06	2.98E-05	1.09E-02	3.70E-06	8.87E-05	3.24E-02
n-Butylbenzene	0.32	U	1.76E-07	4.23E-06	1.54E-03	0.32	U	1.30E-07	3.11E-06	1.14E-03	0.32	U	1.42E-07	3.41E-06	1.24E-03	4.48E-07	1.07E-05	3.92E-03
sec-Butylbenzene	0.25	U	1.38E-07	3.30E-06	1.21E-03	0.25	U	1.01E-07	2.43E-06	8.87E-04	0.25	U	1.11E-07	2.66E-06	9.72E-04	3.50E-07	8.40E-06	3.06E-03
Carbon Tetrachloride	0.45		2.48E-07	5.95E-06	2.17E-03	0.46		1.86E-07	4.47E-06	1.63E-03	0.71		3.15E-07	7.56E-06	2.76E-03	7.49E-07	1.80E-05	6.56E-03
Chlorobenzene	0.092	U	5.06E-08	1.22E-06	4.44E-04	0.092	U	3.73E-08	8.94E-07	3.26E-04	0.22	U	9.76E-08	2.34E-06	8.55E-04	1.86E-07	4.45E-06	1.63E-03
Chloroethane	0.079		4.35E-08	1.04E-06	3.81E-04	0.18		7.29E-08	1.75E-06	6.39E-04	0.14		6.21E-08	1.49E-06	5.44E-04	1.79E-07	4.28E-06	1.56E-03
Chloroform	0.36		1.98E-07	4.76E-06	1.74E-03	0.53		2.15E-07	5.15E-06	1.88E-03	1.3		5.77E-07	1.38E-05	5.05E-03	9.90E-07	2.38E-05	8.67E-03
Chloromethane	0.083	U	4.57E-08	1.10E-06	4.00E-04	0.083	U	3.36E-08	8.07E-07	2.94E-04	0.083	U	3.68E-08	8.84E-07	3.23E-04	1.16E-07	2.79E-06	1.02E-03
Dibromochloromethane	0.17	U	9.36E-08	2.25E-06	8.20E-04	0.17	U	6.88E-08	1.65E-06	6.03E-04	0.36	U	1.60E-07	3.83E-06	1.40E-03	3.22E-07	7.73E-06	2.82E-03
1,2-Dibromoethane	0.15	U	8.26E-08	1.98E-06	7.23E-04	0.15	U	6.07E-08	1.46E-06	5.32E-04	0.35	U	1.55E-07	3.73E-06	1.36E-03	2.99E-07	7.17E-06	2.62E-03
1,2-Dichlorobenzene	0.12	U	6.61E-08	1.59E-06	5.79E-04	0.12	U	4.86E-08	1.17E-06	4.26E-04	0.35	U	1.55E-07	3.73E-06	1.36E-03	2.70E-07	6.48E-06	2.36E-03
1,3-Dichlorobenzene	0.12	U	6.61E-08	1.59E-06	5.79E-04	0.12	U	4.86E-08	1.17E-06	4.26E-04	0.33	U	1.46E-07	3.51E-06	1.28E-03	2.61E-07	6.27E-06	2.29E-03
1,4-Dichlorobenzene	0.12	U	6.61E-08	1.59E-06	5.79E-04	0.12	U	4.86E-08	1.17E-06	4.26E-04	0.35	U	1.55E-07	3.73E-06	1.36E-03	2.70E-07	6.48E-06	2.36E-03
Dichlorodifluoromethane	1.00		5.51E-07	1.32E-05	4.82E-03	1.1		4.45E-07	1.07E-05	3.90E-03	1.2		5.32E-07	1.28E-05	4.66E-03	1.53E-06	3.67E-05	1.34E-02
1,1-Dichloroethane	0.045		2.48E-08	5.95E-07	2.17E-04	0.040	U	1.62E-08	3.89E-07	1.42E-04	0.19	U	8.43E-08	2.02E-06	7.39E-04	1.25E-07	3.01E-06	1.10E-03
1,2-Dichloroethane	0.045		2.48E-08	5.95E-07	2.17E-04	0.058		2.35E-08	5.64E-07	2.06E-04	0.19		8.43E-08	2.02E-06	7.39E-04	1.33E-07	3.18E-06	1.16E-03
1,1-Dichloroethene	0.040	U	2.20E-08	5.28E-07	1.93E-04	0.040	U	1.62E-08	3.89E-07	1.42E-04	0.17	U	7.54E-08	1.81E-06	6.61E-04	1.14E-07	2.73E-06	9.96E-04
cis-1,2-Dichloroethene	0.059		3.25E-08	7.80E-07	2.85E-04	0.040	U	1.62E-08	3.89E-07	1.42E-04	0.44	U	1.95E-07	4.69E-06	1.71E-03	2.44E-07	5.85E-06	2.14E-03
trans-1,2-Dichloroethene	0.040	U	2.20E-08	5.28E-07	1.93E-04	0.040	U	1.62E-08	3.89E-07	1.42E-04	0.20	U	8.87E-08	2.13E-06	7.77E-04	1.27E-07	3.05E-06	1.11E-03
1,2-Dichloropropane	0.092	U	5.06E-08	1.22E-06	4.44E-04	0.092	U	3.73E-08	8.94E-07	3.26E-04	0.23	U	1.02E-07	2.45E-06	8.94E-04	1.90E-07	4.56E-06	1.66E-03
cis-1,3-Dichloropropene	0.045	U	2.48E-08	5.95E-07	2.17E-04	0.045	U	1.82E-08	4.37E-07	1.60E-04	0.21	U	9.32E-08	2.24E-06	8.16E-04	1.36E-07	3.27E-06	1.19E-03
trans-1,3-Dichloropropene	0.045	U	2.48E-08	5.95E-07	2.17E-04	0.045	U	1.82E-08	4.37E-07	1.60E-04	0.21	U	9.32E-08	2.24E-06	8.16E-04	1.36E-07	3.27E-06	1.19E-03
Ethylbenzene	0.26		1.43E-07	3.44E-06	1.25E-03	0.20		8.10E-08	1.94E-06	7.10E-04	0.45		2.00E-07	4.79E-06	1.75E-03	4.24E-07	1.02E-05	3.71E-03
Isopropylbenzene	0.25	U	1.38E-07	3.30E-06	1.21E-03	0.25	U	1.01E-07	2.43E-06	8.87E-04	0.25	U	1.11E-07	2.66E-06	9.72E-04	3.50E-07	8.40E-06	3.06E-03
p-Isopropyltoluene	0.25	U	1.38E-07	3.30E-06	1.21E-03	0.25	U	1.01E-07	2.43E-06	8.87E-04	0.25</							

APPENDIX E

Laboratory Method Reporting Limits Correspondence



39 Spruce Street
East Longmeadow, MA 01089

July 24, 2013

Mr. Ron Mack
EA Engineering Science & Technology
2350 Post Road
Warwick, RI 02886
RE: CT Remediation Standard Regulations – Work Order 13G0407

Dear Mr. Mack:

This letter is in response to the Residential Target Indoor Air numbers published in the Remediation Standard Regulations. Several of the TAC's, which are calculated based on risk, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane
1,1,2,2-Tetrachloroethane
1,1,1,2-Tetrachloroethane
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is fluid and cursive, with "Tod" and "Kopyscinski" being the most distinct parts.

Tod Kopyscinski
Air Laboratory Manager