



EA Engineering, Science, and Technology, Inc.

Airport Professional Park
2374 Post Road, Suite 102
Warwick, Rhode Island 02886
Telephone: 401-736-3440
Fax: 401-736-3423
www.eaest.com

20 December 2013

Mr. Joseph T. Martella II, Senior Engineer
Site Remediation Program
Office of Waste Management
RI Department of Environmental Management
235 Promenade Street
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 25
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island
Case No. 2005-029
EA Project No. 15066.01.0002*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc. (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from September 2013 through November 2013.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 203.

Sincerely,

EA ENGINEERING, SCIENCE,
AND TECHNOLOGY, INC.

Frank B. Postma, LSP, LEP, PG
Project Manager

cc: C. Jones, Prov. Dept. of Public Schools
Director, Prov. Redevelopment Agency
J. Padwa, City of Prov. Law Department
R. Dorr, Neighborhood Resident
Rep. Scott Slater
Knight Memorial Library Repository

A. Sepe, Prov. Dept. of Public Property
S. Fischbach, RI Legal Services
J. Ryan, Partridge, Snow, & Hahn
J. Pichardo, Senator
Principal Rivers, Alvarez High School



Quarterly O&M Status Report No. 25

Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities

**Alvarez High School Site
(Formerly Adelaide Avenue High School)
Providence, Rhode Island**

Prepared for

City of Providence School Department
797 Westminster Street
Providence, Rhode Island 02903

Prepared by

EA Engineering, Science, and Technology, Inc.
2374 Post Road, Suite 102
Warwick, Rhode Island 02886
(401) 736-3440

EA Project No. 15066.01.0002
December 2013

TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE	2
2.1 SSD System	2
2.2 Indoor Methane Monitoring System.....	2
2.3 Ambient Outdoor and Indoor Air Sampling	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect	4
2.5 Summary of Rooftop VOC Emissions.....	5
2.6 Conclusions.....	5
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT	7

FIGURES

- FIGURE 1: SITE LOCATION MAP
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM
FIGURE 3: AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

APPENDICES

- APPENDIX A: O&M FIELD FORMS
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
APPENDIX C: SUBSLAB VAPOR ANALYTICAL SUMMARY
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E: INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR
LABORATORY ANALYTICAL REPORT
APPENDIX F: LABORATORY REPORTING LIMITS CORRESPONDENCE

1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc. (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 25 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the 3-month period from September 2013 through November 2013 (Quarterly Reporting Period No. 25) and also includes an overall evaluation of volatile organic compound (VOC) concentrations within soil gas as they pertain to a potential rebound effect at the Site. Please refer to Quarterly O&M Status Reports No. 1 through No. 24 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period between March and August 2007.

2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

2.1 SSD SYSTEM

The following SSD System performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA to evaluate system performance:

- Monthly subslab vacuum monitoring at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Monthly inspections and monitoring of 3 rooftop fans (air velocity and vacuum) to verify proper operation.
- Continuous electronic monitoring (with automatic alarm notification via audible signal and phone notification) at each of three SSD system extraction fans to ensure continuous operation.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations were between -0.01 and -0.10 in. of water column. Negative measurements confirm that a continuous negative pressure has been maintained beneath the building slab.

Inspections and monitoring of all other system equipment revealed proper system operation, and no equipment shutdowns, failures, alarms, or interruptions of any type occurred during this reporting period. The continuous, verified zone of negative pressure beneath the school's concrete slab, along with the monthly inspections and continuous monitoring of both the indoor air monitoring system and the subslab depressurization system, confirms proper operation of the SSD System during this reporting period. During the previous quarter EA determined that the uninterrupted power supply (UPS) will need to be replaced. The UPS replacement will occur in the fall of 2013.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in **Appendix A**.

2.2 INDOOR METHANE MONITORING SYSTEM

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system (equipped with automatic alarm notification via audible signal and phone notification) within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as **Figure 2**) during this reporting period. In addition, the methane monitoring system was inspected on 18 October 2013.

The indoor methane monitoring system operated continuously throughout this reporting period with no equipment shutdowns, failures, alarms, or interruptions of any type, and no methane was

detected during any of the supplemental monthly indoor methane monitoring events. On 18 October 2013, filter discs at each of the eight continuous methane sensors were replaced in accordance with a quarterly frequency schedule. The next filter replacement is scheduled for January 2014.

No other maintenance or repairs to the methane monitoring system or components were performed or required during this reporting period. During the previous quarter EA determined that the uninterrupted power supply (UPS) will need to be replaced. The details of events leading to the replacement of the UPS are included in Quarterly Status Report No. 23. The UPS replacement will occur in the winter of 2013.

2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING

One ambient outdoor air sample and eight ambient indoor air samples within the school at RIDEM-approved sampling locations were collected and analyzed for VOCs via Method TO-15 SIM (Selective Ion Monitoring) on 18 October 2013. The ambient outdoor air sample was collected upwind (southwest) of the school. Sampling locations for the indoor and sub-slab air samples are illustrated on **Figure 3**. The indoor air sampling results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) in accordance with the Amended OA. The laboratory method reporting limits (MRLs) for several VOCs reported via TO-15 analysis, even though analyzed via the SIM procedure, were greater than the respective CT RTACs. In accordance with the Amended OA, EA contacted the laboratory prior to sample analysis to verify that the RLs provided would be the lowest currently achievable limits. An MRL verification letter from Con-Test Analytical Laboratory (Con-Test) is provided in **Appendix F**. A data summary table associated with this sampling event is provided in **Appendix B** and the laboratory analytical report is provided in **Appendix E**.

All eight ambient indoor air samples collected during the October 2013 sampling event contained. All compounds analyzed were below the applicable CT RTACs for all samples collected on 18 October 2013.

2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Six subslab vapor samples were collected in accordance with a RIDEM-approved (Amended OA) rotating sampling schedule and analyzed for VOCs via Method TO-15 SIM on 18 October 2013 in accordance with the Amended OA. The subslab data is summarized in **Appendix C** and the laboratory analytical report associated with the sampling event is provided in **Appendix E**.

The subslab data has been evaluated and there is no evidence of increasing VOCs (i.e., VOC rebound) beneath the school in accordance with the Amended OA.

2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. The latest rooftop VOC sampling event was completed on 9 July 2013 and is summarized in **Appendix D**. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or yearly emissions were observed. However, a number of compounds, including 1,2-DCA were detected. The 2014 annual rooftop effluent VOC sampling event is scheduled for July 2014 to accommodate the quarterly sampling schedule.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, and July 2012 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. In general, the VOC concentrations in the rooftop effluent associated with the July 2013 sampling round indicate continuance of the decreasing trend of VOC concentrations and do not exceed the Air Pollution Control Permit Applicability Thresholds. Tabulation of the data is provided as **Appendix D**.

2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into the Alvarez High School is not occurring.
- Subslab vapor rebound is not occurring at the school, based on analytical data from this sampling event.
- The continuous operation of the SSD System, with no equipment malfunctions or alarm conditions, and confirmation of continuous subslab vacuum beneath the school illustrates ongoing, effective operation of the SSD System. No soil vapor intrusion pathway exists at the school while the SSD System is operational.
- EA will replace the UPS in the winter of 2013.
- No compounds were detected in exceedance of the CT RTAC and RIDEM Action Levels during the October 2013 sampling event. The compound 1,2-dichloroethane (1,2-DCA) had been detected in exceedance of the CT RTAC and RIDEM Action Levels in one room (Room 118) in the previous four sampling events.
- EA believes the previous exceedances resulted from an external source and not from a soil vapor pathway because 1,2-DCA was also detected in the ambient outdoor air at a concentration in excess of the applicable standards during the previous quarter sampling events discussed in Quarterly Status Reports No. 22, 23, and 24.


FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period ending February 2014:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity; and
- Collection of air samples from eight indoor locations, one ambient location, and six subslab monitoring points in January 2014.
- Installation of a new UPS in the winter of 2013.

These activities will be summarized in the next status report (Quarterly Status Report No. 26), expected to be submitted by the end of March 2014.


FIGURES



ALVAREZ HIGH SCHOOL
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND

FIGURE 1
SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



NOTE: NOT TO SCALE




DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FRP	PROJECT MGR. FRP	SCALE NTS	DRAWING NO. -	FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM – ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT FIGURE 2

LEGEND:

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- +— SLOTTED 1 INCH PVC PIPING
- ◆ ROOFTOP FAN LOCATION
- SP-1 SSD SYSTEM SUCTION PIT
- +— SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT
SUB SLAB MONITORING AND SAMPLING LOCATIONS
ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT
FIGURE 3

APPENDIX A

O&M Field Forms

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 11/21/2013

Performed by: M. Russo

PID/Methane Calibration? Pine Environmental (yes/no)

Date of last Methane Sensor Filter Replacement: 7/9/2013

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: online and operational

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: observed in good condition, crack in floor near IMP-1

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	--
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	--
Kitchen Storage Room	NA	NA	0	0	0	0	--	--	--	--	--	--
Elevator Hallway	NA	NA	0	0	0	0	--	--	--	--	--	--
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	--
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	--
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	--
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	--
MP-1	-0.08	NA	59	NA	0	0	--	--	--	--	--	--
MP-2	-0.03	NA	0	NA	0	0	--	--	--	--	--	--
MP-3	-0.04	NA	0	NA	0	0	--	--	--	--	--	--
MP-4	-0.05	NA	926	NA	0	0	--	--	--	--	--	--
MP-5	-0.07	NA	407	NA	0	0	--	--	--	--	--	--
MP-6	-0.06	NA	340	NA	0	0	--	--	--	--	--	--
MP-7	-0.06	NA	400	NA	0	0	--	--	--	--	--	--
MP-8	-0.04	NA	0	NA	0	0	--	--	--	--	--	--
IMP-1	-0.01	NA	526	NA	0	0	--	--	--	--	--	--
IMP-2	-0.05	NA	911	NA	0	0	--	--	--	--	--	--
IMP-3	-0.02	NA	7	NA	0	0	--	--	--	--	--	--
Roof-Top Fan 1	-2.00	3086	0	NA	0	0	--	--	--	--	--	--
Roof-Top Fan 2	-1.80	2119	292	NA	0	0	--	--	--	--	--	--
Roof-Top Fan 3	-2.40	2041	126	NA	0	0	--	--	--	--	--	--
AOA-1	NA	NA	0	NA	0	0	--	--	--	--	--	--
AOA-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOA-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

AOA: Ambient Outdoor Air

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 10/18/2013

Performed by: M. Russo/ H. Hunter

PID/Methane Calibration? Pine Environmental (yes/no)

Date of last Methane Sensor Filter Replacement: 7/9/2013

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: online and operational

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: observed in good condition, crack in floor near IMP-1

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	1169	4199	9:30	-30	10:04	0	
Cafeteria	NA	NA	0	0	0	0	2017	4180	9:13	-30	9:45	-2	
Kitchen Storage Room	NA	NA	0	0	0	0	2019	4181	916	-29	946	-2	
Elevator Hallway	NA	NA	0	0	0	0	2015	4183	932	-29	1003	-1	
Room 145	NA	NA	0	0	0	0	2010	4100	905	-29	938	-4	
Room 152	NA	NA	0	0	0	0	1717	4201	910	-30	940	-2	
Room 118	NA	NA	0	0	0	0	1713	4202	956	-30	1038	0	
Room 110	NA	NA	0	0	0	0	1317	4200	953	-28	1040	0	**Controller goes from -28 to -15 in the first minute
MP-1	-0.10	NA	210	NA	0	0	--	--	--	--	--	--	
MP-2	-0.03	NA	350	NA	0	0	2014	4178	1105	-30	1143	0	
MP-3	-0.07	NA	50	NA	0	0	--	--	--	--	--	--	
MP-4	-0.05	NA	804	NA	0	0	--	--	--	--	--	--	
MP-5	-0.06	NA	347	NA	0	0	2012	4185	1139	-29	1213	0	
MP-6	-0.05	NA	269	NA	0	0	--	--	--	--	--	--	
MP-7	-0.01	NA	1456	NA	0	0	1114	4204	1134	-30	1211	0	
MP-8	-0.08	NA	238	NA	0	0	2011	4184	1129	-29	1202	-2	
IMP-1	-0.02	NA	86	NA	0	0	2013	4182	928	-30	1006	0	
IMP-2	-0.01	NA	230	NA	0	0	--	--	--	--	--	--	
IMP-3	-0.01	NA	167	NA	0	0	2016	4179	936	-30	1012	-1	
Roof-Top Fan 1	-1.80	2764	116	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 2	-1.80	2257	223	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 3	-2.20	2334	116	NA	0	0	--	--	--	--	--	--	
AOA-1	NA	NA	0	NA	0	0	1851	4203	1123	-30	1157	0	**Wind is from the south. Place summa on south side.
AOA-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
AOA-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

AOA: Ambient Outdoor Air

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 9/9/2013

Performed by: M. Russo

PID/Methane Calibration? MR/0830 with isobutylene (yes/no)

Date of last Methane Sensor Filter Replacement: 7/9/2013

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: online and operational

General Status of Methane Monitoring System: online and operational

Eng. Cap/Fence Inspection Performed/Notes: observed in good condition, crack in floor near IMP-1

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	--
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	--
Kitchen Storage Room	NA	NA	0	0	0	0	--	--	--	--	--	--
Elevator Hallway	NA	NA	0	0	0	0	--	--	--	--	--	--
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	--
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	--
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	--
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	--
MP-1	-0.09	NA	452	NA	0	0	--	--	--	--	--	--
MP-2	-0.15	NA	541	NA	0	0	--	--	--	--	--	--
MP-3	-0.07	NA	520	NA	0	0	--	--	--	--	--	--
MP-4	-0.04	NA	547	NA	0	0	--	--	--	--	--	--
MP-5	-0.07	NA	567	NA	0	0	--	--	--	--	--	--
MP-6	-0.05	NA	1216	NA	--	--	--	--	--	--	--	--
MP-7	-0.06	NA	343	NA	0	0	--	--	--	--	--	--
MP-8	-0.07	NA	787	NA	0	0	--	--	--	--	--	--
IMP-1	-0.02	NA	627	NA	0	0	--	--	--	--	--	--
IMP-2	-0.01	NA	500	NA	0	0	--	--	--	--	--	--
IMP-3	-0.02	NA	560	NA	0	0	--	--	--	--	--	--
Roof-Top Fan 1	-1.90	3179	672	NA	0	0	--	--	--	--	--	--
Roof-Top Fan 2	-1.80	2364	1220	NA	0	0	--	--	--	--	--	--
Roof-Top Fan 3	-2.20	2164	752	NA	0	0	--	--	--	--	--	--
AOA-1	NA	NA	0	NA	0	0	--	--	--	--	--	--
AOA-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOA-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

AOA: Ambient Outdoor Air

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

APPENDIX B

Indoor and Ambient Outdoor Air Analytical Summary

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Acetone	8-Feb-08		20.200	8.240	4.750	U	6.870	8.060	4.750	U	4.780			4.750	
	27-Mar-08 ^d		576.000	186.000	108.000	U	89.900	24.700	38.300	76.700	47.400			5.870	
	25-Apr-08		61.700	12.900	19.000		15.100	14.800	18.600	12.500	17.100			6.670	
	29-May-08		19.500	16.000	12.800		16.200	10.900	17.200	13.200	11.600			7.480	
	27-Jun-08		87.900	20.000	20.500		27.700	28.900	29.000	26.000	29.800			19.700	
	31-Jul-08		32.200	17.200	20.800		16.800	23.800	20.000	18.600	23.500			20.000	
	28-Aug-08		33.100	21.100	21.500		25.800	27.000	32.400	29.100	23.800			37.000	
	30-Sep-08		39.400	10.400	7.600		11.200	44.800	29.900	19.600	55.600			6.800	
	27-Oct-08		56.200	23.100	14.900		24.100	15.900	26.500	34.300	25.100			109.000	
	25-Nov-08		21.300	8.200	5.300		14.000	15.600	9.700	6.500	10.000			7.000	
	18-Dec-08		39.300	18.500	16.900		21.500	23.100	41.900	22.000	28.800			40.000	
	21-Jan-09		5.300	2.400	2.400		3.600	5.600	5.000	3.300	4.000			2.400	
	25-Feb-09		2.400	2.900	2.400		NS	9.600	5.000	3.800	4.100			2.400	
	26-Mar-09		34.400	10.700	8.820		11.300	13.800	12.000	10.500	12.000			9.680	
	29-Apr-09		4.750	5.700	7.230		8.240	19.200	9.420	7.570	9.610			7.700	
	22-Jul-09		2.370	13.100	18.700		11.700	28.900	29.400	17.100	19.400			11.000	
	9-Oct-09		19.500	10.100	9.220		11.000	15.500	12.000	10.600	11.600			8.570	
	15-Jan-10		11.900	8.160	5.080		6.700	7.320	7.270	5.260	8.110			6.190	
	21-Apr-10		26.700	22.000	23.200		23.200	19.300	19.900	21.800	20.500			4.960	
	16-Jul-10	180.0	28.200	16.500	13.800		16.100	36.900	24.900	40.700	16.000			14.300	
	15-Oct-10		32.700	8.180	4.750		11.500	7.360	6.010	5.530	6.690			7.630	
	30-Nov-10		NS	13.200	13.000		NS	NS	6.460	NS				NS	
	26-Jan-11		28.500	20.800	11.600		14.900	13.500	33.200	12.600	24.000			9.850	
	26-Jan-11**		NS	17.000	15.000		NS	NS	12.000	NS	NS			NS	
	27-Apr-11		6.820	12.800	11.300		14.700	14.600	7.550	12.300	5.930			5.600	
	26-Jul-11		51.800	48.000	22.800		82.200	28.700	7.170	25.400	39.400			8.840	
	28-Oct-11		17.000	12.000	7.400		9.900	11.000	9.700	13.000	15.000			8.000	
	23-Jan-12		15.000	15.000	18.000		18.000	10.000	37.000	19.000	18.000			13.000	
	13-Apr-12		11.000	16.000	11.000		11.000	11.000	21.000	9.100	19.000			24.000	
	2-Jul-12 resample		NS	NS	NS		NS	NS	NS	NS	21.000			9.100	
	20-Jun-12		19.000	22.000	17.000		21.000	20.000	15.000	15.000	22.000			11.000	
	1-Nov-12		12.000	11.000	9.500		16.000	8.300	12.000	13.000	11.000			9.000	
	1-Feb-13		16.000	15.000	12.000		14.000	9.100	39.000	16.000	18.000			8.200	
	29-Apr-13		26.000	23.000	22.000		21.000	28.000	32.000	27.000	35.000			18.000	
	9-Jul-13		25.000	26.000	22.000		24.000	41.000	28.000	35.000	32.000			24.000	
	9-Jul-13 RIDEM		NS	NS	NS		NS	18.827	NS	NS	NS			11.710	
	18-Oct-13		34.000	32.000	30.000		42.000	29.000	29.000	46.000	34.000			20.000	
Acrylonitrile	8-Feb-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080			1.080	U
	27-Mar-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080			1.080	U
	25-Apr-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080			1.080	U
	29-May-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080			1.080	U
	27-Jun-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080			1.080	U
	31-Jul-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080			1.080	U
	28-Aug-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080			1.080	U
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200	U
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200	U
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200	U
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200	U
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200	U
	25-Feb-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200			2.200	U
	26-Mar-09		1.080	U	1.080	U	1.080	U	1.080	U	1.080			1.080	U
	29-Apr-09		1.080												

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromodichloromethane	8-Feb-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	27-Mar-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	25-Apr-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	29-May-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	27-Jun-08		0.134	U	0.134	U	0.130	U	0.134	U	0.130	U	0.134	U	0.134
	31-Jul-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	28-Aug-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	30-Sep-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	27-Oct-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	25-Nov-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	18-Dec-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	21-Jan-09		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	25-Feb-09		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	26-Mar-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	29-Apr-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	22-Jul-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	9-Oct-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	15-Jan-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	21-Apr-10	0.034/0.13	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	16-Jul-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	15-Oct-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	30-Nov-10		NS	U	0.134	U	0.134	U	NS	U	0.134	U	NS	U	NS
	26-Jan-11**		0.228	U	0.228	U	0.228	U	0.228	U	0.227	U	0.228	U	0.228
	27-Apr-11		NS	U	0.340	U	0.340	U	NS	U	0.340	U	NS	U	NS
	26-Jul-11		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	28-Oct-11		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134
	23-Jan-12		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	13-Apr-12		0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240
	2-Jul-12 resample		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	20-Jun-12		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS
	1-Nov-12		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067
	1-Feb-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067
	29-Apr-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067
	9-Jul-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067
	18-Oct-13		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
Bromoform	8-Feb-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	27-Mar-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	25-Apr-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	29-May-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	27-Jun-08		0.206	U	0.210	U	0.206	U	0.206	U	0.210	U	0.206	U	0.206
	31-Jul-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	28-Aug-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	30-Sep-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	27-Oct-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	25-Nov-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	18-Dec-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	21-Jan-09		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	25-Feb-09	0.55	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410
	26-Mar-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	29-Apr-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	22-Jul-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	9-Oct-09		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	15-Jan-10		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206
	21-Apr-10		0.206	U	0.206	U	0.20								

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloromethane	8-Feb-08		2.440	U	2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U
	27-Mar-08		2.830	U	3.070	U	2.680	U	2.440	U	2.830	U	2.440	U	2.480	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U
	25-Apr-08		2.820	U	2.440	U	2.440	U	2.440	U	2.440	U	3.000	U	2.440	U	3.140	U	2.440	U	2.440	U	2.440	U	2.440	U
	29-May-08		2.790	U	3.000	U	7.100	U	11.000	U	2.940	U	6.280	U	6.420	U	2.770	U	2.440	U	2.440	U	2.440	U	2.440	U
	27-Jun-08		2.650	U	2.440	U	2.440	U	2.830	U	3.260	U	2.620	U	2.440	U	2.500	U	2.540	U	2.540	U	2.440	U	2.440	U
	31-Jul-08		3.580	U	3.880	U	3.330	U	4.370	U	3.440	U	3.740	U	2.440	U	2.540	U	2.540	U	2.540	U	2.440	U	2.440	U
	28-Aug-08		2.440	U	3.140	U	5.310	U	6.880	U	3.150	U	2.440	U	2.540	U	2.540	U	2.540	U	2.540	U	2.440	U	2.440	U
	30-Sep-08		1.400	U	1.300	U	1.100	U	1.400	U	1.000	U	1.700	U	1.600	U	1.000	U	1.000	U	1.000	U	1.200	U	1.000	U
	27-Oct-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.200	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U
	25-Nov-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U
	18-Dec-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U
	21-Jan-09		1.000	U	1.000	U	1.000	U	1.500	U	1.000	U	1.000	U	1.400	U	1.100	U	1.100	U	1.200	U	1.200	U	1.000	U
	25-Feb-09		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.100	U	1.000	U	1.000	U	1.000	U	1.000	U
	26-Mar-09		2.490	U	2.680	U	2.550	U	2.920	U	2.910	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U
	29-Apr-09		2.710	U	2.910	U	3.600	U	3.730	U	3.130	U	2.660	U	3.390	U	2.960	U	2.510	U	2.510	U	2.510	U	2.510	U
	22-Jul-09		2.670	U	2.520	U	2.660	U	2.540	U	2.440	U	2.780	U	3.390	U	3.320	U	2.440	U	2.440	U	2.440	U	2.440	U
	9-Oct-09		3.450	U	2.740	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U
	15-Jan-10		3.850	U	3.690	U	2.820	U	3.180	U	3.240	U	3.630	U	3.120	U	3.750	U	2.600	U	2.600	U	2.600	U	2.600	U
	21-Apr-10	14.0	2.550	U	2.440	U	2.440	U	2.440	U	2.440	U	2.400	U	2.520	U	2.440	U	2.460	U	2.460	U	2.460	U	2.460	U
	16-Jul-10		1.510	U	1.660	U	1.050	U	1.090	U	1.680	U	1.110	U	1.300	U	1.100	U	1.510	U	1.510	U	1.510	U	1.510	U
	15-Oct-10		1.080	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U
	30-Nov-10		NS	U	1.030	U	1.030	U	NS	U	NS	U	NS	U	1.030	U	NS	U	NS	U	NS	U	NS	U	NS	U
	26-Jan-11		1.760	U	1.750	U	1.760	U	1.760	U	1.760	U	1.760	U	1.760	U	1.760	U	1.760	U	1.760	U	1.760	U	1.760	U
	26-Jan-11**		NS	U	1.100	U	1.000	U	NS	U	NS	U	NS	U	1.000	U	NS	U	NS	U	NS	U	NS	U	NS	U
	27-Apr-11		1.050	U	1.660	U	1.400	U	2.160	U	1.440	U	1.510	U	1.740	U	1.460	U	1.270	U	1.270	U	1.270	U	1.270	U
	26-Jul-11		1.160	U	1.600	U	1.030	U	1.120	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U	1.030	U
	28-Oct-11		1.400	U	1.000	U	1.300	U	1.500	U	1.300	U	1.900	U	1.400	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U
	23-Jan-12		1.300	U	1.100	U	1.100	U	1.200	U	1.200	U	1.400	U	1.900	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U
	13-Apr-12		NS	U	1.400	U	1.400	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U
	2-Jul-12 resample		NS	U	0.041	U	0.041	U	U	U	0.041	U	0.041	U	0.041	U	U	U	U	U	U	U	U	U	U	U
	20-Jun-12		1.700	U	0.041	U	0.041	U	U	U	0.041	U	0.041	U	0.041	U	U	U	U							

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Feb-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	26-Mar-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-Apr-09		0.120	U	0.120	U	0.100	U	0.120	U	0.120	U	0.120	U	0.120
	22-Jul-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	9-Oct-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	15-Jan-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	21-Apr-10	73.0	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	16-Jul-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Nov-10		NS	0.120	U	0.120	U	NS	U	NS	U	NS	U	NS	U
	26-Jan-11		0.205	U	0.204	U	0.205	U	0.205	U	0.204	U	0.205	U	0.204
	27-Apr-11		NS	0.300	U	0.300	U	NS	U	NS	U	NS	U	NS	U
	26-Jul-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	28-Oct-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	23-Jan-12		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	13-Apr-12		0.220	U	0.210	U	0.400	U	0.210	U	0.210	U	0.210	U	0.210
	2-Jul-12 resample		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	20-Jun-12		NS	0.120	U	0.120	U	NS	U	NS	U	NS	U	NS	U
	1-Nov-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	1-Feb-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-Apr-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	9-Jul-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	18-Oct-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
1,3-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Nov-08		3.000	U	3.000	U	3.000	U	2.500	U	3.000	U	3.000	U	3.000
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Feb-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	26-Mar-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-Apr-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	22-Jul-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	9-Oct-09		0.120	U	0.120	U	0.120	U	0.120	U					

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Dichlorodifluoromethane	8-Feb-08		1.960		1.860		1.980		1.890		1.940		1.980		1.890										2.020		
	27-Mar-08		2.420		2.380		2.280		2.110		2.600		2.560		2.700		2.070								2.210		
	25-Apr-08		2.060		2.100		2.010		2.170		2.030		1.990		2.080		2.030								1.860		
	29-May-08		1.700		1.630		1.540		1.760		1.630		1.610		1.780		1.600								1.560		
	27-Jun-08		2.280		2.280		2.370		2.330		2.240		2.220		2.250		2.250								2.220		
	31-Jul-08		2.030		2.020		1.970		1.970		1.910		1.920		1.920		1.900								1.850		
	28-Aug-08		3.600		2.870		2.920		2.870		2.920		2.500		2.800		2.980								2.770		
	30-Sep-08		2.500		2.700		2.500		U		U		2.500		2.800		2.500								2.500		
	27-Oct-08		2.500		2.500		U		U		2.500		U		2.500		U								2.500		
	25-Nov-08		2.500		2.500		U		U		2.500		U		2.500		U								2.500		
	18-Dec-08		2.700		2.500		2.500		U		2.500		U		2.500		U								2.500		
	21-Jan-09		2.500		2.500		U		U		2.500		U		2.500		U								2.500		
	25-Feb-09		2.500		2.500		U		U		NS		2.500		2.500		U								2.500		
	26-Mar-09		2.220		2.190		2.120		2.090		2.220		2.180		2.080		2.120								2.130		
	29-Apr-09		2.500		2.260		2.460		2.320		2.260		2.320		2.380		2.360								2.160		
	22-Jul-09		3.140		3.120		2.920		3.090		2.780		3.170		2.690		2.960								3.130		
	9-Oct-09		2.290		2.560		2.300		2.320		2.300		2.280		2.300		2.290								2.210		
	15-Jan-10		27.800		2.550		2.480		2.590		2.410		2.540		2.450		2.410								2.430		
	21-Apr-10	91.0	2.340		2.320		2.520		2.330		2.330		2.260		2.320		2.330								2.240		
	16-Jul-10		2.480		2.560		2.430		2.520		3.690		2.480		2.550		2.480								2.740		
	15-Oct-10		2.460		2.410		2.560		2.470		2.410		2.450		2.450		2.450								2.630		
	30-Nov-10		NS		2.480		2.550		NS		NS		2.390		NS										NS		
	26-Jan-11		2.680		2.640		2.340		2.660		2.150		2.580		2.370		2.560								2.440		
	26-Jan-11**		NS		2.800		2.700		NS		NS		2.600		NS										NS		
	27-Apr-11		2.070		2.820		2.200		2.450		2.160		2.210		2.220		2.210								2.460		
	26-Jul-11		2.290		2.270		2.270		2.360		2.260		2.340		2.250		2.260								2.350		
	28-Oct-11		2.700		2.400		2.800		2.600		2.800		2.500		2.600		2.600								2.500		
	23-Jan-12		1.700		1.800		1.600		1.500		2.000		2.000		1.800		1.900								2.000		
	13-Apr-12		2.100		2.100		2.000		2.000		1.800		1.900		1.700		1.700								1.300		
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS		NS								2.500		
	20-Jun-12		2.500		2.600		2.500		2.400		2.700		2.300		2.500		2.500								2.300		
	1-Nov-12		2.000		2.200		2.100		2.200		2.000		2.100		2.100		2.000								2.100		
	1-Feb-13		1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.600								1.600		
	29-Apr-13		2.400		2.600		2.600		2.400		2.300		2.400		2.400		2.400								2.400		
	9-Jul-13		0.950		0.980		0.930		0.960		0.990		1.000		0.980		0.970								1.000		
	18-Oct-13		2.000		2.200		1.900		2.000		1.900		2.000		1.900		2.000								2.000		1
																									1.1		
1,																											

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Tetrachloroethene*	8-Feb-08		0.140	0.140	U	0.140	0.150	U	0.140	U	0.140	U	0.350		
	27-Mar-08 ²		12.500	6.680	13.300	0.180	0.254	0.179	0.282	0.231	0.276	0.228	0.153		
	25-Apr-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.136	U	
	29-May-08		0.140	0.140	U	0.140	0.140	U	0.140	U	0.140	U	0.140	U	
	27-Jun-08		0.249	0.449	0.397	0.321	0.367	0.283	0.323	0.274	0.424	0.243	0.282	0.216	
	31-Jul-08		1.030	1.000	0.877	0.340	3.400	U	3.400	U	3.400	U	0.445		
	28-Aug-08		0.321	0.367	0.283	3.400	3.400	U	3.400	U	3.400	U	3.400	U	
	30-Sep-08		4.200	4.200	U	4.200	4.200	U	4.200	U	4.200	U	4.200	U	
	27-Oct-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
	25-Nov-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
	18-Dec-08		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
	21-Jan-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
	25-Feb-09		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
	26-Mar-09		1.530	1.210	1.170	0.136	0.697	0.136	0.880	1.080	1.320	1.420	1.890	1.380	
	29-Apr-09		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	
	22-Jul-09		0.291	0.190	0.224	0.250	0.196	0.196	0.196	0.196	0.196	0.183	0.210	0.535	
	9-Oct-09		2.250	1.550	1.580	0.359	0.346	0.339	0.373	0.312	0.360	0.346	0.312	0.245	
	15-Jan-10		0.637	0.752	0.440	0.650	0.650	0.508	0.447	0.407	0.474	0.474	0.474	0.562	
	21-Apr-10		0.318	0.420	0.420	0.427	0.501	0.230	0.447	0.447	0.474	0.474	0.474	0.230	
	16-Jul-10		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	
	15-Oct-10		5.0	NS	0.461	0.291	NS	NS	NS	0.169	NS	NS	NS	0.142	
	30-Nov-10		0.636	0.484	0.370	0.566	0.440	0.725	0.568	0.578	0.480	0.480	0.426	NS	
	26-Jan-11		0.580	0.490	0.490	0.580	NS	NS	NS	NS	NS	NS	NS	NS	
	26-Jan-11**		0.142	0.176	0.176	0.352	0.176	0.176	0.136	0.149	0.136	0.136	0.285	NS	
	27-Apr-11		0.529	0.563	0.522	0.631	0.549	0.325	0.739	0.461	0.461	0.461	0.224		
	26-Jul-11		0.100	0.140	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.068	U	
	28-Oct-11		0.240	0.240	U	0.590	0.320	0.510	0.260	0.410	0.190	0.190	0.260		
	23-Jan-12		0.150	0.110	0.120	0.250	0.150	0.160	0.190	0.190	0.190	0.190	0.140	0.140	
	13-Apr-12		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.130		
	2-Jul-12 resample		0.390	0.800	0.310	0.370	0.390	0.400	0.410	0.440	0.410	0.410	0.240		
	20-Jun-12		0.360	0.460	0.400	0.730	0.470	0.770	0.600	0.560	0.440	0.440	0.120		
	1-Nov-12		0.130	0.095	0.073	0.120	0.090	0.210	0.046	0.092	0.140	0.140	0.320		
	1-Feb-13		0.610	0.560	0.560	0.630	0.880	0.046	0.650	0.580	0.280	0.280	0.280		
	29-Apr-13		0.270	0.240	0.230	0.260	0.250	0.320	0.440	0.280	0.280	0.280	0.280	0.28	0.35
	9-Jul-13		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.281		
	9-Jul-13 RIDEM		0.140	U	0.140	U	0.150	0.140	0.170	0.160	0.170	0.170	0.140	0.335	
	18-Oct-13														
Toluene	8-Feb-08		1.240	1.140	1.120	1.450	5.920	0.990	0.910	1.030	1.480				
	27-Mar-08		6.470	4.040	4.520	2.810	3.900	4.070	4.010	3.660	1.560				
	25-Apr-08		4.800	4.000	4.000	3.900	3.900	3.850	4.110	4.520	0.465				
	29-May-08		0.930	0.790	1.630	1.330	0.870	1.060	1.020	0.670	0.320				
	27-Jun-08		3.870	3.060	3.200	3.850	4.110	3.840	4.520	3.020	2.410				
	31-Jul-08		2.760	2.020	2.690	1.990	2.720	2.200	1.680	1.440	1.850				
	28-Aug-08		5.230	5.960	7.800	7.530	5.920	5.640	5.680	5.240	6.050				
	30-Sep-08		1.900	1.900	2.500	1.900	5.000	1.900	1.900	2.300	1.900				
	27-Oct-08		6.700	6.300	3.500	6.100	2.300	5.500	3.800	6.600	8.400				
	25-Nov-08		5.500	1.900	1.900	2.000	1.900	1.900	1.900	1.900	1.900				
	18-Dec-08		1.900	1.900	1.900	1.900	1.900	1.900	1.900	1.900	1.900				
	21-Jan-09		1.900	1.900	1.900	1.900	1.900	1.900	1.900	1.900	1.900				
	25-Feb-09		1.900	1.900	1.900	1.900	1.900	1.900	1.900	1.900	1.900				
	26-Mar-09		6.110	4.060	3.990	3.540	3.900	4							

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1,2-Trichloroethane	8-Feb-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	27-Mar-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.112	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	25-Apr-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	29-May-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	27-Jun-08		0.109	U	0.109	U	0.109	U	0.110	U	0.110	U	0.110	U	0.302	U	0.109	U	0.110	U	0.110	U	0.110	U	0.110	U	
	31-Jul-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	28-Aug-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	30-Sep-08		0.110	U	0.110	U	0.300	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	27-Oct-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	25-Nov-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	18-Dec-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	21-Jan-09		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	25-Feb-09		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
	26-Mar-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	29-Apr-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	22-Jul-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	9-Oct-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	15-Jan-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	21-Apr-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	16-Jul-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	15-Oct-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	30-Nov-10		NS	0.109	U	0.109	U	0.109	U	NS	NS	NS	NS	0.109	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	26-Jan-11		0.186	U	0.185	U	0.186	U	0.186	U	0.186	U	0.186	U	0.185	U	0.185	U	0.186	U	0.186	U	0.185	U	0.185	U	
	26-Jan-11**		NS	0.270	U	0.270	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	26-Jul-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
	28-Oct-11		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	
	23-Jan-12		0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	
	13-Apr-12		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	20-Jun-12</																										

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3
			Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	
1,2,4-Trimethylbenzene	8-Feb-08	9.3	0.900	0.970	2.520	1.890	0.210	0.210	0.920	1.390	0.839	0.911	0.690	0.110	0.246	0.722	0.206	0.310	0.989	0.989	0.210	0.098	U			
	27-Mar-08		1.330	1.590	3.390	3.240	0.920	1.390	0.909	0.839	0.911	0.750										0.098	U			
	25-Apr-08		0.998	1.760	11.700	1.640	0.909	0.839	0.911	0.750												0.098	U			
	29-May-08		0.300	0.470	8.320	6.680	0.270	0.960	0.690	0.110												0.100	U			
	27-Jun-08		1.560	0.443	2.120	3.040	0.634	0.461	0.461	0.455	0.464											0.175				
	31-Jul-08		1.650	1.360	1.380	2.080	0.959	1.940	0.207	0.207	0.142											0.157				
	28-Aug-08		0.438	1.430	3.690	5.340	0.642	0.461	0.461	0.455	0.464											0.354				
	30-Sep-08		2.500	U	2.500	U	2.000	U	6.800	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	9.300	U	2.500	U	2.500	U	
	27-Oct-08		2.500	U	2.500	U	2.500	U	3.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
	25-Nov-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
	18-Dec-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
	21-Jan-09		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
	25-Feb-09		2.500	U	2.500	U	2.500	U	3.900	NS	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U
	26-Mar-09		0.942	0.859	1.500	1.300	0.526	0.563	0.526	0.737	0.564											0.739				
	29-Apr-09		1.520	0.368	1.340	1.200	0.192	0.098	0.098	0.108	0.098											0.142				
	22-Jul-09		1.010	0.216	1.140	0.339	0.594	0.791	0.889	0.673												0.894				
	9-Oct-09		1.240	1.080	1.250	1.460	0.712	0.796	0.702	0.717												0.069				
	15-Jan-09		0.609	0.550	0.452	0.521	0.206	0.196	0.216	0.196												0.196				
	21-Apr-10		0.393	0.845	4.590	0.643	0.570	0.545	0.427	0.476												0.098	U			
	16-Jul-10		0.354	0.216	0.388	0.344	0.250	0.138	0.511	0.187												0.108				
	15-Oct-10		0.319	0.408	0.329	0.211	0.098	0.098	0.319	0.098												0.098	U			
	30-Nov-10		NS	0.334	0.560	NS	NS	NS	NS	0.098												NS				
	26-Jan-11		1.010	1.120	1.100	1.200	0.780	0.917	0.668	1.030												0.994				
	26-Jan-11**		NS	1.900	2.100	NS	NS	NS	NS	2.000												NS				
	27-Apr-11		0.138	0.280	2.080	0.255	0.147	0.113	0.172	0.113												0.128				
	26-Jul-11		0.575	2.160	1.120	0.285	0.236	0.157	0.290	0.177												0.123				
	28-Oct-11		0.340	0.220	0.300	0.290	1.000	0.520	0.310	0.330												0.098	U			
	23-Jan-12		0.660	0.580	0.580	0.710	0.380	1.000	0.520	0.650												0.470				
	13-Apr-12		0.400	0.410	0.760	0.480	0.340	0.340	0.290	0.360												0.240				
	2-Jul-12 resample		20-Jun-12	NS	NS	NS	NS	NS	NS	NS												0.150				
	1-Nov-12		0.560	1.200	0.910	0.680	0.600	0.470	0.560	0.610												0.310				
	1-Feb-13		0.720	0.480	0.310	0.300	0.460	0.650	0.750	0.600												0.120				
	29-Apr-13		0.330	0.180	0.170	0.160	0.150	0.150	0.120	0.120												0.098	U			
	9-Jul-13		0.990	0.540	0.540	0.510	0.700	0.320	0.580	0.440												0.130				
	9-Jul-13 RIDEM																									

Table 1: Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Ctr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p/m-Xylene	8-Feb-08		0.710	0.660	2.110	1.460	0.550	0.450	0.390	0.420			0.580		
	27-Mar-08		2.460	2.080	3.510	2.960	2.620	2.890	1.810	1.910			0.269		
	25-Apr-08		2.220	1.870	8.240	2.170	1.960	2.080	2.150	1.850			0.205		
	29-May-08		0.350	0.290	5.110	2.260	0.290	0.410	0.340	0.250					
	27-Jun-08		1.060	1.080	3.280	3.000	1.250	0.994	2.160	0.926			0.795		
	31-Jul-08		1.360	1.160	3.330	1.140	1.140	1.370	0.656	0.488			0.656		
	28-Aug-08		2.130	3.220	8.690	8.200	1.910	2.190	2.280	1.960			2.240		
	30-Sep-08		4.300	U	4.300	U	4.300	U	4.300	U	22.000		4.300		
	27-Oct-08		4.300	U	4.300	U	5.000	U	4.300	U	4.300		4.700		
	25-Nov-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300		4.300		
	18-Dec-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300		4.300		
	21-Jan-09		4.300	U	4.300	U	4.300	U	4.300	U	4.300		4.300		
	25-Feb-09		4.300	U	4.300	U	15.000	NS	4.300	U	4.300		4.300		
	26-Mar-09		3.080	2.850	4.530	4.340	1.580	1.990	2.340	1.870			2.310		
	29-Apr-09		0.456	0.733	0.534	1.950	0.477	0.308	0.312	0.347			0.442		
	22-Jul-09		0.920	0.577	2.680	0.824	1.560	2.070	2.510	1.720			3.510		
	9-Oct-09		2.610	2.240	3.360	3.190	2.200	2.090	1.960	1.910			2.290		
	15-Jan-10		1.080	0.915	1.040	0.946	0.724	0.603	0.672	0.607			0.672		
	21-Apr-10		1.200	2.000	4.380	1.610	1.800	1.670	1.430	1.350			0.174		
	16-Jul-10	220.0	0.868	0.568	1.290	1.120	1.290	0.729	1.890	0.694			0.330		
	15-Oct-10		0.642	0.972	1.340	0.408	0.299	0.174	0.468	0.174			0.317		
	30-Nov-10		NS	0.620	1.000	NS	NS	NS	0.230	NS			NS		
	26-Jan-11		2.810	2.600	2.910	3.320	2.590	2.790	2.540	3.450			3.480		
	26-Jan-11**		NS	4.300	5.100	NS	NS	NS	4.900	NS			NS		
	27-Apr-11		0.295	0.412	2.030	0.642	3.020	0.260	0.412	0.191			0.256		
	26-Jul-11		1.240	3.650	2.630	3.670	0.799	0.816	0.864	0.486			0.404		
	28-Oct-11		2.400	1.100	1.400	0.750	1.300	1.700	1.900	1.500			0.480		
	23-Jan-12		1.600	1.300	1.300	1.500	1.300	1.400	1.400	1.500			1.500		
	13-Apr-12		0.810	0.690	0.810	0.660	0.670	0.740	0.640	0.520			0.350		
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	0.260			0.260		
	20-Jun-12		1.200	1.300	1.200	1.400	1.300	1.200	1.400	1.400			0.770		
	1-Nov-12		2.300	1.300	0.960	1.400	1.300	2.100	2.500	1.800			0.340		
	1-Feb-13		0.270	0.210	0.220	0.230	0.220	0.220	0.210	0.210			0.400		
	29-Apr-13		1.700	1.300	1.300	1.300	1.200	0.920	2.400	1.200			0.320		
	9-Jul-13		0.910	0.850	0.810	0.890	0.830	0.770	0.860	0.820			0.650		
	9-Jul-13 RIDEM		NS	NS	NS	NS	0.929	NS	NS	NS			0.669		
	18-Oct-13		0.660	0.270	0.300	1.600	2.300	0.310	4.200	2.700			1.300	0.75	1.092
o-Xylene	8-Feb-08		0.280	0.270	0.870	0.610	0.210	0.170	0.150	0.160			0.200		
	27-Mar-08		0.762	0.718	1.340	1.120	0.920	1.060	0.640	0.668			0.087		
	25-Apr-08		0.824	0.724	3.480	0.821	0.750	0.770	0.786	0.680			0.087		
	29-May-08		0.130	0.120	2.080	1.000	0.110	0.180	0.150	0.090			0.090		
	27-Jun-08		0.463	0.393	1.030	1.030	0.485	0.358	0.833	0.339			0.332		
	31-Jul-08		0.476	0.375	0.822	0.371	0.420	0.583	0.240	0.207			0.246		
	28-Aug-08		0.779	1.020	2.210	2.160	0.683	0.787	0.812	0.702			0.832		
	30-Sep-08		2.200	U	2.200	2.200	U	2.200	U	2.200			2.200		
	27-Oct-08		2.200	U	2.200	2.200	U	2.200	U	2.200			2.200		
	25-Nov-08		2.200	U	2.200	2.200	U	2.200	U	2.200			2.200		
	18-Dec-08		2.200	U	2.200	2.200	U	2.200	U	2.200			2.200		
	21-Jan-09		2.200	U	2.200	2.200	U	2.200	U	2.200			2.200		
	25-Feb-09		2.200	U	2.600	NS	2.200	U	2.200	U			2.200		
	26-Mar-09		1.080	0.798	1.090	1.020	0.551	0.718	0.824	0.651			0.626		
	29-Apr-09		0.143	0.186	0.095	U	0.442	0.165	0.100	0.104			0.156		
	22-Jul-09		0.347	0.195	0.690	0.247	0.555	0.742	0.911	0.590			1.240		
	9-Oct-09		0.850	0.724	0.954	0.920	0.764	0.764	0.720	0.698			0.759		
	15-Jan-10		0.404	0.321	0.356	0.338	0.273	0.230	0.256	0.230			0.273	</	

APPENDIX C

Subslab Vapor Analytical Summary

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual									
Acetone	8-Feb-08	17.2		NS		NS		NS		4.75	U	NS		NS		NS		5.62		11.4		NS		
	27-Mar-08	NS		28.7		NS		NS		NS		NS		NS		NS		NS		217		12.4		
	25-Apr-08	NS		188		NS		NS		NS		NS		513		NS		34		NS		33.9		
	29-May-08	NS		NS		NS		40.9		NS		NS		NS		92		9.82		16.4		NS		
	27-Jun-08	107		NS		NS		NS		145		NS		NS		NS		NS		20.4		9.73		
	31-Jul-08	NS		101		NS		NS		NS		NS		NS		NS		14.4		NS		18.1		
	28-Aug-08	NS		NS		1130		NS		NS		NS		NS		30.9		NS		46		47.8		
	30-Sep-08	NS		NS		NS		32.8		NS		NS		NS		44.1		NS		9.4		12.8		
	27-Oct-08	19.6		NS		NS		NS		15		NS		NS		NS		17.9		NS		33.3		
	25-Nov-08	NS		148		NS		NS		NS		183		NS		NS		13		24.7		NS		
	18-Dec-08	NS		NS		856		NS		NS		NS		10.4		NS		NS		37.2		22		
	21-Jan-09	NS		NS		NS		19.1		NS		NS		NS		6.1		2.4	U	NS		4.8		
	25-Feb-09	28.6		NS		NS		NS		60.9		NS		NS		NS		9.5		8.3		NS		
	26-Mar-09	NS		102		NS		NS		NS		47.5		U		NS		NS		50.6		64.8		
	29-Apr-09	NS		NS		1980		NS		NS		NS		23.3		NS		5.15		NS		22.1		
	22-Jul-09	58.5		NS		58.5		148		NS		87.8		NS		NS		96		88.1		NS		
	9-Oct-09	NS		25.7		NS		NS		49.7		NS		9.2		11100		6.51		NS		16.8		
	15-Jan-10	33.6		NS		90.9		22.8		NS		26.3		NS		NS		12.5		11.2		NS		
	21-Apr-10	NS		21.9		NS		NS		206		NS		263		2870		72.8		NS		73.4		
	16-Jul-10	654		NS		4800		202		NS		11400		NS		NS		8.34		21.1		NS		
	15-Oct-10	NS		11.3		NS		NS		26		NS		10.2		18.3		7.03		NS		21.2		
	26-Jan-11	114		26.8		NS		54.4		NS		34.4		NS		35.4		25.3		33.3		NS		
	28-Feb-11	NS		NS		80.8		NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		106		NS		NS		255		NS		220		227		17.8		NS		58.2		
	26-Jul-11	76.2		NS		120		154	E	NS		2730		NS		NS		12.8		23.8		NS		U
	28-Oct-11	NS		48	U	NS		NS		48	U	NS		48	U	NS		51		NS		48		
	23-Jan-12	37		NS		36		19		NS		28		NS		32		38		29		NS		
	13-Apr-12	NS		32		NS		NS		70		NS		NS		NS		54		NS		43		
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		48	U	NS										
	23-Jun-12	21		NS		30		370		NS		1600		NS		NS		43		21		NS		
	1-Nov-12	NS		41		NS		NS		52		NS		75		44		35		NS		43		
	1-Feb-13	17		NS		12		25		NS		36		NS		NS		16		12		NS		
	29-Apr-13	NS		45		NS		NS		100		NS		68		62		33		NS		43		
	9-Jul-13	100		NS		170		130		NS		260		NS		NS		80		15		NS		
	18-Oct-13	NS		43		NS		NS		61		NS		47		NS		57		48		NS		
Acrylonitrile	8-Feb-08	1.08	U	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	1.08	NS	
	27-Mar-08	NS		1.08	U	NS		NS		1.08	U	NS		1.08		U		1.08	U	1.08	U	1.08	U	
	25-Apr-08	NS		NS		1.08		NS		1.08	U	NS		NS		1.08	U	1.08	U	1.08	U	1.08	U	
	29-May-08	NS		NS		NS		1.08		NS		1.08		NS		NS		1.08	U	1.08	U	1.08	U	
	27-Jun-08	1.69	U	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	1.08	U	
	31-Jul-08	NS		1.08	U	NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	1.08	U	
	28-Aug-08	NS		NS		1.08		U		NS		2.2		U		NS		1.08	U	1.08	U	1.08	U	
	30-Sep-08	NS		NS		NS		NS		2.2		U		NS		NS		2.2	U	2.2	U	2.2	U	
	27-Oct-08	2.2	U	NS		NS		NS		2.2		U		NS		NS		2.2	U	2.2	U	2.2	U	
	25-Nov-08	NS		2.2	U	NS		NS		2.2		U</td												

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual												
Benzene	8-Feb-08	0.92	NS	NS	NS	0.98	NS	NS	NS	0.54	0.85	NS		
	27-Mar-08	NS	0.54	NS	NS	NS	0.462	NS	NS	NS	0.788	0.635		
	25-Apr-08	NS	0.584	NS	NS	NS	0.745	NS	NS	0.428	NS	0.536		
	29-May-08	NS	NS	NS	0.73	NS	NS	NS	1.03	1.12	0.61	NS		
	27-Jun-08	0.626	NS	NS	NS	0.468	NS	NS	NS	NS	0.499	0.399		
	31-Jul-08	NS	0.418	NS	NS	NS	NS	NS	NS	0.358	NS	0.265		
	28-Aug-08	NS	NS	1.02	NS	NS	NS	NS	NS	0.815	0.692	NS		
	30-Sep-08	NS	U	NS	NS	1.6	U	NS	NS	1.6	U	1.6	U	
	27-Oct-08	1.6	U	NS	NS	1.6	U	NS	NS	1.6	U	1.6	U	
	25-Nov-08	NS	1.6	U	NS	NS	U	1.6	U	NS	1.6	U	NS	
	18-Dec-08	NS	NS	1.6	U	NS	NS	NS	1.6	U	NS	1.6	U	
	21-Jan-09	NS	NS	NS	U	1.6	U	NS	NS	1.6	U	1.6	U	
	25-Feb-09	1.6	U	NS	NS	1.6	U	NS	NS	1.6	U	1.6	NS	
	26-Mar-09	NS	2.1	NS	NS	NS	NS	2.23	U	NS	NS	0.945	1.48	
	29-Apr-09	NS	NS	0.603	NS	NS	NS	NS	0.246	NS	0.223	NS	0.367	
	22-Jul-09	1.12	U	NS	56	2.23	U	NS	1.45	NS	4.27	0.629	NS	
	9-Oct-09	NS	1.15	NS	NS	0.974	NS	NS	0.431	46.6	0.619	NS	0.824	
	15-Jan-10	0.763	NS	0.887	NS	0.98	NS	1.26	NS	NS	0.964	0.964	NS	
	21-Apr-10	NS	0.373	NS	NS	0.16	U	NS	1.6	U	1.61	0.635	NS	1.26
	16-Jul-10	0.332	NS	1.53	0.689	NS	NS	2.41	U	NS	NS	0.319	0.319	U
	15-Oct-10	NS	0.319	U	NS	NS	0.319	U	NS	0.319	U	0.319	NS	0.319
	26-Jan-11	3.19	U	2.49	NS	2.46	NS	1.6	U	NS	1.85	1.8	1.9	NS
	28-Feb-11	NS	NS	3.19	U	NS								
	27-Apr-11	NS	0.319	U	NS	NS	0.319	U	NS	0.319	U	0.319	NS	0.319
	26-Jul-11	1.06	U	NS	1.06	0.434	NS	1.6	U	NS	NS	0.319	U	1.6
	28-Oct-11	NS	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	U	1.6
	23-Jan-12	0.84	NS	1.2	NS	0.98	NS	0.81	NS	NS	1.4	1.5	NS	
	13-Apr-12	NS	0.32	U	NS	NS	0.32	U	NS	0.32	U	0.32	NS	0.32
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	NS	
	23-Jun-12	0.45	NS	0.61	0.88	NS	0.43	NS	NS	NS	0.42	0.4	NS	
	1-Nov-12	NS	0.45	NS	NS	0.43	NS	0.49	NS	0.56	0.61	NS	1	
	1-Feb-13	0.33	NS	0.45	0.47	NS	0.35	NS	NS	0.45	0.46	NS		
	29-Apr-13	NS	0.41	NS	NS	0.38	NS	0.41	NS	0.47	0.63	0.67		
	9-Jul-13	0.64	NS	0.93	0.76	NS	0.70	NS	NS	0.65	0.42	0.42	NS	
	18-Oct-13	NS	0.66	NS	NS	0.63	NS	0.86	1.0	NS	0.28	0.92	NS	
Bromodichloromethane	8-Feb-08	0.13	U	NS	NS	NS	NS	0.13	U	NS	NS	0.13	U	NS
	27-Mar-08	NS	0.134	U	NS	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	25-Apr-08	NS	NS	0.134	U	NS	NS	0.134	U	NS	0.134	NS	0.134	U
	29-May-08	NS	NS	NS	0.13	U	NS	NS	U	NS	0.13	U	0.13	NS
	27-Jun-08	0.209	U	NS	NS	NS	0.134	U	NS	NS	NS	0.134	U	0.134
	31-Jul-08	NS	0.134	U	NS	NS	NS	NS	U	NS	0.134	NS	0.134	U
	28-Aug-08	NS	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134	NS
	30-Sep-08	NS	NS	NS	0.52	NS	NS	NS	U	NS	0.13	U	0.23	U
	27-Oct-08	0.13	U	NS	NS	NS	1.07	NS	NS	NS	0.13	U	0.13	U
	25-Nov-08	NS	0.13	U	NS	NS	NS	0.13	U	NS	NS	0.13	U	NS
	18-Dec-08	NS	NS	0.13	U	NS	NS	NS	U	NS	NS	0.13	U	0.13
	21-Jan-09	NS	NS	NS	0.13	U	NS	NS	U	NS	0.13	U	0.13	U
	25-Feb-09	0.13	U	NS	NS	NS	0.13	U	NS	NS	0.13	U	0.13	NS
	26-Mar-09	NS	0.67	U	NS	NS	NS	1.34	U	NS	NS	0.134	U	0.134
	29-Apr-09	NS	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	22-Jul-09	0.67	U	NS	27.3	U	1.34	U	NS	0.67	U	0.134	U	0.134
	9-Oct-09	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	28	U	0.134
	15-Jan-10	0.134	U	NS	0.134	U	0.67	U	NS	0.67	U	0.134	U	0.134
	21-Apr-10	NS	0.134	U	NS	NS	0.67	U	NS	0.67	U	0.134	U	0.134
	16-Jul-10	0.134	U	NS	0.134	U	0.134	U	NS	1.01	U	0.134	U	0.134
	15-Oct-10	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134	U	0.134
	26-Jan-11	1.34	U	0.134	U	NS	0.134	U	NS	0.67	U	0.67	U	0.67
	28-Feb-11	NS	NS	1.34	U	NS	NS	0.134	U	NS	NS	NS	NS	
	27-Apr-11	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134	U	0.134
	26-Jul-11	0.447	U	NS	0.447	U	0.134	U	NS	0.67	U	0		

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual												
Bromoform	8-Feb-08	0.21	U	NS	NS	0.21	U	NS	NS	0.21	U	0.21	U	
	27-Mar-08	NS	0.206	U	NS	NS	U	NS	NS	NS	U	NS	0.206	U
	25-Apr-08	NS	NS	0.206	U	NS	U	NS	0.206	U	NS	0.206	U	NS
	29-May-08	NS	NS	NS	0.21	U	NS	NS	NS	0.21	U	0.21	U	NS
	27-Jun-08	0.322	U	NS	NS	0.206	U	NS	NS	NS	U	NS	0.206	U
	31-Jul-08	NS	0.206	U	NS	NS	U	NS	NS	NS	U	0.206	U	0.206
	28-Aug-08	NS	NS	0.206	U	NS	U	NS	0.206	U	NS	0.206	U	NS
	30-Sep-08	NS	NS	NS	0.41	U	NS	NS	NS	0.41	U	NS	0.41	U
	27-Oct-08	0.41	U	NS	NS	0.41	U	NS	NS	0.41	U	0.41	U	0.41
	25-Nov-08	NS	0.14	U	NS	NS	U	NS	0.41	U	NS	0.41	U	NS
	18-Dec-08	NS	NS	0.41	U	NS	U	NS	0.41	U	NS	0.41	U	0.41
	21-Jan-09	NS	NS	NS	0.41	U	NS	NS	NS	0.41	U	0.41	U	0.41
	25-Feb-09	0.41	U	NS	NS	0.14	U	NS	NS	NS	U	0.41	U	NS
	26-Mar-09	NS	1.03	U	NS	NS	U	NS	2.06	U	NS	NS	0.206	U
	29-Apr-09	NS	NS	0.206	U	NS	U	NS	0.206	U	NS	0.206	U	0.206
	22-Jul-09	1.03	U	NS	42	U	2.06	U	NS	1.03	U	NS	0.206	U
	9-Oct-09	NS	0.206	U	NS	NS	U	NS	0.206	U	43.1	U	0.206	U
	15-Jan-10	0.206	U	NS	0.206	U	0.206	U	0.206	NS	NS	0.206	U	NS
	21-Apr-10	NS	0.206	U	NS	NS	U	NS	1.03	U	1.03	U	0.206	U
	16-Jul-10	0.206	U	NS	0.206	U	0.206	U	1.56	U	NS	0.206	U	NS
	15-Oct-10	NS	0.206	U	NS	NS	U	NS	0.206	U	0.206	U	0.206	U
	26-Jan-11	2.06	U	0.206	U	NS	0.206	U	1.03	U	NS	1.03	U	NS
	28-Feb-11	NS	NS	2.06	U	NS	U	NS						
	27-Apr-11	NS	0.206	U	NS	NS	U	0.206	U	NS	0.206	U	0.206	U
	26-Jul-11	0.69	U	NS	0.69	U	0.207	U	NS	1.03	U	NS	0.207	U
	28-Oct-11	NS	5.2	U	NS	NS	U	5.2	U	NS	5.2	U	5.2	U
	23-Jan-12	1	U	NS	1	U	1	U	NS	1	U	NS	1	U
	13-Apr-12	NS	1	U	NS	NS	U	1	U	NS	1	U	NS	1
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	1	U	NS	1	U	1	U	NS	1	U	NS	1	U
	1-Nov-12	NS	0.21	U	NS	NS	U	0.21	U	NS	0.21	U	NS	0.21
	1-Feb-13	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21	U	NS
	29-Apr-13	NS	0.52	U	NS	NS	U	0.21	U	NS	0.21	U	0.21	U
	9-Jul-13	0.31	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21	U	NS
	18-Oct-13	NS	0.21	U	NS	NS	U	0.21	U	NS	0.21	U	0.21	U

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
n-Butylbenzene	8-Feb-08	2.74	U	NS	NS	NS	NS	NS	NS	NS	U	2.74
	27-Mar-08	NS	U	2.74	U	NS	NS	NS	NS	NS	U	2.74
	25-Apr-08	NS	U	NS	2.74	U	NS	NS	NS	NS	U	2.74
	29-May-08	NS	U	NS	NS	U	2.74	U	NS	2.74	U	2.74
	27-Jun-08	4.27	U	NS	NS	U	NS	2.74	U	NS	U	2.74
	31-Jul-08	NS	U	2.74	U	NS	NS	NS	NS	NS	U	2.74
	28-Aug-08	NS	U	NS	2.74	U	NS	NS	NS	2.74	U	2.74
	30-Sep-08	NS	U	NS	NS	U	5.5	U	NS	5.5	U	5.5
	27-Oct-08	22.1	U	NS	NS	U	NS	5.5	U	NS	U	5.5
	25-Nov-08	NS	U	5.5	U	NS	NS	5.5	U	NS	U	11.5
	18-Dec-08	NS	U	NS	5.5	U	NS	NS	NS	NS	U	5.5
	21-Jan-09	NS	U	NS	NS	U	5.5	U	NS	5.5	U	5.5
	25-Feb-09	5.5	U	NS	NS	U	NS	5.5	U	NS	U	5.5
	26-Mar-09	NS	U	13.7	U	NS	NS	27.4	U	NS	NS	2.74
	29-Apr-09	NS	U	NS	2.74	U	NS	NS	2.74	U	NS	2.74
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	13.7	U	NS	2.74
	9-Oct-09	NS	U	1.08	U	NS	NS	2.74	U	NS	573	U
	15-Jan-10	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U
	21-Apr-10	NS	U	2.74	U	NS	NS	13.7	U	13.7	U	2.74
	16-Jul-10	2.74	U	NS	2.74	U	2.74	U	20.7	U	NS	2.74
	15-Oct-10	NS	U	2.74	U	NS	NS	2.74	U	2.74	U	2.74
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7	U
	28-Feb-11	NS	U	NS	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	U	2.745	U	NS	NS	2.74	U	2.74	U	2.74
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	13.7	U	NS	2.74
	28-Oct-11	NS	U	7.9	U	NS	NS	7.9	U	7.9	U	7.9
	23-Jan-12	1.6	U	NS	1.6	U	1.6	U	1.6	U	NS	1.6
	13-Apr-12	NS	U	1.6	U	NS	NS	1.6	U	1.6	U	1.6
	2-Jul-12 (resample)	NS	U	NS	NS	U	NS	NS	NS	NS	NS	7.9
	23-Jun-12	1.6	U	NS	1.6	U	1.6	U	1.6	U	1.6	U
	1-Nov-12	NS	U	0.32	U	NS	NS	0.32	U	0.44	U	0.38
	1-Feb-13	0.32	U	NS	0.32	U	0.32	U	0.32	U	0.32	U
	29-Apr-13	NS	U	0.79	U	NS	NS	0.32	U	0.32	U	0.32
	9-Jul-13	0.47	U	NS	0.32	U	0.32	U	0.32	U	0.32	U
	18-Oct-13	NS	U	0.54	U	NS	NS	0.52	U	0.74	U	0.68
												0.87
sec-Butylbenzene	8-Feb-08	2.74	U	NS	NS	U	NS	2.74	U	NS	U	2.74
	27-Mar-08	NS	U	2.74	U	NS	NS	NS	U	NS	U	2.74
	25-Apr-08	NS	U	NS	2.74	U	NS	NS	2.74	U	NS	2.74
	29-May-08	NS	U	NS	NS	U	2.74	U	NS	2.74	U	2.74
	27-Jun-08	4.27	U	NS	NS	U	NS	2.74	U	NS	U	2.74
	31-Jul-08	NS	U	2.74	U	NS	NS	NS	U	2.74	U	2.74
	28-Aug-08	NS	U	NS	2.74	U	NS	NS	2.74	U	2.74	U
	27-Oct-08	NS	U	NS	NS	U	5.5	U	NS	5.5	U	5.5
	27-Oct-08	5.5	U	NS	NS	U	NS	5.5	U	NS	U	5.5
	25-Nov-08	NS	U	5.5	U	NS	NS	5.5	U	NS	U	5.5
	18-Dec-08	NS	U	NS	5.5	U	NS	NS	5.5	U	NS	5.5
	21-Jan-09	NS	U	NS	NS	U	5.5	U	NS	5.5	U	5.5
	25-Feb-09	5.5	U	NS	NS	U	NS	5.5	U	NS	U	5.5
	26-Mar-09	NS	U	13.7	U	NS	NS	27.4	U	NS	NS	2.74
	29-Apr-09	NS	U	NS	2.74	U	NS	NS	2.74	U	NS	2.74
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	13.7	U	NS	2.74
	9-Oct-09	NS	U	2.74	U	NS	NS	2.74	U	2.74	U	2.74
	15-Jan-10	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U
	21-Apr-10	NS	U	2.74	U	NS	NS	13.7	U	13.7	U	2.74
	16-Jul-10	2.74	U	NS	2.74	U	2.74	U	20.7	U	2.74	U
	15-Oct-10	NS	U	2.74	U	NS	NS	2.74	U	2.74	U	2.74
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7	U
	28-Feb-11	NS	U	NS	27.4	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	U	2.74	U	NS	NS	2.74	U	2.74	U	2.47
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	13.7	U	13.7	U
	28-Oct-11	NS	U	6.3	U	NS	NS	6.3	U	6.3	U	6.3
	23-Jan-12	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U
	13-Apr-12	NS	U	1.3	U	NS	NS	1.3	U	1.3	U	1.3
	2-Jul-12 (resample)	NS	U	NS	1.3	U	NS	NS	1.3	U	NS	6.3
	23-Jun-12	1.3	U	NS	1.3	U	0.25	U	0.25	U	0.25	U
	1-Nov-12	NS	U	0.25	U	NS	NS	0.25	U	0.25	U	0.25
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	29-Apr-13	NS	U	0.63	U	NS	NS	0.25	U	0.25	U	0.25
	9-Jul-13	0.38	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	18-Oct-13	NS	U	0.25	U	NS	NS	0.25	U	0.25	U	0.25

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual											
Carbon tetrachloride	8-Feb-08	0.44	NS	NS	NS	0.46	NS	NS	0.53	0.45	NS		
	27-Mar-08	NS	0.539	NS	NS	0.477	NS	NS	NS	NS	0.576	0.574	
	25-Apr-08	NS	NS	0.417	NS	NS	NS	0.448	NS	0.459	NS	0.448	
	29-May-08	NS	NS	NS	0.46	NS	NS	NS	0.46	0.47	0.46	NS	
	27-Jun-08	0.478	NS	NS	NS	0.506	NS	NS	NS	NS	0.533	0.553	
	31-Jul-08	NS	0.576	NS	0.495	0.495							
	28-Aug-08	NS	NS	0.515	NS	NS	NS	0.549	NS	0.567	0.563	NS	
	30-Sep-08	NS	NS	NS	0.511	NS	NS	NS	0.577	NS	0.451	0.469	
	27-Oct-08	0.48	NS	NS	NS	0.36	NS	NS	NS	0.41	NS	0.56	
	25-Nov-08	NS	0.5	NS	NS	0.42	NS	NS	NS	0.3	0.44	NS	
	18-Dec-08	NS	NS	0.23	NS	NS	NS	0.28	NS	NS	0.48	0.46	
	21-Jan-09	NS	NS	NS	0.36	NS	NS	NS	0.47	0.27	NS	0.67	
	25-Feb-09	0.39	NS	NS	NS	0.36	NS	NS	NS	0.37	0.36	NS	
	26-Mar-09	NS	0.629	U	NS	NS	1.26	U	NS	NS	NS	0.601	0.565
	29-Apr-09	NS	NS	0.484	NS	NS	NS	0.528	NS	0.522	NS	0.654	
	22-Jul-09	0.629	U	NS	25.6	U	1.26	U	NS	NS	0.515	0.503	
	9-Oct-09	NS	0.691	NS	NS	0.666	NS	0.465	26.2	U	0.71	0.691	
	15-Jan-10	0.427	NS	0.647	0.509	NS	0.541	NS	NS	0.541	0.528	NS	
	21-Apr-10	NS	0.126	NS	NS	0.629	U	0.629	U	0.629	U	0.61	0.503
	16-Jul-10	0.459	NS	0.478	0.515	NS	0.95	U	NS	NS	0.559	0.509	
	15-Oct-10	NS	0.509	NS	NS	0.434	NS	0.383	0.402	NS	0.421	NS	
	26-Jan-11	1.26	U	0.415	NS	0.415	NS	0.629	U	0.629	U	0.629	U
	28-Feb-11	NS	NS	1.26	U	NS							
	27-Apr-11	NS	0.339	NS	NS	0.339	NS	0.33	U	0.364	0.339	0.327	
	26-Jul-11	0.44	NS	0.42	U	0.409	NS	0.629	U	NS	0.402	0.629	
	28-Oct-11	NS	3.1	U	NS	NS	3.1	U	3.1	U	3.1	3.1	U
	23-Jan-12	0.63	U	0.63	U	0.63	U	0.63	U	NS	0.63	0.63	
	13-Apr-12	NS	0.31	U	NS	NS	0.31	NS	0.31	U	0.31	0.31	U
2-Jul-12 (resample)	23-Jun-12	0.63	U	NS	0.63	U	0.63	U	NS	NS	0.63	0.63	
	1-Nov-12	NS	0.48	NS	NS	0.46	NS	NS	0.46	0.45	0.47	0.43	
	1-Feb-13	0.44	NS	0.43	0.39	NS	0.42	NS	NS	0.49	0.5	0.5	
	29-Apr-13	NS	0.42	NS	NS	0.44	NS	0.42	0.48	0.48	NS	0.46	
	9-Jul-13	0.52	NS	0.52	0.46	NS	0.48	NS	NS	0.45	0.47	NS	
	18-Oct-13	NS	0.45	NS	NS	0.41	NS	0.4	0.45	0.44	NS	0.47	

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
Chloroethane	8-Feb-08	0.05	U	NS	NS	NS	0.053	U	NS	NS	0.053	U	NS	0.139	U	NS	0.053	U	0.05	U	0.05	U	NS	0.053	
	27-Mar-08	NS	U	0.053	U	NS	NS	U	NS	NS	0.053	U	NS	0.139	U	NS	0.053	U	0.053	U	0.053	U	0.053	U	
	25-Apr-08	NS	U	NS	NS	NS	0.053	U	NS	NS	0.11	U	NS	NS	U	NS	0.1	U	0.07	U	0.05	U	NS	0.053	
	29-May-08	NS	U	NS	NS	NS	NS	U	NS	NS	0.132	U	NS	NS	U	NS	NS	U	0.053	U	0.053	U	0.053	U	
	27-Jun-08	0.082	U	NS	NS	NS	NS	U	NS	NS	0.132	U	NS	NS	U	NS	NS	U	0.053	U	0.053	U	0.053	U	
	31-Jul-08	NS	U	0.053	U	NS	0.053	U	NS	NS	NS	U	NS	NS	U	NS	0.053	U	0.053	U	0.075	U	NS	U	
	28-Aug-08	NS	U	NS	NS	NS	0.053	U	NS	NS	1.3	U	NS	NS	U	NS	0.053	U	1.3	U	1.3	U	1.3	U	
	30-Sep-08	NS	U	NS	NS	NS	NS	U	NS	NS	1.3	U	NS	NS	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	
	27-Oct-08	1.3	U	NS	NS	NS	NS	U	NS	NS	1.3	U	NS	NS	U	NS	1.3	U	1.3	U	1.6	U	NS	U	
	25-Nov-08	NS	U	1.3	U	NS	NS	U	NS	NS	NS	U	1.3	U	NS	NS	1.3	U	1.3	U	1.3	U	NS	U	
	18-Dec-08	NS	U	NS	NS	1.3	U	NS	NS	NS	0.132	U	NS	NS	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	
	21-Jan-09	NS	U	NS	NS	NS	0.053	U	NS	NS	NS	U	NS	NS	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	
	25-Feb-09	1.3	U	NS	NS	NS	NS	U	NS	NS	1.3	U	NS	NS	U	NS	1.3	U	1.3	U	1.3	U	NS	U	
	26-Mar-09	NS	U	0.264	U	NS	NS	U	NS	NS	NS	U	0.527	U	NS	NS	NS	U	NS	1.3	U	0.1212	U	0.063	U
	29-Apr-09	NS	U	NS	NS	0.137	U	NS	NS	NS	NS	U	0.063	U	NS	NS	0.053	U	NS	0.053	U	0.053	U	0.053	U
	22-Jul-09	0.264	U	NS	NS	10.8	U	0.527	U	NS	NS	U	0.277	U	NS	NS	0.053	U	0.053	U	0.061	U	NS	U	
	9-Oct-09	NS	U	0.053	U	NS	NS	U	NS	NS	0.058	U	0.406	U	11	U	0.053	U	NS	0.053	U	0.053	U	0.053	U
	15-Jan-10	0.053	U	NS	NS	0.074	U	0.066	U	NS	NS	U	0.053	U	NS	NS	0.053	U	0.053	U	0.053	U	NS	U	
	21-Apr-10	NS	U	0.074	U	NS	NS	U	NS	NS	0.264	U	NS	NS	U	NS	0.303	U	0.303	U	0.303	U	0.116	U	
	16-Jul-10	0.1	U	NS	NS	2.55	U	0.166	U	NS	NS	U	0.398	U	NS	NS	0.053	U	0.053	U	0.087	U	NS	U	
	15-Oct-10	NS	U	0.053	U	NS	NS	U	NS	NS	0.082	U	NS	0.071	U	0.053	U	0.053	U	0.053	U	0.053	U		
	26-Jan-11	0.527	U	0.053	U	NS	0.077	U	NS	NS	0.264	U	NS	NS	U	NS	0.264	U	0.264	U	0.264	U	NS	U	
	28-Feb-11	NS	U	NS	,527	U	NS	U	NS	NS	0.079	U	NS	NS	U	NS	0.082	U	0.053	U	0.053	U	0.053	U	
	27-Apr-11	NS	U	0.053	U	NS	NS	U	NS	NS	0.176	U	0.116	U	NS	NS	0.264	U	NS	0.053	U	0.264	U	0.053	U
	26-Jul-11	0.176	U	NS	NS	1.3	U	NS	U	NS	NS	U	1.3	U	NS	NS	1.3	U	1.3	U	1.3	U	1.3	U	
	28-Oct-11	NS	U	NS	NS	0.26	U	0.26	U	NS	NS	U	0.26	U	NS	NS	0.26	U	NS	0.26	U	0.26	U	0.26	U
	23-Jan-12	0.26	U	NS	NS	0.26	U	NS	U	NS	NS	U	0.26	U	NS	NS	0.26	U	NS	0.26	U	0.26	U	0.26	U
	13-Apr-12	NS	U	0.26	U	NS	NS	U	NS	NS	0.085	U	NS	NS	U	NS	0.08	U	0.053	U	0.053	U	0.087	U	
	2-Jul-12 (resample)	NS	U	NS	NS	0.26	U	0.26	U	NS	NS	U	0.26	U	NS	NS	0.26	U	NS	0.26	U	0.26	U	0.26	U
	23-Jun-12	0.26	U	NS	NS	0.26	U	0.26	U	NS	NS	U	0.26	U	NS	NS	0.26	U	NS	0.26	U	0.26	U	0.26	U
	1-Nov-12	NS	U	0.053	U	NS	NS	U	NS	NS	0.085	U	NS	NS	U	NS	0.08	U	0.053	U	0.053	U	0.087	U	
	1-Feb-13	0.082	U	NS	NS	0.053	U	0.11	U	NS	NS	U	0.053	U	NS	NS	0.11	U	0.11	U	0.11	U	0.11	U	
	29-Apr-13	NS	U	0.4	U	NS	NS	U	NS	NS	0.11	U	0.091	U	NS	NS	0.11	U	0.11	U	0.11	U	0.11	U	
	9-Jul-13	0.11	U	NS	NS	0.12	U	0.31	U	NS	NS	U	0.11	U	NS	NS	0.091	U	0.053	U	0.053	U	0.053	U	
	18-Oct-13	NS	U	0.053	U	NS	NS	U	NS	NS	0.11	U	NS	NS	U	NS	0.091	U	0.053	U	0.053	U	0.053	U	
Chloroform	8-Feb-08	0.1	U	NS	NS	NS	NS	U	NS	NS	0.125	U	NS	NS	U	NS	NS	U	0.12	U	0.12	U	NS	U	
	27-Mar-08	NS	U	0.098	U	NS	NS	U	NS	NS	0.231	U</td													

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloromethane	8-Feb-08	2.44	U	NS	NS	NS	2.44	U	NS	NS	2.44	U	NS
	27-Mar-08	NS		2.67	NS	NS	NS	3.24	NS	NS	NS	2.44	U
	25-Apr-08	NS		NS	2.44	U	NS	NS	2.44	U	2.44	U	2.44
	29-May-08	NS		NS	NS	2.44	U	NS	NS	2.44	U	2.44	U
	27-Jun-08	3.8	U	NS	NS	NS	2.44	U	NS	NS	NS	2.44	U
	31-Jul-08	NS		4.64	NS	NS	NS	NS	NS	NS	NS	2.44	U
	28-Aug-08	NS		NS	2.44	U	NS	NS	2.44	U	2.44	U	2.44
	30-Sep-08	NS		NS	1	U	NS	NS	1	U	1	U	1
	27-Oct-08	1	U	NS	NS	NS	1	U	NS	NS	1.1	U	3.5
	25-Nov-08	NS		1	U	NS	NS	1	U	NS	1	U	NS
	18-Dec-08	NS		NS	1	U	NS	NS	1	U	NS	1.4	U
	21-Jan-09	NS		NS	1	U	NS	NS	3.1	1	U	NS	1
	25-Feb-09	1		NS	NS	NS	1	U	NS	NS	1	U	1.2
	26-Mar-09	NS		12.2	U	NS	NS	24.4	U	NS	NS	4.58	U
	29-Apr-09	NS		NS	22.4	U	NS	NS	19.4	NS	2.44	U	2.44
	22-Jul-09	18.5		NS	497	U	32	NS	41.9	NS	2.44	U	6.29
	9-Oct-09	NS		2.44	U	NS	NS	2.44	U	509	U	2.44	U
	15-Jan-10	2.44	U	NS	2.78	2.44	U	NS	2.44	NS	2.44	U	NS
	21-Apr-10	NS		3.25	NS	NS	12.2	U	NS	12.2	U	2.44	U
	16-Jul-10	1.32		NS	62.8	1.48	NS	7.79	U	NS	NS	1.03	U
	15-Oct-10	NS		1.03	U	NS	1.03	U	NS	1.03	U	1.03	U
	26-Jan-11	10.3	U	1.03	U	NS	1.03	U	5.16	U	5.16	U	5.16
	28-Feb-11	NS		NS	10.3	U	NS						
	27-Apr-11	NS		1.23	NS	NS	1.03	U	NS	1.03	U	1.03	U
	26-Jul-11	3.45	U	NS	3.45	U	1.03	U	5.16	U	NS	5.16	U
	28-Oct-11	NS		1	U	NS	1	U	NS	1	U	1	U
	23-Jan-12	0.21	U	NS	0.21	U	0.21	U	0.21	U	NS	0.21	U
	13-Apr-12	NS		0.21	U	NS	NS	0.21	U	0.21	U	0.21	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	NS	1.1	NS
	23-Jun-12	0.21	U	NS	0.21	U	0.21	U	2.1	NS	NS	0.21	U
	1-Nov-12	NS		0.041	U	NS	NS	0.041	U	NS	0.041	U	0.37
	1-Feb-13	0.5		NS	1.8	2.1	NS	0.19	NS	NS	0.71	U	0.72
	29-Apr-13	NS		0.21	U	NS	0.083	U	NS	0.083	U	0.083	U
	9-Jul-13	0.12	U	NS	0.083	U	0.083	U	0.083	U	NS	1.0	U
	18-Oct-13	NS		0.083	U	NS	0.083	U	0.083	U	0.083	U	0.40
Dibromochloromethane	8-Feb-08	0.1	U	NS	NS	NS	0.1	U	NS	NS	0.1	U	NS
	27-Mar-08	NS		0.096	U	NS	NS	0.096	U	NS	NS	0.096	U
	25-Apr-08	NS		NS	0.096	U	NS	NS	0.096	U	0.1	U	0.096
	29-May-08	NS		NS	NS	0.1	U	NS	NS	0.1	U	0.1	U
	27-Jun-08	0.15	U	NS	NS	NS	0.096	U	NS	NS	NS	0.096	U
	31-Jul-08	NS		0.096	U	NS	NS	NS	NS	0.096	U	0.096	U
	28-Aug-08	NS		NS	0.096	U	NS	NS	0.096	U	0.096	U	NS
	30-Sep-08	NS		NS	4.2	U	NS	NS	NS	4.2	U	4.2	U
	27-Oct-08	4.2	U	NS	NS	NS	4.2	U	NS	NS	4.2	U	4.2
	25-Nov-08	NS		4.2	U	NS	NS	4.2	U	NS	4.2	U	NS
	18-Dec-08	NS		4.2	U	NS	NS	4.2	U	NS	4.2	U	4.2
	21-Jan-09	NS		NS	4.2	U	NS	NS	4.2	U	NS	4.2	U
	25-Feb-09	4.2	U	NS	NS	NS	4.2	U	NS	NS	4.2	U	NS
	26-Mar-09	NS		0.48	U	NS	NS	0.96	U	NS	NS	0.96	U
	29-Apr-09	NS		NS	0.096	U	NS	NS	0.096	U	NS	0.096	U
	22-Jul-09	0.48	U	NS	19.6	U	0.96	U	0.48	U	NS	0.096	U
	9-Oct-09	NS		0.096	U	NS	NS	U	NS	20	U	0.096	U
	15-Jan-10	0.096	U	NS	0.096	U	0.096	U	NS	NS	0.096	U	0.096
	21-Apr-10	NS		0.096	U	NS	NS	0.48	U	NS	0.096	U	0.096
	16-Jul-10	0.17	U	NS	0.17	U	0.17	U	1.28	U	NS	0.17	U
	15-Oct-10	NS		0.17	U	NS	NS	0.17	U	0.17	U	0.17	U
	26-Jan-11	1.7	U	0.17	U	NS	0.17	U	0.851	U	0.851	U	0.851
	28-Feb-11	NS		NS	1.7	U	NS						
	27-Apr-11	NS		0.17	U	NS	NS	0.17	U	0.17	U	0.17	U
	26-Jul-11	0.568	U	NS	0.568	U	0.17	U	0.852	U	NS	0.17	U
	28-Oct-11	NS		4.3	U	NS	4.3	U	4.3	U	4.3	U	4.3
	23-Jan-12	0.85	U	NS	0.85	U	0.85	U	0.85	U	0.85	U	0.85
	13-Apr-12	NS		0.85	U	NS	NS	0.85	U	0.85	U	0.85	U
	2-Jul-12 (resample)	NS		NS	0.85	U	0.85	U	0.85	U	0.85	U	0.85
	23-Jun-12	0.85	U	NS	0.85	U	0.85	U	0.85	U	0.85	U	0.85
	1-Nov-12	NS		0.085	U	NS	NS	0.085	U	0.085	U	0.085	U
	1-Feb-13	0.17	U	NS	0.17	U	0.17	U	0.17	U	0.17	U	

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
1,2-Dibromoethane	8-Feb-08	0.15	U	NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	NS	NS	U	
	27-Mar-08	NS		0.154	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	
	25-Apr-08	NS		0.154	U	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	NS	NS	U	
	29-May-08	NS		NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	NS	NS	U	
	27-Jun-08	0.239	U	NS	NS	NS	NS	NS	0.154	U	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	
	31-Jul-08	NS		0.154	U	NS	NS	0.154	U	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	28-Aug-08	NS		NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	30-Sep-08	NS		NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	0.15	
	27-Oct-08	0.15	U	NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	0.15	
	25-Nov-08	NS		0.15	U	NS	NS	NS	0.15	U	NS	NS	0.15	U	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	
	18-Dec-08	NS		NS	NS	0.15	U	NS	NS	NS	NS	NS	0.15	U	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	
	21-Jan-09	NS		NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	0.15	
	25-Feb-09	0.15	U	NS	NS	NS	NS	0.15	U	NS	NS	NS	NS	NS	NS	0.15	U	0.15	U	0.15	U	NS	NS	U	
	26-Mar-09	NS		0.768	U	NS	NS	NS	NS	NS	1.54	U	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154
	29-Apr-09	NS		NS	NS	0.154	U	NS	NS	NS	NS	NS	NS	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	22-Jul-09	0.768	U	NS	NS	31.3	U	1.54	U	NS	NS	0.768	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	9-Oct-09	NS		0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	15-Jan-10	0.154	U	NS	NS	0.154	U	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	21-Apr-10	NS		0.154	U	NS	NS	0.768	U	NS	NS	0.768	U	NS	NS	0.768	U	0.768	U	0.768	U	0.768	U	0.768	
	16-Jul-10	0.154	U	NS	NS	0.154	U	0.154	U	NS	NS	1.16	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	15-Oct-10	NS		0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	26-Jan-11	1.54	U	0.154	U	NS	NS	0.154	U	NS	NS	0.768	U	NS	NS	0.768	U	0.768	U	0.768	U	0.768	U	0.768	
	28-Feb-11	NS		NS	NS	1.54	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154	U	0.154	U	0.154	
	26-Jul-11	0.512	U	NS	NS	0.512	U	0.154	U	NS	NS	0.768	U	NS	NS	0.768	U	0.768	U	0.768	U	0.768	U	0.768	
	28-Oct-11	NS		3.8	U	NS	NS	3.8	U	NS	NS	3.8	U	NS	NS	3.8	U	3.8	U	3.8	U	3.8	U	3.8	
	23-Jan-12	0.77	U	NS	NS	0.77	U	0.77	U	NS	NS	0.77	U	NS	NS	0.77	U	0.77	U	0.77	U	0.77	U	0.77	
	13-Apr-12	NS		0.38	U	NS	NS	0.38	U	NS	NS	0.38	U	NS	NS	0.38	U	0.38	U	0.38	U	0.38	U	0.38	
2-Jul-12 (resample)	23-Jun-12	0.77	U	NS	NS	0.77	U	0.77	U	NS	NS	0.77	U	NS	NS	0.77	U	0.77	U	0.77	U	0.77	U	0.77	
	1-Nov-12	NS		0.077	U	NS	NS	0.077	U	NS	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U	0.077	U	0.077	
	1-Feb-13	0.077	U	NS	NS	0.077	U	0.077	U	NS	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U	0.077	U	0.077	
	29-Apr-13	NS		0.19	U	NS	NS	0.077	U	NS	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U	0.077	U	0.077	
	9-Jul-13	0.12	U	NS	NS	0.077	U	0.077	U	NS	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U	0.077	U	0.077	
	18-Oct-13	NS		0.15	U	NS	NS	0.15	U	NS	NS	0.15	U	NS	NS	0.15	U	0.15	U	0.15	U	0.15	U	0.15	
	8-Feb-08	0.12	U	NS	NS	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	
	27-Mar-08	NS		0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	
	25-Apr-08</																								

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3					
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual				
1,3-Dichlorobenzene	8-Feb-08	0.12	U	NS	U	NS	U	NS	0.12	U	NS	U	NS	U	NS	U	0.12	U	0.12	U	NS	U	0.12	U			
	27-Mar-08	NS		0.12	U	NS	U	0.6	NS	U	0.12	U	NS	U	NS	U	NS	U	0.12	U	0.12	U	0.12	U			
	25-Apr-08	NS		NS	U	NS	U	1.18	NS	U	NS	U	NS	U	3.47	U	0.12	U	NS	U	0.22	U	NS	U			
	29-May-08	NS		NS	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	NS	U	0.12	U	0.12	U	0.12	U			
	27-Jun-08	0.187	U	NS	U	NS	U	NS	0.257	U	NS	U	NS	U	NS	U	NS	U	0.12	U	0.12	U	0.12	U			
	31-Jul-08	NS		0.822	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	0.136	U	0.12	U	NS	U	0.12	U			
	28-Aug-08	NS		NS	U	NS	U	0.12	U	NS	U	NS	U	NS	U	0.12	U	0.12	U	NS	U	3	U	3	U		
	30-Sep-08	NS		NS	U	NS	U	3	U	NS	U	NS	U	NS	U	3	U	NS	U	3	U	3	U	3	U		
	27-Oct-08	3	U	NS	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	3	U	3	U	NS	U	3	U	3	U	
	25-Nov-08	NS		3	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	3	U	3	U	NS	U	3	U	3	U	
	18-Dec-08	NS		NS	U	NS	U	3	U	NS	U	NS	U	NS	U	3	U	NS	U	3	U	NS	U	3	U		
	21-Jan-09	NS		NS	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	3	U	3	U	NS	U	3	U	3	U	
	25-Feb-09	3	U	NS	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	3	U	3	U	NS	U	3	U	3	U	
	26-Mar-09	NS		0.601	U	NS	U	NS	NS	U	1.2	U	NS	U	0.12	U	NS	U	0.12	U	NS	U	0.12	U	0.12	U	
	29-Apr-09	NS		NS	U	NS	U	0.12	U	NS	U	NS	U	NS	U	0.12	U	NS	U	0.12	U	NS	U	0.12	U		
	22-Jun-09	0.601	U	NS	U	NS	U	NS	NS	U	1.2	U	NS	U	0.12	U	NS	U	0.12	U	NS	U	0.12	U	0.12	U	
	22-Jul-09	0.401	U	NS	U	NS	U	0.12	U	NS	U	NS	U	NS	U	0.156	U	NS	U	0.12	U	NS	U	0.12	U		
	28-Oct-11	NS		3	U	NS	U	NS	NS	U	3	U	NS	U	3	U	3	U	3	U	NS	U	3	U	3	U	
	23-Jan-12	1.6	U	NS	U	NS	U	1.8	U	NS	U	2.3	U	NS	U	1.6	U	NS	U	1.9	U	2.7	U	NS	U		
	13-Apr-12	NS		0.6	U	NS	U	NS	NS	U	0.6	U	NS	U	0.6	U	2	U	0.6	U	NS	U	0.6	U	0.6	U	
	2-Jul-12 (resample)	NS		NS	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	3	U	NS	U	3	U	
	23-Jun-12	0.6	U	NS	U	NS	U	0.6	U	NS	U	0.6	U	NS	U	0.6	U	NS	U	0.6	U	NS	U	0.6	U		
	1-Nov-12	NS		1.2	U	NS	U	NS	NS	U	2.6	U	NS	U	6	U	2.2	U	1.8	U	NS	U	0.12	U	0.12	U	
	1-Feb-13	0.18	U	NS	U	NS	U	0.34	U	NS	U	0.56	U	NS	U	0.44	U	NS	U	0.17	U	0.12	U	NS	U		
	29-Apr-13	NS		1.3	U	NS	U	NS	NS	U	4.5	U	NS	U	6.5	U	6	U	12	U	NS	U	0.14	U	NS	U	
	9-Jul-13	1.3	U	NS	U	NS	U	2.0	U	NS	U	3.9	U	NS	U	3.8	U	NS	U	12	U	0.12	U	NS	U		
	18-Oct-13	NS		0.52	U	NS	U	NS	NS	U	1.4	U	NS	U	2.6	U	2.2	U	16	U	NS	U	0.22	U	NS	U	
1,4-Dichlorobenzene	8-Feb-08	1.56		NS	U	NS	U	NS	NS	U	0.26	U	NS	U	NS	U	9.5	U	7.91	U	NS	U	NS	U	NS	U	
	27-Mar-08	NS		4.33	U	NS	U	NS	NS	U	8.48	U	NS	U	NS	U	6.28	U	17.9	U	NS	U	15.1	U	16.3	U	
	25-Apr-08	NS		NS	U	NS	U	0.347	U	NS	U	NS	U	NS	U	10	U	9.41	U	4.18	U	NS	U	NS	U	16.3	U
	29-May-08	NS		NS	U	NS	U	NS	NS	U	5.5	U	NS	U	NS	U	10	U	9.41	U	4.18	U	NS	U	NS	U	
	27-Jun-08	47.3		NS	U	NS	U	NS	NS	U	38.1	U	NS	U	NS	U	NS	U	40.8	U	229	U	NS	U	57.9	U	
	31-Jul-08	NS		2.46	U	NS	U	NS	NS	U	NS	U	NS	U	NS	U	1.84	U	NS	U	208	U	NS	U	2.04	U	
	28-Aug-08	NS		NS	U	NS	U	234	U	NS	U	NS	U	NS	U	214	U	NS	U	229	U	NS	U	NS	U	NS	U
	30-Sep-08	NS		NS	U	NS	U	7.2	U	NS	U	NS	U	NS	U	3	U	NS	U	6.8	U	NS	U	5.6	U	NS	U
	27-Oct-08	3	U	NS	U	NS	U	NS	NS	U	3	U	NS	U	NS	U	3	U	NS	U	3	U	NS	U	3	U	
	25-Nov-08	NS		3	U	NS	U	NS	NS	U	3	U	NS	U	NS	U	3	U	NS	U	3	U	NS	U	3	U	
	18-Dec-08	NS		NS	U	NS	U	3	U	NS	U	NS															

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual						
Dichlorodifluoromethane	8-Feb-08	2	NS	NS	NS	2.03	NS	NS	1.92	2	NS	4.14	
	27-Mar-08	NS	2.29	NS	NS	2.15	NS	NS	NS	2.72	NS	2.16	
	25-Apr-08	NS	2.01	NS	NS	2.11	NS	NS	2.04	NS	1.66	NS	
	29-May-08	NS	NS	NS	1.63	NS	NS	1.62	1.68	1.66	NS	2.48	
	27-Jun-08	2.03	NS	NS	NS	2.52	NS	NS	NS	2.27	NS	2.48	
	31-Jul-08	NS	1.9	NS	NS	NS	NS	NS	1.81	NS	1.87	NS	
	28-Aug-08	NS	NS	3.13	NS	NS	NS	NS	2.75	2.88	NS	NS	
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	NS	2.5	U	2.7
	27-Oct-08	2.5	U	NS	NS	2.5	U	NS	2.5	U	NS	2.5	U
	25-Nov-08	NS	215	NS	NS	NS	11.7	NS	NS	5.1	NS	NS	
	18-Dec-08	NS	NS	25	NS	NS	NS	2.5	NS	2.5	U	2.5	U
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	5.8	2.5	U	2.5	U
	25-Feb-09	2.5	U	NS	NS	19.4	NS	NS	NS	2.5	U	3.4	NS
	26-Mar-09	NS	2.55	NS	NS	2.48	NS	NS	NS	NS	2.46	2.41	
	29-Apr-09	NS	NS	2.41	NS	NS	NS	3.78	NS	2.26	NS	2.4	
	22-Jul-09	2.42	NS	2.42	2.72	NS	2.5	NS	NS	2.37	2.48	NS	
	9-Oct-09	NS	2.73	NS	NS	2.77	NS	3.67	51.6	2.64	NS	2.79	
	15-Jan-10	2.5	NS	3.57	2.52	NS	2.61	NS	NS	2.29	2.25	NS	
	21-Apr-10	NS	0.568	NS	NS	2.2	NS	2.59	2.2	2.64	NS	2.43	
	16-Jul-10	3.36	NS	2.61	2.55	NS	2.98	NS	NS	3.15	3.29	NS	
	15-Oct-10	NS	3.13	NS	NS	2.67	NS	2.43	2.41	2.46	NS	2.43	
	26-Jan-11	2.47	U	2.2	NS	2.64	NS	1.98	NS	2.57	3.31	3.24	NS
	28-Feb-11	NS	NS	2.47	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	2.18	NS	NS	2.27	NS	2.26	2.5	2.32	NS	2.31	
	26-Jul-11	2.41	NS	2.29	2.28	NS	2.08	NS	NS	2.44	2.3	NS	
	28-Oct-11	NS	2.7	NS	NS	2.7	NS	2.7	2.7	2.9	NS	3.1	
	23-Jan-12	2.5	NS	2.6	2.6	NS	2.7	NS	NS	2.6	2.6	NS	
	13-Apr-12	NS	2.5	NS	NS	2.9	NS	2.4	3.2	2.5	NS	2.8	
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.8	NS	
	23-Jun-12	2.6	NS	2.3	2.5	NS	2.3	NS	NS	2.3	2.3	NS	
	1-Nov-12	NS	1.8	NS	NS	1.8	NS	2	1.9	2	NS	1.9	
	1-Feb-13	1.4	NS	1.4	1.5	NS	1.6	NS	NS	1.6	1.6	NS	
	29-Apr-13	NS	2.6	NS	NS	2.3	NS	2.2	2.3	NS	2.3	NS	
	9-Jul-13	1	NS	1.1	0.99	NS	1.1	NS	NS	1.0	1.1	NS	
	18-Oct-13	NS	2.0	NS	NS	1.9	NS	1.9	2.2	2.0	NS	2.1	
1,1-Dichloroethane	8-Feb-08	0.08	U	NS	NS	0.08	U	NS	0.08	U	0.08	U	NS
	27-Mar-08	NS	0.081	U	NS	NS	0.081	U	NS	NS	0.081	U	0.081
	25-Apr-08	NS	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081
	29-May-08	NS	NS	0.08	U	NS	NS	NS	U	0.08	U	0.08	U
	27-Jun-08	0.126	U	NS	NS	0.081	U	NS	NS	NS	0.081	U	0.081
	31-Jul-08	NS	0.081	U	NS	NS	NS	NS	U	0.081	U	0.081	U
	28-Aug-08	NS	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081
	27-Oct-08	NS	NS	NS	2	U	NS	NS	U	2	U	2	U
	27-Oct-08	2	U	NS	NS	2	U	NS	NS	2	U	2	U
	25-Nov-08	NS	2	U	NS	NS	2	U	NS	2	U	2	U
	18-Dec-08	NS	NS	2	U	NS	NS	2	U	NS	2	U	2
	21-Jan-09	NS	NS	NS	2	U	NS	NS	U	2	U	2	U
	25-Feb-09	2	U	NS	NS	2	U	NS	NS	2	U	2	U
	26-Mar-09	NS	0.404	U	NS	NS	0.809	U	NS	NS	0.081	U	0.081
	29-Apr-09	NS	NS	0.19	U	NS	NS	0.081	U	NS	0.121	U	0.081
	22-Jul-09	0.404	U	NS	16.5	U	0.801	U	NS	0.081	U	0.081	U
	9-Oct-09	NS	0.081	U	NS	NS	0.081	U	NS	16.9	U	0.081	U
	15-Jan-10	0.137	U	NS	0.081	U	0.801	U	NS	NS	0.081	U	0.081
	21-Apr-10	NS	0.081	U	NS	NS	0.404	U	NS	0.404	U	0.081	U
	16-Jul-10	0.081	U	NS	2.48	U	0.081	U	NS	0.081	U	0.081	U
	15-Oct-10	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081	U
	26-Jan-11	0.809	U	0.081	U	NS	7.37	U	NS	0.404	U	0.404	U
	28-Feb-11	NS	NS	0.809	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U	0.081	U
	26-Jul-11	0.27	U	NS	0.27	U	0.081	U	NS	0.081	U	0.405	U
	28-Oct-11	NS	2	U	NS	2	U	NS	2	U	2	U	2
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	0.4	U
	13-Apr-12	NS	0.2	U	NS	NS	0.2	U	NS	0.2	U	0.2	U
	2-Jul-12 (resample)	NS	NS	0.4	U	NS	0.4	U	NS	NS	1	U	NS
	23-Jun-12	0.4	U	NS	0.04	U	NS	0.					

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual			
1,2-Dichloroethane	8-Feb-08	0.08	U	NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	0.09	U	0.08	U	NS	0.1	U	0.089	U		
	27-Mar-08	NS		0.081	U	NS	NS	NS		0.143	NS	NS	NS	NS	NS	NS	0.081	U	NS	0.081	U	0.08	U	0.089	U	
	25-Apr-08	NS		NS	0.081	U	NS	NS		0.09	NS	NS	NS	NS	NS	0.11	U	0.08	U	0.08	U	NS	0.08	U	0.081	U
	29-May-08	NS		NS	NS	NS	NS	NS		0.153	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.11	U	0.08	U	0.081	U
	27-Jun-08	0.126	U	NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.11	U	0.081	U
	31-Jul-08	NS		0.081	U	NS	0.171	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U
	28-Aug-08	NS		NS	NS	NS	NS	NS		0.08	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U
	27-Oct-08	NS		NS	NS	NS	NS	NS		0.08	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U
	27-Oct-08	0.08	U	NS	NS	NS	NS	NS		0.08	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.08	U	0.095	U
	25-Nov-08	NS		0.08	U	NS	NS	NS		NS	U	0.08	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U
	18-Dec-08	NS		NS	NS	NS	0.08	U	NS	NS	U	NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	0.08	U	0.08	U
	21-Jan-09	NS		NS	NS	NS	NS	NS		0.08	U	NS	NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	0.08	U	0.08	U
	25-Feb-09	0.08	U	NS	NS	NS	NS	NS		0.08	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U
	26-Mar-09	NS		0.404	U	NS	NS	0.319		NS	U	0.809	U	NS	NS	0.081	U	NS	NS	NS	NS	NS	0.098	U	0.133	U
	29-Apr-09	NS		NS	NS	NS	16.5	U	0.809	U	NS	NS	NS	NS	NS	0.081	U	NS	NS	NS	NS	NS	0.089	U	0.089	U
	22-Jul-09	0.404	U	NS	NS	NS	16.5	U	0.809	U	NS	NS	NS	NS	NS	0.404	U	NS	NS	NS	NS	NS	0.081	U	0.081	U
	9-Oct-09	NS		0.081	U	NS	NS	NS		0.081	U	NS	NS	NS	NS	0.081	U	16.9	U	0.081	U	NS	0.081	U	0.081	U
	15-Jan-10	0.081	U	NS	NS	NS	0.081	U	0.081	U	NS	NS	NS	NS	NS	0.081	U	NS	NS	NS	NS	NS	0.081	U	0.081	U
	21-Apr-10	NS		0.081	U	NS	NS	1.44		NS	U	0.404	U	NS	NS	0.404	U	NS	NS	NS	NS	NS	0.081	U	0.081	U
	16-Jul-10	0.101		NS	NS	NS	1.44	U	0.081	U	NS	NS	0.611	U	NS	NS	0.081	U	NS	NS	NS	NS	0.081	U	0.081	U
	15-Oct-10	NS		0.081	U	NS	NS	NS		0.081	U	NS	NS	0.081	U	NS	NS	0.081	U	NS	NS	NS	0.081	U	0.081	U
	26-Jan-11	0.809	U	0.081	U	NS	NS	0.081		U	NS	NS	0.404	U	NS	NS	0.404	U	NS	NS	0.404	U	0.404	U	NS	NS
	28-Feb-11	NS		NS	NS	NS	0.809	U	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.081	U	NS	NS	NS		0.081	U	NS	NS	NS	NS	NS	0.081	U	NS	NS	NS	NS	NS	0.081	U	
	26-Jul-11	0.27	U	NS	NS	NS	0.27	U	0.101	U	NS	NS	0.405	U	NS	NS	0.081	U	NS	NS	NS	NS	0.405	U	NS	NS
	28-Oct-11	NS		2	U	NS	NS	0.2		U	NS	NS	0.2	U	NS	NS	0.2	U	NS	NS	NS	NS	NS	2	U	U
	23-Jan-12	0.2	U	NS	NS	NS	0.2	U	0.2	U	NS	NS	0.2	U	NS	NS	0.2	U	NS	NS	NS	NS	0.97	U	NS	NS
	13-Apr-12	NS		0.2	U	NS	NS	NS		NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.2	U	U	U
2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS		NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1	U	NS	NS
	23-Jun-12	0.4	U	NS	NS	NS	0.4	U	0.4	U	NS	NS	0.4	U	NS	NS	0.4	U	NS	NS	NS	NS	0.4	U	NS	NS
	1-Nov-12	NS		0.04	U	NS	NS	NS		0.04	U	NS	NS	0.05	U	NS	NS	0.04	U	NS	NS	NS	0.04	U	0.057	U
	1-Feb-13	0.053		NS	NS	NS	0.062		0.062	U	NS	NS	0.06	U	NS	NS	0.04	U	NS	NS	NS	NS	0.066	U	0.049	U
	29-Apr-13	NS		0.19		NS	NS	NS		NS	U	0.040	U	NS	NS	0.040	U	NS	NS	NS	NS	NS	0.079	U	0.094	U
	9-Jul-13	0.12	U	NS	NS	NS	0.081	U	0.081	U	NS	NS	0.044	U	NS	NS	0.04	U	NS	NS	NS	NS	0.092	U	0.081	U
	18-Oct-13	NS		0.04	U	NS	NS	NS		NS	U	NS	NS	NS	NS	NS	0.04	U	NS	NS	NS	NS	0.04	U	NS	0.076
1,1-Dichloroethene	8-Feb-08	0.08	U	NS	NS	NS	NS	NS		0.08	U	NS	NS	0.079	U	NS	NS	0.08	U	0.08</						

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual											
cis-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	U	NS	U	NS	U	0.08	U	NS	U	NS	U	NS	U	0.08	U	0.08	U	NS	U	0.079
	27-Mar-08	NS		0.079	U	NS		NS		NS	U	0.079	U	NS	U	NS	U	NS	U	0.079	U	0.079	U	0.079
	25-Apr-08	NS		NS		0.079	U	NS		NS	U	NS	U	0.079	U	NS	U	0.08	U	0.08	U	NS	U	0.079
	29-May-08	NS		NS		NS		0.08		NS		NS		NS		NS		0.08	U	0.08	U	NS	U	0.079
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS	U	NS	U	0.079	U	0.079
	31-Jul-08	NS		0.079	U	NS		NS		NS	U	NS		NS		NS		NS	U	0.079	U	0.079	U	0.079
	28-Aug-08	NS		NS		0.079	U	NS		NS	U	NS		NS		NS		NS	U	0.079	U	0.079	U	NS
	30-Sep-08	NS		NS		NS		5.9		U	NS		NS		NS		NS		5.9	U	5.9	U	5.9	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		2		U		2	U	2	U	NS	U	2
	25-Nov-08	NS		2	U	NS		NS		NS	U	NS		2		U		2	U	2	U	NS	U	2
	18-Dec-08	NS		NS		2	U	NS		NS	U	NS		2		U		2	U	2	U	NS	U	2
	21-Jan-09	NS		NS		NS		2		U	NS		NS		NS		2		2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		NS
	26-Mar-09	NS		0.396	U	NS		NS		NS	U	0.792	U	NS		NS		NS	U	NS		0.079	U	0.079
	29-Apr-09	NS		NS		0.079	U	NS		NS	U	NS		0.079	U	NS		0.079	U	NS		0.079	U	0.079
	22-Jul-09	0.396	U	NS		595		0.792		U	NS		0.396	U	NS		0.079	U	NS		0.079	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U	0.079
	15-Jan-10	0.079	U	NS		0.079	U	NS		0.079	U	NS		0.079	U	NS		0.079	U	0.079	U	NS		0.079
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.079	U	0.079	U	NS		0.079	U	0.079
	16-Jul-10	0.079	U	NS		0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	0.079	U	NS		0.079
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	0.079	U	NS		0.079
	26-Jan-11	0.792	U	NS		0.4	U	NS		0.4	U	NS		0.4	U	NS		2	U	2	U	NS		2
	23-Jan-12	0.4	U	NS		0.4	U	NS		0.4	U	NS		0.4	U	NS		0.4	U	0.53	U	NS		NS
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	NS		0.2	U	NS		0.2	U	0.2
	2-Jul-12 (resample)	NS		NS		NS		NS		NS	U	NS		NS		NS		NS	U	NS		0.99	U	NS
	23-Jun-12	0.4	U	NS		0.4	U	NS		0.4	U	NS		0.4	U	NS		0.4	U	0.4	U	NS		0.4
	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	NS		0.04	U	0.040	U	NS		0.04
	1-Feb-13	0.04	U	NS		0.04	U	NS		0.04	U	NS		0.04	U	NS		0.04	U	0.040	U	0.04	U	NS
	29-Apr-13	NS		0.099	U	NS		NS		0.040	U	NS		0.040	U	NS		0.040	U	NS		0.040	U	0.040
	9-Jul-13	0.059	U	NS		0.040	U	NS		0.040	U	NS		0.040	U	NS		0.040	U	0.040	U	NS		0.040
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	NS		0.079	U	0.079	U	NS		0.079
trans-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		NS	U	0.08	U	0.08	U	NS
	27-Mar-08	NS		0.079	U	NS		NS		NS	U	0.079	U	NS		NS		NS	U	0.079	U	0.079	U	0.079
	25-Apr-08	NS		NS		0.079	U	NS		NS	U	0.08	U	NS		NS		0.08	U	0.08	U	NS		0.079
	29-May-08	NS		NS		NS		0.08		U	NS		NS		NS		NS		NS	U	0.079	U	0.079	U
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS	U	0.079	U	0.079	U	0.079
	31-Jul-08	NS		0.079	U	NS		NS		NS	U	NS		NS		NS		NS	U	0.079	U	0.079	U	0.079
	28-Aug-08	NS		NS		0.079	U	NS		NS	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	NS
	30-Sep-08	NS		NS		NS		2		U	NS		NS		NS		NS		2	U	2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		NS	U	2	U	2	U	2
	25-Nov-08	NS		2	U	NS		NS		NS	U	NS		2		U</								

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloropropane	8-Feb-08	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09	U
	27-Mar-08	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092
	25-Apr-08	NS	NS	0.092	U	NS	0.09	U	NS	0.092	U	NS	0.092
	29-May-08	NS	NS	NS	U	NS	0.09	U	NS	0.09	U	0.09	U
	27-Jun-08	0.144	U	NS	NS	NS	0.092	U	NS	NS	0.092	U	0.092
	31-Jul-08	NS	0.092	U	NS	NS	NS	U	NS	NS	0.092	U	0.092
	28-Aug-08	NS	NS	0.092	U	NS	NS	U	NS	NS	0.092	U	0.092
	30-Sep-08	NS	NS	NS	U	0.09	U	NS	NS	0.09	U	0.09	U
	27-Oct-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	25-Nov-08	NS	0.09	U	NS	NS	NS	U	NS	0.09	U	0.09	U
	18-Dec-08	NS	NS	0.09	U	NS	NS	U	NS	0.09	U	0.09	U
	21-Jan-09	NS	NS	NS	U	0.09	U	NS	NS	0.09	U	0.09	U
	25-Feb-09	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	NS
	26-Mar-09	NS	0.462	U	NS	NS	NS	U	0.924	U	NS	0.092	U
	29-Apr-09	NS	NS	0.092	U	NS	NS	U	NS	0.092	U	0.092	U
	22-Jul-09	0.462	U	NS	18.8	U	0.924	U	NS	0.462	U	NS	0.092
	9-Oct-09	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	19.3	U
	15-Jan-10	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.092	U	0.092
	21-Apr-10	NS	0.092	U	NS	NS	0.462	U	NS	0.462	U	0.092	U
	16-Jul-10	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.092	U	NS
	15-Oct-10	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092	U
	26-Jan-11	0.924	U	0.092	U	NS	0.092	U	NS	0.462	U	0.462	U
	28-Feb-11	NS	NS	0.924	U	NS	NS	U	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092	U
	26-Jul-11	0.308	U	NS	0.308	U	0.092	U	NS	0.462	U	NS	0.462
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U	2.3	U
	23-Jan-12	0.23	U	NS	0.23	U	0.23	U	NS	0.23	U	0.23	U
	13-Apr-12	NS	0.46	U	NS	NS	0.46	U	NS	0.46	U	0.46	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	1.2	U
	23-Jun-12	0.46	U	NS	0.46	U	0.46	U	NS	0.46	U	0.46	U
	1-Nov-12	NS	0.046	U	NS	NS	0.046	U	NS	0.046	U	0.046	U
	1-Feb-13	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U	0.092	U
	29-Apr-13	NS	0.12	U	NS	NS	0.046	U	NS	0.046	U	0.046	U
	9-Jul-13	0.14	U	NS	0.092	U	0.092	U	NS	0.092	U	0.092	U
	18-Oct-13	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092	U
cis-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	NS
	27-Mar-08	NS	0.091	U	NS	NS	0.091	U	NS	NS	0.091	U	0.091
	25-Apr-08	NS	NS	0.091	U	NS	0.09	U	NS	NS	0.091	U	0.091
	29-May-08	NS	NS	NS	U	NS	0.091	U	NS	NS	0.09	U	NS
	27-Jun-08	0.141	U	NS	NS	NS	0.091	U	NS	NS	0.09	U	0.091
	31-Jul-08	NS	0.091	U	NS	NS	NS	U	NS	NS	0.091	U	0.091
	28-Aug-08	NS	NS	0.091	U	NS	NS	U	NS	NS	0.091	U	NS
	27-Oct-08	NS	NS	NS	U	0.18	U	NS	NS	NS	0.18	U	0.18
	27-Oct-08	0.18	U	NS	NS	NS	0.18	U	NS	NS	0.18	U	0.18
	25-Nov-08	NS	0.18	U	NS	NS	0.18	U	NS	NS	0.18	U	0.18
	18-Dec-08	NS	NS	0.18	U	NS	NS	U	NS	NS	0.18	U	0.18
	21-Jan-09	NS	NS	NS	U	0.18	U	NS	NS	0.18	U	0.18	U
	25-Feb-09	0.18	U	NS	NS	NS	0.18	U	NS	NS	0.18	U	NS
	26-Mar-09	NS	0.453	U	NS	NS	0.907	U	NS	NS	0.907	U	0.91
	29-Apr-09	NS	NS	0.091	U	NS	NS	U	NS	NS	0.091	U	NS
	22-Jul-09	0.453	U	NS	18.5	U	0.907	U	NS	0.453	U	NS	0.091
	9-Oct-09	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	18.9	U
	15-Jan-10	0.091	U	NS	0.091	U	0.091	U	NS	0.091	U	0.091	U
	21-Apr-10	NS	0.091	U	NS	NS	0.453	U	NS	0.453	U	0.091	U
	16-Jul-10	0.091	U	NS	0.091	U	0.091	U	NS	0.685	U	0.091	U
	15-Oct-10	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	0.091	U
	26-Jan-11	0.907	U	0.091	U	NS	0.091	U	NS	0.453	U	0.453	U
	28-Feb-11	NS	NS	0.907	U	NS	NS	U	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	0.091	U
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	NS	0.454	U	NS	0.454
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U	2.3	U
	23-Jan-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U	0.45	U
	13-Apr-12	NS	0.2	U	NS	NS							

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
trans-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	NS
	27-Mar-08	NS		0.091	U	NS	NS		0.091	U	NS	U	0.091
	25-Apr-08	NS		NS	0.091	U	NS		0.091	U	NS	U	0.091
	29-May-08	NS		NS	NS	0.09	U	NS	NS	0.09	U	0.09	U
	27-Jun-08	0.141	U	NS	NS	NS	0.091	U	NS	NS	0.09	U	0.091
	31-Jul-08	NS		0.091	U	NS	NS		NS	NS	0.091	U	0.091
	28-Aug-08	NS		NS	0.091	U	NS		NS	NS	0.091	U	NS
	30-Sep-08	NS		NS	0.18	U	NS		NS	0.18	U	0.18	U
	27-Oct-08	0.18	U	NS	NS	NS	0.18	U	NS	NS	0.18	U	0.18
	25-Nov-08	NS		0.18	U	NS	NS		0.18	U	NS	U	0.18
	18-Dec-08	NS		NS	0.18	U	NS		0.18	U	NS	U	0.18
	21-Jan-09	NS		NS	0.18	U	NS		0.18	U	0.18	U	0.18
	25-Feb-09	0.18	U	NS	NS	NS	0.18	U	NS	NS	0.18	U	NS
	26-Mar-09	NS		0.453	U	NS	NS		0.907	U	NS	U	0.901
	29-Apr-09	NS		NS	0.091	U	NS		NS	0.091	U	NS	0.091
	22-Jul-09	0.453	U	NS	0.453	U	0.907	U	0.453	U	NS	U	0.453
	9-Oct-09	NS		0.079	U	NS	NS		0.091	U	18.9	U	0.091
	15-Jan-10	0.091		NS	0.091	U	0.091		NS	NS	0.091	U	0.091
	21-Apr-10	NS		0.091	U	NS	NS		0.453	U	0.453	U	0.091
	16-Jul-10	0.091	U	NS	0.091	U	0.091	U	0.685	U	NS	U	0.091
	15-Oct-10	NS		0.091	U	NS	NS		0.091	U	0.091	U	0.091
	26-Jan-11	0.907	U	0.091	U	NS	0.091	U	0.453	U	NS	U	0.453
	28-Feb-11	NS		NS	0.907	U	NS		NS	NS	NS	U	NS
	27-Apr-11	NS		0.091	U	NS	NS		0.091	U	0.091	U	0.091
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	0.454	U	NS	U	0.454
	28-Oct-11	NS		2.3	U	NS	NS		2.3	U	2.3	U	2.3
	23-Jan-12	0.45	U	NS	0.45	U	0.45	U	0.45	U	NS	U	0.45
	13-Apr-12	NS		1.2	U	NS	NS		0.23	U	0.23	U	0.23
2-Jul-12 (resample)	NS		NS	NS	U	NS	NS		NS	NS	NS	U	1.1
	23-Jun-12	0.45	U	NS	0.45	U	0.45	U	0.45	U	NS	U	0.45
	1-Nov-12	NS		0.045	U	NS	NS		0.045	U	0.045	U	0.045
	1-Feb-13	0.045	U	NS	0.045	U	0.045	U	0.045	U	NS	U	0.045
	29-Apr-13	NS		0.11	U	NS	NS		0.045	U	0.045	U	0.045
	9-Jul-13	0.068	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	NS
	18-Oct-13	NS		0.091	U	NS	NS		0.091	U	0.091	U	0.091
Ethylbenzene	8-Feb-08	0.21		NS	NS	NS	0.23		NS	NS	0.33		4.89
	27-Mar-08	NS		0.295	NS	NS	0.291		0.157	NS	NS	U	0.645
	25-Apr-08	NS		NS	NS	NS	1.49		0.32	NS	NS	U	0.565
	29-May-08	NS		NS	NS	NS	0.472		NS	NS	2.82	U	1.01
	27-Jun-08	4.34		NS	NS	NS	NS		NS	NS	NS	U	0.606
	31-Jul-08	NS		*	NS	NS	NS		NS	NS	0.758	U	0.577
	28-Aug-08	NS		NS	0.83	NS	NS		0.482	NS	NS	U	0.711
	30-Sep-08	NS		NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2
	27-Oct-08	18.4		NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2
	25-Nov-08	NS		2.2	U	NS	NS		2.2	U	NS	U	2.2
	18-Dec-08	NS		NS	2.2	U	NS		NS	NS	2.3	U	2.2
	21-Jan-09	NS		NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2
	25-Feb-09	10.8		NS	NS	NS	2.2	U	NS	NS	2.2	U	NS
	26-Mar-09	NS		0.516	NS	NS	NS		0.868	U	NS	U	0.845
	29-Apr-09	NS		NS	0.19	NS	NS		0.191	NS	NS	U	1.18
	22-Jul-09	11.7		NS	11.7	0.868	U	NS	1.15	NS	38.2	U	0.325
	9-Oct-09	NS		0.564	NS	NS	0.56		0.291	18.1	U	1.04	NS
	15-Jan-10	6.95		NS	0.568	0.542	NS		0.659	NS	0.542	U	0.542
	21-Apr-10	NS		0.304	NS	NS	1.34		1.8	NS	0.712	U	0.72
	16-Jul-10	8.23		NS	2.4	1.8	NS		1.44	NS	1.21	U	1.56
	15-Oct-10	NS		0.534	NS	NS	0.625		0.521	NS	1.21	U	1.42
	26-Jan-11	1.26		NS	1.62	NS	1.66		NS	NS	4.14	U	0.833
	28-Feb-11	NS		NS	0.868	U	NS		NS	NS	NS	U	NS
	27-Apr-11	NS		0.243	NS	NS	0.239		NS	0.286	NS	NS	0.508
	26-Jul-11	3.91		NS	0.942	0.339	NS		0.434	U	0.304	U	0.434
	28-Oct-11	NS		2.2	U	NS	2.2		NS	2.2	U	NS	2.2
	23-Jan-12	3		NS	0.79	0.56	NS		0.82	NS	1.7	U	12
	13-Apr-12	NS		0.43	U	NS	0.43		NS	0.43	U	1.5	NS
	2-Jul-12 (resample)	NS		NS	0.53	0.43							

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3						
		Qual	Qual	Qual	Qual	Qual	Qual	Qual																				
Isopropylbenzene	8-Feb-08	2.46	U	NS	NS	NS	NS	2.46	U	NS	2.46	U	2.46	U	2.46	U	NS	U										
	27-Mar-08	NS	NS	2.46	U	NS	2.46	U	2.46	U	2.46	U	2.46	U														
	25-Apr-08	NS	NS	NS	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U	2.46	U	2.46	U					
	29-May-08	NS	NS	NS	NS	NS	NS	4.9	U	NS	NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U				
	27-Jun-08	3.83	U	NS	NS	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	U											
	31-Jul-08	NS	NS	2.46	U	NS	NS	NS	NS	U	NS	2.46	U	2.46	U	2.46	U	2.46	U									
	28-Aug-08	NS	NS	NS	NS	NS	NS	4.9	U	NS	NS	NS	NS	NS	NS	NS	U											
	30-Sep-08	NS	NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U	4.9	U										
	27-Oct-08	5.2	U	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U			
	25-Nov-08	NS	NS	4.9	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	U										
	18-Dec-08	NS	NS	NS	NS	NS	NS	4.9	U	NS	NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U	4.9	U		
	21-Jan-09	NS	NS	NS	NS	NS	NS	4.9	U	NS	NS	NS	NS	NS	NS	4.9	U	4.9	U	4.9	U	4.9	U	4.9	U			
	25-Feb-09	4.9	U	NS	NS	NS	NS	NS	4.9	U	NS	NS	NS	NS	NS	NS	4.9	U	4.9	U	4.9	U	4.9	U	4.9	U		
	26-Mar-09	NS	NS	12.3	U	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U			
	29-Apr-09	NS	NS	NS	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	2.46	U	2.46	U		
	22-Jul-09	12.3	U	NS	NS	12.3	U	24.6	U	NS	NS	NS	NS	NS	NS	3.78	U	24.6	U	24.6	U	24.6	U	24.6	U	24.6	U	
	9-Oct-09	NS	NS	2.74	U	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	5.9	U	4.9	U	4.9	U	4.9	U	4.9	U	4.9	U	
	15-Jan-10	2.46	U	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	2.46	U	2.46	U	2.46	U								
	21-Apr-10	NS	NS	2.46	U	NS	NS	2.66	U	NS	NS	NS	NS	NS	NS	12.3	U	12.3	U	12.3	U	12.3	U	12.3	U	12.3	U	
	16-Jul-10	2.46	U	NS	NS	2.66	U	2.46	U	NS	2.46	U	2.46	U	2.46	U	2.46	U	2.46	U								
	15-Oct-10	NS	NS	2.46	U	NS	NS	2.46	U	NS	2.46	U	2.46	U	2.46	U	2.46	U	2.46	U								
	26-Jan-11	24.6	U	NS	NS	2.46	U	24.6	U	NS	NS	NS	NS	NS	NS	12.3	U	12.3	U	12.3	U	12.3	U	12.3	U	12.3	U	
	28-Feb-11	NS	NS	NS	NS	24.6	U	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	27-Apr-11	NS	NS	2.46	U	NS	NS	2.46	U	NS	2.46	U	2.46	U	2.46	U	2.46	U	2.46	U								
	26-Jul-11	8.21	U	NS	NS	8.21	U	2.46	U	NS	NS	NS	NS	NS	NS	12.3	U	12.3	U	12.3	U	12.3	U	12.3	U	12.3	U	
	28-Oct-11	NS	NS	6.2	U	NS	NS	6.2	U	NS	6.2	U	6.2	U	6.2	U	6.2	U	6.2	U	6.2	U						
	23-Jan-12	1.2	U	NS	NS	1.2	U	0.25	U	NS	NS	NS	NS	NS	NS	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	
	13-Apr-12	NS	NS	1.2	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	23-Jun-12	1.2	U	NS	NS	1.2	U	1.2	U	NS	NS	NS	NS	NS	NS	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	
	1-Nov-12	NS	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U													
	1-Feb-13	0.25	U	NS	NS	0.25	U	0.25	U	NS	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	29-Apr-13	NS	NS	0.62	U	NS	NS	0.62	U	NS	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	9-Jul-13	0.37	U	NS	NS	0.25	U	0.25	U	NS	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	18-Oct-13	NS	NS	0.25	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.27	U	0.25	U	0.25	U	0.25	U	0.25	U</td		

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Methyl tert butyl ether (MTBE)	8-Feb-08	0.07	U	NS	NS	NS	0.07	U	NS	NS	0.14	0.07	U	NS
	27-Mar-08	NS		0.072	U	NS	NS	U	NS	NS	0.165	0.126		U
	25-Apr-08	NS		NS	0.072	U	NS	U	0.072	U	0.072	0.079		
	29-May-08	NS		NS	NS	0.07	U	NS	NS	0.07	U	0.07	U	
	27-Jun-08	0.436		NS	NS	NS	0.072	U	NS	NS	NS	0.072	U	
	31-Jul-08	NS		0.072	U	NS	NS	U	NS	NS	0.072	0.072	U	
	28-Aug-08	NS		NS	0.106	U	NS	U	NS	NS	0.172	0.14	NS	
	30-Sep-08	NS	U	NS	NS	1.8	U	NS	NS	1.8	U	1.8	U	U
	27-Oct-08	1.8		NS	NS	NS	2.6	U	NS	NS	3.2	NS	5.8	
	25-Nov-08	NS		1.8	U	NS	NS	U	NS	NS	1.8	U	1.8	
	18-Dec-08	NS		NS	1.8	U	NS	NS	1.8	U	NS	1.8	U	
	21-Jan-09	NS		NS	NS	1.8	U	NS	NS	1.8	U	1.8	NS	
	25-Feb-09	5.8		NS	NS	NS	1.8	U	NS	NS	1.8	1.8	NS	
	26-Mar-09	NS		0.36	U	NS	NS	U	0.72	U	NS	0.072	0.072	U
	29-Apr-09	NS		NS	0.072	U	NS	NS	NS	0.072	U	0.072	NS	0.072
	22-Jul-09	0.36		NS	0.36	U	0.72	U	NS	0.36	U	0.072	U	NS
	9-Oct-09	NS		0.072	U	NS	0.072	U	NS	0.072	U	15	0.086	0.083
	15-Jan-10	0.079		NS	0.072	U	0.072	U	0.072	U	NS	0.072	0.072	U
	21-Apr-10	NS		0.072	U	NS	NS	U	0.36	U	0.36	U	0.072	0.072
	16-Jul-10	0.072	U	NS	0.072	U	0.072	U	0.544	U	NS	0.072	0.072	U
	15-Oct-10	NS		0.072	U	NS	NS	U	0.072	U	0.072	U	0.072	U
	26-Jan-11	0.72	U	0.072	U	NS	0.072	U	0.396	U	NS	0.36	U	NS
	28-Feb-11	NS		NS	0.72	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.072	U	NS	NS	U	0.072	U	0.072	U	0.072	U
	26-Jul-11	0.24	U	NS	0.24	U	0.072	U	0.36	U	NS	0.072	0.36	NS
	28-Oct-11	NS		1.8	U	NS	NS	U	1.8	U	1.8	U	1.8	U
	23-Jan-12	0.36	U	NS	0.36	U	0.36	U	NS	0.36	U	0.36	U	NS
	13-Apr-12	NS		0.36	U	NS	NS	U	0.36	U	0.36	U	0.36	U
	2-Jul-12 (resample)	NS		NS	NS	0.36	U	NS	NS	NS	NS	1.8	NS	
	23-Jun-12	0.36	U	NS	0.36	U	0.36	U	0.36	U	NS	0.36	U	NS
	1-Nov-12	NS		0.072	U	NS	NS	U	0.072	U	0.072	U	0.072	U
	1-Feb-13	0.072	U	NS	0.072	U	0.072	U	0.072	U	NS	0.072	0.072	NS
	29-Apr-13	NS		0.18	U	NS	NS	U	0.072	U	0.072	U	0.072	U
	9-Jul-13	0.17		NS	0.072	U	0.072	U	0.072	U	NS	0.072	U	NS
	18-Oct-13	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072	NS	0.072
Methylene chloride	8-Feb-08	2.34		NS	NS	NS	1.74	U	NS	NS	1.74	1.74	U	NS
	27-Mar-08	NS		1.74	U	NS	NS	U	2.87	NS	NS	2.1	1.74	U
	25-Apr-08	NS		NS	1.74	U	NS	NS	1.74	U	1.74	1.74	NS	
	29-May-08	NS		NS	1.74	U	NS	NS	1.74	U	2.91	2.91	NS	
	27-Jun-08	4.33	U	NS	NS	NS	3.69	U	NS	NS	NS	2.78	2.78	U
	31-Jul-08	NS		1.74	U	NS	NS	U	NS	NS	1.74	1.74	1.74	U
	28-Aug-08	NS		NS	1.74	U	NS	NS	1.74	U	NS	1.74	1.74	NS
	30-Sep-08	NS		NS	1.7	U	NS	NS	1.74	U	1.7	1.7	1.7	U
	27-Oct-08	1.7	U	NS	NS	NS	1.7	U	NS	NS	1.7	1.7	1.7	U
	25-Nov-08	NS		1.7	U	NS	NS	U	1.7	U	1.7	1.7	1.7	NS
	18-Dec-08	NS		NS	1.7	U	NS	NS	1.7	U	NS	1.7	1.7	U
	21-Jan-09	NS		NS	1.7	U	NS	NS	1.7	U	1.7	1.7	1.7	U
	25-Feb-09	1.7	U	NS	NS	NS	1.7	U	NS	NS	1.7	1.7	1.7	NS
	26-Mar-09	NS		16.1	U	NS	NS	U	17.4	U	NS	17.4	17.4	18.0
	29-Apr-09	NS		NS	1.74	U	NS	NS	1.74	U	NS	1.74	1.74	U
	22-Jul-09	86.8	U	NS	8.68	U	17.4	U	8.68	U	NS	1.74	1.74	NS
	9-Oct-09	NS		1.74	U	NS	NS	U	1.74	U	1.74	1.74	1.74	U
	15-Jan-10	1.74	U	NS	1.74	U	1.74	U	1.74	U	NS	1.74	1.74	NS
	21-Apr-10	NS		1.74	U	NS	NS	U	0.868	U	8.68	8.68	1.74	U
	16-Jul-10	24		NS	21.5		19.5		26.2		NS	27.1	26.5	NS
	15-Oct-10	NS		3.47	U	NS	NS	U	3.47	U	3.47	3.47	3.47	U
	26-Jan-11	34.7	U	3.47	U	NS	3.47	U	0.404	U	NS	17.4	17.4	U
	28-Feb-11	NS		NS	34.7	U	NS	NS	NS	U	NS	NS	NS	NS
	27-Apr-11	NS		3.47	U	NS	NS	U	3.47	U	3.47	3.47	3.47	U
	26-Jul-11	11.6	U	NS	11.6	U	3.47	U	17.4	U	NS	5.7	17.4	NS
	28-Oct-11	NS		17	U	NS	17	U	17	U	17	140	140	17
	23-Jan-12	3.5	U	NS	3.5	U	3.5	U	3.5	U	NS	3.5	3.5	U
	13-Apr-12	NS	</											

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
4-Methyl-2-pentanone	8-Feb-08	2.05	U	NS	NS	NS	2.05	U	NS	NS	2.05	U	8.7	NS
	27-Mar-08	NS	U	2.05	NS	NS	NS	U	NS	NS	2.05	U	15.2	2.05
	25-Apr-08	NS	U	2.05	U	NS	NS	U	NS	2.05	U	NS	2.05	U
	29-May-08	NS	U	NS	NS	2.05	U	NS	NS	2.05	U	2.05	U	NS
	27-Jun-08	3.19	U	NS	NS	NS	2.05	U	NS	NS	NS	U	2.05	U
	31-Jul-08	NS	U	2.05	U	NS	NS	U	NS	2.05	U	NS	2.05	U
	28-Aug-08	NS	U	NS	2.05	U	NS	U	NS	2.05	U	2.05	U	NS
	30-Sep-08	NS	U	NS	NS	2	U	NS	NS	2	U	2	U	2
	27-Oct-08	2	U	NS	NS	NS	2	U	NS	2	U	NS	2	U
	25-Nov-08	NS	U	3.5	NS	NS	NS	U	NS	2	U	2	U	NS
	18-Dec-08	NS	U	NS	2	U	NS	NS	NS	NS	U	2	U	2
	21-Jan-09	NS	U	NS	NS	2	U	NS	NS	2	U	2	U	2
	25-Feb-09	2	U	NS	NS	NS	2	U	NS	NS	2	U	2	NS
	26-Mar-09	NS	U	10.2	U	NS	NS	U	20.5	U	NS	NS	2.05	U
	29-Apr-09	NS	U	NS	2.05	U	NS	U	NS	2.05	U	NS	2.05	U
	22-Jul-09	10.2	U	NS	10.2	U	20.5	U	NS	10.2	U	NS	2.05	U
	9-Oct-09	NS	U	2.05	U	NS	NS	U	2.05	U	427	U	NS	2.05
	15-Jan-10	2.05	U	NS	2.05	U	2.05	U	2.05	U	NS	2.05	U	NS
	21-Apr-10	NS	U	2.05	U	NS	NS	U	10.2	U	10.2	U	2.05	U
	16-Jul-10	2.05	U	NS	2.05	U	NS	U	15.4	U	NS	2.05	U	NS
	15-Oct-10	NS	U	NS	NS	2.05	U	NS	2.05	U	2.05	U	NS	2.05
	26-Jan-11	20.5	U	NS	NS	2.05	U	NS	10.2	U	10.2	U	10.2	U
	28-Feb-11	NS	U	NS	20.5	U	NS	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	U	2.05	U	NS	NS	U	2.05	U	2.05	U	NS	3.35
	26-Jul-11	6.84	U	NS	0.684	U	2.05	U	10.2	U	NS	2.05	U	10.2
	28-Oct-11	NS	U	2	NS	NS	2	U	NS	2	U	2	U	2
	23-Jan-12	0.41	U	NS	0.44	U	0.41	U	NS	0.41	U	NS	0.41	U
	13-Apr-12	NS	U	0.41	NS	NS	0.41	U	NS	0.41	U	0.41	U	0.41
2-Jul-12 (resample)	NS	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.41	U	NS	0.41	U	0.41	U	NS	0.41	U	0.41	U	0.46
	1-Nov-12	NS	U	0.89	NS	NS	0.65	U	NS	0.9	U	1.1	NS	1.1
	1-Feb-13	0.12	NS	NS	0.082	U	0.082	U	NS	0.095	NS	0.082	U	0.29
	29-Apr-13	NS	U	0.2	NS	NS	0.21	U	NS	0.21	U	0.86	NS	0.78
	9-Jul-13	0.66	NS	NS	0.55	U	0.47	NS	0.51	NS	NS	0.92	NS	0.39
	18-Oct-13	NS	U	1.8	NS	NS	2.7	U	NS	2.2	U	3.0	NS	3.8
	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.3	U	3.15	NS
	27-Mar-08	NS	U	0.1	NS	NS	0.177	U	NS	NS	NS	U	0.206	0.404
	25-Apr-08	NS	U	NS	0.244	NS	NS	NS	NS	0.559	NS	NS	0.351	NS
	29-May-08	NS	U	NS	0.17	NS	NS	NS	NS	0.36	NS	0.27	NS	NS
Styrene	27-Jun-08	0.732	U	NS	NS	0.354	NS	NS	NS	NS	NS	NS	0.598	0.59
	31-Jul-08	NS	U	0.276	NS	NS	NS	U	NS	NS	NS	NS	0.255	NS
	28-Aug-08	NS	U	NS	1.22	NS	NS	NS	NS	0.754	NS	1.02	NS	0.17
	30-Sep-08	NS	U	NS	2.1	U	NS	NS	NS	2.1	U	NS	2.1	NS
	27-Oct-08	2.1	U	NS	NS	2.1	U	NS	NS	2.1	U	NS	2.1	U
	25-Nov-08	NS	U	2.1	NS	NS	2.1	U	NS	NS	2.1	U	2.1	NS
	18-Dec-08	NS	U	NS	2.1	U	NS	NS	2.1	U	NS	2.1	NS	2.1
	21-Jan-09	NS	U	NS	2.1	U	NS	NS	2.1	U	NS	2.1	NS	2.1
	25-Feb-09	2.1	U	NS	NS	2.1	U	NS	NS	2.1	U	NS	2.1	NS
	26-Mar-09	NS	U	0.851	U	NS	NS	U	1.7	U	NS	NS	0.292	0.361
	29-Apr-09	NS	U	0.174	NS	NS	NS	U	0.085	U	NS	0.098	NS	0.243
	22-Jul-09	0.426	U	NS	0.426	U	0.851	U	0.426	U	NS	0.6	0.149	NS
	9-Oct-09	NS	U	0.085	NS	NS	0.098	U	NS	0.085	U	17.8	U	0.153
	15-Jan-10	0.106	NS	NS	0.119	U	0.089	NS	0.098	NS	NS	0.128	NS	0.204
	21-Apr-10	NS	U	0.085	NS	NS	0.426	U	NS	0.426	U	0.426	U	0.579
	16-Jul-10	0.57	NS	NS	0.911	U	0.66	NS	0.643	U	NS	0.34	0.864	NS
	15-Oct-10	NS	U	0.698	NS	NS	1.12	U	NS	0.779	U	0.919	NS	1.52
	26-Jan-11	0.851	U	0.162	NS	0.179	NS	U	0.426	U	NS	0.426	0.617	NS
	28-Feb-11	NS	U	0.851	NS	NS	0.302	U	NS	0.366	U	0.753	NS	0.749
	27-Apr-11	NS	U	0.311	NS	NS	0.668	U	0.788	U	NS	0.4	0.753	NS
	26-Jul-11	0.724	NS	NS	0.779	U	2.1	U	NS	2.1	U	1.23	0.681	NS
	28-Oct-11	NS	U	2.1	NS	NS	2.1	U	NS	2.1	U	2.1	2.1	U
	23-Jan-12	0.84	NS	0.43	U	0.43	NS	U	0.43	U	NS	0.46	1	

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,1,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	27-Mar-08	NS	U	0.137	NS	NS	U	NS	NS	0.137	U	0.137	U
	25-Apr-08	NS	U	0.137	NS	NS	U	NS	NS	0.137	U	0.137	U
	29-May-08	NS	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	27-Jun-08	0.214	U	NS	NS	NS	U	NS	NS	0.137	U	0.14	U
	31-Jul-08	NS	U	0.137	U	NS	U	NS	NS	0.137	U	0.137	U
	28-Aug-08	NS	U	NS	0.137	U	NS	NS	NS	0.137	U	0.137	U
	30-Sep-08	NS	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	27-Oct-08	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	25-Nov-08	NS	U	0.14	U	NS	U	NS	NS	0.14	U	0.14	U
	18-Dec-08	NS	U	NS	0.14	U	NS	NS	0.14	U	0.14	U	0.14
	21-Jan-09	NS	U	NS	NS	0.19	U	NS	NS	0.14	U	0.14	U
	25-Feb-09	0.14	U	NS	NS	NS	U	NS	NS	0.14	U	0.14	U
	26-Mar-09	NS	U	0.686	U	NS	NS	NS	1.37	U	NS	NS	0.137
	29-Apr-09	NS	U	NS	0.137	U	NS	NS	NS	0.137	U	0.137	U
	22-Jul-09	0.686	U	NS	28	U	1.37	U	NS	0.686	U	0.137	U
	9-Oct-09	NS	U	0.137	U	NS	0.137	U	NS	0.137	U	0.137	U
	15-Jan-10	0.109	U	NS	0.137	U	1.37	U	NS	0.137	U	0.137	U
	21-Apr-10	NS	U	0.137	U	NS	0.686	U	NS	0.686	U	0.137	U
	16-Jul-10	0.137	U	NS	0.137	U	0.686	U	1.04	U	NS	0.137	U
	15-Oct-10	NS	U	0.137	U	NS	0.137	U	NS	0.137	U	0.137	U
	26-Jan-11	1.37	U	0.137	U	NS	0.137	U	NS	0.686	U	0.686	U
	28-Feb-11	NS	U	NS	1.37	U	NS	NS	NS	0.686	U	0.686	U
	27-Apr-11	NS	U	NS	NS	0.137	U	NS	NS	0.137	U	0.137	U
	26-Jul-11	0.458	U	NS	0.458	U	0.137	U	NS	0.687	U	0.137	U
	28-Oct-11	NS	U	6.2	U	NS	NS	6.2	U	6.2	U	6.2	U
	23-Jan-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	1.2	U
	13-Apr-12	NS	U	1.2	U	NS	NS	1.2	U	NS	1.2	U	1.2
	2-Jul-12 (resample)	NS	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS
	23-Jun-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	1.2	U
	1-Nov-12	NS	U	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U
	29-Apr-13	NS	U	0.62	U	NS	0.25	U	NS	0.25	U	0.25	U
	9-Jul-13	0.37	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U
	18-Oct-13	NS	U	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U
1,1,2,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	NS	NS	U	0.14	U	NS	NS	0.14	U
	27-Mar-08	NS	U	0.137	NS	NS	U	NS	NS	0.137	U	0.137	U
	25-Apr-08	NS	U	NS	0.137	U	NS	NS	0.137	U	0.14	U	0.137
	29-May-08	NS	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	27-Jun-08	0.214	U	NS	NS	NS	U	0.137	U	NS	NS	0.137	U
	31-Jul-08	NS	U	0.137	U	NS	NS	NS	NS	0.137	U	0.137	U
	28-Aug-08	NS	U	NS	0.137	U	NS	NS	0.137	U	0.137	U	0.137
	30-Sep-08	NS	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	27-Oct-08	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	25-Nov-08	NS	U	0.14	U	NS	NS	0.14	U	NS	0.14	U	0.14
	18-Dec-08	NS	U	0.14	U	NS	NS	0.14	U	NS	0.14	U	0.14
	21-Jan-09	NS	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	25-Feb-09	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	NS
	26-Mar-09	NS	U	0.686	U	NS	NS	1.37	U	NS	NS	0.137	U
	29-Apr-09	NS	U	NS	0.137	U	NS	NS	0.137	U	0.137	U	0.137
	22-Jul-09	0.686	U	NS	28	U	0.137	U	NS	0.686	U	0.137	U
	9-Oct-09	NS	U	0.137	U	NS	NS	0.137	U	NS	0.137	U	0.137
	15-Jan-10	0.109	U	NS	0.137	U	0.137	U	NS	0.109	U	NS	0.137
	21-Apr-10	NS	U	0.137	U	NS	NS	0.686	U	NS	0.686	U	0.137
	16-Jul-10	0.137	U	NS	0.137	U	0.137	U	NS	1.04	U	0.137	U
	15-Oct-10	NS	U	0.137	U	NS	NS	0.137	U	NS	0.137	U	0.137
	26-Jan-11	1.37	U	0.137	U	NS	0.137	U	NS	0.686	U	0.686	U
	28-Feb-11	NS	U	NS	1.37	U	NS						
	27-Apr-11	NS	U	0.137	U	NS	NS	0.137	U	NS	0.137	U	0.137
	26-Jul-11	0.458	U	NS	0.458	U	0.137	U	NS	0.687	U	0.687	U
	28-Oct-11	NS	U	3.4	U	NS	NS	3.4	U	3.4	U	3.4	U
	23-Jan-12	0.69	U	NS	0.69	U	0.69	U	0.69	U	0.69	U	0.69
	13-Apr-12	NS	U	0.34	U	NS	NS	0.34	U	NS	0.34	U	0.34
	2-Jul-12 (resample)	NS	U	NS	NS	NS	U	NS	NS	NS	NS	1.7	U
	23-Jun-12	0.69	U	NS	0.69	U	0.69						

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Tetrachloroethene*	8-Feb-08	0.35	NS	NS	NS	0.14	U	NS	NS	0.53	5.05	NS	
	27-Mar-08	NS	0.888	NS	NS	0.875		NS	NS	NS	6.99	5.25	
	25-Apr-08	NS	0.322	NS	NS	0.99		NS	NS	0.83	NS	0.867	
	29-May-08	NS	NS	NS	1.36	NS		NS	0.24	0.3	3.21	NS	
	27-Jun-08	1.32	NS	NS	29.6	NS		NS	NS	NS	5.08	1.8	
	31-Jul-08	NS	0.667	NS	NS	NS		NS	0.618	NS	0.572		
	28-Aug-08	NS	NS	1.55	NS	NS		NS	1.37	6.26	NS		
	30-Sep-08	NS	NS	NS	3.4	NS		NS	3.4	U	6.1	3.4	U
	27-Oct-08	4.2	U	NS	NS	10	U	NS	NS	4.2	U	4.2	U
	25-Nov-08	NS	21.3	NS	NS	4.6		NS	NS	3.4	U	8.9	NS
	18-Dec-08	NS	NS	3.4	U	NS		NS	3.4	U	NS	3.4	U
	21-Jan-09	NS	NS	NS	3.4	U	NS	NS	3.4	U	NS	3.4	U
	25-Feb-09	3.4	U	NS	NS	8.3		NS	NS	3.4	U	3.7	NS
	26-Mar-09	NS	1.28	NS	NS	1.36		NS	NS	NS	7.11	2.08	
	29-Apr-09	NS	NS	0.271	NS	NS		NS	0.305	NS	0.237	NS	0.691
	22-Jul-09	1.63	NS	1.63	2.1	NS		NS	NS	NS	11.8	3.25	NS
	9-Oct-09	NS	0.556	NS	NS	2.07		NS	0.678	28.3	U	1.17	NS
	15-Jan-10	1.31	NS	0.644	1.35	NS		0.691	NS	NS	0.447	0.501	NS
	21-Apr-10	NS	7.2	NS	NS	31.4		NS	35.5	36.8	62.1	NS	36.1
	16-Jul-10	12.4	NS	12.7	10.9	NS		NS	10	NS	15.4	19.2	NS
	15-Oct-10	NS	21.9	NS	NS	37.6		NS	21.3	21.8	22.1	NS	31.6
	26-Jan-11	1.36	U	0.691	NS	1.27		0.678	U	0.813	2.13	8.3	NS
	28-Feb-11	NS	NS	1.36	U	NS		NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.44	NS	NS	7.22		NS	1.53	U	1.56	1.46	NS
	26-Jul-11	3.34	NS	0.834	2.59	NS		9.29	NS	NS	0.976	6.78	NS
	28-Oct-11	NS	3.4	NS	NS	8.5		NS	3.4	U	3.4	U	3.4
	23-Jan-12	1	NS	0.68	U	1.7		NS	5.3	NS	0.76	26	NS
	13-Apr-12	NS	19	NS	NS	18		NS	12	18	18	NS	15
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS		NS	NS	NS	NS	9.6	NS
	23-Jun-12	1.5	NS	0.68	U	3.5		0.8	NS	NS	0.68	8.9	NS
	1-Nov-12	NS	7.4	NS	NS	11		NS	0.78	0.57	1.3	NS	1.6
	1-Feb-13	1.8	NS	0.76	0.99	NS		4.5	NS	NS	1.8	7.7	NS
	29-Apr-13	NS	8.1	NS	NS	4.7		NS	1.1	1	1.3	NS	1.8
	9-Jul-13	2.0	NS	2.1	3.1	NS		2.9	NS	NS	2.6	8.8	NS
	18-Oct-13	NS	14	NS	NS	7.3		NS	0.61	0.32	0.32	NS	1.4
Toluene	8-Feb-08	1.63	NS	NS	NS	1.8		NS	NS	NS	2.72	455	NS
	27-Mar-08	NS	2.24	NS	NS	1.45		NS	NS	NS	NS	11.3	16.1
	25-Apr-08	NS	NS	1.39	NS	NS		1.34	NS	11.6	11.2	NS	21.8
	29-May-08	NS	NS	NS	7.74	NS		NS	NS	NS	21	13	NS
	27-Jun-08	14.7	NS	NS	NS	2.33		NS	NS	NS	NS	10.6	22.2
	31-Jul-08	NS	4.15	NS	NS	NS		NS	NS	NS	10.2	NS	6.11
	28-Aug-08	NS	NS	6.48	NS	NS		3.44	NS	NS	10	11.2	NS
	30-Sep-08	NS	NS	NS	1.9	U		NS	NS	U	6.1	NS	8.6
	27-Oct-08	56.3	NS	NS	NS	3.2		NS	NS	U	6.6	NS	8.2
	25-Nov-08	NS	7.8	NS	NS	7.8		NS	NS	U	29.9	18.6	NS
	18-Dec-08	NS	NS	2	NS	NS		NS	1.9	U	NS	4.8	4.9
	21-Jan-09	NS	NS	NS	1.9	U		NS	NS	U	1.9	NS	1.9
	25-Feb-09	7	NS	NS	NS	1.9		NS	NS	U	1.9	13.8	NS
	26-Mar-09	NS	3.53	NS	NS	3.92		NS	NS	U	NS	7.23	9.75
	29-Apr-09	NS	NS	1.99	NS	NS		0.651	NS	U	0.149	NS	.456
	22-Jul-09	38.7	NS	38.7	2.22	NS		4.71	NS	U	80.1	5.32	NS
	9-Oct-09	NS	3.53	NS	NS	3.06		NS	1.07	U	23.6	3.12	NS
	15-Jan-10	12.8	NS	4.17	4.33	NS		5.81	NS	U	4.81	4.85	NS
	21-Apr-10	NS	0.9	NS	NS	2.97		NS	3.75	U	2.84	NS	5.08
	16-Jul-10	22.2	NS	17.9	5.98	NS		5.54	NS	U	5.77	5.85	NS
	15-Oct-10	NS	1.67	NS	NS	2.1		NS	1.72	U	3.37	2.23	NS
	26-Jan-11	6.06	6.82	NS	6.82	NS		4.74	NS	U	5.95	12.1	11.9
	28-Feb-11	NS	NS	1.88	NS	NS		NS	NS	U	NS	NS	NS
	27-Apr-11	NS	0.836	NS	NS	0.682		NS	1.25	U	3.62	2.08	NS
	26-Jul-11	8.29	NS	3.96	1.15	NS		1.62	NS	U	2.31	1.68	NS
	28-Oct-11	NS	1.9	U	NS	1.9		NS	1.9	U	3.3	4.7	NS
	23-Jan-12	7.9	NS	3.8	1.9	NS		3.4	NS	U	NS	5.2	15
	13-Apr-12	NS	0.75	NS	NS	0.38		NS	0.38	U	1.3	2.4	NS
	2-Jul-12 (resample)	NS	NS	3.5	1.5	NS</							

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1,1-Trichloroethane*	8-Feb-08	0.11	U	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	NS	U	0.11	U	0.56		NS		
	27-Mar-08	NS	U	0.109	U	NS	NS	NS	U	NS	0.109	U	NS	U	NS	U	0.109	U	0.522		0.266		
	25-Apr-08	NS	U	NS	NS	NS	NS	0.12	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.54		0.119		
	29-May-08	NS	U	NS	NS	NS	NS	0.458	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.54		NS		
	27-Jun-08	0.17	U	NS	NS	NS	NS	NS	U	NS	NS	U	NS	U	NS	U	0.109	U	0.377		0.138		
	31-Jul-08	NS	U	0.109	U	NS	NS	NS	U	NS	NS	U	NS	U	0.109	U	0.109	U	0.492		0.109	U	
	28-Aug-08	NS	U	NS	NS	NS	NS	2.7	U	NS	NS	U	NS	U	2.7	U	NS	U	2.7		NS		
	30-Sep-08	NS	U	NS	NS	NS	NS	3.4	U	NS	NS	U	NS	U	3.4	U	NS	U	3.4		3.4	U	
	27-Oct-08	3.4	U	NS	NS	NS	NS	NS	U	NS	NS	U	NS	U	2.7	U	NS	U	2.7		3.4	U	
	25-Nov-08	NS	U	2.7	U	NS	NS	NS	U	NS	2.7	U	NS	U	2.7	U	NS	U	2.7		NS		
	18-Dec-08	NS	U	NS	NS	2.7	U	NS	U	NS	NS	U	NS	U	2.7	U	NS	U	2.7		2.7	U	
	21-Jan-09	NS	U	NS	NS	NS	NS	2.7	U	NS	NS	U	NS	U	2.7	U	NS	U	2.7		2.7	U	
	25-Feb-09	2.7	U	NS	NS	NS	NS	NS	U	NS	2.7	U	NS	U	2.7	U	NS	U	2.7		NS		
	26-Mar-09	NS	U	1.59	NS	NS	NS	NS	U	NS	1.09	U	NS	U	0.147	NS	NS	U	0.682		0.213		
	29-Apr-09	NS	U	NS	NS	0.174	U	NS	U	NS	NS	U	NS	U	0.158	NS	NS	U	0.191		0.191		
	22-Jul-09	0.545	U	NS	NS	22.2	U	1.09	U	NS	0.545	U	NS	U	0.109	U	0.278	U	0.278		NS		
	9-Oct-09	NS	U	0.109	U	NS	NS	0.158	U	NS	0.191	U	NS	U	22.8	U	0.109	U	0.136		0.136		
	15-Jan-10	0.109	U	NS	NS	0.109	U	1.09	U	NS	0.109	U	NS	U	0.109	U	0.692		NS		NS		
	21-Apr-10	NS	U	0.109	U	NS	NS	0.545	U	NS	0.545	U	NS	U	0.545	U	0.109	U	0.562		0.109	U	
	16-Jul-10	0.109	U	NS	NS	0.109	U	0.109	U	NS	0.824	U	NS	U	0.109	U	0.109	U	0.109		NS		
	15-Oct-10	NS	U	0.272	NS	NS	NS	0.349	U	NS	0.109	U	NS	U	0.109	U	0.109	U	0.109		0.109	U	
	26-Jan-11	1.09	U	0.109	U	NS	NS	0.109	U	NS	0.545	U	NS	U	0.545	U	0.545	U	0.845		NS		
	28-Feb-11	NS	U	NS	NS	1.09	U	NS	U	NS	NS	U	NS	U	NS	NS	NS	U	NS		NS		
	27-Apr-11	NS	U	0.109	U	NS	NS	0.109	U	NS	0.109	U	NS	U	0.109	U	0.109	U	0.109		0.109	U	
	26-Jul-11	0.364	U	NS	NS	0.364	U	0.109	U	NS	0.873	U	NS	U	0.109	U	0.109	U	0.546		NS		
	28-Oct-11	NS	U	2.7	U	NS	NS	2.7	U	NS	2.7	U	NS	U	2.7	U	2.7	U	2.7		2.7	U	
	23-Jan-12	0.55	U	NS	NS	0.55	U	0.55	U	NS	1.5	U	NS	U	0.55	U	0.55	U	1.3		NS		
	13-Apr-12	NS	U	0.27	U	NS	NS	0.27	U	NS	0.27	U	NS	U	0.27	U	0.27	U	0.27		0.27	U	
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	23-Jun-12	0.55	U	NS	NS	0.55	U	0.55	U	NS	0.55	U	NS	U	0.55	U	0.55	U	0.7		NS		
	1-Nov-12	NS	U	0.25	NS	NS	NS	0.27	NS	NS	0.055	U	NS	U	0.055	U	0.055	U	0.14		0.14		
	1-Feb-13	0.055	U	NS	NS	0.055	U	0.055	U	NS	0.83	NS	NS	U	0.055	U	0.055	U	0.23		NS		
	29-Apr-13	NS	U	0.15	NS	NS	NS	0.076	U	NS	0.076	NS	NS	U	0.055	U	0.055	U	0.055		0.055	U	
	9-Jul-13	0.082	U	NS	NS	0.055	U	0.061	U	NS	0.33	NS	NS	U	0.055	U	0.055	U	0.26		NS		
	18-Oct-13	NS	U	0.23	NS	NS	NS	0.19	NS	NS	0.11	U	NS	U	0.11	U	0.11	U	0.28		0.28		
	8-Feb-08	0.11	U	NS	NS	NS	NS	0.11	U	NS	0.109	U	NS	U	0.11	U	0.11	U	0.109		0.109	U	
	27-Mar-08	NS	U	0.109	U	NS	NS	0.109	U	NS	0.109	U	NS	U	0.109	U	0.109	U	0.109		0.109	U	
	25-Apr-08	NS	U	NS	NS	0.109	U	0.11	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11		NS		
	29-May-08	NS	U	NS	NS	NS	NS	0.11	U	NS	NS	U	NS	U	0.11	U	0.11	U	0.11		NS		
	27-Jun-08	0.17	U	NS	NS	NS	NS	0.109	U	NS	0.109	U	NS	U	0.109	U	0.109	U	0.109		0.109	U	
	31-Jul-08	NS	U	0.109	U	NS	NS	NS	U	NS	NS	U	NS	U</									

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Trichloroethene*	8-Feb-08	0.12	NS	NS	NS	0.11	U	NS	NS	0.2	19.6	NS	
	27-Mar-08	NS	0.107	U	NS	NS	NS	NS	NS	NS	13.4	5.34	
	25-Apr-08	NS	0.199		NS	NS	NS	1.35	NS	0.668	NS	3.39	
	29-May-08	NS	NS	NS	26.5	NS	NS	NS	0.15	0.37	13.6	NS	
	27-Jun-08	0.408	NS	NS	NS	258	NS	NS	NS	NS	13.6	6.56	
	31-Jul-08	NS	1.24	NS	NS	NS	NS	NS	NS	0.126	NS	3.26	
	28-Aug-08	NS	NS	0.558	NS	NS	NS	3.56	NS	0.432	18.4	NS	
	30-Sep-08	NS	NS	NS	56.2	NS	NS	NS	0.8	U	NS	22.7	3.95
	27-Oct-08	0.8	U	NS	NS	117	NS	NS	NS	NS	2.99	NS	0.8
	25-Nov-08	NS	2.92	NS	NS	1.89	NS	NS	NS	NS	0.54	39.8	NS
	18-Dec-08	NS	0.54	U	NS	NS	NS	0.54	U	NS	4.56	2.48	
	21-Jan-09	NS	NS	NS	19.6	NS	NS	NS	U	0.54	U	NS	4.99
	25-Feb-09	0.44	NS	NS	NS	99.5	NS	NS	NS	NS	0.56	10.7	NS
	26-Mar-09	NS	9.2	NS	NS	NS	3.88	NS	NS	NS	NS	25.1	5.49
	29-Apr-09	NS	NS	0.22	NS	NS	NS	1.2	NS	NS	0.392	NS	2.96
	22-Jul-09	0.537	U	NS	0.537	U	12.7	NS	NS	NS	0.354	10.3	NS
	9-Oct-09	NS	0.091	U	NS	NS	26	1.24	22.4	U	0.182	NS	3.26
	15-Jan-10	0.591	NS	0.242	17.7	NS	0.172	NS	NS	NS	0.107	U	18.5
	21-Apr-10	NS	0.107	U	NS	34	NS	0.94	U	0.537	0.891	NS	2.01
	16-Jul-10	0.333	NS	0.333	8.14	NS	0.811	U	NS	NS	0.107	27.8	NS
	15-Oct-10	NS	2.26	NS	NS	129	NS	1.92	0.177	0.317	NS	1.3	
	26-Jan-11	1.07	U	1.63	NS	9.94	0.537	U	NS	0.617	1.23	27.1	NS
	28-Feb-11	NS	NS	1.07	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.231	NS	NS	78.1	NS	0.891	U	0.107	0.107	NS	1.56
	26-Jul-11	1.18	NS	0.358	U	29.6	NS	10.5	NS	NS	0.247	20.5	NS
	28-Oct-11	NS	2.7	U	NS	110	NS	2.7	U	2.7	U	NS	2.7
	23-Jan-12	0.88	NS	0.54	U	6.8	NS	7.8	NS	NS	0.54	44	NS
	13-Apr-12	NS	0.27	U	NS	83	NS	1.5	0.27	U	0.27	NS	4.1
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	32	NS
	23-Jun-12	1.1	NS	0.54	U	92	NS	0.75	NS	NS	0.54	35	NS
	1-Nov-12	NS	2.4	NS	NS	92	NS	1.9	0.32	0.28	NS	6.9	
	1-Feb-13	0.85	NS	0.064	21	NS	5.6	NS	NS	0.077	20	NS	
	29-Apr-13	NS	1.7	NS	NS	46	NS	0.84	0.12	0.44	NS	1.9	
	9-Jul-13	0.60	NS	0.22	27	NS	2.6	NS	NS	0.14	22	U	NS
	18-Oct-13	NS	3.3	NS	76	NS	2.2	0.48	0.66	NS	NS	15	
Trichlorofluoromethane	8-Feb-08	1.22	NS	NS	NS	NS	1.22	NS	NS	NS	1.06	15.9	NS
	27-Mar-08	NS	1.27	NS	NS	NS	1.18	NS	NS	NS	NS	12	9.02
	25-Apr-08	NS	NS	1.18	NS	NS	NS	5.2	NS	NS	1.66	NS	3.83
	29-May-08	NS	NS	NS	33.5	NS	NS	NS	0.98	0.98	1.05	10.6	
	27-Jun-08	1.29	NS	NS	NS	75.2	NS	NS	NS	NS	NS	8.85	8.89
	31-Jul-08	NS	1.01	NS	NS	NS	NS	NS	NS	NS	0.958	NS	5.1
	28-Aug-08	NS	NS	2.53	NS	NS	NS	18	NS	NS	1.79	15.6	NS
	30-Sep-08	NS	NS	NS	53.8	NS	NS	NS	2.8	U	NS	14.5	10.4
	27-Oct-08	2.8	U	NS	NS	44.4	NS	NS	NS	NS	6.1	NS	2.8
	25-Nov-08	NS	10	NS	NS	NS	12.2	NS	NS	NS	2.8	U	34
	18-Dec-08	NS	NS	2.8	U	NS	NS	4.9	NS	NS	NS	4.8	7.1
	21-Jan-09	NS	NS	NS	26.9	NS	NS	7.2	U	2.8	U	NS	10.4
	25-Feb-09	2.8	U	NS	NS	14.8	NS	NS	NS	NS	2.8	U	7.1
	26-Mar-09	NS	1.43	NS	NS	NS	2.81	U	NS	NS	NS	19.6	10.3
	29-Apr-09	NS	NS	1.45	NS	NS	NS	4.23	NS	NS	1.27	NS	3.17
	22-Jul-09	1.46	NS	1.46	19.9	NS	3.42	NS	NS	NS	1.28	6.46	NS
	9-Oct-09	NS	0.156	NS	NS	20	NS	11	58.6	U	1.65	NS	9.32
	15-Jan-10	1.39	NS	2.1	16.6	NS	1.78	NS	NS	NS	1.34	15.4	NS
	21-Apr-10	NS	0.466	NS	NS	10.1	NS	4.83	U	1.4	4.95	NS	5.47
	16-Jul-10	2.6	NS	1.84	16.4	NS	2.12	U	NS	NS	2.23	19.8	NS
	15-Oct-10	NS	9.63	NS	NS	72.2	NS	13.7	5.65	U	9.85	NS	10
	26-Jan-11	2.81	U	1.16	NS	13.8	NS	1.4	U	1.4	1.71	26	NS
	28-Feb-11	NS	NS	2.81	U	NS	NS	NS	U	NS	NS	NS	
	27-Apr-11	NS	1.12	NS	NS	12.8	NS	3.24	1.27	1.17	NS	2.53	
	26-Jul-11	4.27	NS	1.31	41.2	NS	15.3	NS	NS	NS	1.62	10	NS
	28-Oct-11	NS	2.8	U	NS	30	NS	5.1	2.8	U	2.9	NS	4.2
	23-Jan-12	2.1	NS	1.5	28	NS	29	NS	NS	NS	1.4	16	NS
	13-Apr-12	NS	1.9	NS	NS	15	NS	6.4	2.1	NS	2	NS	8.8
	2-Jul-1												

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual												
1,2,4-Trimethylbenzene	8-Feb-08	0.21	NS	NS	NS	0.23	NS	NS	NS	0.69	1.93	NS		
	27-Mar-08	NS	0.304	NS	NS	NS	0.152	NS	NS	NS	0.958	0.681		
	25-Apr-08	NS	NS	1.72	NS	NS	NS	0.644	NS	0.517	NS	0.338		
	29-May-08	NS	NS	NS	0.6	NS	NS	NS	1	1.26	0.48	NS		
	27-Jun-08	7.46	NS	NS	NS	1.15	NS	NS	NS	NS	0.638	0.736		
	31-Jul-08	NS	1.86	NS	NS	NS	NS	NS	NS	0.885	NS	0.685		
	28-Aug-08	NS	0.838	NS	NS	NS	NS	NS	NS	0.669	0.653	NS		
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U	
	27-Oct-08	11.4	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.9	U	
	25-Nov-08	NS	2.5	U	NS	NS	2.5	U	NS	6.4	5.2	NS		
	18-Dec-08	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	2.5	U	
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U	
	25-Feb-09	17.5	NS	NS	NS	4	NS	NS	NS	6.2	2.9	NS		
	26-Mar-09	NS	0.491	U	NS	NS	0.982	U	NS	NS	1.09	1.55		
	29-Apr-09	NS	NS	0.265	NS	NS	NS	0.378	NS	0.707	NS	0.801		
	22-Jul-09	3.49	NS	NS	20	U	0.982	NS	NS	NS	56.4	0.86	NS	
	9-Oct-09	NS	0.707	NS	NS	0.781	NS	0.648	20.5	U	1.36	0.584		
	15-Jan-10	2.87	NS	0.354	0.29	NS	0.314	NS	NS	1.06	1.17	NS		
	21-Apr-10	NS	0.211	NS	NS	0.933	NS	1.42	1.13	0.653	NS	0.702		
	16-Jul-10	8.3	NS	8.23	8.09	NS	6.27	NS	NS	4.28	5.05	NS		
	15-Oct-10	NS	1.29	NS	NS	1.61	NS	1.1	1.38	1.86	NS	2.35		
	26-Jan-11	1.23	1.4	NS	1.6	NS	0.491	U	NS	1.35	6.93	10.4	NS	
	28-Feb-11	NS	NS	0.982	U	NS								
	27-Apr-11	NS	0.845	NS	NS	0.855	NS	1.24	1.06	2.06	NS	1.09		
	26-Jul-11	1.29	NS	2.67	0.61	NS	0.541	NS	NS	2.48	0.541	NS		
	28-Oct-11	NS	2.5	U	NS	2.5	U	NS	2.5	U	3.7	NS	3.1	
	23-Jan-12	3	NS	0.76	0.49	U	NS	0.71	NS	NS	2.7	2.8	NS	
	13-Apr-12	NS	0.49	U	NS	NS	0.49	U	0.49	U	1.1	3.9	NS	
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5	U	
	23-Jun-12	4.1	NS	1.3	1.2	NS	1.1	NS	NS	2.1	1.1	NS		
	1-Nov-12	NS	1.7	NS	NS	2.5	NS	3.1	3	3.2	NS	3.3		
	1-Feb-13	1.2	NS	0.23	0.21	NS	0.3	NS	NS	1	0.86	NS		
	29-Apr-13	NS	0.54	NS	NS	0.74	NS	0.66	0.83	1	NS	0.84		
	9-Jul-13	4.2	NS	1.6	1.8	NS	1.8	NS	NS	2	2.0	NS		
	18-Oct-13	NS	4.8	NS	NS	4.3	NS	5.6	6.4	5.0	NS	5.7		
1,3,5-Trimethylbenzene	8-Feb-08	0.1	U	NS	NS	NS	0.1	U	NS	NS	0.47	0.66	NS	
	27-Mar-08	NS	0.14	NS	NS	NS	NS	U	NS	NS	NS	0.349	0.275	
	25-Apr-08	NS	NS	1.6	NS	NS	NS	0.228	NS	NS	0.192	NS	0.134	
	29-May-08	NS	NS	NS	0.18	NS	NS	NS	0.32	0.43	0.15	NS		
	27-Jun-08	5.16	NS	NS	NS	0.463	NS	NS	NS	NS	0.236	0.25		
	31-Jul-08	NS	0.713	NS	NS	NS	NS	NS	NS	0.276	NS	0.224		
	28-Aug-08	NS	NS	0.497	NS	NS	NS	0.215	NS	NS	0.248	0.233	NS	
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U	
	27-Oct-08	7.8	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	25-Nov-08	NS	2.5	U	NS	NS	2.5	U	NS	NS	2.5	U	NS	
	18-Dec-08	NS	NS	2.5	U	NS	NS	2.5	U	NS	NS	2.5	U	
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U	
	25-Feb-09	9.1	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	26-Mar-09	NS	0.491	U	NS	NS	0.982	U	NS	NS	NS	0.337	0.425	
	29-Apr-09	NS	NS	0.147	NS	NS	NS	0.128	NS	NS	0.211	NS	0.241	
	22-Jul-09	3	NS	20	U	0.982	U	0.491	U	NS	22.7	0.275	NS	
	9-Oct-09	NS	0.216	NS	NS	0.241	NS	0.187	20.5	U	0.388	NS	0.226	
	15-Jan-10	2.15	NS	0.118	0.098	U	NS	0.108	NS	NS	0.29	0.334	NS	
	21-Apr-10	NS	0.098	U	NS	0.491	U	0.491	U	0.491	U	0.177	NS	0.206
	16-Jul-10	2.76	NS	1.88	1.81	NS	1.67	NS	NS	1.08	1.25	NS		
	15-Oct-10	NS	0.418	NS	NS	0.383	NS	0.275	0.324	U	0.545	NS	0.54	
	26-Jan-11	0.982	U	0.437	NS	0.472	NS	0.491	U	0.491	U	1.99	2.87	NS
	28-Feb-11	NS	NS	0.982	U	NS								
	27-Apr-11	NS	0.255	NS	NS	0.27	NS	0.368	0.329	0.599	NS	0.664	0.354	
	26-Jul-11	0.688	NS	0.885	0.182	NS	0.492	U	NS	NS	0.492	U	NS	
	28-Oct-11	NS												

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Vinyl chloride*	8-Feb-08	0.05	U	NS	NS	NS	NS	0.05	U	NS	NS	NS	NS	NS	NS	0.05	U	0.05	U	0.05	U	NS	U	
	27-Mar-08	NS		0.051	U	NS	NS	NS		NS	0.051	U	NS	NS	NS	NS	NS	0.051	U	NS	U	0.051	U	
	25-Apr-08	NS		NS	U	NS	0.051	U	NS	NS	0.051	U	NS	0.75	NS	0.05	U	0.05	U	0.05	U	NS	U	
	29-May-08	NS		NS	U	NS	NS	0.05	U	NS	NS	U	NS	NS	0.05	U	0.05	U	0.05	U	NS	U		
	27-Jun-08	0.08	U	NS	NS	NS	NS	NS		NS	0.051	U	NS	NS	NS	NS	NS	0.051	U	NS	U	0.051	U	
	31-Jul-08	NS		0.051	U	NS	NS	NS	U	NS	NS	U	NS	NS	NS	NS	0.051	U	0.051	U	NS	U		
	28-Aug-08	NS		NS	U	NS	0.051	U	NS	NS	U	NS	NS	NS	0.051	U	0.051	U	0.051	U	NS	U		
	30-Sep-08	NS		NS	U	NS	NS	0.1	U	NS	NS	U	NS	NS	0.1	U	NS	0.1	U	0.1	U	0.1	U	
	27-Oct-08	0.1	U	NS	NS	NS	NS	NS		NS	0.1	U	NS	NS	NS	NS	0.1	U	NS	0.1	U	0.1	U	
	25-Nov-08	NS		0.1	U	NS	NS	NS	U	NS	NS	U	0.1	U	NS	NS	0.1	U	0.1	U	NS	U		
	18-Dec-08	NS		NS	U	NS	0.1	U	NS	NS	U	NS	NS	0.1	U	NS	NS	0.1	U	0.1	U	0.1	U	
	21-Jan-09	NS		NS	U	NS	NS	0.1	U	NS	NS	U	NS	NS	0.1	U	0.1	U	NS	0.1	U	0.1	U	
	25-Feb-09	0.1	U	NS	NS	NS	NS	NS		NS	0.1	U	NS	NS	NS	NS	0.1	U	0.1	U	NS	U		
	26-Mar-09	NS		0.255	U	NS	NS	NS	U	NS	0.511	U	NS	NS	0.051	U	NS	NS	NS	0.051	U	0.051	U	
	29-Apr-09	NS		NS	U	NS	0.061	U	NS	NS	U	NS	NS	NS	0.051	U	NS	0.051	U	NS	0.051	U		
	22-Jul-09	0.255	U	NS	NS	0.255	U	0.511	U	NS	NS	U	0.255	U	NS	NS	0.051	U	0.051	U	NS	U		
	9-Oct-09	NS		1.72	U	NS	NS	0.051	U	NS	NS	U	0.102	U	10.7	U	0.051	U	NS	0.051	U	0.051	U	
	15-Jan-10	0.051	U	NS	NS	0.061	U	0.051	U	NS	0.051	U	NS	NS	0.051	U	0.051	U	0.051	U	NS	U		
	21-Apr-10	NS		0.051	U	NS	NS	NS		NS	0.255	U	NS	0.256	U	0.255	U	0.051	U	NS	0.051	U	0.051	U
	16-Jul-10	0.051	U	NS	NS	1.98	U	0.051	U	NS	0.386	U	NS	NS	0.051	U	NS	0.051	U	0.051	U	NS	U	
	15-Oct-10	NS		0.051	U	NS	NS	NS	U	NS	0.051	U	NS	0.255	U	NS	NS	0.051	U	0.051	U	0.051	U	
	26-Jan-11	0.511	U	NS	NS	0.051	U	NS	U	NS	0.255	U	NS	NS	0.255	U	0.255	U	0.255	U	NS	U		
	28-Feb-11	NS		NS	NS	0.511	U	NS	NS	NS	NS	U	NS	U										
	27-Apr-11	NS		0.051	U	NS	NS	0.051	U	NS	NS	U	0.051	U	NS	NS	0.051	U	NS	0.051	U	0.051	U	
	26-Jul-11	0.17	U	NS	NS	0.17	U	0.051	U	NS	0.256	U	NS	NS	0.051	U	NS	0.051	U	0.256	U	NS	U	
	28-Oct-11	NS		1.3	U	NS	NS	NS		NS	1.3	U	NS	NS	1.3	U	NS	1.3	U	NS	1.3	U	U	
	23-Jan-12	0.26	U	NS	NS	0.26	U	0.26	U	NS	0.26	U	NS	NS	0.26	U	NS	NS	0.26	U	NS	0.26	U	
	13-Apr-12	NS		0.13	U	NS	NS	NS	U	NS	0.13	U	NS	NS	0.13	U	NS	NS	0.13	U	NS	0.13	U	
	2-Jul-12 (resample)	NS		NS	NS	0.26	U	0.26	U	NS	0.26	U	NS	0.26	U	NS	NS	0.26	U	0.64	U	NS	U	
	23-Jun-12	0.26	U	NS	NS	0.26	U	0.26	U	NS	0.26	U	NS	NS	0.26	U	NS	NS	0.26	U	0.26	U	U	
	1-Nov-12	NS		0.026	U	NS	NS	0.026	U	NS	0.026	U	NS	0.026	U	NS	0.026	U	0.026	U	NS	0.026	U	
	1-Feb-13	0.065		NS	NS	0.026	U	0.026	U	NS	0.026	U	NS	0.026	U	NS	0.026	U	0.026	U	NS	0.026	U	
	29-Apr-13	NS		0.41	NS	NS	NS	0.045	NS	NS	0.045	NS	NS	0.026	U	NS	NS	0.026	U	NS	NS	0.026	U	
	9-Jul-13	0.038	U	NS	NS	0.026	U	0.085	NS	NS	0.074	NS	NS	0.026	U	0.051	U	0.063	U	0.026	U	NS	U	
	18-Oct-13	NS		0.051	U	NS	NS	NS		NS	NS	U	NS	0.051	U	0.051	U	0.051	U	NS	NS	0.051	U	
p/m-Xylene	8-Feb-08	0.55		NS	NS	NS	NS	NS		NS	0.63	U	NS	NS	NS	NS	NS	1.04	U	18.3	U	NS		
	27-Mar-08	NS		0.893	NS	NS	NS	NS		NS	0.389	U	NS	NS	NS	NS	NS	2.17	U	2.54	U	1.33		
	25-Apr-08	NS		NS	NS	0.815	NS	NS		NS	0.97	U	NS	7.58	NS	10.1	U	2.54	NS	3.34	U	1.81		
	29-May-08	NS		NS	NS	NS	NS	NS		NS	5	U	NS	NS	NS	NS	NS	1.91	U	1.91	U	2.33		
	27-Jun-08	12.6		NS</																				

Table 2: Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - October 2013

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
o-Xylene	8-Feb-08	0.2	NS	NS	NS	0.23	NS	NS	0.48	7.73	NS	NS	
	27-Mar-08	NS	0.273	NS	NS	0.142	NS	NS	NS	0.844	0.478	0.478	
	25-Apr-08	NS	NS	0.37	NS	0.406	NS	NS	0.735	NS	0.62	0.62	
	29-May-08	NS	NS	NS	1.48	NS	NS	NS	2.26	2.84	1.02	NS	
	27-Jun-08	4.12	NS	NS	NS	0.55	NS	NS	NS	NS	0.672	0.794	0.794
	31-Jul-08	NS	0.835	NS	NS	NS	NS	NS	0.748	NS	0.564	0.564	
	28-Aug-08	NS	NS	0.804	NS	NS	NS	NS	0.797	0.725	NS	NS	
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	2.2	NS	2.2	U	2.2
	27-Oct-08	9.8	NS	NS	NS	2.2	U	NS	NS	2.2	U	N	4
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	3.1	2.2	U	NS
	18-Dec-08	NS	NS	2.2	U	NS	NS	NS	2.2	NS	2.2	U	2.2
	21-Jan-09	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U	2.2
	25-Feb-09	8.9	NS	NS	NS	2.2	U	NS	NS	2.2	NS	3.2	NS
	26-Mar-09	NS	0.486	NS	NS	NS	0.868	U	NS	NS	NS	0.922	1.28
	29-Apr-09	NS	NS	0.174	NS	NS	NS	U	0.208	NS	0.369	NS	0.499
	22-Jul-09	5.34	NS	5.34	0.868	U	NS	1.39	NS	NS	72.7	1.27	NS
	9-Oct-09	NS	0.542	NS	NS	0.586	NS	0.343	18.1	U	0.629	NS	0.616
	15-Jan-10	4.51	NS	0.49	0.49	NS	0.56	NS	NS	NS	0.833	0.846	NS
	21-Apr-10	NS	0.256	NS	NS	1.17	NS	1.56	1.41	1.24	NS	1.14	
	16-Jul-10	5.07	NS	2.84	2.63	NS	2.1	NS	NS	1.88	2.05	NS	
	15-Oct-10	NS	0.672	NS	NS	0.837	NS	0.659	0.729	1.22	NS	1.14	
	26-Jan-11	1.08	1.5	NS	1.54	NS	1.11	NS	1.15	4.32	5.16	NS	
	28-Feb-11	NS	NS	0.868	U	NS							
	27-Apr-11	NS	0.286	NS	NS	0.286	NS	0.369	0.456	0.451	NS	0.551	
	26-Jul-11	1.87	NS	1.45	0.334	NS	0.434	U	NS	NS	0.365	0.434	NS
	28-Oct-11	NS	2.2	U	NS	NS	2.2	U	2.2	U	3.3	NS	2.2
	23-Jan-12	2.3	NS	0.76	0.54	NS	0.79	NS	NS	NS	1.7	4.6	NS
	13-Apr-12	NS	0.43	U	NS	NS	0.43	U	0.43	U	1.4	NS	0.43
2-Jul-12 (resample)	23-Jun-12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	NS
	1-Nov-12	NS	0.72	NS	NS	0.85	NS	1.1	1.1	1.3	NS	1.8	
	1-Feb-13	1	NS	0.19	0.17	NS	0.24	NS	NS	0.64	0.52	NS	
	29-Apr-13	NS	0.43	NS	NS	0.46	NS	0.41	0.52	0.065	NS	0.86	
	9-Jul-13	3.2	NS	0.86	0.90	NS	0.84	NS	NS	1.3	0.28	NS	
	18-Oct-13	NS	1.7	NS	NS	1.9	NS	2.1	2.9	1.4	NS	1.7	

Notes:

All data presented in micrograms per cubic meter (ug/m3).

U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.

NS: not sampled.

* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.

APPENDIX D

Rooftop Emission Analytical Summary

Alvarez School - Sub Slab Depressurization System Emissions Calculations

Sample Date: 9 July 2013

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm):		3000	Measured Flow Rate (cfm):		147.3	2207		108.3		2418		118.7					
	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)			
Acetone	22.00	1.21E-05	2.91E-04	1.06E-01	33	1.34E-05	3.21E-04	1.17E-01	17	7.54E-06	1.81E-04	6.61E-02	3.30E-05	7.92E-04	2.89E-01			
Acrylonitrile	0.25	U	1.38E-07	3.30E-06	1.21E-03	0.25	U	1.01E-07	2.43E-06	8.87E-04	0.25	U	1.11E-07	2.66E-06	9.72E-04	3.50E-07	8.40E-06	3.06E-03
Benzene	0.42		2.31E-07	5.55E-06	2.03E-03	0.55		2.23E-07	5.35E-06	1.95E-03	0.34		1.51E-07	3.62E-06	1.32E-03	6.05E-07	1.45E-05	5.30E-03
Bromodichloromethane	0.13	U	7.16E-08	1.72E-06	6.27E-04	0.13	U	5.26E-08	1.26E-06	4.61E-04	0.34		1.51E-07	3.62E-06	1.32E-03	2.75E-07	6.60E-06	2.41E-03
Bromoform	0.21	U	1.16E-07	2.77E-06	1.01E-03	0.21	U	8.50E-08	2.04E-06	7.45E-04	0.48		2.13E-07	5.11E-06	1.87E-03	4.14E-07	9.93E-06	3.62E-03
2-Butanone	2.40		1.32E-06	3.17E-05	1.16E-02	2.8		1.13E-06	2.72E-05	9.93E-03	2.8		1.24E-06	2.98E-05	1.09E-02	3.70E-06	8.87E-05	3.24E-02
n-Butylbenzene	0.32	U	1.76E-07	4.23E-06	1.54E-03	0.32	U	1.30E-07	3.11E-06	1.14E-03	0.32	U	1.42E-07	3.41E-06	1.24E-03	4.48E-07	1.07E-05	3.92E-03
sec-Butylbenzene	0.25	U	1.38E-07	3.30E-06	1.21E-03	0.25	U	1.01E-07	2.43E-06	8.87E-04	0.25	U	1.11E-07	2.66E-06	9.72E-04	3.50E-07	8.40E-06	3.06E-03
Carbon Tetrachloride	0.45		2.48E-07	5.95E-06	2.17E-03	0.46		1.86E-07	4.47E-06	1.63E-03	0.71		3.15E-07	7.56E-06	2.76E-03	7.49E-07	1.80E-05	6.56E-03
Chlorobenzene	0.092	U	5.06E-08	1.22E-06	4.44E-04	0.092	U	3.73E-08	8.94E-07	3.26E-04	0.22		9.76E-08	2.34E-06	8.55E-04	1.86E-07	4.45E-06	1.63E-03
Chloroethane	0.079		4.35E-08	1.04E-06	3.81E-04	0.18		7.29E-08	1.75E-06	6.39E-04	0.14		6.21E-08	1.49E-06	5.44E-04	1.79E-07	4.28E-06	1.56E-03
Chloroform	0.36		1.98E-07	4.76E-06	1.74E-03	0.53		2.15E-07	5.15E-06	1.88E-03	1.3		5.77E-07	1.38E-05	5.05E-03	9.90E-07	2.38E-05	8.67E-03
Chloromethane	0.083	U	4.57E-08	1.10E-06	4.00E-04	0.083	U	3.36E-08	8.07E-07	2.94E-04	0.083	U	3.68E-08	8.84E-07	3.23E-04	1.16E-07	2.79E-06	1.02E-03
Dibromochloromethane	0.17	U	9.36E-08	2.25E-06	8.20E-04	0.17	U	6.88E-08	1.65E-06	6.03E-04	0.36		1.60E-07	3.83E-06	1.40E-03	3.22E-07	7.73E-06	2.82E-03
1,2-Dibromoethane	0.15	U	8.26E-08	1.98E-06	7.23E-04	0.15	U	6.07E-08	1.46E-06	5.32E-04	0.35		1.55E-07	3.73E-06	1.36E-03	2.99E-07	7.17E-06	2.62E-03
1,2-Dichlorobenzene	0.12	U	6.61E-08	1.59E-06	5.79E-04	0.12	U	4.86E-08	1.17E-06	4.26E-04	0.35		1.55E-07	3.73E-06	1.36E-03	2.70E-07	6.48E-06	2.36E-03
1,3-Dichlorobenzene	0.12	U	6.61E-08	1.59E-06	5.79E-04	0.12	U	4.86E-08	1.17E-06	4.26E-04	0.33		1.46E-07	3.51E-06	1.28E-03	2.61E-07	6.27E-06	2.29E-03
1,4-Dichlorobenzene	0.12	U	6.61E-08	1.59E-06	5.79E-04	0.12	U	4.86E-08	1.17E-06	4.26E-04	0.35		1.55E-07	3.73E-06	1.36E-03	2.70E-07	6.48E-06	2.36E-03
Dichlorodifluoromethane	1.00		5.51E-07	1.32E-05	4.82E-03	1.1		4.45E-07	1.07E-05	3.90E-03	1.2		5.32E-07	1.28E-05	4.66E-03	1.53E-06	3.67E-05	1.34E-02
1,1-Dichloroethane	0.045		2.48E-08	5.95E-07	2.17E-04	0.040	U	1.62E-08	3.89E-07	1.42E-04	0.19		8.43E-08	2.02E-06	7.39E-04	1.25E-07	3.01E-06	1.10E-03
1,2-Dichloroethane	0.045		2.48E-08	5.95E-07	2.17E-04	0.058		2.35E-08	5.64E-07	2.06E-04	0.19		8.43E-08	2.02E-06	7.39E-04	1.33E-07	3.18E-06	1.16E-03
1,1-Dichloroethene	0.040	U	2.20E-08	5.28E-07	1.93E-04	0.040	U	1.62E-08	3.89E-07	1.42E-04	0.17		7.54E-08	1.81E-06	6.61E-04	1.14E-07	2.73E-06	9.96E-04
cis-1,2-Dichloroethene	0.059		3.25E-08	7.80E-07	2.85E-04	0.040	U	1.62E-08	3.89E-07	1.42E-04	0.44		1.95E-07	4.69E-06	1.71E-03	2.44E-07	5.85E-06	2.14E-03
trans-1,2-Dichloroethene	0.040	U	2.20E-08	5.28E-07	1.93E-04	0.040	U	1.62E-08	3.89E-07	1.42E-04	0.20		8.87E-08	2.13E-06	7.77E-04	1.27E-07	3.05E-06	1.11E-03
1,2-Dichloropropane	0.092	U	5.06E-08	1.22E-06	4.44E-04	0.092	U	3.73E-08	8.94E-07	3.26E-04	0.23	U	1.02E-07	2.45E-06	8.94E-04	1.90E-07	4.56E-06	1.66E-03
cis-1,3-Dichloropropene	0.045	U	2.48E-08	5.95E-07	2.17E-04	0.045	U	1.82E-08	4.37E-07	1.60E-04	0.21		9.32E-08	2.24E-06	8.16E-04	1.36E-07	3.27E-06	1.19E-03
trans-1,3-Dichloropropene	0.045	U	2.48E-08	5.95E-07	2.17E-04	0.045	U	1.82E-08	4.37E-07	1.60E-04	0.21		9.32E-08	2.24E-06	8.16E-04	1.36E-07	3.27E-06	1.19E-03
Ethylbenzene	0.26		1.43E-07	3.44E-06	1.25E-03	0.20		8.10E-08	1.94E-06	7.10E-04	0.45		2.00E-07	4.79E-06	1.75E-03	4.24E-07	1.02E-05	3.71E-03
Isopropylbenzene	0.25	U	1.38E-07	3.30E-06	1.21E-03	0.25	U	1.01E-07	2.43E-06	8.87E-04	0.25	U	1.11E-07	2.66E-06	9.72E-04	3.50E-07	8.40E-06	3.06E-03
p-Isopropyltoluene	0.25	U	1.38E-07	3.30E-06	1.21E-03	0.25	U	1.01E-07	2.43E-06	8.87E-04	0.25	U	1.11E-07	2.66E-06	9.72E-04	3.50E-07	8.40E-06	3.06E-0

APPENDIX E

INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR LABORATORY ANALYTICAL REPORT

December 19, 2013

Ron Mack
EA Engineering Science & Tech. - RI
2374 Post Road, Suite 102
Warwick, RI 02886

Project Location: Alvarez
Client Job Number:
Project Number: 14687.01
Laboratory Work Order Number: 13J0773

Enclosed are results of analyses for samples received by the laboratory on October 21, 2013. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Aaron L. Benoit
Project Manager

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EA Engineering Science & Tech. - RI
 2374 Post Road, Suite 102
 Warwick, RI 02886
 ATTN: Ron Mack

REPORT DATE: 12/19/2013

PURCHASE ORDER NUMBER: 11977

PROJECT NUMBER: 14687.01

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 13J0773

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	13J0773-01	Indoor air		EPA TO-15	
Cafeteria	13J0773-02	Indoor air		EPA TO-15	
Kitchen Storage Room	13J0773-03	Indoor air		EPA TO-15	
Elevator Hallway	13J0773-04	Indoor air		EPA TO-15	
Room 145	13J0773-05	Indoor air		EPA TO-15	
Room 152	13J0773-06	Indoor air		EPA TO-15	
Room 118	13J0773-07	Indoor air		EPA TO-15	
Room 110	13J0773-08	Indoor air		EPA TO-15	
MP-7	13J0773-09	Sub Slab		EPA TO-15	
MP-8	13J0773-10	Sub Slab		EPA TO-15	
MP-2	13J0773-11	Sub Slab		EPA TO-15	
MP-5	13J0773-12	Sub Slab		EPA TO-15	
AOA	13J0773-13	Ambient Air		EPA TO-15	
IMP-1	13J0773-14	Sub Slab		EPA TO-15	
IMP-3	13J0773-15	Sub Slab		EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

REVISED REPORT - 12-19-13 - Report revised due to a transcription error for 1,2-Dichloroethane for sample 13J0773-07.

REVISED REPORT - 12/18/13 - Reporting limit lowered for 1,2-Dichloroethane.

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Michael A. Erickson
Laboratory Director

ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/21/2013

Field Sample #: Gymnasium

Sample ID: 13J0773-01

Sample Matrix: Indoor air

Sampled: 10/18/2013 10:04

Sample Description/Location:

Sub Description/Location:

Canister ID: 1169

Canister Size: 6 liter

Flow Controller ID: 4199

Sample Type: 30 min

Work Order: 13J0773

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): 0

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	13	0.80		30	1.9		0.4	10/26/13 20:04	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/26/13 20:04	TPH
Benzene	0.27	0.020		0.88	0.064		0.4	10/26/13 20:04	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/26/13 20:04	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/26/13 20:04	TPH
2-Butanone (MEK)	1.2	0.80		3.5	2.4		0.4	10/26/13 20:04	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	10/26/13 20:04	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/26/13 20:04	TPH
Carbon Tetrachloride	0.072	0.020		0.45	0.13		0.4	10/26/13 20:04	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/26/13 20:04	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/26/13 20:04	TPH
Chloroform	ND	0.020		ND	0.098		0.4	10/26/13 20:04	TPH
Chloromethane	0.56	0.040		1.2	0.083		0.4	10/26/13 20:04	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/26/13 20:04	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/26/13 20:04	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 20:04	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 20:04	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 20:04	TPH
Dichlorodifluoromethane (Freon 12)	0.38	0.020		1.9	0.099		0.4	10/26/13 20:04	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/26/13 20:04	TPH
1,2-Dichloroethane	0.011	0.010		0.045	0.040		0.4	10/26/13 20:04	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 20:04	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 20:04	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 20:04	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/26/13 20:04	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/26/13 20:04	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 20:04	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 20:04	TPH
Ethylbenzene	0.026	0.020		0.11	0.087		0.4	10/26/13 20:04	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/26/13 20:04	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/26/13 20:04	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/26/13 20:04	TPH
Methylene Chloride	ND	0.20		ND	0.69		0.4	10/26/13 20:04	TPH
4-Methyl-2-pentanone (MIBK)	0.048	0.020		0.19	0.082		0.4	10/26/13 20:04	TPH
Styrene	ND	0.020		ND	0.085		0.4	10/26/13 20:04	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/26/13 20:04	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/26/13 20:04	TPH

ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/21/2013

Field Sample #: Gymnasium

Sample ID: 13J0773-01

Sample Matrix: Indoor air

Sampled: 10/18/2013 10:04

Sample Description/Location:

Sub Description/Location:

Canister ID: 1169

Canister Size: 6 liter

Flow Controller ID: 4199

Sample Type: 30 min

Work Order: 13J0773

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): 0

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.023	0.020		0.15	0.14	0.4	10/26/13 20:04	TPH
Toluene	0.12	0.020		0.47	0.075	0.4	10/26/13 20:04	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11	0.4	10/26/13 20:04	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11	0.4	10/26/13 20:04	TPH
Trichloroethylene	ND	0.020		ND	0.11	0.4	10/26/13 20:04	TPH
Trichlorofluoromethane (Freon 11)	0.24	0.020		1.3	0.11	0.4	10/26/13 20:04	TPH
1,2,4-Trimethylbenzene	0.025	0.020		0.12	0.098	0.4	10/26/13 20:04	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/26/13 20:04	TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/26/13 20:04	TPH
m&p-Xylene	0.070	0.040		0.30	0.17	0.4	10/26/13 20:04	TPH
o-Xylene	0.024	0.020		0.10	0.087	0.4	10/26/13 20:04	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	90.7	70-130	10/26/13 20:04
4-Bromofluorobenzene (2)	80.6	70-130	10/26/13 20:04

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Cafeteria
Sample ID: 13J0773-02
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 09:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2017
 Canister Size: 6 liter
 Flow Controller ID: 4180
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	13	0.80		32	1.9		0.4	10/26/13 20:55	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/26/13 20:55	TPH
Benzene	0.33	0.020		1.0	0.064		0.4	10/26/13 20:55	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/26/13 20:55	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/26/13 20:55	TPH
2-Butanone (MEK)	1.6	0.80		4.7	2.4		0.4	10/26/13 20:55	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	10/26/13 20:55	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/26/13 20:55	TPH
Carbon Tetrachloride	0.071	0.020		0.45	0.13		0.4	10/26/13 20:55	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/26/13 20:55	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/26/13 20:55	TPH
Chloroform	0.061	0.020		0.30	0.098		0.4	10/26/13 20:55	TPH
Chloromethane	0.51	0.040		1.1	0.083		0.4	10/26/13 20:55	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/26/13 20:55	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/26/13 20:55	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 20:55	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 20:55	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 20:55	TPH
Dichlorodifluoromethane (Freon 12)	0.45	0.020		2.2	0.099		0.4	10/26/13 20:55	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/26/13 20:55	TPH
1,2-Dichloroethane	0.013	0.010		0.053	0.040		0.4	10/26/13 20:55	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 20:55	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 20:55	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 20:55	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/26/13 20:55	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/26/13 20:55	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 20:55	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 20:55	TPH
Ethylbenzene	0.022	0.020		0.096	0.087		0.4	10/26/13 20:55	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/26/13 20:55	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/26/13 20:55	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/26/13 20:55	TPH
Methylene Chloride	0.23	0.20		0.78	0.69		0.4	10/26/13 20:55	TPH
4-Methyl-2-pentanone (MIBK)	0.054	0.020		0.22	0.082		0.4	10/26/13 20:55	TPH
Styrene	ND	0.020		ND	0.085		0.4	10/26/13 20:55	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/26/13 20:55	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/26/13 20:55	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Cafeteria
Sample ID: 13J0773-02
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 09:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2017
 Canister Size: 6 liter
 Flow Controller ID: 4180
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.020		ND	0.14		0.4	10/26/13 20:55	TPH
Toluene	0.14	0.020		0.51	0.075		0.4	10/26/13 20:55	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/26/13 20:55	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/26/13 20:55	TPH
Trichloroethylene	ND	0.020		ND	0.11		0.4	10/26/13 20:55	TPH
Trichlorofluoromethane (Freon 11)	0.38	0.020		2.1	0.11		0.4	10/26/13 20:55	TPH
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098		0.4	10/26/13 20:55	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	10/26/13 20:55	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/26/13 20:55	TPH
m&p-Xylene	0.062	0.040		0.27	0.17		0.4	10/26/13 20:55	TPH
o-Xylene	0.023	0.020		0.10	0.087		0.4	10/26/13 20:55	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	91.1	70-130	10/26/13 20:55
4-Bromofluorobenzene (2)	82.4	70-130	10/26/13 20:55

ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/21/2013

Field Sample #: Kitchen Storage Room

Sample ID: 13J0773-03

Sample Matrix: Indoor air

Sampled: 10/18/2013 09:46

Sample Description/Location:

Sub Description/Location:

Canister ID: 2019

Canister Size: 6 liter

Flow Controller ID: 4181

Sample Type: 30 min

Work Order: 13J0773

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	15	0.80		34	1.9		0.4	10/26/13 21:46	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/26/13 21:46	TPH
Benzene	0.074	0.020		0.24	0.064		0.4	10/26/13 21:46	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/26/13 21:46	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/26/13 21:46	TPH
2-Butanone (MEK)	1.6	0.80		4.8	2.4		0.4	10/26/13 21:46	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	10/26/13 21:46	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/26/13 21:46	TPH
Carbon Tetrachloride	0.072	0.020		0.45	0.13		0.4	10/26/13 21:46	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/26/13 21:46	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/26/13 21:46	TPH
Chloroform	ND	0.020		ND	0.098		0.4	10/26/13 21:46	TPH
Chloromethane	0.43	0.040		0.88	0.083		0.4	10/26/13 21:46	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/26/13 21:46	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/26/13 21:46	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 21:46	TPH
1,3-Dichlorobenzene	0.022	0.020		0.13	0.12		0.4	10/26/13 21:46	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 21:46	TPH
Dichlorodifluoromethane (Freon 12)	0.40	0.020		2.0	0.099		0.4	10/26/13 21:46	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/26/13 21:46	TPH
1,2-Dichloroethane	0.012	0.010		0.049	0.040		0.4	10/26/13 21:46	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 21:46	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 21:46	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 21:46	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/26/13 21:46	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/26/13 21:46	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 21:46	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 21:46	TPH
Ethylbenzene	0.16	0.020		0.71	0.087		0.4	10/26/13 21:46	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/26/13 21:46	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/26/13 21:46	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/26/13 21:46	TPH
Methylene Chloride	0.21	0.20		0.73	0.69		0.4	10/26/13 21:46	TPH
4-Methyl-2-pentanone (MIBK)	0.43	0.020		1.8	0.082		0.4	10/26/13 21:46	TPH
Styrene	0.047	0.020		0.20	0.085		0.4	10/26/13 21:46	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/26/13 21:46	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/26/13 21:46	TPH

ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/21/2013

Field Sample #: Kitchen Storage Room

Sample ID: 13J0773-03

Sample Matrix: Indoor air

Sampled: 10/18/2013 09:46

Sample Description/Location:

Sub Description/Location:

Canister ID: 2019

Canister Size: 6 liter

Flow Controller ID: 4181

Sample Type: 30 min

Work Order: 13J0773

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.020		ND	0.14		0.4	10/26/13 21:46	TPH
Toluene	0.26	0.020		0.97	0.075		0.4	10/26/13 21:46	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/26/13 21:46	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/26/13 21:46	TPH
Trichloroethylene	ND	0.020		ND	0.11		0.4	10/26/13 21:46	TPH
Trichlorofluoromethane (Freon 11)	0.20	0.020		1.1	0.11		0.4	10/26/13 21:46	TPH
1,2,4-Trimethylbenzene	0.53	0.020		2.6	0.098		0.4	10/26/13 21:46	TPH
1,3,5-Trimethylbenzene	0.035	0.020		0.17	0.098		0.4	10/26/13 21:46	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/26/13 21:46	TPH
m&p-Xylene	0.51	0.040		2.2	0.17		0.4	10/26/13 21:46	TPH
o-Xylene	0.15	0.020		0.66	0.087		0.4	10/26/13 21:46	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	91.8	70-130	10/26/13 21:46
4-Bromofluorobenzene (2)	82.8	70-130	10/26/13 21:46

ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/21/2013

Field Sample #: Elevator Hallway

Sample ID: 13J0773-04

Sample Matrix: Indoor air

Sampled: 10/18/2013 10:03

Sample Description/Location:

Sub Description/Location:

Canister ID: 2015

Canister Size: 6 liter

Flow Controller ID: 4183

Sample Type: 30 min

Work Order: 13J0773

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -1

Receipt Vacuum(in Hg): -1.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	18	0.80		42	1.9		0.4	10/26/13 22:36	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/26/13 22:36	TPH
Benzene	0.21	0.020		0.66	0.064		0.4	10/26/13 22:36	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/26/13 22:36	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/26/13 22:36	TPH
2-Butanone (MEK)	2.0	0.80		5.8	2.4		0.4	10/26/13 22:36	TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	10/26/13 22:36	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/26/13 22:36	TPH
Carbon Tetrachloride	0.069	0.020		0.44	0.13		0.4	10/26/13 22:36	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/26/13 22:36	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/26/13 22:36	TPH
Chloroform	0.027	0.020		0.13	0.098		0.4	10/26/13 22:36	TPH
Chloromethane	0.54	0.040		1.1	0.083		0.4	10/26/13 22:36	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/26/13 22:36	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/26/13 22:36	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 22:36	TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 22:36	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 22:36	TPH
Dichlorodifluoromethane (Freon 12)	0.40	0.020		2.0	0.099		0.4	10/26/13 22:36	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/26/13 22:36	TPH
1,2-Dichloroethane	0.013	0.010		0.052	0.040		0.4	10/26/13 22:36	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 22:36	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 22:36	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 22:36	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/26/13 22:36	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/26/13 22:36	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 22:36	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 22:36	TPH
Ethylbenzene	0.12	0.020		0.54	0.087		0.4	10/26/13 22:36	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/26/13 22:36	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/26/13 22:36	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/26/13 22:36	TPH
Methylene Chloride	0.22	0.20		0.76	0.69		0.4	10/26/13 22:36	TPH
4-Methyl-2-pentanone (MIBK)	0.36	0.020		1.5	0.082		0.4	10/26/13 22:36	TPH
Styrene	0.032	0.020		0.13	0.085		0.4	10/26/13 22:36	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/26/13 22:36	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/26/13 22:36	TPH

ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/21/2013

Field Sample #: Elevator Hallway

Sample ID: 13J0773-04

Sample Matrix: Indoor air

Sampled: 10/18/2013 10:03

Sample Description/Location:

Sub Description/Location:

Canister ID: 2015

Canister Size: 6 liter

Flow Controller ID: 4183

Sample Type: 30 min

Work Order: 13J0773

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -1

Receipt Vacuum(in Hg): -1.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.020	0.020		0.14	0.14		0.4	10/26/13 22:36	TPH
Toluene	0.21	0.020		0.80	0.075		0.4	10/26/13 22:36	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/26/13 22:36	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/26/13 22:36	TPH
Trichloroethylene	ND	0.020		ND	0.11		0.4	10/26/13 22:36	TPH
Trichlorofluoromethane (Freon 11)	0.32	0.020		1.8	0.11		0.4	10/26/13 22:36	TPH
1,2,4-Trimethylbenzene	0.48	0.020		2.4	0.098		0.4	10/26/13 22:36	TPH
1,3,5-Trimethylbenzene	0.037	0.020		0.18	0.098		0.4	10/26/13 22:36	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/26/13 22:36	TPH
m&p-Xylene	0.38	0.040		1.6	0.17		0.4	10/26/13 22:36	TPH
o-Xylene	0.12	0.020		0.50	0.087		0.4	10/26/13 22:36	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	91.2	70-130	10/26/13 22:36
4-Bromofluorobenzene (2)	84.0	70-130	10/26/13 22:36

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Room 145
Sample ID: 13J0773-05
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 09:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2010
 Canister Size: 6 liter
 Flow Controller ID: 4100
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	19	0.80		46	1.9		0.4	10/26/13 23:31	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/26/13 23:31	TPH
Benzene	0.25	0.020		0.80	0.064		0.4	10/26/13 23:31	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/26/13 23:31	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/26/13 23:31	TPH
2-Butanone (MEK)	2.3	0.80		6.9	2.4		0.4	10/26/13 23:31	TPH
n-Butylbenzene	0.11	0.058		0.59	0.32		0.4	10/26/13 23:31	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/26/13 23:31	TPH
Carbon Tetrachloride	0.070	0.020		0.44	0.13		0.4	10/26/13 23:31	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/26/13 23:31	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/26/13 23:31	TPH
Chloroform	0.023	0.020		0.11	0.098		0.4	10/26/13 23:31	TPH
Chloromethane	0.62	0.040		1.3	0.083		0.4	10/26/13 23:31	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/26/13 23:31	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/26/13 23:31	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 23:31	TPH
1,3-Dichlorobenzene	0.045	0.020		0.27	0.12		0.4	10/26/13 23:31	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/26/13 23:31	TPH
Dichlorodifluoromethane (Freon 12)	0.38	0.020		1.9	0.099		0.4	10/26/13 23:31	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/26/13 23:31	TPH
1,2-Dichloroethane	0.014	0.010		0.055	0.040		0.4	10/26/13 23:31	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 23:31	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 23:31	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/26/13 23:31	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/26/13 23:31	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/26/13 23:31	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 23:31	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/26/13 23:31	TPH
Ethylbenzene	0.32	0.020		1.4	0.087		0.4	10/26/13 23:31	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/26/13 23:31	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/26/13 23:31	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/26/13 23:31	TPH
Methylene Chloride	0.24	0.20		0.84	0.69		0.4	10/26/13 23:31	TPH
4-Methyl-2-pentanone (MIBK)	0.80	0.020		3.3	0.082		0.4	10/26/13 23:31	TPH
Styrene	0.079	0.020		0.34	0.085		0.4	10/26/13 23:31	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/26/13 23:31	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/26/13 23:31	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Room 145
Sample ID: 13J0773-05
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 09:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2010
 Canister Size: 6 liter
 Flow Controller ID: 4100
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.024	0.020		0.17	0.14		0.4	10/26/13 23:31	TPH
Toluene	0.62	0.020		2.3	0.075		0.4	10/26/13 23:31	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/26/13 23:31	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/26/13 23:31	TPH
Trichloroethylene	0.021	0.020		0.11	0.11		0.4	10/26/13 23:31	TPH
Trichlorofluoromethane (Freon 11)	0.35	0.020		1.9	0.11		0.4	10/26/13 23:31	TPH
1,2,4-Trimethylbenzene	0.73	0.020		3.6	0.098		0.4	10/26/13 23:31	TPH
1,3,5-Trimethylbenzene	0.086	0.020		0.42	0.098		0.4	10/26/13 23:31	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/26/13 23:31	TPH
m&p-Xylene	0.97	0.040		4.2	0.17		0.4	10/26/13 23:31	TPH
o-Xylene	0.31	0.020		1.3	0.087		0.4	10/26/13 23:31	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	90.1	70-130	10/26/13 23:31
4-Bromofluorobenzene (2)	82.8	70-130	10/26/13 23:31

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Room 152
Sample ID: 13J0773-06
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 09:40

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1717
 Canister Size: 6 liter
 Flow Controller ID: 4201
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	14	0.80		34	1.9		0.4	10/27/13 0:21	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13 0:21	TPH
Benzene	0.32	0.020		1.0	0.064		0.4	10/27/13 0:21	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13 0:21	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13 0:21	TPH
2-Butanone (MEK)	1.0	0.80		3.1	2.4		0.4	10/27/13 0:21	TPH
n-Butylbenzene	0.077	0.058		0.42	0.32		0.4	10/27/13 0:21	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13 0:21	TPH
Carbon Tetrachloride	0.070	0.020		0.44	0.13		0.4	10/27/13 0:21	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13 0:21	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/27/13 0:21	TPH
Chloroform	0.025	0.020		0.12	0.098		0.4	10/27/13 0:21	TPH
Chloromethane	0.61	0.040		1.3	0.083		0.4	10/27/13 0:21	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13 0:21	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13 0:21	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 0:21	TPH
1,3-Dichlorobenzene	0.020	0.020		0.12	0.12		0.4	10/27/13 0:21	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 0:21	TPH
Dichlorodifluoromethane (Freon 12)	0.41	0.020		2.0	0.099		0.4	10/27/13 0:21	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13 0:21	TPH
1,2-Dichloroethane	0.012	0.010		0.050	0.040		0.4	10/27/13 0:21	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 0:21	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 0:21	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 0:21	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13 0:21	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13 0:21	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 0:21	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 0:21	TPH
Ethylbenzene	0.21	0.020		0.90	0.087		0.4	10/27/13 0:21	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13 0:21	TPH
p-Isopropyltoluene (p-Cymene)	0.068	0.046		0.37	0.25		0.4	10/27/13 0:21	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13 0:21	TPH
Methylene Chloride	ND	0.20		ND	0.69		0.4	10/27/13 0:21	TPH
4-Methyl-2-pentanone (MIBK)	0.59	0.020		2.4	0.082		0.4	10/27/13 0:21	TPH
Styrene	0.068	0.020		0.29	0.085		0.4	10/27/13 0:21	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13 0:21	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13 0:21	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Room 152
Sample ID: 13J0773-06
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 09:40

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1717
 Canister Size: 6 liter
 Flow Controller ID: 4201
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.026	0.020		0.18	0.14		0.4	10/27/13 0:21	TPH
Toluene	0.32	0.020		1.2	0.075		0.4	10/27/13 0:21	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 0:21	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 0:21	TPH
Trichloroethylene	0.072	0.020		0.39	0.11		0.4	10/27/13 0:21	TPH
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.2	0.11		0.4	10/27/13 0:21	TPH
1,2,4-Trimethylbenzene	0.65	0.020		3.2	0.098		0.4	10/27/13 0:21	TPH
1,3,5-Trimethylbenzene	0.057	0.020		0.28	0.098		0.4	10/27/13 0:21	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/27/13 0:21	TPH
m&p-Xylene	0.62	0.040		2.7	0.17		0.4	10/27/13 0:21	TPH
o-Xylene	0.19	0.020		0.85	0.087		0.4	10/27/13 0:21	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	93.0	70-130	10/27/13 0:21
4-Bromofluorobenzene (2)	87.1	70-130	10/27/13 0:21

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Room 118
Sample ID: 13J0773-07
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 10:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1713
 Canister Size:
 Flow Controller ID: 4202
 Sample Type:

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): 0.2
 Flow Controller Type:
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed		Analyst	
Acetone	12	0.80		29	1.9		0.4	10/27/13	1:10
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13	1:10
Benzene	0.33	0.020		1.1	0.064		0.4	10/27/13	1:10
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13	1:10
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13	1:10
2-Butanone (MEK)	0.94	0.80		2.8	2.4		0.4	10/27/13	1:10
n-Butylbenzene	0.074	0.058		0.41	0.32		0.4	10/27/13	1:10
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13	1:10
Carbon Tetrachloride	0.066	0.020		0.42	0.13		0.4	10/27/13	1:10
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13	1:10
Chloroethane	ND	0.020		ND	0.053		0.4	10/27/13	1:10
Chloroform	ND	0.020		ND	0.098		0.4	10/27/13	1:10
Chloromethane	0.60	0.040		1.2	0.083		0.4	10/27/13	1:10
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13	1:10
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13	1:10
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13	1:10
1,3-Dichlorobenzene	0.024	0.020		0.15	0.12		0.4	10/27/13	1:10
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13	1:10
Dichlorodifluoromethane (Freon 12)	0.39	0.020		1.9	0.099		0.4	10/27/13	1:10
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13	1:10
1,2-Dichloroethane	0.013	0.010		0.053	0.040		0.4	10/27/13	1:10
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13	1:10
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13	1:10
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13	1:10
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13	1:10
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13	1:10
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13	1:10
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13	1:10
Ethylbenzene	0.18	0.020		0.77	0.087		0.4	10/27/13	1:10
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13	1:10
p-Isopropyltoluene (p-Cymene)	0.058	0.046		0.32	0.25		0.4	10/27/13	1:10
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13	1:10
Methylene Chloride	ND	0.20		ND	0.69		0.4	10/27/13	1:10
4-Methyl-2-pentanone (MIBK)	0.53	0.020		2.2	0.082		0.4	10/27/13	1:10
Styrene	0.062	0.020		0.27	0.085		0.4	10/27/13	1:10
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13	1:10
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13	1:10

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Room 118
Sample ID: 13J0773-07
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 10:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1713
 Canister Size:
 Flow Controller ID: 4202
 Sample Type:

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): 0.2
 Flow Controller Type:
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed	Analyst
Tetrachloroethylene	0.026	0.020		0.18	0.14	0.4	10/27/13 1:10 TPH
Toluene	0.31	0.020		1.2	0.075	0.4	10/27/13 1:10 TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11	0.4	10/27/13 1:10 TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11	0.4	10/27/13 1:10 TPH
Trichloroethylene	ND	0.020		ND	0.11	0.4	10/27/13 1:10 TPH
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	10/27/13 1:10 TPH
1,2,4-Trimethylbenzene	0.64	0.020		3.2	0.098	0.4	10/27/13 1:10 TPH
1,3,5-Trimethylbenzene	0.058	0.020		0.29	0.098	0.4	10/27/13 1:10 TPH
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/27/13 1:10 TPH
m&p-Xylene	0.52	0.040		2.3	0.17	0.4	10/27/13 1:10 TPH
o-Xylene	0.18	0.020		0.77	0.087	0.4	10/27/13 1:10 TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	92.1	70-130	10/27/13 1:10
4-Bromofluorobenzene (2)	87.8	70-130	10/27/13 1:10

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Room 110
Sample ID: 13J0773-08
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 10:40

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1317
 Canister Size: 6 liter
 Flow Controller ID: 4200
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): 0
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed		Analyst	
Acetone	12	0.80		29	1.9		0.4	10/27/13	1:59 TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13	1:59 TPH
Benzene	0.26	0.020		0.83	0.064		0.4	10/27/13	1:59 TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13	1:59 TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13	1:59 TPH
2-Butanone (MEK)	0.95	0.80		2.8	2.4		0.4	10/27/13	1:59 TPH
n-Butylbenzene	ND	0.058		ND	0.32		0.4	10/27/13	1:59 TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13	1:59 TPH
Carbon Tetrachloride	0.067	0.020		0.42	0.13		0.4	10/27/13	1:59 TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13	1:59 TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/27/13	1:59 TPH
Chloroform	0.022	0.020		0.11	0.098		0.4	10/27/13	1:59 TPH
Chloromethane	0.61	0.040		1.2	0.083		0.4	10/27/13	1:59 TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13	1:59 TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13	1:59 TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13	1:59 TPH
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13	1:59 TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13	1:59 TPH
Dichlorodifluoromethane (Freon 12)	0.41	0.020		2.0	0.099		0.4	10/27/13	1:59 TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13	1:59 TPH
1,2-Dichloroethane	0.012	0.010		0.050	0.040		0.4	10/27/13	1:59 TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13	1:59 TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13	1:59 TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13	1:59 TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13	1:59 TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13	1:59 TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13	1:59 TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13	1:59 TPH
Ethylbenzene	0.028	0.020		0.12	0.087		0.4	10/27/13	1:59 TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13	1:59 TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/27/13	1:59 TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13	1:59 TPH
Methylene Chloride	0.21	0.20		0.74	0.69		0.4	10/27/13	1:59 TPH
4-Methyl-2-pentanone (MIBK)	0.21	0.020		0.85	0.082		0.4	10/27/13	1:59 TPH
Styrene	0.027	0.020		0.11	0.085		0.4	10/27/13	1:59 TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13	1:59 TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13	1:59 TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: Room 110
Sample ID: 13J0773-08
 Sample Matrix: Indoor air
 Sampled: 10/18/2013 10:40

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1317
 Canister Size: 6 liter
 Flow Controller ID: 4200
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): 0
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.030	0.020		0.21	0.14		0.4	10/27/13 1:59	TPH
Toluene	0.18	0.020		0.67	0.075		0.4	10/27/13 1:59	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 1:59	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 1:59	TPH
Trichloroethylene	0.021	0.020		0.11	0.11		0.4	10/27/13 1:59	TPH
Trichlorofluoromethane (Freon 11)	0.21	0.020		1.2	0.11		0.4	10/27/13 1:59	TPH
1,2,4-Trimethylbenzene	0.028	0.020		0.14	0.098		0.4	10/27/13 1:59	TPH
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	10/27/13 1:59	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/27/13 1:59	TPH
m&p-Xylene	0.070	0.040		0.31	0.17		0.4	10/27/13 1:59	TPH
o-Xylene	0.025	0.020		0.11	0.087		0.4	10/27/13 1:59	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	93.9	70-130	10/27/13 1:59
4-Bromofluorobenzene (2)	89.0	70-130	10/27/13 1:59

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: MP-7
Sample ID: 13J0773-09
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 12:11

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1114
 Canister Size: 6 liter
 Flow Controller ID: 4204
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -0.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	20	0.80		47	1.9		0.4	10/27/13 2:49	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13 2:49	TPH
Benzene	0.27	0.020		0.86	0.064		0.4	10/27/13 2:49	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13 2:49	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13 2:49	TPH
2-Butanone (MEK)	1.3	0.80		4.0	2.4		0.4	10/27/13 2:49	TPH
n-Butylbenzene	0.14	0.058		0.74	0.32		0.4	10/27/13 2:49	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13 2:49	TPH
Carbon Tetrachloride	0.064	0.020		0.40	0.13		0.4	10/27/13 2:49	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13 2:49	TPH
Chloroethane	0.034	0.020		0.091	0.053		0.4	10/27/13 2:49	TPH
Chloroform	0.025	0.020		0.12	0.098		0.4	10/27/13 2:49	TPH
Chloromethane	ND	0.040		ND	0.083		0.4	10/27/13 2:49	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13 2:49	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13 2:49	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 2:49	TPH
1,3-Dichlorobenzene	0.43	0.020		2.6	0.12		0.4	10/27/13 2:49	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 2:49	TPH
Dichlorodifluoromethane (Freon 12)	0.39	0.020		1.9	0.099		0.4	10/27/13 2:49	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13 2:49	TPH
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	10/27/13 2:49	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 2:49	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 2:49	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 2:49	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13 2:49	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13 2:49	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 2:49	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 2:49	TPH
Ethylbenzene	0.47	0.020		2.0	0.087		0.4	10/27/13 2:49	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13 2:49	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/27/13 2:49	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13 2:49	TPH
Methylene Chloride	ND	0.20		ND	0.69		0.4	10/27/13 2:49	TPH
4-Methyl-2-pentanone (MIBK)	0.54	0.020		2.2	0.082		0.4	10/27/13 2:49	TPH
Styrene	0.081	0.020		0.35	0.085		0.4	10/27/13 2:49	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13 2:49	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13 2:49	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: MP-7
Sample ID: 13J0773-09
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 12:11

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1114
 Canister Size: 6 liter
 Flow Controller ID: 4204
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -0.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.090	0.020		0.61	0.14		0.4	10/27/13 2:49	TPH
Toluene	0.75	0.020		2.8	0.075		0.4	10/27/13 2:49	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 2:49	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 2:49	TPH
Trichloroethylene	0.41	0.020		2.2	0.11		0.4	10/27/13 2:49	TPH
Trichlorofluoromethane (Freon 11)	1.2	0.020		6.9	0.11		0.4	10/27/13 2:49	TPH
1,2,4-Trimethylbenzene	1.1	0.020		5.6	0.098		0.4	10/27/13 2:49	TPH
1,3,5-Trimethylbenzene	0.15	0.020		0.75	0.098		0.4	10/27/13 2:49	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/27/13 2:49	TPH
m&p-Xylene	1.5	0.040		6.3	0.17		0.4	10/27/13 2:49	TPH
o-Xylene	0.49	0.020		2.1	0.087		0.4	10/27/13 2:49	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	93.3	70-130	10/27/13 2:49
4-Bromofluorobenzene (2)	89.7	70-130	10/27/13 2:49

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: MP-8
Sample ID: 13J0773-10
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 12:02

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2011
 Canister Size: 6 liter
 Flow Controller ID: 4184
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	24	0.80		57	1.9		0.4	10/27/13 3:40	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13 3:40	TPH
Benzene	0.31	0.020		1.0	0.064		0.4	10/27/13 3:40	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13 3:40	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13 3:40	TPH
2-Butanone (MEK)	17	0.80		52	2.4		0.4	10/27/13 3:40	TPH
n-Butylbenzene	0.12	0.058		0.65	0.32		0.4	10/27/13 3:40	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13 3:40	TPH
Carbon Tetrachloride	0.072	0.020		0.45	0.13		0.4	10/27/13 3:40	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13 3:40	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/27/13 3:40	TPH
Chloroform	0.022	0.020		0.11	0.098		0.4	10/27/13 3:40	TPH
Chloromethane	ND	0.040		ND	0.083		0.4	10/27/13 3:40	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13 3:40	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13 3:40	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 3:40	TPH
1,3-Dichlorobenzene	0.37	0.020		2.2	0.12		0.4	10/27/13 3:40	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 3:40	TPH
Dichlorodifluoromethane (Freon 12)	0.44	0.020		2.2	0.099		0.4	10/27/13 3:40	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13 3:40	TPH
1,2-Dichloroethane	0.012	0.010		0.049	0.040		0.4	10/27/13 3:40	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 3:40	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 3:40	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 3:40	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13 3:40	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13 3:40	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 3:40	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 3:40	TPH
Ethylbenzene	0.59	0.020		2.6	0.087		0.4	10/27/13 3:40	TPH
Isopropylbenzene (Cumene)	0.056	0.051		0.27	0.25		0.4	10/27/13 3:40	TPH
p-Isopropyltoluene (p-Cymene)	0.094	0.046		0.51	0.25		0.4	10/27/13 3:40	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13 3:40	TPH
Methylene Chloride	0.22	0.20		0.77	0.69		0.4	10/27/13 3:40	TPH
4-Methyl-2-pentanone (MIBK)	0.56	0.020		2.3	0.082		0.4	10/27/13 3:40	TPH
Styrene	0.082	0.020		0.35	0.085		0.4	10/27/13 3:40	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13 3:40	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13 3:40	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: MP-8
Sample ID: 13J0773-10
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 12:02

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2011
 Canister Size: 6 liter
 Flow Controller ID: 4184
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.047	0.020		0.32	0.14		0.4	10/27/13 3:40	TPH
Toluene	2.0	0.020		7.5	0.075		0.4	10/27/13 3:40	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 3:40	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 3:40	TPH
Trichloroethylene	0.090	0.020		0.48	0.11		0.4	10/27/13 3:40	TPH
Trichlorofluoromethane (Freon 11)	0.53	0.020		3.0	0.11		0.4	10/27/13 3:40	TPH
1,2,4-Trimethylbenzene	1.3	0.020		6.4	0.098		0.4	10/27/13 3:40	TPH
1,3,5-Trimethylbenzene	0.20	0.020		0.99	0.098		0.4	10/27/13 3:40	TPH
Vinyl Chloride	0.025	0.020		0.063	0.051		0.4	10/27/13 3:40	TPH
m&p-Xylene	1.8	0.040		8.0	0.17		0.4	10/27/13 3:40	TPH
o-Xylene	0.68	0.020		2.9	0.087		0.4	10/27/13 3:40	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	93.5	70-130	10/27/13 3:40
4-Bromofluorobenzene (2)	90.5	70-130	10/27/13 3:40

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: MP-2
Sample ID: 13J0773-11
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 11:43

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2014
 Canister Size: 6 liter
 Flow Controller ID: 4178
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -0
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	18	0.80		43	1.9		0.4	10/27/13 4:29	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13 4:29	TPH
Benzene	0.21	0.020		0.66	0.064		0.4	10/27/13 4:29	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13 4:29	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13 4:29	TPH
2-Butanone (MEK)	31	0.80		91	2.4		0.4	10/27/13 4:29	TPH
n-Butylbenzene	0.098	0.058		0.54	0.32		0.4	10/27/13 4:29	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13 4:29	TPH
Carbon Tetrachloride	0.071	0.020		0.45	0.13		0.4	10/27/13 4:29	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13 4:29	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/27/13 4:29	TPH
Chloroform	ND	0.020		ND	0.098		0.4	10/27/13 4:29	TPH
Chloromethane	ND	0.040		ND	0.083		0.4	10/27/13 4:29	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13 4:29	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13 4:29	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 4:29	TPH
1,3-Dichlorobenzene	0.087	0.020		0.52	0.12		0.4	10/27/13 4:29	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 4:29	TPH
Dichlorodifluoromethane (Freon 12)	0.41	0.020		2.0	0.099		0.4	10/27/13 4:29	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13 4:29	TPH
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	10/27/13 4:29	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 4:29	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 4:29	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 4:29	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13 4:29	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13 4:29	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 4:29	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 4:29	TPH
Ethylbenzene	0.39	0.020		1.7	0.087		0.4	10/27/13 4:29	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13 4:29	TPH
p-Isopropyltoluene (p-Cymene)	0.069	0.046		0.38	0.25		0.4	10/27/13 4:29	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13 4:29	TPH
Methylene Chloride	ND	0.20		ND	0.69		0.4	10/27/13 4:29	TPH
4-Methyl-2-pentanone (MIBK)	0.45	0.020		1.8	0.082		0.4	10/27/13 4:29	TPH
Styrene	0.059	0.020		0.25	0.085		0.4	10/27/13 4:29	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13 4:29	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13 4:29	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: MP-2
Sample ID: 13J0773-11
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 11:43

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2014
 Canister Size: 6 liter
 Flow Controller ID: 4178
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -0
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	2.1	0.020		14	0.14		0.4	10/27/13 4:29	TPH
Toluene	0.62	0.020		2.3	0.075		0.4	10/27/13 4:29	TPH
1,1,1-Trichloroethane	0.043	0.020		0.23	0.11		0.4	10/27/13 4:29	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 4:29	TPH
Trichloroethylene	0.61	0.020		3.3	0.11		0.4	10/27/13 4:29	TPH
Trichlorofluoromethane (Freon 11)	0.71	0.020		4.0	0.11		0.4	10/27/13 4:29	TPH
1,2,4-Trimethylbenzene	0.98	0.020		4.8	0.098		0.4	10/27/13 4:29	TPH
1,3,5-Trimethylbenzene	0.11	0.020		0.53	0.098		0.4	10/27/13 4:29	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/27/13 4:29	TPH
m&p-Xylene	1.2	0.040		5.0	0.17		0.4	10/27/13 4:29	TPH
o-Xylene	0.39	0.020		1.7	0.087		0.4	10/27/13 4:29	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	92.9	70-130	10/27/13 4:29
4-Bromofluorobenzene (2)	89.8	70-130	10/27/13 4:29

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: MP-5
Sample ID: 13J0773-12
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 12:13

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2012
 Canister Size: 6 liter
 Flow Controller ID: 4185
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -0.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	26	0.80		61	1.9		0.4	10/27/13 5:19	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13 5:19	TPH
Benzene	0.20	0.020		0.63	0.064		0.4	10/27/13 5:19	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13 5:19	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13 5:19	TPH
2-Butanone (MEK)	9.3	0.80		28	2.4		0.4	10/27/13 5:19	TPH
n-Butylbenzene	0.094	0.058		0.52	0.32		0.4	10/27/13 5:19	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13 5:19	TPH
Carbon Tetrachloride	0.065	0.020		0.41	0.13		0.4	10/27/13 5:19	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13 5:19	TPH
Chloroethane	0.042	0.020		0.11	0.053		0.4	10/27/13 5:19	TPH
Chloroform	0.060	0.020		0.29	0.098		0.4	10/27/13 5:19	TPH
Chloromethane	ND	0.040		ND	0.083		0.4	10/27/13 5:19	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13 5:19	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13 5:19	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 5:19	TPH
1,3-Dichlorobenzene	0.23	0.020		1.4	0.12		0.4	10/27/13 5:19	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 5:19	TPH
Dichlorodifluoromethane (Freon 12)	0.39	0.020		1.9	0.099		0.4	10/27/13 5:19	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13 5:19	TPH
1,2-Dichloroethane	0.011	0.010		0.044	0.040		0.4	10/27/13 5:19	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 5:19	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 5:19	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 5:19	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13 5:19	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13 5:19	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 5:19	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 5:19	TPH
Ethylbenzene	0.45	0.020		1.9	0.087		0.4	10/27/13 5:19	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13 5:19	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/27/13 5:19	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13 5:19	TPH
Methylene Chloride	ND	0.20		ND	0.69		0.4	10/27/13 5:19	TPH
4-Methyl-2-pentanone (MIBK)	0.67	0.020		2.7	0.082		0.4	10/27/13 5:19	TPH
Styrene	0.062	0.020		0.26	0.085		0.4	10/27/13 5:19	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13 5:19	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13 5:19	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: MP-5
Sample ID: 13J0773-12
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 12:13

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2012
 Canister Size: 6 liter
 Flow Controller ID: 4185
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -0.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	1.1	0.020		7.3	0.14		0.4	10/27/13 5:19	TPH
Toluene	0.82	0.020		3.1	0.075		0.4	10/27/13 5:19	TPH
1,1,1-Trichloroethane	0.035	0.020		0.19	0.11		0.4	10/27/13 5:19	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 5:19	TPH
Trichloroethylene	14	0.020		76	0.11		0.4	10/27/13 5:19	TPH
Trichlorofluoromethane (Freon 11)	3.4	0.020		19	0.11		0.4	10/27/13 5:19	TPH
1,2,4-Trimethylbenzene	0.87	0.020		4.3	0.098		0.4	10/27/13 5:19	TPH
1,3,5-Trimethylbenzene	0.11	0.020		0.52	0.098		0.4	10/27/13 5:19	TPH
Vinyl Chloride	0.029	0.020		0.074	0.051		0.4	10/27/13 5:19	TPH
m&p-Xylene	1.3	0.040		5.6	0.17		0.4	10/27/13 5:19	TPH
o-Xylene	0.44	0.020		1.9	0.087		0.4	10/27/13 5:19	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	93.1	70-130	10/27/13 5:19
4-Bromofluorobenzene (2)	90.7	70-130	10/27/13 5:19

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: AOA
Sample ID: 13J0773-13
 Sample Matrix: Ambient Air
 Sampled: 10/18/2013 11:57

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1851
 Canister Size: 6 liter
 Flow Controller ID: 4203
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -1.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	8.4	0.80		20	1.9		0.4	10/27/13 6:09	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13 6:09	TPH
Benzene	0.32	0.020		1.0	0.064		0.4	10/27/13 6:09	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13 6:09	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13 6:09	TPH
2-Butanone (MEK)	1.1	0.80		3.2	2.4		0.4	10/27/13 6:09	TPH
n-Butylbenzene	0.062	0.058		0.34	0.32		0.4	10/27/13 6:09	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13 6:09	TPH
Carbon Tetrachloride	0.069	0.020		0.44	0.13		0.4	10/27/13 6:09	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13 6:09	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/27/13 6:09	TPH
Chloroform	ND	0.020		ND	0.098		0.4	10/27/13 6:09	TPH
Chloromethane	0.51	0.040		1.1	0.083		0.4	10/27/13 6:09	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13 6:09	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13 6:09	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 6:09	TPH
1,3-Dichlorobenzene	0.39	0.020		2.4	0.12		0.4	10/27/13 6:09	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 6:09	TPH
Dichlorodifluoromethane (Freon 12)	0.40	0.020		2.0	0.099		0.4	10/27/13 6:09	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13 6:09	TPH
1,2-Dichloroethane	0.012	0.010		0.049	0.040		0.4	10/27/13 6:09	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 6:09	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 6:09	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 6:09	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13 6:09	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13 6:09	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 6:09	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 6:09	TPH
Ethylbenzene	0.10	0.020		0.43	0.087		0.4	10/27/13 6:09	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13 6:09	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/27/13 6:09	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13 6:09	TPH
Methylene Chloride	0.20	0.20		0.71	0.69		0.4	10/27/13 6:09	TPH
4-Methyl-2-pentanone (MIBK)	0.36	0.020		1.5	0.082		0.4	10/27/13 6:09	TPH
Styrene	0.031	0.020		0.13	0.085		0.4	10/27/13 6:09	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13 6:09	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13 6:09	TPH

ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/21/2013

Field Sample #: AOA

Sample ID: 13J0773-13

Sample Matrix: Ambient Air

Sampled: 10/18/2013 11:57

Sample Description/Location:

Sub Description/Location:

Canister ID: 1851

Canister Size: 6 liter

Flow Controller ID: 4203

Sample Type: 30 min

Work Order: 13J0773

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -1.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.020		ND	0.14		0.4	10/27/13 6:09	TPH
Toluene	0.17	0.020		0.66	0.075		0.4	10/27/13 6:09	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 6:09	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 6:09	TPH
Trichloroethylene	ND	0.020		ND	0.11		0.4	10/27/13 6:09	TPH
Trichlorofluoromethane (Freon 11)	0.20	0.020		1.1	0.11		0.4	10/27/13 6:09	TPH
1,2,4-Trimethylbenzene	0.47	0.020		2.3	0.098		0.4	10/27/13 6:09	TPH
1,3,5-Trimethylbenzene	0.036	0.020		0.18	0.098		0.4	10/27/13 6:09	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/27/13 6:09	TPH
m&p-Xylene	0.29	0.040		1.3	0.17		0.4	10/27/13 6:09	TPH
o-Xylene	0.10	0.020		0.46	0.087		0.4	10/27/13 6:09	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	93.8	70-130	10/27/13 6:09
4-Bromofluorobenzene (2)	90.3	70-130	10/27/13 6:09

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: IMP-1
Sample ID: 13J0773-14
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 10:06

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2013
 Canister Size: 6 liter
 Flow Controller ID: 4182
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -0.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	20	0.80		48	1.9		0.4	10/27/13 6:59	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13 6:59	TPH
Benzene	0.086	0.020		0.28	0.064		0.4	10/27/13 6:59	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13 6:59	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13 6:59	TPH
2-Butanone (MEK)	2.8	0.80		8.2	2.4		0.4	10/27/13 6:59	TPH
n-Butylbenzene	0.12	0.058		0.68	0.32		0.4	10/27/13 6:59	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13 6:59	TPH
Carbon Tetrachloride	0.070	0.020		0.44	0.13		0.4	10/27/13 6:59	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13 6:59	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/27/13 6:59	TPH
Chloroform	0.023	0.020		0.11	0.098		0.4	10/27/13 6:59	TPH
Chloromethane	0.19	0.040		0.40	0.083		0.4	10/27/13 6:59	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13 6:59	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13 6:59	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 6:59	TPH
1,3-Dichlorobenzene	0.026	0.020		0.16	0.12		0.4	10/27/13 6:59	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 6:59	TPH
Dichlorodifluoromethane (Freon 12)	0.40	0.020		2.0	0.099		0.4	10/27/13 6:59	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13 6:59	TPH
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	10/27/13 6:59	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 6:59	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 6:59	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 6:59	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13 6:59	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13 6:59	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 6:59	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 6:59	TPH
Ethylbenzene	0.35	0.020		1.5	0.087		0.4	10/27/13 6:59	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13 6:59	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	10/27/13 6:59	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13 6:59	TPH
Methylene Chloride	ND	0.20		ND	0.69		0.4	10/27/13 6:59	TPH
4-Methyl-2-pentanone (MIBK)	0.73	0.020		3.0	0.082		0.4	10/27/13 6:59	TPH
Styrene	0.12	0.020		0.50	0.085		0.4	10/27/13 6:59	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13 6:59	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13 6:59	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: IMP-1
Sample ID: 13J0773-14
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 10:06

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2013
 Canister Size: 6 liter
 Flow Controller ID: 4182
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -0.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.047	0.020		0.32	0.14		0.4	10/27/13 6:59	TPH
Toluene	0.36	0.020		1.3	0.075		0.4	10/27/13 6:59	TPH
1,1,1-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 6:59	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 6:59	TPH
Trichloroethylene	0.12	0.020		0.66	0.11		0.4	10/27/13 6:59	TPH
Trichlorofluoromethane (Freon 11)	0.29	0.020		1.6	0.11		0.4	10/27/13 6:59	TPH
1,2,4-Trimethylbenzene	1.0	0.020		5.0	0.098		0.4	10/27/13 6:59	TPH
1,3,5-Trimethylbenzene	0.090	0.020		0.44	0.098		0.4	10/27/13 6:59	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/27/13 6:59	TPH
m&p-Xylene	1.1	0.040		4.7	0.17		0.4	10/27/13 6:59	TPH
o-Xylene	0.32	0.020		1.4	0.087		0.4	10/27/13 6:59	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	95.2	70-130	10/27/13 6:59
4-Bromofluorobenzene (2)	92.8	70-130	10/27/13 6:59

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: IMP-3
Sample ID: 13J0773-15
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 10:12

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2016
 Canister Size: 6 liter
 Flow Controller ID: 4179
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -1
 Receipt Vacuum(in Hg): -1.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	18	0.80		42	1.9		0.4	10/27/13 7:49	TPH
Acrylonitrile	ND	0.12		ND	0.25		0.4	10/27/13 7:49	TPH
Benzene	0.29	0.020		0.92	0.064		0.4	10/27/13 7:49	TPH
Bromodichloromethane	ND	0.020		ND	0.13		0.4	10/27/13 7:49	TPH
Bromoform	ND	0.020		ND	0.21		0.4	10/27/13 7:49	TPH
2-Butanone (MEK)	2.2	0.80		6.4	2.4		0.4	10/27/13 7:49	TPH
n-Butylbenzene	0.16	0.058		0.87	0.32		0.4	10/27/13 7:49	TPH
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	10/27/13 7:49	TPH
Carbon Tetrachloride	0.075	0.020		0.47	0.13		0.4	10/27/13 7:49	TPH
Chlorobenzene	ND	0.020		ND	0.092		0.4	10/27/13 7:49	TPH
Chloroethane	ND	0.020		ND	0.053		0.4	10/27/13 7:49	TPH
Chloroform	0.064	0.020		0.31	0.098		0.4	10/27/13 7:49	TPH
Chloromethane	0.51	0.040		1.1	0.083		0.4	10/27/13 7:49	TPH
Dibromochloromethane	ND	0.020		ND	0.17		0.4	10/27/13 7:49	TPH
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.4	10/27/13 7:49	TPH
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 7:49	TPH
1,3-Dichlorobenzene	0.036	0.020		0.22	0.12		0.4	10/27/13 7:49	TPH
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	10/27/13 7:49	TPH
Dichlorodifluoromethane (Freon 12)	0.43	0.020		2.1	0.099		0.4	10/27/13 7:49	TPH
1,1-Dichloroethane	ND	0.020		ND	0.081		0.4	10/27/13 7:49	TPH
1,2-Dichloroethane	0.019	0.010		0.076	0.040		0.4	10/27/13 7:49	TPH
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 7:49	TPH
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 7:49	TPH
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.4	10/27/13 7:49	TPH
1,2-Dichloropropane	ND	0.020		ND	0.092		0.4	10/27/13 7:49	TPH
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	10/27/13 7:49	TPH
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 7:49	TPH
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.4	10/27/13 7:49	TPH
Ethylbenzene	0.43	0.020		1.9	0.087		0.4	10/27/13 7:49	TPH
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	10/27/13 7:49	TPH
p-Isopropyltoluene (p-Cymene)	0.099	0.046		0.54	0.25		0.4	10/27/13 7:49	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	10/27/13 7:49	TPH
Methylene Chloride	0.21	0.20		0.74	0.69		0.4	10/27/13 7:49	TPH
4-Methyl-2-pentanone (MIBK)	0.94	0.020		3.8	0.082		0.4	10/27/13 7:49	TPH
Styrene	0.13	0.020		0.57	0.085		0.4	10/27/13 7:49	TPH
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	10/27/13 7:49	TPH
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.4	10/27/13 7:49	TPH

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 10/21/2013
Field Sample #: IMP-3
Sample ID: 13J0773-15
 Sample Matrix: Sub Slab
 Sampled: 10/18/2013 10:12

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2016
 Canister Size: 6 liter
 Flow Controller ID: 4179
 Sample Type: 30 min

Work Order: 13J0773
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -1
 Receipt Vacuum(in Hg): -1.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.21	0.020		1.4	0.14		0.4	10/27/13 7:49	TPH
Toluene	0.50	0.020		1.9	0.075		0.4	10/27/13 7:49	TPH
1,1,1-Trichloroethane	0.051	0.020		0.28	0.11		0.4	10/27/13 7:49	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.4	10/27/13 7:49	TPH
Trichloroethylene	2.8	0.020		15	0.11		0.4	10/27/13 7:49	TPH
Trichlorofluoromethane (Freon 11)	3.5	0.020		20	0.11		0.4	10/27/13 7:49	TPH
1,2,4-Trimethylbenzene	1.2	0.020		5.7	0.098		0.4	10/27/13 7:49	TPH
1,3,5-Trimethylbenzene	0.11	0.020		0.53	0.098		0.4	10/27/13 7:49	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.4	10/27/13 7:49	TPH
m&p-Xylene	1.4	0.040		5.9	0.17		0.4	10/27/13 7:49	TPH
o-Xylene	0.39	0.020		1.7	0.087		0.4	10/27/13 7:49	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	94.4	70-130	10/27/13 7:49
4-Bromofluorobenzene (2)	92.2	70-130	10/27/13 7:49

Sample Extraction Data
Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
13J0773-01 [Gymnasium]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-02 [Cafeteria]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-03 [Kitchen Storage Room]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-04 [Elevator Hallway]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-05 [Room 145]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-06 [Room 152]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-07 [Room 118]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-08 [Room 110]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-09 [MP-7]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-10 [MP-8]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-11 [MP-2]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-12 [MP-5]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-13 [AOA]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-14 [IMP-1]	B083751	1	1	N/A	1000	400	1000	10/26/13
13J0773-15 [IMP-3]	B083751	1	1	N/A	1000	400	1000	10/26/13

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	-----------

Batch B083751 - TO-15 Prep

Blank (B083751-BLK1)	Prepared & Analyzed: 10/26/13									
Acetone	ND	0.80								
Acrylonitrile	ND	0.12								
Benzene	ND	0.020								
Bromodichloromethane	ND	0.020								
Bromoform	ND	0.020								
2-Butanone (MEK)	ND	0.80								
n-Butylbenzene	ND	0.058								
sec-Butylbenzene	ND	0.046								
Carbon Tetrachloride	ND	0.020								
Chlorobenzene	ND	0.020								
Chloroethane	ND	0.020								
Chloroform	ND	0.020								
Chloromethane	ND	0.040								
Dibromochloromethane	ND	0.020								
1,2-Dibromoethane (EDB)	ND	0.020								
1,2-Dichlorobenzene	ND	0.020								
1,3-Dichlorobenzene	ND	0.020								
1,4-Dichlorobenzene	ND	0.020								
Dichlorodifluoromethane (Freon 12)	ND	0.020								
1,1-Dichloroethane	ND	0.020								
1,2-Dichloroethane	ND	0.010								
1,1-Dichloroethylene	ND	0.020								
cis-1,2-Dichloroethylene	ND	0.020								
trans-1,2-Dichloroethylene	ND	0.020								
1,2-Dichloropropane	ND	0.020								
1,3-Dichloropropane	ND	0.054								
cis-1,3-Dichloropropene	ND	0.020								
trans-1,3-Dichloropropene	ND	0.020								
Ethylbenzene	ND	0.020								
Isopropylbenzene (Cumene)	ND	0.051								
p-Isopropyltoluene (p-Cymene)	ND	0.046								
Methyl tert-Butyl Ether (MTBE)	ND	0.020								
Methylene Chloride	ND	0.20								
4-Methyl-2-pentanone (MIBK)	ND	0.020								
Styrene	ND	0.020								
1,1,1,2-Tetrachloroethane	ND	0.036								
1,1,2,2-Tetrachloroethane	ND	0.020								
Tetrachloroethylene	ND	0.020								
Toluene	ND	0.020								
1,1,1-Trichloroethane	ND	0.020								
1,1,2-Trichloroethane	ND	0.020								
Trichloroethylene	ND	0.020								
Trichlorofluoromethane (Freon 11)	ND	0.020								
1,2,4-Trimethylbenzene	ND	0.020								
1,3,5-Trimethylbenzene	ND	0.020								
Vinyl Chloride	ND	0.020								

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	--------	------------	--------------	-----------

Batch B083751 - TO-15 Prep

Blank (B083751-BLK1)	Prepared & Analyzed: 10/26/13						
m&p-Xylene	ND	0.040					
o-Xylene	ND	0.020					
Surrogate: 4-Bromofluorobenzene (1)	7.17		8.00		89.7	70-130	
Surrogate: 4-Bromofluorobenzene (2)	6.51		8.00		81.4	70-130	
LCS (B083751-BS1)	Prepared & Analyzed: 10/26/13						
Acetone	6.46		5.00		129	70-130	
Acrylonitrile	2.44		2.88		84.8	70-130	
Benzene	4.55		5.00		90.9	70-130	
Bromodichloromethane	4.73		5.00		94.6	70-130	
Bromoform	5.13		5.00		103	70-130	
2-Butanone (MEK)	5.58		5.00		112	70-130	
n-Butylbenzene	0.934		1.14		81.9	70-130	
sec-Butylbenzene	1.02		1.14		89.5	70-130	
Carbon Tetrachloride	4.60		5.00		92.1	70-130	
Chlorobenzene	4.96		5.00		99.2	70-130	
Chloroethane	5.75		5.00		115	70-130	
Chloroform	4.44		5.00		88.8	70-130	
Chloromethane	4.95		5.00		99.1	70-130	
Dibromochloromethane	5.14		5.00		103	70-130	
1,2-Dibromoethane (EDB)	4.94		5.00		98.9	70-130	
1,2-Dichlorobenzene	5.10		5.00		102	70-130	
1,3-Dichlorobenzene	5.14		5.00		103	70-130	
1,4-Dichlorobenzene	5.15		5.00		103	70-130	
Dichlorodifluoromethane (Freon 12)	4.27		5.00		85.4	70-130	
1,1-Dichloroethane	4.50		5.00		90.1	70-130	
1,2-Dichloroethane	4.64		5.00		92.7	70-130	
1,1-Dichloroethylene	4.62		5.00		92.5	70-130	
cis-1,2-Dichloroethylene	4.65		5.00		93.0	70-130	
trans-1,2-Dichloroethylene	4.62		5.00		92.3	70-130	
1,2-Dichloropropane	4.44		5.00		88.8	70-130	
1,3-Dichloropropane	1.31		1.35		97.3	70-130	
cis-1,3-Dichloropropene	4.98		5.00		99.5	70-130	
trans-1,3-Dichloropropene	5.13		5.00		103	70-130	
Ethylbenzene	5.29		5.00		106	70-130	
Isopropylbenzene (Cumene)	1.16		1.27		91.2	70-130	
p-Isopropyltoluene (p-Cymene)	0.925		1.14		81.1	70-130	
Methyl tert-Butyl Ether (MTBE)	4.70		5.00		94.0	70-130	
Methylene Chloride	4.30		5.00		86.0	70-130	
4-Methyl-2-pentanone (MIBK)	5.40		5.00		108	70-130	
Styrene	5.51		5.00		110	70-130	
1,1,1,2-Tetrachloroethane	0.804		0.910		88.4	70-130	
1,1,2,2-Tetrachloroethane	4.82		5.00		96.4	70-130	
Tetrachloroethylene	5.11		5.00		102	70-130	
Toluene	5.14		5.00		103	70-130	
1,1,1-Trichloroethane	4.52		5.00		90.3	70-130	
1,1,2-Trichloroethane	4.78		5.00		95.7	70-130	

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	-------	-----------

Batch B083751 - TO-15 Prep

LCS (B083751-BS1)	Prepared & Analyzed: 10/26/13					
Trichlorethylene	4.57		5.00		91.5	70-130
Trichlorofluoromethane (Freon 11)	4.67		5.00		93.5	70-130
1,2,4-Trimethylbenzene	5.20		5.00		104	70-130
1,3,5-Trimethylbenzene	5.42		5.00		108	70-130
Vinyl Chloride	5.44		5.00		109	70-130
m&p-Xylene	11.1		10.0		111	70-130
o-Xylene	5.31		5.00		106	70-130
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	7.23		8.00		90.4	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	6.50		8.00		81.3	70-130

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

CERTIFICATIONS
Certified Analyses included in this Report

Analyte	Certifications
EPA TO-15 in Air	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

EPA TO-15 in Air

o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2014
MA	Massachusetts DEP	M-MA100	06/30/2014
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2014
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2014
RI	Rhode Island Department of Health	LAO00112	12/30/2013
NC	North Carolina Div. of Water Quality	652	12/31/2013
NJ	New Jersey DEP	MA007 NELAP	06/30/2014
FL	Florida Department of Health	E871027 NELAP	06/30/2014
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2014
WA	State of Washington Department of Ecology	C2065	02/23/2014
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2014
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2014

AIR SAMPLE CHAIN OF CUSTODY RECORD

39 SPRUCE ST
EAST LONGMEADOW, MA 01028

Page 1 of 2

www.contestlabs.com

Telephone: (401) 733-63440
Project #: 150666.C1

Address:

2374 Post Rd., Suite 102

Westerly, RI 02886

Attention:

Marcy Russo & test.com

Project Location:

Alvezeez

Sampled By:

M.Russo & H. Hunter

Proposal Provided? (For Billing purposes)

 yes _____ proposal date

Start	Stop	Total	Flow Rate	Volume	
Date	Date	Minutes	M³/Min. or L / Min.	Liters or M³	Matrix Code*
10/18/13 0930	10/18/13 1004				IA Y
10/18/13 0932	10/18/13 1003				IA X
10/18/13 0936	10/18/13 1007				IA X
10/18/13 0940	10/18/13 1011				IA Y
10/18/13 0945	10/18/13 1016				IA Y
10/18/13 1001	10/18/13 1024				IA Y
10/18/13 1004	10/18/13 1029	-29	-1.19	1169	4199
10/18/13 1007	10/18/13 1036	-29	-2.20	3017	4188
10/18/13 1011	10/18/13 1041	-29	-2.20	2019	4181
10/18/13 1016	10/18/13 1045	-29	-4.5	2013	4183
10/18/13 1024	10/18/13 1052	-29	-2.20	1717	4201
10/18/13 1029	10/18/13 1056	-29	-2.20	1713	4202
10/18/13 1036	10/18/13 1059	-28	0.2	1317	4200
10/18/13 1041	10/18/13 1100	-28	0	0	

DATA DELIVERY (check one):	
<input type="checkbox"/> FAX	<input checked="" type="checkbox"/> EMAIL
<input type="checkbox"/> WEBSITE	<input type="checkbox"/> CLIENT
Fax #:	
Email:	<input checked="" type="checkbox"/> MARUSSO@TEST.COM
Format:	<input type="checkbox"/> EXCEL <input checked="" type="checkbox"/> PDF <input type="checkbox"/> GIS KEY <input type="checkbox"/> OTHER

Laboratory Comments:

CLIENT COMMENTS:

Relinquished by: <i>(Signature)</i>	Date/Time: 10/21/10 10:10	Turnaround **	Special Requirements
Received by: <i>(Signature)</i>	Date/Time: 10/21/10 10:10	<input checked="" type="checkbox"/> 7-Day <input type="checkbox"/> 10-Day <input type="checkbox"/> Other _____	Regulations: CT Target analytes Data Enhancement/RCP? <input type="checkbox"/> Y <input type="checkbox"/> N Enhanced Data Package <input type="checkbox"/> Y <input type="checkbox"/> N (Surcharge Applies) RUSH * <i>(Signature)</i>
Received by: <i>(Signature)</i>	Date/Time: 10/21/10 10:10	<input type="checkbox"/> *24-Hr <input type="checkbox"/> *48-Hr <input type="checkbox"/> *72-Hr <input type="checkbox"/> *4-Day	Required Detection Limits: <i>Per contract</i> Other: _____
Received by: <i>(Signature)</i>	Date/Time: 10/21/10 10:10	<input type="checkbox"/> Approval Required	O = other

*Approval Required

**Turnaround time starts at 9:00 A.M. the day after sample receipt unless there are questions on your chain. If this form is not filled out completely or is incorrect, turnaround time will not start until all questions are answered by our client.

AHA, NELAC & WBE/DBE Certified



Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com

130773 AIR SAMPLE CHAIN OF CUSTODY RECORD

39 SPRUCE ST
EAST LONGMEADOW, MA 01028

Page 2 of 2

www.contestlabs.com

Telephone: (401) 736-3440
Project # 15066.01

Company Name: EA Engineering
Address: 2374 Post Rd, Suite 102
Westerly, RI 02886

Attention:

Mark Russo
mark.russo@contest.com

Project Location:

Alvarez
Mark Russo & H. Hunter

Sampled By:

Proposal Provided? (For Billing purposes)

yes _____ proposal date

DATA DELIVERY (check one)	
<input type="checkbox"/> FAX	<input checked="" type="checkbox"/> EMAIL
<input type="checkbox"/> WEBSITE	<input type="checkbox"/> CLIENT
<input type="checkbox"/> EXCEL	<input type="checkbox"/> PDF
<input type="checkbox"/> GIS KEY	<input type="checkbox"/> OTHER

Email: MARKRUSSO@CONTEST.COM

Format:

Date Sampled ONLY USE WHEN USING PUMPS

ANALYSIS		"Hg		(Please fill out completely, sign, date and retain the yellow copy for your record.)					
Field ID	Sample Description	Media	Lab #	Date Time	Minutes	L / Min.	M³	Code*	Matrix
MP-7		CG		10/18/13 11:34	14/18/13 12:11	37	55	X	-30 0
MP-8		CG		10/18/13 11:39	10/18/13 12:02		55	V	-29 -2 05
MP-2		CG		10/18/13 11:45	10/18/13 11:45		55	X	-30 0 2014 41178
MP-5		CG		10/18/13 11:59	10/18/13 12:13		55	X	-29 0 2012 4185
AQA		CG		10/18/13 12:03	10/18/13 12:03		ANB	X	-30 0 1851 4623
IMP-1		CG		10/18/13 12:06	10/18/13 12:06		55	X	-30 0 2013 4182
IMP-3		CG		10/18/13 12:12	10/18/13 12:12		55	X	-30 -1 0 2016 4179


Laboratory Comments:

CLIENT COMMENTS:

Relinquished by: (signature) 	Date/Time: 10/21/13 10:10	Turnaround ** <input checked="" type="checkbox"/> 7-Day <input type="checkbox"/> 10-Day <input type="checkbox"/> Other _____	Special Requirements Regulations: CT Target Analytes Data Enhancement/RCP? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Enhanced Data Package <input type="checkbox"/> Y <input checked="" type="checkbox"/> N (Surcharge Applies) Required Detection Limits: pec contract	*Matrix Code: SG= SOIL GAS IA= INDOOR AIR AMB=AMBIENT SS = SUB SLAB D = DUP BL = BLANK O = other
Received by: (signature) 	Date/Time: 10/21/13 10:10	Date/Time: 10/21/13 17:45	<input type="checkbox"/> *24-Hr <input type="checkbox"/> *48-Hr <input type="checkbox"/> *72-Hr <input type="checkbox"/> *4-Day Other: _____	**Media Codes: S=summary can TB=tedlar bag P=PUF T=tube F=filter C=cassette O= Other
Received by: (signature) 	Date/Time: 10/21/13 17:45			

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBEDBE Certified



www.contestlabs.com

AIR Only Receipt ChecklistCLIENT NAME: EA EngineeringRECEIVED BY: RLFDATE: 10/21/13

1) Was the chain(s) of custody relinquished and signed?

 Yes

No

2) Does the chain agree with the samples?

 Yes

No

If not, explain:

3) Are all the samples in good condition?

 Yes

No

If not, explain:

4) Are there any samples "On Hold"?

 Yes No

Stored where: _____

5) Are there any RUSH or SHORT HOLDING TIME samples?

 Yes No

Who was notified _____ Date _____ Time _____

6) Location where samples are stored:

Air LabPermission to subcontract samples? Yes No

(Walk-in clients only) if not already approved

Client Signature: _____

7) Temperature °C by Temp blank _____ Temperature °C by Temp gun _____

Containers received at Con-Test

		# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)		15	6L
Tedlar Bags			
TO-17 Tubes			
Regulators		15	30 min
Restrictors			
Hg/Hopcalite Tube (NIOSH 6009)			
(TO-4A/ TO-10A/TO-13) PUFs			
PCB Florisil Tubes (NIOSH 5503)			
Air cassette			
PM 2.5/PM 10			
TO-11A Cartridges			
Other			

Unused Summas/PUF Media:

Unused Regulators:

1) Was all media (used & unused) checked into the WASP?

2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:	1169 2015 1713 2011 1857	4199 4183 4002 4184 4003
	2017 2010 1317 2014 2013	4180 4100 4000 4178 4182
	2019 1717 1114 2012 2016	4181 4001 4004 4185 4179

Page 2 of 2
Login Sample Receipt Checklist
(Rejection Criteria Listing - Using Sample Acceptance Policy)
Any False statement will be brought to the attention of Client

<u>Question</u>	<u>Answer (True/False)</u>		<u>Comment</u>
	T/F/NA		
1) The cooler's custody seal, if present, is intact.	T		
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.	NA		
4) Cooler Temperature is acceptable.	NA		
5) Cooler Temperature is recorded.	NA		
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) There are no discrepancies between the sample IDs on the container and the COC.	T		
10) Samples are received within Holding Time.	T		
11) Sample containers have legible labels.	T		
12) Containers are not broken or leaking.	T		
13) Air Cassettes are not broken/open.	NA		
14) Sample collection date/times are provided.	T		
15) Appropriate sample containers are used.	T		
16) Proper collection media used.	T		
17) No headspace sample bottles are completely filled.	NA		
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	NA		
19) Trip blanks provided if applicable.	NA		
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	NA		
21) Samples do not require splitting or compositing.	T		

Who notified of False statements?
 Log-In Technician Initials:

Date/Time:
 Date/Time:

APPENDIX F

Laboratory Method Reporting Limits Correspondence



39 Spruce Street
East Longmeadow, MA 01089

December 20, 2013

Mr. Ron Mack
EA Engineering Science & Technology
2350 Post Road
Warwick, RI 02886
RE: CT Remediation Standard Regulations – Work Order 13J0773

Dear Mr. Mack:

This letter is in response to the Residential Target Indoor Air numbers published in the Remediation Standard Regulations. Several of the TAC's, which are calculated based on risk, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane
1,1,2,2-Tetrachloroethane
1,1,1,2-Tetrachloroethane
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink, appearing to read "Tod Kopyscinski". The signature is fluid and cursive, with some loops and variations in line thickness.

Tod Kopyscinski
Air Laboratory Manager