



**GROUNDWATER & LANDFILL GAS MONITORING REPORT No. 13
THE FORMER PORTSMOUTH LANDFILL
PARK AVENUE
PORTSMOUTH, RI 02871**

ATC PROJECT No. 3010000238

PREPARED FOR:

AP ENTERPRISE LLC
28 TEAL DRIVE
WAKEFIELD, RHODE ISLAND 02879

PREPARED BY:

ATC GROUP SERVICES LLC
400 RESERVOIR AVENUE, SUITE 3D
PROVIDENCE, RHODE ISLAND 02907

AUGUST 14, 2020

TABLE OF CONTENTS

1.0 INTRODUCTION	1
1.1 Site Location and Description.....	1
2.0 FIELD ACTIVITIES	1
2.1 Monitoring Well Gauging and Area Groundwater Flow.....	1
2.2 Groundwater Sampling and Analysis	1
2.3 Groundwater Analytical Results	2
2.4 Soil Gas Point Installation	2
2.5 Soil Gas Monitoring.....	2
3.0 CONCLUSIONS	3

Tables

- Table 1 Water Level Measurements Data
Table 2 Summary of Groundwater Analytical Results
Table 3 Summary of Soil Gas Monitoring Data

Figures

- Figure 1 Site Locus Map
Figure 2 Site Plan with Groundwater Contour Map

Appendices

- Appendix A Groundwater Laboratory Analytical Results

1.0 INTRODUCTION

ATC Group Services LLC (ATC) was retained by AP Enterprise to install four (4) groundwater monitoring wells and a total of eleven (11) landfill gas monitoring points, and to conduct quarterly groundwater and landfill gas monitoring at the former Portsmouth Landfill located on Park Avenue in Portsmouth, Rhode Island. The objective of this work is to support the Rhode Island Department of Environmental Management (RIDEM) approved Site Monitoring Plan as prepared by Tim O'Connor & Company LLC. This is the thirteenth quarterly report prepared by ATC.

1.1 Site Location and Description

The entrance to the former Portsmouth Landfill is located 500 feet west-northwest of the intersection formed by Boyds Lane and Park Avenue. The property is identified by the Portsmouth Tax Assessor as Plat 20 Lots 1, 2 & 13 and Plat 25 Lot 2 (the Site). The Site encompasses approximately 15.02 acres. The ground surface is generally level, with downward slopes along the landfill margins. A Site Locus Map and a Site Plan are included as **Figures 1 and 2** respectively.

On April 25, 2017, four soil borings were completed as groundwater monitoring wells MW-1, MW-2, MW-3 and MW-4. The four groundwater monitoring wells were constructed using two-inch diameter polyvinyl chloride (PVC) riser and 10 to 15 feet of machine-slotted 0.01 inch well screen. The well screens were placed to intercept the groundwater table. Groundwater monitoring well locations are depicted on **Figure 2**.

2.0 FIELD ACTIVITIES

The following activities were conducted to evaluate the potential presence of contamination in soil gas and groundwater as a result of historic landfill activities.

2.1 Monitoring Well Gauging and Area Groundwater Flow

On July 30, 2020, ATC gauged depth to groundwater in the four groundwater monitoring wells using a Solinst electronic oil/water interface probe. Depth to groundwater was measured from the top of the PVC well risers and ranged from 8.15 feet below top of casing in MW-1 to 15.15 feet below top of casing in MW-3. Non-aqueous phase liquids were not detected on the groundwater surface, or in the bottom of the wells. Based upon the groundwater elevation data, the groundwater gradient is generally toward the south. A Water Level Gauging Sheet is provided as **Table 1**. Groundwater Contours are included on **Figure 2**.

2.2 Groundwater Sampling and Analysis

On July 30, 2020, ATC completed the thirteenth quarterly groundwater sampling round. The groundwater samples were obtained using the USEPA's Low Stress Purging and Sampling Procedure (EQA SOP-GW-001). ATC used a variable speed low-flow peristaltic pump to control the rate of purging and limit the drawdown. Disposable polyethylene tubing was used at each well. Field parameters were recorded during sampling using a YSI Pro Series with flow-through cell. Field parameters included pH, water temperature, specific conductance, oxidation reduction potential (ORP), dissolved oxygen and turbidity. The groundwater samples were collected upon parameter stabilization, and contained in laboratory grade pre-preserved sample containers. The

samples were chilled in a cooler and transported under Chain of Custody to ESS Laboratory (ESS), a Rhode Island certified laboratory. ESS analyzed the samples for volatile organic compounds (VOCs) by EPA Method 8260, and total metals by EPA Methods 6010 and 7010.

2.3 Groundwater Analytical Results

No VOCs or metals were reported in excess of the RIDEM GA Groundwater Objectives, in the groundwater samples obtained on July 30, 2020. The groundwater analytical data is summarized on **Table 2**. The laboratory analytical report is included in **Appendix A**.

2.4 Soil Gas Point Installation

Four permanent SGPs (SG-1, SG-2, SG-3 and SG-4) were installed in April of 2017. Each of the four SGPs were installed in the unsaturated zone, using a Geoprobe brand 21" stainless soil gas implant. The depth of placement was determined by the existing depth to groundwater at each location, which ranged from approximately four to ten feet below grade. Each SGP was backfilled with uniform grade, silica sand to approximately one foot above the screen section. Approximately one foot of bentonite was placed above each SGP to seal it from surface water intrusion. Each SGP was connected to 3/8" by 1/4" tubing that was brought to the ground surface. At the ground surface, the SGP tubing was protected by a two-inch, by five-foot lockable standpipe cemented at grade.

At the request of RIDEM, AP Enterprise directed ATC to install an additional seven permanent soil gas points (SGPs) along the Site boundary, near monitoring point SG-3. SG-3 is the only SGP to have exceeded methane's lower explosive limit (LEL) of 5% and the RIDEM limit of 25% of the LEL (1.25%). On April 13, 2018, ATC installed seven peripheral SGPs (SG-5, SG-6, SG-7, SG-8, SG-9, SG-10 and SG-11), located every 50 feet along the edge of the Site boundary near SG-3. The seven SGPs were installed in the vadose zone to a depth of 2.5 feet below grade using a slam bar and 1/4 inch OD polyethylene tubing terminating with an AMS slotted stainless steel soil gas point. The SGPs were secured at grade with a small concrete pad.

The eleven (11) peripheral SGPs are positioned to monitor for potential landfill gas migration away from the solid waste mound. These points are positioned between the landfill mound boundary and the nearby habitable structures. SGP locations are shown on **Figure 2**.

2.5 Soil Gas Monitoring

On July 30, 2020, ATC conducted the thirteenth quarterly round of landfill gas monitoring. Soil gas methane, hydrogen sulfide, oxygen and carbon dioxide concentrations were measured at the monitoring points using a Landtech Gem 5000 Landfill Gas Analyzer and a QRAE II Gas Analyzer. Additionally, ambient temperature, barometric pressure, wind speed and wind direction were measured and recorded. SGPs are depicted on **Figure 2**. The soil gas monitoring results are summarized on **Table 3**.

Methane was detected in monitoring point SG-3 at a concentration of 0.1%, which is less than the methane lower and upper explosive limits of 5% and 15%. Soil gas obtained from SG-3 has exceeded the lower explosive limit in previous monitoring events. The seven fence-line perimeter monitoring points located near SG-3 (SG-5 through SG-11) were "non-detect" for methane. All of the remaining monitored soil gas points were also "non-detect" for methane. Therefore, the

measured methane concentrations in the perimeter monitoring points did not exceed the RIDEM Solid Waste Regulation No. 2, Section 2.3.08 (d), of 25% of the LEL (1.25%) at the Site boundary.

All of the soil gas points (SG-1 through SG-11) were “non-detect” for hydrogen sulfide. The soil gas point carbon dioxide concentrations ranged from non-detect to a maximum of 6.4% at location SG-10. The oxygen concentrations ranged from atmospheric (approximately 20.4%) down to 14.3% at SG-10. The soil gas monitoring results are summarized in **Table 3**.

3.0 CONCLUSIONS

ATC has performed the thirteenth quarterly groundwater and landfill gas monitoring on July 30, 2020, at the former Portsmouth town landfill on Park Avenue in Portsmouth, Rhode Island. Based upon the scope of work and sampling activities completed, ATC concludes the following:

- No VOCs or metals were reported in excess of the RIDEM GA Groundwater Objectives, in the groundwater samples obtained on July 30, 2020.
- Methane was detected in monitoring point SG-3 at a concentration of 0.1%, which is less than the methane lower and upper explosive limits of 5% and 15%. SG-3 methane concentrations monitored from May 2017 to present have ranged from non-detect to 16.0%. The seven fence-line perimeter monitoring points located near SG-3 (SG-5 through SG-11) were “non-detect” for methane on July 30, 2020. All of the remaining monitored soil gas points were also “non-detect” for methane. Therefore, the measured methane concentrations in the perimeter monitoring points did not exceed the RIDEM Solid Waste Regulation No. 2, Section 2.3.08 (d), of 25% of the LEL (1.25%) at the Site boundary.
- All of the soil gas points (SG-1 through SG-11) were “non-detect” for hydrogen sulfide. The soil gas point carbon dioxide concentrations ranged from non-detect to a maximum of 6.4% at location SG-10. The oxygen concentrations ranged from atmospheric (approximately 20.4%) down to 14.3% at SG-10.

TABLES



<i>Location:</i>	Portsmouth Landfill, Park Ave.	<i>ATC #</i>	3010000238
<i>Client:</i>	AP Enterprise LLC	<i>Date:</i>	7/30/2020
<i>Instrument:</i>	ORS Interface Probe	<i>Gauged By:</i>	AK
<i>Checked By:</i>	PC		

WELL #	M.P. ELEVATIONS	DEPTH TO PRODUCT	DEPTH TO WATER	PRODUCT THICKNESS	EQUIVALENT HD ELEV.
MW-1	8.84	---	8.15	0.00	0.69
MW-2	16.25	---	14.97	0.00	1.28
MW-3	16.40	---	15.15	0.00	1.25
MW-4	14.09	---	12.85	0.00	1.24

NOTES:

Height of PVC; MW-1: 3.21, MW-2: 4.01, MW-3: 3.27, MW-4: 2.97

Survey completed by DiPrete Engineering (6/15/17)

Table 2

Groundwater Analytical Results
Former Portsmouth Town Landfill
Park Avenue, Portsmouth, Rhode Island

Well ID	Date	Antimony	Arsenic	Barium	Cadmium	Copper	Lead	Nickel	Selenium	Zinc	1,4-Dichlorobenzene	Chlorobenzene	Chloroform	Dichlorodifluoro methane	Diethyl Ether	Isopropylbenzene	Tetrachloroethene
MW-1	5/31/17	ND (0.025)	ND (0.002)	0.062	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	9/8/17	ND (0.002)	ND (0.002)	0.068	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	12/21/17	ND (0.002)	ND (0.002)	0.101	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.034	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/13/18	ND (0.0005)	ND (0.005)	0.050	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/31/18	ND (0.0005)	ND (0.010)	0.060	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.031	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	10/30/18	ND (0.001)	0.003	0.135	ND (0.0025)	0.030	ND (0.010)	ND (0.025)	ND (0.005)	0.137	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	1/9/19	ND (0.002)	ND (0.002)	0.059	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/12/19	ND (0.001)	ND (0.002)	0.051	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/29/19	ND (0.001)	ND (0.002)	0.085	0.0032	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	0.036	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	10/30/2019	ND (0.001)	ND (0.002)	0.088	ND (0.0025)	ND (0.001)	ND (0.001)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	1/15/2020	ND (0.010)	ND (0.025)	ND (0.25)	ND (0.025)	ND (0.1)	ND (0.1)	ND (0.25)	ND (0.25)	ND (0.25)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	4/23/2020	ND (0.001)	ND (0.002)	0.115	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	7/30/2020	ND (0.001)	ND (0.002)	0.134	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.040	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
MW-2	5/31/17	ND (0.025)	ND (0.002)	0.084	ND (0.0025)	ND (0.010)	0.005	ND (0.025)	ND (0.005)	0.044	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	9/8/17	ND (0.002)	ND (0.002)	0.177	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	(ND 0.025)	ND (0.0010)	0.0012	ND (0.0010)	ND (0.0020)	ND (0.0010)	0.0034	ND (0.0010)
	12/21/17	ND (0.002)	ND (0.002)	0.187	ND (0.0025)	ND (0.010)	0.014	ND (0.025)	ND (0.025)	0.089	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/13/18	ND (0.0005)	ND (0.010)	0.094	ND (0.0025)	0.017	ND (0.010)	ND (0.025)	ND (0.025)	0.051	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/31/18	ND (0.0005)	ND (0.002)	0.119	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.060	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	0.0012	ND (0.0010)
	10/30/18	ND (0.001)	ND (0.002)	0.141	ND (0.0025)	ND (0.010)	0.011	ND (0.025)	ND (0.025)	0.051	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	1/9/19	ND (0.002)	0.003	0.070	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	ND (0.025)	0.071	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)
	4/12/2019	ND (0.001)	ND (0.002)	0.069	ND (0.0025)	ND (0.010)	0.015	ND (0.025)	ND (0.025)	0.071	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/29/19	ND (0.001)	ND (0.002)	0.088	ND (0.0025)	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	0.041	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	10/30/2019	ND (0.001)	0.003	0.082	ND (0.0025)	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	0.076	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	0.0014	ND (0.001)
	1/15/2020	ND (0.001)	0.004	0.093	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	4/23/2020	ND (0.001)	0.003	0.074	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	7/30/2020	ND (0.001)	ND (0.002)	0.096	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.001)	0.001	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	0.0138	ND (0.001)
MW-3	5/31/17	ND (0.025)	ND (0.002)	0.681	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	0.035	0.0011	0.0040	ND (0.0010)	ND (0.0020)	0.0011	0.0240	ND (0.0010)
	9/8/17	ND (0.002)	ND (0.002)	0.606	ND (0.0025)	ND (0.010)	0.027	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	0.0026	ND (0.0010)	ND (0.0020)	0.0014	0.0025	ND (0.0010)
	12/21/17	ND (0.002)	ND (0.002)	1.01	ND (0.0025)	ND (0.010)	0.025	ND (0.025)	ND (0.025)	0.0010	0.0029	ND (0.0010)	0.0073	0.0017	0.0191	ND (0.0010)	
	4/13/18	ND (0.0005)	ND (0.006)	0.460	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.029	ND (0.0010)	0.0012	0.0082	ND (0.0010)	0.0051	ND (0.0010)	ND (0.0010)
	7/31/18	ND (0.0005)	ND (0.010)	0.654	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	0.0036	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0	

Table 3
Soil Gas Monitoring Data
Former Portsmouth Landfill
Park Avenue, Portsmouth, RI

Location	Date	Ambient						Soil Gas				
		Temperature (F°)	Barometric Pressure (Inches Hg)	Wind Velocity (Miles Per Hour)	Wind Direction	Ambient Methane (CH4) (%)	Ambient Oxygen (O2) (%)	Soil Gas Methane (CH4) (%)	Soil Gas Oxygen (O2) (%)	Soil Gas Hydrogen Sulfide (H2S) (ppm)	Soil Gas LEL (%)	C02 (%)
SG-1	5/30/2017	54	30.24	4	SE	0.0	20.5	0	20.5	0	0	0
	9/8/2017	72	30.03	5	S	0.0	19.2	0	19.1	0	0	0
	12/21/2017	32	30.24	8	NW	0.2	21.6	0	21.2	0	0	0
	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	21.6	0	0	0
	7/31/2018	85	30.14	1	S	0.0	19.4	0	19.4	0	0	0
	10/30/2018	50	29.97	8	SSE	0.0	20.9	0	20.8	0	0	0.1
	1/9/2019	43	29.38	5	S	0.0	20.8	0	20.8	0	0	0.1
	4/12/2019	49	30.10	6	NW	0.0	21.3	No flow, obstructed well				
	4/25/2019	54	29.86	3	N	0.0	20.9	0	20.7	0	0	0
	7/29/2019	87	30.01	4	SE	0.0	21.9	Well protector knocked over, laying on ground. Tubing appeared intact but no flow.				
	10/30/2019	67	30.36	0	---	0.0	20.2	Well protector repaired. No flow in tubing.				
	1/15/2020	44	30.17	6	S	0.0	21.2	0	21.2	0	0	0
	4/23/2020	46	30.05	5	S	0.0	20.8	0	20.8	0	0	0
	7/30/2020	78	29.86	5	S	0.0	20.0	0	20	0	0	0
SG-2	5/30/2017	56	30.22	6	SE	0.0	20.6	0	20.6	0	0	0
	9/8/2017	72	30.03	8	S	0.0	19.4	0	19.3	0	0	0
	12/21/2017	32	30.24	10	NW	0.0	21.6	0	21.4	0	0	0
	4/13/2018	72	30.03	8	S	0.0	19.4	0	19.3	0	0	0
	7/31/2018	85	30.15	12	SW	0.0	19.8	0	19.7	0	0	0.1
	10/30/2018	50	29.95	8	SE	0.0	21.1	0	20.9	0	0	0.1
	1/9/2019	43	29.34	10	S	0.0	21.2	0	21.2	0	0	0
	4/12/2019	49	30.10	7	NE	0.0	21.2	0	21.2	0	0	0.2
	7/29/2019	99	30.04	3	S	0.0	21.8	0.1	21.6	0	0	0.2
	10/30/2019	67	30.36	0	---	0.0	20.2	0	20.6	0	0	0.1
	1/15/2020	45	30.14	5	S	0.0	21.3	0	21.2	0	0	0
	4/23/2020	49	29.99	3	S	0.0	20.8	0	20.8	0	0	0
	7/30/2020	80	28.86	10	S	0.0	20.4	0	20.4	0	0	0
SG-3	5/30/2017	56	30.22	6	SE	0.0	20.4	9.7	1.3	0	>100	12.5
	9/8/2017	73	30.04	4	SE	0.0	19.7	4.1	11.7	0	87	5.0
	12/21/2017	32	30.24	10	NW	0.0	21.6	4.6	7.8	0	90	9.0
	4/13/2018	73	30.04	4	SE	0.0	19.7	4.1	11.7	0	87	5.0
	7/31/2018	85	30.16	12	SW	0.0	19.7	7.7	5.2	2	>100	10.4
	10/30/2018	51	29.95	10	SSE	0.0	21.8	13.5	0.2	4	>100	2.0
	1/9/2019	42	29.33	12	S	0.0	21.3	16.0	0.0	4	>100	11.7
	4/12/2019	50	30.10	6	N	0.0	20.9	3.6	0.1	1	21	11.1
	7/29/2019	109	30.05	2	S	0.0	21.6	15.4	0.6	4	99	11.9
	10/30/2019	67	30.36	0	---	0.0	20.9	10.7	0.2	4	>100	14.4
	1/15/2020	45	30.13	2	S	0.0	21.2	3.0	12.4	1.1	58	4.8
	4/23/2020	52	29.95	5	S	0.0	21.3	0	21.2	0	0	0
	7/30/2020	83	29.86	5	S	0.0	20.6	0.1	20.5	0	0	0

Lower explosive limit (LEL) of methane (CH4) is 5%

Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor

Table 3
Soil Gas Monitoring Data
Former Portsmouth Landfill
Park Avenue, Portsmouth, RI

Location	Date	Ambient						Soil Gas				
		Temperature (F°)	Barometric Pressure (Inches Hg)	Wind Velocity (Miles Per Hour)	Wind Direction	Ambient Methane (CH4) (%)	Ambient Oxygen (O2) (%)	Soil Gas Methane (CH4) (%)	Soil Gas Oxygen (O2) (%)	Soil Gas Hydrogen Sulfide (H2S) (ppm)	Soil Gas LEL (%)	C02 (%)
SG-4	5/30/2017	56	30.20	8	SE	0.0	20.1	0	19.6	0	0	0.2
	9/8/2017	73	30.05	6	SE	0.0	19.2	0	18.5	0	0	0.4
	12/21/2017	32	30.24	6	NW	0.0	21.6	0	21.0	0	0	0.5
	4/13/2018	73	30.05	6	SE	0.0	19.2	0	18.5	0	0	0.4
	7/31/2018	85	30.13	1	S	0.0	19.7	0	19.3	0	0	0.4
	10/30/2018	55	29.96	14	SSE	0.0	21.7	0	18.8	0	0	15.3
	1/9/2019	43	29.34	10	S	0.0	21.6	0	18.7	0	0	2.1
	4/12/2019	47	30.10	5	N	0.0	20.7	0	19.9	0	0	1.4
	7/29/2019	104	30.03	0	SE	0.0	21.3	0	20.3	0	0	0.9
	10/30/2019	67	30.37	0	---	0.0	21.0	0	18.7	0	0	1.2
	1/15/2020	44	30.12	2	S	0.0	21.2	0	20.5	0	0	1.3
	4/23/2020	53	29.97	1	S	0.0	21.1	0	20.7	0	0	0.4
	7/30/2020	83	29.87	12	S	0.0	20.6	0	20.6	0	0	0.8
SG-5	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.1	0	0	0.7
	7/31/2018	85	30.16	12	SW	0.0	19.9	0	17.0	0	0	3.3
	10/30/2018	51	29.96	7	SE	0.0	21.4	0	13.5	0	0	6.5
	1/9/2019	42	29.33	10	S	0.0	21.2	0	17.0	0	0	3.9
	4/12/2019	46	30.20	9	N	0.0	21.2	0	19.4	1	0	2.7
	7/29/2019	101	30.04	5	S	0.0	21.9	0.7	0.6	0	6	14.5
	10/30/2019	67	30.37	0	---	0.0	20.2	0	7.2	0	0	9.4
	1/15/2020	44	30.13	5	S	0.0	21.2	0	19.8	0	0	2.2
	4/23/2020	51	29.97	2	S	0.0	21.2	0	20.9	0.5	0	0.2
	7/30/2020	84	29.86	8	S	0.0	20.4	0	20	0	0	4.1
SG-6	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	18.2	0	0	2.6
	7/31/2018	85	30.16	12	SW	0.0	19.9	0	10.3	0	0	8.6
	10/30/2018	51	29.95	7	SSE	0.0	21.5	0	15.3	0	0	6.0
	1/9/2019	42	29.33	15	S	0.0	21.1	0	15.9	0	0	5.0
	4/12/2019	48	30.20	7	NE	0.0	21.1	0	17.2	1	0	3.4
	7/29/2019	88	30.04	4	S	0.0	21.9	Inaccessible - Dense Vegetation				
	10/30/2019	67	30.34	0	---	0.0	20.6	0	7.4	0	0	10.9
	1/15/2020	44	30.13	5	S	0.0	21.2	0	18.1	0	0	2.9
	4/23/2020	51	29.97	5	S	0.0	21.2	0	20.7	0	0	0.6
	7/30/2020	84	29.86	10	S	0.0	20.4	0	20.1	0	0	0.9
SG-7	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	17.6	0	0	3.3
	7/31/2018	85	30.16	12	SW	0.0	19.8	0	12.3	0	0	7.9
	10/30/2018	52	29.95	9	SSE	0.0	21.4	0	21.6	0	0	0.1
	1/9/2019	42	29.34	12	S	0.0	21.2	0	20.0	0	0	3.0
	4/12/2019	48	30.20	7	N	0.0	20.9	0	21.2	0	0	0.2
	7/29/2019	88	30.04	4	S	0.0	21.9	Inaccessible - Dense Vegetation				
	10/30/2019	67	30.37	0	---	0.0	20.7	0	20.9	0	0	0.1
	1/15/2020	44	30.12	2	S	0.0	21.2	0	21.0	0	0	0.1
	4/23/2020	52	29.97	2	S	0.0	21.2	0	20.4	0	0	2.5
	7/30/2020	85	29.87	7	S	0.0	20.4	0	19.8	0	0	2

Lower explosive limit (LEL) of methane (CH4) is 5%

Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor

Table 3
Soil Gas Monitoring Data
Former Portsmouth Landfill
Park Avenue, Portsmouth, RI


Location	Date	Ambient						Soil Gas				
		Temperature (F°)	Barometric Pressure (Inches Hg)	Wind Velocity (Miles Per Hour)	Wind Direction	Ambient Methane (CH4) (%)	Ambient Oxygen (O2) (%)	Soil Gas Methane (CH4) (%)	Soil Gas Oxygen (O2) (%)	Soil Gas Hydrogen Sulfide (H2S) (ppm)	Soil Gas LEL (%)	C02 (%)
SG-8	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.7	0	0	0.8
	7/31/2018	85	30.16	12	SW	0.0	19.2	0	18.1	0	0	1.1
	10/30/2018	52	29.95	9	SE	0.0	21.9	0	20.1	0	0	1.7
	1/9/2019	41	29.34	10	S	0.0	21.2	0	19.5	0	0	1.0
	4/12/2019	50	30.30	6	N	0.0	20.8	0	19.9	0	0	1.3
	7/29/2019	88	30.04	4	S	0.0	21.9	0	20.6	0	0	1.2
	10/30/2019	67	30.37	0	---	0.0	21.0	0	19.4	0	0	1.2
	1/15/2020	45	30.13	2	S	0.0	21.2	0	20.6	0	0	1.0
	4/23/2020	52	29.95	3	S	0.0	21.3	0	20.1	0	0	1.2
	7/30/2020	85	29.87	5	S	0.0	20.4	0	19.6	0	0	1.7
SG-9	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	14.9	0	0	5.4
	7/31/2018	85	30.16	12	SW	0.0	19.2	0	13.7	0	0	5.2
	10/30/2018	54	29.94	12	SSE	0.0	21.7	0	13.0	0	0	7.4
	1/9/2019	41	29.33	10	S	0.0	21.3	0	14.4	0	0	4.8
	4/12/2019	50	30.30	5	N	0.0	20.8	0	15.1	0	0	4.8
	7/29/2019	102	30.04	1	S	0.0	21.5	0	13.6	0	0	5.4
	10/30/2019	67	30.80	0	---	0.0	20.9	0	10.5	0	0	9.1
	1/15/2020	45	30.13	0	---	0.0	21.2	0	19.5	0	0	2.0
	4/23/2020	52	29.95	3	S	0.0	21.4	0	20.3	0	0	1.1
	7/30/2020	85	29.87	5	S	0.0	20.4	0	19.6	0	0	3.6
SG-10	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	19.4	0	0	2.2
	7/31/2018	85	30.16	12	SW	0.0	19.3	0	12.9	1	0	5.9
	10/30/2018	53	29.94	14	SE	0.0	21.8	0	5.2	0	0	12.8
	1/9/2019	41	29.33	12	S	0.0	21.3	0	19.0	0	0	5.1
	4/12/2019	49	30.30	4	NE	0.0	20.8	0	14.3	0	0	5.6
	7/29/2019	102	30.40	1	S	0.0	21.4	0.1	6	0	0	11.8
	10/30/2019	67	30.37	0	---	0.0	20.9	0	8.7	0	0	10.3
	1/15/2020	45	30.13	2	S	0.0	21.2	0	15.2	0	0	3.5
	4/23/2020	52	29.94	1	S	0.0	21.5	0	12.1	0	0	7.9
	7/30/2020	85	29.87	10	S	0.0	20.4	0	14.3	0	0	6.4
SG-11	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.1	0	0	1.4
	7/31/2018	85	30.16	12	SW	0.0	19.6	0	16.3	0	0	1.8
	7/31/2018	85	30.16	12	SW	0.0	19.6	0	16.3	0	0	1.8
	10/30/2018	53	29.94	14	SE	0.0	21.6	0	19.1	0	0	2.1
	1/9/2019	41	29.33	10	S	0.0	21.2	0	18.9	0	0	1.2
	4/12/2019	49	30.30	4	N	0.0	20.6	0	19.8	0	0	1.7
	7/29/2019	88	30.04	4	S	0.0	21.9	0	20.9	0	0	1.2
	10/30/2019	67	30.37	0	---	0.0	20.9	0	18.1	0	0	2.8
	1/15/2020	45	30.13	2	S	0.0	21.2	0	18.7	0	0	1.5
	4/23/2020	52	29.94	1	S	0.0	21.5	0	18.6	0	0	1.9
	7/30/2020	85	29.87	8	S	0.0	20.4	0	16.9	0	0	2.2

Lower explosive limit (LEL) of methane (CH4) is 5%

Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor

FIGURES

RIDEM Environmental Resource Map




July 7, 2017

1:18,056

Figure 1: Site Locus Map

0 0.175 0.35 0.7 mi
0 0.35 0.7 1.4 km

Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS



The base map for this figure was developed from a Diprete Engineering plan entitled "Landfill Monitoring Plan, Former Portsmouth Landfill, revised 07-18-2017."

NAME/ADDRESS:
**Prepared for
AP Enterprise LLC
28 Teal Drive, Wakefield, RI 02879**

DRAWING TITLE:
**Groundwater Elevation Contours
July 30, 2020
Former Portsmouth Landfill**

ATLAS
ATC
400 Reservoir Avenue, Suite 3D
Providence, RI 0290
(401) 714-0306

DRAWN BY:	SG	FIGURE NO.
CHECKED BY:	AK	
PROJECT NO.	3010000238	
DATE:	8/6/2020	

2

APPENDIX A



CERTIFICATE OF ANALYSIS

Stephen Gautie
ATC Group Services
400 Reservoir Ave Ste 3D
Providence, RI 02907

RE: Former Portsmouth Landfill (3010000238)
ESS Laboratory Work Order Number: 20G1000

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this page, the entire report has been paginated. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been delivered. If you have any questions or concerns, please feel free to call our Customer Service Department.

Laurel Stoddard
Laboratory Director

REVIEWED

By ESS Laboratory at 1:09 pm, Aug 07, 2020

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration is frequently used instead of automated integration because it produces more accurate results.

The test results present in this report are in compliance with TNI and relative state standards, and/or client Quality Assurance Project Plans (QAPP). The laboratory has reviewed the following: Sample Preservations, Hold Times, Initial Calibrations, Continuing Calibrations, Method Blanks, Blank Spikes, Blank Spike Duplicates, Duplicates, Matrix Spikes, Matrix Spike Duplicates, Surrogates and Internal Standards. Any results which were found to be outside of the recommended ranges stated in our SOPs will be noted in the Project Narrative.



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

SAMPLE RECEIPT

The following samples were received on July 31, 2020 for the analyses specified on the enclosed Chain of Custody Record.

Lab Number	Sample Name	Matrix	Analysis
20G1000-01	MW-1	Ground Water	6010C, 6020A, 7010, 8260B
20G1000-02	MW-2	Ground Water	6010C, 6020A, 7010, 8260B
20G1000-03	MW-3	Ground Water	6010C, 6020A, 7010, 8260B
20G1000-04	MW-4	Ground Water	6010C, 6020A, 7010, 8260B



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

PROJECT NARRATIVE

8260B Volatile Organic Compounds

D0H0026-CCV1

Continuing Calibration %Diff/Drift is above control limit (CD+).

Chloromethane (35% @ 30%)

No other observations noted.

End of Project Narrative.

DATA USABILITY LINKS

To ensure you are viewing the most current version of the documents below, please clear your internet cookies for www.ESSLaboratory.com. Consult your IT Support personnel for information on how to clear your internet cookies.

[Definitions of Quality Control Parameters](#)

[Semivolatile Organics Internal Standard Information](#)

[Semivolatile Organics Surrogate Information](#)

[Volatile Organics Internal Standard Information](#)

[Volatile Organics Surrogate Information](#)

[EPH and VPH Alkane Lists](#)



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

CURRENT SW-846 METHODOLOGY VERSIONS

Analytical Methods

1010A - Flashpoint
6010C - ICP
6020A - ICP MS
7010 - Graphite Furnace
7196A - Hexavalent Chromium
7470A - Aqueous Mercury
7471B - Solid Mercury
8011 - EDB/DBCP/TCP
8015C - GRO/DRO
8081B - Pesticides
8082A - PCB
8100M - TPH
8151A - Herbicides
8260B - VOA
8270D - SVOA
8270D SIM - SVOA Low Level
9014 - Cyanide
9038 - Sulfate
9040C - Aqueous pH
9045D - Solid pH (Corrosivity)
9050A - Specific Conductance
9056A - Anions (IC)
9060A - TOC
9095B - Paint Filter
MADEP 04-1.1 - EPH
MADEP 18-2.1 - VPH

Prep Methods

3005A - Aqueous ICP Digestion
3020A - Aqueous Graphite Furnace / ICP MS Digestion
3050B - Solid ICP / Graphite Furnace / ICP MS Digestion
3060A - Solid Hexavalent Chromium Digestion
3510C - Separatory Funnel Extraction
3520C - Liquid / Liquid Extraction
3540C - Manual Soxhlet Extraction
3541 - Automated Soxhlet Extraction
3546 - Microwave Extraction
3580A - Waste Dilution
5030B - Aqueous Purge and Trap
5030C - Aqueous Purge and Trap
5035A - Solid Purge and Trap

SW846 Reactivity Methods 7.3.3.2 (Reactive Cyanide) and 7.3.4.1 (Reactive Sulfide) have been withdrawn by EPA. These methods are reported per client request and are not NELAP accredited.



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 07/30/20 09:50

Percent Solids: N/A

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-01

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Antimony	ND (0.001)		6020A		1	KJK	08/04/20 13:04	50	25	DH00328
Arsenic	ND (0.002)		7010		1	KJK	08/05/20 16:39	50	25	DH00328
Barium	0.134 (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Beryllium	ND (0.0005)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Cadmium	ND (0.0025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Chromium	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Cobalt	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Copper	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Lead	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Nickel	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Selenium	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Silver	ND (0.005)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Thallium	ND (0.0005)		6020A		1	KJK	08/04/20 13:04	50	25	DH00328
Vanadium	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Zinc	0.040 (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 07/30/20 09:50

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,1-Dichloroethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,1-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,1-Dichloropropene	ND (0.0020)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2-Dibromoethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2-Dichloroethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,2-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,3-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1,4-Dioxane - Screen	ND (0.500)		8260B		1	08/03/20 13:56	D0H0026	DH00324
1-Chlorohexane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
2,2-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
2-Butanone	ND (0.0100)		8260B		1	08/03/20 13:56	D0H0026	DH00324
2-Chlorotoluene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
2-Hexanone	ND (0.0100)		8260B		1	08/03/20 13:56	D0H0026	DH00324
4-Chlorotoluene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
4-Isopropyltoluene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Acetone	ND (0.0100)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Benzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Bromobenzene	ND (0.0020)		8260B		1	08/03/20 13:56	D0H0026	DH00324



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 07/30/20 09:50

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Bromodichloromethane	ND (0.0006)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Bromoform	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Bromomethane	ND (0.0020)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Carbon Disulfide	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Carbon Tetrachloride	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Chlorobenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Chloroethane	ND (0.0020)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Chloroform	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Chloromethane	ND (0.0020)		8260B		1	08/03/20 13:56	D0H0026	DH00324
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Dibromochloromethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Dibromomethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Dichlorodifluoromethane	ND (0.0020)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Diethyl Ether	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Di-isopropyl ether	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Ethylbenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Hexachlorobutadiene	ND (0.0006)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Hexachloroethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Isopropylbenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Methylene Chloride	ND (0.0020)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Naphthalene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
n-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
n-Propylbenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
sec-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Styrene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
tert-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Tetrachloroethene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 07/30/20 09:50

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Toluene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Trichloroethene	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Trichlorofluoromethane	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Vinyl Acetate	ND (0.0050)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Vinyl Chloride	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Xylene O	ND (0.0010)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Xylene P,M	ND (0.0020)		8260B		1	08/03/20 13:56	D0H0026	DH00324
Xylenes (Total)	ND (0.00200)		8260B		1	08/03/20 13:56		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	102 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	93 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	103 %		70-130
<i>Surrogate: Toluene-d8</i>	98 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 07/30/20 11:00

Percent Solids: N/A

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-02

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyst	Analyzed	I/V	F/V	Batch
Antimony	ND (0.001)		6020A		1	KJK	08/04/20 13:09	50	25	DH00328
Arsenic	ND (0.002)		7010		1	KJK	08/05/20 16:45	50	25	DH00328
Barium	0.096 (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Beryllium	ND (0.0005)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Cadmium	ND (0.0025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Chromium	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Cobalt	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Copper	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Lead	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Nickel	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Selenium	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Silver	ND (0.005)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Thallium	ND (0.0005)		6020A		1	KJK	08/04/20 13:09	50	25	DH00328
Vanadium	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Zinc	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 07/30/20 11:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,1-Dichloroethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,1-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,1-Dichloropropene	ND (0.0020)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2-Dibromoethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2-Dichloroethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,2-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,3-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1,4-Dioxane - Screen	ND (0.500)		8260B		1	08/03/20 14:21	D0H0026	DH00324
1-Chlorohexane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
2,2-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
2-Butanone	ND (0.0100)		8260B		1	08/03/20 14:21	D0H0026	DH00324
2-Chlorotoluene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
2-Hexanone	ND (0.0100)		8260B		1	08/03/20 14:21	D0H0026	DH00324
4-Chlorotoluene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
4-Isopropyltoluene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Acetone	ND (0.0100)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Benzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Bromobenzene	ND (0.0020)		8260B		1	08/03/20 14:21	D0H0026	DH00324



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 07/30/20 11:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Bromodichloromethane	ND (0.0006)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Bromoform	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Bromomethane	ND (0.0020)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Carbon Disulfide	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Carbon Tetrachloride	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Chlorobenzene	0.0010 (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Chloroethane	ND (0.0020)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Chloroform	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Chloromethane	ND (0.0020)		8260B		1	08/03/20 14:21	D0H0026	DH00324
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Dibromochloromethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Dibromomethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Dichlorodifluoromethane	ND (0.0020)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Diethyl Ether	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Di-isopropyl ether	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Ethylbenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Hexachlorobutadiene	ND (0.0006)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Hexachloroethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Isopropylbenzene	0.0138 (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Methylene Chloride	ND (0.0020)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Naphthalene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
n-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
n-Propylbenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
sec-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Styrene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
tert-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Tetrachloroethene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 07/30/20 11:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Toluene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Trichloroethene	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Trichlorofluoromethane	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Vinyl Acetate	ND (0.0050)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Vinyl Chloride	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Xylene O	ND (0.0010)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Xylene P,M	ND (0.0020)		8260B		1	08/03/20 14:21	D0H0026	DH00324
Xylenes (Total)	ND (0.00200)		8260B		1	08/03/20 14:21		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	104 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	99 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	102 %		70-130
<i>Surrogate: Toluene-d8</i>	98 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 07/30/20 12:10

Percent Solids: N/A

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-03

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyst	Analyzed	I/V	F/V	Batch
Antimony	ND (0.001)		6020A		1	KJK	08/04/20 13:15	50	25	DH00328
Arsenic	ND (0.002)		7010		1	KJK	08/05/20 16:51	50	25	DH00328
Barium	0.225 (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Beryllium	ND (0.0005)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Cadmium	ND (0.0025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Chromium	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Cobalt	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Copper	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Lead	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Nickel	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Selenium	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Silver	ND (0.005)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Thallium	ND (0.0005)		6020A		1	KJK	08/04/20 13:15	50	25	DH00328
Vanadium	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Zinc	0.145 (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 07/30/20 12:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,1-Dichloroethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,1-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,1-Dichloropropene	ND (0.0020)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2-Dibromoethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2-Dichloroethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,2-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,3-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1,4-Dioxane - Screen	ND (0.500)		8260B		1	08/03/20 14:47	D0H0026	DH00324
1-Chlorohexane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
2,2-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
2-Butanone	ND (0.0100)		8260B		1	08/03/20 14:47	D0H0026	DH00324
2-Chlorotoluene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
2-Hexanone	ND (0.0100)		8260B		1	08/03/20 14:47	D0H0026	DH00324
4-Chlorotoluene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
4-Isopropyltoluene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Acetone	ND (0.0100)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Benzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Bromobenzene	ND (0.0020)		8260B		1	08/03/20 14:47	D0H0026	DH00324



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 07/30/20 12:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Bromodichloromethane	ND (0.0006)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Bromoform	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Bromomethane	ND (0.0020)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Carbon Disulfide	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Carbon Tetrachloride	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Chlorobenzene	0.0022 (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Chloroethane	ND (0.0020)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Chloroform	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Chloromethane	ND (0.0020)		8260B		1	08/03/20 14:47	D0H0026	DH00324
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Dibromochloromethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Dibromomethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Dichlorodifluoromethane	ND (0.0020)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Diethyl Ether	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Di-isopropyl ether	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Ethylbenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Hexachlorobutadiene	ND (0.0006)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Hexachloroethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Isopropylbenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Methylene Chloride	ND (0.0020)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Naphthalene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
n-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
n-Propylbenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
sec-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Styrene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
tert-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Tetrachloroethene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 07/30/20 12:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Toluene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Trichloroethene	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Trichlorofluoromethane	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Vinyl Acetate	ND (0.0050)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Vinyl Chloride	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Xylene O	ND (0.0010)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Xylene P,M	ND (0.0020)		8260B		1	08/03/20 14:47	D0H0026	DH00324
Xylenes (Total)	ND (0.00200)		8260B		1	08/03/20 14:47		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	105 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	94 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	103 %		70-130
<i>Surrogate: Toluene-d8</i>	99 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 07/30/20 13:20

Percent Solids: N/A

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-04

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyst	Analyzed	I/V	F/V	Batch
Antimony	ND (0.001)		6020A		1	KJK	08/04/20 13:20	50	25	DH00328
Arsenic	ND (0.002)		7010		1	KJK	08/05/20 16:56	50	25	DH00328
Barium	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Beryllium	ND (0.0005)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Cadmium	ND (0.0025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Chromium	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Cobalt	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Copper	0.033 (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Lead	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Nickel	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Selenium	ND (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Silver	ND (0.005)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Thallium	ND (0.0005)		6020A		1	KJK	08/04/20 13:20	50	25	DH00328
Vanadium	ND (0.010)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328
Zinc	1.00 (0.025)		6010C		1	BJV	08/03/20 15:05	50	25	DH00328



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 07/30/20 13:20

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,1-Dichloroethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,1-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,1-Dichloropropene	ND (0.0020)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2-Dibromoethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2-Dichloroethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,2-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,3-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1,4-Dioxane - Screen	ND (0.500)		8260B		1	08/03/20 15:13	D0H0026	DH00324
1-Chlorohexane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
2,2-Dichloropropane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
2-Butanone	ND (0.0100)		8260B		1	08/03/20 15:13	D0H0026	DH00324
2-Chlorotoluene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
2-Hexanone	ND (0.0100)		8260B		1	08/03/20 15:13	D0H0026	DH00324
4-Chlorotoluene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
4-Isopropyltoluene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Acetone	ND (0.0100)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Benzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Bromobenzene	ND (0.0020)		8260B		1	08/03/20 15:13	D0H0026	DH00324



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 07/30/20 13:20

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Bromodichloromethane	ND (0.0006)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Bromoform	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Bromomethane	ND (0.0020)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Carbon Disulfide	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Carbon Tetrachloride	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Chlorobenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Chloroethane	ND (0.0020)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Chloroform	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Chloromethane	ND (0.0020)		8260B		1	08/03/20 15:13	D0H0026	DH00324
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Dibromochloromethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Dibromomethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Dichlorodifluoromethane	ND (0.0020)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Diethyl Ether	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Di-isopropyl ether	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Ethylbenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Hexachlorobutadiene	ND (0.0006)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Hexachloroethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Isopropylbenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Methylene Chloride	ND (0.0020)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Naphthalene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
n-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
n-Propylbenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
sec-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Styrene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
tert-Butylbenzene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Tetrachloroethene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 07/30/20 13:20

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20G1000

ESS Laboratory Sample ID: 20G1000-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Toluene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Trichloroethene	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Trichlorofluoromethane	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Vinyl Acetate	ND (0.0050)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Vinyl Chloride	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Xylene O	ND (0.0010)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Xylene P,M	ND (0.0020)		8260B		1	08/03/20 15:13	D0H0026	DH00324
Xylenes (Total)	ND (0.00200)		8260B		1	08/03/20 15:13		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	106 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	92 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	101 %		70-130
<i>Surrogate: Toluene-d8</i>	99 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Total Metals

Batch DH00328 - 3005A/200.7

Blank

Barium	ND	0.025	mg/L
Beryllium	ND	0.0005	mg/L
Cadmium	ND	0.0025	mg/L
Chromium	ND	0.010	mg/L
Cobalt	ND	0.010	mg/L
Copper	ND	0.010	mg/L
Lead	ND	0.010	mg/L
Nickel	ND	0.025	mg/L
Selenium	ND	0.025	mg/L
Silver	ND	0.005	mg/L
Vanadium	ND	0.010	mg/L
Zinc	ND	0.025	mg/L

Blank

Antimony	ND	0.001	mg/L
Thallium	ND	0.0005	mg/L

Blank

Arsenic	ND	0.002	mg/L
---------	----	-------	------

LCS

Barium	0.247	0.025	mg/L	0.2500	99	80-120
Beryllium	0.0243	0.0005	mg/L	0.02500	97	80-120
Cadmium	0.122	0.0025	mg/L	0.1250	97	80-120
Chromium	0.246	0.010	mg/L	0.2500	98	80-120
Cobalt	0.248	0.010	mg/L	0.2500	99	80-120
Copper	0.244	0.010	mg/L	0.2500	97	80-120
Lead	0.249	0.010	mg/L	0.2500	100	80-120
Nickel	0.249	0.025	mg/L	0.2500	100	80-120
Selenium	0.470	0.025	mg/L	0.5000	94	80-120
Silver	0.121	0.005	mg/L	0.1250	97	80-120
Vanadium	0.250	0.010	mg/L	0.2500	100	80-120
Zinc	0.247	0.025	mg/L	0.2500	99	80-120

LCS

Antimony	0.221	0.005	mg/L	0.2500	89	80-120
Thallium	0.231	0.002	mg/L	0.2500	92	80-120

LCS

Arsenic	0.253	0.062	mg/L	0.2500	101	80-120
---------	-------	-------	------	--------	-----	--------

LCS Dup

Barium	0.248	0.025	mg/L	0.2500	99	80-120	0.1	20
Beryllium	0.0245	0.0005	mg/L	0.02500	98	80-120	0.8	20
Cadmium	0.121	0.0025	mg/L	0.1250	97	80-120	0.4	20
Chromium	0.248	0.010	mg/L	0.2500	99	80-120	0.7	20
Cobalt	0.249	0.010	mg/L	0.2500	100	80-120	0.6	20
Copper	0.246	0.010	mg/L	0.2500	98	80-120	1	20
Lead	0.248	0.010	mg/L	0.2500	99	80-120	0.5	20



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Total Metals

Batch DH00328 - 3005A/200.7

Nickel	0.251	0.025	mg/L	0.2500	100	80-120	0.7	20
Selenium	0.470	0.025	mg/L	0.5000	94	80-120	0.1	20
Silver	0.123	0.005	mg/L	0.1250	98	80-120	1	20
Vanadium	0.251	0.010	mg/L	0.2500	100	80-120	0.4	20
Zinc	0.249	0.025	mg/L	0.2500	99	80-120	0.7	20

LCS Dup

Antimony	0.214	0.005	mg/L	0.2500	86	80-120	3	20
Thallium	0.224	0.002	mg/L	0.2500	90	80-120	3	20

LCS Dup

Arsenic	0.251	0.062	mg/L	0.2500	100	80-120	0.8	20
---------	-------	-------	------	--------	-----	--------	-----	----

8260B Volatile Organic Compounds

Batch DH00324 - 5030B

Blank

1,1,1,2-Tetrachloroethane	ND	0.0010	mg/L
1,1,1-Trichloroethane	ND	0.0010	mg/L
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,2-Trichloroethane	ND	0.0010	mg/L
1,1-Dichloroethane	ND	0.0010	mg/L
1,1-Dichloroethene	ND	0.0010	mg/L
1,1-Dichloropropene	ND	0.0020	mg/L
1,2,3-Trichlorobenzene	ND	0.0010	mg/L
1,2,3-Trichloropropane	ND	0.0010	mg/L
1,2,4-Trichlorobenzene	ND	0.0010	mg/L
1,2,4-Trimethylbenzene	ND	0.0010	mg/L
1,2-Dibromo-3-Chloropropane	ND	0.0050	mg/L
1,2-Dibromoethane	ND	0.0010	mg/L
1,2-Dichlorobenzene	ND	0.0010	mg/L
1,2-Dichloroethane	ND	0.0010	mg/L
1,2-Dichloropropane	ND	0.0010	mg/L
1,3,5-Trimethylbenzene	ND	0.0010	mg/L
1,3-Dichlorobenzene	ND	0.0010	mg/L
1,3-Dichloropropane	ND	0.0010	mg/L
1,4-Dichlorobenzene	ND	0.0010	mg/L
1,4-Dioxane - Screen	ND	0.500	mg/L
1-Chlorohexane	ND	0.0010	mg/L
2,2-Dichloropropane	ND	0.0010	mg/L
2-Butanone	ND	0.0100	mg/L
2-Chlorotoluene	ND	0.0010	mg/L
2-Hexanone	ND	0.0100	mg/L
4-Chlorotoluene	ND	0.0010	mg/L
4-Isopropyltoluene	ND	0.0010	mg/L
4-Methyl-2-Pentanone	ND	0.0250	mg/L
Acetone	ND	0.0100	mg/L



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	---------	-----------	-----------

8260B Volatile Organic Compounds

Batch DH00324 - 5030B

Benzene	ND	0.0010	mg/L							
Bromobenzene	ND	0.0020	mg/L							
Bromoform	ND	0.0010	mg/L							
Bromomethane	ND	0.0006	mg/L							
Carbon Disulfide	ND	0.0010	mg/L							
Carbon Tetrachloride	ND	0.0010	mg/L							
Chlorobenzene	ND	0.0010	mg/L							
Chloroethane	ND	0.0020	mg/L							
Chloroform	ND	0.0010	mg/L							
Chloromethane	ND	0.0020	mg/L							
cis-1,2-Dichloroethene	ND	0.0010	mg/L							
cis-1,3-Dichloropropene	ND	0.0004	mg/L							
Dibromochloromethane	ND	0.0010	mg/L							
Dibromomethane	ND	0.0010	mg/L							
Dichlorodifluoromethane	ND	0.0020	mg/L							
Diethyl Ether	ND	0.0010	mg/L							
Di-isopropyl ether	ND	0.0010	mg/L							
Ethyl tertiary-butyl ether	ND	0.0010	mg/L							
Ethylbenzene	ND	0.0010	mg/L							
Hexachlorobutadiene	ND	0.0006	mg/L							
Hexachloroethane	ND	0.0010	mg/L							
Isopropylbenzene	ND	0.0010	mg/L							
Methyl tert-Butyl Ether	ND	0.0010	mg/L							
Methylene Chloride	ND	0.0020	mg/L							
Naphthalene	ND	0.0010	mg/L							
n-Butylbenzene	ND	0.0010	mg/L							
n-Propylbenzene	ND	0.0010	mg/L							
sec-Butylbenzene	ND	0.0010	mg/L							
Styrene	ND	0.0010	mg/L							
tert-Butylbenzene	ND	0.0010	mg/L							
Tertiary-amyl methyl ether	ND	0.0010	mg/L							
Tetrachloroethene	ND	0.0010	mg/L							
Tetrahydrofuran	ND	0.0050	mg/L							
Toluene	ND	0.0010	mg/L							
trans-1,2-Dichloroethene	ND	0.0010	mg/L							
trans-1,3-Dichloropropene	ND	0.0004	mg/L							
Trichloroethene	ND	0.0010	mg/L							
Trichlorofluoromethane	ND	0.0010	mg/L							
Vinyl Acetate	ND	0.0050	mg/L							
Vinyl Chloride	ND	0.0010	mg/L							
Xylene O	ND	0.0010	mg/L							
Xylene P,M	ND	0.0020	mg/L							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	0.0274		mg/L	0.02500		110		70-130		



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DH00324 - 5030B

Surrogate: 4-Bromofluorobenzene	0.0231		mg/L	0.02500	92	70-130
Surrogate: Dibromofluoromethane	0.0256		mg/L	0.02500	102	70-130
Surrogate: Toluene-d8	0.0247		mg/L	0.02500	99	70-130
LCS						
1,1,1,2-Tetrachloroethane	0.0100	0.0010	mg/L	0.01000	100	70-130
1,1,1-Trichloroethane	0.0097	0.0010	mg/L	0.01000	97	70-130
1,1,2,2-Tetrachloroethane	0.0102	0.0005	mg/L	0.01000	102	70-130
1,1,2-Trichloroethane	0.0100	0.0010	mg/L	0.01000	100	70-130
1,1-Dichloroethane	0.0099	0.0010	mg/L	0.01000	99	70-130
1,1-Dichloroethene	0.0094	0.0010	mg/L	0.01000	94	70-130
1,1-Dichloropropene	0.0098	0.0020	mg/L	0.01000	98	70-130
1,2,3-Trichlorobenzene	0.0090	0.0010	mg/L	0.01000	91	70-130
1,2,3-Trichloropropane	0.0096	0.0010	mg/L	0.01000	96	70-130
1,2,4-Trichlorobenzene	0.0088	0.0010	mg/L	0.01000	88	70-130
1,2,4-Trimethylbenzene	0.0094	0.0010	mg/L	0.01000	94	70-130
1,2-Dibromo-3-Chloropropane	0.0081	0.0050	mg/L	0.01000	81	70-130
1,2-Dibromoethane	0.0091	0.0010	mg/L	0.01000	91	70-130
1,2-Dichlorobenzene	0.0091	0.0010	mg/L	0.01000	91	70-130
1,2-Dichloroethane	0.0104	0.0010	mg/L	0.01000	104	70-130
1,2-Dichloropropane	0.0099	0.0010	mg/L	0.01000	99	70-130
1,3,5-Trimethylbenzene	0.0094	0.0010	mg/L	0.01000	94	70-130
1,3-Dichlorobenzene	0.0094	0.0010	mg/L	0.01000	94	70-130
1,3-Dichloropropane	0.0104	0.0010	mg/L	0.01000	104	70-130
1,4-Dichlorobenzene	0.0096	0.0010	mg/L	0.01000	96	70-130
1,4-Dioxane - Screen	0.191	0.500	mg/L	0.2000	95	0-332
1-Chlorohexane	0.0081	0.0010	mg/L	0.01000	81	70-130
2,2-Dichloropropane	0.0095	0.0010	mg/L	0.01000	95	70-130
2-Butanone	0.0510	0.0100	mg/L	0.05000	102	70-130
2-Chlorotoluene	0.0090	0.0010	mg/L	0.01000	90	70-130
2-Hexanone	0.0500	0.0100	mg/L	0.05000	100	70-130
4-Chlorotoluene	0.0091	0.0010	mg/L	0.01000	91	70-130
4-Isopropyltoluene	0.0095	0.0010	mg/L	0.01000	95	70-130
4-Methyl-2-Pentanone	0.0489	0.0250	mg/L	0.05000	98	70-130
Acetone	0.0510	0.0100	mg/L	0.05000	102	70-130
Benzene	0.0103	0.0010	mg/L	0.01000	103	70-130
Bromobenzene	0.0096	0.0020	mg/L	0.01000	96	70-130
Bromochloromethane	0.0098	0.0010	mg/L	0.01000	98	70-130
Bromodichloromethane	0.0100	0.0006	mg/L	0.01000	100	70-130
Bromoform	0.0091	0.0010	mg/L	0.01000	91	70-130
Bromomethane	0.0104	0.0020	mg/L	0.01000	104	70-130
Carbon Disulfide	0.0101	0.0010	mg/L	0.01000	101	70-130
Carbon Tetrachloride	0.0099	0.0010	mg/L	0.01000	99	70-130
Chlorobenzene	0.0096	0.0010	mg/L	0.01000	96	70-130
Chloroethane	0.0102	0.0020	mg/L	0.01000	102	70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
8260B Volatile Organic Compounds										
Batch DH00324 - 5030B										
Chloroform	0.0102	0.0010	mg/L	0.01000	102	70-130				
Chloromethane	0.0130	0.0020	mg/L	0.01000	130	70-130				
cis-1,2-Dichloroethene	0.0094	0.0010	mg/L	0.01000	94	70-130				
cis-1,3-Dichloropropene	0.0102	0.0004	mg/L	0.01000	102	70-130				
Dibromochloromethane	0.0098	0.0010	mg/L	0.01000	98	70-130				
Dibromomethane	0.0099	0.0010	mg/L	0.01000	99	70-130				
Dichlorodifluoromethane	0.0097	0.0020	mg/L	0.01000	97	70-130				
Diethyl Ether	0.0094	0.0010	mg/L	0.01000	94	70-130				
Di-isopropyl ether	0.0098	0.0010	mg/L	0.01000	98	70-130				
Ethyl tertiary-butyl ether	0.0088	0.0010	mg/L	0.01000	88	70-130				
Ethylbenzene	0.0091	0.0010	mg/L	0.01000	91	70-130				
Hexachlorobutadiene	0.0101	0.0006	mg/L	0.01000	101	70-130				
Hexachloroethane	0.0096	0.0010	mg/L	0.01000	96	70-130				
Isopropylbenzene	0.0088	0.0010	mg/L	0.01000	88	70-130				
Methyl tert-Butyl Ether	0.0088	0.0010	mg/L	0.01000	88	70-130				
Methylene Chloride	0.0092	0.0020	mg/L	0.01000	92	70-130				
Naphthalene	0.0080	0.0010	mg/L	0.01000	80	70-130				
n-Butylbenzene	0.0095	0.0010	mg/L	0.01000	95	70-130				
n-Propylbenzene	0.0090	0.0010	mg/L	0.01000	90	70-130				
sec-Butylbenzene	0.0090	0.0010	mg/L	0.01000	90	70-130				
Styrene	0.0085	0.0010	mg/L	0.01000	85	70-130				
tert-Butylbenzene	0.0087	0.0010	mg/L	0.01000	87	70-130				
Tertiary-amyl methyl ether	0.0087	0.0010	mg/L	0.01000	87	70-130				
Tetrachloroethene	0.0075	0.0010	mg/L	0.01000	75	70-130				
Tetrahydrofuran	0.0093	0.0050	mg/L	0.01000	93	70-130				
Toluene	0.0101	0.0010	mg/L	0.01000	101	70-130				
trans-1,2-Dichloroethene	0.0096	0.0010	mg/L	0.01000	96	70-130				
trans-1,3-Dichloropropene	0.0092	0.0004	mg/L	0.01000	92	70-130				
Trichloroethene	0.0098	0.0010	mg/L	0.01000	98	70-130				
Trichlorofluoromethane	0.0105	0.0010	mg/L	0.01000	105	70-130				
Vinyl Acetate	0.0099	0.0050	mg/L	0.01000	99	70-130				
Vinyl Chloride	0.0123	0.0010	mg/L	0.01000	123	70-130				
Xylene O	0.0093	0.0010	mg/L	0.01000	93	70-130				
Xylene P,M	0.0193	0.0020	mg/L	0.02000	97	70-130				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	0.0268		mg/L	0.02500	107	70-130				
<i>Surrogate: 4-Bromofluorobenzene</i>	0.0249		mg/L	0.02500	100	70-130				
<i>Surrogate: Dibromofluoromethane</i>	0.0260		mg/L	0.02500	104	70-130				
<i>Surrogate: Toluene-d8</i>	0.0243		mg/L	0.02500	97	70-130				
LCS Dup										
1,1,1,2-Tetrachloroethane	0.0099	0.0010	mg/L	0.01000	99	70-130	0.8	25		
1,1,1-Trichloroethane	0.0098	0.0010	mg/L	0.01000	98	70-130	0.4	25		
1,1,2,2-Tetrachloroethane	0.0099	0.0005	mg/L	0.01000	99	70-130	2	25		
1,1,2-Trichloroethane	0.0102	0.0010	mg/L	0.01000	102	70-130	1	25		
1,1-Dichloroethane	0.0100	0.0010	mg/L	0.01000	100	70-130	1	25		
1,1-Dichloroethene	0.0099	0.0010	mg/L	0.01000	99	70-130	6	25		



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DH00324 - 5030B

1,1-Dichloropropene	0.0100	0.0020	mg/L	0.01000	100	70-130	2	25		
1,2,3-Trichlorobenzene	0.0091	0.0010	mg/L	0.01000	91	70-130	0.2	25		
1,2,3-Trichloropropane	0.0093	0.0010	mg/L	0.01000	93	70-130	3	25		
1,2,4-Trichlorobenzene	0.0090	0.0010	mg/L	0.01000	90	70-130	1	25		
1,2,4-Trimethylbenzene	0.0094	0.0010	mg/L	0.01000	94	70-130	0.7	25		
1,2-Dibromo-3-Chloropropane	0.0083	0.0050	mg/L	0.01000	83	70-130	2	25		
1,2-Dibromoethane	0.0090	0.0010	mg/L	0.01000	90	70-130	1	25		
1,2-Dichlorobenzene	0.0092	0.0010	mg/L	0.01000	92	70-130	2	25		
1,2-Dichloroethane	0.0103	0.0010	mg/L	0.01000	103	70-130	0.7	25		
1,2-Dichloropropane	0.0099	0.0010	mg/L	0.01000	99	70-130	0.5	25		
1,3,5-Trimethylbenzene	0.0096	0.0010	mg/L	0.01000	96	70-130	2	25		
1,3-Dichlorobenzene	0.0094	0.0010	mg/L	0.01000	94	70-130	0.2	25		
1,3-Dichloropropane	0.0104	0.0010	mg/L	0.01000	104	70-130	0.6	25		
1,4-Dichlorobenzene	0.0098	0.0010	mg/L	0.01000	98	70-130	1	25		
1,4-Dioxane - Screen	0.192	0.500	mg/L	0.2000	96	0-332	0.8	200		
1-Chlorohexane	0.0083	0.0010	mg/L	0.01000	83	70-130	2	25		
2,2-Dichloropropane	0.0096	0.0010	mg/L	0.01000	96	70-130	0.6	25		
2-Butanone	0.0496	0.0100	mg/L	0.05000	99	70-130	3	25		
2-Chlorotoluene	0.0092	0.0010	mg/L	0.01000	92	70-130	2	25		
2-Hexanone	0.0496	0.0100	mg/L	0.05000	99	70-130	0.9	25		
4-Chlorotoluene	0.0093	0.0010	mg/L	0.01000	93	70-130	2	25		
4-Isopropyltoluene	0.0096	0.0010	mg/L	0.01000	96	70-130	1	25		
4-Methyl-2-Pentanone	0.0487	0.0250	mg/L	0.05000	97	70-130	0.4	25		
Acetone	0.0468	0.0100	mg/L	0.05000	94	70-130	9	25		
Benzene	0.0104	0.0010	mg/L	0.01000	104	70-130	1	25		
Bromobenzene	0.0098	0.0020	mg/L	0.01000	98	70-130	2	25		
Bromochloromethane	0.0098	0.0010	mg/L	0.01000	98	70-130	0.7	25		
Bromodichloromethane	0.0098	0.0006	mg/L	0.01000	98	70-130	2	25		
Bromoform	0.0088	0.0010	mg/L	0.01000	88	70-130	3	25		
Bromomethane	0.0106	0.0020	mg/L	0.01000	106	70-130	2	25		
Carbon Disulfide	0.0100	0.0010	mg/L	0.01000	100	70-130	0.7	25		
Carbon Tetrachloride	0.0101	0.0010	mg/L	0.01000	101	70-130	1	25		
Chlorobenzene	0.0098	0.0010	mg/L	0.01000	98	70-130	2	25		
Chloroethane	0.0102	0.0020	mg/L	0.01000	102	70-130	0.1	25		
Chloroform	0.0101	0.0010	mg/L	0.01000	101	70-130	0.9	25		
Chloromethane	0.0129	0.0020	mg/L	0.01000	129	70-130	0.08	25		
cis-1,2-Dichloroethene	0.0096	0.0010	mg/L	0.01000	97	70-130	3	25		
cis-1,3-Dichloropropene	0.0101	0.0004	mg/L	0.01000	101	70-130	1	25		
Dibromochloromethane	0.0098	0.0010	mg/L	0.01000	98	70-130	0.1	25		
Dibromomethane	0.0100	0.0010	mg/L	0.01000	100	70-130	1	25		
Dichlorodifluoromethane	0.0097	0.0020	mg/L	0.01000	97	70-130	0.1	25		
Diethyl Ether	0.0098	0.0010	mg/L	0.01000	98	70-130	3	25		
Di-isopropyl ether	0.0098	0.0010	mg/L	0.01000	98	70-130	0	25		
Ethyl tertiary-butyl ether	0.0088	0.0010	mg/L	0.01000	88	70-130	0.5	25		
Ethylbenzene	0.0094	0.0010	mg/L	0.01000	94	70-130	3	25		



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DH00324 - 5030B

Hexachlorobutadiene	0.0101	0.0006	mg/L	0.01000	101	70-130	0.1	25	
Hexachloroethane	0.0098	0.0010	mg/L	0.01000	98	70-130	2	25	
Isopropylbenzene	0.0090	0.0010	mg/L	0.01000	90	70-130	2	25	
Methyl tert-Butyl Ether	0.0089	0.0010	mg/L	0.01000	89	70-130	1	25	
Methylene Chloride	0.0088	0.0020	mg/L	0.01000	88	70-130	4	25	
Naphthalene	0.0080	0.0010	mg/L	0.01000	80	70-130	0.7	25	
n-Butylbenzene	0.0096	0.0010	mg/L	0.01000	96	70-130	1	25	
n-Propylbenzene	0.0092	0.0010	mg/L	0.01000	92	70-130	2	25	
sec-Butylbenzene	0.0091	0.0010	mg/L	0.01000	91	70-130	2	25	
Styrene	0.0086	0.0010	mg/L	0.01000	86	70-130	1	25	
tert-Butylbenzene	0.0088	0.0010	mg/L	0.01000	88	70-130	1	25	
Tertiary-amyl methyl ether	0.0087	0.0010	mg/L	0.01000	87	70-130	0.1	25	
Tetrachloroethene	0.0077	0.0010	mg/L	0.01000	77	70-130	3	25	
Tetrahydrofuran	0.0095	0.0050	mg/L	0.01000	95	70-130	2	25	
Toluene	0.0101	0.0010	mg/L	0.01000	101	70-130	0.2	25	
trans-1,2-Dichloroethene	0.0098	0.0010	mg/L	0.01000	98	70-130	2	25	
trans-1,3-Dichloropropene	0.0092	0.0004	mg/L	0.01000	92	70-130	0.4	25	
Trichloroethene	0.0100	0.0010	mg/L	0.01000	100	70-130	3	25	
Trichlorofluoromethane	0.0107	0.0010	mg/L	0.01000	107	70-130	1	25	
Vinyl Acetate	0.0100	0.0050	mg/L	0.01000	100	70-130	0.3	25	
Vinyl Chloride	0.0121	0.0010	mg/L	0.01000	121	70-130	2	25	
Xylene O	0.0097	0.0010	mg/L	0.01000	97	70-130	4	25	
Xylene P,M	0.0200	0.0020	mg/L	0.02000	100	70-130	4	25	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>0.0264</i>		mg/L	<i>0.02500</i>	<i>106</i>	<i>70-130</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>0.0251</i>		mg/L	<i>0.02500</i>	<i>100</i>	<i>70-130</i>			
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0257</i>		mg/L	<i>0.02500</i>	<i>103</i>	<i>70-130</i>			
<i>Surrogate: Toluene-d8</i>	<i>0.0245</i>		mg/L	<i>0.02500</i>	<i>98</i>	<i>70-130</i>			



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

Notes and Definitions

U	Analyte included in the analysis, but not detected
D	Diluted.
CD+	Continuing Calibration %Diff/Drift is above control limit (CD+).
ND	Analyte NOT DETECTED at or above the MRL (LOQ), LOD for DoD Reports, MDL for J-Flagged Analytes
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
MDL	Method Detection Limit
MRL	Method Reporting Limit
LOD	Limit of Detection
LOQ	Limit of Quantitation
DL	Detection Limit
I/V	Initial Volume
F/V	Final Volume
§	Subcontracted analysis; see attached report
1	Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
2	Range result excludes concentrations of target analytes eluting in that range.
3	Range result excludes the concentration of the C9-C10 aromatic range.
Avg	Results reported as a mathematical average.
NR	No Recovery
[CALC]	Calculated Analyte
SUB	Subcontracted analysis; see attached report
RL	Reporting Limit
EDL	Estimated Detection Limit
MF	Membrane Filtration
MPN	Most Probably Number
TNTC	Too numerous to Count
CFU	Colony Forming Units



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20G1000

ESS LABORATORY CERTIFICATIONS AND ACCREDITATIONS

ENVIRONMENTAL

Rhode Island Potable and Non Potable Water: LAI00179
<http://www.health.ri.gov/find/labs/analytical/ESS.pdf>

Connecticut Potable and Non Potable Water, Solid and Hazardous Waste: PH-0750
http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/OutofStateCommercialLaboratories.pdf

Maine Potable and Non Potable Water, and Solid and Hazardous Waste: RI00002
<http://www.maine.gov/dhhs/mecdc/environmental-health/dwp/partners/labCert.shtml>

Massachusetts Potable and Non Potable Water: M-RI002
<http://public.dep.state.ma.us/Labcert/Labcert.aspx>

New Hampshire (NELAP accredited) Potable and Non Potable Water, Solid and Hazardous Waste: 2424
<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/index.htm>

New York (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: 11313
<http://www.wadsworth.org/labcert/elap/comm.html>

New Jersey (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: RI006
http://datamine2.state.nj.us/DEP_OPRA/OpraMain/pi_main?mode=pi_by_site&sort_order=PI_NAMEA&Select+a+Site:=58715

United States Department of Agriculture Soil Permit: P330-12-00139

Pennsylvania: 68-01752
<http://www.dep.pa.gov/Business/OtherPrograms/Labs/Pages/Laboratory-Accreditation-Program.aspx>

ESS Laboratory Sample and Cooler Receipt Checklist

Client: <u>ATC Group Services - KPB</u>	ESS Project ID: <u>20G1000</u>
Shipped/Delivered Via: <u>ESS Courier</u>	Date Received: <u>7/31/2020</u>
	Project Due Date: <u>8/7/2020</u>
	Days for Project: <u>5 Day</u>
1. Air bill manifest present? Air No.: <u>NA</u> <input type="checkbox"/> No	
2. Were custody seals present? <input type="checkbox"/> No	
3. Is radiation count <100 CPM? <input type="checkbox"/> Yes	
4. Is a Cooler Present? Temp: <u>3.5</u> Iced with: <u>Ice</u> <input type="checkbox"/> Yes	
5. Was COC signed and dated by client? <input type="checkbox"/> Yes	
6. Does COC match bottles? <input type="checkbox"/> Yes	
7. Is COC complete and correct? <input type="checkbox"/> Yes	
8. Were samples received intact? <input type="checkbox"/> Yes	
9. Were labs informed about <u>short holds & rushes?</u> <input type="checkbox"/> Yes / No <u>NA</u>	
10. Were any analyses received outside of hold time? <input type="checkbox"/> Yes / No	
11. Any Subcontracting needed? <input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No ESS Sample IDs: Analysis: _____ TAT: _____	
12. Were VOAs received? a. Air bubbles in aqueous VOAs? <input type="checkbox"/> Yes / No b. Does methanol cover soil completely? <input type="checkbox"/> Yes / No / NA	
13. Are the samples properly preserved? a. If metals preserved upon receipt: <input type="checkbox"/> Yes / No Date: _____ Time: _____ By: _____ b. Low Level VOA vials frozen: <input type="checkbox"/> Yes / No Date: _____ Time: _____ By: _____	
Sample Receiving Notes: <u>MISSING TRIP BLANK.</u>	
14. Was there a need to contact Project Manager? a. Was there a need to contact the client? <u>Adrienne Key</u> <input type="checkbox"/> Yes / No Who was contacted? <u>Adrienne Key</u> Date: <u>8/6/20</u> Time: <u>1611</u> By: <u>ML</u>	
Cancel trip blank	

Sample Number	Container ID	Proper Container	Air Bubbles Present	Sufficient Volume	Container Type	Preservative	Record pH (Cyanide and 608 Pesticides)
1	70711	Yes	No	Yes	VOA Vial	HCl	
1	70712	Yes	No	Yes	VOA Vial	HCl	
1	70713	Yes	No	Yes	VOA Vial	HCl	
1	70724	Yes	N/A	Yes	250 mL Poly	HNO3	
2	70714	Yes	No	Yes	VOA Vial	HCl	
2	70715	Yes	No	Yes	VOA Vial	HCl	
2	70716	Yes	No	Yes	VOA Vial	HCl	
2	70725	Yes	N/A	Yes	250 mL Poly	HNO3	
3	70717	Yes	No	Yes	VOA Vial	HCl	
3	70718	Yes	No	Yes	VOA Vial	HCl	
3	70719	Yes	No	Yes	VOA Vial	HCl	
3	70726	Yes	N/A	Yes	250 mL Poly	HNO3	
4	70720	Yes	No	Yes	VOA Vial	HCl	
4	70721	Yes	No	Yes	VOA Vial	HCl	
4	70722	Yes	No	Yes	VOA Vial	HCl	
4	70727	Yes	N/A	Yes	250 mL Poly	HNO3	
5	70723	Yes	No	Yes	VOA Vial	HCl	

AG
7/31/20

ESS Laboratory Sample and Cooler Receipt Checklist

Client: ATC Group Services - KPB

ESS Project ID: 20G1000
Date Received: 7/31/2020

2nd Review

Were all containers scanned into storage/lab?

Initials AG

Yes / No

Yes / No / NA

Are barcode labels on correct containers?

Are all Flashpoint stickers attached/container ID # circled?

Are all Hex Chrome stickers attached?

Are all QC stickers attached?

Are VOA stickers attached if bubbles noted?

Completed
By:

Amber Jencin

Date & Time: 7/31/20 17:09

Reviewed
By:

DL

Date & Time: 7/31/20 17:07

Delivered
By:

DL

7/31/20 17:27

ESS Laboratory Sample and Cooler Receipt Checklist

Client: <u>ATC Group Services - KPB</u>	ESS Project ID: <u>20G1000</u>
Shipped/Delivered Via: <u>ESS Courier</u>	Date Received: <u>7/31/2020</u>
	Project Due Date: <u>8/7/2020</u>
	Days for Project: <u>5 Day</u>
1. Air bill manifest present? Air No.: <u>NA</u> <input type="checkbox"/> No	
2. Were custody seals present? <input type="checkbox"/> No	
3. Is radiation count <100 CPM? <input type="checkbox"/> Yes	
4. Is a Cooler Present? Temp: <u>3.5</u> Iced with: <u>Ice</u> <input type="checkbox"/> Yes	
5. Was COC signed and dated by client? <input type="checkbox"/> Yes	
6. Does COC match bottles? <input type="checkbox"/> Yes	
7. Is COC complete and correct? <input type="checkbox"/> Yes	
8. Were samples received intact? <input type="checkbox"/> Yes	
9. Were labs informed about <u>short holds & rushes?</u> <input type="checkbox"/> Yes / No <u>NA</u>	
10. Were any analyses received outside of hold time? <input type="checkbox"/> Yes / No	
11. Any Subcontracting needed? <input type="checkbox"/> Yes / <u>No</u> ESS Sample IDs: Analysis: _____ TAT: _____	
12. Were VOAs received? a. Air bubbles in aqueous VOAs? <input type="checkbox"/> Yes / No b. Does methanol cover soil completely? <input type="checkbox"/> Yes / No / NA	
13. Are the samples properly preserved? a. If metals preserved upon receipt: <input type="checkbox"/> Yes / No Date: _____ Time: _____ By: _____ b. Low Level VOA vials frozen: <input type="checkbox"/> Yes / No Date: _____ Time: _____ By: _____	
Sample Receiving Notes: <u>MISSING TRIP BLANK.</u>	
14. Was there a need to contact Project Manager? a. Was there a need to contact the client? Who was contacted? _____ Date: _____ Time: _____ By: _____	

Sample Number	Container ID	Proper Container	Air Bubbles Present	Sufficient Volume	Container Type	Preservative	Record pH (Cyanide and 608 Pesticides)
1	70711	Yes	No	Yes	VOA Vial	HCl	
1	70712	Yes	No	Yes	VOA Vial	HCl	
1	70713	Yes	No	Yes	VOA Vial	HCl	
1	70724	Yes	N/A	Yes	250 mL Poly	HNO3	
2	70714	Yes	No	Yes	VOA Vial	HCl	
2	70715	Yes	No	Yes	VOA Vial	HCl	
2	70716	Yes	No	Yes	VOA Vial	HCl	
2	70725	Yes	N/A	Yes	250 mL Poly	HNO3	
3	70717	Yes	No	Yes	VOA Vial	HCl	
3	70718	Yes	No	Yes	VOA Vial	HCl	
3	70719	Yes	No	Yes	VOA Vial	HCl	
3	70726	Yes	N/A	Yes	250 mL Poly	HNO3	
4	70720	Yes	No	Yes	VOA Vial	HCl	
4	70721	Yes	No	Yes	VOA Vial	HCl	
4	70722	Yes	No	Yes	VOA Vial	HCl	
4	70727	Yes	N/A	Yes	250 mL Poly	HNO3	
5	70723	Yes	No	Yes	VOA Vial	HCl	

AG
7/31/20

ESS Laboratory Sample and Cooler Receipt Checklist

Client: ATC Group Services - KPB

ESS Project ID: 20G1000
Date Received: 7/31/2020

2nd Review

Were all containers scanned into storage/lab?

Initials AG

Yes / No

Yes / No / NA

Are barcode labels on correct containers?

Are all Flashpoint stickers attached/container ID # circled?

Are all Hex Chrome stickers attached?

Are all QC stickers attached?

Are VOA stickers attached if bubbles noted?

Completed
By:

Amber Jencin

Date & Time: 7/31/20 17:09

Reviewed
By:

DL

Date & Time: 7/31/20 17:07

Delivered
By:

DL

7/31/20 17:27

ESS Laboratory

Division of Thielsch Engineering, Inc.
 185 Frances Avenue, Cranston RI 02910
 Tel. (401) 461-7181 Fax (401) 461-4486
www.esslaboratory.com

CHAIN OF CUSTODY

					ESS Lab # 20G1000
Turn Time 5-Day Rush: Regulatory State: RI GA Groundwater Objectives					Reporting Limits RI GA Groundwater Objectives
Is this project for any of the following? <input type="checkbox"/> MA-MCP <input type="checkbox"/> CT-RCP <input type="checkbox"/> RGP <input type="checkbox"/> Remediation					Electronic Deliverables <input checked="" type="checkbox"/> Limit Checker <input checked="" type="checkbox"/> Excel <input checked="" type="checkbox"/> Other (Please Specify) → pdf
Company Name ATC Group Services, LLC		Project # 3010000238	Project Name Former Portsmouth Landfill		
Contact Person Adrienne Kee		Address 400 Reservoir Ave., Suite 3D			Analysis <small>VOC by 8250</small> <small>Total Sb, As, Ba, Be, Cd, Cr</small> <small>Total Co, Cu, Pb, Ni, Se, Ag</small> <small>Total Ti, V, Zn</small>
City Providence		State Rhode Island	Zip Code 02907	PO # 3010000238	
Telephone Number (401) 639-4277 - 741.2183		FAX Number	Email Address adrienne.kee@atcgs.com		
ESS Lab ID	Collection Date	Collection Time	Sample Type	Sample Matrix	Sample ID
1	7/30/20	9:50	Grab	Ground Water	MW-1
2		11:00	Grab	Ground Water	MW-2
3		12:10	Grab	Ground Water	MW-3
4	✓	1:20	Grab	Ground Water	MW-4
5					Trip Blank
					X X X X
					X X X X
					X X X X
					X X X X
					X
Container Type: AG-Amber Glass B-BOD Bottle G-Glass P-Poly S-Sterile V-Vial O-Other					V P P P
Preservation Code: 1-Non Preserved 2-HCl 3-H2SO4 4-HNO3 5-NaOH 6-Methanol 7-Na2S2O3 8-ZnAc, NaOH 9-NH4Cl 10-DI H2O 11-Other*					2 4 4 4
Number of Containers: 13 4*					
Laboratory Use Only Cooler Present: <input checked="" type="checkbox"/> Seals Intact: <input checked="" type="checkbox"/>					Sampled by: AK Comments: Please specify "Other" preservative and containers types in this space *Total Metals: one container per sample for all listed 15 metals.
Cooler Temperature: °C 10 + temp. 3.5					
Relinquished by: (Signature, Date & Time)		Received By: (Signature, Date & Time)	Relinquished By: (Signature, Date & Time)	Received By: (Signature, Date & Time)	
Adrienne Kee 7/30/20		Zach 7/31/20 9:23	Zach 7/31/20 16:52	Amber Garcia 7/31/20 16:38	
Relinquished by: (Signature, Date & Time)		Received By: (Signature, Date & Time)	Relinquished By: (Signature, Date & Time)	Received By: (Signature, Date & Time)	